ICPSR | INTER-UNIVERSITY CONSORTIUM FOR POLITICAL AND SOCIAL RESEARCH

ICPSR 36800

Research on Pathways to Desistance [Maricopa County, AZ and Philadelphia County, PA]: Subject Measures - Scales, 2000-2010

Edward P. Mulvey
University of Pittsburgh

Codebook for Friendship Quality

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/36800/terms

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE
WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 36800

Research on Pathways to Desistance [Maricopa County, AZ and Philadelphia County, PA]: Subject Measures - Scales, 2000-2010

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Friendship Quality

CASEID: S0 IntInfo: Subject ID

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1-5 (width: 5; decimal: 0)
Variable Type: numeric

S0REL253: S0 CharFriends: Number of close friends

Based upon 1,353 valid cases out of 1,354 total cases.

- Mean: 4.68
- Median: 3.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 95.00
- Standard Deviation: 7.20

Location: 6-8 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -99 , -98

S0CFQUAL: S0 FrQual: Count on your friend for help with a problem

Value	Label	Unweighted Frequency	%
1	Not at all	12	0.9 %
2	A little	109	8.1 %
3	Quite a bit	287	21.2 %
4	Very much	896	66.2 %
	Missing Data		
-101	Skipped: Subject has zero friends	50	3.7 %
	Total	**1,354**	**100%**

Based upon 1,304 valid cases out of 1,354 total cases.

Location: 9-12 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0CFQUA2: S0 FrQual: Count on your friend to help you if a family member died

Value	Label	Unweighted Frequency	%
1	Not at all	29	2.1 %
2	A little	104	7.7 %
3	Quite a bit	222	16.4 %
4	Very much	948	70.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-101	Skipped: Subject has zero friends	50	3.7 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,303 valid cases out of 1,354 total cases.

Location: 13-16 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0CFQUA3: S0 FrQual: How close do you think you will be to your friend in ten years

Value	Label	Unweighted Frequency	%
1	Not at all	37	2.7 %
2	A little	189	14.0 %
3	Quite a bit	391	28.9 %
4	Very much	661	48.8 %
	Missing Data		
-101	Skipped: Subject has zero friends	50	3.7 %
-9	Dont Know	25	1.8 %
-8	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,278 valid cases out of 1,354 total cases.

Location: 17-20 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0CFQUA4: S0 FrQual: How much miss friend if you could not see/talk with them for a month

Value	Label	Unweighted Frequency	%
1	Not at all	41	3.0 %
2	A little	188	13.9 %
3	Quite a bit	301	22.2 %
4	Very much	772	57.0 %
	Missing Data		
-101	Skipped: Subject has zero friends	50	3.7 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,302 valid cases out of 1,354 total cases.

Location: 21-24 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0CFQUA5: S0 FrQual: If you wanted to go out at night, would friend be willing

Value	Label	Unweighted Frequency	%
1	Not at all	37	2.7 %
2	A little	110	8.1 %
3	Quite a bit	306	22.6 %
4	Very much	849	62.7 %
	Missing Data		
-101	Skipped: Subject has zero friends	50	3.7 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,302 valid cases out of 1,354 total cases.

Location: 25-28 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0CFQUA6: S0 FrQual: How much do you depend on your friend

Value	Label	Unweighted Frequency	%
1	Not at all	92	6.8 %
2	A little	267	19.7 %
3	Quite a bit	391	28.9 %
4	Very much	553	40.8 %
	Missing Data		
-101	Skipped: Subject has zero friends	50	3.7 %
-8	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,303 valid cases out of 1,354 total cases.

Location: 29-32 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0CFQUA7: S0 FrQual: Count on to listen to you when you are very angry at someone else

Value	Label	Unweighted Frequency	%
1	Not at all	20	1.5 %
2	A little	88	6.5 %
3	Quite a bit	316	23.3 %
4	Very much	879	64.9 %
	Missing Data		
-101	Skipped: Subject has zero friends	50	3.7 %

Value	Label	Unweighted Frequency	%
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,303 valid cases out of 1,354 total cases.

Location: 33-36 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0CFQUA8: S0 FrQual: Count on to take your mind off your problems when you feel under stress

Value	Label	Unweighted Frequency	%
1	Not at all	30	2.2 %
2	A little	154	11.4 %
3	Quite a bit	363	26.8 %
4	Very much	755	55.8 %
	Missing Data		
-101	Skipped: Subject has zero friends	50	3.7 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,302 valid cases out of 1,354 total cases.

Location: 37-40 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0CFQUA9: S0 FrQual: Friend tried to stop you from doing something wrong/illegal

Value	Label	Unweighted Frequency	%
1	Not at all	128	9.5 %
2	A little	219	16.2 %
3	Quite a bit	319	23.6 %
4	Very much	636	47.0 %
	Missing Data		
-101	Skipped: Subject has zero friends	50	3.7 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,302 valid cases out of 1,354 total cases.

Location: 41-44 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0CFQU10: S0 FrQual: Friend tried to influence you to do something wrong

Value	Label	Unweighted Frequency	%
1	Not at all	719	53.1 %
2	A little	379	28.0 %
3	Quite a bit	118	8.7 %
4	Very much	86	6.4 %
	Missing Data		
-101	Skipped: Subject has zero friends	50	3.7 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,302 valid cases out of 1,354 total cases.

Location: 45-48 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0CFQ10R: S0 FrQual: How much have these friends tried to influence you to do something that most people would think is wrong - reversed - BL

Value	Label	Unweighted Frequency	%
1	Very much	86	6.4 %
2	Quite a bit	118	8.7 %
3	A little	379	28.0 %
4	Not at all	719	53.1 %
	Missing Data		
-101	skpped: subject reported zero friends	50	3.7 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,302 valid cases out of 1,354 total cases.

Location: 49-52 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -99 , -98 , -9

S0FRDQLT: S0 FQual: Friendship - Quality of Relationship

Based upon 1,304 valid cases out of 1,354 total cases.

- Mean: 3.3919989775
- Median: 3.5000000000
- Mode: 3.7000000000
- Minimum: 1.3000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.4515509288

Location: 53-67 (width: 15; decimal: 10)

Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -100.0000000000

S1PEERCHAR_NFRND: S1 CharFriends: Num of close friends

Based upon 1,262 valid cases out of 1,354 total cases.

- Mean: 4.35
- Median: 3.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 95.00
- Standard Deviation: 7.83

Location: 68-71 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S1PEERCHAR_NFRNA: S1 CharFriends: How many friends ask about

Value	Label	Unweighted Frequency	%
0	-	82	6.1 %
1	-	260	19.2 %
2	-	240	17.7 %
3	-	206	15.2 %
4	-	474	35.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,262 valid cases out of 1,354 total cases.

Location: 72-75 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S1FRQUAL01: S1 FrQual: Count on close friend w/problem

Value	Label	Unweighted Frequency	%
1	Not at all	8	0.6 %
2	A little	80	5.9 %
3	Quite a bit	314	23.2 %
4	Very much	778	57.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	Number of friends <= 0	82	6.1 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 1,180 valid cases out of 1,354 total cases.

Location: 76-79 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S1FRQUAL02: S1 FrQual: Count on close friend family died

Value	Label	Unweighted Frequency	%
1	Not at all	28	2.1 %
2	A little	88	6.5 %
3	Quite a bit	232	17.1 %
4	Very much	830	61.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	Number of friends <= 0	82	6.1 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,178 valid cases out of 1,354 total cases.

Location: 80-83 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S1FRQUAL03: S1 FrQual: How close to friend in 10 years

Value	Label	Unweighted Frequency	%
1	Not at all	39	2.9 %
2	A little	172	12.7 %
3	Quite a bit	376	27.8 %
4	Very much	572	42.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	Number of friends <= 0	82	6.1 %
-9	Dont Know	20	1.5 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,159 valid cases out of 1,354 total cases.

Location: 84-87 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S1FRQUAL04: S1 FrQual: Miss close friend if not seen for month

Value	Label	Unweighted Frequency	%
1	Not at all	63	4.7 %
2	A little	238	17.6 %
3	Quite a bit	295	21.8 %
4	Very much	583	43.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	Number of friends <= 0	82	6.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 88-91 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S1FRQUAL05: S1 FrQual: Close friend go out w/you

Value	Label	Unweighted Frequency	%
1	Not at all	36	2.7 %
2	A little	80	5.9 %
3	Quite a bit	297	21.9 %
4	Very much	765	56.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	Number of friends <= 0	82	6.1 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,178 valid cases out of 1,354 total cases.

Location: 92-95 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S1FRQUAL06: S1 FrQual: How much depend on close friend

Value	Label	Unweighted Frequency	%
1	Not at all	96	7.1 %
2	A little	266	19.6 %
3	Quite a bit	367	27.1 %
4	Very much	451	33.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	Number of friends <= 0	82	6.1 %
	Total	**1,354**	**100%**

Based upon 1,180 valid cases out of 1,354 total cases.

Location: 96-99 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S1FRQUAL07: S1 FrQual: Close friend listen when mad

Value	Label	Unweighted Frequency	%
1	Not at all	20	1.5 %
2	A little	92	6.8 %
3	Quite a bit	334	24.7 %
4	Very much	734	54.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	Number of friends <= 0	82	6.1 %
	Total	**1,354**	**100%**

Based upon 1,180 valid cases out of 1,354 total cases.

Location: 100-103 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S1FRQUAL08: S1 FrQual: Close friend listen when stressed

Value	Label	Unweighted Frequency	%
1	Not at all	33	2.4 %
2	A little	136	10.0 %
3	Quite a bit	359	26.5 %
4	Very much	652	48.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	Number of friends <= 0	82	6.1 %
	Total	**1,354**	**100%**

Based upon 1,180 valid cases out of 1,354 total cases.

Location: 104-107 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S1FRQUAL09: S1 FrQual: Close friend stop when you are doing wrong

Value	Label	Unweighted Frequency	%
1	Not at all	115	8.5 %
2	A little	212	15.7 %
3	Quite a bit	315	23.3 %
4	Very much	538	39.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	Number of friends <= 0	82	6.1 %
	Total	**1,354**	**100%**

Based upon 1,180 valid cases out of 1,354 total cases.

Location: 108-111 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S1FRQUAL10: S1 FrQual: Close friend make you do wrong

Value	Label	Unweighted Frequency	%
1	Not at all	668	49.3 %
2	A little	362	26.7 %
3	Quite a bit	98	7.2 %
4	Very much	52	3.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	Number of friends <= 0	82	6.1 %
	Total	**1,354**	**100%**

Based upon 1,180 valid cases out of 1,354 total cases.

Location: 112-115 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S1CFQ10R: S1 FQual: How much have these friends tried to influence you to do something that most people would think is wrong - reversed

Value	Label	Unweighted Frequency	%
1	Very much	52	3.8 %
2	Quite a bit	98	7.2 %
3	A little	362	26.7 %
4	Not at all	668	49.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	skpped: subject reported zero friends	82	6.1 %
	Total	**1,354**	**100%**

Based upon 1,180 valid cases out of 1,354 total cases.

Location: 116-119 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -99 , -98 , -9

S1FRDQLT: S1 FQual: Friendship - Quality of Relationship

Based upon 1,180 valid cases out of 1,354 total cases.

- Mean: 3.3506238230
- Median: 3.4000000000
- Mode: 3.7000000000
- Minimum: 1.3000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.4892045606

Location: 120-134 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S2PEERCHAR_NFRND: S2 CharFriends: Num of close friends

Based upon 1,261 valid cases out of 1,354 total cases.

- Mean: 3.95
- Median: 3.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 60.00
- Standard Deviation: 5.93

Location: 135-138 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S2PEERCHAR_NFRNA: S2 CharFriends: How many friends ask about

Value	Label	Unweighted Frequency	%
0	-	66	4.9 %
1	-	247	18.2 %
2	-	284	21.0 %
3	-	231	17.1 %
4	-	433	32.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 139-142 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S2FRQUAL01: S2 FrQual: Count on close friend w/problem

Value	Label	Unweighted Frequency	%
1	Not at all	10	0.7 %
2	A little	86	6.4 %
3	Quite a bit	321	23.7 %
4	Very much	778	57.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	Number of friends <= 0	66	4.9 %
	Total	**1,354**	**100%**

Based upon 1,195 valid cases out of 1,354 total cases.

Location: 143-146 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S2FRQUAL02: S2 FrQual: Count on close friend family died

Value	Label	Unweighted Frequency	%
1	Not at all	24	1.8 %
2	A little	84	6.2 %
3	Quite a bit	253	18.7 %
4	Very much	832	61.4 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	Number of friends <= 0	66	4.9 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,193 valid cases out of 1,354 total cases.

Location: 147-150 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S2FRQUAL03: S2 FrQual: How close to friend in 10 years

Value	Label	Unweighted Frequency	%
1	Not at all	43	3.2 %
2	A little	170	12.6 %
3	Quite a bit	388	28.7 %
4	Very much	577	42.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	Number of friends <= 0	66	4.9 %
-9	Dont Know	17	1.3 %
	Total	**1,354**	**100%**

Based upon 1,178 valid cases out of 1,354 total cases.

Location: 151-154 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S2FRQUAL04: S2 FrQual: Miss close friend if not seen for month

Value	Label	Unweighted Frequency	%
1	Not at all	76	5.6 %
2	A little	250	18.5 %
3	Quite a bit	279	20.6 %
4	Very much	588	43.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	Number of friends <= 0	66	4.9 %

Value	Label	Unweighted Frequency	%
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,193 valid cases out of 1,354 total cases.

Location: 155-158 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S2FRQUAL05: S2 FrQual: Close friend go out w/you

Value	Label	Unweighted Frequency	%
1	Not at all	28	2.1 %
2	A little	84	6.2 %
3	Quite a bit	323	23.9 %
4	Very much	758	56.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	Number of friends <= 0	66	4.9 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,193 valid cases out of 1,354 total cases.

Location: 159-162 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S2FRQUAL06: S2 FrQual: How much depend on close friend

Value	Label	Unweighted Frequency	%
1	Not at all	116	8.6 %
2	A little	308	22.7 %
3	Quite a bit	355	26.2 %
4	Very much	416	30.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	Number of friends <= 0	66	4.9 %
	Total	**1,354**	**100%**

Based upon 1,195 valid cases out of 1,354 total cases.

Location: 163-166 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S2FRQUAL07: S2 FrQual: Close friend listen when mad

Value	Label	Unweighted Frequency	%
1	Not at all	17	1.3 %
2	A little	109	8.1 %
3	Quite a bit	321	23.7 %
4	Very much	748	55.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	Number of friends <= 0	66	4.9 %
	Total	**1,354**	**100%**

Based upon 1,195 valid cases out of 1,354 total cases.

Location: 167-170 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S2FRQUAL08: S2 FrQual: Close friend listen when stressed

Value	Label	Unweighted Frequency	%
1	Not at all	30	2.2 %
2	A little	156	11.5 %
3	Quite a bit	340	25.1 %
4	Very much	667	49.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	Number of friends <= 0	66	4.9 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,193 valid cases out of 1,354 total cases.

Location: 171-174 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S2FRQUAL09: S2 FrQual: Close friend stop when you are doing wrong

Value	Label	Unweighted Frequency	%
1	Not at all	134	9.9 %
2	A little	210	15.5 %

Value	Label	Unweighted Frequency	%
3	Quite a bit	352	26.0 %
4	Very much	496	36.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	Number of friends <= 0	66	4.9 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,192 valid cases out of 1,354 total cases.

Location: 175-178 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S2FRQUAL10: S2 FrQual: Close friend make you do wrong

Value	Label	Unweighted Frequency	%
1	Not at all	718	53.0 %
2	A little	304	22.5 %
3	Quite a bit	113	8.3 %
4	Very much	58	4.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	Number of friends <= 0	66	4.9 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,193 valid cases out of 1,354 total cases.

Location: 179-182 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S2CFQ10R: S2 FQual: How much have these friends tried to influence you to do something that most people would think is wrong - reversed

Value	Label	Unweighted Frequency	%
1	Very much	58	4.3 %
2	Quite a bit	113	8.3 %
3	A little	304	22.5 %
4	Not at all	718	53.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	skpped: subject reported zero friends	66	4.9 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,193 valid cases out of 1,354 total cases.

Location: 183-186 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -99 , -98 , -9

S2FRDQLT: S2 FQual: Friendship - Quality of Relationship

Based upon 1,195 valid cases out of 1,354 total cases.

- Mean: 3.3298163645
- Median: 3.4000000000
- Mode: 3.7000000000
- Minimum: 1.3000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.4962423904

Location: 187-201 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S3PEERCHAR_NFRND: S3 CharFriends: Num of close friends

Based upon 1,228 valid cases out of 1,354 total cases.

- Mean: 3.21
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 95.00
- Standard Deviation: 4.44

Location: 202-205 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S3PEERCHAR_NFRNA: S3 CharFriends: How many friends ask about

Value	Label	Unweighted Frequency	%
0	-	86	6.4 %
1	-	277	20.5 %
2	-	289	21.3 %
3	-	222	16.4 %

Value	Label	Unweighted Frequency	%
4	-	354	26.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 206-209 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S3FRQUAL01: S3 FrQual: Count on close friend w/problem

Value	Label	Unweighted Frequency	%
1	Not at all	9	0.7 %
2	A little	80	5.9 %
3	Quite a bit	302	22.3 %
4	Very much	751	55.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	Number of friends <= 0	87	6.4 %
	Total	**1,354**	**100%**

Based upon 1,142 valid cases out of 1,354 total cases.

Location: 210-213 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S3FRQUAL02: S3 FrQual: Count on close friend family died

Value	Label	Unweighted Frequency	%
1	Not at all	19	1.4 %
2	A little	88	6.5 %
3	Quite a bit	233	17.2 %
4	Very much	802	59.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	Number of friends <= 0	87	6.4 %
	Total	**1,354**	**100%**

Based upon 1,142 valid cases out of 1,354 total cases.

Location: 214-217 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S3FRQUAL03: S3 FrQual: How close to friend in 10 years

Value	Label	Unweighted Frequency	%
1	Not at all	28	2.1 %
2	A little	174	12.9 %
3	Quite a bit	390	28.8 %
4	Very much	541	40.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	Number of friends <= 0	87	6.4 %
-9	Dont Know	9	0.7 %
	Total	**1,354**	**100%**

Based upon 1,133 valid cases out of 1,354 total cases.

Location: 218-221 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S3FRQUAL04: S3 FrQual: Miss close friend if not seen for month

Value	Label	Unweighted Frequency	%
1	Not at all	70	5.2 %
2	A little	238	17.6 %
3	Quite a bit	315	23.3 %
4	Very much	518	38.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	Number of friends <= 0	87	6.4 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,141 valid cases out of 1,354 total cases.

Location: 222-225 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S3FRQUAL05: S3 FrQual: Close friend go out w/you

Value	Label	Unweighted Frequency	%
1	Not at all	22	1.6 %
2	A little	87	6.4 %
3	Quite a bit	314	23.2 %

Value	Label	Unweighted Frequency	%
4	Very much	714	52.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	Number of friends <= 0	87	6.4 %
-9	Dont Know	5	0.4 %
	Total	**1,354**	**100%**

Based upon 1,137 valid cases out of 1,354 total cases.

Location: 226-229 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S3FRQUAL06: S3 FrQual: How much depend on close friend

Value	Label	Unweighted Frequency	%
1	Not at all	103	7.6 %
2	A little	323	23.9 %
3	Quite a bit	320	23.6 %
4	Very much	396	29.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	Number of friends <= 0	87	6.4 %
	Total	**1,354**	**100%**

Based upon 1,142 valid cases out of 1,354 total cases.

Location: 230-233 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S3FRQUAL07: S3 FrQual: Close friend listen when mad

Value	Label	Unweighted Frequency	%
1	Not at all	14	1.0 %
2	A little	95	7.0 %
3	Quite a bit	360	26.6 %
4	Very much	673	49.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	Number of friends <= 0	87	6.4 %
	Total	**1,354**	**100%**

Based upon 1,142 valid cases out of 1,354 total cases.

Location: 234-237 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S3FRQUAL08: S3 FrQual: Close friend listen when stressed

Value	Label	Unweighted Frequency	%
1	Not at all	26	1.9 %
2	A little	139	10.3 %
3	Quite a bit	354	26.1 %
4	Very much	621	45.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	Number of friends <= 0	87	6.4 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,140 valid cases out of 1,354 total cases.

Location: 238-241 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S3FRQUAL09: S3 FrQual: Close friend stop when you are doing wrong

Value	Label	Unweighted Frequency	%
1	Not at all	149	11.0 %
2	A little	229	16.9 %
3	Quite a bit	269	19.9 %
4	Very much	494	36.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	Number of friends <= 0	87	6.4 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,141 valid cases out of 1,354 total cases.

Location: 242-245 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S3FRQUAL10: S3 FrQual: Close friend make you do wrong

Value	Label	Unweighted Frequency	%
1	Not at all	711	52.5 %

Value	Label	Unweighted Frequency	%
2	A little	309	22.8 %
3	Quite a bit	80	5.9 %
4	Very much	41	3.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	Number of friends <= 0	87	6.4 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,141 valid cases out of 1,354 total cases.

Location: 246-249 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S3CFQ10R: S3 FQual: How much have these friends tried to influence you to do something that most people would think is wrong - reversed

Value	Label	Unweighted Frequency	%
1	Very much	41	3.0 %
2	Quite a bit	80	5.9 %
3	A little	309	22.8 %
4	Not at all	711	52.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	skpped: subject reported zero friends	87	6.4 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,141 valid cases out of 1,354 total cases.

Location: 250-253 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -99 , -98 , -9

S3FRDQLT: S3 FQual: Friendship - Quality of Relationship

Based upon 1,142 valid cases out of 1,354 total cases.

- Mean: 3.3266005059
- Median: 3.4000000000
- Mode: 4.0000000000
- Minimum: 1.3000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.5112182903

Location: 254-268 (width: 15; decimal: 10)
Variable Type: numeric

(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S4PEERCHAR_NFRND: S4 CharFriends: Num of close friends

Based upon 1,230 valid cases out of 1,354 total cases.

- Mean: 3.12
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 95.00
- Standard Deviation: 5.04

Location: 269-272 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S4PEERCHAR_NFRNA: S4 CharFriends: How many friends ask about

Value	Label	Unweighted Frequency	%
0	-	119	8.8 %
1	-	247	18.2 %
2	-	311	23.0 %
3	-	212	15.7 %
4	-	341	25.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 273-276 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S4FRQUAL01: S4 FrQual: Count on close friend w/problem

Value	Label	Unweighted Frequency	%
1	Not at all	8	0.6 %
2	A little	91	6.7 %
3	Quite a bit	308	22.7 %
4	Very much	704	52.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Number of friends <= 0	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,111 valid cases out of 1,354 total cases.

Location: 277-280 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S4FRQUAL02: S4 FrQual: Count on close friend family died

Value	Label	Unweighted Frequency	%
1	Not at all	23	1.7 %
2	A little	80	5.9 %
3	Quite a bit	248	18.3 %
4	Very much	760	56.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Number of friends <= 0	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,111 valid cases out of 1,354 total cases.

Location: 281-284 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S4FRQUAL03: S4 FrQual: How close to friend in 10 years

Value	Label	Unweighted Frequency	%
1	Not at all	16	1.2 %
2	A little	158	11.7 %
3	Quite a bit	362	26.7 %
4	Very much	560	41.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Number of friends <= 0	120	8.9 %
-9	Dont Know	15	1.1 %
	Total	**1,354**	**100%**

Based upon 1,096 valid cases out of 1,354 total cases.

Location: 285-288 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S4FRQUAL04: S4 FrQual: Miss close friend if not seen for month

Value	Label	Unweighted Frequency	%
1	Not at all	45	3.3 %

Value	Label	Unweighted Frequency	%
2	A little	249	18.4 %
3	Quite a bit	302	22.3 %
4	Very much	515	38.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Number of friends <= 0	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,111 valid cases out of 1,354 total cases.

Location: 289-292 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S4FRQUAL05: S4 FrQual: Close friend go out w/you

Value	Label	Unweighted Frequency	%
1	Not at all	23	1.7 %
2	A little	101	7.5 %
3	Quite a bit	314	23.2 %
4	Very much	670	49.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Number of friends <= 0	120	8.9 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,108 valid cases out of 1,354 total cases.

Location: 293-296 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S4FRQUAL06: S4 FrQual: How much depend on close friend

Value	Label	Unweighted Frequency	%
1	Not at all	103	7.6 %
2	A little	305	22.5 %
3	Quite a bit	312	23.0 %
4	Very much	391	28.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Number of friends <= 0	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,111 valid cases out of 1,354 total cases.

Location: 297-300 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S4FRQUAL07: S4 FrQual: Close friend listen when mad

Value	Label	Unweighted Frequency	%
1	Not at all	13	1.0 %
2	A little	101	7.5 %
3	Quite a bit	362	26.7 %
4	Very much	635	46.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Number of friends <= 0	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,111 valid cases out of 1,354 total cases.

Location: 301-304 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S4FRQUAL08: S4 FrQual: Close friend listen when stressed

Value	Label	Unweighted Frequency	%
1	Not at all	22	1.6 %
2	A little	151	11.2 %
3	Quite a bit	344	25.4 %
4	Very much	592	43.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Number of friends <= 0	120	8.9 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,109 valid cases out of 1,354 total cases.

Location: 305-308 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S4FRQUAL09: S4 FrQual: Close friend stop when you are doing wrong

Value	Label	Unweighted Frequency	%
1	Not at all	124	9.2 %

Value	Label	Unweighted Frequency	%
2	A little	224	16.5 %
3	Quite a bit	293	21.6 %
4	Very much	469	34.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Number of friends <= 0	120	8.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,110 valid cases out of 1,354 total cases.

Location: 309-312 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S4FRQUAL10: S4 FrQual: Close friend make you do wrong

Value	Label	Unweighted Frequency	%
1	Not at all	710	52.4 %
2	A little	286	21.1 %
3	Quite a bit	70	5.2 %
4	Very much	45	3.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Number of friends <= 0	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,111 valid cases out of 1,354 total cases.

Location: 313-316 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S4CFQ10R: S4 FQual: How much have these friends tried to influence you to do something that most people would think is wrong - reversed

Value	Label	Unweighted Frequency	%
1	Very much	45	3.3 %
2	Quite a bit	70	5.2 %
3	A little	286	21.1 %
4	Not at all	710	52.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	skpped: subject reported zero friends	120	8.9 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 1,111 valid cases out of 1,354 total cases.

Location: 317-320 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -99 , -98 , -9

S4FRDQLT: S4 FQual: Friendship - Quality of Relationship

Based upon 1,111 valid cases out of 1,354 total cases.

- Mean: 3.3269376938
- Median: 3.4000000000
- Mode: 4.0000000000
- Minimum: 1.2000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.4993033907

Location: 321-335 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S5PEERCHAR_NFRND: S5 CharFriends: Num of close friends

Based upon 1,231 valid cases out of 1,354 total cases.

- Mean: 2.55
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 95.00
- Standard Deviation: 3.68

Location: 336-339 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S5PEERCHAR_NFRNA: S5 CharFriends: How many friends ask about

Value	Label	Unweighted Frequency	%
0	-	166	12.3 %
1	-	278	20.5 %
2	-	299	22.1 %
3	-	224	16.5 %
4	-	264	19.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %

Value	Label	Unweighted Frequency	%
-9	Dont Know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,231 valid cases out of 1,354 total cases.

Location: 340-343 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S5FRQUAL01: S5 FrQual: Count on close friend w/problem

Value	Label	Unweighted Frequency	%
1	Not at all	10	0.7 %
2	A little	88	6.5 %
3	Quite a bit	298	22.0 %
4	Very much	669	49.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Number of friends <= 0	168	12.4 %
	Total	**1,354**	**100%**

Based upon 1,065 valid cases out of 1,354 total cases.

Location: 344-347 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S5FRQUAL02: S5 FrQual: Count on close friend family died

Value	Label	Unweighted Frequency	%
1	Not at all	15	1.1 %
2	A little	52	3.8 %
3	Quite a bit	257	19.0 %
4	Very much	741	54.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Number of friends <= 0	168	12.4 %
	Total	**1,354**	**100%**

Based upon 1,065 valid cases out of 1,354 total cases.

Location: 348-351 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S5FRQUAL03: S5 FrQual: How close to friend in 10 years

Value	Label	Unweighted Frequency	%
1	Not at all	18	1.3 %
2	A little	139	10.3 %
3	Quite a bit	347	25.6 %
4	Very much	551	40.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Number of friends <= 0	168	12.4 %
-9	Dont Know	10	0.7 %
	Total	**1,354**	**100%**

Based upon 1,055 valid cases out of 1,354 total cases.

Location: 352-355 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S5FRQUAL04: S5 FrQual: Miss close friend if not seen for month

Value	Label	Unweighted Frequency	%
1	Not at all	49	3.6 %
2	A little	227	16.8 %
3	Quite a bit	266	19.6 %
4	Very much	523	38.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Number of friends <= 0	168	12.4 %
	Total	**1,354**	**100%**

Based upon 1,065 valid cases out of 1,354 total cases.

Location: 356-359 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S5FRQUAL05: S5 FrQual: Close friend go out w/you

Value	Label	Unweighted Frequency	%
1	Not at all	28	2.1 %
2	A little	94	6.9 %

Value	Label	Unweighted Frequency	%
3	Quite a bit	300	22.2 %
4	Very much	643	47.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Number of friends <= 0	168	12.4 %
	Total	**1,354**	**100%**

Based upon 1,065 valid cases out of 1,354 total cases.

Location: 360-363 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S5FRQUAL06: S5 FrQual: How much depend on close friend

Value	Label	Unweighted Frequency	%
1	Not at all	97	7.2 %
2	A little	308	22.7 %
3	Quite a bit	313	23.1 %
4	Very much	347	25.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Number of friends <= 0	168	12.4 %
	Total	**1,354**	**100%**

Based upon 1,065 valid cases out of 1,354 total cases.

Location: 364-367 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S5FRQUAL07: S5 FrQual: Close friend listen when mad

Value	Label	Unweighted Frequency	%
1	Not at all	15	1.1 %
2	A little	96	7.1 %
3	Quite a bit	340	25.1 %
4	Very much	613	45.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Number of friends <= 0	168	12.4 %

Value	Label	Unweighted Frequency	%
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,064 valid cases out of 1,354 total cases.

Location: 368-371 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S5FRQUAL08: S5 FrQual: Close friend listen when stressed

Value	Label	Unweighted Frequency	%
1	Not at all	20	1.5 %
2	A little	128	9.5 %
3	Quite a bit	353	26.1 %
4	Very much	564	41.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Number of friends <= 0	168	12.4 %
	Total	**1,354**	**100%**

Based upon 1,065 valid cases out of 1,354 total cases.

Location: 372-375 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S5FRQUAL09: S5 FrQual: Close friend stop when you are doing wrong

Value	Label	Unweighted Frequency	%
1	Not at all	113	8.3 %
2	A little	194	14.3 %
3	Quite a bit	307	22.7 %
4	Very much	446	32.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Number of friends <= 0	168	12.4 %
-9	Dont Know	5	0.4 %
	Total	**1,354**	**100%**

Based upon 1,060 valid cases out of 1,354 total cases.

Location: 376-379 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S5FRQUAL10: S5 FrQual: Close friend make you do wrong

Value	Label	Unweighted Frequency	%
1	Not at all	705	52.1 %
2	A little	240	17.7 %
3	Quite a bit	78	5.8 %
4	Very much	41	3.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Number of friends <= 0	168	12.4 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,064 valid cases out of 1,354 total cases.

Location: 380-383 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S5CFQ10R: S5 FQual: How much have these friends tried to influence you to do something that most people would think is wrong - reversed

Value	Label	Unweighted Frequency	%
1	Very much	41	3.0 %
2	Quite a bit	78	5.8 %
3	A little	240	17.7 %
4	Not at all	705	52.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	skpped: subject reported zero friends	168	12.4 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,064 valid cases out of 1,354 total cases.

Location: 384-387 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -99 , -98 , -9

S5FRDQLT: S5 FQual: Friendship - Quality of Relationship

Based upon 1,065 valid cases out of 1,354 total cases.

- Mean: 3.3369718310
- Median: 3.4000000000
- Mode: 4.0000000000
- Minimum: 1.4000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.5043039269

Location: 388-402 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S6PEERCHAR_NFRND: S6 CharFriends: Num of close friends

Based upon 1,232 valid cases out of 1,354 total cases.

- Mean: 2.74
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 95.00
- Standard Deviation: 5.33

Location: 403-406 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S6PEERCHAR_NFRNA: S6 CharFriends: How many friends ask about

Value	Label	Unweighted Frequency	%
0	-	168	12.4 %
1	-	280	20.7 %
2	-	290	21.4 %
3	-	218	16.1 %
4	-	276	20.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 407-410 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S6FRQUAL01: S6 FrQual: Count on close friend w/problem

Value	Label	Unweighted Frequency	%
1	Not at all	5	0.4 %
2	A little	83	6.1 %
3	Quite a bit	332	24.5 %

Value	Label	Unweighted Frequency	%
4	Very much	644	47.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Number of friends <= 0	168	12.4 %
	Total	**1,354**	**100%**

Based upon 1,064 valid cases out of 1,354 total cases.

Location: 411-414 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S6FRQUAL02: S6 FrQual: Count on close friend family died

Value	Label	Unweighted Frequency	%
1	Not at all	16	1.2 %
2	A little	81	6.0 %
3	Quite a bit	252	18.6 %
4	Very much	713	52.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Number of friends <= 0	168	12.4 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,062 valid cases out of 1,354 total cases.

Location: 415-418 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S6FRQUAL03: S6 FrQual: How close to friend in 10 years

Value	Label	Unweighted Frequency	%
1	Not at all	24	1.8 %
2	A little	137	10.1 %
3	Quite a bit	343	25.3 %
4	Very much	543	40.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Number of friends <= 0	168	12.4 %
-9	Dont Know	17	1.3 %
	Total	**1,354**	**100%**

Based upon 1,047 valid cases out of 1,354 total cases.

Location: 419-422 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S6FRQUAL04: S6 FrQual: Miss close friend if not seen for month

Value	Label	Unweighted Frequency	%
1	Not at all	48	3.5 %
2	A little	232	17.1 %
3	Quite a bit	298	22.0 %
4	Very much	486	35.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Number of friends <= 0	168	12.4 %
	Total	**1,354**	**100%**

Based upon 1,064 valid cases out of 1,354 total cases.

Location: 423-426 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S6FRQUAL05: S6 FrQual: Close friend go out w/you

Value	Label	Unweighted Frequency	%
1	Not at all	21	1.6 %
2	A little	91	6.7 %
3	Quite a bit	309	22.8 %
4	Very much	640	47.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Number of friends <= 0	168	12.4 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,061 valid cases out of 1,354 total cases.

Location: 427-430 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S6FRQUAL06: S6 FrQual: How much depend on close friend

Value	Label	Unweighted Frequency	%
1	Not at all	127	9.4 %

Value	Label	Unweighted Frequency	%
2	A little	311	23.0 %
3	Quite a bit	273	20.2 %
4	Very much	353	26.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Number of friends <= 0	168	12.4 %
	Total	**1,354**	**100%**

Based upon 1,064 valid cases out of 1,354 total cases.

Location: 431-434 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S6FRQUAL07: S6 FrQual: Close friend listen when mad

Value	Label	Unweighted Frequency	%
1	Not at all	13	1.0 %
2	A little	106	7.8 %
3	Quite a bit	353	26.1 %
4	Very much	592	43.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Number of friends <= 0	168	12.4 %
	Total	**1,354**	**100%**

Based upon 1,064 valid cases out of 1,354 total cases.

Location: 435-438 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S6FRQUAL08: S6 FrQual: Close friend listen when stressed

Value	Label	Unweighted Frequency	%
1	Not at all	15	1.1 %
2	A little	143	10.6 %
3	Quite a bit	357	26.4 %
4	Very much	549	40.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Number of friends <= 0	168	12.4 %
	Total	**1,354**	**100%**

Based upon 1,064 valid cases out of 1,354 total cases.

Location: 439-442 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S6FRQUAL09: S6 FrQual: Close friend stop when you are doing wrong

Value	Label	Unweighted Frequency	%
1	Not at all	131	9.7 %
2	A little	221	16.3 %
3	Quite a bit	279	20.6 %
4	Very much	428	31.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Number of friends <= 0	168	12.4 %
-9	Dont Know	4	0.3 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,059 valid cases out of 1,354 total cases.

Location: 443-446 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S6FRQUAL10: S6 FrQual: Close friend make you do wrong

Value	Label	Unweighted Frequency	%
1	Not at all	695	51.3 %
2	A little	261	19.3 %
3	Quite a bit	67	4.9 %
4	Very much	40	3.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Number of friends <= 0	168	12.4 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,063 valid cases out of 1,354 total cases.

Location: 447-450 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S6CFQ10R: S6 FQual: How much have these friends tried to influence you to do something that most people would think is wrong - reversed

Value	Label	Unweighted Frequency	%
1	Very much	40	3.0 %
2	Quite a bit	67	4.9 %
3	A little	261	19.3 %
4	Not at all	695	51.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	skpped: subject reported zero friends	168	12.4 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,063 valid cases out of 1,354 total cases.

Location: 451-454 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -99 , -98 , -9

S6FRDQLT: S6 FQual: Friendship - Quality of Relationship

Based upon 1,064 valid cases out of 1,354 total cases.

- Mean: 3.3099180242
- Median: 3.4000000000
- Mode: 4.0000000000
- Minimum: 1.0000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.5154144532

Location: 455-469 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S7PEERCHAR_NFRND: S7 CharFriends: Num of close friends

Based upon 1,212 valid cases out of 1,354 total cases.

- Mean: 2.31
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 50.00
- Standard Deviation: 2.87

Location: 470-473 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S7PEERCHAR_NFRNA: S7 CharFriends: How many friends ask about

Value	Label	Unweighted Frequency	%
0	-	235	17.4 %
1	-	271	20.0 %
2	-	272	20.1 %
3	-	186	13.7 %
4	-	248	18.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont Know	1	0.1 %
-8	Refused	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,212 valid cases out of 1,354 total cases.

Location: 474-477 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S7FRQUAL01: S7 FrQual: Count on close friend w/problem

Value	Label	Unweighted Frequency	%
1	Not at all	10	0.7 %
2	A little	86	6.4 %
3	Quite a bit	295	21.8 %
4	Very much	586	43.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Number of friends <= 0	238	17.6 %
	Total	**1,354**	**100%**

Based upon 977 valid cases out of 1,354 total cases.

Location: 478-481 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S7FRQUAL02: S7 FrQual: Count on close friend family died

Value	Label	Unweighted Frequency	%
1	Not at all	10	0.7 %
2	A little	66	4.9 %
3	Quite a bit	230	17.0 %
4	Very much	671	49.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %

Value	Label	Unweighted Frequency	%
-101	Number of friends <= 0	238	17.6 %
	Total	**1,354**	**100%**

Based upon 977 valid cases out of 1,354 total cases.

Location: 482-485 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S7FRQUAL03: S7 FrQual: How close to friend in 10 years

Value	Label	Unweighted Frequency	%
1	Not at all	20	1.5 %
2	A little	129	9.5 %
3	Quite a bit	304	22.5 %
4	Very much	519	38.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Number of friends <= 0	238	17.6 %
-9	Dont Know	5	0.4 %
	Total	**1,354**	**100%**

Based upon 972 valid cases out of 1,354 total cases.

Location: 486-489 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S7FRQUAL04: S7 FrQual: Miss close friend if not seen for month

Value	Label	Unweighted Frequency	%
1	Not at all	44	3.2 %
2	A little	219	16.2 %
3	Quite a bit	266	19.6 %
4	Very much	448	33.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Number of friends <= 0	238	17.6 %
	Total	**1,354**	**100%**

Based upon 977 valid cases out of 1,354 total cases.

Location: 490-493 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S7FRQUAL05: S7 FrQual: Close friend go out w/you

Value	Label	Unweighted Frequency	%
1	Not at all	34	2.5 %
2	A little	92	6.8 %
3	Quite a bit	276	20.4 %
4	Very much	574	42.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Number of friends <= 0	238	17.6 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 976 valid cases out of 1,354 total cases.

Location: 494-497 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S7FRQUAL06: S7 FrQual: How much depend on close friend

Value	Label	Unweighted Frequency	%
1	Not at all	109	8.1 %
2	A little	315	23.3 %
3	Quite a bit	267	19.7 %
4	Very much	286	21.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Number of friends <= 0	238	17.6 %
	Total	**1,354**	**100%**

Based upon 977 valid cases out of 1,354 total cases.

Location: 498-501 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S7FRQUAL07: S7 FrQual: Close friend listen when mad

Value	Label	Unweighted Frequency	%
1	Not at all	14	1.0 %
2	A little	91	6.7 %
3	Quite a bit	334	24.7 %
4	Very much	538	39.7 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Number of friends <= 0	238	17.6 %
	Total	**1,354**	**100%**

Based upon 977 valid cases out of 1,354 total cases.

Location: 502-505 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S7FRQUAL08: S7 FrQual: Close friend listen when stressed

Value	Label	Unweighted Frequency	%
1	Not at all	18	1.3 %
2	A little	143	10.6 %
3	Quite a bit	323	23.9 %
4	Very much	493	36.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Number of friends <= 0	238	17.6 %
	Total	**1,354**	**100%**

Based upon 977 valid cases out of 1,354 total cases.

Location: 506-509 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S7FRQUAL09: S7 FrQual: Close friend stop when you are doing wrong

Value	Label	Unweighted Frequency	%
1	Not at all	156	11.5 %
2	A little	196	14.5 %
3	Quite a bit	233	17.2 %
4	Very much	391	28.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Number of friends <= 0	238	17.6 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 976 valid cases out of 1,354 total cases.

Location: 510-513 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S7FRQUAL10: S7 FrQual: Close friend make you do wrong

Value	Label	Unweighted Frequency	%
1	Not at all	688	50.8 %
2	A little	213	15.7 %
3	Quite a bit	46	3.4 %
4	Very much	30	2.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Number of friends <= 0	238	17.6 %
	Total	**1,354**	**100%**

Based upon 977 valid cases out of 1,354 total cases.

Location: 514-517 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S7CFQ10R: S7 FQual: How much have these friends tried to influence you to do something that most people would think is wrong - reversed

Value	Label	Unweighted Frequency	%
1	Very much	30	2.2 %
2	Quite a bit	46	3.4 %
3	A little	213	15.7 %
4	Not at all	688	50.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	skpped: subject reported zero friends	238	17.6 %
	Total	**1,354**	**100%**

Based upon 977 valid cases out of 1,354 total cases.

Location: 518-521 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -99 , -98 , -9

S7FRDQLT: S7 FQual: Friendship - Quality of Relationship

Based upon 977 valid cases out of 1,354 total cases.

- Mean: 3.2988286137
- Median: 3.4000000000
- Mode: 3.7000000000
- Minimum: 1.7000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.5006932228

Location: 522-536 (width: 15; decimal: 10)

Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S8PEERCHAR_NFRND: S8 CharFriends: Num of close friends

Based upon 1,206 valid cases out of 1,354 total cases.

- Mean: 2.13
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 2.56

Location: 537-540 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S8PEERCHAR_NFRNA: S8 CharFriends: How many friends ask about

Value	Label	Unweighted Frequency	%
0	-	297	21.9 %
1	-	267	19.7 %
2	-	242	17.9 %
3	-	183	13.5 %
4	-	217	16.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,206 valid cases out of 1,354 total cases.

Location: 541-544 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S8FRQUAL01: S8 FrQual: Count on close friend w/problem

Value	Label	Unweighted Frequency	%
1	Not at all	4	0.3 %
2	A little	92	6.8 %
3	Quite a bit	259	19.1 %
4	Very much	554	40.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %

Value	Label	Unweighted Frequency	%
-101	Number of friends <= 0	297	21.9 %
	Total	**1,354**	**100%**

Based upon 909 valid cases out of 1,354 total cases.

Location: 545-548 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S8FRQUAL02: S8 FrQual: Count on close friend family died

Value	Label	Unweighted Frequency	%
1	Not at all	10	0.7 %
2	A little	69	5.1 %
3	Quite a bit	199	14.7 %
4	Very much	631	46.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Number of friends <= 0	297	21.9 %
	Total	**1,354**	**100%**

Based upon 909 valid cases out of 1,354 total cases.

Location: 549-552 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S8FRQUAL03: S8 FrQual: How close to friend in 10 years

Value	Label	Unweighted Frequency	%
1	Not at all	14	1.0 %
2	A little	101	7.5 %
3	Quite a bit	273	20.2 %
4	Very much	517	38.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Number of friends <= 0	297	21.9 %
-9	Dont Know	4	0.3 %
	Total	**1,354**	**100%**

Based upon 905 valid cases out of 1,354 total cases.

Location: 553-556 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S8FRQUAL04: S8 FrQual: Miss close friend if not seen for month

Value	Label	Unweighted Frequency	%
1	Not at all	46	3.4 %
2	A little	205	15.1 %
3	Quite a bit	241	17.8 %
4	Very much	417	30.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Number of friends <= 0	297	21.9 %
	Total	**1,354**	**100%**

Based upon 909 valid cases out of 1,354 total cases.

Location: 557-560 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S8FRQUAL05: S8 FrQual: Close friend go out w/you

Value	Label	Unweighted Frequency	%
1	Not at all	16	1.2 %
2	A little	89	6.6 %
3	Quite a bit	260	19.2 %
4	Very much	544	40.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Number of friends <= 0	297	21.9 %
	Total	**1,354**	**100%**

Based upon 909 valid cases out of 1,354 total cases.

Location: 561-564 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S8FRQUAL06: S8 FrQual: How much depend on close friend

Value	Label	Unweighted Frequency	%
1	Not at all	128	9.5 %
2	A little	289	21.3 %
3	Quite a bit	247	18.2 %

Value	Label	Unweighted Frequency	%
4	Very much	245	18.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Number of friends <= 0	297	21.9 %
	Total	**1,354**	**100%**

Based upon 909 valid cases out of 1,354 total cases.

Location: 565-568 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S8FRQUAL07: S8 FrQual: Close friend listen when mad

Value	Label	Unweighted Frequency	%
1	Not at all	10	0.7 %
2	A little	92	6.8 %
3	Quite a bit	296	21.9 %
4	Very much	511	37.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Number of friends <= 0	297	21.9 %
	Total	**1,354**	**100%**

Based upon 909 valid cases out of 1,354 total cases.

Location: 569-572 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S8FRQUAL08: S8 FrQual: Close friend listen when stressed

Value	Label	Unweighted Frequency	%
1	Not at all	12	0.9 %
2	A little	124	9.2 %
3	Quite a bit	313	23.1 %
4	Very much	460	34.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Number of friends <= 0	297	21.9 %
	Total	**1,354**	**100%**

Based upon 909 valid cases out of 1,354 total cases.

Location: 573-576 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S8FRQUAL09: S8 FrQual: Close friend stop when you are doing wrong

Value	Label	Unweighted Frequency	%
1	Not at all	146	10.8 %
2	A little	169	12.5 %
3	Quite a bit	240	17.7 %
4	Very much	353	26.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Number of friends <= 0	297	21.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 908 valid cases out of 1,354 total cases.

Location: 577-580 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S8FRQUAL10: S8 FrQual: Close friend make you do wrong

Value	Label	Unweighted Frequency	%
1	Not at all	658	48.6 %
2	A little	169	12.5 %
3	Quite a bit	54	4.0 %
4	Very much	28	2.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Number of friends <= 0	297	21.9 %
	Total	**1,354**	**100%**

Based upon 909 valid cases out of 1,354 total cases.

Location: 581-584 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S8CFQ10R: S8 FQual: How much have these friends tried to influence you to do something that most people would think is wrong - reversed

Value	Label	Unweighted Frequency	%
1	Very much	28	2.1 %
2	Quite a bit	54	4.0 %
3	A little	169	12.5 %
4	Not at all	658	48.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	skpped: subject reported zero friends	297	21.9 %
	Total	**1,354**	**100%**

Based upon 909 valid cases out of 1,354 total cases.

Location: 585-588 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -99 , -98 , -9

S8FRDQLT: S8 FQual: Friendship - Quality of Relationship

Based upon 909 valid cases out of 1,354 total cases.

- Mean: 3.3057450189
- Median: 3.4000000000
- Mode: 4.0000000000
- Minimum: 1.7000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.5052529022

Location: 589-603 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S9PEERCHAR_NFRND: S9 CharFriends: Num of close friends

Based upon 1,178 valid cases out of 1,354 total cases.

- Mean: 2.08
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 95.00
- Standard Deviation: 3.63

Location: 604-607 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S9PEERCHAR_NFRNA: S9 CharFriends: How many friends ask about

Value	Label	Unweighted Frequency	%
0	-	345	25.5 %
1	-	211	15.6 %
2	-	242	17.9 %
3	-	188	13.9 %
4	-	192	14.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,178 valid cases out of 1,354 total cases.

Location: 608-611 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S9FRQUAL01: S9 FrQual: Count on close friend w/problem

Value	Label	Unweighted Frequency	%
1	Not at all	6	0.4 %
2	A little	73	5.4 %
3	Quite a bit	256	18.9 %
4	Very much	498	36.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Number of friends <= 0	346	25.6 %
	Total	**1,354**	**100%**

Based upon 833 valid cases out of 1,354 total cases.

Location: 612-615 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S9FRQUAL02: S9 FrQual: Count on close friend family died

Value	Label	Unweighted Frequency	%
1	Not at all	7	0.5 %
2	A little	60	4.4 %
3	Quite a bit	207	15.3 %
4	Very much	559	41.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Number of friends <= 0	346	25.6 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 833 valid cases out of 1,354 total cases.

Location: 616-619 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S9FRQUAL03: S9 FrQual: How close to friend in 10 years

Value	Label	Unweighted Frequency	%
1	Not at all	11	0.8 %
2	A little	92	6.8 %
3	Quite a bit	257	19.0 %
4	Very much	472	34.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Number of friends <= 0	346	25.6 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 832 valid cases out of 1,354 total cases.

Location: 620-623 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S9FRQUAL04: S9 FrQual: Miss close friend if not seen for month

Value	Label	Unweighted Frequency	%
1	Not at all	39	2.9 %
2	A little	198	14.6 %
3	Quite a bit	222	16.4 %
4	Very much	374	27.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Number of friends <= 0	346	25.6 %
	Total	**1,354**	**100%**

Based upon 833 valid cases out of 1,354 total cases.

Location: 624-627 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S9FRQUAL05: S9 FrQual: Close friend go out w/you

Value	Label	Unweighted Frequency	%
1	Not at all	25	1.8 %
2	A little	70	5.2 %
3	Quite a bit	273	20.2 %
4	Very much	465	34.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Number of friends <= 0	346	25.6 %
	Total	**1,354**	**100%**

Based upon 833 valid cases out of 1,354 total cases.

Location: 628-631 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S9FRQUAL06: S9 FrQual: How much depend on close friend

Value	Label	Unweighted Frequency	%
1	Not at all	107	7.9 %
2	A little	276	20.4 %
3	Quite a bit	232	17.1 %
4	Very much	218	16.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Number of friends <= 0	346	25.6 %
	Total	**1,354**	**100%**

Based upon 833 valid cases out of 1,354 total cases.

Location: 632-635 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S9FRQUAL07: S9 FrQual: Close friend listen when mad

Value	Label	Unweighted Frequency	%
1	Not at all	10	0.7 %
2	A little	75	5.5 %
3	Quite a bit	274	20.2 %
4	Very much	474	35.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Number of friends <= 0	346	25.6 %
	Total	**1,354**	**100%**

Based upon 833 valid cases out of 1,354 total cases.

Location: 636-639 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S9FRQUAL08: S9 FrQual: Close friend listen when stressed

Value	Label	Unweighted Frequency	%
1	Not at all	21	1.6 %
2	A little	97	7.2 %
3	Quite a bit	290	21.4 %
4	Very much	425	31.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Number of friends <= 0	346	25.6 %
	Total	**1,354**	**100%**

Based upon 833 valid cases out of 1,354 total cases.

Location: 640-643 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S9FRQUAL09: S9 FrQual: Close friend stop when you are doing wrong

Value	Label	Unweighted Frequency	%
1	Not at all	163	12.0 %
2	A little	151	11.2 %
3	Quite a bit	219	16.2 %
4	Very much	300	22.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Number of friends <= 0	346	25.6 %
	Total	**1,354**	**100%**

Based upon 833 valid cases out of 1,354 total cases.

Location: 644-647 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S9FRQUAL10: S9 FrQual: Close friend make you do wrong

Value	Label	Unweighted Frequency	%
1	Not at all	589	43.5 %
2	A little	171	12.6 %

Value	Label	Unweighted Frequency	%
3	Quite a bit	50	3.7 %
4	Very much	23	1.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Number of friends <= 0	346	25.6 %
	Total	**1,354**	**100%**

Based upon 833 valid cases out of 1,354 total cases.

Location: 648-651 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S9CFQ10R: S9 FQual: How much have these friends tried to influence you to do something that most people would think is wrong - reversed

Value	Label	Unweighted Frequency	%
1	Very much	23	1.7 %
2	Quite a bit	50	3.7 %
3	A little	171	12.6 %
4	Not at all	589	43.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	skpped: subject reported zero friends	346	25.6 %
	Total	**1,354**	**100%**

Based upon 833 valid cases out of 1,354 total cases.

Location: 652-655 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -99 , -98 , -9

S9FRDQLT: S9 FQual: Friendship - Quality of Relationship

Based upon 833 valid cases out of 1,354 total cases.

- Mean: 3.2891423236
- Median: 3.4000000000
- Mode: 4.0000000000
- Minimum: 1.3000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.5048527810

Location: 656-670 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

SAPEERCHAR_NFRND: SA CharFriends: Num of close friends

Based upon 1,133 valid cases out of 1,354 total cases.

- Mean: 1.93
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 60.00
- Standard Deviation: 3.53

Location: 671-674 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

SAPEERCHAR_NFRNA: SA CharFriends: How many friends ask about

Value	Label	Unweighted Frequency	%
0	-	392	29.0 %
1	-	216	16.0 %
2	-	204	15.1 %
3	-	141	10.4 %
4	-	180	13.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,133 valid cases out of 1,354 total cases.

Location: 675-678 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

SAFRQUAL01: SA FrQual: Count on close friend w/problem

Value	Label	Unweighted Frequency	%
1	Not at all	6	0.4 %
2	A little	68	5.0 %
3	Quite a bit	230	17.0 %
4	Very much	437	32.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Number of friends <= 0	392	29.0 %
	Total	**1,354**	**100%**

Based upon 741 valid cases out of 1,354 total cases.

Location: 679-682 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

SAFRQUAL02: SA FrQual: Count on close friend family died

Value	Label	Unweighted Frequency	%
1	Not at all	8	0.6 %
2	A little	52	3.8 %
3	Quite a bit	193	14.3 %
4	Very much	488	36.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Number of friends <= 0	392	29.0 %
	Total	**1,354**	**100%**

Based upon 741 valid cases out of 1,354 total cases.

Location: 683-686 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

SAFRQUAL03: SA FrQual: How close to friend in 10 years

Value	Label	Unweighted Frequency	%
1	Not at all	6	0.4 %
2	A little	87	6.4 %
3	Quite a bit	250	18.5 %
4	Very much	396	29.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Number of friends <= 0	392	29.0 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 739 valid cases out of 1,354 total cases.

Location: 687-690 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

SAFRQUAL04: SA FrQual: Miss close friend if not seen for month

Value	Label	Unweighted Frequency	%
1	Not at all	34	2.5 %
2	A little	197	14.5 %
3	Quite a bit	206	15.2 %
4	Very much	304	22.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Number of friends <= 0	392	29.0 %
	Total	**1,354**	**100%**

Based upon 741 valid cases out of 1,354 total cases.

Location: 691-694 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

SAFRQUAL05: SA FrQual: Close friend go out w/you

Value	Label	Unweighted Frequency	%
1	Not at all	17	1.3 %
2	A little	71	5.2 %
3	Quite a bit	254	18.8 %
4	Very much	398	29.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Number of friends <= 0	392	29.0 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 740 valid cases out of 1,354 total cases.

Location: 695-698 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

SAFRQUAL06: SA FrQual: How much depend on close friend

Value	Label	Unweighted Frequency	%
1	Not at all	108	8.0 %
2	A little	266	19.6 %
3	Quite a bit	200	14.8 %
4	Very much	167	12.3 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Number of friends <= 0	392	29.0 %
	Total	**1,354**	**100%**

Based upon 741 valid cases out of 1,354 total cases.

Location: 699-702 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

SAFRQUAL07: SA FrQual: Close friend listen when mad

Value	Label	Unweighted Frequency	%
1	Not at all	4	0.3 %
2	A little	74	5.5 %
3	Quite a bit	266	19.6 %
4	Very much	397	29.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Number of friends <= 0	392	29.0 %
	Total	**1,354**	**100%**

Based upon 741 valid cases out of 1,354 total cases.

Location: 703-706 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

SAFRQUAL08: SA FrQual: Close friend listen when stressed

Value	Label	Unweighted Frequency	%
1	Not at all	8	0.6 %
2	A little	109	8.1 %
3	Quite a bit	266	19.6 %
4	Very much	358	26.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Number of friends <= 0	392	29.0 %
	Total	**1,354**	**100%**

Based upon 741 valid cases out of 1,354 total cases.

Location: 707-710 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

SAFRQUAL09: SA FrQual: Close friend stop when you are doing wrong

Value	Label	Unweighted Frequency	%
1	Not at all	130	9.6 %
2	A little	150	11.1 %
3	Quite a bit	177	13.1 %
4	Very much	284	21.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Number of friends <= 0	392	29.0 %
	Total	**1,354**	**100%**

Based upon 741 valid cases out of 1,354 total cases.

Location: 711-714 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

SAFRQUAL10: SA FrQual: Close friend make you do wrong

Value	Label	Unweighted Frequency	%
1	Not at all	516	38.1 %
2	A little	158	11.7 %
3	Quite a bit	39	2.9 %
4	Very much	28	2.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Number of friends <= 0	392	29.0 %
	Total	**1,354**	**100%**

Based upon 741 valid cases out of 1,354 total cases.

Location: 715-718 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

SACFQ10R: SA FQual: How much have these friends tried to influence you to do something that most people would think is wrong - reversed

Value	Label	Unweighted Frequency	%
1	Very much	28	2.1 %

Value	Label	Unweighted Frequency	%
2	Quite a bit	39	2.9 %
3	A little	158	11.7 %
4	Not at all	516	38.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	skpped: subject reported zero friends	392	29.0 %
	Total	**1,354**	**100%**

Based upon 741 valid cases out of 1,354 total cases.

Location: 719-722 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -99 , -98 , -9

SAFRDQLT: SA FQual: Friendship - Quality of Relationship

Based upon 741 valid cases out of 1,354 total cases.

- Mean: 3.2609536662
- Median: 3.3000000000
- Mode: 4.0000000000
- Minimum: 1.4000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.5191760080

Location: 723-737 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000