ICPSR | INTER-UNIVERSITY CONSORTIUM FOR POLITICAL AND SOCIAL RESEARCH

ICPSR 36800

Research on Pathways to Desistance [Maricopa County, AZ and Philadelphia County, PA]: Subject Measures - Scales, 2000-2010

Edward P. Mulvey
University of Pittsburgh

Codebook for HIV Risk Behaviors
[RESTRICTED]

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/36800/terms

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE
WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 36800

Research on Pathways to Desistance [Maricopa County, AZ and Philadelphia County, PA]: Subject Measures - Scales, 2000-2010

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

HIV Risk Behaviors [RESTRICTED]

CASEID: S4 IntInfo: Subject ID

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1-5 (width: 5; decimal: 0)
Variable Type: numeric

S4HIV1: S4 HIV: Number times had unprotected sex in recall period

Value	Label	Unweighted Frequency	%
0	-	4	0.3 %
	Missing Data		
-999	Dont Know	1	0.1 %
-400	Measure not asked in this version	1226	90.5 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 4 valid cases out of 1,354 total cases.

Location: 6-9 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -400 , -202 , -201 , -107

S4HIV2: S4 HIV: Number different partners had unprotected sex with in recall period

Value	Label	Unweighted Frequency	%
	Missing Data		
-400	Measure not asked in this version	1226	90.5 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Skipped: Had unprotected sex one or fewer times	5	0.4 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 10-13 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -400 , -202 , -201 , -107 , -101

S4HIV3: S4 HIV: Number times injected drugs in recall period

Value	Label	Unweighted Frequency	%
0	-	5	0.4 %
	Missing Data		
-400	Measure not asked in this version	1226	90.5 %
-201	IntCompStat = 4 missed interview	123	9.1 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 5 valid cases out of 1,354 total cases.

Location: 14-17 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -400 , -202 , -201 , -107

S4HIV4: S4 HIV: Number times shared a needle in recall period

Value	Label	Unweighted Frequency	%
	Missing Data		
-400	Measure not asked in this version	1226	90.5 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-102	Skipped: Injected drugs 0 times	5	0.4 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 18-21 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -400 , -202 , -201 , -107 , -103 , -102

S4HIV5: S4 HIV: Number people shared needle with in recall period

Value	Label	Unweighted Frequency	%
	Missing Data		
-400	Measure not asked in this version	1226	90.5 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-102	Skipped: Injected drugs 0 times	5	0.4 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 22-25 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -400 , -202 , -201 , -107 , -103 , -102

S4HIV6: S4 HIV: Any sex partners inject drugs in recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	5	0.4 %
	Missing Data		
-400	Measure not asked in this version	1226	90.5 %
-201	IntCompStat = 4 missed interview	123	9.1 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 5 valid cases out of 1,354 total cases.

Location: 26-29 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -107 , -9 , -8

S4HIV7: S4 HIV: Traded sex for drugs/money/other in recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	5	0.4 %
	Missing Data		
-400	Measure not asked in this version	1226	90.5 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 5 valid cases out of 1,354 total cases.

Location: 30-33 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -107 , -9 , -8

S4HIV8: S4 HIV: Number times traded sex for drugs/money/other in recall period

Value	Label	Unweighted Frequency	%
	Missing Data		
-400	Measure not asked in this version	1226	90.5 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-104	Skipped: Did not trade sex for drugs/other	5	0.4 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 34-37 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -400 , -202 , -201 , -107 , -104

S4HIV9: S4 HIV: Number different people traded sex with in recall period

Value	Label	Unweighted Frequency	%
	Missing Data		
-400	Measure not asked in this version	1226	90.5 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-104	Skipped: Did not trade sex for drugs/other	5	0.4 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 38-41 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -400 , -202 , -201 , -107 , -104

S4HIV10: S4 HIV: Ever been told that sex partner was HIV positive

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	5	0.4 %
	Missing Data		
-400	Measure not asked in this version	1226	90.5 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 5 valid cases out of 1,354 total cases.

Location: 42-45 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -9 , -8

S4HIV11: S4 HIV: Number different partners that were HIV positive

Value	Label	Unweighted Frequency	%
	Missing Data		
-400	Measure not asked in this version	1226	90.5 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-105	Skipped: Sex partner did not say they had HIV	5	0.4 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 46-49 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -400 , -202 , -201 , -105

S4HIV12: S4 HIV: Ever been tested for HIV

Value	Label	Unweighted Frequency	%
1	Yes	4	0.3 %
5	No	1	0.1 %
	Missing Data		
-400	Measure not asked in this version	1226	90.5 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 5 valid cases out of 1,354 total cases.

Location: 50-53 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -9 , -8

S4HIV13: S4 HIV: Ever been tested for STDs

Value	Label	Unweighted Frequency	%
1	Yes	4	0.3 %
5	No	1	0.1 %
	Missing Data		
-400	Measure not asked in this version	1226	90.5 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 5 valid cases out of 1,354 total cases.

Location: 54-57 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -9 , -8

S5HIV1: S5 HIV: Number times had unprotected sex in recall period

Based upon 183 valid cases out of 1,354 total cases.

- Mean: 13.37
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 400.00
- Standard Deviation: 43.19

Location: 58-61 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -400 , -202 , -201 , -107

S5HIV2: S5 HIV: Number different partners had unprotected sex with in recall period

Based upon 65 valid cases out of 1,354 total cases.

- Mean: 1.91
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 21.00
- Standard Deviation: 2.67

Location: 62-65 (width: 4; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -400 , -202 , -201 , -107 , -101

S5HIV3: S5 HIV: Number times injected drugs in recall period

Based upon 187 valid cases out of 1,354 total cases.

- Mean: 0.30
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 50.00
- Standard Deviation: 3.67

Location: 66-69 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -400 , -202 , -201 , -107

S5HIV4: S5 HIV: Number times shared a needle in recall period

Value	Label	Unweighted Frequency	%
0	-	3	0.2 %
	Missing Data		
-400	Measure not asked in this version	1046	77.3 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-102	Skipped: Injected drugs 0 times	185	13.7 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 70-73 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -400 , -202 , -201 , -107 , -103 , -102

S5HIV5: S5 HIV: Number people shared needle with in recall period

Value	Label	Unweighted Frequency	%
	Missing Data		
-400	Measure not asked in this version	1046	77.3 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-103	Skipped: Injected drugs but did not share needles	3	0.2 %
-102	Skipped: Injected drugs 0 times	185	13.7 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 74-77 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -400 , -202 , -201 , -107 , -103 , -102

S5HIV6: S5 HIV: Any sex partners inject drugs in recall period

Value	Label	Unweighted Frequency	%
1	Yes	3	0.2 %
5	No	183	13.5 %
	Missing Data		
-400	Measure not asked in this version	1046	77.3 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 186 valid cases out of 1,354 total cases.

Location: 78-81 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -107 , -9 , -8

S5HIV7: S5 HIV: Traded sex for drugs/money/other in recall period

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	187	13.8 %
	Missing Data		
-400	Measure not asked in this version	1046	77.3 %
-201	IntCompStat = 4 missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 188 valid cases out of 1,354 total cases.

Location: 82-85 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -107 , -9 , -8

S5HIV8: S5 HIV: Number times traded sex for drugs/money/other in recall period

Value	Label	Unweighted Frequency	%
1	-	1	0.1 %
	Missing Data		
-400	Measure not asked in this version	1046	77.3 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-104	Skipped: Did not trade sex for drugs/other	187	13.8 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 86-89 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -999 , -998 , -400 , -202 , -201 , -107 , -104

S5HIV9: S5 HIV: Number different people traded sex with in recall period

Value	Label	Unweighted Frequency	%
1	-	1	0.1 %
	Missing Data		
-400	Measure not asked in this version	1046	77.3 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-104	Skipped: Did not trade sex for drugs/other	187	13.8 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 90-93 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -400 , -202 , -201 , -107 , -104

S5HIV10: S5 HIV: Ever been told that sex partner was HIV positive

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	188	13.9 %
	Missing Data		
-400	Measure not asked in this version	1046	77.3 %
-201	IntCompStat = 4 missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 188 valid cases out of 1,354 total cases.

Location: 94-97 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -9 , -8

S5HIV11: S5 HIV: Number different partners that were HIV positive

Value	Label	Unweighted Frequency	%
	Missing Data		
-400	Measure not asked in this version	1046	77.3 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-105	Skipped: Sex partner did not say they had HIV	188	13.9 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 98-101 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -400 , -202 , -201 , -105

S5HIV12: S5 HIV: Ever been tested for HIV

Value	Label	Unweighted Frequency	%
1	Yes	135	10.0 %
5	No	50	3.7 %
	Missing Data		
-400	Measure not asked in this version	1046	77.3 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 185 valid cases out of 1,354 total cases.

Location: 102-105 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -9 , -8

S5HIV13: S5 HIV: Ever been tested for STDs

Value	Label	Unweighted Frequency	%
1	Yes	135	10.0 %
5	No	50	3.7 %
	Missing Data		
-400	Measure not asked in this version	1046	77.3 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 185 valid cases out of 1,354 total cases.

Location: 106-109 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -9 , -8

S6HIV1: S6 HIV: Number times had unprotected sex in recall period

Based upon 596 valid cases out of 1,354 total cases.

- Mean: 19.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 400.00
- Standard Deviation: 50.02

Location: 110-113 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -400 , -202 , -201 , -107

S6HIV2: S6 HIV: Number different partners had unprotected sex with in recall period

Based upon 240 valid cases out of 1,354 total cases.

- Mean: 1.79
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 2.93

Location: 114-117 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -400 , -202 , -201 , -107 , -101

S6HIV3: S6 HIV: Number times injected drugs in recall period

Based upon 605 valid cases out of 1,354 total cases.

- Mean: 0.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 100.00
- Standard Deviation: 4.61

Location: 118-121 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -400 , -202 , -201 , -107

S6HIV4: S6 HIV: Number times shared a needle in recall period

Value	Label	Unweighted Frequency	%
0	-	7	0.5 %
3	-	1	0.1 %
12	-	1	0.1 %
	Missing Data		
-400	Measure not asked in this version	627	46.3 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-102	Skipped: Injected drugs 0 times	596	44.0 %
	Total	**1,354**	**100%**

Based upon 9 valid cases out of 1,354 total cases.

Location: 122-125 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -400 , -202 , -201 , -107 , -103 , -102

S6HIV5: S6 HIV: Number people shared needle with in recall period

Value	Label	Unweighted Frequency	%
2	-	1	0.1 %
3	-	1	0.1 %
	Missing Data		
-400	Measure not asked in this version	627	46.3 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-103	Skipped: Injected drugs but did not share needles	7	0.5 %
-102	Skipped: Injected drugs 0 times	596	44.0 %
	Total	**1,354**	**100%**

Based upon 2 valid cases out of 1,354 total cases.

Location: 126-129 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -400 , -202 , -201 , -107 , -103 , -102

S6HIV6: S6 HIV: Any sex partners inject drugs in recall period

Value	Label	Unweighted Frequency	%
1	Yes	3	0.2 %
5	No	601	44.4 %
	Missing Data		
-400	Measure not asked in this version	627	46.3 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 604 valid cases out of 1,354 total cases.

Location: 130-133 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -107 , -9 , -8

S6HIV7: S6 HIV: Traded sex for drugs/money/other in recall period

Value	Label	Unweighted Frequency	%
1	Yes	4	0.3 %
5	No	601	44.4 %
	Missing Data		
-400	Measure not asked in this version	627	46.3 %
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 605 valid cases out of 1,354 total cases.

Location: 134-137 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -400 , -202 , -201 , -107 , -9 , -8

S6HIV8: S6 HIV: Number times traded sex for drugs/money/other in recall period

Value	Label	Unweighted Frequency	%
4	-	1	0.1 %
5	-	1	0.1 %
100	-	1	0.1 %
155	-	1	0.1 %
	Missing Data		
-400	Measure not asked in this version	627	46.3 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-104	Skipped: Did not trade sex for drugs/other	601	44.4 %
	Total	**1,354**	**100%**

Based upon 4 valid cases out of 1,354 total cases.

Location: 138-141 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -400 , -202 , -201 , -107 , -104

S6HIV9: S6 HIV: Number different people traded sex with in recall period

Value	Label	Unweighted Frequency	%
1	-	1	0.1 %
2	-	1	0.1 %
15	-	1	0.1 %
155	-	1	0.1 %
	Missing Data		
-400	Measure not asked in this version	627	46.3 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-104	Skipped: Did not trade sex for drugs/other	601	44.4 %
	Total	**1,354**	**100%**

Based upon 4 valid cases out of 1,354 total cases.

Location: 142-145 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -400 , -202 , -201 , -107 , -104

S6HIV10: S6 HIV: Ever been told that sex partner was HIV positive

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
5	No	603	44.5 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-400	Measure not asked in this version	627	46.3 %
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 605 valid cases out of 1,354 total cases.

Location: 146-149 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -9 , -8

S6HIV11: S6 HIV: Number different partners that were HIV positive

Value	Label	Unweighted Frequency	%
1	-	2	0.1 %
	Missing Data		
-400	Measure not asked in this version	627	46.3 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-105	Skipped: Sex partner did not say they had HIV	603	44.5 %
	Total	**1,354**	**100%**

Based upon 2 valid cases out of 1,354 total cases.

Location: 150-153 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -400 , -202 , -201 , -105

S6HIV12: S6 HIV: Ever been tested for HIV

Value	Label	Unweighted Frequency	%
1	Yes	407	30.1 %
5	No	191	14.1 %
	Missing Data		
-400	Measure not asked in this version	627	46.3 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont Know	7	0.5 %
	Total	**1,354**	**100%**

Based upon 598 valid cases out of 1,354 total cases.

Location: 154-157 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -9 , -8

S6HIV13: S6 HIV: Ever been tested for STDs

Value	Label	Unweighted Frequency	%
1	Yes	416	30.7 %
5	No	182	13.4 %
	Missing Data		
-400	Measure not asked in this version	627	46.3 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont Know	7	0.5 %
	Total	**1,354**	**100%**

Based upon 598 valid cases out of 1,354 total cases.

Location: 158-161 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -9 , -8

S7HIV1: S7 HIV: Number times had unprotected sex in recall period

Based upon 1,192 valid cases out of 1,354 total cases.

- Mean: 45.18
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 400.00
- Standard Deviation: 96.45

Location: 162-165 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -400 , -202 , -201 , -107

S7HIV2: S7 HIV: Number different partners had unprotected sex with in recall period

Based upon 619 valid cases out of 1,354 total cases.

- Mean: 1.93
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 120.00
- Standard Deviation: 5.47

Location: 166-169 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -400 , -202 , -201 , -107 , -101

S7HIV3: S7 HIV: Number times injected drugs in recall period

Based upon 1,213 valid cases out of 1,354 total cases.

- Mean: 1.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Maximum: 400.00
- Standard Deviation: 17.42

Location: 170-173 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -400 , -202 , -201 , -107

S7HIV4: S7 HIV: Number times shared a needle in recall period

Value	Label	Unweighted Frequency	%
0	-	19	1.4 %
5	-	1	0.1 %
20	-	1	0.1 %
30	-	1	0.1 %
50	-	1	0.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-102	Skipped: Injected drugs 0 times	1192	88.0 %
	Total	**1,354**	**100%**

Based upon 23 valid cases out of 1,354 total cases.

Location: 174-177 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -400 , -202 , -201 , -107 , -103 , -102

S7HIV5: S7 HIV: Number people shared needle with in recall period

Value	Label	Unweighted Frequency	%
1	-	2	0.1 %
5	-	1	0.1 %
20	-	1	0.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-103	Skipped: Injected drugs but did not share needles	19	1.4 %
-102	Skipped: Injected drugs 0 times	1192	88.0 %
	Total	**1,354**	**100%**

Based upon 4 valid cases out of 1,354 total cases.

Location: 178-181 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -400 , -202 , -201 , -107 , -103 , -102

S7HIV6: S7 HIV: Any sex partners inject drugs in recall period

Value	Label	Unweighted Frequency	%
1	Yes	16	1.2 %
5	No	1194	88.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont Know	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,210 valid cases out of 1,354 total cases.

Location: 182-185 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -107 , -9 , -8

S7HIV7: S7 HIV: Traded sex for drugs/money/other in recall period

Value	Label	Unweighted Frequency	%
1	Yes	9	0.7 %
5	No	1204	88.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 186-189 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -107 , -9 , -8

S7HIV8: S7 HIV: Number times traded sex for drugs/money/other in recall period

Value	Label	Unweighted Frequency	%
1	-	2	0.1 %
2	-	1	0.1 %
3	-	2	0.1 %
4	-	1	0.1 %
10	-	2	0.1 %
50	-	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-104	Skipped: Did not trade sex for drugs/other	1205	89.0 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 9 valid cases out of 1,354 total cases.

Location: 190-193 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -400 , -202 , -201 , -107 , -104

S7HIV9: S7 HIV: Number different people traded sex with in recall period

Value	Label	Unweighted Frequency	%
1	-	4	0.3 %
2	-	1	0.1 %
3	-	2	0.1 %
4	-	1	0.1 %
5	-	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-104	Skipped: Did not trade sex for drugs/other	1205	89.0 %
	Total	**1,354**	**100%**

Based upon 9 valid cases out of 1,354 total cases.

Location: 194-197 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -400 , -202 , -201 , -107 , -104

S7HIV10: S7 HIV: Ever been told that sex partner was HIV positive

Value	Label	Unweighted Frequency	%
1	Yes	3	0.2 %
5	No	1211	89.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,214 valid cases out of 1,354 total cases.

Location: 198-201 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -9 , -8

S7HIV11: S7 HIV: Number different partners that were HIV positive

Value	Label	Unweighted Frequency	%
1	-	3	0.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-105	Skipped: Sex partner did not say they had HIV	1211	89.4 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 202-205 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -400 , -202 , -201 , -105

S7HIV12: S7 HIV: Ever been tested for HIV

Value	Label	Unweighted Frequency	%
1	Yes	916	67.7 %
5	No	292	21.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont Know	6	0.4 %
	Total	**1,354**	**100%**

Based upon 1,208 valid cases out of 1,354 total cases.

Location: 206-209 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -9 , -8

S7HIV13: S7 HIV: Ever been tested for STDs

Value	Label	Unweighted Frequency	%
1	Yes	894	66.0 %
5	No	316	23.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont Know	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,210 valid cases out of 1,354 total cases.

Location: 210-213 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -9 , -8

S8HIV1: S8 HIV: Number times had unprotected sex in recall period

Based upon 1,194 valid cases out of 1,354 total cases.

- Mean: 51.62
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 400.00
- Standard Deviation: 101.56

Location: 214-217 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -400 , -202 , -201 , -107

S8HIV2: S8 HIV: Number different partners had unprotected sex with in recall period

Based upon 654 valid cases out of 1,354 total cases.

- Mean: 1.76
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 80.00
- Standard Deviation: 3.67

Location: 218-221 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -400 , -202 , -201 , -107 , -101

S8HIV3: S8 HIV: Number times injected drugs in recall period

Based upon 1,204 valid cases out of 1,354 total cases.

- Mean: 0.84
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 200.00
- Standard Deviation: 10.97

Location: 222-225 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -400 , -202 , -201 , -107

S8HIV4: S8 HIV: Number times shared a needle in recall period

Value	Label	Unweighted Frequency	%
0	-	25	1.8 %
2	-	1	0.1 %
5	-	2	0.1 %
20	-	1	0.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	147	10.9 %

Value	Label	Unweighted Frequency	%
-102	Skipped: Injected drugs 0 times	1178	87.0 %
	Total	**1,354**	**100%**

Based upon 29 valid cases out of 1,354 total cases.

Location: 226-229 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -400 , -202 , -201 , -107 , -103 , -102

S8HIV5: S8 HIV: Number people shared needle with in recall period

Value	Label	Unweighted Frequency	%
1	-	2	0.1 %
5	-	2	0.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	147	10.9 %
-103	Skipped: Injected drugs but did not share needles	25	1.8 %
-102	Skipped: Injected drugs 0 times	1178	87.0 %
	Total	**1,354**	**100%**

Based upon 4 valid cases out of 1,354 total cases.

Location: 230-233 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -400 , -202 , -201 , -107 , -103 , -102

S8HIV6: S8 HIV: Any sex partners inject drugs in recall period

Value	Label	Unweighted Frequency	%
1	Yes	6	0.4 %
5	No	1197	88.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,203 valid cases out of 1,354 total cases.

Location: 234-237 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -107 , -9 , -8

S8HIV7: S8 HIV: Traded sex for drugs/money/other in recall period

Value	Label	Unweighted Frequency	%
1	Yes	8	0.6 %
5	No	1196	88.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 238-241 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -107 , -9 , -8

S8HIV8: S8 HIV: Number times traded sex for drugs/money/other in recall period

Value	Label	Unweighted Frequency	%
1	-	4	0.3 %
2	-	2	0.1 %
5	-	2	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-104	Skipped: Did not trade sex for drugs/other	1196	88.3 %
	Total	**1,354**	**100%**

Based upon 8 valid cases out of 1,354 total cases.

Location: 242-245 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -400 , -202 , -201 , -107 , -104

S8HIV9: S8 HIV: Number different people traded sex with in recall period

Value	Label	Unweighted Frequency	%
1	-	5	0.4 %
2	-	1	0.1 %
3	-	1	0.1 %
5	-	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-104	Skipped: Did not trade sex for drugs/other	1196	88.3 %
	Total	**1,354**	**100%**

Based upon 8 valid cases out of 1,354 total cases.

Location: 246-249 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -400 , -202 , -201 , -107 , -104

S8HIV10: S8 HIV: Ever been told that sex partner was HIV positive

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
5	No	1202	88.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 250-253 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -9 , -8

S8HIV11: S8 HIV: Number different partners that were HIV positive

Value	Label	Unweighted Frequency	%
1	-	2	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-105	Skipped: Sex partner did not say they had HIV	1202	88.8 %
	Total	**1,354**	**100%**

Based upon 2 valid cases out of 1,354 total cases.

Location: 254-257 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -400 , -202 , -201 , -105

S8HIV12: S8 HIV: Ever been tested for HIV

Value	Label	Unweighted Frequency	%
1	Yes	928	68.5 %
5	No	273	20.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-9	Dont Know	3	0.2 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 1,201 valid cases out of 1,354 total cases.

Location: 258-261 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -9 , -8

S8HIV13: S8 HIV: Ever been tested for STDs

Value	Label	Unweighted Frequency	%
1	Yes	906	66.9 %
5	No	295	21.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,201 valid cases out of 1,354 total cases.

Location: 262-265 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -9 , -8

S9HIV1: S9 HIV: Number times had unprotected sex in recall period

Based upon 1,164 valid cases out of 1,354 total cases.

- Mean: 59.32
- Median: 3.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 400.00
- Standard Deviation: 106.37

Location: 266-269 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -400 , -202 , -201 , -107

S9HIV2: S9 HIV: Number different partners had unprotected sex with in recall period

Based upon 650 valid cases out of 1,354 total cases.

- Mean: 1.73
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 60.00
- Standard Deviation: 3.27

Location: 270-273 (width: 4; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -400 , -202 , -201 , -107 , -101

S9HIV3: S9 HIV: Number times injected drugs in recall period

Based upon 1,173 valid cases out of 1,354 total cases.

- Mean: 0.54
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 200.00
- Standard Deviation: 8.56

Location: 274-277 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -400 , -202 , -201 , -107

S9HIV4: S9 HIV: Number times shared a needle in recall period

Value	Label	Unweighted Frequency	%
0	-	11	0.8 %
1	-	4	0.3 %
2	-	1	0.1 %
3	-	1	0.1 %
5	-	5	0.4 %
10	-	1	0.1 %
25	-	1	0.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-107	01.22+: skipped if in federal prison for whole recall period	4	0.3 %
-102	Skipped: Injected drugs 0 times	1151	85.0 %
	Total	**1,354**	**100%**

Based upon 24 valid cases out of 1,354 total cases.

Location: 278-281 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -400 , -202 , -201 , -107 , -103 , -102

S9HIV5: S9 HIV: Number people shared needle with in recall period

Value	Label	Unweighted Frequency	%
1	-	5	0.4 %
2	-	1	0.1 %
3	-	2	0.1 %
4	-	1	0.1 %
5	-	3	0.2 %

Value	Label	Unweighted Frequency	%
20	-	1	0.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-107	01.22+: skipped if in federal prison for whole recall period	4	0.3 %
-103	Skipped: Injected drugs but did not share needles	11	0.8 %
-102	Skipped: Injected drugs 0 times	1151	85.0 %
	Total	**1,354**	**100%**

Based upon 13 valid cases out of 1,354 total cases.

Location: 282-285 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -400 , -202 , -201 , -107 , -103 , -102

S9HIV6: S9 HIV: Any sex partners inject drugs in recall period

Value	Label	Unweighted Frequency	%
1	Yes	9	0.7 %
5	No	1162	85.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-107	01.22+: skipped if in federal prison for whole recall period	4	0.3 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,171 valid cases out of 1,354 total cases.

Location: 286-289 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -107 , -9 , -8

S9HIV7: S9 HIV: Traded sex for drugs/money/other in recall period

Value	Label	Unweighted Frequency	%
1	Yes	8	0.6 %
5	No	1165	86.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-107	01.22+: skipped if in federal prison for whole recall period	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,173 valid cases out of 1,354 total cases.

Location: 290-293 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -107 , -9 , -8

S9HIV8: S9 HIV: Number times traded sex for drugs/money/other in recall period

Value	Label	Unweighted Frequency	%
1	-	4	0.3 %
3	-	1	0.1 %
5	-	2	0.1 %
180	-	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-107	01.22+: skipped if in federal prison for whole recall period	4	0.3 %
-104	Skipped: Did not trade sex for drugs/other	1165	86.0 %
	Total	**1,354**	**100%**

Based upon 8 valid cases out of 1,354 total cases.

Location: 294-297 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -400 , -202 , -201 , -107 , -104

S9HIV9: S9 HIV: Number different people traded sex with in recall period

Value	Label	Unweighted Frequency	%
1	-	4	0.3 %
2	-	1	0.1 %
3	-	1	0.1 %
5	-	1	0.1 %
100	-	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-107	01.22+: skipped if in federal prison for whole recall period	4	0.3 %
-104	Skipped: Did not trade sex for drugs/other	1165	86.0 %
	Total	**1,354**	**100%**

Based upon 8 valid cases out of 1,354 total cases.

Location: 298-301 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -400 , -202 , -201 , -107 , -104

S9HIV10: S9 HIV: Ever been told that sex partner was HIV positive

Value	Label	Unweighted Frequency	%
1	Yes	3	0.2 %
5	No	1174	86.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,177 valid cases out of 1,354 total cases.

Location: 302-305 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -9 , -8

S9HIV11: S9 HIV: Number different partners that were HIV positive

Value	Label	Unweighted Frequency	%
1	-	3	0.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-105	Skipped: Sex partner did not say they had HIV	1174	86.7 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 306-309 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -400 , -202 , -201 , -105

S9HIV12: S9 HIV: Ever been tested for HIV

Value	Label	Unweighted Frequency	%
1	Yes	968	71.5 %
5	No	208	15.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,176 valid cases out of 1,354 total cases.

Location: 310-313 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -9 , -8

S9HIV13: S9 HIV: Ever been tested for STDs

Value	Label	Unweighted Frequency	%
1	Yes	939	69.4 %
5	No	237	17.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,176 valid cases out of 1,354 total cases.

Location: 314-317 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -9 , -8

SAHIV1: SA HIV: Number times had unprotected sex in recall period

Based upon 1,121 valid cases out of 1,354 total cases.

- Mean: 61.11
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 400.00
- Standard Deviation: 110.09

Location: 318-321 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -400 , -202 , -201 , -107

SAHIV2: SA HIV: Number different partners had unprotected sex with in recall period

Based upon 602 valid cases out of 1,354 total cases.

- Mean: 1.84
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 111.00
- Standard Deviation: 5.38

Location: 322-325 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -400 , -202 , -201 , -107 , -101

SAHIV3: SA HIV: Number times injected drugs in recall period

Based upon 1,127 valid cases out of 1,354 total cases.

- Mean: 0.99
- Median: 0.00

- Mode: 0.00
- Minimum: 0.00
- Maximum: 300.00
- Standard Deviation: 14.27

Location: 326-329 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -400 , -202 , -201 , -107

SAHIV4: SA HIV: Number times shared a needle in recall period

Value	Label	Unweighted Frequency	%
0	-	14	1.0 %
1	-	2	0.1 %
2	-	1	0.1 %
5	-	2	0.1 %
40	-	1	0.1 %
150	-	1	0.1 %
180	-	1	0.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-107	01.22+: skipped if in federal prison for whole recall period	4	0.3 %
-102	Skipped: Injected drugs 0 times	1108	81.8 %
	Total	**1,354**	**100%**

Based upon 22 valid cases out of 1,354 total cases.

Location: 330-333 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -400 , -202 , -201 , -107 , -103 , -102

SAHIV5: SA HIV: Number people shared needle with in recall period

Value	Label	Unweighted Frequency	%
1	-	4	0.3 %
5	-	3	0.2 %
	Missing Data		
-999	Dont Know	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-107	01.22+: skipped if in federal prison for whole recall period	4	0.3 %
-103	Skipped: Injected drugs but did not share needles	14	1.0 %
-102	Skipped: Injected drugs 0 times	1108	81.8 %
	Total	**1,354**	**100%**

Based upon 7 valid cases out of 1,354 total cases.

Location: 334-337 (width: 4; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -400 , -202 , -201 , -107 , -103 , -102

SAHIV6: SA HIV: Any sex partners inject drugs in recall period

Value	Label	Unweighted Frequency	%
1	Yes	11	0.8 %
5	No	1116	82.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-107	01.22+: skipped if in federal prison for whole recall period	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,127 valid cases out of 1,354 total cases.

Location: 338-341 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -107 , -9 , -8

SAHIV7: SA HIV: Traded sex for drugs/money/other in recall period

Value	Label	Unweighted Frequency	%
1	Yes	16	1.2 %
5	No	1111	82.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-107	01.22+: skipped if in federal prison for whole recall period	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,127 valid cases out of 1,354 total cases.

Location: 342-345 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -107 , -9 , -8

SAHIV8: SA HIV: Number times traded sex for drugs/money/other in recall period

Value	Label	Unweighted Frequency	%
2	-	2	0.1 %
3	-	4	0.3 %
4	-	2	0.1 %
6	-	1	0.1 %
10	-	1	0.1 %
20	-	2	0.1 %

Value	Label	Unweighted Frequency	%
25	-	1	0.1 %
30	-	1	0.1 %
80	-	1	0.1 %
	Missing Data		
-999	Dont Know	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-107	01.22+: skipped if in federal prison for whole recall period	4	0.3 %
-104	Skipped: Did not trade sex for drugs/other	1111	82.1 %
	Total	**1,354**	**100%**

Based upon 15 valid cases out of 1,354 total cases.

Location: 346-349 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -400 , -202 , -201 , -107 , -104

SAHIV9: SA HIV: Number different people traded sex with in recall period

Value	Label	Unweighted Frequency	%
1	-	6	0.4 %
2	-	2	0.1 %
3	-	3	0.2 %
6	-	1	0.1 %
20	-	1	0.1 %
25	-	1	0.1 %
60	-	1	0.1 %
	Missing Data		
-999	Dont Know	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-107	01.22+: skipped if in federal prison for whole recall period	4	0.3 %
-104	Skipped: Did not trade sex for drugs/other	1111	82.1 %
	Total	**1,354**	**100%**

Based upon 15 valid cases out of 1,354 total cases.

Location: 350-353 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -400 , -202 , -201 , -107 , -104

SAHIV10: SA HIV: Ever been told that sex partner was HIV positive

Value	Label	Unweighted Frequency	%
1	Yes	8	0.6 %
5	No	1123	82.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 354-357 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -9 , -8

SAHIV11: SA HIV: Number different partners that were HIV positive

Value	Label	Unweighted Frequency	%
1	-	8	0.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-105	Skipped: Sex partner did not say they had HIV	1123	82.9 %
	Total	**1,354**	**100%**

Based upon 8 valid cases out of 1,354 total cases.

Location: 358-361 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -400 , -202 , -201 , -105

SAHIV12: SA HIV: Ever been tested for HIV

Value	Label	Unweighted Frequency	%
1	Yes	964	71.2 %
5	No	167	12.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 362-365 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -9 , -8

SAHIV13: SA HIV: Ever been tested for STDs

Value	Label	Unweighted Frequency	%
1	Yes	923	68.2 %
5	No	206	15.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,129 valid cases out of 1,354 total cases.

Location: 366-369 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -9 , -8