ICPSR | INTER-UNIVERSITY CONSORTIUM FOR POLITICAL AND SOCIAL RESEARCH

ICPSR 36800

Research on Pathways to Desistance [Maricopa County, AZ and Philadelphia County, PA]: Subject Measures - Scales, 2000-2010

Edward P. Mulvey
University of Pittsburgh

Codebook for Parental Monitoring

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/36800/terms

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE
WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 36800

Research on Pathways to Desistance [Maricopa County, AZ and Philadelphia County, PA]: Subject Measures - Scales, 2000-2010

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Parental Monitoring

CASEID: S0 IntInfo: Subject ID

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1-5 (width: 5; decimal: 0)
Variable Type: numeric

S0PARMON: S0 PMonit: Relationship code of person primarily responsible for you

Value	Label	Unweighted Frequency	%
11	Biological father	137	10.1 %
12	Biological mother	728	53.8 %
13	Biological sister	11	0.8 %
14	Biological brother	4	0.3 %
15	Biological grandmother	82	6.1 %
16	Biological grandfather	9	0.7 %
17	Stepfather	4	0.3 %
18	Stepmother	4	0.3 %
19	Stepsister	0	0.0 %
20	Stepbrother	0	0.0 %
21	Adoptive father	5	0.4 %
22	Adoptive mother	8	0.6 %
23	Adoptive sister	0	0.0 %
24	Adoptive brother	0	0.0 %
25	Wife	0	0.0 %
26	Husband	0	0.0 %
27	Son	0	0.0 %
28	Daughter	0	0.0 %
29	Aunt	25	1.8 %
30	Uncle	5	0.4 %
31	Female cousin	2	0.1 %
32	Male cousin	1	0.1 %
33	Nephew	0	0.0 %
34	Niece	0	0.0 %
35	Live-in boyfriend/girlfriend	0	0.0 %
36	Female friend	0	0.0 %
37	Male friend	0	0.0 %
38	Boyfriend (not live-in)	0	0.0 %
39	Girlfriend	0	0.0 %
40	Male roommate	0	0.0 %
41	Female roommate	0	0.0 %

Value	Label	Unweighted Frequency	%
42	Professional relationship	0	0.0 %
43	Foster mother	1	0.1 %
44	Foster father	0	0.0 %
45	Foster brother	0	0.0 %
46	Foster sister	0	0.0 %
95	Other relative	0	0.0 %
96	Other (not biologically related)	2	0.1 %
97	NA	41	3.0 %
	Missing Data		
-400	Item not present before version 01.05	275	20.3 %
-99	Dont Know	10	0.7 %
	Total	**1,354**	**100%**

Based upon 1,069 valid cases out of 1,354 total cases.

Location: 6-9 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -99 , -98

S0PMONIT: S0 PMonit: How much know who you spend time with

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	127	9.4 %
2	Knows a little bit	374	27.6 %
3	Knows a lot	404	29.8 %
4	Knows everything	381	28.1 %
	Missing Data		
-101	97 selected for S0ParMon - questions skipped	41	3.0 %
-99	Dont Know	13	1.0 %
-97	NA	14	1.0 %
	Total	**1,354**	**100%**

Based upon 1,286 valid cases out of 1,354 total cases.

Location: 10-13 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -102 , -101 , -99 , -98 , -97

S0PMONI2: S0 PMonit: How much know how you spend your free time

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	189	14.0 %
2	Knows a little bit	432	31.9 %
3	Knows a lot	375	27.7 %

Value	Label	Unweighted Frequency	%
4	Knows everything	289	21.3 %
	Missing Data		
-500	Blaise bug - questions skipped	6	0.4 %
-102	97 selected for S0Pmonit - questions skipped	8	0.6 %
-101	97 selected for S0ParMon - questions skipped	41	3.0 %
-99	Dont Know	14	1.0 %
	Total	**1,354**	**100%**

Based upon 1,285 valid cases out of 1,354 total cases.

Location: 14-17 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -102 , -101 , -99 , -98 , -97

S0PMONI3: S0 PMonit: How much know how you spend your money

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	232	17.1 %
2	Knows a little bit	387	28.6 %
3	Knows a lot	342	25.3 %
4	Knows everything	323	23.9 %
	Missing Data		
-500	Blaise bug - questions skipped	6	0.4 %
-102	97 selected for S0Pmonit - questions skipped	8	0.6 %
-101	97 selected for S0ParMon - questions skipped	41	3.0 %
-99	Dont Know	14	1.0 %
-97	NA	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,284 valid cases out of 1,354 total cases.

Location: 18-21 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -102 , -101 , -99 , -98 , -97

S0PMONI4: S0 PMonit: How much know about where you go right after school/work

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	208	15.4 %
2	Knows a little bit	297	21.9 %
3	Knows a lot	337	24.9 %
4	Knows everything	430	31.8 %
	Missing Data		
-500	Blaise bug - questions skipped	6	0.4 %

Value	Label	Unweighted Frequency	%
-102	97 selected for S0Pmonit - questions skipped	8	0.6 %
-101	97 selected for S0ParMon - questions skipped	41	3.0 %
-99	Dont Know	26	1.9 %
-97	NA	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,272 valid cases out of 1,354 total cases.

Location: 22-25 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -102 , -101 , -99 , -98 , -97

S0PMONI5: S0 PMonit: How much know about where you go at night

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	246	18.2 %
2	Knows a little bit	307	22.7 %
3	Knows a lot	303	22.4 %
4	Knows everything	428	31.6 %
	Missing Data		
-500	Blaise bug - questions skipped	6	0.4 %
-102	97 selected for S0Pmonit - questions skipped	8	0.6 %
-101	97 selected for S0ParMon - questions skipped	41	3.0 %
-99	Dont Know	14	1.0 %
-97	NA	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,284 valid cases out of 1,354 total cases.

Location: 26-29 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -102 , -101 , -99 , -98 , -97

S0PMONI6: S0 PMonit: Do you live with primary caregiver

Value	Label	Unweighted Frequency	%
1	Yes	1201	88.7 %
5	No	98	7.2 %
	Missing Data		
-500	Blaise bug - questions skipped	6	0.4 %
-102	97 selected for S0Pmonit - questions skipped	8	0.6 %
-101	97 selected for S0ParMon - questions skipped	41	3.0 %
	Total	**1,354**	**100%**

Based upon 1,299 valid cases out of 1,354 total cases.

Location: 30-33 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -102 , -101 , -97 , -9 , -8

S0PMONI7: S0 PMonit: How often have a set time to be home on school/ work nights

Value	Label	Unweighted Frequency	%
1	Never	223	16.5 %
2	Sometimes	212	15.7 %
3	Usually	179	13.2 %
4	Always	582	43.0 %
	Missing Data		
-500	Blaise bug - questions skipped	6	0.4 %
-103	S0Pmoni6 = no - S0Pmoni7-S0Pmon10 skipped	98	7.2 %
-102	97 selected for S0Pmonit - questions skipped	8	0.6 %
-101	97 selected for S0ParMon - questions skipped	41	3.0 %
-99	Dont Know	1	0.1 %
-97	NA	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,196 valid cases out of 1,354 total cases.

Location: 34-37 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -103 , -102 , -101 , -99 , -98 , -97

S0PMONI8: S0 PMonit: How often have a set time to be home on weekend nights

Value	Label	Unweighted Frequency	%
1	Never	347	25.6 %
2	Sometimes	252	18.6 %
3	Usually	155	11.4 %
4	Always	443	32.7 %
	Missing Data		
-500	Blaise bug - questions skipped	6	0.4 %
-103	S0Pmoni6 = no - S0Pmoni7-S0Pmon10 skipped	98	7.2 %
-102	97 selected for S0Pmonit - questions skipped	8	0.6 %
-101	97 selected for S0ParMon - questions skipped	41	3.0 %
-97	NA	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,197 valid cases out of 1,354 total cases.

Location: 38-41 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -500 , -103 , -102 , -101 , -99 , -98 , -97

S0PMONI9: S0 PMonit: How often know what time you will be home when you have gone out

Value	Label	Unweighted Frequency	%
1	Never	172	12.7 %
2	Sometimes	276	20.4 %
3	Usually	261	19.3 %
4	Always	488	36.0 %
	Missing Data		
-500	Blaise bug - questions skipped	6	0.4 %
-103	S0Pmoni6 = no - S0Pmoni7-S0Pmon10 skipped	98	7.2 %
-102	97 selected for S0Pmonit - questions skipped	8	0.6 %
-101	97 selected for S0ParMon - questions skipped	41	3.0 %
-97	NA	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,197 valid cases out of 1,354 total cases.

Location: 42-45 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -103 , -102 , -101 , -99 , -98 , -97

S0PMON10: S0 PMonit: How often leave note/call about where you are going

Value	Label	Unweighted Frequency	%
1	Never	192	14.2 %
2	Sometimes	317	23.4 %
3	Usually	221	16.3 %
4	Always	466	34.4 %
	Missing Data		
-500	Blaise bug - questions skipped	6	0.4 %
-103	S0Pmoni6 = no - S0Pmoni7-S0Pmon10 skipped	98	7.2 %
-102	97 selected for S0Pmonit - questions skipped	8	0.6 %
-101	97 selected for S0ParMon - questions skipped	41	3.0 %
-99	Dont Know	1	0.1 %
-97	NA	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,196 valid cases out of 1,354 total cases.

Location: 46-49 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -103 , -102 , -101 , -99 , -98 , -97

S0PAKNOW: S0 PMonit: Parental Knowledge

Based upon 1,284 valid cases out of 1,354 total cases.

- Mean: 2.70
- Median: 2.80
- Mode: 3.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.81

Location: 50-56 (width: 7; decimal: 2)
Variable Type: numeric
(Range of) Missing Values: -500.00 , -300.00 , -100.00 , -99.00 , -98.00 , -97.00

S0PARMNT: S0 PMonit: Parental Monitoring

Based upon 1,197 valid cases out of 1,354 total cases.

- Mean: 2.80
- Median: 2.75
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.86

Location: 57-63 (width: 7; decimal: 2)
Variable Type: numeric
(Range of) Missing Values: -500.00 , -300.00 , -100.00 , -99.00 , -98.00 , -97.00

S1PMONIT1: S1 PMonit: How much know who spend time with

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	84	6.2 %
2	Knows a little bit	244	18.0 %
3	Knows a lot	316	23.3 %
4	Knows everything	347	25.6 %
	Missing Data		
-800	Data missing due to data cleaning	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	Measure skipped: Subject doesnt have a primary caregiver	269	19.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 991 valid cases out of 1,354 total cases.

Location: 64-67 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -97 , -9 , -8

S1PMONIT2: S1 PMonit: How much know how spend free time

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	112	8.3 %
2	Knows a little bit	287	21.2 %
3	Knows a lot	314	23.2 %
4	Knows everything	278	20.5 %
	Missing Data		
-800	Data missing due to data cleaning	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	Measure skipped: Subject doesnt have a primary caregiver	269	19.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 991 valid cases out of 1,354 total cases.

Location: 68-71 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -97 , -9 , -8

S1PMONIT3: S1 PMonit: How much know how spend money

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	195	14.4 %
2	Knows a little bit	275	20.3 %
3	Knows a lot	247	18.2 %
4	Knows everything	270	19.9 %
	Missing Data		
-800	Data missing due to data cleaning	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	Measure skipped: Subject doesnt have a primary caregiver	269	19.9 %
-9	Dont Know	5	0.4 %
	Total	**1,354**	**100%**

Based upon 987 valid cases out of 1,354 total cases.

Location: 72-75 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -97 , -9 , -8

S1PMONIT4: S1 PMonit: How much know where go after school

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	128	9.5 %
2	Knows a little bit	238	17.6 %

Value	Label	Unweighted Frequency	%
3	Knows a lot	262	19.4 %
4	Knows everything	359	26.5 %
	Missing Data		
-800	Data missing due to data cleaning	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	Measure skipped: Subject doesnt have a primary caregiver	269	19.9 %
-9	Dont Know	4	0.3 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 987 valid cases out of 1,354 total cases.

Location: 76-79 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -97 , -9 , -8

S1PMONIT5: S1 PMonit: How much know where go at night

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	133	9.8 %
2	Knows a little bit	226	16.7 %
3	Knows a lot	250	18.5 %
4	Knows everything	381	28.1 %
	Missing Data		
-800	Data missing due to data cleaning	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	Measure skipped: Subject doesnt have a primary caregiver	269	19.9 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 990 valid cases out of 1,354 total cases.

Location: 80-83 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -97 , -9 , -8

S1PMONIT6: S1 PMonit: How often curfew week/school nights

Value	Label	Unweighted Frequency	%
1	Never	145	10.7 %
2	Sometimes	95	7.0 %
3	Usually	90	6.6 %

Value	Label	Unweighted Frequency	%
4	Always	221	16.3 %
	Missing Data		
-800	Data missing due to data cleaning	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-102	PMonit6-9 skipped: PMLive = no	412	30.4 %
-101	Measure skipped: Subject doesnt have a primary caregiver	269	19.9 %
-97	NA	29	2.1 %
	Total	**1,354**	**100%**

Based upon 551 valid cases out of 1,354 total cases.

Location: 84-87 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -102 , -101 , -99 , -98 , -97

S1PMONIT7: S1 PMonit: How often curfew weekend nights

Value	Label	Unweighted Frequency	%
1	Never	190	14.0 %
2	Sometimes	98	7.2 %
3	Usually	71	5.2 %
4	Always	192	14.2 %
	Missing Data		
-800	Data missing due to data cleaning	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-102	PMonit6-9 skipped: PMLive = no	412	30.4 %
-101	Measure skipped: Subject doesnt have a primary caregiver	269	19.9 %
-97	NA	29	2.1 %
	Total	**1,354**	**100%**

Based upon 551 valid cases out of 1,354 total cases.

Location: 88-91 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -102 , -101 , -99 , -98 , -97

S1PMONIT8: S1 PMonit: How often know when home

Value	Label	Unweighted Frequency	%
1	Never	60	4.4 %
2	Sometimes	115	8.5 %
3	Usually	139	10.3 %

Value	Label	Unweighted Frequency	%
4	Always	242	17.9 %
	Missing Data		
-800	Data missing due to data cleaning	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-102	PMonit6-9 skipped: PMLive = no	412	30.4 %
-101	Measure skipped: Subject doesnt have a primary caregiver	269	19.9 %
-99	Dont Know	1	0.1 %
-97	NA	23	1.7 %
	Total	**1,354**	**100%**

Based upon 556 valid cases out of 1,354 total cases.

Location: 92-95 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -102 , -101 , -99 , -98 , -97

S1PMONIT9: S1 PMonit: How often leave note when not home

Value	Label	Unweighted Frequency	%
1	Never	73	5.4 %
2	Sometimes	132	9.7 %
3	Usually	125	9.2 %
4	Always	226	16.7 %
	Missing Data		
-800	Data missing due to data cleaning	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-102	PMonit6-9 skipped: PMLive = no	412	30.4 %
-101	Measure skipped: Subject doesnt have a primary caregiver	269	19.9 %
-97	NA	24	1.8 %
	Total	**1,354**	**100%**

Based upon 556 valid cases out of 1,354 total cases.

Location: 96-99 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -102 , -101 , -99 , -98 , -97

S1PAKNOW: S1 PMonit: Parental Knowledge

Based upon 990 valid cases out of 1,354 total cases.

- Mean: 2.81
- Median: 2.80

- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.83

Location: 100-106 (width: 7; decimal: 2)
Variable Type: numeric
(Range of) Missing Values: -300.00 , -202.00 , -201.00 , -100.00 , -97.00 , -9.00 , -8.00

S1PARMNT: S1 PMonit: Parental Monitoring

Based upon 552 valid cases out of 1,354 total cases.

- Mean: 2.7709842995
- Median: 2.7500000000
- Mode: 4.0000000000
- Minimum: 1.0000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.9171683593

Location: 107-121 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -99.0000000000 , -98.0000000000 , -97.0000000000

S2PMONIT1: S2 PMonit: How much know who spend time with

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	81	6.0 %
2	Knows a little bit	187	13.8 %
3	Knows a lot	278	20.5 %
4	Knows everything	282	20.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	Measure skipped: Subject doesnt have a primary caregiver	433	32.0 %
	Total	**1,354**	**100%**

Based upon 828 valid cases out of 1,354 total cases.

Location: 122-125 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -97 , -9 , -8

S2PMONIT2: S2 PMonit: How much know how spend free time

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	90	6.6 %
2	Knows a little bit	259	19.1 %
3	Knows a lot	253	18.7 %

Value	Label	Unweighted Frequency	%
4	Knows everything	226	16.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	Measure skipped: Subject doesnt have a primary caregiver	433	32.0 %
	Total	**1,354**	**100%**

Based upon 828 valid cases out of 1,354 total cases.

Location: 126-129 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -97 , -9 , -8

S2PMONIT3: S2 PMonit: How much know how spend money

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	140	10.3 %
2	Knows a little bit	220	16.2 %
3	Knows a lot	242	17.9 %
4	Knows everything	225	16.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	Measure skipped: Subject doesnt have a primary caregiver	433	32.0 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 827 valid cases out of 1,354 total cases.

Location: 130-133 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -97 , -9 , -8

S2PMONIT4: S2 PMonit: How much know where go after school

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	112	8.3 %
2	Knows a little bit	189	14.0 %
3	Knows a lot	242	17.9 %
4	Knows everything	284	21.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	Measure skipped: Subject doesnt have a primary caregiver	433	32.0 %

Value	Label	Unweighted Frequency	%
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 827 valid cases out of 1,354 total cases.

Location: 134-137 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -97 , -9 , -8

S2PMONIT5: S2 PMonit: How much know where go at night

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	112	8.3 %
2	Knows a little bit	181	13.4 %
3	Knows a lot	246	18.2 %
4	Knows everything	289	21.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	Measure skipped: Subject doesnt have a primary caregiver	433	32.0 %
	Total	**1,354**	**100%**

Based upon 828 valid cases out of 1,354 total cases.

Location: 138-141 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -97 , -9 , -8

S2PMONIT6: S2 PMonit: How often curfew week/school nights

Value	Label	Unweighted Frequency	%
1	Never	160	11.8 %
2	Sometimes	86	6.4 %
3	Usually	84	6.2 %
4	Always	194	14.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-102	PMonit6-9 skipped: PMLive = no	294	21.7 %
-101	Measure skipped: Subject doesnt have a primary caregiver	433	32.0 %
-97	NA	10	0.7 %
	Total	**1,354**	**100%**

Based upon 524 valid cases out of 1,354 total cases.

Location: 142-145 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -102 , -101 , -99 , -98 , -97

S2PMONIT7: S2 PMonit: How often curfew weekend nights

Value	Label	Unweighted Frequency	%
1	Never	209	15.4 %
2	Sometimes	93	6.9 %
3	Usually	64	4.7 %
4	Always	160	11.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-102	PMonit6-9 skipped: PMLive = no	294	21.7 %
-101	Measure skipped: Subject doesnt have a primary caregiver	433	32.0 %
-97	NA	8	0.6 %
	Total	**1,354**	**100%**

Based upon 526 valid cases out of 1,354 total cases.

Location: 146-149 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -102 , -101 , -99 , -98 , -97

S2PMONIT8: S2 PMonit: How often know when home

Value	Label	Unweighted Frequency	%
1	Never	69	5.1 %
2	Sometimes	113	8.3 %
3	Usually	116	8.6 %
4	Always	228	16.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-102	PMonit6-9 skipped: PMLive = no	294	21.7 %
-101	Measure skipped: Subject doesnt have a primary caregiver	433	32.0 %
-97	NA	8	0.6 %
	Total	**1,354**	**100%**

Based upon 526 valid cases out of 1,354 total cases.

Location: 150-153 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -102 , -101 , -99 , -98 , -97

S2PMONIT9: S2 PMonit: How often leave note when not home

Value	Label	Unweighted Frequency	%
1	Never	66	4.9 %
2	Sometimes	135	10.0 %
3	Usually	109	8.1 %
4	Always	218	16.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-102	PMonit6-9 skipped: PMLive = no	294	21.7 %
-101	Measure skipped: Subject doesnt have a primary caregiver	433	32.0 %
-97	NA	6	0.4 %
	Total	**1,354**	**100%**

Based upon 528 valid cases out of 1,354 total cases.

Location: 154-157 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -102 , -101 , -99 , -98 , -97

S2PAKNOW: S2 PMonit: Parental Knowledge

Based upon 828 valid cases out of 1,354 total cases.

- Mean: 2.81
- Median: 2.80
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.86

Location: 158-164 (width: 7; decimal: 2)
Variable Type: numeric
(Range of) Missing Values: -300.00 , -202.00 , -201.00 , -100.00 , -97.00 , -9.00 , -8.00

S2PARMNT: S2 PMonit: Parental Monitoring

Based upon 526 valid cases out of 1,354 total cases.

- Mean: 2.6985107731
- Median: 2.5000000000
- Mode: 4.0000000000
- Minimum: 1.0000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.9301688987

Location: 165-179 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -99.0000000000 , -98.0000000000 , -97.0000000000

S3PMONIT1: S3 PMonit: How much know who spend time with

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	47	3.5 %
2	Knows a little bit	175	12.9 %
3	Knows a lot	233	17.2 %
4	Knows everything	221	16.3 %
	Missing Data		
-800	Data missing due to data cleaning	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	Measure skipped: Subject doesnt have a primary caregiver	550	40.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 676 valid cases out of 1,354 total cases.

Location: 180-183 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -97 , -9 , -8

S3PMONIT2: S3 PMonit: How much know how spend free time

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	59	4.4 %
2	Knows a little bit	217	16.0 %
3	Knows a lot	216	16.0 %
4	Knows everything	185	13.7 %
	Missing Data		
-800	Data missing due to data cleaning	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	Measure skipped: Subject doesnt have a primary caregiver	550	40.6 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 677 valid cases out of 1,354 total cases.

Location: 184-187 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -97 , -9 , -8

S3PMONIT3: S3 PMonit: How much know how spend money

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	94	6.9 %
2	Knows a little bit	216	16.0 %

Value	Label	Unweighted Frequency	%
3	Knows a lot	194	14.3 %
4	Knows everything	172	12.7 %
	Missing Data		
-800	Data missing due to data cleaning	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	Measure skipped: Subject doesnt have a primary caregiver	550	40.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 676 valid cases out of 1,354 total cases.

Location: 188-191 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -97 , -9 , -8

S3PMONIT4: S3 PMonit: How much know where go after school

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	77	5.7 %
2	Knows a little bit	180	13.3 %
3	Knows a lot	202	14.9 %
4	Knows everything	218	16.1 %
	Missing Data		
-800	Data missing due to data cleaning	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	Measure skipped: Subject doesnt have a primary caregiver	550	40.6 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 677 valid cases out of 1,354 total cases.

Location: 192-195 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -97 , -9 , -8

S3PMONIT5: S3 PMonit: How much know where go at night

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	85	6.3 %
2	Knows a little bit	161	11.9 %
3	Knows a lot	202	14.9 %
4	Knows everything	229	16.9 %
	Missing Data		
-800	Data missing due to data cleaning	1	0.1 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	Measure skipped: Subject doesnt have a primary caregiver	550	40.6 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 677 valid cases out of 1,354 total cases.

Location: 196-199 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -97 , -9 , -8

S3PMONIT6: S3 PMonit: How often curfew week/school nights

Value	Label	Unweighted Frequency	%
1	Never	179	13.2 %
2	Sometimes	78	5.8 %
3	Usually	53	3.9 %
4	Always	140	10.3 %
	Missing Data		
-800	Data missing due to data cleaning	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-102	PMonit6-9 skipped: PMLive = no	225	16.6 %
-101	Measure skipped: Subject doesnt have a primary caregiver	550	40.6 %
-97	NA	3	0.2 %
	Total	**1,354**	**100%**

Based upon 450 valid cases out of 1,354 total cases.

Location: 200-203 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -102 , -101 , -99 , -98 , -97

S3PMONIT7: S3 PMonit: How often curfew weekend nights

Value	Label	Unweighted Frequency	%
1	Never	213	15.7 %
2	Sometimes	65	4.8 %
3	Usually	53	3.9 %
4	Always	118	8.7 %
	Missing Data		
-800	Data missing due to data cleaning	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-102	PMonit6-9 skipped: PMLive = no	225	16.6 %
-101	Measure skipped: Subject doesnt have a primary caregiver	550	40.6 %

Value	Label	Unweighted Frequency	%
-97	NA	4	0.3 %
	Total	**1,354**	**100%**

Based upon 449 valid cases out of 1,354 total cases.

Location: 204-207 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -102 , -101 , -99 , -98 , -97

S3PMONIT8: S3 PMonit: How often know when home

Value	Label	Unweighted Frequency	%
1	Never	53	3.9 %
2	Sometimes	119	8.8 %
3	Usually	116	8.6 %
4	Always	163	12.0 %
	Missing Data		
-800	Data missing due to data cleaning	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-102	PMonit6-9 skipped: PMLive = no	225	16.6 %
-101	Measure skipped: Subject doesnt have a primary caregiver	550	40.6 %
-97	NA	2	0.1 %
	Total	**1,354**	**100%**

Based upon 451 valid cases out of 1,354 total cases.

Location: 208-211 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -102 , -101 , -99 , -98 , -97

S3PMONIT9: S3 PMonit: How often leave note when not home

Value	Label	Unweighted Frequency	%
1	Never	79	5.8 %
2	Sometimes	132	9.7 %
3	Usually	98	7.2 %
4	Always	143	10.6 %
	Missing Data		
-800	Data missing due to data cleaning	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-102	PMonit6-9 skipped: PMLive = no	225	16.6 %
-101	Measure skipped: Subject doesnt have a primary caregiver	550	40.6 %
-97	NA	1	0.1 %
	Total	**1,354**	**100%**

Based upon 452 valid cases out of 1,354 total cases.

Location: 212-215 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -102 , -101 , -99 , -98 , -97

S3PAKNOW: S3 PMonit: Parental Knowledge

Based upon 677 valid cases out of 1,354 total cases.

- Mean: 2.81
- Median: 2.80
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.83

Location: 216-222 (width: 7; decimal: 2)
Variable Type: numeric
(Range of) Missing Values: -300.00 , -202.00 , -201.00 , -100.00 , -97.00 , -9.00 , -8.00

S3PARMNT: S3 PMonit: Parental Monitoring

Based upon 450 valid cases out of 1,354 total cases.

- Mean: 2.51
- Median: 2.50
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.92

Location: 223-229 (width: 7; decimal: 2)
Variable Type: numeric
(Range of) Missing Values: -300.00 , -202.00 , -201.00 , -100.00 , -99.00 , -98.00 , -97.00

S4PMONIT1: S4 PMonit: How much know who spend time with

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	42	3.1 %
2	Knows a little bit	140	10.3 %
3	Knows a lot	188	13.9 %
4	Knows everything	188	13.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Measure skipped: Subject doesnt have a primary caregiver	673	49.7 %
	Total	**1,354**	**100%**

Based upon 558 valid cases out of 1,354 total cases.

Location: 230-233 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -97 , -9 , -8

S4PMONIT2: S4 PMonit: How much know how spend free time

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	57	4.2 %
2	Knows a little bit	170	12.6 %
3	Knows a lot	188	13.9 %
4	Knows everything	143	10.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Measure skipped: Subject doesnt have a primary caregiver	673	49.7 %
	Total	**1,354**	**100%**

Based upon 558 valid cases out of 1,354 total cases.

Location: 234-237 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -97 , -9 , -8

S4PMONIT3: S4 PMonit: How much know how spend money

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	89	6.6 %
2	Knows a little bit	175	12.9 %
3	Knows a lot	161	11.9 %
4	Knows everything	132	9.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Measure skipped: Subject doesnt have a primary caregiver	673	49.7 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 557 valid cases out of 1,354 total cases.

Location: 238-241 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -97 , -9 , -8

S4PMONIT4: S4 PMonit: How much know where go after school

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	68	5.0 %
2	Knows a little bit	140	10.3 %
3	Knows a lot	181	13.4 %
4	Knows everything	164	12.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Measure skipped: Subject doesnt have a primary caregiver	673	49.7 %
-9	Dont Know	4	0.3 %
	Total	**1,354**	**100%**

Based upon 553 valid cases out of 1,354 total cases.

Location: 242-245 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -97 , -9 , -8

S4PMONIT5: S4 PMonit: How much know where go at night

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	72	5.3 %
2	Knows a little bit	149	11.0 %
3	Knows a lot	160	11.8 %
4	Knows everything	175	12.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Measure skipped: Subject doesnt have a primary caregiver	673	49.7 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 556 valid cases out of 1,354 total cases.

Location: 246-249 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -97 , -9 , -8

S4PMONIT6: S4 PMonit: How often curfew week/school nights

Value	Label	Unweighted Frequency	%
1	Never	153	11.3 %
2	Sometimes	75	5.5 %
3	Usually	50	3.7 %
4	Always	101	7.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-102	PMonit6-9 skipped: PMLive = no	172	12.7 %
-101	Measure skipped: Subject doesnt have a primary caregiver	673	49.7 %

Value	Label	Unweighted Frequency	%
-99	Dont Know	1	0.1 %
-97	NA	5	0.4 %
	Total	**1,354**	**100%**

Based upon 379 valid cases out of 1,354 total cases.

Location: 250-253 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -102 , -101 , -99 , -98 , -97

S4PMONIT7: S4 PMonit: How often curfew weekend nights

Value	Label	Unweighted Frequency	%
1	Never	197	14.5 %
2	Sometimes	67	4.9 %
3	Usually	30	2.2 %
4	Always	86	6.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-102	PMonit6-9 skipped: PMLive = no	172	12.7 %
-101	Measure skipped: Subject doesnt have a primary caregiver	673	49.7 %
-99	Dont Know	1	0.1 %
-97	NA	4	0.3 %
	Total	**1,354**	**100%**

Based upon 380 valid cases out of 1,354 total cases.

Location: 254-257 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -102 , -101 , -99 , -98 , -97

S4PMONIT8: S4 PMonit: How often know when home

Value	Label	Unweighted Frequency	%
1	Never	53	3.9 %
2	Sometimes	107	7.9 %
3	Usually	89	6.6 %
4	Always	134	9.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-102	PMonit6-9 skipped: PMLive = no	172	12.7 %
-101	Measure skipped: Subject doesnt have a primary caregiver	673	49.7 %

Value	Label	Unweighted Frequency	%
-97	NA	2	0.1 %
	Total	**1,354**	**100%**

Based upon 383 valid cases out of 1,354 total cases.

Location: 258-261 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -102 , -101 , -99 , -98 , -97

S4PMONIT9: S4 PMonit: How often leave note when not home

Value	Label	Unweighted Frequency	%
1	Never	55	4.1 %
2	Sometimes	129	9.5 %
3	Usually	75	5.5 %
4	Always	124	9.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-102	PMonit6-9 skipped: PMLive = no	172	12.7 %
-101	Measure skipped: Subject doesnt have a primary caregiver	673	49.7 %
-97	NA	2	0.1 %
	Total	**1,354**	**100%**

Based upon 383 valid cases out of 1,354 total cases.

Location: 262-265 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -102 , -101 , -99 , -98 , -97

S4PAKNOW: S4 PMonit: Parental Knowledge

Based upon 556 valid cases out of 1,354 total cases.

- Mean: 2.77
- Median: 2.80
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.86

Location: 266-272 (width: 7; decimal: 2)
Variable Type: numeric
(Range of) Missing Values: -300.00 , -202.00 , -201.00 , -100.00 , -97.00 , -9.00 , -8.00

S4PARMNT: S4 PMonit: Parental Monitoring

Based upon 380 valid cases out of 1,354 total cases.

- Mean: 2.44
- Median: 2.25
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.92

Location: 273-279 (width: 7; decimal: 2)
Variable Type: numeric
(Range of) Missing Values: -300.00 , -202.00 , -201.00 , -100.00 , -99.00 , -98.00 , -97.00

S5PMONIT1: S5 PMonit: How much know who spend time with

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	49	3.6 %
2	Knows a little bit	114	8.4 %
3	Knows a lot	138	10.2 %
4	Knows everything	153	11.3 %
	Missing Data		
-800	Data missing due to data cleaning	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Measure skipped: Subject doesnt have a primary caregiver	779	57.5 %
	Total	**1,354**	**100%**

Based upon 454 valid cases out of 1,354 total cases.

Location: 280-283 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -97 , -9 , -8

S5PMONIT2: S5 PMonit: How much know how spend free time

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	42	3.1 %
2	Knows a little bit	134	9.9 %
3	Knows a lot	154	11.4 %
4	Knows everything	124	9.2 %
	Missing Data		
-800	Data missing due to data cleaning	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Measure skipped: Subject doesnt have a primary caregiver	779	57.5 %
	Total	**1,354**	**100%**

Based upon 454 valid cases out of 1,354 total cases.

Location: 284-287 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -97 , -9 , -8

S5PMONIT3: S5 PMonit: How much know how spend money

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	61	4.5 %
2	Knows a little bit	142	10.5 %
3	Knows a lot	120	8.9 %
4	Knows everything	130	9.6 %
	Missing Data		
-800	Data missing due to data cleaning	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Measure skipped: Subject doesnt have a primary caregiver	779	57.5 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 453 valid cases out of 1,354 total cases.

Location: 288-291 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -97 , -9 , -8

S5PMONIT4: S5 PMonit: How much know where go after school

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	55	4.1 %
2	Knows a little bit	128	9.5 %
3	Knows a lot	127	9.4 %
4	Knows everything	144	10.6 %
	Missing Data		
-800	Data missing due to data cleaning	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Measure skipped: Subject doesnt have a primary caregiver	779	57.5 %
	Total	**1,354**	**100%**

Based upon 454 valid cases out of 1,354 total cases.

Location: 292-295 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -97 , -9 , -8

S5PMONIT5: S5 PMonit: How much know where go at night

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	62	4.6 %
2	Knows a little bit	121	8.9 %
3	Knows a lot	121	8.9 %

Value	Label	Unweighted Frequency	%
4	Knows everything	150	11.1 %
	Missing Data		
-800	Data missing due to data cleaning	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Measure skipped: Subject doesnt have a primary caregiver	779	57.5 %
	Total	**1,354**	**100%**

Based upon 454 valid cases out of 1,354 total cases.

Location: 296-299 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -97 , -9 , -8

S5PMONIT6: S5 PMonit: How often curfew week/school nights

Value	Label	Unweighted Frequency	%
1	Never	132	9.7 %
2	Sometimes	55	4.1 %
3	Usually	41	3.0 %
4	Always	79	5.8 %
	Missing Data		
-800	Data missing due to data cleaning	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-102	PMonit6-9 skipped: PMLive = no	142	10.5 %
-101	Measure skipped: Subject doesnt have a primary caregiver	779	57.5 %
-97	NA	5	0.4 %
	Total	**1,354**	**100%**

Based upon 307 valid cases out of 1,354 total cases.

Location: 300-303 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -102 , -101 , -99 , -98 , -97

S5PMONIT7: S5 PMonit: How often curfew weekend nights

Value	Label	Unweighted Frequency	%
1	Never	167	12.3 %
2	Sometimes	50	3.7 %
3	Usually	27	2.0 %
4	Always	63	4.7 %
	Missing Data		
-800	Data missing due to data cleaning	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %

Value	Label	Unweighted Frequency	%
-102	PMonit6-9 skipped: PMLive = no	142	10.5 %
-101	Measure skipped: Subject doesnt have a primary caregiver	779	57.5 %
-97	NA	5	0.4 %
	Total	**1,354**	**100%**

Based upon 307 valid cases out of 1,354 total cases.

Location: 304-307 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -102 , -101 , -99 , -98 , -97

S5PMONIT8: S5 PMonit: How often know when home

Value	Label	Unweighted Frequency	%
1	Never	56	4.1 %
2	Sometimes	74	5.5 %
3	Usually	78	5.8 %
4	Always	103	7.6 %
	Missing Data		
-800	Data missing due to data cleaning	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-102	PMonit6-9 skipped: PMLive = no	142	10.5 %
-101	Measure skipped: Subject doesnt have a primary caregiver	779	57.5 %
-97	NA	1	0.1 %
	Total	**1,354**	**100%**

Based upon 311 valid cases out of 1,354 total cases.

Location: 308-311 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -102 , -101 , -99 , -98 , -97

S5PMONIT9: S5 PMonit: How often leave note when not home

Value	Label	Unweighted Frequency	%
1	Never	43	3.2 %
2	Sometimes	96	7.1 %
3	Usually	63	4.7 %
4	Always	107	7.9 %
	Missing Data		
-800	Data missing due to data cleaning	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-102	PMonit6-9 skipped: PMLive = no	142	10.5 %
-101	Measure skipped: Subject doesnt have a primary caregiver	779	57.5 %

Value	Label	Unweighted Frequency	%
-97	NA	3	0.2 %
	Total	**1,354**	**100%**

Based upon 309 valid cases out of 1,354 total cases.

Location: 312-315 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -102 , -101 , -99 , -98 , -97

S5PAKNOW: S5 PMonit: Parental Knowledge

Based upon 454 valid cases out of 1,354 total cases.

- Mean: 2.79
- Median: 2.80
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.89

Location: 316-321 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -300.0 , -202.0 , -201.0 , -100.0 , -97.0 , -9.0 , -8.0

S5PARMNT: S5 PMonit: Parental Monitoring

Based upon 307 valid cases out of 1,354 total cases.

- Mean: 2.4115092291
- Median: 2.2500000000
- Mode: 2.0000000000
- Minimum: 1.0000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.9161444356

Location: 322-336 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -99.0000000000 , -98.0000000000 , -97.0000000000

S6PMONIT1: S6 PMonit: How much know who spend time with

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	25	1.8 %
2	Knows a little bit	102	7.5 %
3	Knows a lot	121	8.9 %
4	Knows everything	97	7.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Measure skipped: Subject doesnt have a primary caregiver	887	65.5 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 345 valid cases out of 1,354 total cases.

Location: 337-340 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -97 , -9 , -8

S6PMONIT2: S6 PMonit: How much know how spend free time

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	23	1.7 %
2	Knows a little bit	112	8.3 %
3	Knows a lot	120	8.9 %
4	Knows everything	90	6.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Measure skipped: Subject doesnt have a primary caregiver	887	65.5 %
	Total	**1,354**	**100%**

Based upon 345 valid cases out of 1,354 total cases.

Location: 341-344 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -97 , -9 , -8

S6PMONIT3: S6 PMonit: How much know how spend money

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	42	3.1 %
2	Knows a little bit	113	8.3 %
3	Knows a lot	106	7.8 %
4	Knows everything	83	6.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Measure skipped: Subject doesnt have a primary caregiver	887	65.5 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 344 valid cases out of 1,354 total cases.

Location: 345-348 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -97 , -9 , -8

S6PMONIT4: S6 PMonit: How much know where go after school

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	38	2.8 %
2	Knows a little bit	105	7.8 %
3	Knows a lot	112	8.3 %
4	Knows everything	89	6.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Measure skipped: Subject doesnt have a primary caregiver	887	65.5 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 344 valid cases out of 1,354 total cases.

Location: 349-352 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -97 , -9 , -8

S6PMONIT5: S6 PMonit: How much know where go at night

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	49	3.6 %
2	Knows a little bit	92	6.8 %
3	Knows a lot	110	8.1 %
4	Knows everything	94	6.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Measure skipped: Subject doesnt have a primary caregiver	887	65.5 %
	Total	**1,354**	**100%**

Based upon 345 valid cases out of 1,354 total cases.

Location: 353-356 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -97 , -9 , -8

S6PMONIT6: S6 PMonit: How often curfew week/school nights

Value	Label	Unweighted Frequency	%
1	Never	134	9.9 %
2	Sometimes	44	3.2 %
3	Usually	28	2.1 %
4	Always	42	3.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-102	PMonit6-9 skipped: PMLive = no	94	6.9 %

Value	Label	Unweighted Frequency	%
-101	Measure skipped: Subject doesnt have a primary caregiver	887	65.5 %
-97	NA	3	0.2 %
	Total	**1,354**	**100%**

Based upon 248 valid cases out of 1,354 total cases.

Location: 357-360 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -102 , -101 , -99 , -98 , -97

S6PMONIT7: S6 PMonit: How often curfew weekend nights

Value	Label	Unweighted Frequency	%
1	Never	156	11.5 %
2	Sometimes	43	3.2 %
3	Usually	17	1.3 %
4	Always	33	2.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-102	PMonit6-9 skipped: PMLive = no	94	6.9 %
-101	Measure skipped: Subject doesnt have a primary caregiver	887	65.5 %
-97	NA	2	0.1 %
	Total	**1,354**	**100%**

Based upon 249 valid cases out of 1,354 total cases.

Location: 361-364 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -102 , -101 , -99 , -98 , -97

S6PMONIT8: S6 PMonit: How often know when home

Value	Label	Unweighted Frequency	%
1	Never	44	3.2 %
2	Sometimes	75	5.5 %
3	Usually	54	4.0 %
4	Always	76	5.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-102	PMonit6-9 skipped: PMLive = no	94	6.9 %
-101	Measure skipped: Subject doesnt have a primary caregiver	887	65.5 %
-97	NA	2	0.1 %
	Total	**1,354**	**100%**

Based upon 249 valid cases out of 1,354 total cases.

Location: 365-368 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -102 , -101 , -99 , -98 , -97

S6PMONIT9: S6 PMonit: How often leave note when not home

Value	Label	Unweighted Frequency	%
1	Never	37	2.7 %
2	Sometimes	70	5.2 %
3	Usually	57	4.2 %
4	Always	84	6.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-102	PMonit6-9 skipped: PMLive = no	94	6.9 %
-101	Measure skipped: Subject doesnt have a primary caregiver	887	65.5 %
-99	Dont Know	1	0.1 %
-97	NA	2	0.1 %
	Total	**1,354**	**100%**

Based upon 248 valid cases out of 1,354 total cases.

Location: 369-372 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -102 , -101 , -99 , -98 , -97

S6PAKNOW: S6 PMonit: Parental Knowledge

Based upon 344 valid cases out of 1,354 total cases.

- Mean: 2.75
- Median: 2.80
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.84

Location: 373-378 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -300.0 , -202.0 , -201.0 , -100.0 , -97.0 , -9.0 , -8.0

S6PARMNT: S6 PMonit: Parental Monitoring

Based upon 248 valid cases out of 1,354 total cases.

- Mean: 2.2516801075
- Median: 2.2500000000
- Minimum: 1.0000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.8471011667

Location: 379-393 (width: 15; decimal: 10)

Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -99.0000000000 , -98.0000000000 , -97.0000000000

S7PMONIT1: S7 PMonit: How much know who spend time with

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	9	0.7 %
2	Knows a little bit	33	2.4 %
3	Knows a lot	41	3.0 %
4	Knows everything	28	2.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Measure skipped: Subject doesnt have a primary caregiver	1104	81.5 %
	Total	**1,354**	**100%**

Based upon 111 valid cases out of 1,354 total cases.

Location: 394-397 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -97 , -9 , -8

S7PMONIT2: S7 PMonit: How much know how spend free time

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	9	0.7 %
2	Knows a little bit	39	2.9 %
3	Knows a lot	39	2.9 %
4	Knows everything	24	1.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Measure skipped: Subject doesnt have a primary caregiver	1104	81.5 %
	Total	**1,354**	**100%**

Based upon 111 valid cases out of 1,354 total cases.

Location: 398-401 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -97 , -9 , -8

S7PMONIT3: S7 PMonit: How much know how spend money

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	11	0.8 %
2	Knows a little bit	43	3.2 %
3	Knows a lot	37	2.7 %

Value	Label	Unweighted Frequency	%
4	Knows everything	20	1.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Measure skipped: Subject doesnt have a primary caregiver	1104	81.5 %
	Total	**1,354**	**100%**

Based upon 111 valid cases out of 1,354 total cases.

Location: 402-405 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -97 , -9 , -8

S7PMONIT4: S7 PMonit: How much know where go after school

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	15	1.1 %
2	Knows a little bit	27	2.0 %
3	Knows a lot	43	3.2 %
4	Knows everything	26	1.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Measure skipped: Subject doesnt have a primary caregiver	1104	81.5 %
	Total	**1,354**	**100%**

Based upon 111 valid cases out of 1,354 total cases.

Location: 406-409 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -97 , -9 , -8

S7PMONIT5: S7 PMonit: How much know where go at night

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	16	1.2 %
2	Knows a little bit	28	2.1 %
3	Knows a lot	40	3.0 %
4	Knows everything	27	2.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Measure skipped: Subject doesnt have a primary caregiver	1104	81.5 %
	Total	**1,354**	**100%**

Based upon 111 valid cases out of 1,354 total cases.

Location: 410-413 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -800 , -202 , -201 , -101 , -97 , -9 , -8

S7PMONIT6: S7 PMonit: How often curfew week/school nights

Value	Label	Unweighted Frequency	%
1	Never	41	3.0 %
2	Sometimes	19	1.4 %
3	Usually	5	0.4 %
4	Always	10	0.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-102	PMonit6-9 skipped: PMLive = no	35	2.6 %
-101	Measure skipped: Subject doesnt have a primary caregiver	1104	81.5 %
-97	NA	1	0.1 %
	Total	**1,354**	**100%**

Based upon 75 valid cases out of 1,354 total cases.

Location: 414-417 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -102 , -101 , -99 , -98 , -97

S7PMONIT7: S7 PMonit: How often curfew weekend nights

Value	Label	Unweighted Frequency	%
1	Never	52	3.8 %
2	Sometimes	11	0.8 %
3	Usually	2	0.1 %
4	Always	10	0.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-102	PMonit6-9 skipped: PMLive = no	35	2.6 %
-101	Measure skipped: Subject doesnt have a primary caregiver	1104	81.5 %
-97	NA	1	0.1 %
	Total	**1,354**	**100%**

Based upon 75 valid cases out of 1,354 total cases.

Location: 418-421 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -102 , -101 , -99 , -98 , -97

S7PMONIT8: S7 PMonit: How often know when home

Value	Label	Unweighted Frequency	%
1	Never	7	0.5 %

Value	Label	Unweighted Frequency	%
2	Sometimes	26	1.9 %
3	Usually	20	1.5 %
4	Always	22	1.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-102	PMonit6-9 skipped: PMLive = no	35	2.6 %
-101	Measure skipped: Subject doesnt have a primary caregiver	1104	81.5 %
-97	NA	1	0.1 %
	Total	**1,354**	**100%**

Based upon 75 valid cases out of 1,354 total cases.

Location: 422-425 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -102 , -101 , -99 , -98 , -97

S7PMONIT9: S7 PMonit: How often leave note when not home

Value	Label	Unweighted Frequency	%
1	Never	7	0.5 %
2	Sometimes	24	1.8 %
3	Usually	14	1.0 %
4	Always	30	2.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-102	PMonit6-9 skipped: PMLive = no	35	2.6 %
-101	Measure skipped: Subject doesnt have a primary caregiver	1104	81.5 %
-97	NA	1	0.1 %
	Total	**1,354**	**100%**

Based upon 75 valid cases out of 1,354 total cases.

Location: 426-429 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -102 , -101 , -99 , -98 , -97

S7PAKNOW: S7 PMonit: Parental Knowledge

Based upon 111 valid cases out of 1,354 total cases.

- Mean: 2.70
- Median: 2.80
- Mode: 3.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.83

Location: 430-435 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -300.0 , -202.0 , -201.0 , -100.0 , -97.0 , -9.0 , -8.0

S7PARMNT: S7 PMonit: Parental Monitoring

Based upon 75 valid cases out of 1,354 total cases.

- Mean: 2.26
- Median: 2.00
- Mode: 1.75
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.80

Location: 436-442 (width: 7; decimal: 2)
Variable Type: numeric
(Range of) Missing Values: -300.00 , -202.00 , -201.00 , -100.00 , -99.00 , -98.00 , -97.00

S8PMONIT1: S8 PMonit: How much know who spend time with

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	0	0.0 %
2	Knows a little bit	6	0.4 %
3	Knows a lot	13	1.0 %
4	Knows everything	8	0.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Measure skipped: Subject doesnt have a primary caregiver	1180	87.1 %
	Total	**1,354**	**100%**

Based upon 27 valid cases out of 1,354 total cases.

Location: 443-446 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -97 , -9 , -8

S8PMONIT2: S8 PMonit: How much know how spend free time

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	0	0.0 %
2	Knows a little bit	10	0.7 %
3	Knows a lot	10	0.7 %
4	Knows everything	7	0.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Measure skipped: Subject doesnt have a primary caregiver	1180	87.1 %
	Total	**1,354**	**100%**

Based upon 27 valid cases out of 1,354 total cases.

Location: 447-450 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -97 , -9 , -8

S8PMONIT3: S8 PMonit: How much know how spend money

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	1	0.1 %
2	Knows a little bit	11	0.8 %
3	Knows a lot	11	0.8 %
4	Knows everything	4	0.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Measure skipped: Subject doesnt have a primary caregiver	1180	87.1 %
	Total	**1,354**	**100%**

Based upon 27 valid cases out of 1,354 total cases.

Location: 451-454 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -97 , -9 , -8

S8PMONIT4: S8 PMonit: How much know where go after school

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	2	0.1 %
2	Knows a little bit	8	0.6 %
3	Knows a lot	11	0.8 %
4	Knows everything	6	0.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Measure skipped: Subject doesnt have a primary caregiver	1180	87.1 %
	Total	**1,354**	**100%**

Based upon 27 valid cases out of 1,354 total cases.

Location: 455-458 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -97 , -9 , -8

S8PMONIT5: S8 PMonit: How much know where go at night

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	3	0.2 %
2	Knows a little bit	7	0.5 %

Value	Label	Unweighted Frequency	%
3	Knows a lot	9	0.7 %
4	Knows everything	8	0.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Measure skipped: Subject doesnt have a primary caregiver	1180	87.1 %
	Total	**1,354**	**100%**

Based upon 27 valid cases out of 1,354 total cases.

Location: 459-462 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -97 , -9 , -8

S8PMONIT6: S8 PMonit: How often curfew week/school nights

Value	Label	Unweighted Frequency	%
1	Never	11	0.8 %
2	Sometimes	2	0.1 %
3	Usually	2	0.1 %
4	Always	2	0.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	147	10.9 %
-102	PMonit6-9 skipped: PMLive = no	9	0.7 %
-101	Measure skipped: Subject doesnt have a primary caregiver	1180	87.1 %
-97	NA	1	0.1 %
	Total	**1,354**	**100%**

Based upon 17 valid cases out of 1,354 total cases.

Location: 463-466 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -102 , -101 , -99 , -98 , -97

S8PMONIT7: S8 PMonit: How often curfew weekend nights

Value	Label	Unweighted Frequency	%
1	Never	12	0.9 %
2	Sometimes	1	0.1 %
3	Usually	2	0.1 %
4	Always	2	0.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	147	10.9 %
-102	PMonit6-9 skipped: PMLive = no	9	0.7 %
-101	Measure skipped: Subject doesnt have a primary caregiver	1180	87.1 %

Value	Label	Unweighted Frequency	%
-97	NA	1	0.1 %
	Total	**1,354**	**100%**

Based upon 17 valid cases out of 1,354 total cases.

Location: 467-470 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -102 , -101 , -99 , -98 , -97

S8PMONIT8: S8 PMonit: How often know when home

Value	Label	Unweighted Frequency	%
1	Never	0	0.0 %
2	Sometimes	6	0.4 %
3	Usually	5	0.4 %
4	Always	7	0.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	147	10.9 %
-102	PMonit6-9 skipped: PMLive = no	9	0.7 %
-101	Measure skipped: Subject doesnt have a primary caregiver	1180	87.1 %
	Total	**1,354**	**100%**

Based upon 18 valid cases out of 1,354 total cases.

Location: 471-474 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -102 , -101 , -99 , -98 , -97

S8PMONIT9: S8 PMonit: How often leave note when not home

Value	Label	Unweighted Frequency	%
1	Never	0	0.0 %
2	Sometimes	4	0.3 %
3	Usually	4	0.3 %
4	Always	10	0.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	147	10.9 %
-102	PMonit6-9 skipped: PMLive = no	9	0.7 %
-101	Measure skipped: Subject doesnt have a primary caregiver	1180	87.1 %
	Total	**1,354**	**100%**

Based upon 18 valid cases out of 1,354 total cases.

Location: 475-478 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -102 , -101 , -99 , -98 , -97

S8PAKNOW: S8 PMonit: Parental Knowledge

Based upon 27 valid cases out of 1,354 total cases.

- Mean: 2.84
- Median: 2.80
- Mode: 3.00
- Minimum: 1.60
- Maximum: 4.00
- Standard Deviation: 0.70

Location: 479-484 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -300.0 , -202.0 , -201.0 , -100.0 , -97.0 , -9.0 , -8.0

S8PARMNT: S8 PMonit: Parental Monitoring

Based upon 17 valid cases out of 1,354 total cases.

- Mean: 2.41
- Median: 2.00
- Mode: 2.00
- Minimum: 1.50
- Maximum: 4.00
- Standard Deviation: 0.80

Location: 485-491 (width: 7; decimal: 2)
Variable Type: numeric
(Range of) Missing Values: -300.00 , -202.00 , -201.00 , -100.00 , -99.00 , -98.00 , -97.00

S9PMONIT1: S9 PMonit: How much know who spend time with

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	0	0.0 %
2	Knows a little bit	0	0.0 %
3	Knows a lot	0	0.0 %
4	Knows everything	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Measure skipped: Subject doesnt have a primary caregiver	1179	87.1 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 492-495 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -97 , -9 , -8

S9PMONIT2: S9 PMonit: How much know how spend free time

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	0	0.0 %
2	Knows a little bit	0	0.0 %
3	Knows a lot	0	0.0 %
4	Knows everything	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Measure skipped: Subject doesnt have a primary caregiver	1179	87.1 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 496-499 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -97 , -9 , -8

S9PMONIT3: S9 PMonit: How much know how spend money

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	0	0.0 %
2	Knows a little bit	0	0.0 %
3	Knows a lot	0	0.0 %
4	Knows everything	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Measure skipped: Subject doesnt have a primary caregiver	1179	87.1 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 500-503 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -97 , -9 , -8

S9PMONIT4: S9 PMonit: How much know where go after school

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	0	0.0 %
2	Knows a little bit	0	0.0 %
3	Knows a lot	0	0.0 %
4	Knows everything	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Measure skipped: Subject doesnt have a primary caregiver	1179	87.1 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 504-507 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -97 , -9 , -8

S9PMONIT5: S9 PMonit: How much know where go at night

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	0	0.0 %
2	Knows a little bit	0	0.0 %
3	Knows a lot	0	0.0 %
4	Knows everything	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Measure skipped: Subject doesnt have a primary caregiver	1179	87.1 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 508-511 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -97 , -9 , -8

S9PMONIT6: S9 PMonit: How often curfew week/school nights

Value	Label	Unweighted Frequency	%
1	Never	0	0.0 %
2	Sometimes	0	0.0 %
3	Usually	0	0.0 %
4	Always	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Measure skipped: Subject doesnt have a primary caregiver	1179	87.1 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 512-515 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -102 , -101 , -99 , -98 , -97

S9PMONIT7: S9 PMonit: How often curfew weekend nights

Value	Label	Unweighted Frequency	%
1	Never	0	0.0 %
2	Sometimes	0	0.0 %

Value	Label	Unweighted Frequency	%
3	Usually	0	0.0 %
4	Always	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Measure skipped: Subject doesnt have a primary caregiver	1179	87.1 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 516-519 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -102 , -101 , -99 , -98 , -97

S9PMONIT8: S9 PMonit: How often know when home

Value	Label	Unweighted Frequency	%
1	Never	0	0.0 %
2	Sometimes	0	0.0 %
3	Usually	0	0.0 %
4	Always	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Measure skipped: Subject doesnt have a primary caregiver	1179	87.1 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 520-523 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -102 , -101 , -99 , -98 , -97

S9PMONIT9: S9 PMonit: How often leave note when not home

Value	Label	Unweighted Frequency	%
1	Never	0	0.0 %
2	Sometimes	0	0.0 %
3	Usually	0	0.0 %
4	Always	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Measure skipped: Subject doesnt have a primary caregiver	1179	87.1 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 524-527 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -102 , -101 , -99 , -98 , -97

S9PAKNOW: S9 PMonit: Parental Knowledge

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	0	0.0 %
2	Knows a little bit	0	0.0 %
3	Knows a lot	0	0.0 %
4	Knows everything	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-100	Did not skip into Parental Monitoring section	1179	87.1 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 528-531 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -97 , -9 , -8

S9PARMNT: S9 PMonit: Parental Monitoring

Value	Label	Unweighted Frequency	%
1	Never	0	0.0 %
2	Sometimes	0	0.0 %
3	Usually	0	0.0 %
4	Always	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-100	Did not skip into Parental Monitoring section	1179	87.1 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 532-535 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -99 , -98 , -97

SAPMONIT1: SA PMonit: How much know who spend time with

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	0	0.0 %
2	Knows a little bit	0	0.0 %
3	Knows a lot	0	0.0 %

Value	Label	Unweighted Frequency	%
4	Knows everything	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Measure skipped: Subject doesnt have a primary caregiver	1134	83.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 536-539 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -97 , -9 , -8

SAPMONIT2: SA PMonit: How much know how spend free time

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	0	0.0 %
2	Knows a little bit	0	0.0 %
3	Knows a lot	0	0.0 %
4	Knows everything	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Measure skipped: Subject doesnt have a primary caregiver	1134	83.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 540-543 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -97 , -9 , -8

SAPMONIT3: SA PMonit: How much know how spend money

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	0	0.0 %
2	Knows a little bit	0	0.0 %
3	Knows a lot	0	0.0 %
4	Knows everything	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Measure skipped: Subject doesnt have a primary caregiver	1134	83.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 544-547 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -800 , -202 , -201 , -101 , -97 , -9 , -8

SAPMONIT4: SA PMonit: How much know where go after school

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	0	0.0 %
2	Knows a little bit	0	0.0 %
3	Knows a lot	0	0.0 %
4	Knows everything	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Measure skipped: Subject doesnt have a primary caregiver	1134	83.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 548-551 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -97 , -9 , -8

SAPMONIT5: SA PMonit: How much know where go at night

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	0	0.0 %
2	Knows a little bit	0	0.0 %
3	Knows a lot	0	0.0 %
4	Knows everything	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Measure skipped: Subject doesnt have a primary caregiver	1134	83.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 552-555 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -97 , -9 , -8

SAPMONIT6: SA PMonit: How often curfew week/school nights

Value	Label	Unweighted Frequency	%
1	Never	0	0.0 %
2	Sometimes	0	0.0 %
3	Usually	0	0.0 %
4	Always	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Measure skipped: Subject doesnt have a primary caregiver	1134	83.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 556-559 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -102 , -101 , -99 , -98 , -97

SAPMONIT7: SA PMonit: How often curfew weekend nights

Value	Label	Unweighted Frequency	%
1	Never	0	0.0 %
2	Sometimes	0	0.0 %
3	Usually	0	0.0 %
4	Always	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Measure skipped: Subject doesnt have a primary caregiver	1134	83.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 560-563 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -102 , -101 , -99 , -98 , -97

SAPMONIT8: SA PMonit: How often know when home

Value	Label	Unweighted Frequency	%
1	Never	0	0.0 %
2	Sometimes	0	0.0 %
3	Usually	0	0.0 %
4	Always	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Measure skipped: Subject doesnt have a primary caregiver	1134	83.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 564-567 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -102 , -101 , -99 , -98 , -97

SAPMONIT9: SA PMonit: How often leave note when not home

Value	Label	Unweighted Frequency	%
1	Never	0	0.0 %
2	Sometimes	0	0.0 %
3	Usually	0	0.0 %
4	Always	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Measure skipped: Subject doesnt have a primary caregiver	1134	83.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 568-571 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -102 , -101 , -99 , -98 , -97

SAPAKNOW: SA PMonit: Parental Knowledge

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	0	0.0 %
2	Knows a little bit	0	0.0 %
3	Knows a lot	0	0.0 %
4	Knows everything	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-100	Did not skip into Parental Monitoring section	1134	83.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 572-575 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -97 , -9 , -8

SAPARMNT: SA PMonit: Parental Monitoring

Value	Label	Unweighted Frequency	%
1	Never	0	0.0 %
2	Sometimes	0	0.0 %
3	Usually	0	0.0 %
4	Always	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %

Value	Label	Unweighted Frequency	%
-100	Did not skip into Parental Monitoring section	1134	83.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 576-579 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -99 , -98 , -97