ICPSR | INTER-UNIVERSITY CONSORTIUM FOR POLITICAL AND SOCIAL RESEARCH

ICPSR 36800

Research on Pathways to Desistance [Maricopa County, AZ and Philadelphia County, PA]: Subject Measures - Scales, 2000-2010

Edward P. Mulvey
University of Pittsburgh

Codebook for Peer Delinquency
[RESTRICTED]

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/36800/terms

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE
WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 36800

Research on Pathways to Desistance [Maricopa County, AZ and Philadelphia County, PA]: Subject Measures - Scales, 2000-2010

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Peer Delinquency [RESTRICTED]

CASEID: S0 IntInfo: Subject ID

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1-5 (width: 5; decimal: 0)
Variable Type: numeric

S0PDEL1: S0 PDel: Past 6 mo num friends damaged/destroyed property

Value	Label	Unweighted Frequency	%
1	None of them	602	44.5 %
2	Very few of them	323	23.9 %
3	Some of them	245	18.1 %
4	Most of them	109	8.1 %
5	All of them	36	2.7 %
	Missing Data		
-200	Data missing	3	0.2 %
-9	Dont Know	36	2.7 %
	Total	**1,354**	**100%**

Based upon 1,315 valid cases out of 1,354 total cases.

Location: 6-9 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PDEL2: S0 PDel: Past 6 mo num friends hit/threatened to hit

Value	Label	Unweighted Frequency	%
1	None of them	336	24.8 %
2	Very few of them	295	21.8 %
3	Some of them	359	26.5 %
4	Most of them	233	17.2 %
5	All of them	95	7.0 %
	Missing Data		
-200	Data missing	3	0.2 %
-9	Dont Know	33	2.4 %
	Total	**1,354**	**100%**

Based upon 1,318 valid cases out of 1,354 total cases.

Location: 10-13 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PDEL3: S0 PDel: Past 6 mo num friends sold drugs

Value	Label	Unweighted Frequency	%
1	None of them	415	30.6 %
2	Very few of them	237	17.5 %
3	Some of them	302	22.3 %
4	Most of them	216	16.0 %
5	All of them	154	11.4 %
	Missing Data		
-200	Data missing	3	0.2 %
-9	Dont Know	27	2.0 %
	Total	**1,354**	**100%**

Based upon 1,324 valid cases out of 1,354 total cases.

Location: 14-17 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PDEL4: S0 PDel: Past 6 mo num friends got drunk

Value	Label	Unweighted Frequency	%
1	None of them	269	19.9 %
2	Very few of them	257	19.0 %
3	Some of them	271	20.0 %
4	Most of them	294	21.7 %
5	All of them	233	17.2 %
	Missing Data		
-200	Data missing	3	0.2 %
-9	Dont Know	27	2.0 %
	Total	**1,354**	**100%**

Based upon 1,324 valid cases out of 1,354 total cases.

Location: 18-21 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PDEL5A: S0 PDel: Past 6 mo num friends carried a knife

Value	Label	Unweighted Frequency	%
1	None of them	724	53.5 %
2	Very few of them	232	17.1 %
3	Some of them	185	13.7 %
4	Most of them	125	9.2 %

Value	Label	Unweighted Frequency	%
5	All of them	56	4.1 %
	Missing Data		
-200	Data missing	3	0.2 %
-9	Dont Know	29	2.1 %
	Total	**1,354**	**100%**

Based upon 1,322 valid cases out of 1,354 total cases.

Location: 22-25 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PDEL5B: S0 PDel: Past 6 mo num friends carried a gun

Value	Label	Unweighted Frequency	%
1	None of them	563	41.6 %
2	Very few of them	211	15.6 %
3	Some of them	234	17.3 %
4	Most of them	197	14.5 %
5	All of them	115	8.5 %
	Missing Data		
-200	Data missing	3	0.2 %
-9	Dont Know	30	2.2 %
-8	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,320 valid cases out of 1,354 total cases.

Location: 26-29 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PDEL5C: S0 PDel: Past 6 mo num friends owned a gun

Value	Label	Unweighted Frequency	%
1	None of them	521	38.5 %
2	Very few of them	238	17.6 %
3	Some of them	221	16.3 %
4	Most of them	203	15.0 %
5	All of them	131	9.7 %
	Missing Data		
-200	Data missing	3	0.2 %
-9	Dont Know	36	2.7 %
-8	Refuse	1	0.1 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 1,314 valid cases out of 1,354 total cases.

Location: 30-33 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PDEL6: S0 PDel: Past 6 mo num friends got into a physical fight

Value	Label	Unweighted Frequency	%
1	None of them	219	16.2 %
2	Very few of them	266	19.6 %
3	Some of them	302	22.3 %
4	Most of them	300	22.2 %
5	All of them	234	17.3 %
	Missing Data		
-200	Data missing	3	0.2 %
-9	Dont Know	30	2.2 %
	Total	**1,354**	**100%**

Based upon 1,321 valid cases out of 1,354 total cases.

Location: 34-37 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PDEL7: S0 PDel: Past 6 mo num friends hurt in a fight

Value	Label	Unweighted Frequency	%
1	None of them	506	37.4 %
2	Very few of them	296	21.9 %
3	Some of them	305	22.5 %
4	Most of them	130	9.6 %
5	All of them	82	6.1 %
	Missing Data		
-200	Data missing	3	0.2 %
-9	Dont Know	32	2.4 %
	Total	**1,354**	**100%**

Based upon 1,319 valid cases out of 1,354 total cases.

Location: 38-41 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PDEL8: S0 PDel: Past 6 mo num friends stolen something worth more than $100

Value	Label	Unweighted Frequency	%
1	None of them	615	45.4 %
2	Very few of them	246	18.2 %
3	Some of them	228	16.8 %
4	Most of them	145	10.7 %
5	All of them	84	6.2 %
	Missing Data		
-200	Data missing	3	0.2 %
-9	Dont Know	33	2.4 %
	Total	**1,354**	**100%**

Based upon 1,318 valid cases out of 1,354 total cases.

Location: 42-45 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PDEL9: S0 PDel: Past 6 mo num friends stole a car

Value	Label	Unweighted Frequency	%
1	None of them	657	48.5 %
2	Very few of them	261	19.3 %
3	Some of them	214	15.8 %
4	Most of them	126	9.3 %
5	All of them	62	4.6 %
	Missing Data		
-200	Data missing	3	0.2 %
-9	Dont Know	31	2.3 %
	Total	**1,354**	**100%**

Based upon 1,320 valid cases out of 1,354 total cases.

Location: 46-49 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PDEL10: S0 PDel: Past 6 mo num friends gone into building to steal

Value	Label	Unweighted Frequency	%
1	None of them	776	57.3 %
2	Very few of them	283	20.9 %
3	Some of them	163	12.0 %
4	Most of them	60	4.4 %

Value	Label	Unweighted Frequency	%
5	All of them	36	2.7 %
	Missing Data		
-200	Data missing	3	0.2 %
-9	Dont Know	33	2.4 %
	Total	**1,354**	**100%**

Based upon 1,318 valid cases out of 1,354 total cases.

Location: 50-53 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PDEL11: S0 PDel: Past 6 mo num friends suggested you drink with them

Value	Label	Unweighted Frequency	%
1	None of them	578	42.7 %
2	Very few of them	214	15.8 %
3	Some of them	263	19.4 %
4	Most of them	184	13.6 %
5	All of them	99	7.3 %
	Missing Data		
-200	Data missing	3	0.2 %
-9	Dont Know	13	1.0 %
	Total	**1,354**	**100%**

Based upon 1,338 valid cases out of 1,354 total cases.

Location: 54-57 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PDEL12: S0 PDel: Past 6 mo num friends said have to be drunk to have fun

Value	Label	Unweighted Frequency	%
1	None of them	882	65.1 %
2	Very few of them	202	14.9 %
3	Some of them	158	11.7 %
4	Most of them	63	4.7 %
5	All of them	34	2.5 %
	Missing Data		
-200	Data missing	3	0.2 %
-9	Dont Know	12	0.9 %
	Total	**1,354**	**100%**

Based upon 1,339 valid cases out of 1,354 total cases.

Location: 58-61 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PDEL13: S0 PDel: Past 6 mo num friends said have to be high to have fun

Value	Label	Unweighted Frequency	%
1	None of them	869	64.2 %
2	Very few of them	204	15.1 %
3	Some of them	140	10.3 %
4	Most of them	83	6.1 %
5	All of them	43	3.2 %
	Missing Data		
-200	Data missing	3	0.2 %
-9	Dont Know	12	0.9 %
	Total	**1,354**	**100%**

Based upon 1,339 valid cases out of 1,354 total cases.

Location: 62-65 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PDEL14: S0 PDel: Past 6 mo num friends suggested you sell drugs

Value	Label	Unweighted Frequency	%
1	None of them	895	66.1 %
2	Very few of them	202	14.9 %
3	Some of them	140	10.3 %
4	Most of them	56	4.1 %
5	All of them	46	3.4 %
	Missing Data		
-200	Data missing	3	0.2 %
-9	Dont Know	12	0.9 %
	Total	**1,354**	**100%**

Based upon 1,339 valid cases out of 1,354 total cases.

Location: 66-69 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PDEL15: S0 PDel: Past 6 mo num friends suggested you steal something

Value	Label	Unweighted Frequency	%
1	None of them	951	70.2 %
2	Very few of them	225	16.6 %
3	Some of them	102	7.5 %
4	Most of them	43	3.2 %
5	All of them	19	1.4 %
	Missing Data		
-200	Data missing	3	0.2 %
-9	Dont Know	11	0.8 %
	Total	**1,354**	**100%**

Based upon 1,340 valid cases out of 1,354 total cases.

Location: 70-73 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PDEL16: S0 PDel: Past 6 mo num friends suggested you hit/beat someone up

Value	Label	Unweighted Frequency	%
1	None of them	673	49.7 %
2	Very few of them	319	23.6 %
3	Some of them	209	15.4 %
4	Most of them	93	6.9 %
5	All of them	46	3.4 %
	Missing Data		
-200	Data missing	3	0.2 %
-9	Dont Know	11	0.8 %
	Total	**1,354**	**100%**

Based upon 1,340 valid cases out of 1,354 total cases.

Location: 74-77 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PDEL17: S0 PDel: Past 6 mo num friends suggested you carry a weapon

Value	Label	Unweighted Frequency	%
1	None of them	839	62.0 %
2	Very few of them	174	12.9 %
3	Some of them	163	12.0 %
4	Most of them	90	6.6 %
5	All of them	74	5.5 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-200	Data missing	3	0.2 %
-9	Dont Know	11	0.8 %
	Total	**1,354**	**100%**

Based upon 1,340 valid cases out of 1,354 total cases.

Location: 78-81 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PRBEHV: S0 PDel: Antisocial Behavior

Based upon 1,316 valid cases out of 1,354 total cases.

- Mean: 2.3207842099
- Median: 2.2500000000
- Mode: 1.0000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.9257072238

Location: 82-96 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -200.0000000000 , -9.0000000000 , -8.0000000000

S0PRINFL: S0 PDel: Antisocial Influence

Based upon 1,339 valid cases out of 1,354 total cases.

- Mean: 1.7650343184
- Median: 1.4285714286
- Mode: 1.0000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.8546580752

Location: 97-111 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -200.0000000000 , -9.0000000000 , -8.0000000000

S1PDEL_PCONT: S1 PDel: How often seen/talk to closest friend

Value	Label	Unweighted Frequency	%
1	Twice a day	4	0.3 %
2	Daily	60	4.4 %
3	More than once a week	35	2.6 %
4	Once a week	74	5.5 %
5	Once every two weeks	44	3.2 %
6	Once a month	56	4.1 %
7	Once every few months	59	4.4 %

Value	Label	Unweighted Frequency	%
8	Never	88	6.5 %
97	NA	6	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	Subject not locked up - question skipped	837	61.8 %
	Total	**1,354**	**100%**

Based upon 426 valid cases out of 1,354 total cases.

Location: 112-115 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -99 , -98

S1PDEL1: S1 PDel: Num friends damaged property

Value	Label	Unweighted Frequency	%
1	None of them	749	55.3 %
2	Very few of them	234	17.3 %
3	Some of them	154	11.4 %
4	Most of them	53	3.9 %
5	All of them	25	1.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont know	46	3.4 %
	Total	**1,354**	**100%**

Based upon 1,215 valid cases out of 1,354 total cases.

Location: 116-119 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S1PDEL2: S1 PDel: Num friends hit/threaten hit someone

Value	Label	Unweighted Frequency	%
1	None of them	496	36.6 %
2	Very few of them	252	18.6 %
3	Some of them	284	21.0 %
4	Most of them	130	9.6 %
5	All of them	56	4.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont know	43	3.2 %
	Total	**1,354**	**100%**

Based upon 1,218 valid cases out of 1,354 total cases.

Location: 120-123 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S1PDEL3: S1 PDel: Num friends sold drugs

Value	Label	Unweighted Frequency	%
1	None of them	593	43.8 %
2	Very few of them	217	16.0 %
3	Some of them	200	14.8 %
4	Most of them	142	10.5 %
5	All of them	78	5.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont know	31	2.3 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 124-127 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S1PDEL4: S1 PDel: Num friends got drunk

Value	Label	Unweighted Frequency	%
1	None of them	415	30.6 %
2	Very few of them	204	15.1 %
3	Some of them	264	19.5 %
4	Most of them	205	15.1 %
5	All of them	147	10.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont know	26	1.9 %
	Total	**1,354**	**100%**

Based upon 1,235 valid cases out of 1,354 total cases.

Location: 128-131 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S1PDEL4B: S1 PDel: Num friends gotten high on drugs

Value	Label	Unweighted Frequency	%
1	None of them	0	0.0 %
2	Very few of them	0	0.0 %
3	Some of them	0	0.0 %
4	Most of them	0	0.0 %
5	All of them	0	0.0 %
	Missing Data		
-400	Question not asked in this version	1265	93.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 132-135 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -9 , -8

S1PDEL5A: S1 PDel: Num friends carried knife

Value	Label	Unweighted Frequency	%
1	None of them	759	56.1 %
2	Very few of them	211	15.6 %
3	Some of them	151	11.2 %
4	Most of them	68	5.0 %
5	All of them	38	2.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont know	34	2.5 %
	Total	**1,354**	**100%**

Based upon 1,227 valid cases out of 1,354 total cases.

Location: 136-139 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S1PDEL5B: S1 PDel: Num friends carried gun

Value	Label	Unweighted Frequency	%
1	None of them	677	50.0 %
2	Very few of them	176	13.0 %
3	Some of them	196	14.5 %
4	Most of them	103	7.6 %
5	All of them	76	5.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont know	33	2.4 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 140-143 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S1PDEL5C: S1 PDel: Num friends owned gun

Value	Label	Unweighted Frequency	%
1	None of them	624	46.1 %
2	Very few of them	204	15.1 %
3	Some of them	199	14.7 %
4	Most of them	121	8.9 %
5	All of them	80	5.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont know	33	2.4 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 144-147 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S1PDEL6: S1 PDel: Num friends got into fight

Value	Label	Unweighted Frequency	%
1	None of them	387	28.6 %
2	Very few of them	248	18.3 %
3	Some of them	289	21.3 %
4	Most of them	182	13.4 %

Value	Label	Unweighted Frequency	%
5	All of them	121	8.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont know	34	2.5 %
	Total	**1,354**	**100%**

Based upon 1,227 valid cases out of 1,354 total cases.

Location: 148-151 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S1PDEL7: S1 PDel: Num friends been hurt fight

Value	Label	Unweighted Frequency	%
1	None of them	604	44.6 %
2	Very few of them	273	20.2 %
3	Some of them	220	16.2 %
4	Most of them	80	5.9 %
5	All of them	44	3.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont know	40	3.0 %
	Total	**1,354**	**100%**

Based upon 1,221 valid cases out of 1,354 total cases.

Location: 152-155 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S1PDEL8: S1 PDel: Num friends stole worth more 100 dol

Value	Label	Unweighted Frequency	%
1	None of them	731	54.0 %
2	Very few of them	203	15.0 %
3	Some of them	161	11.9 %
4	Most of them	80	5.9 %
5	All of them	41	3.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %

Value	Label	Unweighted Frequency	%
-9	Dont know	45	3.3 %
	Total	**1,354**	**100%**

Based upon 1,216 valid cases out of 1,354 total cases.

Location: 156-159 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S1PDEL9: S1 PDel: Num friends stole car

Value	Label	Unweighted Frequency	%
1	None of them	807	59.6 %
2	Very few of them	168	12.4 %
3	Some of them	164	12.1 %
4	Most of them	56	4.1 %
5	All of them	29	2.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont know	37	2.7 %
	Total	**1,354**	**100%**

Based upon 1,224 valid cases out of 1,354 total cases.

Location: 160-163 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S1PDEL10: S1 PDel: Num friends go into building steal

Value	Label	Unweighted Frequency	%
1	None of them	881	65.1 %
2	Very few of them	162	12.0 %
3	Some of them	122	9.0 %
4	Most of them	34	2.5 %
5	All of them	22	1.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont know	40	3.0 %
	Total	**1,354**	**100%**

Based upon 1,221 valid cases out of 1,354 total cases.

Location: 164-167 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S1PDEL11: S1 PDel: Num friends said go drink w/them

Value	Label	Unweighted Frequency	%
1	None of them	722	53.3 %
2	Very few of them	168	12.4 %
3	Some of them	196	14.5 %
4	Most of them	102	7.5 %
5	All of them	55	4.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont know	18	1.3 %
	Total	**1,354**	**100%**

Based upon 1,243 valid cases out of 1,354 total cases.

Location: 168-171 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S1PDEL12: S1 PDel: Num friends say have drink good time

Value	Label	Unweighted Frequency	%
1	None of them	922	68.1 %
2	Very few of them	143	10.6 %
3	Some of them	126	9.3 %
4	Most of them	26	1.9 %
5	All of them	26	1.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont know	18	1.3 %
	Total	**1,354**	**100%**

Based upon 1,243 valid cases out of 1,354 total cases.

Location: 172-175 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S1PDEL13: S1 PDel: Num friends say high have good time

Value	Label	Unweighted Frequency	%
1	None of them	930	68.7 %
2	Very few of them	141	10.4 %
3	Some of them	104	7.7 %
4	Most of them	46	3.4 %
5	All of them	22	1.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont know	18	1.3 %
	Total	**1,354**	**100%**

Based upon 1,243 valid cases out of 1,354 total cases.

Location: 176-179 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S1PDEL14: S1 PDel: Num friends say sell drugs

Value	Label	Unweighted Frequency	%
1	None of them	944	69.7 %
2	Very few of them	141	10.4 %
3	Some of them	104	7.7 %
4	Most of them	33	2.4 %
5	All of them	23	1.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont know	16	1.2 %
	Total	**1,354**	**100%**

Based upon 1,245 valid cases out of 1,354 total cases.

Location: 180-183 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S1PDEL15: S1 PDel: Num friends say steal

Value	Label	Unweighted Frequency	%
1	None of them	1002	74.0 %
2	Very few of them	140	10.3 %
3	Some of them	74	5.5 %
4	Most of them	20	1.5 %

Value	Label	Unweighted Frequency	%
5	All of them	9	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont know	16	1.2 %
	Total	**1,354**	**100%**

Based upon 1,245 valid cases out of 1,354 total cases.

Location: 184-187 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S1PDEL16: S1 PDel: Num friends say hit beat someone

Value	Label	Unweighted Frequency	%
1	None of them	846	62.5 %
2	Very few of them	181	13.4 %
3	Some of them	155	11.4 %
4	Most of them	37	2.7 %
5	All of them	26	1.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont know	16	1.2 %
	Total	**1,354**	**100%**

Based upon 1,245 valid cases out of 1,354 total cases.

Location: 188-191 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S1PDEL17: S1 PDel: Num friends say carry weapon

Value	Label	Unweighted Frequency	%
1	None of them	926	68.4 %
2	Very few of them	130	9.6 %
3	Some of them	116	8.6 %
4	Most of them	45	3.3 %
5	All of them	28	2.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %

Value	Label	Unweighted Frequency	%
-9	Dont know	16	1.2 %
	Total	**1,354**	**100%**

Based upon 1,245 valid cases out of 1,354 total cases.

Location: 192-195 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S1PDEL_SDEL1: S1 PDel_SigOther: damaged/destroyed property

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1265	93.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 196-199 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S1PDEL_SDEL2: S1 PDel_SigOther: hit/threatened to hit someone

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1265	93.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 200-203 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S1PDEL_SDEL3: S1 PDel_SigOther: sold drugs

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-400	Questions not asked in this version	1265	93.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 204-207 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S1PDEL_SDEL4A: S1 PDel_SigOther: gotten drunk

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1265	93.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 208-211 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S1PDEL_SDEL4B: S1 PDel_SigOther: got high on drugs

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1265	93.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 212-215 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S1PDEL_SDEL5A: S1 PDel_SigOther: carried a knife

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1265	93.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 216-219 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S1PDEL_SDEL5B: S1 PDel_SigOther: carried a gun

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1265	93.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 220-223 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S1PDEL_SDEL5C: S1 PDel_SigOther: owned a gun

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1265	93.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 224-227 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S1PDEL_SDEL6: S1 PDel_SigOther: got into fight

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1265	93.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 228-231 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S1PDEL_SDEL7: S1 PDel_SigOther: hurt in fight

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1265	93.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 232-235 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S1PDEL_SDEL8: S1 PDel_SigOther: stole something more than $100

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1265	93.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 236-239 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S1PDEL_SDEL9: S1 PDel_SigOther: stole a car

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1265	93.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 240-243 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S1PDEL_SDEL10: S1 PDel_SigOther: gone into building to steal

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1265	93.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 244-247 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S1PDEL19: S1 PDel: BFGF suggest go out drinking

Value	Label	Unweighted Frequency	%
1	Yes	64	4.7 %
5	No	536	39.6 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-500	Data missing due to corruption	1	0.1 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-104	Name of bf gf missing earlier versions - questions skipped	663	49.0 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 600 valid cases out of 1,354 total cases.

Location: 248-251 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S1PDEL20: S1 PDel: BFGF say must be drunk to have good time

Value	Label	Unweighted Frequency	%
1	Yes	9	0.7 %
5	No	591	43.6 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-500	Data missing due to corruption	1	0.1 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-104	Name of bf gf missing earlier versions - questions skipped	663	49.0 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 600 valid cases out of 1,354 total cases.

Location: 252-255 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S1PDEL21: S1 PDel: BFGF say must be high to have good time

Value	Label	Unweighted Frequency	%
1	Yes	9	0.7 %
5	No	591	43.6 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-500	Data missing due to corruption	1	0.1 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-104	Name of bf gf missing earlier versions - questions skipped	663	49.0 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 600 valid cases out of 1,354 total cases.

Location: 256-259 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S1PDEL22: S1 PDel: BFGF suggest sell drugs

Value	Label	Unweighted Frequency	%
1	Yes	18	1.3 %
5	No	582	43.0 %
7	NA - subject hasnt tried to commit crime	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-500	Data missing due to corruption	1	0.1 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-104	Name of bf gf missing earlier versions - questions skipped	663	49.0 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 600 valid cases out of 1,354 total cases.

Location: 260-263 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S1PDEL23: S1 PDel: BFGF suggest steal something

Value	Label	Unweighted Frequency	%
1	Yes	8	0.6 %
5	No	592	43.7 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-500	Data missing due to corruption	1	0.1 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-104	Name of bf gf missing earlier versions - questions skipped	663	49.0 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 600 valid cases out of 1,354 total cases.

Location: 264-267 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S1PDEL24: S1 PDel: BFGF suggest hit/beat someone

Value	Label	Unweighted Frequency	%
1	Yes	45	3.3 %
5	No	555	41.0 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-500	Data missing due to corruption	1	0.1 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-104	Name of bf gf missing earlier versions - questions skipped	663	49.0 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 600 valid cases out of 1,354 total cases.

Location: 268-271 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S1PDEL25: S1 PDel: BFGF suggest carry weapon

Value	Label	Unweighted Frequency	%
1	Yes	29	2.1 %
5	No	571	42.2 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-500	Data missing due to corruption	1	0.1 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-104	Name of bf gf missing earlier versions - questions skipped	663	49.0 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 600 valid cases out of 1,354 total cases.

Location: 272-275 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S1PDEL26: S1 PDel: BFGF hit/force things against will

Value	Label	Unweighted Frequency	%
1	Yes	21	1.6 %
5	No	580	42.8 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-500	Data missing due to corruption	1	0.1 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-104	Name of bf gf missing earlier versions - questions skipped	663	49.0 %
	Total	**1,354**	**100%**

Based upon 601 valid cases out of 1,354 total cases.

Location: 276-279 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S1PDEL27: S1 PDel: BFGF try stop from committing crime

Value	Label	Unweighted Frequency	%
1	Yes	245	18.1 %

Value	Label	Unweighted Frequency	%
5	No	356	26.3 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-500	Data missing due to corruption	1	0.1 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-104	Name of bf gf missing earlier versions - questions skipped	663	49.0 %
	Total	**1,354**	**100%**

Based upon 601 valid cases out of 1,354 total cases.

Location: 280-283 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S1PDEL_RQNAME: S1 PDel: BFGF name

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 284-295 (width: 12; decimal: 0)
Variable Type: character

S1PDEL_RQLABL: S1 PDel: Romantic partner label

Value	Label	Unweighted Frequency	%
1	boyfriend	0	0.0 %
2	ex-boyfriend	0	0.0 %
3	husband	0	0.0 %
4	ex-husband	0	0.0 %
5	girlfriend	0	0.0 %
6	ex-girlfriend	0	0.0 %
7	wife	0	0.0 %
8	ex-wife	0	0.0 %
9	partner	0	0.0 %
10	ex-partner	0	0.0 %
	Missing Data		
97	Missing	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 296-297 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

S1PRBEHV: S1 PDel: Antisocial Behavior

Based upon 1,221 valid cases out of 1,354 total cases.

- Mean: 1.9632041132
- Median: 1.7500000000
- Mode: 1.0000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.8747133116

Location: 298-312 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S1PRINFL: S1 PDel: Antisocial Influence

Based upon 1,243 valid cases out of 1,354 total cases.

- Mean: 1.5145385588
- Median: 1.1428571429
- Mode: 1.0000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.7330172850

Location: 313-327 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S2PDEL_PCONT: S2 PDel: How often seen/talk to closest friend

Value	Label	Unweighted Frequency	%
1	Twice a day	6	0.4 %
2	Daily	69	5.1 %
3	More than once a week	44	3.2 %
4	Once a week	64	4.7 %
5	Once every two weeks	23	1.7 %
6	Once a month	42	3.1 %
7	Once every few months	34	2.5 %
8	Never	65	4.8 %
97	NA	7	0.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	Subject not locked up - question skipped	907	67.0 %
	Total	**1,354**	**100%**

Based upon 354 valid cases out of 1,354 total cases.

Location: 328-331 (width: 4; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -99 , -98

S2PDEL1: S2 PDel: Num friends damaged property

Value	Label	Unweighted Frequency	%
1	None of them	823	60.8 %
2	Very few of them	214	15.8 %
3	Some of them	141	10.4 %
4	Most of them	44	3.2 %
5	All of them	16	1.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont know	21	1.6 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,238 valid cases out of 1,354 total cases.

Location: 332-335 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S2PDEL2: S2 PDel: Num friends hit/threaten hit someone

Value	Label	Unweighted Frequency	%
1	None of them	552	40.8 %
2	Very few of them	254	18.8 %
3	Some of them	261	19.3 %
4	Most of them	124	9.2 %
5	All of them	49	3.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont know	19	1.4 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,240 valid cases out of 1,354 total cases.

Location: 336-339 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S2PDEL3: S2 PDel: Num friends sold drugs

Value	Label	Unweighted Frequency	%
1	None of them	663	49.0 %
2	Very few of them	193	14.3 %
3	Some of them	221	16.3 %
4	Most of them	112	8.3 %
5	All of them	54	4.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont know	15	1.1 %
-8	Refused	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,243 valid cases out of 1,354 total cases.

Location: 340-343 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S2PDEL4: S2 PDel: Num friends got drunk

Value	Label	Unweighted Frequency	%
1	None of them	454	33.5 %
2	Very few of them	229	16.9 %
3	Some of them	249	18.4 %
4	Most of them	206	15.2 %
5	All of them	107	7.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont know	14	1.0 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,245 valid cases out of 1,354 total cases.

Location: 344-347 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S2PDEL4B: S2 PDel: Num friends gotten high on drugs

Value	Label	Unweighted Frequency	%
1	None of them	0	0.0 %
2	Very few of them	0	0.0 %

Value	Label	Unweighted Frequency	%
3	Some of them	0	0.0 %
4	Most of them	0	0.0 %
5	All of them	0	0.0 %
	Missing Data		
-400	Question not asked in this version	1262	93.2 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 348-351 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -9 , -8

S2PDEL5A: S2 PDel: Num friends carried knife

Value	Label	Unweighted Frequency	%
1	None of them	828	61.2 %
2	Very few of them	176	13.0 %
3	Some of them	158	11.7 %
4	Most of them	60	4.4 %
5	All of them	25	1.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont know	12	0.9 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,247 valid cases out of 1,354 total cases.

Location: 352-355 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S2PDEL5B: S2 PDel: Num friends carried gun

Value	Label	Unweighted Frequency	%
1	None of them	728	53.8 %
2	Very few of them	190	14.0 %
3	Some of them	174	12.9 %
4	Most of them	100	7.4 %
5	All of them	52	3.8 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont know	15	1.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,244 valid cases out of 1,354 total cases.

Location: 356-359 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S2PDEL5C: S2 PDel: Num friends owned gun

Value	Label	Unweighted Frequency	%
1	None of them	706	52.1 %
2	Very few of them	185	13.7 %
3	Some of them	181	13.4 %
4	Most of them	112	8.3 %
5	All of them	61	4.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont know	14	1.0 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,245 valid cases out of 1,354 total cases.

Location: 360-363 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S2PDEL6: S2 PDel: Num friends got into fight

Value	Label	Unweighted Frequency	%
1	None of them	469	34.6 %
2	Very few of them	247	18.2 %
3	Some of them	270	19.9 %
4	Most of them	170	12.6 %
5	All of them	88	6.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %

Value	Label	Unweighted Frequency	%
-9	Dont know	15	1.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,244 valid cases out of 1,354 total cases.

Location: 364-367 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S2PDEL7: S2 PDel: Num friends been hurt fight

Value	Label	Unweighted Frequency	%
1	None of them	692	51.1 %
2	Very few of them	269	19.9 %
3	Some of them	192	14.2 %
4	Most of them	63	4.7 %
5	All of them	31	2.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont know	12	0.9 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,247 valid cases out of 1,354 total cases.

Location: 368-371 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S2PDEL8: S2 PDel: Num friends stole worth more 100 dol

Value	Label	Unweighted Frequency	%
1	None of them	823	60.8 %
2	Very few of them	169	12.5 %
3	Some of them	160	11.8 %
4	Most of them	70	5.2 %
5	All of them	19	1.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont know	18	1.3 %
-8	Refused	1	0.1 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 1,241 valid cases out of 1,354 total cases.

Location: 372-375 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S2PDEL9: S2 PDel: Num friends stole car

Value	Label	Unweighted Frequency	%
1	None of them	911	67.3 %
2	Very few of them	148	10.9 %
3	Some of them	120	8.9 %
4	Most of them	44	3.2 %
5	All of them	21	1.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont know	15	1.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,244 valid cases out of 1,354 total cases.

Location: 376-379 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S2PDEL10: S2 PDel: Num friends go into building steal

Value	Label	Unweighted Frequency	%
1	None of them	961	71.0 %
2	Very few of them	153	11.3 %
3	Some of them	94	6.9 %
4	Most of them	28	2.1 %
5	All of them	10	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont know	13	1.0 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,246 valid cases out of 1,354 total cases.

Location: 380-383 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S2PDEL11: S2 PDel: Num friends said go drink w/them

Value	Label	Unweighted Frequency	%
1	None of them	734	54.2 %
2	Very few of them	183	13.5 %
3	Some of them	195	14.4 %
4	Most of them	86	6.4 %
5	All of them	56	4.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont know	5	0.4 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,254 valid cases out of 1,354 total cases.

Location: 384-387 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S2PDEL12: S2 PDel: Num friends say have drink good time

Value	Label	Unweighted Frequency	%
1	None of them	936	69.1 %
2	Very few of them	169	12.5 %
3	Some of them	99	7.3 %
4	Most of them	32	2.4 %
5	All of them	18	1.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont know	5	0.4 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,254 valid cases out of 1,354 total cases.

Location: 388-391 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S2PDEL13: S2 PDel: Num friends say high have good time

Value	Label	Unweighted Frequency	%
1	None of them	937	69.2 %
2	Very few of them	166	12.3 %
3	Some of them	106	7.8 %
4	Most of them	29	2.1 %
5	All of them	16	1.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont know	5	0.4 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,254 valid cases out of 1,354 total cases.

Location: 392-395 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S2PDEL14: S2 PDel: Num friends say sell drugs

Value	Label	Unweighted Frequency	%
1	None of them	971	71.7 %
2	Very few of them	140	10.3 %
3	Some of them	96	7.1 %
4	Most of them	28	2.1 %
5	All of them	19	1.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont know	5	0.4 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,254 valid cases out of 1,354 total cases.

Location: 396-399 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S2PDEL15: S2 PDel: Num friends say steal

Value	Label	Unweighted Frequency	%
1	None of them	1046	77.3 %
2	Very few of them	133	9.8 %
3	Some of them	54	4.0 %
4	Most of them	13	1.0 %
5	All of them	8	0.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont know	5	0.4 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,254 valid cases out of 1,354 total cases.

Location: 400-403 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S2PDEL16: S2 PDel: Num friends say hit beat someone

Value	Label	Unweighted Frequency	%
1	None of them	880	65.0 %
2	Very few of them	176	13.0 %
3	Some of them	131	9.7 %
4	Most of them	50	3.7 %
5	All of them	17	1.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont know	5	0.4 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,254 valid cases out of 1,354 total cases.

Location: 404-407 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S2PDEL17: S2 PDel: Num friends say carry weapon

Value	Label	Unweighted Frequency	%
1	None of them	953	70.4 %
2	Very few of them	131	9.7 %

Value	Label	Unweighted Frequency	%
3	Some of them	98	7.2 %
4	Most of them	44	3.2 %
5	All of them	28	2.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont know	5	0.4 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,254 valid cases out of 1,354 total cases.

Location: 408-411 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S2PDEL_SDEL1: S2 PDel_SigOther: damaged/destroyed property

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1262	93.2 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 412-415 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S2PDEL_SDEL2: S2 PDel_SigOther: hit/threatened to hit someone

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1262	93.2 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 416-419 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S2PDEL_SDEL3: S2 PDel_SigOther: sold drugs

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1262	93.2 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 420-423 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S2PDEL_SDEL4A: S2 PDel_SigOther: gotten drunk

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1262	93.2 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 424-427 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S2PDEL_SDEL4B: S2 PDel_SigOther: got high on drugs

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1262	93.2 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 428-431 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S2PDEL_SDEL5A: S2 PDel_SigOther: carried a knife

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1262	93.2 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 432-435 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S2PDEL_SDEL5B: S2 PDel_SigOther: carried a gun

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1262	93.2 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 436-439 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S2PDEL_SDEL5C: S2 PDel_SigOther: owned a gun

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1262	93.2 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 440-443 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S2PDEL_SDEL6: S2 PDel_SigOther: got into fight

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1262	93.2 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 444-447 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S2PDEL_SDEL7: S2 PDel_SigOther: hurt in fight

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1262	93.2 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 448-451 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S2PDEL_SDEL8: S2 PDel_SigOther: stole something more than $100

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1262	93.2 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 452-455 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S2PDEL_SDEL9: S2 PDel_SigOther: stole a car

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1262	93.2 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 456-459 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S2PDEL_SDEL10: S2 PDel_SigOther: gone into building to steal

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1262	93.2 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 460-463 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S2PDEL19: S2 PDel: BFGF suggest go out drinking

Value	Label	Unweighted Frequency	%
1	Yes	56	4.1 %
5	No	534	39.4 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-202	Partial interview - data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-104	Name of bf gf missing earlier versions - questions skipped	671	49.6 %
	Total	**1,354**	**100%**

Based upon 590 valid cases out of 1,354 total cases.

Location: 464-467 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S2PDEL20: S2 PDel: BFGF say must be drunk to have good time

Value	Label	Unweighted Frequency	%
1	Yes	12	0.9 %
5	No	578	42.7 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-202	Partial interview - data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-104	Name of bf gf missing earlier versions - questions skipped	671	49.6 %
	Total	**1,354**	**100%**

Based upon 590 valid cases out of 1,354 total cases.

Location: 468-471 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S2PDEL21: S2 PDel: BFGF say must be high to have good time

Value	Label	Unweighted Frequency	%
1	Yes	15	1.1 %
5	No	575	42.5 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-202	Partial interview - data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-104	Name of bf gf missing earlier versions - questions skipped	671	49.6 %
	Total	**1,354**	**100%**

Based upon 590 valid cases out of 1,354 total cases.

Location: 472-475 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S2PDEL22: S2 PDel: BFGF suggest sell drugs

Value	Label	Unweighted Frequency	%
1	Yes	11	0.8 %
5	No	579	42.8 %

Value	Label	Unweighted Frequency	%
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-202	Partial interview - data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-104	Name of bf gf missing earlier versions - questions skipped	671	49.6 %
	Total	**1,354**	**100%**

Based upon 590 valid cases out of 1,354 total cases.

Location: 476-479 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S2PDEL23: S2 PDel: BFGF suggest steal something

Value	Label	Unweighted Frequency	%
1	Yes	7	0.5 %
5	No	583	43.1 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-202	Partial interview - data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-104	Name of bf gf missing earlier versions - questions skipped	671	49.6 %
	Total	**1,354**	**100%**

Based upon 590 valid cases out of 1,354 total cases.

Location: 480-483 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S2PDEL24: S2 PDel: BFGF suggest hit/beat someone

Value	Label	Unweighted Frequency	%
1	Yes	35	2.6 %
5	No	555	41.0 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-202	Partial interview - data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-104	Name of bf gf missing earlier versions - questions skipped	671	49.6 %
	Total	**1,354**	**100%**

Based upon 590 valid cases out of 1,354 total cases.

Location: 484-487 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S2PDEL25: S2 PDel: BFGF suggest carry weapon

Value	Label	Unweighted Frequency	%
1	Yes	28	2.1 %
5	No	562	41.5 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-202	Partial interview - data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-104	Name of bf gf missing earlier versions - questions skipped	671	49.6 %
	Total	**1,354**	**100%**

Based upon 590 valid cases out of 1,354 total cases.

Location: 488-491 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S2PDEL26: S2 PDel: BFGF hit/force things against will

Value	Label	Unweighted Frequency	%
1	Yes	27	2.0 %
5	No	562	41.5 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-202	Partial interview - data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-104	Name of bf gf missing earlier versions - questions skipped	671	49.6 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 589 valid cases out of 1,354 total cases.

Location: 492-495 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S2PDEL27: S2 PDel: BFGF try stop from committing crime

Value	Label	Unweighted Frequency	%
1	Yes	223	16.5 %
5	No	367	27.1 %

Value	Label	Unweighted Frequency	%
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-202	Partial interview - data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-104	Name of bf gf missing earlier versions - questions skipped	671	49.6 %
	Total	**1,354**	**100%**

Based upon 590 valid cases out of 1,354 total cases.

Location: 496-499 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S2PDEL_RQNAME: S2 PDel: BFGF name

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 500-511 (width: 12; decimal: 0)
Variable Type: character

S2PDEL_RQLABL: S2 PDel: Romantic partner label

Value	Label	Unweighted Frequency	%
1	boyfriend	0	0.0 %
2	ex-boyfriend	0	0.0 %
3	husband	0	0.0 %
4	ex-husband	0	0.0 %
5	girlfriend	0	0.0 %
6	ex-girlfriend	0	0.0 %
7	wife	0	0.0 %
8	ex-wife	0	0.0 %
9	partner	0	0.0 %
10	ex-partner	0	0.0 %
	Missing Data		
97	Missing	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 512-513 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

S2PRBEHV: S2 PDel: Antisocial Behavior

Based upon 1,244 valid cases out of 1,354 total cases.

- Mean: 1.8299770210
- Median: 1.5833333333
- Mode: 1.0000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.8345895126

Location: 514-528 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S2PRINFL: S2 PDel: Antisocial Influence

Based upon 1,254 valid cases out of 1,354 total cases.

- Mean: 1.4727728412
- Median: 1.1428571429
- Mode: 1.0000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.6991550906

Location: 529-543 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S3PDEL_PCONT: S3 PDel: How often seen/talk to closest friend

Value	Label	Unweighted Frequency	%
1	Twice a day	5	0.4 %
2	Daily	55	4.1 %
3	More than once a week	32	2.4 %
4	Once a week	27	2.0 %
5	Once every two weeks	21	1.6 %
6	Once a month	33	2.4 %
7	Once every few months	27	2.0 %
8	Never	56	4.1 %
97	NA	8	0.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	Subject not locked up - question skipped	965	71.3 %
	Total	**1,354**	**100%**

Based upon 264 valid cases out of 1,354 total cases.

Location: 544-547 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -99 , -98

S3PDEL1: S3 PDel: Num friends damaged property

Value	Label	Unweighted Frequency	%
1	None of them	854	63.1 %
2	Very few of them	188	13.9 %
3	Some of them	118	8.7 %
4	Most of them	32	2.4 %
5	All of them	13	1.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-9	Dont know	22	1.6 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,205 valid cases out of 1,354 total cases.

Location: 548-551 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S3PDEL2: S3 PDel: Num friends hit/threaten hit someone

Value	Label	Unweighted Frequency	%
1	None of them	584	43.1 %
2	Very few of them	266	19.6 %
3	Some of them	236	17.4 %
4	Most of them	80	5.9 %
5	All of them	39	2.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-9	Dont know	22	1.6 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,205 valid cases out of 1,354 total cases.

Location: 552-555 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S3PDEL3: S3 PDel: Num friends sold drugs

Value	Label	Unweighted Frequency	%
1	None of them	657	48.5 %
2	Very few of them	190	14.0 %
3	Some of them	188	13.9 %
4	Most of them	112	8.3 %
5	All of them	59	4.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-9	Dont know	21	1.6 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,206 valid cases out of 1,354 total cases.

Location: 556-559 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S3PDEL4: S3 PDel: Num friends got drunk

Value	Label	Unweighted Frequency	%
1	None of them	434	32.1 %
2	Very few of them	222	16.4 %
3	Some of them	256	18.9 %
4	Most of them	192	14.2 %
5	All of them	98	7.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-9	Dont know	25	1.8 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,202 valid cases out of 1,354 total cases.

Location: 560-563 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S3PDEL4B: S3 PDel: Num friends gotten high on drugs

Value	Label	Unweighted Frequency	%
1	None of them	0	0.0 %
2	Very few of them	0	0.0 %

Value	Label	Unweighted Frequency	%
3	Some of them	0	0.0 %
4	Most of them	0	0.0 %
5	All of them	0	0.0 %
	Missing Data		
-400	Question not asked in this version	1229	90.8 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 564-567 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -9 , -8

S3PDEL5A: S3 PDel: Num friends carried knife

Value	Label	Unweighted Frequency	%
1	None of them	818	60.4 %
2	Very few of them	198	14.6 %
3	Some of them	116	8.6 %
4	Most of them	50	3.7 %
5	All of them	22	1.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-9	Dont know	23	1.7 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 568-571 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S3PDEL5B: S3 PDel: Num friends carried gun

Value	Label	Unweighted Frequency	%
1	None of them	716	52.9 %
2	Very few of them	168	12.4 %
3	Some of them	180	13.3 %
4	Most of them	84	6.2 %
5	All of them	55	4.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-9	Dont know	24	1.8 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,203 valid cases out of 1,354 total cases.

Location: 572-575 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S3PDEL5C: S3 PDel: Num friends owned gun

Value	Label	Unweighted Frequency	%
1	None of them	689	50.9 %
2	Very few of them	180	13.3 %
3	Some of them	176	13.0 %
4	Most of them	92	6.8 %
5	All of them	63	4.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-9	Dont know	27	2.0 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,200 valid cases out of 1,354 total cases.

Location: 576-579 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S3PDEL6: S3 PDel: Num friends got into fight

Value	Label	Unweighted Frequency	%
1	None of them	479	35.4 %
2	Very few of them	272	20.1 %
3	Some of them	253	18.7 %
4	Most of them	142	10.5 %
5	All of them	58	4.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %

Value	Label	Unweighted Frequency	%
-9	Dont know	23	1.7 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 580-583 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S3PDEL7: S3 PDel: Num friends been hurt fight

Value	Label	Unweighted Frequency	%
1	None of them	703	51.9 %
2	Very few of them	246	18.2 %
3	Some of them	186	13.7 %
4	Most of them	48	3.5 %
5	All of them	22	1.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-9	Dont know	22	1.6 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,205 valid cases out of 1,354 total cases.

Location: 584-587 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S3PDEL8: S3 PDel: Num friends stole worth more 100 dol

Value	Label	Unweighted Frequency	%
1	None of them	816	60.3 %
2	Very few of them	162	12.0 %
3	Some of them	132	9.7 %
4	Most of them	60	4.4 %
5	All of them	27	2.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-9	Dont know	30	2.2 %
-8	Refused	1	0.1 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 1,197 valid cases out of 1,354 total cases.

Location: 588-591 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S3PDEL9: S3 PDel: Num friends stole car

Value	Label	Unweighted Frequency	%
1	None of them	908	67.1 %
2	Very few of them	134	9.9 %
3	Some of them	113	8.3 %
4	Most of them	39	2.9 %
5	All of them	12	0.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-9	Dont know	21	1.6 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,206 valid cases out of 1,354 total cases.

Location: 592-595 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S3PDEL10: S3 PDel: Num friends go into building steal

Value	Label	Unweighted Frequency	%
1	None of them	943	69.6 %
2	Very few of them	146	10.8 %
3	Some of them	79	5.8 %
4	Most of them	28	2.1 %
5	All of them	8	0.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-9	Dont know	23	1.7 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 596-599 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S3PDEL11: S3 PDel: Num friends said go drink w/them

Value	Label	Unweighted Frequency	%
1	None of them	689	50.9 %
2	Very few of them	185	13.7 %
3	Some of them	192	14.2 %
4	Most of them	93	6.9 %
5	All of them	52	3.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-9	Dont know	16	1.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,211 valid cases out of 1,354 total cases.

Location: 600-603 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S3PDEL12: S3 PDel: Num friends say have drink good time

Value	Label	Unweighted Frequency	%
1	None of them	905	66.8 %
2	Very few of them	150	11.1 %
3	Some of them	111	8.2 %
4	Most of them	32	2.4 %
5	All of them	16	1.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-9	Dont know	13	1.0 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,214 valid cases out of 1,354 total cases.

Location: 604-607 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S3PDEL13: S3 PDel: Num friends say high have good time

Value	Label	Unweighted Frequency	%
1	None of them	912	67.4 %
2	Very few of them	140	10.3 %
3	Some of them	105	7.8 %
4	Most of them	37	2.7 %
5	All of them	20	1.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-9	Dont know	13	1.0 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,214 valid cases out of 1,354 total cases.

Location: 608-611 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S3PDEL14: S3 PDel: Num friends say sell drugs

Value	Label	Unweighted Frequency	%
1	None of them	938	69.3 %
2	Very few of them	131	9.7 %
3	Some of them	92	6.8 %
4	Most of them	37	2.7 %
5	All of them	17	1.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-9	Dont know	12	0.9 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,215 valid cases out of 1,354 total cases.

Location: 612-615 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S3PDEL15: S3 PDel: Num friends say steal

Value	Label	Unweighted Frequency	%
1	None of them	1015	75.0 %
2	Very few of them	116	8.6 %
3	Some of them	52	3.8 %
4	Most of them	24	1.8 %
5	All of them	8	0.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-9	Dont know	12	0.9 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,215 valid cases out of 1,354 total cases.

Location: 616-619 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S3PDEL16: S3 PDel: Num friends say hit beat someone

Value	Label	Unweighted Frequency	%
1	None of them	884	65.3 %
2	Very few of them	156	11.5 %
3	Some of them	126	9.3 %
4	Most of them	32	2.4 %
5	All of them	17	1.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-9	Dont know	12	0.9 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,215 valid cases out of 1,354 total cases.

Location: 620-623 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S3PDEL17: S3 PDel: Num friends say carry weapon

Value	Label	Unweighted Frequency	%
1	None of them	933	68.9 %
2	Very few of them	108	8.0 %

Value	Label	Unweighted Frequency	%
3	Some of them	97	7.2 %
4	Most of them	52	3.8 %
5	All of them	25	1.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-9	Dont know	12	0.9 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,215 valid cases out of 1,354 total cases.

Location: 624-627 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S3PDEL_SDEL1: S3 PDel_SigOther: damaged/destroyed property

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1229	90.8 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 628-631 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S3PDEL_SDEL2: S3 PDel_SigOther: hit/threatened to hit someone

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1229	90.8 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 632-635 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S3PDEL_SDEL3: S3 PDel_SigOther: sold drugs

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1229	90.8 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 636-639 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S3PDEL_SDEL4A: S3 PDel_SigOther: gotten drunk

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1229	90.8 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 640-643 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S3PDEL_SDEL4B: S3 PDel_SigOther: got high on drugs

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1229	90.8 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 644-647 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S3PDEL_SDEL5A: S3 PDel_SigOther: carried a knife

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1229	90.8 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 648-651 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S3PDEL_SDEL5B: S3 PDel_SigOther: carried a gun

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1229	90.8 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 652-655 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S3PDEL_SDEL5C: S3 PDel_SigOther: owned a gun

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1229	90.8 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 656-659 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S3PDEL_SDEL6: S3 PDel_SigOther: got into fight

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1229	90.8 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 660-663 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S3PDEL_SDEL7: S3 PDel_SigOther: hurt in fight

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1229	90.8 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 664-667 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S3PDEL_SDEL8: S3 PDel_SigOther: stole something more than $100

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1229	90.8 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 668-671 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S3PDEL_SDEL9: S3 PDel_SigOther: stole a car

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1229	90.8 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 672-675 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S3PDEL_SDEL10: S3 PDel_SigOther: gone into building to steal

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1229	90.8 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 676-679 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S3PDEL19: S3 PDel: BFGF suggest go out drinking

Value	Label	Unweighted Frequency	%
1	Yes	65	4.8 %
5	No	558	41.2 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-202	Partial interview - data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-104	Name of bf gf missing earlier versions - questions skipped	605	44.7 %
	Total	**1,354**	**100%**

Based upon 623 valid cases out of 1,354 total cases.

Location: 680-683 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S3PDEL20: S3 PDel: BFGF say must be drunk to have good time

Value	Label	Unweighted Frequency	%
1	Yes	14	1.0 %
5	No	609	45.0 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-202	Partial interview - data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-104	Name of bf gf missing earlier versions - questions skipped	605	44.7 %
	Total	**1,354**	**100%**

Based upon 623 valid cases out of 1,354 total cases.

Location: 684-687 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S3PDEL21: S3 PDel: BFGF say must be high to have good time

Value	Label	Unweighted Frequency	%
1	Yes	13	1.0 %
5	No	610	45.1 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-202	Partial interview - data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-104	Name of bf gf missing earlier versions - questions skipped	605	44.7 %
	Total	**1,354**	**100%**

Based upon 623 valid cases out of 1,354 total cases.

Location: 688-691 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S3PDEL22: S3 PDel: BFGF suggest sell drugs

Value	Label	Unweighted Frequency	%
1	Yes	12	0.9 %
5	No	611	45.1 %

Value	Label	Unweighted Frequency	%
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-202	Partial interview - data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-104	Name of bf gf missing earlier versions - questions skipped	605	44.7 %
	Total	**1,354**	**100%**

Based upon 623 valid cases out of 1,354 total cases.

Location: 692-695 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S3PDEL23: S3 PDel: BFGF suggest steal something

Value	Label	Unweighted Frequency	%
1	Yes	8	0.6 %
5	No	615	45.4 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-202	Partial interview - data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-104	Name of bf gf missing earlier versions - questions skipped	605	44.7 %
	Total	**1,354**	**100%**

Based upon 623 valid cases out of 1,354 total cases.

Location: 696-699 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S3PDEL24: S3 PDel: BFGF suggest hit/beat someone

Value	Label	Unweighted Frequency	%
1	Yes	38	2.8 %
5	No	585	43.2 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-202	Partial interview - data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-104	Name of bf gf missing earlier versions - questions skipped	605	44.7 %
	Total	**1,354**	**100%**

Based upon 623 valid cases out of 1,354 total cases.

Location: 700-703 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S3PDEL25: S3 PDel: BFGF suggest carry weapon

Value	Label	Unweighted Frequency	%
1	Yes	14	1.0 %
5	No	609	45.0 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-202	Partial interview - data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-104	Name of bf gf missing earlier versions - questions skipped	605	44.7 %
	Total	**1,354**	**100%**

Based upon 623 valid cases out of 1,354 total cases.

Location: 704-707 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S3PDEL26: S3 PDel: BFGF hit/force things against will

Value	Label	Unweighted Frequency	%
1	Yes	28	2.1 %
5	No	595	43.9 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-202	Partial interview - data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-104	Name of bf gf missing earlier versions - questions skipped	605	44.7 %
	Total	**1,354**	**100%**

Based upon 623 valid cases out of 1,354 total cases.

Location: 708-711 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S3PDEL27: S3 PDel: BFGF try stop from committing crime

Value	Label	Unweighted Frequency	%
1	Yes	210	15.5 %
5	No	412	30.4 %
7	NA - subject hasnt tried to commit crime	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	Partial interview - data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-104	Name of bf gf missing earlier versions - questions skipped	605	44.7 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 622 valid cases out of 1,354 total cases.

Location: 712-715 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S3PDEL_RQNAME: S3 PDel: BFGF name

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 716-728 (width: 13; decimal: 0)
Variable Type: character

S3PDEL_RQLABL: S3 PDel: Romantic partner label

Value	Label	Unweighted Frequency	%
1	boyfriend	0	0.0 %
2	ex-boyfriend	0	0.0 %
3	husband	0	0.0 %
4	ex-husband	0	0.0 %
5	girlfriend	0	0.0 %
6	ex-girlfriend	0	0.0 %
7	wife	0	0.0 %
8	ex-wife	0	0.0 %
9	partner	0	0.0 %
10	ex-partner	0	0.0 %
	Missing Data		
97	Missing	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 729-730 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

S3PRBEHV: S3 PDel: Antisocial Behavior

Based upon 1,205 valid cases out of 1,354 total cases.

- Mean: 1.7765966721
- Median: 1.5000000000
- Mode: 1.0000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.8129566241

Location: 731-745 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S3PRINFL: S3 PDel: Antisocial Influence

Based upon 1,214 valid cases out of 1,354 total cases.

- Mean: 1.4802698674
- Median: 1.1428571429
- Mode: 1.0000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.7175810748

Location: 746-760 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S4PDEL_PCONT: S4 PDel: How often seen/talk to closest friend

Value	Label	Unweighted Frequency	%
1	Twice a day	11	0.8 %
2	Daily	46	3.4 %
3	More than once a week	27	2.0 %
4	Once a week	34	2.5 %
5	Once every two weeks	20	1.5 %
6	Once a month	26	1.9 %
7	Once every few months	19	1.4 %
8	Never	61	4.5 %
97	NA	8	0.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Subject not locked up - question skipped	979	72.3 %
	Total	**1,354**	**100%**

Based upon 252 valid cases out of 1,354 total cases.

Location: 761-764 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -99 , -98

S4PDEL1: S4 PDel: Num friends damaged property

Value	Label	Unweighted Frequency	%
1	None of them	878	64.8 %
2	Very few of them	163	12.0 %
3	Some of them	129	9.5 %
4	Most of them	31	2.3 %
5	All of them	14	1.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-9	Dont know	12	0.9 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,215 valid cases out of 1,354 total cases.

Location: 765-768 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S4PDEL2: S4 PDel: Num friends hit/threaten hit someone

Value	Label	Unweighted Frequency	%
1	None of them	642	47.4 %
2	Very few of them	247	18.2 %
3	Some of them	208	15.4 %
4	Most of them	83	6.1 %
5	All of them	37	2.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-9	Dont know	10	0.7 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,217 valid cases out of 1,354 total cases.

Location: 769-772 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S4PDEL3: S4 PDel: Num friends sold drugs

Value	Label	Unweighted Frequency	%
1	None of them	708	52.3 %
2	Very few of them	192	14.2 %
3	Some of them	176	13.0 %
4	Most of them	103	7.6 %
5	All of them	39	2.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-9	Dont know	9	0.7 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,218 valid cases out of 1,354 total cases.

Location: 773-776 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S4PDEL4: S4 PDel: Num friends got drunk

Value	Label	Unweighted Frequency	%
1	None of them	474	35.0 %
2	Very few of them	202	14.9 %
3	Some of them	262	19.4 %
4	Most of them	188	13.9 %
5	All of them	93	6.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-9	Dont know	8	0.6 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,219 valid cases out of 1,354 total cases.

Location: 777-780 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S4PDEL4B: S4 PDel: Num friends gotten high on drugs

Value	Label	Unweighted Frequency	%
1	None of them	3	0.2 %
2	Very few of them	1	0.1 %

Value	Label	Unweighted Frequency	%
3	Some of them	1	0.1 %
4	Most of them	0	0.0 %
5	All of them	0	0.0 %
	Missing Data		
-400	Question not asked in this version	1226	90.5 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 5 valid cases out of 1,354 total cases.

Location: 781-784 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -9 , -8

S4PDEL5A: S4 PDel: Num friends carried knife

Value	Label	Unweighted Frequency	%
1	None of them	827	61.1 %
2	Very few of them	168	12.4 %
3	Some of them	139	10.3 %
4	Most of them	52	3.8 %
5	All of them	27	2.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-9	Dont know	14	1.0 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 785-788 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S4PDEL5B: S4 PDel: Num friends carried gun

Value	Label	Unweighted Frequency	%
1	None of them	754	55.7 %
2	Very few of them	159	11.7 %
3	Some of them	165	12.2 %
4	Most of them	89	6.6 %
5	All of them	46	3.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-9	Dont know	14	1.0 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 789-792 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S4PDEL5C: S4 PDel: Num friends owned gun

Value	Label	Unweighted Frequency	%
1	None of them	719	53.1 %
2	Very few of them	187	13.8 %
3	Some of them	169	12.5 %
4	Most of them	92	6.8 %
5	All of them	46	3.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-9	Dont know	13	1.0 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 793-796 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S4PDEL6: S4 PDel: Num friends got into fight

Value	Label	Unweighted Frequency	%
1	None of them	569	42.0 %
2	Very few of them	223	16.5 %
3	Some of them	254	18.8 %
4	Most of them	115	8.5 %
5	All of them	55	4.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	123	9.1 %

Value	Label	Unweighted Frequency	%
-9	Dont know	10	0.7 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,216 valid cases out of 1,354 total cases.

Location: 797-800 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S4PDEL7: S4 PDel: Num friends been hurt fight

Value	Label	Unweighted Frequency	%
1	None of them	753	55.6 %
2	Very few of them	226	16.7 %
3	Some of them	176	13.0 %
4	Most of them	48	3.5 %
5	All of them	15	1.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-9	Dont know	8	0.6 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,218 valid cases out of 1,354 total cases.

Location: 801-804 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S4PDEL8: S4 PDel: Num friends stole worth more 100 dol

Value	Label	Unweighted Frequency	%
1	None of them	866	64.0 %
2	Very few of them	128	9.5 %
3	Some of them	143	10.6 %
4	Most of them	53	3.9 %
5	All of them	20	1.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-9	Dont know	16	1.2 %
-8	Refused	1	0.1 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 1,210 valid cases out of 1,354 total cases.

Location: 805-808 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S4PDEL9: S4 PDel: Num friends stole car

Value	Label	Unweighted Frequency	%
1	None of them	933	68.9 %
2	Very few of them	138	10.2 %
3	Some of them	90	6.6 %
4	Most of them	38	2.8 %
5	All of them	16	1.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-9	Dont know	11	0.8 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,215 valid cases out of 1,354 total cases.

Location: 809-812 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S4PDEL10: S4 PDel: Num friends go into building steal

Value	Label	Unweighted Frequency	%
1	None of them	966	71.3 %
2	Very few of them	124	9.2 %
3	Some of them	98	7.2 %
4	Most of them	15	1.1 %
5	All of them	10	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-9	Dont know	13	1.0 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 813-816 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S4PDEL11: S4 PDel: Num friends said go drink w/them

Value	Label	Unweighted Frequency	%
1	None of them	684	50.5 %
2	Very few of them	164	12.1 %
3	Some of them	211	15.6 %
4	Most of them	109	8.1 %
5	All of them	54	4.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-9	Dont know	4	0.3 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,222 valid cases out of 1,354 total cases.

Location: 817-820 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S4PDEL12: S4 PDel: Num friends say have drink good time

Value	Label	Unweighted Frequency	%
1	None of them	928	68.5 %
2	Very few of them	134	9.9 %
3	Some of them	106	7.8 %
4	Most of them	32	2.4 %
5	All of them	22	1.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-9	Dont know	4	0.3 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,222 valid cases out of 1,354 total cases.

Location: 821-824 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S4PDEL13: S4 PDel: Num friends say high have good time

Value	Label	Unweighted Frequency	%
1	None of them	943	69.6 %
2	Very few of them	124	9.2 %
3	Some of them	100	7.4 %
4	Most of them	34	2.5 %
5	All of them	21	1.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-9	Dont know	4	0.3 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,222 valid cases out of 1,354 total cases.

Location: 825-828 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S4PDEL14: S4 PDel: Num friends say sell drugs

Value	Label	Unweighted Frequency	%
1	None of them	963	71.1 %
2	Very few of them	113	8.3 %
3	Some of them	102	7.5 %
4	Most of them	25	1.8 %
5	All of them	19	1.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-9	Dont know	4	0.3 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,222 valid cases out of 1,354 total cases.

Location: 829-832 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S4PDEL15: S4 PDel: Num friends say steal

Value	Label	Unweighted Frequency	%
1	None of them	1017	75.1 %
2	Very few of them	109	8.1 %
3	Some of them	68	5.0 %
4	Most of them	11	0.8 %
5	All of them	17	1.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-9	Dont know	4	0.3 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,222 valid cases out of 1,354 total cases.

Location: 833-836 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S4PDEL16: S4 PDel: Num friends say hit beat someone

Value	Label	Unweighted Frequency	%
1	None of them	895	66.1 %
2	Very few of them	150	11.1 %
3	Some of them	124	9.2 %
4	Most of them	35	2.6 %
5	All of them	18	1.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-9	Dont know	4	0.3 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,222 valid cases out of 1,354 total cases.

Location: 837-840 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S4PDEL17: S4 PDel: Num friends say carry weapon

Value	Label	Unweighted Frequency	%
1	None of them	956	70.6 %
2	Very few of them	98	7.2 %

Value	Label	Unweighted Frequency	%
3	Some of them	113	8.3 %
4	Most of them	27	2.0 %
5	All of them	28	2.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-9	Dont know	4	0.3 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,222 valid cases out of 1,354 total cases.

Location: 841-844 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S4PDEL_SDEL1: S4 PDel_SigOther: damaged/destroyed property

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	3	0.2 %
	Missing Data		
-400	Questions not asked in this version	1225	90.5 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-105	Name of bf gf missing v16+ - questions skipped	3	0.2 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 845-848 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S4PDEL_SDEL2: S4 PDel_SigOther: hit/threatened to hit someone

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	2	0.1 %
	Missing Data		
-400	Questions not asked in this version	1225	90.5 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-105	Name of bf gf missing v16+ - questions skipped	3	0.2 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 2 valid cases out of 1,354 total cases.

Location: 849-852 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S4PDEL_SDEL3: S4 PDel_SigOther: sold drugs

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	3	0.2 %
	Missing Data		
-400	Questions not asked in this version	1225	90.5 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-105	Name of bf gf missing v16+ - questions skipped	3	0.2 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 853-856 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S4PDEL_SDEL4A: S4 PDel_SigOther: gotten drunk

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	3	0.2 %
	Missing Data		
-400	Questions not asked in this version	1225	90.5 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-105	Name of bf gf missing v16+ - questions skipped	3	0.2 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 857-860 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S4PDEL_SDEL4B: S4 PDel_SigOther: got high on drugs

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	3	0.2 %
	Missing Data		
-400	Questions not asked in this version	1225	90.5 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	123	9.1 %
-105	Name of bf gf missing v16+ - questions skipped	3	0.2 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 861-864 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S4PDEL_SDEL5A: S4 PDel_SigOther: carried a knife

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	3	0.2 %
	Missing Data		
-400	Questions not asked in this version	1225	90.5 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-105	Name of bf gf missing v16+ - questions skipped	3	0.2 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 865-868 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S4PDEL_SDEL5B: S4 PDel_SigOther: carried a gun

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	3	0.2 %
	Missing Data		
-400	Questions not asked in this version	1225	90.5 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-105	Name of bf gf missing v16+ - questions skipped	3	0.2 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 869-872 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S4PDEL_SDEL5C: S4 PDel_SigOther: owned a gun

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	3	0.2 %
	Missing Data		
-400	Questions not asked in this version	1225	90.5 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-105	Name of bf gf missing v16+ - questions skipped	3	0.2 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 873-876 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S4PDEL_SDEL6: S4 PDel_SigOther: got into fight

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	3	0.2 %
	Missing Data		
-400	Questions not asked in this version	1225	90.5 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-105	Name of bf gf missing v16+ - questions skipped	3	0.2 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 877-880 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S4PDEL_SDEL7: S4 PDel_SigOther: hurt in fight

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	3	0.2 %
	Missing Data		
-400	Questions not asked in this version	1225	90.5 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-105	Name of bf gf missing v16+ - questions skipped	3	0.2 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 881-884 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S4PDEL_SDEL8: S4 PDel_SigOther: stole something more than $100

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	3	0.2 %
	Missing Data		
-400	Questions not asked in this version	1225	90.5 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-105	Name of bf gf missing v16+ - questions skipped	3	0.2 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 885-888 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S4PDEL_SDEL9: S4 PDel_SigOther: stole a car

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	3	0.2 %
	Missing Data		
-400	Questions not asked in this version	1225	90.5 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-105	Name of bf gf missing v16+ - questions skipped	3	0.2 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 889-892 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S4PDEL_SDEL10: S4 PDel_SigOther: gone into building to steal

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	3	0.2 %
	Missing Data		
-400	Questions not asked in this version	1225	90.5 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-105	Name of bf gf missing v16+ - questions skipped	3	0.2 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 893-896 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S4PDEL19: S4 PDel: BFGF suggest go out drinking

Value	Label	Unweighted Frequency	%
1	Yes	81	6.0 %
5	No	558	41.2 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-202	Partial interview - data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-104	Name of bf gf missing earlier versions - questions skipped	590	43.6 %
	Total	**1,354**	**100%**

Based upon 639 valid cases out of 1,354 total cases.

Location: 897-900 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S4PDEL20: S4 PDel: BFGF say must be drunk to have good time

Value	Label	Unweighted Frequency	%
1	Yes	17	1.3 %
5	No	622	45.9 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-202	Partial interview - data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-104	Name of bf gf missing earlier versions - questions skipped	590	43.6 %
	Total	**1,354**	**100%**

Based upon 639 valid cases out of 1,354 total cases.

Location: 901-904 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S4PDEL21: S4 PDel: BFGF say must be high to have good time

Value	Label	Unweighted Frequency	%
1	Yes	12	0.9 %
5	No	627	46.3 %

Value	Label	Unweighted Frequency	%
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-202	Partial interview - data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-104	Name of bf gf missing earlier versions - questions skipped	590	43.6 %
	Total	**1,354**	**100%**

Based upon 639 valid cases out of 1,354 total cases.

Location: 905-908 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S4PDEL22: S4 PDel: BFGF suggest sell drugs

Value	Label	Unweighted Frequency	%
1	Yes	12	0.9 %
5	No	627	46.3 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-202	Partial interview - data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-104	Name of bf gf missing earlier versions - questions skipped	590	43.6 %
	Total	**1,354**	**100%**

Based upon 639 valid cases out of 1,354 total cases.

Location: 909-912 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S4PDEL23: S4 PDel: BFGF suggest steal something

Value	Label	Unweighted Frequency	%
1	Yes	7	0.5 %
5	No	632	46.7 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-202	Partial interview - data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-104	Name of bf gf missing earlier versions - questions skipped	590	43.6 %
	Total	**1,354**	**100%**

Based upon 639 valid cases out of 1,354 total cases.

Location: 913-916 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S4PDEL24: S4 PDel: BFGF suggest hit/beat someone

Value	Label	Unweighted Frequency	%
1	Yes	24	1.8 %
5	No	615	45.4 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-202	Partial interview - data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-104	Name of bf gf missing earlier versions - questions skipped	590	43.6 %
	Total	**1,354**	**100%**

Based upon 639 valid cases out of 1,354 total cases.

Location: 917-920 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S4PDEL25: S4 PDel: BFGF suggest carry weapon

Value	Label	Unweighted Frequency	%
1	Yes	16	1.2 %
5	No	623	46.0 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-202	Partial interview - data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-104	Name of bf gf missing earlier versions - questions skipped	590	43.6 %
	Total	**1,354**	**100%**

Based upon 639 valid cases out of 1,354 total cases.

Location: 921-924 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S4PDEL26: S4 PDel: BFGF hit/force things against will

Value	Label	Unweighted Frequency	%
1	Yes	22	1.6 %
5	No	617	45.6 %
7	NA - subject hasnt tried to commit crime	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	Partial interview - data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-104	Name of bf gf missing earlier versions - questions skipped	590	43.6 %
	Total	**1,354**	**100%**

Based upon 639 valid cases out of 1,354 total cases.

Location: 925-928 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S4PDEL27: S4 PDel: BFGF try stop from committing crime

Value	Label	Unweighted Frequency	%
1	Yes	197	14.5 %
5	No	440	32.5 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-202	Partial interview - data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-104	Name of bf gf missing earlier versions - questions skipped	590	43.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 637 valid cases out of 1,354 total cases.

Location: 929-932 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S4PDEL_RQNAME: S4 PDel: BFGF name

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 933-944 (width: 12; decimal: 0)
Variable Type: character

S4PDEL_RQLABL: S4 PDel: Romantic partner label

Value	Label	Unweighted Frequency	%
1	boyfriend	3	0.2 %
2	ex-boyfriend	0	0.0 %
3	husband	0	0.0 %
4	ex-husband	0	0.0 %
5	girlfriend	0	0.0 %

Value	Label	Unweighted Frequency	%
6	ex-girlfriend	0	0.0 %
7	wife	0	0.0 %
8	ex-wife	0	0.0 %
9	partner	0	0.0 %
10	ex-partner	0	0.0 %
	Missing Data		
97	Missing	1351	99.8 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 945-946 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

S4PRBEHV: S4 PDel: Antisocial Behavior

Based upon 1,215 valid cases out of 1,354 total cases.

- Mean: 1.7224521569
- Median: 1.4166666667
- Mode: 1.0000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.7987050001

Location: 947-961 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S4PRINFL: S4 PDel: Antisocial Influence

Based upon 1,222 valid cases out of 1,354 total cases.

- Mean: 1.4763853168
- Median: 1.1428571429
- Mode: 1.0000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.7381653462

Location: 962-976 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S5PDEL_PCONT: S5 PDel: How often seen/talk to closest friend

Value	Label	Unweighted Frequency	%
1	Twice a day	1	0.1 %

Value	Label	Unweighted Frequency	%
2	Daily	48	3.5 %
3	More than once a week	23	1.7 %
4	Once a week	32	2.4 %
5	Once every two weeks	18	1.3 %
6	Once a month	27	2.0 %
7	Once every few months	32	2.4 %
8	Never	64	4.7 %
97	NA	12	0.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Subject not locked up - question skipped	974	71.9 %
-99	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 257 valid cases out of 1,354 total cases.

Location: 977-980 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -99 , -98

S5PDEL1: S5 PDel: Num friends damaged property

Value	Label	Unweighted Frequency	%
1	None of them	913	67.4 %
2	Very few of them	142	10.5 %
3	Some of them	113	8.3 %
4	Most of them	22	1.6 %
5	All of them	10	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont know	32	2.4 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,200 valid cases out of 1,354 total cases.

Location: 981-984 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S5PDEL2: S5 PDel: Num friends hit/threaten hit someone

Value	Label	Unweighted Frequency	%
1	None of them	687	50.7 %
2	Very few of them	222	16.4 %
3	Some of them	197	14.5 %
4	Most of them	67	4.9 %
5	All of them	31	2.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont know	28	2.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 985-988 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S5PDEL3: S5 PDel: Num friends sold drugs

Value	Label	Unweighted Frequency	%
1	None of them	760	56.1 %
2	Very few of them	158	11.7 %
3	Some of them	165	12.2 %
4	Most of them	85	6.3 %
5	All of them	39	2.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont know	25	1.8 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,207 valid cases out of 1,354 total cases.

Location: 989-992 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S5PDEL4: S5 PDel: Num friends got drunk

Value	Label	Unweighted Frequency	%
1	None of them	490	36.2 %
2	Very few of them	214	15.8 %

Value	Label	Unweighted Frequency	%
3	Some of them	248	18.3 %
4	Most of them	174	12.9 %
5	All of them	81	6.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont know	25	1.8 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,207 valid cases out of 1,354 total cases.

Location: 993-996 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S5PDEL4B: S5 PDel: Num friends gotten high on drugs

Value	Label	Unweighted Frequency	%
1	None of them	81	6.0 %
2	Very few of them	29	2.1 %
3	Some of them	40	3.0 %
4	Most of them	20	1.5 %
5	All of them	11	0.8 %
	Missing Data		
-400	Question not asked in this version	1046	77.3 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont know	6	0.4 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 181 valid cases out of 1,354 total cases.

Location: 997-1000 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -9 , -8

S5PDEL5A: S5 PDel: Num friends carried knife

Value	Label	Unweighted Frequency	%
1	None of them	852	62.9 %
2	Very few of them	150	11.1 %
3	Some of them	142	10.5 %
4	Most of them	39	2.9 %

Value	Label	Unweighted Frequency	%
5	All of them	22	1.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont know	27	2.0 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,205 valid cases out of 1,354 total cases.

Location: 1001-1004 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S5PDEL5B: S5 PDel: Num friends carried gun

Value	Label	Unweighted Frequency	%
1	None of them	773	57.1 %
2	Very few of them	158	11.7 %
3	Some of them	169	12.5 %
4	Most of them	71	5.2 %
5	All of them	32	2.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont know	29	2.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,203 valid cases out of 1,354 total cases.

Location: 1005-1008 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S5PDEL5C: S5 PDel: Num friends owned gun

Value	Label	Unweighted Frequency	%
1	None of them	736	54.4 %
2	Very few of them	173	12.8 %
3	Some of them	174	12.9 %
4	Most of them	85	6.3 %
5	All of them	35	2.6 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont know	29	2.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,203 valid cases out of 1,354 total cases.

Location: 1009-1012 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S5PDEL6: S5 PDel: Num friends got into fight

Value	Label	Unweighted Frequency	%
1	None of them	595	43.9 %
2	Very few of them	255	18.8 %
3	Some of them	216	16.0 %
4	Most of them	88	6.5 %
5	All of them	51	3.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont know	27	2.0 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,205 valid cases out of 1,354 total cases.

Location: 1013-1016 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S5PDEL7: S5 PDel: Num friends been hurt fight

Value	Label	Unweighted Frequency	%
1	None of them	805	59.5 %
2	Very few of them	204	15.1 %
3	Some of them	143	10.6 %
4	Most of them	41	3.0 %
5	All of them	13	1.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %

Value	Label	Unweighted Frequency	%
-9	Dont know	26	1.9 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,206 valid cases out of 1,354 total cases.

Location: 1017-1020 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S5PDEL8: S5 PDel: Num friends stole worth more 100 dol

Value	Label	Unweighted Frequency	%
1	None of them	909	67.1 %
2	Very few of them	132	9.7 %
3	Some of them	108	8.0 %
4	Most of them	40	3.0 %
5	All of them	12	0.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont know	31	2.3 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,201 valid cases out of 1,354 total cases.

Location: 1021-1024 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S5PDEL9: S5 PDel: Num friends stole car

Value	Label	Unweighted Frequency	%
1	None of them	997	73.6 %
2	Very few of them	106	7.8 %
3	Some of them	71	5.2 %
4	Most of them	24	1.8 %
5	All of them	6	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont know	28	2.1 %
-8	Refused	1	0.1 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 1025-1028 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S5PDEL10: S5 PDel: Num friends go into building steal

Value	Label	Unweighted Frequency	%
1	None of them	1002	74.0 %
2	Very few of them	113	8.3 %
3	Some of them	63	4.7 %
4	Most of them	20	1.5 %
5	All of them	6	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont know	28	2.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 1029-1032 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S5PDEL11: S5 PDel: Num friends said go drink w/them

Value	Label	Unweighted Frequency	%
1	None of them	715	52.8 %
2	Very few of them	192	14.2 %
3	Some of them	186	13.7 %
4	Most of them	69	5.1 %
5	All of them	53	3.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont know	17	1.3 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,215 valid cases out of 1,354 total cases.

Location: 1033-1036 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S5PDEL12: S5 PDel: Num friends say have drink good time

Value	Label	Unweighted Frequency	%
1	None of them	943	69.6 %
2	Very few of them	130	9.6 %
3	Some of them	101	7.5 %
4	Most of them	22	1.6 %
5	All of them	19	1.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont know	17	1.3 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,215 valid cases out of 1,354 total cases.

Location: 1037-1040 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S5PDEL13: S5 PDel: Num friends say high have good time

Value	Label	Unweighted Frequency	%
1	None of them	953	70.4 %
2	Very few of them	116	8.6 %
3	Some of them	106	7.8 %
4	Most of them	25	1.8 %
5	All of them	15	1.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont know	17	1.3 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,215 valid cases out of 1,354 total cases.

Location: 1041-1044 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S5PDEL14: S5 PDel: Num friends say sell drugs

Value	Label	Unweighted Frequency	%
1	None of them	981	72.5 %
2	Very few of them	120	8.9 %
3	Some of them	83	6.1 %
4	Most of them	21	1.6 %
5	All of them	10	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont know	17	1.3 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,215 valid cases out of 1,354 total cases.

Location: 1045-1048 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S5PDEL15: S5 PDel: Num friends say steal

Value	Label	Unweighted Frequency	%
1	None of them	1041	76.9 %
2	Very few of them	102	7.5 %
3	Some of them	53	3.9 %
4	Most of them	14	1.0 %
5	All of them	5	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont know	17	1.3 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,215 valid cases out of 1,354 total cases.

Location: 1049-1052 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S5PDEL16: S5 PDel: Num friends say hit beat someone

Value	Label	Unweighted Frequency	%
1	None of them	919	67.9 %
2	Very few of them	142	10.5 %
3	Some of them	111	8.2 %
4	Most of them	27	2.0 %
5	All of them	16	1.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont know	17	1.3 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,215 valid cases out of 1,354 total cases.

Location: 1053-1056 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S5PDEL17: S5 PDel: Num friends say carry weapon

Value	Label	Unweighted Frequency	%
1	None of them	993	73.3 %
2	Very few of them	88	6.5 %
3	Some of them	88	6.5 %
4	Most of them	28	2.1 %
5	All of them	18	1.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont know	17	1.3 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,215 valid cases out of 1,354 total cases.

Location: 1057-1060 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S5PDEL_SDEL1: S5 PDel_SigOther: damaged/destroyed property

Value	Label	Unweighted Frequency	%
1	Yes	4	0.3 %
5	No	80	5.9 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-400	Questions not asked in this version	1045	77.2 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-105	Name of bf gf missing v16+ - questions skipped	103	7.6 %
-9	Dont know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 84 valid cases out of 1,354 total cases.

Location: 1061-1064 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S5PDEL_SDEL2: S5 PDel_SigOther: hit/threatened to hit someone

Value	Label	Unweighted Frequency	%
1	Yes	10	0.7 %
5	No	74	5.5 %
	Missing Data		
-400	Questions not asked in this version	1045	77.2 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-105	Name of bf gf missing v16+ - questions skipped	103	7.6 %
-9	Dont know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 84 valid cases out of 1,354 total cases.

Location: 1065-1068 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S5PDEL_SDEL3: S5 PDel_SigOther: sold drugs

Value	Label	Unweighted Frequency	%
1	Yes	3	0.2 %
5	No	81	6.0 %
	Missing Data		
-400	Questions not asked in this version	1045	77.2 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-105	Name of bf gf missing v16+ - questions skipped	103	7.6 %
-9	Dont know	1	0.1 %
-8	Refused	1	0.1 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 84 valid cases out of 1,354 total cases.

Location: 1069-1072 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S5PDEL_SDEL4A: S5 PDel_SigOther: gotten drunk

Value	Label	Unweighted Frequency	%
1	Yes	21	1.6 %
5	No	63	4.7 %
	Missing Data		
-400	Questions not asked in this version	1045	77.2 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-105	Name of bf gf missing v16+ - questions skipped	103	7.6 %
-9	Dont know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 84 valid cases out of 1,354 total cases.

Location: 1073-1076 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S5PDEL_SDEL4B: S5 PDel_SigOther: got high on drugs

Value	Label	Unweighted Frequency	%
1	Yes	17	1.3 %
5	No	67	4.9 %
	Missing Data		
-400	Questions not asked in this version	1045	77.2 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-105	Name of bf gf missing v16+ - questions skipped	103	7.6 %
-9	Dont know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 84 valid cases out of 1,354 total cases.

Location: 1077-1080 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S5PDEL_SDEL5A: S5 PDel_SigOther: carried a knife

Value	Label	Unweighted Frequency	%
1	Yes	6	0.4 %
5	No	77	5.7 %
	Missing Data		
-400	Questions not asked in this version	1045	77.2 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-105	Name of bf gf missing v16+ - questions skipped	103	7.6 %
-9	Dont know	2	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 83 valid cases out of 1,354 total cases.

Location: 1081-1084 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S5PDEL_SDEL5B: S5 PDel_SigOther: carried a gun

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
5	No	82	6.1 %
	Missing Data		
-400	Questions not asked in this version	1045	77.2 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-105	Name of bf gf missing v16+ - questions skipped	103	7.6 %
-9	Dont know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 84 valid cases out of 1,354 total cases.

Location: 1085-1088 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S5PDEL_SDEL5C: S5 PDel_SigOther: owned a gun

Value	Label	Unweighted Frequency	%
1	Yes	5	0.4 %
5	No	79	5.8 %
	Missing Data		
-400	Questions not asked in this version	1045	77.2 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	120	8.9 %
-105	Name of bf gf missing v16+ - questions skipped	103	7.6 %
-9	Dont know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 84 valid cases out of 1,354 total cases.

Location: 1089-1092 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S5PDEL_SDEL6: S5 PDel_SigOther: got into fight

Value	Label	Unweighted Frequency	%
1	Yes	9	0.7 %
5	No	75	5.5 %
	Missing Data		
-400	Questions not asked in this version	1045	77.2 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-105	Name of bf gf missing v16+ - questions skipped	103	7.6 %
-9	Dont know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 84 valid cases out of 1,354 total cases.

Location: 1093-1096 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S5PDEL_SDEL7: S5 PDel_SigOther: hurt in fight

Value	Label	Unweighted Frequency	%
1	Yes	3	0.2 %
5	No	81	6.0 %
	Missing Data		
-400	Questions not asked in this version	1045	77.2 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-105	Name of bf gf missing v16+ - questions skipped	103	7.6 %
-9	Dont know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 84 valid cases out of 1,354 total cases.

Location: 1097-1100 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S5PDEL_SDEL8: S5 PDel_SigOther: stole something more than $100

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
5	No	82	6.1 %
	Missing Data		
-400	Questions not asked in this version	1045	77.2 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-105	Name of bf gf missing v16+ - questions skipped	103	7.6 %
-9	Dont know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 84 valid cases out of 1,354 total cases.

Location: 1101-1104 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S5PDEL_SDEL9: S5 PDel_SigOther: stole a car

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	83	6.1 %
	Missing Data		
-400	Questions not asked in this version	1045	77.2 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-105	Name of bf gf missing v16+ - questions skipped	103	7.6 %
-9	Dont know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 84 valid cases out of 1,354 total cases.

Location: 1105-1108 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S5PDEL_SDEL10: S5 PDel_SigOther: gone into building to steal

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	83	6.1 %
	Missing Data		
-400	Questions not asked in this version	1045	77.2 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-105	Name of bf gf missing v16+ - questions skipped	103	7.6 %
-9	Dont know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 84 valid cases out of 1,354 total cases.

Location: 1109-1112 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S5PDEL19: S5 PDel: BFGF suggest go out drinking

Value	Label	Unweighted Frequency	%
1	Yes	78	5.8 %
5	No	583	43.1 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	120	8.9 %
-104	Name of bf gf missing earlier versions - questions skipped	571	42.2 %
-9	Dont Know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 661 valid cases out of 1,354 total cases.

Location: 1113-1116 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S5PDEL20: S5 PDel: BFGF say must be drunk to have good time

Value	Label	Unweighted Frequency	%
1	Yes	12	0.9 %
5	No	649	47.9 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	120	8.9 %
-104	Name of bf gf missing earlier versions - questions skipped	571	42.2 %

Value	Label	Unweighted Frequency	%
-9	Dont Know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 661 valid cases out of 1,354 total cases.

Location: 1117-1120 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S5PDEL21: S5 PDel: BFGF say must be high to have good time

Value	Label	Unweighted Frequency	%
1	Yes	13	1.0 %
5	No	648	47.9 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	120	8.9 %
-104	Name of bf gf missing earlier versions - questions skipped	571	42.2 %
-9	Dont Know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 661 valid cases out of 1,354 total cases.

Location: 1121-1124 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S5PDEL22: S5 PDel: BFGF suggest sell drugs

Value	Label	Unweighted Frequency	%
1	Yes	8	0.6 %
5	No	653	48.2 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	120	8.9 %
-104	Name of bf gf missing earlier versions - questions skipped	571	42.2 %
-9	Dont Know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 661 valid cases out of 1,354 total cases.

Location: 1125-1128 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S5PDEL23: S5 PDel: BFGF suggest steal something

Value	Label	Unweighted Frequency	%
1	Yes	7	0.5 %
5	No	654	48.3 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	120	8.9 %
-104	Name of bf gf missing earlier versions - questions skipped	571	42.2 %
-9	Dont Know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 661 valid cases out of 1,354 total cases.

Location: 1129-1132 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S5PDEL24: S5 PDel: BFGF suggest hit/beat someone

Value	Label	Unweighted Frequency	%
1	Yes	27	2.0 %
5	No	634	46.8 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	120	8.9 %
-104	Name of bf gf missing earlier versions - questions skipped	571	42.2 %
-9	Dont Know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 661 valid cases out of 1,354 total cases.

Location: 1133-1136 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S5PDEL25: S5 PDel: BFGF suggest carry weapon

Value	Label	Unweighted Frequency	%
1	Yes	19	1.4 %
5	No	642	47.4 %
7	NA - subject hasnt tried to commit crime	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-201	IntCompStat = 4 missed interview	120	8.9 %
-104	Name of bf gf missing earlier versions - questions skipped	571	42.2 %
-9	Dont Know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 661 valid cases out of 1,354 total cases.

Location: 1137-1140 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S5PDEL26: S5 PDel: BFGF hit/force things against will

Value	Label	Unweighted Frequency	%
1	Yes	35	2.6 %
5	No	626	46.2 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	120	8.9 %
-104	Name of bf gf missing earlier versions - questions skipped	571	42.2 %
-9	Dont Know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 661 valid cases out of 1,354 total cases.

Location: 1141-1144 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S5PDEL27: S5 PDel: BFGF try stop from committing crime

Value	Label	Unweighted Frequency	%
1	Yes	166	12.3 %
5	No	475	35.1 %
7	NA - subject hasnt tried to commit crime	16	1.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	120	8.9 %
-104	Name of bf gf missing earlier versions - questions skipped	571	42.2 %
-9	Dont Know	5	0.4 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 657 valid cases out of 1,354 total cases.

Location: 1145-1148 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S5PDEL_RQNAME: S5 PDel: BFGF name

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1149-1160 (width: 12; decimal: 0)
Variable Type: character

S5PDEL_RQLABL: S5 PDel: Romantic partner label

Value	Label	Unweighted Frequency	%
1	boyfriend	15	1.1 %
2	ex-boyfriend	6	0.4 %
3	husband	3	0.2 %
4	ex-husband	1	0.1 %
5	girlfriend	41	3.0 %
6	ex-girlfriend	15	1.1 %
7	wife	4	0.3 %
8	ex-wife	1	0.1 %
9	partner	0	0.0 %
10	ex-partner	0	0.0 %
	Missing Data		
97	Missing	1268	93.6 %
	Total	**1,354**	**100%**

Based upon 86 valid cases out of 1,354 total cases.

Location: 1161-1162 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

S5PRBEHV: S5 PDel: Antisocial Behavior

Based upon 1,204 valid cases out of 1,354 total cases.

- Mean: 1.6472418731
- Median: 1.3333333333
- Mode: 1.0000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.7489211564

Location: 1163-1177 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S5PRINFL: S5 PDel: Antisocial Influence

Based upon 1,215 valid cases out of 1,354 total cases.

- Mean: 1.4124632569
- Median: 1.0000000000
- Mode: 1.0000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.6714572667

Location: 1178-1192 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S6PDEL_PCONT: S6 PDel: How often seen/talk to closest friend

Value	Label	Unweighted Frequency	%
1	Twice a day	5	0.4 %
2	Daily	58	4.3 %
3	More than once a week	17	1.3 %
4	Once a week	28	2.1 %
5	Once every two weeks	19	1.4 %
6	Once a month	17	1.3 %
7	Once every few months	23	1.7 %
8	Never	57	4.2 %
97	NA	18	1.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Subject not locked up - question skipped	988	73.0 %
-99	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 242 valid cases out of 1,354 total cases.

Location: 1193-1196 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -99 , -98

S6PDEL1: S6 PDel: Num friends damaged property

Value	Label	Unweighted Frequency	%
1	None of them	933	68.9 %
2	Very few of them	149	11.0 %
3	Some of them	87	6.4 %

Value	Label	Unweighted Frequency	%
4	Most of them	18	1.3 %
5	All of them	10	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont know	34	2.5 %
	Total	**1,354**	**100%**

Based upon 1,197 valid cases out of 1,354 total cases.

Location: 1197-1200 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S6PDEL2: S6 PDel: Num friends hit/threaten hit someone

Value	Label	Unweighted Frequency	%
1	None of them	718	53.0 %
2	Very few of them	249	18.4 %
3	Some of them	156	11.5 %
4	Most of them	59	4.4 %
5	All of them	17	1.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont know	32	2.4 %
	Total	**1,354**	**100%**

Based upon 1,199 valid cases out of 1,354 total cases.

Location: 1201-1204 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S6PDEL3: S6 PDel: Num friends sold drugs

Value	Label	Unweighted Frequency	%
1	None of them	758	56.0 %
2	Very few of them	181	13.4 %
3	Some of them	142	10.5 %
4	Most of them	83	6.1 %
5	All of them	35	2.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont know	32	2.4 %
	Total	**1,354**	**100%**

Based upon 1,199 valid cases out of 1,354 total cases.

Location: 1205-1208 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S6PDEL4: S6 PDel: Num friends got drunk

Value	Label	Unweighted Frequency	%
1	None of them	485	35.8 %
2	Very few of them	239	17.7 %
3	Some of them	240	17.7 %
4	Most of them	159	11.7 %
5	All of them	79	5.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont know	29	2.1 %
	Total	**1,354**	**100%**

Based upon 1,202 valid cases out of 1,354 total cases.

Location: 1209-1212 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S6PDEL4B: S6 PDel: Num friends gotten high on drugs

Value	Label	Unweighted Frequency	%
1	None of them	289	21.3 %
2	Very few of them	91	6.7 %
3	Some of them	111	8.2 %
4	Most of them	64	4.7 %
5	All of them	38	2.8 %
	Missing Data		
-400	Question not asked in this version	627	46.3 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont know	12	0.9 %
	Total	**1,354**	**100%**

Based upon 593 valid cases out of 1,354 total cases.

Location: 1213-1216 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -9 , -8

S6PDEL5A: S6 PDel: Num friends carried knife

Value	Label	Unweighted Frequency	%
1	None of them	866	64.0 %
2	Very few of them	126	9.3 %
3	Some of them	131	9.7 %
4	Most of them	47	3.5 %
5	All of them	29	2.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont know	32	2.4 %
	Total	**1,354**	**100%**

Based upon 1,199 valid cases out of 1,354 total cases.

Location: 1217-1220 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S6PDEL5B: S6 PDel: Num friends carried gun

Value	Label	Unweighted Frequency	%
1	None of them	795	58.7 %
2	Very few of them	141	10.4 %
3	Some of them	165	12.2 %
4	Most of them	68	5.0 %
5	All of them	28	2.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont know	34	2.5 %
	Total	**1,354**	**100%**

Based upon 1,197 valid cases out of 1,354 total cases.

Location: 1221-1224 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S6PDEL5C: S6 PDel: Num friends owned gun

Value	Label	Unweighted Frequency	%
1	None of them	762	56.3 %
2	Very few of them	158	11.7 %
3	Some of them	171	12.6 %
4	Most of them	68	5.0 %
5	All of them	38	2.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont know	34	2.5 %
	Total	**1,354**	**100%**

Based upon 1,197 valid cases out of 1,354 total cases.

Location: 1225-1228 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S6PDEL6: S6 PDel: Num friends got into fight

Value	Label	Unweighted Frequency	%
1	None of them	652	48.2 %
2	Very few of them	246	18.2 %
3	Some of them	199	14.7 %
4	Most of them	71	5.2 %
5	All of them	30	2.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont know	33	2.4 %
	Total	**1,354**	**100%**

Based upon 1,198 valid cases out of 1,354 total cases.

Location: 1229-1232 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S6PDEL7: S6 PDel: Num friends been hurt fight

Value	Label	Unweighted Frequency	%
1	None of them	847	62.6 %
2	Very few of them	183	13.5 %
3	Some of them	130	9.6 %
4	Most of them	28	2.1 %

Value	Label	Unweighted Frequency	%
5	All of them	9	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont know	34	2.5 %
	Total	**1,354**	**100%**

Based upon 1,197 valid cases out of 1,354 total cases.

Location: 1233-1236 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S6PDEL8: S6 PDel: Num friends stole worth more 100 dol

Value	Label	Unweighted Frequency	%
1	None of them	930	68.7 %
2	Very few of them	119	8.8 %
3	Some of them	104	7.7 %
4	Most of them	29	2.1 %
5	All of them	14	1.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont know	35	2.6 %
	Total	**1,354**	**100%**

Based upon 1,196 valid cases out of 1,354 total cases.

Location: 1237-1240 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S6PDEL9: S6 PDel: Num friends stole car

Value	Label	Unweighted Frequency	%
1	None of them	1011	74.7 %
2	Very few of them	93	6.9 %
3	Some of them	73	5.4 %
4	Most of them	14	1.0 %
5	All of them	6	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %

Value	Label	Unweighted Frequency	%
-9	Dont know	34	2.5 %
	Total	**1,354**	**100%**

Based upon 1,197 valid cases out of 1,354 total cases.

Location: 1241-1244 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S6PDEL10: S6 PDel: Num friends go into building steal

Value	Label	Unweighted Frequency	%
1	None of them	1015	75.0 %
2	Very few of them	98	7.2 %
3	Some of them	71	5.2 %
4	Most of them	7	0.5 %
5	All of them	7	0.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont know	33	2.4 %
	Total	**1,354**	**100%**

Based upon 1,198 valid cases out of 1,354 total cases.

Location: 1245-1248 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S6PDEL11: S6 PDel: Num friends said go drink w/them

Value	Label	Unweighted Frequency	%
1	None of them	711	52.5 %
2	Very few of them	164	12.1 %
3	Some of them	205	15.1 %
4	Most of them	82	6.1 %
5	All of them	48	3.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont know	21	1.6 %
	Total	**1,354**	**100%**

Based upon 1,210 valid cases out of 1,354 total cases.

Location: 1249-1252 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S6PDEL12: S6 PDel: Num friends say have drink good time

Value	Label	Unweighted Frequency	%
1	None of them	955	70.5 %
2	Very few of them	122	9.0 %
3	Some of them	96	7.1 %
4	Most of them	25	1.8 %
5	All of them	12	0.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont know	21	1.6 %
	Total	**1,354**	**100%**

Based upon 1,210 valid cases out of 1,354 total cases.

Location: 1253-1256 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S6PDEL13: S6 PDel: Num friends say high have good time

Value	Label	Unweighted Frequency	%
1	None of them	962	71.0 %
2	Very few of them	113	8.3 %
3	Some of them	96	7.1 %
4	Most of them	26	1.9 %
5	All of them	13	1.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont know	21	1.6 %
	Total	**1,354**	**100%**

Based upon 1,210 valid cases out of 1,354 total cases.

Location: 1257-1260 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S6PDEL14: S6 PDel: Num friends say sell drugs

Value	Label	Unweighted Frequency	%
1	None of them	992	73.3 %
2	Very few of them	107	7.9 %
3	Some of them	87	6.4 %
4	Most of them	16	1.2 %
5	All of them	8	0.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont know	21	1.6 %
	Total	**1,354**	**100%**

Based upon 1,210 valid cases out of 1,354 total cases.

Location: 1261-1264 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S6PDEL15: S6 PDel: Num friends say steal

Value	Label	Unweighted Frequency	%
1	None of them	1063	78.5 %
2	Very few of them	77	5.7 %
3	Some of them	56	4.1 %
4	Most of them	10	0.7 %
5	All of them	4	0.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont know	21	1.6 %
	Total	**1,354**	**100%**

Based upon 1,210 valid cases out of 1,354 total cases.

Location: 1265-1268 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S6PDEL16: S6 PDel: Num friends say hit beat someone

Value	Label	Unweighted Frequency	%
1	None of them	948	70.0 %
2	Very few of them	135	10.0 %
3	Some of them	98	7.2 %
4	Most of them	21	1.6 %

Value	Label	Unweighted Frequency	%
5	All of them	8	0.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont know	21	1.6 %
	Total	**1,354**	**100%**

Based upon 1,210 valid cases out of 1,354 total cases.

Location: 1269-1272 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S6PDEL17: S6 PDel: Num friends say carry weapon

Value	Label	Unweighted Frequency	%
1	None of them	970	71.6 %
2	Very few of them	109	8.1 %
3	Some of them	83	6.1 %
4	Most of them	30	2.2 %
5	All of them	18	1.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont know	21	1.6 %
	Total	**1,354**	**100%**

Based upon 1,210 valid cases out of 1,354 total cases.

Location: 1273-1276 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S6PDEL_SDEL1: S6 PDel_SigOther: damaged/destroyed property

Value	Label	Unweighted Frequency	%
1	Yes	17	1.3 %
5	No	294	21.7 %
	Missing Data		
-400	Questions not asked in this version	627	46.3 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-105	Name of bf gf missing v16+ - questions skipped	293	21.6 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 311 valid cases out of 1,354 total cases.

Location: 1277-1280 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S6PDEL_SDEL2: S6 PDel_SigOther: hit/threatened to hit someone

Value	Label	Unweighted Frequency	%
1	Yes	27	2.0 %
5	No	284	21.0 %
	Missing Data		
-400	Questions not asked in this version	627	46.3 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-105	Name of bf gf missing v16+ - questions skipped	293	21.6 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 311 valid cases out of 1,354 total cases.

Location: 1281-1284 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S6PDEL_SDEL3: S6 PDel_SigOther: sold drugs

Value	Label	Unweighted Frequency	%
1	Yes	12	0.9 %
5	No	299	22.1 %
	Missing Data		
-400	Questions not asked in this version	627	46.3 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-105	Name of bf gf missing v16+ - questions skipped	293	21.6 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 311 valid cases out of 1,354 total cases.

Location: 1285-1288 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S6PDEL_SDEL4A: S6 PDel_SigOther: gotten drunk

Value	Label	Unweighted Frequency	%
1	Yes	72	5.3 %
5	No	239	17.7 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-400	Questions not asked in this version	627	46.3 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-105	Name of bf gf missing v16+ - questions skipped	293	21.6 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 311 valid cases out of 1,354 total cases.

Location: 1289-1292 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S6PDEL_SDEL4B: S6 PDel_SigOther: got high on drugs

Value	Label	Unweighted Frequency	%
1	Yes	54	4.0 %
5	No	257	19.0 %
	Missing Data		
-400	Questions not asked in this version	627	46.3 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-105	Name of bf gf missing v16+ - questions skipped	293	21.6 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 311 valid cases out of 1,354 total cases.

Location: 1293-1296 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S6PDEL_SDEL5A: S6 PDel_SigOther: carried a knife

Value	Label	Unweighted Frequency	%
1	Yes	15	1.1 %
5	No	296	21.9 %
	Missing Data		
-400	Questions not asked in this version	627	46.3 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-105	Name of bf gf missing v16+ - questions skipped	293	21.6 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 311 valid cases out of 1,354 total cases.

Location: 1297-1300 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S6PDEL_SDEL5B: S6 PDel_SigOther: carried a gun

Value	Label	Unweighted Frequency	%
1	Yes	7	0.5 %
5	No	303	22.4 %
	Missing Data		
-400	Questions not asked in this version	627	46.3 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-105	Name of bf gf missing v16+ - questions skipped	293	21.6 %
-9	Dont know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 1301-1304 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S6PDEL_SDEL5C: S6 PDel_SigOther: owned a gun

Value	Label	Unweighted Frequency	%
1	Yes	9	0.7 %
5	No	301	22.2 %
	Missing Data		
-400	Questions not asked in this version	627	46.3 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-105	Name of bf gf missing v16+ - questions skipped	293	21.6 %
-9	Dont know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 1305-1308 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S6PDEL_SDEL6: S6 PDel_SigOther: got into fight

Value	Label	Unweighted Frequency	%
1	Yes	26	1.9 %
5	No	285	21.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-400	Questions not asked in this version	627	46.3 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-105	Name of bf gf missing v16+ - questions skipped	293	21.6 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 311 valid cases out of 1,354 total cases.

Location: 1309-1312 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S6PDEL_SDEL7: S6 PDel_SigOther: hurt in fight

Value	Label	Unweighted Frequency	%
1	Yes	4	0.3 %
5	No	307	22.7 %
	Missing Data		
-400	Questions not asked in this version	627	46.3 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-105	Name of bf gf missing v16+ - questions skipped	293	21.6 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 311 valid cases out of 1,354 total cases.

Location: 1313-1316 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S6PDEL_SDEL8: S6 PDel_SigOther: stole something more than $100

Value	Label	Unweighted Frequency	%
1	Yes	7	0.5 %
5	No	304	22.5 %
	Missing Data		
-400	Questions not asked in this version	627	46.3 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-105	Name of bf gf missing v16+ - questions skipped	293	21.6 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 311 valid cases out of 1,354 total cases.

Location: 1317-1320 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S6PDEL_SDEL9: S6 PDel_SigOther: stole a car

Value	Label	Unweighted Frequency	%
1	Yes	3	0.2 %
5	No	308	22.7 %
	Missing Data		
-400	Questions not asked in this version	627	46.3 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-105	Name of bf gf missing v16+ - questions skipped	293	21.6 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 311 valid cases out of 1,354 total cases.

Location: 1321-1324 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S6PDEL_SDEL10: S6 PDel_SigOther: gone into building to steal

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	310	22.9 %
	Missing Data		
-400	Questions not asked in this version	627	46.3 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-105	Name of bf gf missing v16+ - questions skipped	293	21.6 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 311 valid cases out of 1,354 total cases.

Location: 1325-1328 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S6PDEL19: S6 PDel: BFGF suggest go out drinking

Value	Label	Unweighted Frequency	%
1	Yes	76	5.6 %
5	No	581	42.9 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-202	Partial interview - data missing	1	0.1 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	122	9.0 %
-104	Name of bf gf missing earlier versions - questions skipped	572	42.2 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 657 valid cases out of 1,354 total cases.

Location: 1329-1332 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S6PDEL20: S6 PDel: BFGF say must be drunk to have good time

Value	Label	Unweighted Frequency	%
1	Yes	8	0.6 %
5	No	649	47.9 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-202	Partial interview - data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-104	Name of bf gf missing earlier versions - questions skipped	572	42.2 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 657 valid cases out of 1,354 total cases.

Location: 1333-1336 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S6PDEL21: S6 PDel: BFGF say must be high to have good time

Value	Label	Unweighted Frequency	%
1	Yes	8	0.6 %
5	No	649	47.9 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-202	Partial interview - data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-104	Name of bf gf missing earlier versions - questions skipped	572	42.2 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 657 valid cases out of 1,354 total cases.

Location: 1337-1340 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S6PDEL22: S6 PDel: BFGF suggest sell drugs

Value	Label	Unweighted Frequency	%
1	Yes	5	0.4 %
5	No	652	48.2 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-202	Partial interview - data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-104	Name of bf gf missing earlier versions - questions skipped	572	42.2 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 657 valid cases out of 1,354 total cases.

Location: 1341-1344 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S6PDEL23: S6 PDel: BFGF suggest steal something

Value	Label	Unweighted Frequency	%
1	Yes	4	0.3 %
5	No	653	48.2 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-202	Partial interview - data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-104	Name of bf gf missing earlier versions - questions skipped	572	42.2 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 657 valid cases out of 1,354 total cases.

Location: 1345-1348 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S6PDEL24: S6 PDel: BFGF suggest hit/beat someone

Value	Label	Unweighted Frequency	%
1	Yes	21	1.6 %

Value	Label	Unweighted Frequency	%
5	No	636	47.0 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-202	Partial interview - data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-104	Name of bf gf missing earlier versions - questions skipped	572	42.2 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 657 valid cases out of 1,354 total cases.

Location: 1349-1352 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S6PDEL25: S6 PDel: BFGF suggest carry weapon

Value	Label	Unweighted Frequency	%
1	Yes	16	1.2 %
5	No	641	47.3 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-202	Partial interview - data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-104	Name of bf gf missing earlier versions - questions skipped	572	42.2 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 657 valid cases out of 1,354 total cases.

Location: 1353-1356 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S6PDEL26: S6 PDel: BFGF hit/force things against will

Value	Label	Unweighted Frequency	%
1	Yes	24	1.8 %
5	No	633	46.8 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-202	Partial interview - data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-104	Name of bf gf missing earlier versions - questions skipped	572	42.2 %

Value	Label	Unweighted Frequency	%
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 657 valid cases out of 1,354 total cases.

Location: 1357-1360 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S6PDEL27: S6 PDel: BFGF try stop from committing crime

Value	Label	Unweighted Frequency	%
1	Yes	158	11.7 %
5	No	391	28.9 %
7	NA - subject hasnt tried to commit crime	104	7.7 %
	Missing Data		
-202	Partial interview - data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-104	Name of bf gf missing earlier versions - questions skipped	572	42.2 %
-9	Dont Know	6	0.4 %
	Total	**1,354**	**100%**

Based upon 653 valid cases out of 1,354 total cases.

Location: 1361-1364 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S6PDEL_RQNAME: S6 PDel: BFGF name

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1365-1376 (width: 12; decimal: 0)
Variable Type: character

S6PDEL_RQLABL: S6 PDel: Romantic partner label

Value	Label	Unweighted Frequency	%
1	boyfriend	61	4.5 %
2	ex-boyfriend	7	0.5 %
3	husband	6	0.4 %
4	ex-husband	0	0.0 %
5	girlfriend	188	13.9 %
6	ex-girlfriend	30	2.2 %
7	wife	15	1.1 %
8	ex-wife	1	0.1 %

Value	Label	Unweighted Frequency	%
9	partner	2	0.1 %
10	ex-partner	0	0.0 %
	Missing Data		
97	Missing	1042	77.0 %
99	Don't Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 1377-1378 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

S6PRBEHV: S6 PDel: Antisocial Behavior

Based upon 1,197 valid cases out of 1,354 total cases.

- Mean: 1.6103597507
- Median: 1.3333333333
- Mode: 1.0000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.7287987669

Location: 1379-1393 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S6PRINFL: S6 PDel: Antisocial Influence

Based upon 1,210 valid cases out of 1,354 total cases.

- Mean: 1.3946871311
- Median: 1.0000000000
- Mode: 1.0000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.6297879375

Location: 1394-1408 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S7PDEL_PCONT: S7 PDel: How often seen/talk to closest friend

Value	Label	Unweighted Frequency	%
1	Twice a day	3	0.2 %
2	Daily	41	3.0 %
3	More than once a week	24	1.8 %

Value	Label	Unweighted Frequency	%
4	Once a week	19	1.4 %
5	Once every two weeks	12	0.9 %
6	Once a month	19	1.4 %
7	Once every few months	15	1.1 %
8	Never	38	2.8 %
97	NA	21	1.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Subject not locked up - question skipped	1018	75.2 %
-99	Dont Know	4	0.3 %
	Total	**1,354**	**100%**

Based upon 192 valid cases out of 1,354 total cases.

Location: 1409-1412 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -99 , -98

S7PDEL1: S7 PDel: Num friends damaged property

Value	Label	Unweighted Frequency	%
1	None of them	897	66.2 %
2	Very few of them	164	12.1 %
3	Some of them	102	7.5 %
4	Most of them	27	2.0 %
5	All of them	8	0.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont know	15	1.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,198 valid cases out of 1,354 total cases.

Location: 1413-1416 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S7PDEL2: S7 PDel: Num friends hit/threaten hit someone

Value	Label	Unweighted Frequency	%
1	None of them	711	52.5 %

Value	Label	Unweighted Frequency	%
2	Very few of them	245	18.1 %
3	Some of them	166	12.3 %
4	Most of them	63	4.7 %
5	All of them	17	1.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont know	11	0.8 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,202 valid cases out of 1,354 total cases.

Location: 1417-1420 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S7PDEL3: S7 PDel: Num friends sold drugs

Value	Label	Unweighted Frequency	%
1	None of them	730	53.9 %
2	Very few of them	181	13.4 %
3	Some of them	155	11.4 %
4	Most of them	93	6.9 %
5	All of them	42	3.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont know	12	0.9 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,201 valid cases out of 1,354 total cases.

Location: 1421-1424 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S7PDEL4: S7 PDel: Num friends got drunk

Value	Label	Unweighted Frequency	%
1	None of them	447	33.0 %
2	Very few of them	201	14.8 %
3	Some of them	305	22.5 %

Value	Label	Unweighted Frequency	%
4	Most of them	175	12.9 %
5	All of them	74	5.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont know	11	0.8 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,202 valid cases out of 1,354 total cases.

Location: 1425-1428 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S7PDEL4B: S7 PDel: Num friends gotten high on drugs

Value	Label	Unweighted Frequency	%
1	None of them	533	39.4 %
2	Very few of them	180	13.3 %
3	Some of them	260	19.2 %
4	Most of them	166	12.3 %
5	All of them	61	4.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont know	13	1.0 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,200 valid cases out of 1,354 total cases.

Location: 1429-1432 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -9 , -8

S7PDEL5A: S7 PDel: Num friends carried knife

Value	Label	Unweighted Frequency	%
1	None of them	838	61.9 %
2	Very few of them	162	12.0 %
3	Some of them	128	9.5 %
4	Most of them	52	3.8 %
5	All of them	22	1.6 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont know	11	0.8 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,202 valid cases out of 1,354 total cases.

Location: 1433-1436 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S7PDEL5B: S7 PDel: Num friends carried gun

Value	Label	Unweighted Frequency	%
1	None of them	755	55.8 %
2	Very few of them	159	11.7 %
3	Some of them	172	12.7 %
4	Most of them	83	6.1 %
5	All of them	33	2.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont know	11	0.8 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,202 valid cases out of 1,354 total cases.

Location: 1437-1440 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S7PDEL5C: S7 PDel: Num friends owned gun

Value	Label	Unweighted Frequency	%
1	None of them	714	52.7 %
2	Very few of them	168	12.4 %
3	Some of them	175	12.9 %
4	Most of them	108	8.0 %
5	All of them	37	2.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont know	11	0.8 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,202 valid cases out of 1,354 total cases.

Location: 1441-1444 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S7PDEL6: S7 PDel: Num friends got into fight

Value	Label	Unweighted Frequency	%
1	None of them	603	44.5 %
2	Very few of them	227	16.8 %
3	Some of them	234	17.3 %
4	Most of them	93	6.9 %
5	All of them	45	3.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont know	11	0.8 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,202 valid cases out of 1,354 total cases.

Location: 1445-1448 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S7PDEL7: S7 PDel: Num friends been hurt fight

Value	Label	Unweighted Frequency	%
1	None of them	776	57.3 %
2	Very few of them	209	15.4 %
3	Some of them	160	11.8 %
4	Most of them	40	3.0 %
5	All of them	18	1.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont know	10	0.7 %

Value	Label	Unweighted Frequency	%
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,203 valid cases out of 1,354 total cases.

Location: 1449-1452 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S7PDEL8: S7 PDel: Num friends stole worth more 100 dol

Value	Label	Unweighted Frequency	%
1	None of them	901	66.5 %
2	Very few of them	126	9.3 %
3	Some of them	112	8.3 %
4	Most of them	48	3.5 %
5	All of them	12	0.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont know	14	1.0 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,199 valid cases out of 1,354 total cases.

Location: 1453-1456 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S7PDEL9: S7 PDel: Num friends stole car

Value	Label	Unweighted Frequency	%
1	None of them	977	72.2 %
2	Very few of them	103	7.6 %
3	Some of them	89	6.6 %
4	Most of them	26	1.9 %
5	All of them	6	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont know	12	0.9 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,201 valid cases out of 1,354 total cases.

Location: 1457-1460 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S7PDEL10: S7 PDel: Num friends go into building steal

Value	Label	Unweighted Frequency	%
1	None of them	992	73.3 %
2	Very few of them	105	7.8 %
3	Some of them	75	5.5 %
4	Most of them	21	1.6 %
5	All of them	8	0.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont know	12	0.9 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,201 valid cases out of 1,354 total cases.

Location: 1461-1464 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S7PDEL11: S7 PDel: Num friends said go drink w/them

Value	Label	Unweighted Frequency	%
1	None of them	652	48.2 %
2	Very few of them	182	13.4 %
3	Some of them	206	15.2 %
4	Most of them	105	7.8 %
5	All of them	60	4.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont know	8	0.6 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,205 valid cases out of 1,354 total cases.

Location: 1465-1468 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S7PDEL12: S7 PDel: Num friends say have drink good time

Value	Label	Unweighted Frequency	%
1	None of them	933	68.9 %
2	Very few of them	121	8.9 %
3	Some of them	97	7.2 %
4	Most of them	38	2.8 %
5	All of them	16	1.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont know	8	0.6 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,205 valid cases out of 1,354 total cases.

Location: 1469-1472 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S7PDEL13: S7 PDel: Num friends say high have good time

Value	Label	Unweighted Frequency	%
1	None of them	949	70.1 %
2	Very few of them	114	8.4 %
3	Some of them	91	6.7 %
4	Most of them	34	2.5 %
5	All of them	17	1.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont know	8	0.6 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,205 valid cases out of 1,354 total cases.

Location: 1473-1476 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S7PDEL14: S7 PDel: Num friends say sell drugs

Value	Label	Unweighted Frequency	%
1	None of them	979	72.3 %
2	Very few of them	100	7.4 %
3	Some of them	85	6.3 %
4	Most of them	32	2.4 %
5	All of them	9	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont know	8	0.6 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,205 valid cases out of 1,354 total cases.

Location: 1477-1480 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S7PDEL15: S7 PDel: Num friends say steal

Value	Label	Unweighted Frequency	%
1	None of them	1074	79.3 %
2	Very few of them	68	5.0 %
3	Some of them	44	3.2 %
4	Most of them	14	1.0 %
5	All of them	5	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont know	8	0.6 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,205 valid cases out of 1,354 total cases.

Location: 1481-1484 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S7PDEL16: S7 PDel: Num friends say hit beat someone

Value	Label	Unweighted Frequency	%
1	None of them	944	69.7 %
2	Very few of them	130	9.6 %

Value	Label	Unweighted Frequency	%
3	Some of them	94	6.9 %
4	Most of them	27	2.0 %
5	All of them	10	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont know	8	0.6 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,205 valid cases out of 1,354 total cases.

Location: 1485-1488 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S7PDEL17: S7 PDel: Num friends say carry weapon

Value	Label	Unweighted Frequency	%
1	None of them	961	71.0 %
2	Very few of them	86	6.4 %
3	Some of them	92	6.8 %
4	Most of them	37	2.7 %
5	All of them	29	2.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont know	8	0.6 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,205 valid cases out of 1,354 total cases.

Location: 1489-1492 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S7PDEL_SDEL1: S7 PDel_SigOther: damaged/destroyed property

Value	Label	Unweighted Frequency	%
1	Yes	38	2.8 %
5	No	722	53.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	139	10.3 %
-105	Name of bf gf missing v16+ - questions skipped	451	33.3 %
-9	Dont know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 760 valid cases out of 1,354 total cases.

Location: 1493-1496 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S7PDEL_SDEL2: S7 PDel_SigOther: hit/threatened to hit someone

Value	Label	Unweighted Frequency	%
1	Yes	74	5.5 %
5	No	687	50.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-105	Name of bf gf missing v16+ - questions skipped	451	33.3 %
-9	Dont know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 761 valid cases out of 1,354 total cases.

Location: 1497-1500 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S7PDEL_SDEL3: S7 PDel_SigOther: sold drugs

Value	Label	Unweighted Frequency	%
1	Yes	27	2.0 %
5	No	735	54.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-105	Name of bf gf missing v16+ - questions skipped	451	33.3 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 762 valid cases out of 1,354 total cases.

Location: 1501-1504 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S7PDEL_SDEL4A: S7 PDel_SigOther: gotten drunk

Value	Label	Unweighted Frequency	%
1	Yes	184	13.6 %
5	No	578	42.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-105	Name of bf gf missing v16+ - questions skipped	451	33.3 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 762 valid cases out of 1,354 total cases.

Location: 1505-1508 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S7PDEL_SDEL4B: S7 PDel_SigOther: got high on drugs

Value	Label	Unweighted Frequency	%
1	Yes	123	9.1 %
5	No	638	47.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-105	Name of bf gf missing v16+ - questions skipped	451	33.3 %
-9	Dont know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 761 valid cases out of 1,354 total cases.

Location: 1509-1512 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S7PDEL_SDEL5A: S7 PDel_SigOther: carried a knife

Value	Label	Unweighted Frequency	%
1	Yes	34	2.5 %
5	No	728	53.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-105	Name of bf gf missing v16+ - questions skipped	451	33.3 %

Value	Label	Unweighted Frequency	%
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 762 valid cases out of 1,354 total cases.

Location: 1513-1516 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S7PDEL_SDEL5B: S7 PDel_SigOther: carried a gun

Value	Label	Unweighted Frequency	%
1	Yes	26	1.9 %
5	No	735	54.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-105	Name of bf gf missing v16+ - questions skipped	451	33.3 %
-9	Dont know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 761 valid cases out of 1,354 total cases.

Location: 1517-1520 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S7PDEL_SDEL5C: S7 PDel_SigOther: owned a gun

Value	Label	Unweighted Frequency	%
1	Yes	25	1.8 %
5	No	736	54.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-105	Name of bf gf missing v16+ - questions skipped	451	33.3 %
-9	Dont know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 761 valid cases out of 1,354 total cases.

Location: 1521-1524 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S7PDEL_SDEL6: S7 PDel_SigOther: got into fight

Value	Label	Unweighted Frequency	%
1	Yes	67	4.9 %
5	No	695	51.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-105	Name of bf gf missing v16+ - questions skipped	451	33.3 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 762 valid cases out of 1,354 total cases.

Location: 1525-1528 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S7PDEL_SDEL7: S7 PDel_SigOther: hurt in fight

Value	Label	Unweighted Frequency	%
1	Yes	23	1.7 %
5	No	738	54.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-105	Name of bf gf missing v16+ - questions skipped	451	33.3 %
-9	Dont know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 761 valid cases out of 1,354 total cases.

Location: 1529-1532 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S7PDEL_SDEL8: S7 PDel_SigOther: stole something more than $100

Value	Label	Unweighted Frequency	%
1	Yes	20	1.5 %
5	No	741	54.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-105	Name of bf gf missing v16+ - questions skipped	451	33.3 %
-9	Dont know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 761 valid cases out of 1,354 total cases.

Location: 1533-1536 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S7PDEL_SDEL9: S7 PDel_SigOther: stole a car

Value	Label	Unweighted Frequency	%
1	Yes	13	1.0 %
5	No	749	55.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-105	Name of bf gf missing v16+ - questions skipped	451	33.3 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 762 valid cases out of 1,354 total cases.

Location: 1537-1540 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S7PDEL_SDEL10: S7 PDel_SigOther: gone into building to steal

Value	Label	Unweighted Frequency	%
1	Yes	9	0.7 %
5	No	753	55.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-105	Name of bf gf missing v16+ - questions skipped	451	33.3 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 762 valid cases out of 1,354 total cases.

Location: 1541-1544 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S7PDEL19: S7 PDel: BFGF suggest go out drinking

Value	Label	Unweighted Frequency	%
1	Yes	88	6.5 %
5	No	675	49.9 %

Value	Label	Unweighted Frequency	%
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-202	Partial interview - data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-104	Name of bf gf missing earlier versions - questions skipped	451	33.3 %
	Total	**1,354**	**100%**

Based upon 763 valid cases out of 1,354 total cases.

Location: 1545-1548 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S7PDEL20: S7 PDel: BFGF say must be drunk to have good time

Value	Label	Unweighted Frequency	%
1	Yes	16	1.2 %
5	No	747	55.2 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-202	Partial interview - data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-104	Name of bf gf missing earlier versions - questions skipped	451	33.3 %
	Total	**1,354**	**100%**

Based upon 763 valid cases out of 1,354 total cases.

Location: 1549-1552 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S7PDEL21: S7 PDel: BFGF say must be high to have good time

Value	Label	Unweighted Frequency	%
1	Yes	15	1.1 %
5	No	748	55.2 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-202	Partial interview - data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-104	Name of bf gf missing earlier versions - questions skipped	451	33.3 %
	Total	**1,354**	**100%**

Based upon 763 valid cases out of 1,354 total cases.

Location: 1553-1556 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S7PDEL22: S7 PDel: BFGF suggest sell drugs

Value	Label	Unweighted Frequency	%
1	Yes	12	0.9 %
5	No	751	55.5 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-202	Partial interview - data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-104	Name of bf gf missing earlier versions - questions skipped	451	33.3 %
	Total	**1,354**	**100%**

Based upon 763 valid cases out of 1,354 total cases.

Location: 1557-1560 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S7PDEL23: S7 PDel: BFGF suggest steal something

Value	Label	Unweighted Frequency	%
1	Yes	6	0.4 %
5	No	757	55.9 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-202	Partial interview - data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-104	Name of bf gf missing earlier versions - questions skipped	451	33.3 %
	Total	**1,354**	**100%**

Based upon 763 valid cases out of 1,354 total cases.

Location: 1561-1564 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S7PDEL24: S7 PDel: BFGF suggest hit/beat someone

Value	Label	Unweighted Frequency	%
1	Yes	25	1.8 %
5	No	738	54.5 %
7	NA - subject hasnt tried to commit crime	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	Partial interview - data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-104	Name of bf gf missing earlier versions - questions skipped	451	33.3 %
	Total	**1,354**	**100%**

Based upon 763 valid cases out of 1,354 total cases.

Location: 1565-1568 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S7PDEL25: S7 PDel: BFGF suggest carry weapon

Value	Label	Unweighted Frequency	%
1	Yes	17	1.3 %
5	No	746	55.1 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-202	Partial interview - data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-104	Name of bf gf missing earlier versions - questions skipped	451	33.3 %
	Total	**1,354**	**100%**

Based upon 763 valid cases out of 1,354 total cases.

Location: 1569-1572 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S7PDEL26: S7 PDel: BFGF hit/force things against will

Value	Label	Unweighted Frequency	%
1	Yes	40	3.0 %
5	No	723	53.4 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-202	Partial interview - data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-104	Name of bf gf missing earlier versions - questions skipped	451	33.3 %
	Total	**1,354**	**100%**

Based upon 763 valid cases out of 1,354 total cases.

Location: 1573-1576 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S7PDEL27: S7 PDel: BFGF try stop from committing crime

Value	Label	Unweighted Frequency	%
1	Yes	186	13.7 %
5	No	251	18.5 %
7	NA - subject hasnt tried to commit crime	325	24.0 %
	Missing Data		
-202	Partial interview - data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-104	Name of bf gf missing earlier versions - questions skipped	451	33.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 762 valid cases out of 1,354 total cases.

Location: 1577-1580 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S7PDEL_RQNAME: S7 PDel: BFGF name

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1581-1591 (width: 11; decimal: 0)
Variable Type: character

S7PDEL_RQLABL: S7 PDel: Romantic partner label

Value	Label	Unweighted Frequency	%
1	boyfriend	81	6.0 %
2	ex-boyfriend	40	3.0 %
3	husband	17	1.3 %
4	ex-husband	0	0.0 %
5	girlfriend	420	31.0 %
6	ex-girlfriend	154	11.4 %
7	wife	39	2.9 %
8	ex-wife	1	0.1 %
9	partner	4	0.3 %
10	ex-partner	3	0.2 %
	Missing Data		
97	Missing	590	43.6 %
99	Don't Know	5	0.4 %
	Total	**1,354**	**100%**

Based upon 759 valid cases out of 1,354 total cases.

Location: 1592-1593 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

S7PRBEHV: S7 PDel: Antisocial Behavior

Based upon 1,202 valid cases out of 1,354 total cases.

- Mean: 1.7054723286
- Median: 1.4615384615
- Mode: 1.0000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.7824176737

Location: 1594-1608 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S7PRINFL: S7 PDel: Antisocial Influence

Based upon 1,205 valid cases out of 1,354 total cases.

- Mean: 1.4343805572
- Median: 1.1428571429
- Mode: 1.0000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.6760407619

Location: 1609-1623 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S8PDEL_PCONT: S8 PDel: How often seen/talk to closest friend

Value	Label	Unweighted Frequency	%
1	Twice a day	2	0.1 %
2	Daily	36	2.7 %
3	More than once a week	19	1.4 %
4	Once a week	22	1.6 %
5	Once every two weeks	10	0.7 %
6	Once a month	22	1.6 %
7	Once every few months	24	1.8 %
8	Never	39	2.9 %
97	NA	10	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Subject not locked up - question skipped	1022	75.5 %
	Total	**1,354**	**100%**

Based upon 184 valid cases out of 1,354 total cases.

Location: 1624-1627 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -99 , -98

S8PDEL1: S8 PDel: Num friends damaged property

Value	Label	Unweighted Frequency	%
1	None of them	904	66.8 %
2	Very few of them	139	10.3 %
3	Some of them	118	8.7 %
4	Most of them	26	1.9 %
5	All of them	3	0.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-9	Dont know	12	0.9 %
-8	Refused	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,190 valid cases out of 1,354 total cases.

Location: 1628-1631 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S8PDEL2: S8 PDel: Num friends hit/threaten hit someone

Value	Label	Unweighted Frequency	%
1	None of them	721	53.2 %
2	Very few of them	208	15.4 %
3	Some of them	192	14.2 %
4	Most of them	51	3.8 %
5	All of them	20	1.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-9	Dont know	10	0.7 %
-8	Refused	2	0.1 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 1,192 valid cases out of 1,354 total cases.

Location: 1632-1635 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S8PDEL3: S8 PDel: Num friends sold drugs

Value	Label	Unweighted Frequency	%
1	None of them	748	55.2 %
2	Very few of them	146	10.8 %
3	Some of them	182	13.4 %
4	Most of them	83	6.1 %
5	All of them	31	2.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-9	Dont know	12	0.9 %
-8	Refused	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,190 valid cases out of 1,354 total cases.

Location: 1636-1639 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S8PDEL4: S8 PDel: Num friends got drunk

Value	Label	Unweighted Frequency	%
1	None of them	413	30.5 %
2	Very few of them	217	16.0 %
3	Some of them	296	21.9 %
4	Most of them	192	14.2 %
5	All of them	75	5.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-9	Dont know	9	0.7 %
-8	Refused	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,193 valid cases out of 1,354 total cases.

Location: 1640-1643 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S8PDEL4B: S8 PDel: Num friends gotten high on drugs

Value	Label	Unweighted Frequency	%
1	None of them	534	39.4 %
2	Very few of them	187	13.8 %
3	Some of them	254	18.8 %
4	Most of them	141	10.4 %
5	All of them	73	5.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-9	Dont know	13	1.0 %
-8	Refused	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,189 valid cases out of 1,354 total cases.

Location: 1644-1647 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -9 , -8

S8PDEL5A: S8 PDel: Num friends carried knife

Value	Label	Unweighted Frequency	%
1	None of them	811	59.9 %
2	Very few of them	162	12.0 %
3	Some of them	152	11.2 %
4	Most of them	46	3.4 %
5	All of them	18	1.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-9	Dont know	13	1.0 %
-8	Refused	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,189 valid cases out of 1,354 total cases.

Location: 1648-1651 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S8PDEL5B: S8 PDel: Num friends carried gun

Value	Label	Unweighted Frequency	%
1	None of them	725	53.5 %
2	Very few of them	177	13.1 %
3	Some of them	175	12.9 %
4	Most of them	84	6.2 %
5	All of them	31	2.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-9	Dont know	10	0.7 %
-8	Refused	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,192 valid cases out of 1,354 total cases.

Location: 1652-1655 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S8PDEL5C: S8 PDel: Num friends owned gun

Value	Label	Unweighted Frequency	%
1	None of them	702	51.8 %
2	Very few of them	190	14.0 %
3	Some of them	184	13.6 %
4	Most of them	84	6.2 %
5	All of them	32	2.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-9	Dont know	10	0.7 %
-8	Refused	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,192 valid cases out of 1,354 total cases.

Location: 1656-1659 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S8PDEL6: S8 PDel: Num friends got into fight

Value	Label	Unweighted Frequency	%
1	None of them	610	45.1 %
2	Very few of them	233	17.2 %
3	Some of them	220	16.2 %
4	Most of them	98	7.2 %
5	All of them	30	2.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-9	Dont know	11	0.8 %
-8	Refused	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,191 valid cases out of 1,354 total cases.

Location: 1660-1663 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S8PDEL7: S8 PDel: Num friends been hurt fight

Value	Label	Unweighted Frequency	%
1	None of them	779	57.5 %
2	Very few of them	185	13.7 %
3	Some of them	187	13.8 %
4	Most of them	31	2.3 %
5	All of them	10	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-9	Dont know	10	0.7 %
-8	Refused	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,192 valid cases out of 1,354 total cases.

Location: 1664-1667 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S8PDEL8: S8 PDel: Num friends stole worth more 100 dol

Value	Label	Unweighted Frequency	%
1	None of them	887	65.5 %
2	Very few of them	128	9.5 %

Value	Label	Unweighted Frequency	%
3	Some of them	123	9.1 %
4	Most of them	35	2.6 %
5	All of them	13	1.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-9	Dont know	16	1.2 %
-8	Refused	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,186 valid cases out of 1,354 total cases.

Location: 1668-1671 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S8PDEL9: S8 PDel: Num friends stole car

Value	Label	Unweighted Frequency	%
1	None of them	1001	73.9 %
2	Very few of them	86	6.4 %
3	Some of them	86	6.4 %
4	Most of them	14	1.0 %
5	All of them	5	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-9	Dont know	10	0.7 %
-8	Refused	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,192 valid cases out of 1,354 total cases.

Location: 1672-1675 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S8PDEL10: S8 PDel: Num friends go into building steal

Value	Label	Unweighted Frequency	%
1	None of them	994	73.4 %
2	Very few of them	95	7.0 %
3	Some of them	83	6.1 %
4	Most of them	14	1.0 %

Value	Label	Unweighted Frequency	%
5	All of them	3	0.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-9	Dont know	13	1.0 %
-8	Refused	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,189 valid cases out of 1,354 total cases.

Location: 1676-1679 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S8PDEL11: S8 PDel: Num friends said go drink w/them

Value	Label	Unweighted Frequency	%
1	None of them	598	44.2 %
2	Very few of them	197	14.5 %
3	Some of them	235	17.4 %
4	Most of them	105	7.8 %
5	All of them	60	4.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-9	Dont know	7	0.5 %
-8	Refused	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,195 valid cases out of 1,354 total cases.

Location: 1680-1683 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S8PDEL12: S8 PDel: Num friends say have drink good time

Value	Label	Unweighted Frequency	%
1	None of them	900	66.5 %
2	Very few of them	118	8.7 %
3	Some of them	123	9.1 %
4	Most of them	36	2.7 %
5	All of them	18	1.3 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-9	Dont know	7	0.5 %
-8	Refused	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,195 valid cases out of 1,354 total cases.

Location: 1684-1687 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S8PDEL13: S8 PDel: Num friends say high have good time

Value	Label	Unweighted Frequency	%
1	None of them	950	70.2 %
2	Very few of them	98	7.2 %
3	Some of them	96	7.1 %
4	Most of them	36	2.7 %
5	All of them	15	1.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-9	Dont know	7	0.5 %
-8	Refused	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,195 valid cases out of 1,354 total cases.

Location: 1688-1691 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S8PDEL14: S8 PDel: Num friends say sell drugs

Value	Label	Unweighted Frequency	%
1	None of them	970	71.6 %
2	Very few of them	94	6.9 %
3	Some of them	95	7.0 %
4	Most of them	27	2.0 %
5	All of them	9	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %

Value	Label	Unweighted Frequency	%
-9	Dont know	7	0.5 %
-8	Refused	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,195 valid cases out of 1,354 total cases.

Location: 1692-1695 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S8PDEL15: S8 PDel: Num friends say steal

Value	Label	Unweighted Frequency	%
1	None of them	1048	77.4 %
2	Very few of them	70	5.2 %
3	Some of them	63	4.7 %
4	Most of them	11	0.8 %
5	All of them	3	0.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-9	Dont know	7	0.5 %
-8	Refused	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,195 valid cases out of 1,354 total cases.

Location: 1696-1699 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S8PDEL16: S8 PDel: Num friends say hit beat someone

Value	Label	Unweighted Frequency	%
1	None of them	936	69.1 %
2	Very few of them	114	8.4 %
3	Some of them	110	8.1 %
4	Most of them	26	1.9 %
5	All of them	9	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-9	Dont know	7	0.5 %
-8	Refused	2	0.1 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 1,195 valid cases out of 1,354 total cases.

Location: 1700-1703 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S8PDEL17: S8 PDel: Num friends say carry weapon

Value	Label	Unweighted Frequency	%
1	None of them	953	70.4 %
2	Very few of them	92	6.8 %
3	Some of them	95	7.0 %
4	Most of them	39	2.9 %
5	All of them	16	1.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-9	Dont know	7	0.5 %
-8	Refused	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,195 valid cases out of 1,354 total cases.

Location: 1704-1707 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S8PDEL_SDEL1: S8 PDel_SigOther: damaged/destroyed property

Value	Label	Unweighted Frequency	%
1	Yes	32	2.4 %
5	No	703	51.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-105	Name of bf gf missing v16+ - questions skipped	470	34.7 %
	Total	**1,354**	**100%**

Based upon 735 valid cases out of 1,354 total cases.

Location: 1708-1711 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S8PDEL_SDEL2: S8 PDel_SigOther: hit/threatened to hit someone

Value	Label	Unweighted Frequency	%
1	Yes	65	4.8 %
5	No	669	49.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-105	Name of bf gf missing v16+ - questions skipped	470	34.7 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 734 valid cases out of 1,354 total cases.

Location: 1712-1715 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S8PDEL_SDEL3: S8 PDel_SigOther: sold drugs

Value	Label	Unweighted Frequency	%
1	Yes	26	1.9 %
5	No	708	52.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-105	Name of bf gf missing v16+ - questions skipped	470	34.7 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 734 valid cases out of 1,354 total cases.

Location: 1716-1719 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S8PDEL_SDEL4A: S8 PDel_SigOther: gotten drunk

Value	Label	Unweighted Frequency	%
1	Yes	178	13.1 %
5	No	557	41.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-105	Name of bf gf missing v16+ - questions skipped	470	34.7 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 735 valid cases out of 1,354 total cases.

Location: 1720-1723 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S8PDEL_SDEL4B: S8 PDel_SigOther: got high on drugs

Value	Label	Unweighted Frequency	%
1	Yes	96	7.1 %
5	No	639	47.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-105	Name of bf gf missing v16+ - questions skipped	470	34.7 %
	Total	**1,354**	**100%**

Based upon 735 valid cases out of 1,354 total cases.

Location: 1724-1727 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S8PDEL_SDEL5A: S8 PDel_SigOther: carried a knife

Value	Label	Unweighted Frequency	%
1	Yes	32	2.4 %
5	No	703	51.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-105	Name of bf gf missing v16+ - questions skipped	470	34.7 %
	Total	**1,354**	**100%**

Based upon 735 valid cases out of 1,354 total cases.

Location: 1728-1731 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S8PDEL_SDEL5B: S8 PDel_SigOther: carried a gun

Value	Label	Unweighted Frequency	%
1	Yes	23	1.7 %

Value	Label	Unweighted Frequency	%
5	No	712	52.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-105	Name of bf gf missing v16+ - questions skipped	470	34.7 %
	Total	**1,354**	**100%**

Based upon 735 valid cases out of 1,354 total cases.

Location: 1732-1735 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S8PDEL_SDEL5C: S8 PDel_SigOther: owned a gun

Value	Label	Unweighted Frequency	%
1	Yes	19	1.4 %
5	No	716	52.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-105	Name of bf gf missing v16+ - questions skipped	470	34.7 %
	Total	**1,354**	**100%**

Based upon 735 valid cases out of 1,354 total cases.

Location: 1736-1739 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S8PDEL_SDEL6: S8 PDel_SigOther: got into fight

Value	Label	Unweighted Frequency	%
1	Yes	56	4.1 %
5	No	679	50.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-105	Name of bf gf missing v16+ - questions skipped	470	34.7 %
	Total	**1,354**	**100%**

Based upon 735 valid cases out of 1,354 total cases.

Location: 1740-1743 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S8PDEL_SDEL7: S8 PDel_SigOther: hurt in fight

Value	Label	Unweighted Frequency	%
1	Yes	18	1.3 %
5	No	717	53.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-105	Name of bf gf missing v16+ - questions skipped	470	34.7 %
	Total	**1,354**	**100%**

Based upon 735 valid cases out of 1,354 total cases.

Location: 1744-1747 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S8PDEL_SDEL8: S8 PDel_SigOther: stole something more than $100

Value	Label	Unweighted Frequency	%
1	Yes	18	1.3 %
5	No	717	53.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-105	Name of bf gf missing v16+ - questions skipped	470	34.7 %
	Total	**1,354**	**100%**

Based upon 735 valid cases out of 1,354 total cases.

Location: 1748-1751 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S8PDEL_SDEL9: S8 PDel_SigOther: stole a car

Value	Label	Unweighted Frequency	%
1	Yes	7	0.5 %
5	No	728	53.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-105	Name of bf gf missing v16+ - questions skipped	470	34.7 %
	Total	**1,354**	**100%**

Based upon 735 valid cases out of 1,354 total cases.

Location: 1752-1755 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S8PDEL_SDEL10: S8 PDel_SigOther: gone into building to steal

Value	Label	Unweighted Frequency	%
1	Yes	7	0.5 %
5	No	728	53.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-105	Name of bf gf missing v16+ - questions skipped	470	34.7 %
	Total	**1,354**	**100%**

Based upon 735 valid cases out of 1,354 total cases.

Location: 1756-1759 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S8PDEL19: S8 PDel: BFGF suggest go out drinking

Value	Label	Unweighted Frequency	%
1	Yes	86	6.4 %
5	No	649	47.9 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-202	Partial interview - data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-104	Name of bf gf missing earlier versions - questions skipped	470	34.7 %
	Total	**1,354**	**100%**

Based upon 735 valid cases out of 1,354 total cases.

Location: 1760-1763 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S8PDEL20: S8 PDel: BFGF say must be drunk to have good time

Value	Label	Unweighted Frequency	%
1	Yes	19	1.4 %
5	No	716	52.9 %
7	NA - subject hasnt tried to commit crime	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	Partial interview - data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-104	Name of bf gf missing earlier versions - questions skipped	470	34.7 %
	Total	**1,354**	**100%**

Based upon 735 valid cases out of 1,354 total cases.

Location: 1764-1767 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S8PDEL21: S8 PDel: BFGF say must be high to have good time

Value	Label	Unweighted Frequency	%
1	Yes	13	1.0 %
5	No	722	53.3 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-202	Partial interview - data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-104	Name of bf gf missing earlier versions - questions skipped	470	34.7 %
	Total	**1,354**	**100%**

Based upon 735 valid cases out of 1,354 total cases.

Location: 1768-1771 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S8PDEL22: S8 PDel: BFGF suggest sell drugs

Value	Label	Unweighted Frequency	%
1	Yes	13	1.0 %
5	No	722	53.3 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-202	Partial interview - data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-104	Name of bf gf missing earlier versions - questions skipped	470	34.7 %
	Total	**1,354**	**100%**

Based upon 735 valid cases out of 1,354 total cases.

Location: 1772-1775 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S8PDEL23: S8 PDel: BFGF suggest steal something

Value	Label	Unweighted Frequency	%
1	Yes	8	0.6 %
5	No	727	53.7 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-202	Partial interview - data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-104	Name of bf gf missing earlier versions - questions skipped	470	34.7 %
	Total	**1,354**	**100%**

Based upon 735 valid cases out of 1,354 total cases.

Location: 1776-1779 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S8PDEL24: S8 PDel: BFGF suggest hit/beat someone

Value	Label	Unweighted Frequency	%
1	Yes	17	1.3 %
5	No	718	53.0 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-202	Partial interview - data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-104	Name of bf gf missing earlier versions - questions skipped	470	34.7 %
	Total	**1,354**	**100%**

Based upon 735 valid cases out of 1,354 total cases.

Location: 1780-1783 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S8PDEL25: S8 PDel: BFGF suggest carry weapon

Value	Label	Unweighted Frequency	%
1	Yes	20	1.5 %
5	No	715	52.8 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-202	Partial interview - data missing	2	0.1 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	147	10.9 %
-104	Name of bf gf missing earlier versions - questions skipped	470	34.7 %
	Total	**1,354**	**100%**

Based upon 735 valid cases out of 1,354 total cases.

Location: 1784-1787 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S8PDEL26: S8 PDel: BFGF hit/force things against will

Value	Label	Unweighted Frequency	%
1	Yes	34	2.5 %
5	No	701	51.8 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-202	Partial interview - data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-104	Name of bf gf missing earlier versions - questions skipped	470	34.7 %
	Total	**1,354**	**100%**

Based upon 735 valid cases out of 1,354 total cases.

Location: 1788-1791 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S8PDEL27: S8 PDel: BFGF try stop from committing crime

Value	Label	Unweighted Frequency	%
1	Yes	133	9.8 %
5	No	179	13.2 %
7	NA - subject hasnt tried to commit crime	421	31.1 %
	Missing Data		
-202	Partial interview - data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-104	Name of bf gf missing earlier versions - questions skipped	470	34.7 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 733 valid cases out of 1,354 total cases.

Location: 1792-1795 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S8PDEL_RQNAME: S8 PDel: BFGF name

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1796-1806 (width: 11; decimal: 0)
Variable Type: character

S8PDEL_RQLABL: S8 PDel: Romantic partner label

Value	Label	Unweighted Frequency	%
1	boyfriend	86	6.4 %
2	ex-boyfriend	28	2.1 %
3	husband	19	1.4 %
4	ex-husband	1	0.1 %
5	girlfriend	432	31.9 %
6	ex-girlfriend	126	9.3 %
7	wife	40	3.0 %
8	ex-wife	0	0.0 %
9	partner	3	0.2 %
10	ex-partner	1	0.1 %
	Missing Data		
97	Missing	617	45.6 %
99	Don't Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 736 valid cases out of 1,354 total cases.

Location: 1807-1808 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

S8PRBEHV: S8 PDel: Antisocial Behavior

Based upon 1,192 valid cases out of 1,354 total cases.

- Mean: 1.6941366100
- Median: 1.3846153846
- Mode: 1.0000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.7601695528

Location: 1809-1823 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S8PRINFL: S8 PDel: Antisocial Influence

Based upon 1,195 valid cases out of 1,354 total cases.

- Mean: 1.4515242080
- Median: 1.1428571429
- Mode: 1.0000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.6759407511

Location: 1824-1838 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S9PDEL_PCONT: S9 PDel: How often seen/talk to closest friend

Value	Label	Unweighted Frequency	%
1	Twice a day	5	0.4 %
2	Daily	52	3.8 %
3	More than once a week	22	1.6 %
4	Once a week	22	1.6 %
5	Once every two weeks	6	0.4 %
6	Once a month	19	1.4 %
7	Once every few months	13	1.0 %
8	Never	56	4.1 %
97	NA	9	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Subject not locked up - question skipped	973	71.9 %
	Total	**1,354**	**100%**

Based upon 204 valid cases out of 1,354 total cases.

Location: 1839-1842 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -99 , -98

S9PDEL1: S9 PDel: Num friends damaged property

Value	Label	Unweighted Frequency	%
1	None of them	899	66.4 %
2	Very few of them	123	9.1 %
3	Some of them	107	7.9 %
4	Most of them	24	1.8 %
5	All of them	10	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont know	14	1.0 %
	Total	**1,354**	**100%**

Based upon 1,163 valid cases out of 1,354 total cases.

Location: 1843-1846 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S9PDEL2: S9 PDel: Num friends hit/threaten hit someone

Value	Label	Unweighted Frequency	%
1	None of them	683	50.4 %
2	Very few of them	236	17.4 %
3	Some of them	174	12.9 %
4	Most of them	48	3.5 %
5	All of them	22	1.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont know	14	1.0 %
	Total	**1,354**	**100%**

Based upon 1,163 valid cases out of 1,354 total cases.

Location: 1847-1850 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S9PDEL3: S9 PDel: Num friends sold drugs

Value	Label	Unweighted Frequency	%
1	None of them	743	54.9 %
2	Very few of them	141	10.4 %
3	Some of them	171	12.6 %
4	Most of them	85	6.3 %
5	All of them	22	1.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont know	15	1.1 %
	Total	**1,354**	**100%**

Based upon 1,162 valid cases out of 1,354 total cases.

Location: 1851-1854 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S9PDEL4: S9 PDel: Num friends got drunk

Value	Label	Unweighted Frequency	%
1	None of them	382	28.2 %
2	Very few of them	189	14.0 %
3	Some of them	312	23.0 %
4	Most of them	195	14.4 %
5	All of them	83	6.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont know	16	1.2 %
	Total	**1,354**	**100%**

Based upon 1,161 valid cases out of 1,354 total cases.

Location: 1855-1858 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S9PDEL4B: S9 PDel: Num friends gotten high on drugs

Value	Label	Unweighted Frequency	%
1	None of them	500	36.9 %
2	Very few of them	183	13.5 %
3	Some of them	264	19.5 %
4	Most of them	165	12.2 %
5	All of them	47	3.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont know	18	1.3 %
	Total	**1,354**	**100%**

Based upon 1,159 valid cases out of 1,354 total cases.

Location: 1859-1862 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -9 , -8

S9PDEL5A: S9 PDel: Num friends carried knife

Value	Label	Unweighted Frequency	%
1	None of them	804	59.4 %
2	Very few of them	146	10.8 %
3	Some of them	154	11.4 %
4	Most of them	41	3.0 %
5	All of them	17	1.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont know	15	1.1 %
	Total	**1,354**	**100%**

Based upon 1,162 valid cases out of 1,354 total cases.

Location: 1863-1866 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S9PDEL5B: S9 PDel: Num friends carried gun

Value	Label	Unweighted Frequency	%
1	None of them	730	53.9 %
2	Very few of them	184	13.6 %
3	Some of them	159	11.7 %
4	Most of them	67	4.9 %
5	All of them	22	1.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont know	15	1.1 %
	Total	**1,354**	**100%**

Based upon 1,162 valid cases out of 1,354 total cases.

Location: 1867-1870 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S9PDEL5C: S9 PDel: Num friends owned gun

Value	Label	Unweighted Frequency	%
1	None of them	678	50.1 %
2	Very few of them	212	15.7 %
3	Some of them	174	12.9 %
4	Most of them	74	5.5 %

Value	Label	Unweighted Frequency	%
5	All of them	24	1.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont know	15	1.1 %
	Total	**1,354**	**100%**

Based upon 1,162 valid cases out of 1,354 total cases.

Location: 1871-1874 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S9PDEL6: S9 PDel: Num friends got into fight

Value	Label	Unweighted Frequency	%
1	None of them	597	44.1 %
2	Very few of them	250	18.5 %
3	Some of them	218	16.1 %
4	Most of them	70	5.2 %
5	All of them	27	2.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont know	15	1.1 %
	Total	**1,354**	**100%**

Based upon 1,162 valid cases out of 1,354 total cases.

Location: 1875-1878 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S9PDEL7: S9 PDel: Num friends been hurt fight

Value	Label	Unweighted Frequency	%
1	None of them	754	55.7 %
2	Very few of them	211	15.6 %
3	Some of them	156	11.5 %
4	Most of them	31	2.3 %
5	All of them	9	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %

Value	Label	Unweighted Frequency	%
-9	Dont know	16	1.2 %
	Total	**1,354**	**100%**

Based upon 1,161 valid cases out of 1,354 total cases.

Location: 1879-1882 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S9PDEL8: S9 PDel: Num friends stole worth more 100 dol

Value	Label	Unweighted Frequency	%
1	None of them	910	67.2 %
2	Very few of them	110	8.1 %
3	Some of them	103	7.6 %
4	Most of them	20	1.5 %
5	All of them	13	1.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont know	21	1.6 %
	Total	**1,354**	**100%**

Based upon 1,156 valid cases out of 1,354 total cases.

Location: 1883-1886 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S9PDEL9: S9 PDel: Num friends stole car

Value	Label	Unweighted Frequency	%
1	None of them	1008	74.4 %
2	Very few of them	70	5.2 %
3	Some of them	62	4.6 %
4	Most of them	15	1.1 %
5	All of them	6	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont know	16	1.2 %
	Total	**1,354**	**100%**

Based upon 1,161 valid cases out of 1,354 total cases.

Location: 1887-1890 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S9PDEL10: S9 PDel: Num friends go into building steal

Value	Label	Unweighted Frequency	%
1	None of them	985	72.7 %
2	Very few of them	103	7.6 %
3	Some of them	55	4.1 %
4	Most of them	15	1.1 %
5	All of them	4	0.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont know	15	1.1 %
	Total	**1,354**	**100%**

Based upon 1,162 valid cases out of 1,354 total cases.

Location: 1891-1894 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S9PDEL11: S9 PDel: Num friends said go drink w/them

Value	Label	Unweighted Frequency	%
1	None of them	558	41.2 %
2	Very few of them	187	13.8 %
3	Some of them	256	18.9 %
4	Most of them	105	7.8 %
5	All of them	57	4.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont know	14	1.0 %
	Total	**1,354**	**100%**

Based upon 1,163 valid cases out of 1,354 total cases.

Location: 1895-1898 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S9PDEL12: S9 PDel: Num friends say have drink good time

Value	Label	Unweighted Frequency	%
1	None of them	876	64.7 %
2	Very few of them	120	8.9 %
3	Some of them	120	8.9 %
4	Most of them	28	2.1 %
5	All of them	20	1.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont know	13	1.0 %
	Total	**1,354**	**100%**

Based upon 1,164 valid cases out of 1,354 total cases.

Location: 1899-1902 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S9PDEL13: S9 PDel: Num friends say high have good time

Value	Label	Unweighted Frequency	%
1	None of them	929	68.6 %
2	Very few of them	100	7.4 %
3	Some of them	96	7.1 %
4	Most of them	27	2.0 %
5	All of them	12	0.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont know	13	1.0 %
	Total	**1,354**	**100%**

Based upon 1,164 valid cases out of 1,354 total cases.

Location: 1903-1906 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S9PDEL14: S9 PDel: Num friends say sell drugs

Value	Label	Unweighted Frequency	%
1	None of them	955	70.5 %
2	Very few of them	92	6.8 %
3	Some of them	93	6.9 %
4	Most of them	14	1.0 %

Value	Label	Unweighted Frequency	%
5	All of them	10	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont know	13	1.0 %
	Total	**1,354**	**100%**

Based upon 1,164 valid cases out of 1,354 total cases.

Location: 1907-1910 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S9PDEL15: S9 PDel: Num friends say steal

Value	Label	Unweighted Frequency	%
1	None of them	1027	75.8 %
2	Very few of them	71	5.2 %
3	Some of them	50	3.7 %
4	Most of them	11	0.8 %
5	All of them	5	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont know	13	1.0 %
	Total	**1,354**	**100%**

Based upon 1,164 valid cases out of 1,354 total cases.

Location: 1911-1914 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S9PDEL16: S9 PDel: Num friends say hit beat someone

Value	Label	Unweighted Frequency	%
1	None of them	923	68.2 %
2	Very few of them	117	8.6 %
3	Some of them	95	7.0 %
4	Most of them	21	1.6 %
5	All of them	8	0.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %

Value	Label	Unweighted Frequency	%
-9	Dont know	13	1.0 %
	Total	**1,354**	**100%**

Based upon 1,164 valid cases out of 1,354 total cases.

Location: 1915-1918 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S9PDEL17: S9 PDel: Num friends say carry weapon

Value	Label	Unweighted Frequency	%
1	None of them	933	68.9 %
2	Very few of them	85	6.3 %
3	Some of them	103	7.6 %
4	Most of them	22	1.6 %
5	All of them	21	1.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont know	13	1.0 %
	Total	**1,354**	**100%**

Based upon 1,164 valid cases out of 1,354 total cases.

Location: 1919-1922 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S9PDEL_SDEL1: S9 PDel_SigOther: damaged/destroyed property

Value	Label	Unweighted Frequency	%
1	Yes	33	2.4 %
5	No	684	50.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-105	Name of bf gf missing v16+ - questions skipped	461	34.0 %
	Total	**1,354**	**100%**

Based upon 717 valid cases out of 1,354 total cases.

Location: 1923-1926 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S9PDEL_SDEL2: S9 PDel_SigOther: hit/threatened to hit someone

Value	Label	Unweighted Frequency	%
1	Yes	69	5.1 %
5	No	648	47.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-105	Name of bf gf missing v16+ - questions skipped	461	34.0 %
	Total	**1,354**	**100%**

Based upon 717 valid cases out of 1,354 total cases.

Location: 1927-1930 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S9PDEL_SDEL3: S9 PDel_SigOther: sold drugs

Value	Label	Unweighted Frequency	%
1	Yes	20	1.5 %
5	No	697	51.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-105	Name of bf gf missing v16+ - questions skipped	461	34.0 %
	Total	**1,354**	**100%**

Based upon 717 valid cases out of 1,354 total cases.

Location: 1931-1934 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S9PDEL_SDEL4A: S9 PDel_SigOther: gotten drunk

Value	Label	Unweighted Frequency	%
1	Yes	236	17.4 %
5	No	481	35.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-105	Name of bf gf missing v16+ - questions skipped	461	34.0 %
	Total	**1,354**	**100%**

Based upon 717 valid cases out of 1,354 total cases.

Location: 1935-1938 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S9PDEL_SDEL4B: S9 PDel_SigOther: got high on drugs

Value	Label	Unweighted Frequency	%
1	Yes	104	7.7 %
5	No	613	45.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-105	Name of bf gf missing v16+ - questions skipped	461	34.0 %
	Total	**1,354**	**100%**

Based upon 717 valid cases out of 1,354 total cases.

Location: 1939-1942 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S9PDEL_SDEL5A: S9 PDel_SigOther: carried a knife

Value	Label	Unweighted Frequency	%
1	Yes	34	2.5 %
5	No	683	50.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-105	Name of bf gf missing v16+ - questions skipped	461	34.0 %
	Total	**1,354**	**100%**

Based upon 717 valid cases out of 1,354 total cases.

Location: 1943-1946 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S9PDEL_SDEL5B: S9 PDel_SigOther: carried a gun

Value	Label	Unweighted Frequency	%
1	Yes	15	1.1 %
5	No	702	51.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	175	12.9 %
-105	Name of bf gf missing v16+ - questions skipped	461	34.0 %
	Total	**1,354**	**100%**

Based upon 717 valid cases out of 1,354 total cases.

Location: 1947-1950 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S9PDEL_SDEL5C: S9 PDel_SigOther: owned a gun

Value	Label	Unweighted Frequency	%
1	Yes	19	1.4 %
5	No	697	51.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-105	Name of bf gf missing v16+ - questions skipped	461	34.0 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 716 valid cases out of 1,354 total cases.

Location: 1951-1954 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S9PDEL_SDEL6: S9 PDel_SigOther: got into fight

Value	Label	Unweighted Frequency	%
1	Yes	46	3.4 %
5	No	671	49.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-105	Name of bf gf missing v16+ - questions skipped	461	34.0 %
	Total	**1,354**	**100%**

Based upon 717 valid cases out of 1,354 total cases.

Location: 1955-1958 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S9PDEL_SDEL7: S9 PDel_SigOther: hurt in fight

Value	Label	Unweighted Frequency	%
1	Yes	16	1.2 %
5	No	701	51.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-105	Name of bf gf missing v16+ - questions skipped	461	34.0 %
	Total	**1,354**	**100%**

Based upon 717 valid cases out of 1,354 total cases.

Location: 1959-1962 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S9PDEL_SDEL8: S9 PDel_SigOther: stole something more than $100

Value	Label	Unweighted Frequency	%
1	Yes	12	0.9 %
5	No	704	52.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-105	Name of bf gf missing v16+ - questions skipped	461	34.0 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 716 valid cases out of 1,354 total cases.

Location: 1963-1966 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S9PDEL_SDEL9: S9 PDel_SigOther: stole a car

Value	Label	Unweighted Frequency	%
1	Yes	5	0.4 %
5	No	712	52.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-105	Name of bf gf missing v16+ - questions skipped	461	34.0 %
	Total	**1,354**	**100%**

Based upon 717 valid cases out of 1,354 total cases.

Location: 1967-1970 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S9PDEL_SDEL10: S9 PDel_SigOther: gone into building to steal

Value	Label	Unweighted Frequency	%
1	Yes	3	0.2 %
5	No	714	52.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-105	Name of bf gf missing v16+ - questions skipped	461	34.0 %
	Total	**1,354**	**100%**

Based upon 717 valid cases out of 1,354 total cases.

Location: 1971-1974 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

S9PDEL19: S9 PDel: BFGF suggest go out drinking

Value	Label	Unweighted Frequency	%
1	Yes	101	7.5 %
5	No	616	45.5 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-202	Partial interview - data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-104	Name of bf gf missing earlier versions - questions skipped	461	34.0 %
	Total	**1,354**	**100%**

Based upon 717 valid cases out of 1,354 total cases.

Location: 1975-1978 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S9PDEL20: S9 PDel: BFGF say must be drunk to have good time

Value	Label	Unweighted Frequency	%
1	Yes	12	0.9 %
5	No	705	52.1 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	Partial interview - data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-104	Name of bf gf missing earlier versions - questions skipped	461	34.0 %
	Total	**1,354**	**100%**

Based upon 717 valid cases out of 1,354 total cases.

Location: 1979-1982 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S9PDEL21: S9 PDel: BFGF say must be high to have good time

Value	Label	Unweighted Frequency	%
1	Yes	10	0.7 %
5	No	707	52.2 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-202	Partial interview - data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-104	Name of bf gf missing earlier versions - questions skipped	461	34.0 %
	Total	**1,354**	**100%**

Based upon 717 valid cases out of 1,354 total cases.

Location: 1983-1986 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S9PDEL22: S9 PDel: BFGF suggest sell drugs

Value	Label	Unweighted Frequency	%
1	Yes	9	0.7 %
5	No	708	52.3 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-202	Partial interview - data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-104	Name of bf gf missing earlier versions - questions skipped	461	34.0 %
	Total	**1,354**	**100%**

Based upon 717 valid cases out of 1,354 total cases.

Location: 1987-1990 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S9PDEL23: S9 PDel: BFGF suggest steal something

Value	Label	Unweighted Frequency	%
1	Yes	4	0.3 %
5	No	713	52.7 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-202	Partial interview - data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-104	Name of bf gf missing earlier versions - questions skipped	461	34.0 %
	Total	**1,354**	**100%**

Based upon 717 valid cases out of 1,354 total cases.

Location: 1991-1994 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S9PDEL24: S9 PDel: BFGF suggest hit/beat someone

Value	Label	Unweighted Frequency	%
1	Yes	13	1.0 %
5	No	704	52.0 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-202	Partial interview - data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-104	Name of bf gf missing earlier versions - questions skipped	461	34.0 %
	Total	**1,354**	**100%**

Based upon 717 valid cases out of 1,354 total cases.

Location: 1995-1998 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S9PDEL25: S9 PDel: BFGF suggest carry weapon

Value	Label	Unweighted Frequency	%
1	Yes	17	1.3 %
5	No	700	51.7 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-202	Partial interview - data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %

Value	Label	Unweighted Frequency	%
-104	Name of bf gf missing earlier versions - questions skipped	461	34.0 %
	Total	**1,354**	**100%**

Based upon 717 valid cases out of 1,354 total cases.

Location: 1999-2002 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S9PDEL26: S9 PDel: BFGF hit/force things against will

Value	Label	Unweighted Frequency	%
1	Yes	24	1.8 %
5	No	693	51.2 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-202	Partial interview - data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-104	Name of bf gf missing earlier versions - questions skipped	461	34.0 %
	Total	**1,354**	**100%**

Based upon 717 valid cases out of 1,354 total cases.

Location: 2003-2006 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S9PDEL27: S9 PDel: BFGF try stop from committing crime

Value	Label	Unweighted Frequency	%
1	Yes	121	8.9 %
5	No	176	13.0 %
7	NA - subject hasnt tried to commit crime	420	31.0 %
	Missing Data		
-202	Partial interview - data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-104	Name of bf gf missing earlier versions - questions skipped	461	34.0 %
	Total	**1,354**	**100%**

Based upon 717 valid cases out of 1,354 total cases.

Location: 2007-2010 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

S9PDEL_RQNAME: S9 PDel: BFGF name

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 2011-2020 (width: 10; decimal: 0)
Variable Type: character

S9PDEL_RQLABL: S9 PDel: Romantic partner label

Value	Label	Unweighted Frequency	%
1	boyfriend	79	5.8 %
2	ex-boyfriend	23	1.7 %
3	husband	17	1.3 %
4	ex-husband	4	0.3 %
5	girlfriend	408	30.1 %
6	ex-girlfriend	120	8.9 %
7	wife	61	4.5 %
8	ex-wife	1	0.1 %
9	partner	2	0.1 %
10	ex-partner	1	0.1 %
	Missing Data		
97	Missing	636	47.0 %
99	Don't Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 716 valid cases out of 1,354 total cases.

Location: 2021-2022 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

S9PRBEHV: S9 PDel: Antisocial Behavior

Based upon 1,162 valid cases out of 1,354 total cases.

- Mean: 1.6730041043
- Median: 1.3846153846
- Mode: 1.0000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.7387302479

Location: 2023-2037 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S9PRINFL: S9 PDel: Antisocial Influence

Based upon 1,164 valid cases out of 1,354 total cases.

- Mean: 1.4435444281

- Median: 1.1428571429
- Mode: 1.0000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.6601817796

Location: 2038-2052 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

SAPDEL_PCONT: SA PDel: How often seen/talk to closest friend

Value	Label	Unweighted Frequency	%
1	Twice a day	4	0.3 %
2	Daily	44	3.2 %
3	More than once a week	21	1.6 %
4	Once a week	22	1.6 %
5	Once every two weeks	7	0.5 %
6	Once a month	20	1.5 %
7	Once every few months	21	1.6 %
8	Never	67	4.9 %
97	NA	18	1.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Subject not locked up - question skipped	904	66.8 %
-99	Dont Know	4	0.3 %
	Total	**1,354**	**100%**

Based upon 224 valid cases out of 1,354 total cases.

Location: 2053-2056 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -99 , -98

SAPDEL1: SA PDel: Num friends damaged property

Value	Label	Unweighted Frequency	%
1	None of them	907	67.0 %
2	Very few of them	107	7.9 %
3	Some of them	79	5.8 %
4	Most of them	16	1.2 %
5	All of them	6	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	220	16.2 %
-9	Dont know	16	1.2 %
	Total	**1,354**	**100%**

Based upon 1,115 valid cases out of 1,354 total cases.

Location: 2057-2060 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

SAPDEL2: SA PDel: Num friends hit/threaten hit someone

Value	Label	Unweighted Frequency	%
1	None of them	711	52.5 %
2	Very few of them	194	14.3 %
3	Some of them	150	11.1 %
4	Most of them	44	3.2 %
5	All of them	14	1.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-9	Dont know	18	1.3 %
	Total	**1,354**	**100%**

Based upon 1,113 valid cases out of 1,354 total cases.

Location: 2061-2064 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

SAPDEL3: SA PDel: Num friends sold drugs

Value	Label	Unweighted Frequency	%
1	None of them	745	55.0 %
2	Very few of them	140	10.3 %
3	Some of them	154	11.4 %
4	Most of them	63	4.7 %
5	All of them	14	1.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-9	Dont know	15	1.1 %
	Total	**1,354**	**100%**

Based upon 1,116 valid cases out of 1,354 total cases.

Location: 2065-2068 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

SAPDEL4: SA PDel: Num friends got drunk

Value	Label	Unweighted Frequency	%
1	None of them	374	27.6 %
2	Very few of them	197	14.5 %
3	Some of them	313	23.1 %
4	Most of them	168	12.4 %
5	All of them	64	4.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-9	Dont know	15	1.1 %
	Total	**1,354**	**100%**

Based upon 1,116 valid cases out of 1,354 total cases.

Location: 2069-2072 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

SAPDEL4B: SA PDel: Num friends gotten high on drugs

Value	Label	Unweighted Frequency	%
1	None of them	502	37.1 %
2	Very few of them	181	13.4 %
3	Some of them	255	18.8 %
4	Most of them	124	9.2 %
5	All of them	44	3.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-9	Dont know	25	1.8 %
	Total	**1,354**	**100%**

Based upon 1,106 valid cases out of 1,354 total cases.

Location: 2073-2076 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -9 , -8

SAPDEL5A: SA PDel: Num friends carried knife

Value	Label	Unweighted Frequency	%
1	None of them	825	60.9 %
2	Very few of them	130	9.6 %
3	Some of them	107	7.9 %
4	Most of them	40	3.0 %
5	All of them	13	1.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-9	Dont know	16	1.2 %
	Total	**1,354**	**100%**

Based upon 1,115 valid cases out of 1,354 total cases.

Location: 2077-2080 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

SAPDEL5B: SA PDel: Num friends carried gun

Value	Label	Unweighted Frequency	%
1	None of them	746	55.1 %
2	Very few of them	142	10.5 %
3	Some of them	164	12.1 %
4	Most of them	47	3.5 %
5	All of them	18	1.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-9	Dont know	14	1.0 %
	Total	**1,354**	**100%**

Based upon 1,117 valid cases out of 1,354 total cases.

Location: 2081-2084 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

SAPDEL5C: SA PDel: Num friends owned gun

Value	Label	Unweighted Frequency	%
1	None of them	693	51.2 %
2	Very few of them	171	12.6 %
3	Some of them	178	13.1 %
4	Most of them	58	4.3 %

Value	Label	Unweighted Frequency	%
5	All of them	16	1.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-9	Dont know	15	1.1 %
	Total	**1,354**	**100%**

Based upon 1,116 valid cases out of 1,354 total cases.

Location: 2085-2088 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

SAPDEL6: SA PDel: Num friends got into fight

Value	Label	Unweighted Frequency	%
1	None of them	648	47.9 %
2	Very few of them	200	14.8 %
3	Some of them	178	13.1 %
4	Most of them	74	5.5 %
5	All of them	17	1.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-9	Dont know	14	1.0 %
	Total	**1,354**	**100%**

Based upon 1,117 valid cases out of 1,354 total cases.

Location: 2089-2092 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

SAPDEL7: SA PDel: Num friends been hurt fight

Value	Label	Unweighted Frequency	%
1	None of them	797	58.9 %
2	Very few of them	153	11.3 %
3	Some of them	130	9.6 %
4	Most of them	28	2.1 %
5	All of them	8	0.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %

Value	Label	Unweighted Frequency	%
-9	Dont know	15	1.1 %
	Total	**1,354**	**100%**

Based upon 1,116 valid cases out of 1,354 total cases.

Location: 2093-2096 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

SAPDEL8: SA PDel: Num friends stole worth more 100 dol

Value	Label	Unweighted Frequency	%
1	None of them	900	66.5 %
2	Very few of them	96	7.1 %
3	Some of them	86	6.4 %
4	Most of them	22	1.6 %
5	All of them	11	0.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-9	Dont know	16	1.2 %
	Total	**1,354**	**100%**

Based upon 1,115 valid cases out of 1,354 total cases.

Location: 2097-2100 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

SAPDEL9: SA PDel: Num friends stole car

Value	Label	Unweighted Frequency	%
1	None of them	995	73.5 %
2	Very few of them	52	3.8 %
3	Some of them	51	3.8 %
4	Most of them	11	0.8 %
5	All of them	6	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-9	Dont know	16	1.2 %
	Total	**1,354**	**100%**

Based upon 1,115 valid cases out of 1,354 total cases.

Location: 2101-2104 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

SAPDEL10: SA PDel: Num friends go into building steal

Value	Label	Unweighted Frequency	%
1	None of them	960	70.9 %
2	Very few of them	82	6.1 %
3	Some of them	54	4.0 %
4	Most of them	10	0.7 %
5	All of them	8	0.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-9	Dont know	17	1.3 %
	Total	**1,354**	**100%**

Based upon 1,114 valid cases out of 1,354 total cases.

Location: 2105-2108 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

SAPDEL11: SA PDel: Num friends said go drink w/them

Value	Label	Unweighted Frequency	%
1	None of them	577	42.6 %
2	Very few of them	169	12.5 %
3	Some of them	219	16.2 %
4	Most of them	101	7.5 %
5	All of them	54	4.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-9	Dont know	11	0.8 %
	Total	**1,354**	**100%**

Based upon 1,120 valid cases out of 1,354 total cases.

Location: 2109-2112 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

SAPDEL12: SA PDel: Num friends say have drink good time

Value	Label	Unweighted Frequency	%
1	None of them	863	63.7 %
2	Very few of them	107	7.9 %
3	Some of them	100	7.4 %
4	Most of them	35	2.6 %
5	All of them	15	1.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-9	Dont know	11	0.8 %
	Total	**1,354**	**100%**

Based upon 1,120 valid cases out of 1,354 total cases.

Location: 2113-2116 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

SAPDEL13: SA PDel: Num friends say high have good time

Value	Label	Unweighted Frequency	%
1	None of them	924	68.2 %
2	Very few of them	85	6.3 %
3	Some of them	76	5.6 %
4	Most of them	25	1.8 %
5	All of them	10	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-9	Dont know	11	0.8 %
	Total	**1,354**	**100%**

Based upon 1,120 valid cases out of 1,354 total cases.

Location: 2117-2120 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

SAPDEL14: SA PDel: Num friends say sell drugs

Value	Label	Unweighted Frequency	%
1	None of them	946	69.9 %
2	Very few of them	73	5.4 %
3	Some of them	74	5.5 %
4	Most of them	18	1.3 %

Value	Label	Unweighted Frequency	%
5	All of them	9	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-9	Dont know	11	0.8 %
	Total	**1,354**	**100%**

Based upon 1,120 valid cases out of 1,354 total cases.

Location: 2121-2124 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

SAPDEL15: SA PDel: Num friends say steal

Value	Label	Unweighted Frequency	%
1	None of them	1020	75.3 %
2	Very few of them	54	4.0 %
3	Some of them	34	2.5 %
4	Most of them	7	0.5 %
5	All of them	5	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-9	Dont know	11	0.8 %
	Total	**1,354**	**100%**

Based upon 1,120 valid cases out of 1,354 total cases.

Location: 2125-2128 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

SAPDEL16: SA PDel: Num friends say hit beat someone

Value	Label	Unweighted Frequency	%
1	None of them	935	69.1 %
2	Very few of them	103	7.6 %
3	Some of them	62	4.6 %
4	Most of them	15	1.1 %
5	All of them	5	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %

Value	Label	Unweighted Frequency	%
-9	Dont know	11	0.8 %
	Total	**1,354**	**100%**

Based upon 1,120 valid cases out of 1,354 total cases.

Location: 2129-2132 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

SAPDEL17: SA PDel: Num friends say carry weapon

Value	Label	Unweighted Frequency	%
1	None of them	945	69.8 %
2	Very few of them	68	5.0 %
3	Some of them	71	5.2 %
4	Most of them	24	1.8 %
5	All of them	12	0.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-9	Dont know	11	0.8 %
	Total	**1,354**	**100%**

Based upon 1,120 valid cases out of 1,354 total cases.

Location: 2133-2136 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

SAPDEL_SDEL1: SA PDel_SigOther: damaged/destroyed property

Value	Label	Unweighted Frequency	%
1	Yes	35	2.6 %
5	No	634	46.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-105	Name of bf gf missing v16+ - questions skipped	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2137-2140 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

SAPDEL_SDEL2: SA PDel_SigOther: hit/threatened to hit someone

Value	Label	Unweighted Frequency	%
1	Yes	54	4.0 %
5	No	615	45.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-105	Name of bf gf missing v16+ - questions skipped	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2141-2144 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

SAPDEL_SDEL3: SA PDel_SigOther: sold drugs

Value	Label	Unweighted Frequency	%
1	Yes	19	1.4 %
5	No	650	48.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-105	Name of bf gf missing v16+ - questions skipped	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2145-2148 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

SAPDEL_SDEL4A: SA PDel_SigOther: gotten drunk

Value	Label	Unweighted Frequency	%
1	Yes	204	15.1 %
5	No	465	34.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-105	Name of bf gf missing v16+ - questions skipped	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2149-2152 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

SAPDEL_SDEL4B: SA PDel_SigOther: got high on drugs

Value	Label	Unweighted Frequency	%
1	Yes	78	5.8 %
5	No	591	43.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-105	Name of bf gf missing v16+ - questions skipped	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2153-2156 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

SAPDEL_SDEL5A: SA PDel_SigOther: carried a knife

Value	Label	Unweighted Frequency	%
1	Yes	32	2.4 %
5	No	637	47.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-105	Name of bf gf missing v16+ - questions skipped	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2157-2160 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

SAPDEL_SDEL5B: SA PDel_SigOther: carried a gun

Value	Label	Unweighted Frequency	%
1	Yes	17	1.3 %
5	No	652	48.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-105	Name of bf gf missing v16+ - questions skipped	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2161-2164 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

SAPDEL_SDEL5C: SA PDel_SigOther: owned a gun

Value	Label	Unweighted Frequency	%
1	Yes	20	1.5 %
5	No	649	47.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-105	Name of bf gf missing v16+ - questions skipped	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2165-2168 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

SAPDEL_SDEL6: SA PDel_SigOther: got into fight

Value	Label	Unweighted Frequency	%
1	Yes	44	3.2 %
5	No	625	46.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-105	Name of bf gf missing v16+ - questions skipped	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2169-2172 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

SAPDEL_SDEL7: SA PDel_SigOther: hurt in fight

Value	Label	Unweighted Frequency	%
1	Yes	11	0.8 %
5	No	658	48.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-105	Name of bf gf missing v16+ - questions skipped	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2173-2176 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

SAPDEL_SDEL8: SA PDel_SigOther: stole something more than $100

Value	Label	Unweighted Frequency	%
1	Yes	8	0.6 %
5	No	661	48.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-105	Name of bf gf missing v16+ - questions skipped	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2177-2180 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

SAPDEL_SDEL9: SA PDel_SigOther: stole a car

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
5	No	667	49.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-105	Name of bf gf missing v16+ - questions skipped	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2181-2184 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

SAPDEL_SDEL10: SA PDel_SigOther: gone into building to steal

Value	Label	Unweighted Frequency	%
1	Yes	4	0.3 %
5	No	665	49.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-105	Name of bf gf missing v16+ - questions skipped	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2185-2188 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -103 , -102 , -101 , -9 , -8

SAPDEL19: SA PDel: BFGF suggest go out drinking

Value	Label	Unweighted Frequency	%
1	Yes	93	6.9 %
5	No	576	42.5 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-104	Name of bf gf missing earlier versions - questions skipped	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2189-2192 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

SAPDEL20: SA PDel: BFGF say must be drunk to have good time

Value	Label	Unweighted Frequency	%
1	Yes	14	1.0 %
5	No	655	48.4 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-104	Name of bf gf missing earlier versions - questions skipped	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2193-2196 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

SAPDEL21: SA PDel: BFGF say must be high to have good time

Value	Label	Unweighted Frequency	%
1	Yes	7	0.5 %
5	No	662	48.9 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-104	Name of bf gf missing earlier versions - questions skipped	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2197-2200 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

SAPDEL22: SA PDel: BFGF suggest sell drugs

Value	Label	Unweighted Frequency	%
1	Yes	8	0.6 %
5	No	661	48.8 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-104	Name of bf gf missing earlier versions - questions skipped	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2201-2204 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

SAPDEL23: SA PDel: BFGF suggest steal something

Value	Label	Unweighted Frequency	%
1	Yes	7	0.5 %
5	No	662	48.9 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-104	Name of bf gf missing earlier versions - questions skipped	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2205-2208 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

SAPDEL24: SA PDel: BFGF suggest hit/beat someone

Value	Label	Unweighted Frequency	%
1	Yes	17	1.3 %
5	No	652	48.2 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-104	Name of bf gf missing earlier versions - questions skipped	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2209-2212 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

SAPDEL25: SA PDel: BFGF suggest carry weapon

Value	Label	Unweighted Frequency	%
1	Yes	11	0.8 %
5	No	658	48.6 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-104	Name of bf gf missing earlier versions - questions skipped	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2213-2216 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

SAPDEL26: SA PDel: BFGF hit/force things against will

Value	Label	Unweighted Frequency	%
1	Yes	26	1.9 %
5	No	643	47.5 %
7	NA - subject hasnt tried to commit crime	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-104	Name of bf gf missing earlier versions - questions skipped	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2217-2220 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

SAPDEL27: SA PDel: BFGF try stop from committing crime

Value	Label	Unweighted Frequency	%
1	Yes	77	5.7 %
5	No	195	14.4 %
7	NA - subject hasnt tried to commit crime	397	29.3 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	220	16.2 %
-104	Name of bf gf missing earlier versions - questions skipped	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2221-2224 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -104 , -9 , -8

SAPDEL_RQNAME: SA PDel: BFGF name

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 2225-2234 (width: 10; decimal: 0)
Variable Type: character

SAPDEL_RQLABL: SA PDel: Romantic partner label

Value	Label	Unweighted Frequency	%
1	boyfriend	73	5.4 %
2	ex-boyfriend	25	1.8 %
3	husband	18	1.3 %
4	ex-husband	1	0.1 %
5	girlfriend	389	28.7 %
6	ex-girlfriend	101	7.5 %
7	wife	57	4.2 %
8	ex-wife	4	0.3 %
9	partner	0	0.0 %
10	ex-partner	0	0.0 %
	Missing Data		
97	Missing	685	50.6 %
99	Don't Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 668 valid cases out of 1,354 total cases.

Location: 2235-2236 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

SAPRBEHV: SA PDel: Antisocial Behavior

Based upon 1,115 valid cases out of 1,354 total cases.

- Mean: 1.6004928554
- Median: 1.3076923077

- Mode: 1.0000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.6959672396

Location: 2237-2251 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

SAPRINFL: SA PDel: Antisocial Influence

Based upon 1,120 valid cases out of 1,354 total cases.

- Mean: 1.3885204082
- Median: 1.1428571429
- Mode: 1.0000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.6142806352

Location: 2252-2266 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000