ICPSR | INTER-UNIVERSITY CONSORTIUM FOR POLITICAL AND SOCIAL RESEARCH

ICPSR 36800

Research on Pathways to Desistance [Maricopa County, AZ and Philadelphia County, PA]: Subject Measures - Scales, 2000-2010

Edward P. Mulvey
University of Pittsburgh

Codebook for Personality Assessment Inventory [RESTRICTED]

Inter-university Consortium for Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/36800/terms

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE
WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 36800

Research on Pathways to Desistance [Maricopa County, AZ and Philadelphia County, PA]: Subject Measures - Scales, 2000-2010

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Personality Assessment Inventory [RESTRICTED]

CASEID: Pathways study ID

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1-5 (width: 5; decimal: 0)
Variable Type: numeric

S9PAI_PAI1: s9 PAI_Ant_A well-behaved .

Value	Label	Unweighted Frequency	%
1	False, not at all true	309	22.8 %
2	Slightly true	414	30.6 %
3	Mainly true	271	20.0 %
4	Very true	200	14.8 %
	Missing Data		
-201	IntCompStat=4 missed interview	159	11.7 %
-9	Don't Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,194 valid cases out of 1,354 total cases.

Location: 6-9 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -9 , -8

S9PAI_PAI7: s9 PAI_Ant_A damaged property

Value	Label	Unweighted Frequency	%
1	False, not at all true	809	59.7 %
2	Slightly true	242	17.9 %
3	Mainly true	79	5.8 %
4	Very true	65	4.8 %
	Missing Data		
-201	IntCompStat=4 missed interview	159	11.7 %
	Total	**1,354**	**100%**

Based upon 1,195 valid cases out of 1,354 total cases.

Location: 10-13 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -9 , -8

S9PAI_PAI13: s9 PAI_Ant_A legal acts

Value	Label	Unweighted Frequency	%
1	False, not at all true	283	20.9 %
2	Slightly true	395	29.2 %
3	Mainly true	243	17.9 %
4	Very true	274	20.2 %
	Missing Data		
-201	IntCompStat=4 missed interview	159	11.7 %
	Total	**1,354**	**100%**

Based upon 1,195 valid cases out of 1,354 total cases.

Location: 14-17 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -9 , -8

S9PAI_PAI19: s9 PAI_Ant_A lie a lot

Value	Label	Unweighted Frequency	%
1	False, not at all true	598	44.2 %
2	Slightly true	384	28.4 %
3	Mainly true	133	9.8 %
4	Very true	80	5.9 %
	Missing Data		
-201	IntCompStat=4 missed interview	159	11.7 %
	Total	**1,354**	**100%**

Based upon 1,195 valid cases out of 1,354 total cases.

Location: 18-21 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -9 , -8

S9PAI_PAI26: s9 PAI_Ant_A get away with

Value	Label	Unweighted Frequency	%
1	False, not at all true	787	58.1 %
2	Slightly true	275	20.3 %
3	Mainly true	81	6.0 %
4	Very true	52	3.8 %
	Missing Data		
-201	IntCompStat=4 missed interview	159	11.7 %
	Total	**1,354**	**100%**

Based upon 1,195 valid cases out of 1,354 total cases.

Location: 22-25 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -201 , -9 , -8

S9PAI_PAI33: s9 PAI_Ant_A school expulsion/suspension

Value	Label	Unweighted Frequency	%
1	False, not at all true	962	71.0 %
2	Slightly true	107	7.9 %
3	Mainly true	61	4.5 %
4	Very true	64	4.7 %
	Missing Data		
-201	IntCompStat=4 missed interview	159	11.7 %
-9	Don't Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,194 valid cases out of 1,354 total cases.

Location: 26-29 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -9 , -8

S9PAI_PAI40: s9 PAI_Ant_A trouble with the law

Value	Label	Unweighted Frequency	%
1	False, not at all true	1097	81.0 %
2	Slightly true	56	4.1 %
3	Mainly true	25	1.8 %
4	Very true	15	1.1 %
	Missing Data		
-201	IntCompStat=4 missed interview	159	11.7 %
-9	Don't Know	1	0.1 %
-5	Blank	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,193 valid cases out of 1,354 total cases.

Location: 30-33 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -9 , -8 , -5

S9ANT_A_OMITTED: s9 PAI Ant A inputed value for omitted item from the Ant A subscale (see Pathways website codebook, data issues)

Based upon 1,195 valid cases out of 1,354 total cases.

- Mean: 1.4824467025
- Median: 1.4285714286
- Mode: 1.2857142857
- Minimum: 0.0000000000

- Maximum: 3.0000000000
- Standard Deviation: 0.4939725910

Location: 34-48 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -201.0000000000

S9RAW_ANTA: S9 PAI: Antisocial A: antisocial behaviors subscale -raw scores based on recoded values

Based upon 1,195 valid cases out of 1,354 total cases.

- Mean: 11.8556684599
- Median: 11.4285714286
- Mode: 10.2857142857
- Minimum: 0.0000000000
- Maximum: 24.0000000000
- Standard Deviation: 3.9540588465

Location: 49-63 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -201.0000000000 , -99.0000000000

S9PAI_PAI5: s9PAI_ANT_E borrow

Value	Label	Unweighted Frequency	%
1	False, not at all true	858	63.4 %
2	Slightly true	238	17.6 %
3	Mainly true	57	4.2 %
4	Very true	42	3.1 %
	Missing Data		
-201	IntCompStat=4 missed interview	159	11.7 %
	Total	**1,354**	**100%**

Based upon 1,195 valid cases out of 1,354 total cases.

Location: 64-67 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -9 , -8

S9PAI_PAI11: s9PAI_ANT_E take advantage

Value	Label	Unweighted Frequency	%
1	False, not at all true	952	70.3 %
2	Slightly true	179	13.2 %
3	Mainly true	42	3.1 %
4	Very true	21	1.6 %
	Missing Data		
-201	IntCompStat=4 missed interview	159	11.7 %
-9	Don't Know	1	0.1 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 1,194 valid cases out of 1,354 total cases.

Location: 68-71 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -9 , -8

S9PAI_PAI17: S9PAI_ANT_E price

Value	Label	Unweighted Frequency	%
1	False, not at all true	683	50.4 %
2	Slightly true	303	22.4 %
3	Mainly true	115	8.5 %
4	Very true	94	6.9 %
	Missing Data		
-201	IntCompStat=4 missed interview	159	11.7 %
	Total	**1,354**	**100%**

Based upon 1,195 valid cases out of 1,354 total cases.

Location: 72-75 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -9 , -8

S9PAI_PAI24: s9PAI_ANT_E talk

Value	Label	Unweighted Frequency	%
1	False, not at all true	632	46.7 %
2	Slightly true	375	27.7 %
3	Mainly true	120	8.9 %
4	Very true	68	5.0 %
	Missing Data		
-201	IntCompStat=4 missed interview	159	11.7 %
	Total	**1,354**	**100%**

Based upon 1,195 valid cases out of 1,354 total cases.

Location: 76-79 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -9 , -8

S9PAI_PAI31: s9PAI_ANT_E tied

Value	Label	Unweighted Frequency	%
1	False, not at all true	825	60.9 %

Value	Label	Unweighted Frequency	%
2	Slightly true	238	17.6 %
3	Mainly true	74	5.5 %
4	Very true	57	4.2 %
	Missing Data		
-201	IntCompStat=4 missed interview	159	11.7 %
-9	Don't Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,194 valid cases out of 1,354 total cases.

Location: 80-83 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -9 , -8

S9PAI_PAI38: s9PAI_ANT_E relationship length

Value	Label	Unweighted Frequency	%
1	False, not at all true	885	65.4 %
2	Slightly true	223	16.5 %
3	Mainly true	59	4.4 %
4	Very true	26	1.9 %
	Missing Data		
-201	IntCompStat=4 missed interview	159	11.7 %
-9	Don't Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,193 valid cases out of 1,354 total cases.

Location: 84-87 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -9 , -8

S9PAI_PAI42: s9PAI_ANT_E self interest

Value	Label	Unweighted Frequency	%
1	False, not at all true	566	41.8 %
2	Slightly true	390	28.8 %
3	Mainly true	126	9.3 %
4	Very true	112	8.3 %
	Missing Data		
-201	IntCompStat=4 missed interview	159	11.7 %
-5	Blank	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,194 valid cases out of 1,354 total cases.

Location: 88-91 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -9 , -8 , -5

S9PAI_PAI45: s9PAI_ANT_E promises

Value	Label	Unweighted Frequency	%
1	False, not at all true	1078	79.6 %
2	Slightly true	81	6.0 %
3	Mainly true	21	1.6 %
4	Very true	14	1.0 %
	Missing Data		
-201	IntCompStat=4 missed interview	159	11.7 %
-5	Blank	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,194 valid cases out of 1,354 total cases.

Location: 92-95 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -9 , -8 , -5

S9RAW_ANTE: S9 PAI: Antisocial E: egocentricity subscale - raw scores based on recoded values

Based upon 1,195 valid cases out of 1,354 total cases.

- Mean: 3.81
- Median: 3.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 21.00
- Standard Deviation: 3.58

Location: 96-99 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -99

S9PAI_PAI6: s9 PAI_ANT_S danger

Value	Label	Unweighted Frequency	%
1	False, not at all true	672	49.6 %
2	Slightly true	306	22.6 %
3	Mainly true	123	9.1 %
4	Very true	93	6.9 %
	Missing Data		
-201	IntCompStat=4 missed interview	159	11.7 %

Value	Label	Unweighted Frequency	%
-9	Don't Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,194 valid cases out of 1,354 total cases.

Location: 100-103 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -9 , -8

S9PAI_PAI12: s9 PAI_ANT_S thrill

Value	Label	Unweighted Frequency	%
1	False, not at all true	671	49.6 %
2	Slightly true	299	22.1 %
3	Mainly true	141	10.4 %
4	Very true	83	6.1 %
	Missing Data		
-201	IntCompStat=4 missed interview	159	11.7 %
-9	Don't Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,194 valid cases out of 1,354 total cases.

Location: 104-107 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -9 , -8

S9PAI_PAI18: s9 PAI_ANT_S wild

Value	Label	Unweighted Frequency	%
1	False, not at all true	513	37.9 %
2	Slightly true	406	30.0 %
3	Mainly true	178	13.1 %
4	Very true	98	7.2 %
	Missing Data		
-201	IntCompStat=4 missed interview	159	11.7 %
	Total	**1,354**	**100%**

Based upon 1,195 valid cases out of 1,354 total cases.

Location: 108-111 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -9 , -8

S9PAI_PAI25: s9 PAI_ANT_S leave place

Value	Label	Unweighted Frequency	%
1	False, not at all true	591	43.6 %
2	Slightly true	334	24.7 %
3	Mainly true	142	10.5 %
4	Very true	128	9.5 %
	Missing Data		
-201	IntCompStat=4 missed interview	159	11.7 %
	Total	**1,354**	**100%**

Based upon 1,195 valid cases out of 1,354 total cases.

Location: 112-115 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -9 , -8

S9PAI_PAI32: s9 PAI_ANT_S settle down

Value	Label	Unweighted Frequency	%
1	False, not at all true	861	63.6 %
2	Slightly true	220	16.2 %
3	Mainly true	69	5.1 %
4	Very true	45	3.3 %
	Missing Data		
-201	IntCompStat=4 missed interview	159	11.7 %
	Total	**1,354**	**100%**

Based upon 1,195 valid cases out of 1,354 total cases.

Location: 116-119 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -9 , -8

S9PAI_PAI39: s9 PAI_ANT_S drive

Value	Label	Unweighted Frequency	%
1	False, not at all true	395	29.2 %
2	Slightly true	314	23.2 %
3	Mainly true	207	15.3 %
4	Very true	278	20.5 %
	Missing Data		
-201	IntCompStat=4 missed interview	159	11.7 %
-5	Blank	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,194 valid cases out of 1,354 total cases.

Location: 120-123 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -9 , -8 , -5

S9PAI_PAI43: s9 PAI_ANT_S dare

Value	Label	Unweighted Frequency	%
1	False, not at all true	762	56.3 %
2	Slightly true	284	21.0 %
3	Mainly true	94	6.9 %
4	Very true	54	4.0 %
	Missing Data		
-201	IntCompStat=4 missed interview	159	11.7 %
-5	Blank	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,194 valid cases out of 1,354 total cases.

Location: 124-127 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -9 , -8 , -5

S9PAI_PAI46: s9 PAI_ANT_S avoid risk

Value	Label	Unweighted Frequency	%
1	False, not at all true	545	40.3 %
2	Slightly true	330	24.4 %
3	Mainly true	205	15.1 %
4	Very true	114	8.4 %
	Missing Data		
-201	IntCompStat=4 missed interview	159	11.7 %
-5	Blank	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,194 valid cases out of 1,354 total cases.

Location: 128-131 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -9 , -8 , -5

S9RAW_ANTS: S9 PAI: Antisocial S: stimulus seeking - raw scores based on recoded values

Based upon 1,195 valid cases out of 1,354 total cases.

- Mean: 7.45
- Median: 7.00
- Mode: 6.00
- Minimum: 0.00

- Maximum: 24.00
- Standard Deviation: 4.44

Location: 132-135 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -99

S9RAW_ANTISOCIAL: S9 PAI: Full antisocial scale - raw scores

Based upon 1,195 valid cases out of 1,354 total cases.

- Mean: 23.1234508866
- Minimum: 3.4285714286
- Maximum: 66.0000000000
- Standard Deviation: 10.2480770935

Location: 136-150 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -201.0000000000 , -99.0000000000

S9PAI_PAI2: s9 PAI_BOR A mood shift

Value	Label	Unweighted Frequency	%
1	False, not at all true	252	18.6 %
2	Slightly true	502	37.1 %
3	Mainly true	276	20.4 %
4	Very true	165	12.2 %
	Missing Data		
-201	IntCompStat=4 missed interview	159	11.7 %
	Total	**1,354**	**100%**

Based upon 1,195 valid cases out of 1,354 total cases.

Location: 151-154 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -9 , -8

S9PAI_PAI8: s9 PAI_BOR A intense mod

Value	Label	Unweighted Frequency	%
1	False, not at all true	519	38.3 %
2	Slightly true	400	29.5 %
3	Mainly true	183	13.5 %
4	Very true	93	6.9 %
	Missing Data		
-201	IntCompStat=4 missed interview	159	11.7 %
	Total	**1,354**	**100%**

Based upon 1,195 valid cases out of 1,354 total cases.

Location: 155-158 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -9 , -8

S9PAI_PAI14: s9 PAI_BOR A mood steady

Value	Label	Unweighted Frequency	%
1	False, not at all true	214	15.8 %
2	Slightly true	455	33.6 %
3	Mainly true	342	25.3 %
4	Very true	184	13.6 %
	Missing Data		
-201	IntCompStat=4 missed interview	159	11.7 %
	Total	**1,354**	**100%**

Based upon 1,195 valid cases out of 1,354 total cases.

Location: 159-162 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -9 , -8

S9PAI_PAI20: s9 PAI_BOR A anger

Value	Label	Unweighted Frequency	%
1	False, not at all true	649	47.9 %
2	Slightly true	372	27.5 %
3	Mainly true	111	8.2 %
4	Very true	62	4.6 %
	Missing Data		
-201	IntCompStat=4 missed interview	159	11.7 %
-9	Don't Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,194 valid cases out of 1,354 total cases.

Location: 163-166 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -9 , -8

S9PAI_PAI27: s9 PAI_BOR A happy

Value	Label	Unweighted Frequency	%
1	False, not at all true	154	11.4 %
2	Slightly true	344	25.4 %
3	Mainly true	423	31.2 %
4	Very true	274	20.2 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-201	IntCompStat=4 missed interview	159	11.7 %
	Total	**1,354**	**100%**

Based upon 1,195 valid cases out of 1,354 total cases.

Location: 167-170 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -9 , -8

S9PAI_PAI34: s9 PAI_BOR A mad

Value	Label	Unweighted Frequency	%
1	False, not at all true	509	37.6 %
2	Slightly true	383	28.3 %
3	Mainly true	153	11.3 %
4	Very true	150	11.1 %
	Missing Data		
-201	IntCompStat=4 missed interview	159	11.7 %
	Total	**1,354**	**100%**

Based upon 1,195 valid cases out of 1,354 total cases.

Location: 171-174 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -9 , -8

S9RAW_BORA: S9 PAI: Borderline A: affective instability - raw scores based on recoded values

Based upon 1,195 valid cases out of 1,354 total cases.

- Mean: 6.68
- Median: 6.00
- Mode: 6.00
- Minimum: 0.00
- Maximum: 18.00
- Standard Deviation: 3.49

Location: 175-178 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -99

S9PAI_PAI3: s9 PAI_BOR I attitude

Value	Label	Unweighted Frequency	%
1	False, not at all true	540	39.9 %
2	Slightly true	401	29.6 %

Value	Label	Unweighted Frequency	%
3	Mainly true	179	13.2 %
4	Very true	75	5.5 %
	Missing Data		
-201	IntCompStat=4 missed interview	159	11.7 %
	Total	**1,354**	**100%**

Based upon 1,195 valid cases out of 1,354 total cases.

Location: 179-182 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -9 , -8

S9PAI_PAI9: s9 PAI_BOR I empty

Value	Label	Unweighted Frequency	%
1	False, not at all true	745	55.0 %
2	Slightly true	283	20.9 %
3	Mainly true	93	6.9 %
4	Very true	74	5.5 %
	Missing Data		
-201	IntCompStat=4 missed interview	159	11.7 %
	Total	**1,354**	**100%**

Based upon 1,195 valid cases out of 1,354 total cases.

Location: 183-186 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -9 , -8

S9PAI_PAI15: s9 PAI_BOR I worry

Value	Label	Unweighted Frequency	%
1	False, not at all true	752	55.5 %
2	Slightly true	276	20.4 %
3	Mainly true	95	7.0 %
4	Very true	72	5.3 %
	Missing Data		
-201	IntCompStat=4 missed interview	159	11.7 %
	Total	**1,354**	**100%**

Based upon 1,195 valid cases out of 1,354 total cases.

Location: 187-190 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -9 , -8

S9PAI_PAI21: s9 PAI_BOR I wonder goal

Value	Label	Unweighted Frequency	%
1	False, not at all true	380	28.1 %
2	Slightly true	372	27.5 %
3	Mainly true	236	17.4 %
4	Very true	206	15.2 %
	Missing Data		
-201	IntCompStat=4 missed interview	159	11.7 %
-9	Don't Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,194 valid cases out of 1,354 total cases.

Location: 191-194 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -9 , -8

S9PAI_PAI28: s9 PAI_BOR I separation from others

Value	Label	Unweighted Frequency	%
1	False, not at all true	448	33.1 %
2	Slightly true	425	31.4 %
3	Mainly true	170	12.6 %
4	Very true	152	11.2 %
	Missing Data		
-201	IntCompStat=4 missed interview	159	11.7 %
	Total	**1,354**	**100%**

Based upon 1,195 valid cases out of 1,354 total cases.

Location: 195-198 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -9 , -8

S9PAI_PAI35: s9 PAI_BOR I bored

Value	Label	Unweighted Frequency	%
1	False, not at all true	542	40.0 %
2	Slightly true	404	29.8 %
3	Mainly true	168	12.4 %
4	Very true	81	6.0 %
	Missing Data		
-201	IntCompStat=4 missed interview	159	11.7 %
	Total	**1,354**	**100%**

Based upon 1,195 valid cases out of 1,354 total cases.

Location: 199-202 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -9 , -8

S9RAW_BORI: S9 PAI: Borderline I: identify problems - raw scores based on recoded values

Based upon 1,195 valid cases out of 1,354 total cases.

- Mean: 6.39
- Median: 6.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 18.00
- Standard Deviation: 3.43

Location: 203-206 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -99

S9PAI_PAI4: s9 PAI_BOR N stormy

Value	Label	Unweighted Frequency	%
1	False, not at all true	444	32.8 %
2	Slightly true	427	31.5 %
3	Mainly true	205	15.1 %
4	Very true	119	8.8 %
	Missing Data		
-201	IntCompStat=4 missed interview	159	11.7 %
	Total	**1,354**	**100%**

Based upon 1,195 valid cases out of 1,354 total cases.

Location: 207-210 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -9 , -8

S9PAI_PAI10: s9 PAI_BOR N convey hurt

Value	Label	Unweighted Frequency	%
1	False, not at all true	636	47.0 %
2	Slightly true	327	24.2 %
3	Mainly true	132	9.7 %
4	Very true	100	7.4 %
	Missing Data		
-201	IntCompStat=4 missed interview	159	11.7 %
	Total	**1,354**	**100%**

Based upon 1,195 valid cases out of 1,354 total cases.

Location: 211-214 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -9 , -8

S9PAI_PAI16: s9 PAI_BOR N let me down

Value	Label	Unweighted Frequency	%
1	False, not at all true	300	22.2 %
2	Slightly true	444	32.8 %
3	Mainly true	218	16.1 %
4	Very true	233	17.2 %
	Missing Data		
-201	IntCompStat=4 missed interview	159	11.7 %
	Total	**1,354**	**100%**

Based upon 1,195 valid cases out of 1,354 total cases.

Location: 215-218 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -9 , -8

S9PAI_PAI22: s9 PAI_BOR N lonely

Value	Label	Unweighted Frequency	%
1	False, not at all true	408	30.1 %
2	Slightly true	399	29.5 %
3	Mainly true	240	17.7 %
4	Very true	148	10.9 %
	Missing Data		
-201	IntCompStat=4 missed interview	159	11.7 %
	Total	**1,354**	**100%**

Based upon 1,195 valid cases out of 1,354 total cases.

Location: 219-222 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -9 , -8

S9PAI_PAI29: s9 PAI_BOR N friend mistakes

Value	Label	Unweighted Frequency	%
1	False, not at all true	425	31.4 %
2	Slightly true	413	30.5 %
3	Mainly true	169	12.5 %
4	Very true	188	13.9 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-201	IntCompStat=4 missed interview	159	11.7 %
	Total	**1,354**	**100%**

Based upon 1,195 valid cases out of 1,354 total cases.

Location: 223-226 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -9 , -8

S9PAI_PAI36: s9 PAI_BOR N stay friends

Value	Label	Unweighted Frequency	%
1	False, not at all true	258	19.1 %
2	Slightly true	409	30.2 %
3	Mainly true	347	25.6 %
4	Very true	180	13.3 %
	Missing Data		
-201	IntCompStat=4 missed interview	159	11.7 %
-9	Don't Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,194 valid cases out of 1,354 total cases.

Location: 227-230 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -9 , -8

S9RAW_BORN: S9 PAI: Borderline N: negative relationships - raw scores based on recoded values

Based upon 1,195 valid cases out of 1,354 total cases.

- Mean: 7.68
- Median: 7.00
- Mode: 6.00
- Minimum: 0.00
- Maximum: 18.00
- Standard Deviation: 3.32

Location: 231-234 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -99

S9PAI_PAI23: s9 PAI_BOR S impulsive trouble

Value	Label	Unweighted Frequency	%
1	False, not at all true	641	47.3 %
2	Slightly true	362	26.7 %

Value	Label	Unweighted Frequency	%
3	Mainly true	121	8.9 %
4	Very true	70	5.2 %
	Missing Data		
-201	IntCompStat=4 missed interview	159	11.7 %
-9	Don't Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,194 valid cases out of 1,354 total cases.

Location: 235-238 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -9 , -8

S9PAI_PAI30: s9 PAI_BOR S hurt self

Value	Label	Unweighted Frequency	%
1	False, not at all true	1101	81.3 %
2	Slightly true	76	5.6 %
3	Mainly true	10	0.7 %
4	Very true	8	0.6 %
	Missing Data		
-201	IntCompStat=4 missed interview	159	11.7 %
	Total	**1,354**	**100%**

Based upon 1,195 valid cases out of 1,354 total cases.

Location: 239-242 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -9 , -8

S9PAI_PAI37: s9 PAI_BOR S too implusive

Value	Label	Unweighted Frequency	%
1	False, not at all true	656	48.4 %
2	Slightly true	361	26.7 %
3	Mainly true	109	8.1 %
4	Very true	69	5.1 %
	Missing Data		
-201	IntCompStat=4 missed interview	159	11.7 %
	Total	**1,354**	**100%**

Based upon 1,195 valid cases out of 1,354 total cases.

Location: 243-246 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -9 , -8

S9PAI_PAI41: s9 PAI_BOR S spend money

Value	Label	Unweighted Frequency	%
1	False, not at all true	331	24.4 %
2	Slightly true	400	29.5 %
3	Mainly true	225	16.6 %
4	Very true	238	17.6 %
	Missing Data		
-201	IntCompStat=4 missed interview	159	11.7 %
-5	Blank	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,194 valid cases out of 1,354 total cases.

Location: 247-250 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -9 , -8 , -5

S9PAI_PAI44: s9 PAI_BOR S reckless

Value	Label	Unweighted Frequency	%
1	False, not at all true	926	68.4 %
2	Slightly true	192	14.2 %
3	Mainly true	47	3.5 %
4	Very true	29	2.1 %
	Missing Data		
-201	IntCompStat=4 missed interview	159	11.7 %
-5	Blank	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,194 valid cases out of 1,354 total cases.

Location: 251-254 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -9 , -8 , -5

S9PAI_PAI47: s9 PAI_BOR S careful spending

Value	Label	Unweighted Frequency	%
1	False, not at all true	328	24.2 %
2	Slightly true	382	28.2 %
3	Mainly true	244	18.0 %
4	Very true	240	17.7 %
	Missing Data		
-201	IntCompStat=4 missed interview	159	11.7 %

Value	Label	Unweighted Frequency	%
-5	Blank	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,194 valid cases out of 1,354 total cases.

Location: 255-258 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -9 , -8 , -5

S9RAW_BORS: S9 PAI: Borderline S: self-harm - raw scores based on recoded values

Based upon 1,195 valid cases out of 1,354 total cases.

- Mean: 4.73
- Median: 4.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 17.00
- Standard Deviation: 3.20

Location: 259-262 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -99

S9RAW_BORDERLINE: S9 PAI: Full borderline scale - raw scores

Based upon 1,195 valid cases out of 1,354 total cases.

- Mean: 25.48
- Median: 24.00
- Mode: 22.00
- Minimum: 2.00
- Maximum: 65.00
- Standard Deviation: 10.60

Location: 263-266 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -99

S9TSCORE_ANTISOCIAL: S9 PAI: T score value for the antisocial raw score

Based upon 1,195 valid cases out of 1,354 total cases.

- Mean: 60.94
- Median: 59.00
- Mode: 55.00
- Minimum: 39.00
- Maximum: 108.00
- Standard Deviation: 11.28

Location: 267-270 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -99

S9TSCORE_INTERP_ANTISOCIAL: S9 PAI: Meaning of the antisocial T score

Value	Label	Unweighted Frequency	%
1	-	614	45.3 %
2	-	320	23.6 %
3	-	185	13.7 %
4	-	76	5.6 %
	Missing Data		
-201	IntCompStat=4 missed interview	159	11.7 %
	Total	**1,354**	**100%**

Based upon 1,195 valid cases out of 1,354 total cases.

Location: 271-274 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -99

S9TSCORE_BORDERLINE: S9 PAI: T score value for the borderline raw score

Based upon 1,195 valid cases out of 1,354 total cases.

- Mean: 57.48
- Median: 56.00
- Mode: 54.00
- Minimum: 34.00
- Maximum: 97.00
- Standard Deviation: 10.60

Location: 275-278 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -99

S9TSCORE_INTERP_BORDERLINE: S9 PAI: meaning of the borderline T score

Value	Label	Unweighted Frequency	%
1	-	739	54.6 %
2	-	302	22.3 %
3	-	150	11.1 %
4	-	4	0.3 %
	Missing Data		
-201	IntCompStat=4 missed interview	159	11.7 %
	Total	**1,354**	**100%**

Based upon 1,195 valid cases out of 1,354 total cases.

Location: 279-282 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -99

S9PAI_TRUTHFULNESS: S9 How would you rate the subjects overall truthfulness on the PAI questions?

Value	Label	Unweighted Frequency	%
1	Truthful on all of it	1021	75.4 %
2	Truthful on most of it	115	8.5 %
3	Truthful on some of it	8	0.6 %
4	Truthful on none of it	1	0.1 %
	Missing Data		
-201	IntCompStat=4 missed interview	159	11.7 %
-5	Blank	50	3.7 %
	Total	**1,354**	**100%**

Based upon 1,145 valid cases out of 1,354 total cases.

Location: 283-286 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -9 , -8 , -5

S9PAI_UNDERSTANDING: S9 How would you rate the subjects overall understanding of the PAI questions?

Value	Label	Unweighted Frequency	%
1	Understood all of it	1027	75.8 %
2	Understood most of it	106	7.8 %
3	Understood some of it	11	0.8 %
4	Understood none of it	1	0.1 %
	Missing Data		
-201	intCompStat=4 missed interview	159	11.7 %
-5	Blank	50	3.7 %
	Total	**1,354**	**100%**

Based upon 1,145 valid cases out of 1,354 total cases.

Location: 287-290 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -9 , -8 , -5