ICPSR | INTER-UNIVERSITY CONSORTIUM FOR POLITICAL AND SOCIAL RESEARCH

ICPSR 36800

Research on Pathways to Desistance [Maricopa County, AZ and Philadelphia County, PA]: Subject Measures - Scales, 2000-2010

Edward P. Mulvey
University of Pittsburgh

Codebook for Resistance to Peer Influence

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/36800/terms

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE
WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 36800

Research on Pathways to Desistance [Maricopa County, AZ and Philadelphia County, PA]: Subject Measures - Scales, 2000-2010

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Resistance to Peer Influence

CASEID: S0 IntInfo: Subject ID

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1-5 (width: 5; decimal: 0)
Variable Type: numeric

S0PEI01A: S0 PEI: Go along w/friends to keep happy

Value	Label	Unweighted Frequency	%
1	Some people go along with friends just to keep them happy	599	44.2 %
2	Other people refuse to go along with their friends	744	54.9 %
	Missing Data		
-200	Data missing	8	0.6 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,343 valid cases out of 1,354 total cases.

Location: 6-9 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PEI01B: S0 PEI: Refuse go along w/friend even if unhappy

Value	Label	Unweighted Frequency	%
1	Sort of True	816	60.3 %
2	Really True	527	38.9 %
	Missing Data		
-200	Data missing	8	0.6 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,343 valid cases out of 1,354 total cases.

Location: 10-13 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PEI02A: S0 PEI: Important to be individual than crowd

Value	Label	Unweighted Frequency	%
1	Some people think its more important to be an individual	910	67.2 %
2	Other people think it is more important to fit in	434	32.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-200	Data missing	8	0.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,344 valid cases out of 1,354 total cases.

Location: 14-17 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PEI02B: S0 PEI: Important fit in crowd than individual

Value	Label	Unweighted Frequency	%
1	Sort of True	558	41.2 %
2	Really True	786	58.1 %
	Missing Data		
-200	Data missing	8	0.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,344 valid cases out of 1,354 total cases.

Location: 18-21 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PEI03A: S0 PEI: Easy for friends to change mind

Value	Label	Unweighted Frequency	%
1	Pretty easy for some peoples friends to get to change mind	514	38.0 %
2	For other people its pretty hard to change their mind	831	61.4 %
	Missing Data		
-200	Data missing	8	0.6 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,345 valid cases out of 1,354 total cases.

Location: 22-25 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PEI03B: S0 PEI: Hard for friends to change mind

Value	Label	Unweighted Frequency	%
1	Sort of True	621	45.9 %

Value	Label	Unweighted Frequency	%
2	Really True	724	53.5 %
	Missing Data		
-200	Data missing	8	0.6 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,345 valid cases out of 1,354 total cases.

Location: 26-29 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PEI04A: S0 PEI: Do something wrong stay friends good side

Value	Label	Unweighted Frequency	%
1	Some people would do something that they knew was wrong	393	29.0 %
2	Other people would not do something knew was wrong	952	70.3 %
	Missing Data		
-200	Data missing	8	0.6 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,345 valid cases out of 1,354 total cases.

Location: 30-33 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PEI04B: S0 PEI: Not do wrong to stay on friend good side

Value	Label	Unweighted Frequency	%
1	Sort of True	615	45.4 %
2	Really True	730	53.9 %
	Missing Data		
-200	Data missing	8	0.6 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,345 valid cases out of 1,354 total cases.

Location: 34-37 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PEI05A: S0 PEI: Hide true opinion friend wont make fun

Value	Label	Unweighted Frequency	%
1	Some people hide their true opinions from their friends	312	23.0 %
2	Other peopel will say their opinions to friends	1034	76.4 %
	Missing Data		
-200	Data missing	8	0.6 %
	Total	**1,354**	**100%**

Based upon 1,346 valid cases out of 1,354 total cases.

Location: 38-41 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PEI05B: S0 PEI: Say true opinion even if friend make fun

Value	Label	Unweighted Frequency	%
1	Sort of True	426	31.5 %
2	Really True	920	67.9 %
	Missing Data		
-200	Data missing	8	0.6 %
	Total	**1,354**	**100%**

Based upon 1,346 valid cases out of 1,354 total cases.

Location: 42-45 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PEI06A: S0 PEI: Wont break law because friends says so

Value	Label	Unweighted Frequency	%
1	Some people will not break the law because friends said to	958	70.8 %
2	Other people will break law if their friends said to	383	28.3 %
	Missing Data		
-200	Data missing	8	0.6 %
-9	Dont Know	3	0.2 %
-8	Refusal	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,341 valid cases out of 1,354 total cases.

Location: 46-49 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PEI06B: S0 PEI: Would break law because friends says so

Value	Label	Unweighted Frequency	%
1	Sort of True	607	44.8 %
2	Really True	735	54.3 %
	Missing Data		
-200	Data missing	8	0.6 %
-9	Dont Know	3	0.2 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,342 valid cases out of 1,354 total cases.

Location: 50-53 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PEI07A: S0 PEI: Act so different wonder who really are

Value	Label	Unweighted Frequency	%
1	Some people change way they act with their friends	285	21.0 %
2	Other people act the same way when alone and with friends	1061	78.4 %
	Missing Data		
-200	Data missing	8	0.6 %
	Total	**1,354**	**100%**

Based upon 1,346 valid cases out of 1,354 total cases.

Location: 54-57 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PEI07B: S0 PEI: Act same way whether alone or w/friends

Value	Label	Unweighted Frequency	%
1	Sort of True	380	28.1 %
2	Really True	966	71.3 %
	Missing Data		
-200	Data missing	8	0.6 %
	Total	**1,354**	**100%**

Based upon 1,346 valid cases out of 1,354 total cases.

Location: 58-61 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PEI08A: S0 PEI: Take more risks when w/friend than alone

Value	Label	Unweighted Frequency	%
1	Some people take more risks when with friends	603	44.5 %
2	Some people are just as risky when alone as with friends	743	54.9 %
	Missing Data		
-200	Data missing	8	0.6 %
	Total	**1,354**	**100%**

Based upon 1,346 valid cases out of 1,354 total cases.

Location: 62-65 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PEI08B: S0 PEI: Just as risky when alone or w/friends

Value	Label	Unweighted Frequency	%
1	Sort of True	476	35.2 %
2	Really True	870	64.3 %
	Missing Data		
-200	Data missing	8	0.6 %
	Total	**1,354**	**100%**

Based upon 1,346 valid cases out of 1,354 total cases.

Location: 66-69 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PEI09A: S0 PEI: Say things dont believe, gain respect

Value	Label	Unweighted Frequency	%
1	Some people say things they dont really belive	430	31.8 %
2	Other people would not say things they dont really believe	913	67.4 %
	Missing Data		
-200	Data missing	8	0.6 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,343 valid cases out of 1,354 total cases.

Location: 70-73 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PEI09B: S0 PEI: Wont say things dont believe gain respect

Value	Label	Unweighted Frequency	%
1	Sort of True	645	47.6 %
2	Really True	698	51.6 %
	Missing Data		
-200	Data missing	8	0.6 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,343 valid cases out of 1,354 total cases.

Location: 74-77 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PEI10A: S0 PEI: Better to be individual even if people go against you

Value	Label	Unweighted Frequency	%
1	Some peopel think its better to be an individual	947	69.9 %
2	Other people think its better to go along with crowd	397	29.3 %
	Missing Data		
-200	Data missing	8	0.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,344 valid cases out of 1,354 total cases.

Location: 78-81 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PEI10B: S0 PEI: Better go w/crowd than make people angry

Value	Label	Unweighted Frequency	%
1	Sort of True	593	43.8 %
2	Really True	751	55.5 %
	Missing Data		
-200	Data missing	8	0.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,344 valid cases out of 1,354 total cases.

Location: 82-85 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0GOALONG: S0 PEI: Go along with friends

Value	Label	Unweighted Frequency	%
1	1st option; Really true	160	11.8 %
2	1st option; Sort of true	439	32.4 %
3	2nd option; Sort of true	377	27.8 %
4	2nd option; Really true	367	27.1 %
	Missing Data		
-200	Data missing	8	0.6 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,343 valid cases out of 1,354 total cases.

Location: 86-89 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -200 , -9 , -8

S0FITIN: S0 PEI: Fit in with friends

Value	Label	Unweighted Frequency	%
1	2nd option; Really true	181	13.4 %
2	2nd option; Sort of true	253	18.7 %
3	1st option; Sort of true	305	22.5 %
4	1st option; Really true	605	44.7 %
	Missing Data		
-200	Data missing	8	0.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,344 valid cases out of 1,354 total cases.

Location: 90-93 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -200 , -9 , -8

S0CHANMIND: S0 PEI: Friends easily change their mind

Value	Label	Unweighted Frequency	%
1	1st option; Really true	215	15.9 %
2	1st option; Sort of true	299	22.1 %
3	2nd option; Sort of true	322	23.8 %
4	2nd option; Really true	509	37.6 %
	Missing Data		
-200	Data missing	8	0.6 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,345 valid cases out of 1,354 total cases.

Location: 94-97 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -200 , -9 , -8

S0DOWRONG: S0 PEI: Do something wrong for friends

Value	Label	Unweighted Frequency	%
1	1st option; Really true	142	10.5 %
2	1st option; Sort of true	251	18.5 %
3	2nd option; Sort of true	364	26.9 %
4	2nd option; Really true	588	43.4 %
	Missing Data		
-300	Too few answers for computation	1	0.1 %
-200	Data missing	8	0.6 %
	Total	**1,354**	**100%**

Based upon 1,345 valid cases out of 1,354 total cases.

Location: 98-101 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -200 , -9 , -8

S0HIDEOPIN: S0 PEI: Hide true opinion

Value	Label	Unweighted Frequency	%
1	1st option; Really true	153	11.3 %
2	1st option; Sort of true	159	11.7 %
3	2nd option; Sort of true	267	19.7 %
4	2nd option; Really true	767	56.6 %
	Missing Data		
-200	Data missing	8	0.6 %
	Total	**1,354**	**100%**

Based upon 1,346 valid cases out of 1,354 total cases.

Location: 102-105 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -200 , -9 , -8

S0BREAKLAW: S0 PEI: Not Break laws for friends

Value	Label	Unweighted Frequency	%
1	2nd option; Really true	168	12.4 %
2	2nd option; Sort of true	215	15.9 %
3	1st option; Sort of true	391	28.9 %

Value	Label	Unweighted Frequency	%
4	1st option; Really true	567	41.9 %
	Missing Data		
-300	Too few answers for computation	1	0.1 %
-200	Data missing	8	0.6 %
-9	Dont Know	3	0.2 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,341 valid cases out of 1,354 total cases.

Location: 106-109 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -200 , -9 , -8

S0CHANGWA: S0 PEI: Change actions too often

Value	Label	Unweighted Frequency	%
1	1st option; Really true	133	9.8 %
2	1st option; Sort of true	152	11.2 %
3	2nd option; Sort of true	228	16.8 %
4	2nd option; Really true	833	61.5 %
	Missing Data		
-200	Data missing	8	0.6 %
	Total	**1,354**	**100%**

Based upon 1,346 valid cases out of 1,354 total cases.

Location: 110-113 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -200 , -9 , -8

S0TAKERISK: S0 PEI: People take risks with friends

Value	Label	Unweighted Frequency	%
1	1st option; Really true	331	24.4 %
2	1st option; Sort of true	272	20.1 %
3	2nd option; Sort of true	204	15.1 %
4	2nd option; Really true	539	39.8 %
	Missing Data		
-200	Data missing	8	0.6 %
	Total	**1,354**	**100%**

Based upon 1,346 valid cases out of 1,354 total cases.

Location: 114-117 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -300 , -200 , -9 , -8

S0SAYTHING: S0 PEI: Say Things They Dont Believe

Value	Label	Unweighted Frequency	%
1	1st option; Really true	140	10.3 %
2	1st option; Sort of true	290	21.4 %
3	2nd option; Sort of true	355	26.2 %
4	2nd option; Really true	558	41.2 %
	Missing Data		
-200	Data missing	8	0.6 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,343 valid cases out of 1,354 total cases.

Location: 118-121 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -200 , -9 , -8

S0GOAGAIN: S0 PEI: Better to be Individual

Value	Label	Unweighted Frequency	%
1	2nd option; Really true	144	10.6 %
2	2nd option; Sort of true	253	18.7 %
3	1st option; Sort of true	340	25.1 %
4	1st option; Really true	607	44.8 %
	Missing Data		
-200	Data missing	8	0.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,344 valid cases out of 1,354 total cases.

Location: 122-125 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -200 , -9 , -8

S0PEERPR: S0 PEI: Resistance to Peer Influence

Based upon 1,346 valid cases out of 1,354 total cases.

- Mean: 2.9871863134
- Median: 3.0000000000
- Mode: 3.4000000000
- Minimum: 1.3000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.5755962739

Location: 126-140 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -200.0000000000 , -9.0000000000 , -8.0000000000

S1PEI01A: S1 PEI: Go with friends or not

Value	Label	Unweighted Frequency	%
1	Some people go along with friends just to keep them happy	462	34.1 %
2	Other people refuse to go along with their friends	795	58.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,257 valid cases out of 1,354 total cases.

Location: 141-144 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1PEI01B: S1 PEI: choice1 Sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	726	53.6 %
2	Really True	531	39.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,257 valid cases out of 1,354 total cases.

Location: 145-148 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1PEI02A: S1 PEI: Individual or not

Value	Label	Unweighted Frequency	%
1	Some people think its more important to be an individual	882	65.1 %
2	Other people think it is more important to fit in	375	27.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %

Value	Label	Unweighted Frequency	%
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,257 valid cases out of 1,354 total cases.

Location: 149-152 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1PEI02B: S1 PEI: Choice2 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	494	36.5 %
2	Really True	763	56.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,257 valid cases out of 1,354 total cases.

Location: 153-156 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1PEI03A: S1 PEI: Change mind or not

Value	Label	Unweighted Frequency	%
1	Pretty easy for some peoples friends to get to change mind	432	31.9 %
2	For other people its pretty hard to change their mind	826	61.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 157-160 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1PEI03B: S1 PEI: Choice3 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	564	41.7 %
2	Really True	694	51.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 161-164 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1PEI04A: S1 PEI: Do wrong good side or not

Value	Label	Unweighted Frequency	%
1	Some people would do something that they knew was wrong	320	23.6 %
2	Other people would not do something knew was wrong	936	69.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,256 valid cases out of 1,354 total cases.

Location: 165-168 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1PEI04B: S1 PEI: Choice4 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	544	40.2 %
2	Really True	712	52.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,256 valid cases out of 1,354 total cases.

Location: 169-172 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1PEI05A: S1 PEI: Hide true feeling or not

Value	Label	Unweighted Frequency	%
1	Some people hide their true opinions from their friends	271	20.0 %
2	Other peopel will say their opinions to friends	987	72.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 173-176 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1PEI05B: S1 PEI: Choice5 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	431	31.8 %
2	Really True	827	61.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 177-180 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1PEI06A: S1 PEI: Break law for friends or not

Value	Label	Unweighted Frequency	%
1	Some people will not break the law because friends said to	938	69.3 %
2	Other people will break law if their friends said to	319	23.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,257 valid cases out of 1,354 total cases.

Location: 181-184 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1PEI06B: S1 PEI: Choice6 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	528	39.0 %
2	Really True	729	53.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,257 valid cases out of 1,354 total cases.

Location: 185-188 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1PEI07A: S1 PEI: Change around friends or not

Value	Label	Unweighted Frequency	%
1	Some people change way they act with their friends	241	17.8 %
2	Other people act the same way when alone and with friends	1017	75.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 189-192 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1PEI07B: S1 PEI: Choice7 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	370	27.3 %
2	Really True	888	65.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 193-196 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1PEI08A: S1 PEI: Take risks with friends or not

Value	Label	Unweighted Frequency	%
1	Some people take more risks when with friends	522	38.6 %
2	Some people are just as risky when alone as with friends	736	54.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 197-200 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1PEI08B: S1 PEI: Choice8 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	487	36.0 %
2	Really True	771	56.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 201-204 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1PEI09A: S1 PEI: Say things make friends respect or not

Value	Label	Unweighted Frequency	%
1	Some people say things they dont really belive	342	25.3 %
2	Other people would not say things they dont really believe	915	67.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,257 valid cases out of 1,354 total cases.

Location: 205-208 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1PEI09B: S1 PEI: Choice9 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	583	43.1 %
2	Really True	674	49.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,257 valid cases out of 1,354 total cases.

Location: 209-212 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1PEI10A: S1 PEI: Better be individual or not

Value	Label	Unweighted Frequency	%
1	Some peopel think its better to be an individual	901	66.5 %
2	Other people think its better to go along with crowd	356	26.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,257 valid cases out of 1,354 total cases.

Location: 213-216 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1PEI10B: S1 PEI: Choice10 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	544	40.2 %
2	Really True	713	52.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,257 valid cases out of 1,354 total cases.

Location: 217-220 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1GOALONG: S1 PEI: Go along with friends

Value	Label	Unweighted Frequency	%
1	1st option; Really true	116	8.6 %
2	1st option; Sort of true	346	25.6 %
3	2nd option; Sort of true	380	28.1 %
4	2nd option; Really true	415	30.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,257 valid cases out of 1,354 total cases.

Location: 221-224 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S1FITIN: S1 PEI: Fit in with friends

Value	Label	Unweighted Frequency	%
1	2nd option; Really true	158	11.7 %
2	2nd option; Sort of true	217	16.0 %
3	1st option; Sort of true	277	20.5 %
4	1st option; Really true	605	44.7 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,257 valid cases out of 1,354 total cases.

Location: 225-228 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S1CHANMIND: S1 PEI: Friends easily change their mind

Value	Label	Unweighted Frequency	%
1	1st option; Really true	164	12.1 %
2	1st option; Sort of true	268	19.8 %
3	2nd option; Sort of true	296	21.9 %
4	2nd option; Really true	530	39.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 229-232 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S1DOWRONG: S1 PEI: Do something wrong for friends

Value	Label	Unweighted Frequency	%
1	1st option; Really true	101	7.5 %
2	1st option; Sort of true	219	16.2 %
3	2nd option; Sort of true	325	24.0 %
4	2nd option; Really true	611	45.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,256 valid cases out of 1,354 total cases.

Location: 233-236 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S1HIDEOPIN: S1 PEI: Hide true opinion

Value	Label	Unweighted Frequency	%
1	1st option; Really true	112	8.3 %
2	1st option; Sort of true	159	11.7 %
3	2nd option; Sort of true	272	20.1 %
4	2nd option; Really true	715	52.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 237-240 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S1BREAKLAW: S1 PEI: Not Break laws for friends

Value	Label	Unweighted Frequency	%
1	2nd option; Really true	133	9.8 %
2	2nd option; Sort of true	186	13.7 %
3	1st option; Sort of true	342	25.3 %
4	1st option; Really true	596	44.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,257 valid cases out of 1,354 total cases.

Location: 241-244 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S1CHANGWA: S1 PEI: Change actions too often

Value	Label	Unweighted Frequency	%
1	1st option; Really true	97	7.2 %

Value	Label	Unweighted Frequency	%
2	1st option; Sort of true	144	10.6 %
3	2nd option; Sort of true	226	16.7 %
4	2nd option; Really true	791	58.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 245-248 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S1TAKERISK: S1 PEI: People take risks with friends

Value	Label	Unweighted Frequency	%
1	1st option; Really true	258	19.1 %
2	1st option; Sort of true	264	19.5 %
3	2nd option; Sort of true	223	16.5 %
4	2nd option; Really true	513	37.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 249-252 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S1SAYTHING: S1 PEI: Say Things They Dont Believe

Value	Label	Unweighted Frequency	%
1	1st option; Really true	116	8.6 %
2	1st option; Sort of true	226	16.7 %
3	2nd option; Sort of true	357	26.4 %
4	2nd option; Really true	558	41.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %

Value	Label	Unweighted Frequency	%
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,257 valid cases out of 1,354 total cases.

Location: 253-256 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S1GOAGAIN: S1 PEI: Better to be Individual

Value	Label	Unweighted Frequency	%
1	2nd option; Really true	140	10.3 %
2	2nd option; Sort of true	216	16.0 %
3	1st option; Sort of true	328	24.2 %
4	1st option; Really true	573	42.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,257 valid cases out of 1,354 total cases.

Location: 257-260 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S1PEERPR: S1 PEI: Resistance to Peer Influence

Based upon 1,258 valid cases out of 1,354 total cases.

- Mean: 3.0693031267
- Median: 3.1000000000
- Mode: 3.1000000000
- Minimum: 1.2000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.5719669534

Location: 261-275 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -9.0000000000 , -8.0000000000

S2PEI01A: S2 PEI: Go with friends or not

Value	Label	Unweighted Frequency	%
1	Some people go along with friends just to keep them happy	450	33.2 %

Value	Label	Unweighted Frequency	%
2	Other people refuse to go along with their friends	806	59.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	2	0.1 %
-8	Refused	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,256 valid cases out of 1,354 total cases.

Location: 276-279 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2PEI01B: S2 PEI: choice1 Sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	668	49.3 %
2	Really True	588	43.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	2	0.1 %
-8	Refusal	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,256 valid cases out of 1,354 total cases.

Location: 280-283 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2PEI02A: S2 PEI: Individual or not

Value	Label	Unweighted Frequency	%
1	Some people think its more important to be an individual	929	68.6 %
2	Other people think it is more important to fit in	330	24.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 284-287 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2PEI02B: S2 PEI: Choice2 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	476	35.2 %
2	Really True	783	57.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 288-291 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2PEI03A: S2 PEI: Change mind or not

Value	Label	Unweighted Frequency	%
1	Pretty easy for some peoples friends to get to change mind	416	30.7 %
2	For other people its pretty hard to change their mind	842	62.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 292-295 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2PEI03B: S2 PEI: Choice3 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	561	41.4 %
2	Really True	697	51.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %

Value	Label	Unweighted Frequency	%
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 296-299 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2PEI04A: S2 PEI: Do wrong good side or not

Value	Label	Unweighted Frequency	%
1	Some people would do something that they knew was wrong	277	20.5 %
2	Other people would not do something knew was wrong	979	72.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	3	0.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,256 valid cases out of 1,354 total cases.

Location: 300-303 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2PEI04B: S2 PEI: Choice4 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	489	36.1 %
2	Really True	767	56.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	3	0.2 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,256 valid cases out of 1,354 total cases.

Location: 304-307 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2PEI05A: S2 PEI: Hide true feeling or not

Value	Label	Unweighted Frequency	%
1	Some people hide their true opinions from their friends	246	18.2 %
2	Other peopel will say their opinions to friends	1014	74.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 308-311 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2PEI05B: S2 PEI: Choice5 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	404	29.8 %
2	Really True	856	63.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 312-315 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2PEI06A: S2 PEI: Break law for friends or not

Value	Label	Unweighted Frequency	%
1	Some people will not break the law because friends said to	965	71.3 %
2	Other people will break law if their friends said to	293	21.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 316-319 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2PEI06B: S2 PEI: Choice6 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	499	36.9 %
2	Really True	759	56.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	1	0.1 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 320-323 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2PEI07A: S2 PEI: Change around friends or not

Value	Label	Unweighted Frequency	%
1	Some people change way they act with their friends	228	16.8 %
2	Other people act the same way when alone and with friends	1032	76.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 324-327 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2PEI07B: S2 PEI: Choice7 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	356	26.3 %
2	Really True	904	66.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 328-331 (width: 4; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2PEI08A: S2 PEI: Take risks with friends or not

Value	Label	Unweighted Frequency	%
1	Some people take more risks when with friends	506	37.4 %
2	Some people are just as risky when alone as with friends	751	55.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	2	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,257 valid cases out of 1,354 total cases.

Location: 332-335 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2PEI08B: S2 PEI: Choice8 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	456	33.7 %
2	Really True	801	59.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	2	0.1 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,257 valid cases out of 1,354 total cases.

Location: 336-339 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2PEI09A: S2 PEI: Say things make friends respect or not

Value	Label	Unweighted Frequency	%
1	Some people say things they dont really belive	323	23.9 %
2	Other people would not say things they dont really believe	932	68.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	4	0.3 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,255 valid cases out of 1,354 total cases.

Location: 340-343 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2PEI09B: S2 PEI: Choice9 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	536	39.6 %
2	Really True	719	53.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	4	0.3 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,255 valid cases out of 1,354 total cases.

Location: 344-347 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2PEI10A: S2 PEI: Better be individual or not

Value	Label	Unweighted Frequency	%
1	Some peopel think its better to be an individual	919	67.9 %
2	Other people think its better to go along with crowd	339	25.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 348-351 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2PEI10B: S2 PEI: Choice10 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	503	37.1 %
2	Really True	755	55.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 352-355 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2GOALONG: S2 PEI: Go along with friends

Value	Label	Unweighted Frequency	%
1	1st option; Really true	123	9.1 %
2	1st option; Sort of true	327	24.2 %
3	2nd option; Sort of true	341	25.2 %
4	2nd option; Really true	465	34.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	2	0.1 %
-8	Refusal	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,256 valid cases out of 1,354 total cases.

Location: 356-359 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S2FITIN: S2 PEI: Fit in with friends

Value	Label	Unweighted Frequency	%
1	2nd option; Really true	128	9.5 %
2	2nd option; Sort of true	202	14.9 %
3	1st option; Sort of true	274	20.2 %
4	1st option; Really true	655	48.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 360-363 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S2CHANMIND: S2 PEI: Friends easily change their mind

Value	Label	Unweighted Frequency	%
1	1st option; Really true	145	10.7 %
2	1st option; Sort of true	271	20.0 %
3	2nd option; Sort of true	290	21.4 %
4	2nd option; Really true	552	40.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 364-367 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S2DOWRONG: S2 PEI: Do something wrong for friends

Value	Label	Unweighted Frequency	%
1	1st option; Really true	92	6.8 %
2	1st option; Sort of true	185	13.7 %
3	2nd option; Sort of true	304	22.5 %
4	2nd option; Really true	675	49.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	3	0.2 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,256 valid cases out of 1,354 total cases.

Location: 368-371 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S2HIDEOPIN: S2 PEI: Hide true opinion

Value	Label	Unweighted Frequency	%
1	1st option; Really true	107	7.9 %
2	1st option; Sort of true	139	10.3 %
3	2nd option; Sort of true	265	19.6 %
4	2nd option; Really true	749	55.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 372-375 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S2BREAKLAW: S2 PEI: Not Break laws for friends

Value	Label	Unweighted Frequency	%
1	2nd option; Really true	120	8.9 %
2	2nd option; Sort of true	173	12.8 %
3	1st option; Sort of true	326	24.1 %
4	1st option; Really true	639	47.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	1	0.1 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 376-379 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S2CHANGWA: S2 PEI: Change actions too often

Value	Label	Unweighted Frequency	%
1	1st option; Really true	98	7.2 %
2	1st option; Sort of true	130	9.6 %
3	2nd option; Sort of true	226	16.7 %
4	2nd option; Really true	806	59.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 380-383 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S2TAKERISK: S2 PEI: People take risks with friends

Value	Label	Unweighted Frequency	%
1	1st option; Really true	243	17.9 %
2	1st option; Sort of true	263	19.4 %
3	2nd option; Sort of true	193	14.3 %
4	2nd option; Really true	558	41.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	2	0.1 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,257 valid cases out of 1,354 total cases.

Location: 384-387 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S2SAYTHING: S2 PEI: Say Things They Dont Believe

Value	Label	Unweighted Frequency	%
1	1st option; Really true	115	8.5 %
2	1st option; Sort of true	208	15.4 %
3	2nd option; Sort of true	328	24.2 %
4	2nd option; Really true	604	44.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	4	0.3 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,255 valid cases out of 1,354 total cases.

Location: 388-391 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S2GOAGAIN: S2 PEI: Better to be Individual

Value	Label	Unweighted Frequency	%
1	2nd option; Really true	127	9.4 %
2	2nd option; Sort of true	212	15.7 %
3	1st option; Sort of true	291	21.5 %
4	1st option; Really true	628	46.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 392-395 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S2PEERPR: S2 PEI: Resistance to Peer Influence

Based upon 1,258 valid cases out of 1,354 total cases.

- Mean: 3.1288663664
- Median: 3.2000000000
- Mode: 4.0000000000
- Minimum: 1.1000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.5812433981

Location: 396-410 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -9.0000000000 , -8.0000000000

S3PEI01A: S3 PEI: Go with friends or not

Value	Label	Unweighted Frequency	%
1	Some people go along with friends just to keep them happy	386	28.5 %
2	Other people refuse to go along with their friends	837	61.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-9	Dont Know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,223 valid cases out of 1,354 total cases.

Location: 411-414 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3PEI01B: S3 PEI: choice1 Sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	641	47.3 %
2	Really True	582	43.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-9	Dont Know	1	0.1 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,223 valid cases out of 1,354 total cases.

Location: 415-418 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3PEI02A: S3 PEI: Individual or not

Value	Label	Unweighted Frequency	%
1	Some people think its more important to be an individual	921	68.0 %
2	Other people think it is more important to fit in	303	22.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,224 valid cases out of 1,354 total cases.

Location: 419-422 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3PEI02B: S3 PEI: Choice2 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	456	33.7 %
2	Really True	768	56.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,224 valid cases out of 1,354 total cases.

Location: 423-426 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3PEI03A: S3 PEI: Change mind or not

Value	Label	Unweighted Frequency	%
1	Pretty easy for some peoples friends to get to change mind	399	29.5 %
2	For other people its pretty hard to change their mind	825	60.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,224 valid cases out of 1,354 total cases.

Location: 427-430 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3PEI03B: S3 PEI: Choice3 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	545	40.3 %
2	Really True	679	50.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,224 valid cases out of 1,354 total cases.

Location: 431-434 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3PEI04A: S3 PEI: Do wrong good side or not

Value	Label	Unweighted Frequency	%
1	Some people would do something that they knew was wrong	258	19.1 %
2	Other people would not do something knew was wrong	964	71.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-9	Dont Know	2	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,222 valid cases out of 1,354 total cases.

Location: 435-438 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3PEI04B: S3 PEI: Choice4 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	482	35.6 %
2	Really True	740	54.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-9	Dont Know	2	0.1 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,222 valid cases out of 1,354 total cases.

Location: 439-442 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3PEI05A: S3 PEI: Hide true feeling or not

Value	Label	Unweighted Frequency	%
1	Some people hide their true opinions from their friends	223	16.5 %
2	Other peopel will say their opinions to friends	1001	73.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,224 valid cases out of 1,354 total cases.

Location: 443-446 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3PEI05B: S3 PEI: Choice5 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	386	28.5 %
2	Really True	838	61.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,224 valid cases out of 1,354 total cases.

Location: 447-450 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3PEI06A: S3 PEI: Break law for friends or not

Value	Label	Unweighted Frequency	%
1	Some people will not break the law because friends said to	967	71.4 %
2	Other people will break law if their friends said to	257	19.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,224 valid cases out of 1,354 total cases.

Location: 451-454 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3PEI06B: S3 PEI: Choice6 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	468	34.6 %
2	Really True	756	55.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,224 valid cases out of 1,354 total cases.

Location: 455-458 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3PEI07A: S3 PEI: Change around friends or not

Value	Label	Unweighted Frequency	%
1	Some people change way they act with their friends	163	12.0 %
2	Other people act the same way when alone and with friends	1061	78.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,224 valid cases out of 1,354 total cases.

Location: 459-462 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3PEI07B: S3 PEI: Choice7 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	327	24.2 %
2	Really True	897	66.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,224 valid cases out of 1,354 total cases.

Location: 463-466 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3PEI08A: S3 PEI: Take risks with friends or not

Value	Label	Unweighted Frequency	%
1	Some people take more risks when with friends	470	34.7 %
2	Some people are just as risky when alone as with friends	754	55.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,224 valid cases out of 1,354 total cases.

Location: 467-470 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3PEI08B: S3 PEI: Choice8 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	473	34.9 %
2	Really True	751	55.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,224 valid cases out of 1,354 total cases.

Location: 471-474 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3PEI09A: S3 PEI: Say things make friends respect or not

Value	Label	Unweighted Frequency	%
1	Some people say things they dont really belive	319	23.6 %
2	Other people would not say things they dont really believe	904	66.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-9	Dont Know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,223 valid cases out of 1,354 total cases.

Location: 475-478 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3PEI09B: S3 PEI: Choice9 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	522	38.6 %
2	Really True	701	51.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-9	Dont Know	1	0.1 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,223 valid cases out of 1,354 total cases.

Location: 479-482 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3PEI10A: S3 PEI: Better be individual or not

Value	Label	Unweighted Frequency	%
1	Some peopel think its better to be an individual	918	67.8 %
2	Other people think its better to go along with crowd	304	22.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-9	Dont Know	2	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,222 valid cases out of 1,354 total cases.

Location: 483-486 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3PEI10B: S3 PEI: Choice10 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	508	37.5 %
2	Really True	714	52.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-9	Dont Know	2	0.1 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,222 valid cases out of 1,354 total cases.

Location: 487-490 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3GOALONG: S3 PEI: Go along with friends

Value	Label	Unweighted Frequency	%
1	1st option; Really true	84	6.2 %
2	1st option; Sort of true	302	22.3 %
3	2nd option; Sort of true	339	25.0 %
4	2nd option; Really true	498	36.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-9	Dont Know	1	0.1 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,223 valid cases out of 1,354 total cases.

Location: 491-494 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S3FITIN: S3 PEI: Fit in with friends

Value	Label	Unweighted Frequency	%
1	2nd option; Really true	124	9.2 %
2	2nd option; Sort of true	179	13.2 %
3	1st option; Sort of true	277	20.5 %
4	1st option; Really true	644	47.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,224 valid cases out of 1,354 total cases.

Location: 495-498 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S3CHANMIND: S3 PEI: Friends easily change their mind

Value	Label	Unweighted Frequency	%
1	1st option; Really true	152	11.2 %
2	1st option; Sort of true	247	18.2 %
3	2nd option; Sort of true	298	22.0 %
4	2nd option; Really true	527	38.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,224 valid cases out of 1,354 total cases.

Location: 499-502 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S3DOWRONG: S3 PEI: Do something wrong for friends

Value	Label	Unweighted Frequency	%
1	1st option; Really true	90	6.6 %
2	1st option; Sort of true	168	12.4 %
3	2nd option; Sort of true	314	23.2 %
4	2nd option; Really true	650	48.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	125	9.2 %
-9	Dont Know	2	0.1 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,222 valid cases out of 1,354 total cases.

Location: 503-506 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S3HIDEOPIN: S3 PEI: Hide true opinion

Value	Label	Unweighted Frequency	%
1	1st option; Really true	87	6.4 %
2	1st option; Sort of true	136	10.0 %
3	2nd option; Sort of true	250	18.5 %
4	2nd option; Really true	751	55.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,224 valid cases out of 1,354 total cases.

Location: 507-510 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S3BREAKLAW: S3 PEI: Not Break laws for friends

Value	Label	Unweighted Frequency	%
1	2nd option; Really true	120	8.9 %
2	2nd option; Sort of true	137	10.1 %
3	1st option; Sort of true	331	24.4 %
4	1st option; Really true	636	47.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,224 valid cases out of 1,354 total cases.

Location: 511-514 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S3CHANGWA: S3 PEI: Change actions too often

Value	Label	Unweighted Frequency	%
1	1st option; Really true	71	5.2 %
2	1st option; Sort of true	92	6.8 %
3	2nd option; Sort of true	235	17.4 %
4	2nd option; Really true	826	61.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,224 valid cases out of 1,354 total cases.

Location: 515-518 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S3TAKERISK: S3 PEI: People take risks with friends

Value	Label	Unweighted Frequency	%
1	1st option; Really true	209	15.4 %
2	1st option; Sort of true	261	19.3 %
3	2nd option; Sort of true	212	15.7 %
4	2nd option; Really true	542	40.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,224 valid cases out of 1,354 total cases.

Location: 519-522 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S3SAYTHING: S3 PEI: Say Things They Dont Believe

Value	Label	Unweighted Frequency	%
1	1st option; Really true	113	8.3 %

Value	Label	Unweighted Frequency	%
2	1st option; Sort of true	206	15.2 %
3	2nd option; Sort of true	316	23.3 %
4	2nd option; Really true	588	43.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-9	Dont Know	1	0.1 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,223 valid cases out of 1,354 total cases.

Location: 523-526 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S3GOAGAIN: S3 PEI: Better to be Individual

Value	Label	Unweighted Frequency	%
1	2nd option; Really true	115	8.5 %
2	2nd option; Sort of true	189	14.0 %
3	1st option; Sort of true	319	23.6 %
4	1st option; Really true	599	44.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-9	Dont Know	2	0.1 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,222 valid cases out of 1,354 total cases.

Location: 527-530 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S3PEERPR: S3 PEI: Resistance to Peer Influence

Based upon 1,224 valid cases out of 1,354 total cases.

- Mean: 3.1645288671
- Median: 3.2000000000
- Mode: 3.7000000000
- Minimum: 1.1000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.5615332928

Location: 531-545 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -9.0000000000 , -8.0000000000

S4PEI01A: S4 PEI: Go with friends or not

Value	Label	Unweighted Frequency	%
1	Some people go along with friends just to keep them happy	378	27.9 %
2	Other people refuse to go along with their friends	848	62.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 546-549 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4PEI01B: S4 PEI: choice1 Sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	638	47.1 %
2	Really True	588	43.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 550-553 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4PEI02A: S4 PEI: Individual or not

Value	Label	Unweighted Frequency	%
1	Some people think its more important to be an individual	955	70.5 %
2	Other people think it is more important to fit in	271	20.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 554-557 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4PEI02B: S4 PEI: Choice2 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	452	33.4 %
2	Really True	774	57.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 558-561 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4PEI03A: S4 PEI: Change mind or not

Value	Label	Unweighted Frequency	%
1	Pretty easy for some peoples friends to get to change mind	410	30.3 %
2	For other people its pretty hard to change their mind	815	60.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,225 valid cases out of 1,354 total cases.

Location: 562-565 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4PEI03B: S4 PEI: Choice3 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	553	40.8 %
2	Really True	672	49.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %

Value	Label	Unweighted Frequency	%
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,225 valid cases out of 1,354 total cases.

Location: 566-569 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4PEI04A: S4 PEI: Do wrong good side or not

Value	Label	Unweighted Frequency	%
1	Some people would do something that they knew was wrong	224	16.5 %
2	Other people would not do something knew was wrong	1001	73.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,225 valid cases out of 1,354 total cases.

Location: 570-573 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4PEI04B: S4 PEI: Choice4 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	497	36.7 %
2	Really True	728	53.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,225 valid cases out of 1,354 total cases.

Location: 574-577 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4PEI05A: S4 PEI: Hide true feeling or not

Value	Label	Unweighted Frequency	%
1	Some people hide their true opinions from their friends	207	15.3 %
2	Other peopel will say their opinions to friends	1019	75.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 578-581 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4PEI05B: S4 PEI: Choice5 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	383	28.3 %
2	Really True	843	62.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 582-585 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4PEI06A: S4 PEI: Break law for friends or not

Value	Label	Unweighted Frequency	%
1	Some people will not break the law because friends said to	949	70.1 %
2	Other people will break law if their friends said to	276	20.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,225 valid cases out of 1,354 total cases.

Location: 586-589 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4PEI06B: S4 PEI: Choice6 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	473	34.9 %
2	Really True	752	55.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,225 valid cases out of 1,354 total cases.

Location: 590-593 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4PEI07A: S4 PEI: Change around friends or not

Value	Label	Unweighted Frequency	%
1	Some people change way they act with their friends	161	11.9 %
2	Other people act the same way when alone and with friends	1064	78.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,225 valid cases out of 1,354 total cases.

Location: 594-597 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4PEI07B: S4 PEI: Choice7 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	351	25.9 %
2	Really True	874	64.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,225 valid cases out of 1,354 total cases.

Location: 598-601 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4PEI08A: S4 PEI: Take risks with friends or not

Value	Label	Unweighted Frequency	%
1	Some people take more risks when with friends	432	31.9 %
2	Some people are just as risky when alone as with friends	793	58.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,225 valid cases out of 1,354 total cases.

Location: 602-605 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4PEI08B: S4 PEI: Choice8 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	474	35.0 %
2	Really True	751	55.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,225 valid cases out of 1,354 total cases.

Location: 606-609 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4PEI09A: S4 PEI: Say things make friends respect or not

Value	Label	Unweighted Frequency	%
1	Some people say things they dont really belive	274	20.2 %
2	Other people would not say things they dont really believe	951	70.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	123	9.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,225 valid cases out of 1,354 total cases.

Location: 610-613 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4PEI09B: S4 PEI: Choice9 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	523	38.6 %
2	Really True	702	51.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,225 valid cases out of 1,354 total cases.

Location: 614-617 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4PEI10A: S4 PEI: Better be individual or not

Value	Label	Unweighted Frequency	%
1	Some peopel think its better to be an individual	932	68.8 %
2	Other people think its better to go along with crowd	294	21.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 618-621 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4PEI10B: S4 PEI: Choice10 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	489	36.1 %
2	Really True	737	54.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 622-625 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4GOALONG: S4 PEI: Go along with friends

Value	Label	Unweighted Frequency	%
1	1st option; Really true	92	6.8 %
2	1st option; Sort of true	286	21.1 %
3	2nd option; Sort of true	352	26.0 %
4	2nd option; Really true	496	36.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 626-629 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S4FITIN: S4 PEI: Fit in with friends

Value	Label	Unweighted Frequency	%
1	2nd option; Really true	85	6.3 %
2	2nd option; Sort of true	186	13.7 %
3	1st option; Sort of true	266	19.6 %
4	1st option; Really true	689	50.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 630-633 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S4CHANMIND: S4 PEI: Friends easily change their mind

Value	Label	Unweighted Frequency	%
1	1st option; Really true	135	10.0 %
2	1st option; Sort of true	275	20.3 %
3	2nd option; Sort of true	278	20.5 %
4	2nd option; Really true	537	39.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,225 valid cases out of 1,354 total cases.

Location: 634-637 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S4DOWRONG: S4 PEI: Do something wrong for friends

Value	Label	Unweighted Frequency	%
1	1st option; Really true	70	5.2 %
2	1st option; Sort of true	154	11.4 %
3	2nd option; Sort of true	343	25.3 %
4	2nd option; Really true	658	48.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,225 valid cases out of 1,354 total cases.

Location: 638-641 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S4HIDEOPIN: S4 PEI: Hide true opinion

Value	Label	Unweighted Frequency	%
1	1st option; Really true	86	6.4 %

Value	Label	Unweighted Frequency	%
2	1st option; Sort of true	121	8.9 %
3	2nd option; Sort of true	262	19.4 %
4	2nd option; Really true	757	55.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 642-645 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S4BREAKLAW: S4 PEI: Not Break laws for friends

Value	Label	Unweighted Frequency	%
1	2nd option; Really true	123	9.1 %
2	2nd option; Sort of true	153	11.3 %
3	1st option; Sort of true	320	23.6 %
4	1st option; Really true	629	46.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,225 valid cases out of 1,354 total cases.

Location: 646-649 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S4CHANGWA: S4 PEI: Change actions too often

Value	Label	Unweighted Frequency	%
1	1st option; Really true	58	4.3 %
2	1st option; Sort of true	103	7.6 %
3	2nd option; Sort of true	248	18.3 %
4	2nd option; Really true	816	60.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-9	Dont Know	1	0.1 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 1,225 valid cases out of 1,354 total cases.

Location: 650-653 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S4TAKERISK: S4 PEI: People take risks with friends

Value	Label	Unweighted Frequency	%
1	1st option; Really true	204	15.1 %
2	1st option; Sort of true	228	16.8 %
3	2nd option; Sort of true	246	18.2 %
4	2nd option; Really true	547	40.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,225 valid cases out of 1,354 total cases.

Location: 654-657 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S4SAYTHING: S4 PEI: Say Things They Dont Believe

Value	Label	Unweighted Frequency	%
1	1st option; Really true	97	7.2 %
2	1st option; Sort of true	177	13.1 %
3	2nd option; Sort of true	346	25.6 %
4	2nd option; Really true	605	44.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,225 valid cases out of 1,354 total cases.

Location: 658-661 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S4GOAGAIN: S4 PEI: Better to be Individual

Value	Label	Unweighted Frequency	%
1	2nd option; Really true	105	7.8 %
2	2nd option; Sort of true	189	14.0 %
3	1st option; Sort of true	300	22.2 %
4	1st option; Really true	632	46.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 662-665 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S4PEERPR: S4 PEI: Resistance to Peer Influence

Based upon 1,226 valid cases out of 1,354 total cases.

- Mean: 3.1946392967
- Median: 3.3000000000
- Mode: 3.7000000000
- Minimum: 1.4000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.5621781124

Location: 666-680 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -9.0000000000 , -8.0000000000

S5PEI01A: S5 PEI: Go with friends or not

Value	Label	Unweighted Frequency	%
1	Some people go along with friends just to keep them happy	314	23.2 %
2	Other people refuse to go along with their friends	916	67.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 681-684 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5PEI01B: S5 PEI: choice1 Sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	572	42.2 %
2	Really True	658	48.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 685-688 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5PEI02A: S5 PEI: Individual or not

Value	Label	Unweighted Frequency	%
1	Some people think its more important to be an individual	976	72.1 %
2	Other people think it is more important to fit in	254	18.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 689-692 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5PEI02B: S5 PEI: Choice2 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	431	31.8 %
2	Really True	799	59.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	1	0.1 %
-8	Refusal	1	0.1 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 693-696 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5PEI03A: S5 PEI: Change mind or not

Value	Label	Unweighted Frequency	%
1	Pretty easy for some peoples friends to get to change mind	378	27.9 %
2	For other people its pretty hard to change their mind	851	62.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	2	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 697-700 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5PEI03B: S5 PEI: Choice3 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	527	38.9 %
2	Really True	702	51.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	2	0.1 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 701-704 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5PEI04A: S5 PEI: Do wrong good side or not

Value	Label	Unweighted Frequency	%
1	Some people would do something that they knew was wrong	209	15.4 %
2	Other people would not do something knew was wrong	1021	75.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 705-708 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5PEI04B: S5 PEI: Choice4 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	472	34.9 %
2	Really True	758	56.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	1	0.1 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 709-712 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5PEI05A: S5 PEI: Hide true feeling or not

Value	Label	Unweighted Frequency	%
1	Some people hide their true opinions from their friends	163	12.0 %
2	Other peopel will say their opinions to friends	1067	78.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 713-716 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5PEI05B: S5 PEI: Choice5 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	389	28.7 %
2	Really True	841	62.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	1	0.1 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 717-720 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5PEI06A: S5 PEI: Break law for friends or not

Value	Label	Unweighted Frequency	%
1	Some people will not break the law because friends said to	985	72.7 %
2	Other people will break law if their friends said to	245	18.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 721-724 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5PEI06B: S5 PEI: Choice6 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	449	33.2 %
2	Really True	781	57.7 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	1	0.1 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 725-728 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5PEI07A: S5 PEI: Change around friends or not

Value	Label	Unweighted Frequency	%
1	Some people change way they act with their friends	148	10.9 %
2	Other people act the same way when alone and with friends	1082	79.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 729-732 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5PEI07B: S5 PEI: Choice7 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	318	23.5 %
2	Really True	912	67.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	1	0.1 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 733-736 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5PEI08A: S5 PEI: Take risks with friends or not

Value	Label	Unweighted Frequency	%
1	Some people take more risks when with friends	417	30.8 %
2	Some people are just as risky when alone as with friends	806	59.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	8	0.6 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,223 valid cases out of 1,354 total cases.

Location: 737-740 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5PEI08B: S5 PEI: Choice8 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	470	34.7 %
2	Really True	753	55.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	8	0.6 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,223 valid cases out of 1,354 total cases.

Location: 741-744 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5PEI09A: S5 PEI: Say things make friends respect or not

Value	Label	Unweighted Frequency	%
1	Some people say things they dont really belive	280	20.7 %
2	Other people would not say things they dont really believe	950	70.2 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 745-748 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5PEI09B: S5 PEI: Choice9 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	479	35.4 %
2	Really True	751	55.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	1	0.1 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 749-752 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5PEI10A: S5 PEI: Better be individual or not

Value	Label	Unweighted Frequency	%
1	Some peopel think its better to be an individual	967	71.4 %
2	Other people think its better to go along with crowd	263	19.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 753-756 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5PEI10B: S5 PEI: Choice10 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	480	35.5 %
2	Really True	750	55.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	1	0.1 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 757-760 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5GOALONG: S5 PEI: Go along with friends

Value	Label	Unweighted Frequency	%
1	1st option; Really true	75	5.5 %
2	1st option; Sort of true	239	17.7 %
3	2nd option; Sort of true	333	24.6 %
4	2nd option; Really true	583	43.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 761-764 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S5FITIN: S5 PEI: Fit in with friends

Value	Label	Unweighted Frequency	%
1	2nd option; Really true	97	7.2 %
2	2nd option; Sort of true	157	11.6 %
3	1st option; Sort of true	274	20.2 %
4	1st option; Really true	702	51.8 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	1	0.1 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 765-768 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S5CHANMIND: S5 PEI: Friends easily change their mind

Value	Label	Unweighted Frequency	%
1	1st option; Really true	134	9.9 %
2	1st option; Sort of true	244	18.0 %
3	2nd option; Sort of true	283	20.9 %
4	2nd option; Really true	568	41.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	2	0.1 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 769-772 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S5DOWRONG: S5 PEI: Do something wrong for friends

Value	Label	Unweighted Frequency	%
1	1st option; Really true	66	4.9 %
2	1st option; Sort of true	143	10.6 %
3	2nd option; Sort of true	329	24.3 %
4	2nd option; Really true	692	51.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	1	0.1 %

Value	Label	Unweighted Frequency	%
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 773-776 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S5HIDEOPIN: S5 PEI: Hide true opinion

Value	Label	Unweighted Frequency	%
1	1st option; Really true	48	3.5 %
2	1st option; Sort of true	115	8.5 %
3	2nd option; Sort of true	274	20.2 %
4	2nd option; Really true	793	58.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	1	0.1 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 777-780 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S5BREAKLAW: S5 PEI: Not Break laws for friends

Value	Label	Unweighted Frequency	%
1	2nd option; Really true	112	8.3 %
2	2nd option; Sort of true	133	9.8 %
3	1st option; Sort of true	316	23.3 %
4	1st option; Really true	669	49.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	1	0.1 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 781-784 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S5CHANGWA: S5 PEI: Change actions too often

Value	Label	Unweighted Frequency	%
1	1st option; Really true	58	4.3 %
2	1st option; Sort of true	90	6.6 %
3	2nd option; Sort of true	228	16.8 %
4	2nd option; Really true	854	63.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	1	0.1 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 785-788 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S5TAKERISK: S5 PEI: People take risks with friends

Value	Label	Unweighted Frequency	%
1	1st option; Really true	176	13.0 %
2	1st option; Sort of true	241	17.8 %
3	2nd option; Sort of true	229	16.9 %
4	2nd option; Really true	577	42.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	8	0.6 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,223 valid cases out of 1,354 total cases.

Location: 789-792 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S5SAYTHING: S5 PEI: Say Things They Dont Believe

Value	Label	Unweighted Frequency	%
1	1st option; Really true	113	8.3 %
2	1st option; Sort of true	167	12.3 %
3	2nd option; Sort of true	312	23.0 %
4	2nd option; Really true	638	47.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	1	0.1 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 793-796 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S5GOAGAIN: S5 PEI: Better to be Individual

Value	Label	Unweighted Frequency	%
1	2nd option; Really true	101	7.5 %
2	2nd option; Sort of true	162	12.0 %
3	1st option; Sort of true	318	23.5 %
4	1st option; Really true	649	47.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	1	0.1 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 797-800 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S5PEERPR: S5 PEI: Resistance to Peer Influence

Based upon 1,230 valid cases out of 1,354 total cases.

- Mean: 3.2502619693
- Median: 3.3000000000
- Mode: 4.0000000000
- Minimum: 1.3000000000
- Maximum: 4.0000000000

- Standard Deviation: 0.5637913028

Location: 801-815 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -9.0000000000 , -8.0000000000

S6PEI01A: S6 PEI: Go with friends or not

Value	Label	Unweighted Frequency	%
1	Some people go along with friends just to keep them happy	285	21.0 %
2	Other people refuse to go along with their friends	942	69.6 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,227 valid cases out of 1,354 total cases.

Location: 816-819 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6PEI01B: S6 PEI: choice1 Sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	528	39.0 %
2	Really True	699	51.6 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,227 valid cases out of 1,354 total cases.

Location: 820-823 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6PEI02A: S6 PEI: Individual or not

Value	Label	Unweighted Frequency	%
1	Some people think its more important to be an individual	999	73.8 %

Value	Label	Unweighted Frequency	%
2	Other people think it is more important to fit in	228	16.8 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,227 valid cases out of 1,354 total cases.

Location: 824-827 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6PEI02B: S6 PEI: Choice2 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	379	28.0 %
2	Really True	848	62.6 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,227 valid cases out of 1,354 total cases.

Location: 828-831 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6PEI03A: S6 PEI: Change mind or not

Value	Label	Unweighted Frequency	%
1	Pretty easy for some peoples friends to get to change mind	341	25.2 %
2	For other people its pretty hard to change their mind	886	65.4 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,227 valid cases out of 1,354 total cases.

Location: 832-835 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6PEI03B: S6 PEI: Choice3 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	509	37.6 %
2	Really True	718	53.0 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,227 valid cases out of 1,354 total cases.

Location: 836-839 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6PEI04A: S6 PEI: Do wrong good side or not

Value	Label	Unweighted Frequency	%
1	Some people would do something that they knew was wrong	212	15.7 %
2	Other people would not do something knew was wrong	1015	75.0 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,227 valid cases out of 1,354 total cases.

Location: 840-843 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6PEI04B: S6 PEI: Choice4 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	439	32.4 %
2	Really True	788	58.2 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,227 valid cases out of 1,354 total cases.

Location: 844-847 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6PEI05A: S6 PEI: Hide true feeling or not

Value	Label	Unweighted Frequency	%
1	Some people hide their true opinions from their friends	165	12.2 %
2	Other peopel will say their opinions to friends	1062	78.4 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,227 valid cases out of 1,354 total cases.

Location: 848-851 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6PEI05B: S6 PEI: Choice5 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	343	25.3 %
2	Really True	884	65.3 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,227 valid cases out of 1,354 total cases.

Location: 852-855 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6PEI06A: S6 PEI: Break law for friends or not

Value	Label	Unweighted Frequency	%
1	Some people will not break the law because friends said to	1018	75.2 %
2	Other people will break law if their friends said to	208	15.4 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 856-859 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6PEI06B: S6 PEI: Choice6 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	413	30.5 %
2	Really True	813	60.0 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 860-863 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6PEI07A: S6 PEI: Change around friends or not

Value	Label	Unweighted Frequency	%
1	Some people change way they act with their friends	136	10.0 %
2	Other people act the same way when alone and with friends	1090	80.5 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 864-867 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6PEI07B: S6 PEI: Choice7 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	275	20.3 %
2	Really True	951	70.2 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 868-871 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6PEI08A: S6 PEI: Take risks with friends or not

Value	Label	Unweighted Frequency	%
1	Some people take more risks when with friends	390	28.8 %
2	Some people are just as risky when alone as with friends	837	61.8 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,227 valid cases out of 1,354 total cases.

Location: 872-875 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6PEI08B: S6 PEI: Choice8 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	415	30.6 %
2	Really True	812	60.0 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,227 valid cases out of 1,354 total cases.

Location: 876-879 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6PEI09A: S6 PEI: Say things make friends respect or not

Value	Label	Unweighted Frequency	%
1	Some people say things they dont really belive	253	18.7 %
2	Other people would not say things they dont really believe	972	71.8 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont Know	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,225 valid cases out of 1,354 total cases.

Location: 880-883 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6PEI09B: S6 PEI: Choice9 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	463	34.2 %
2	Really True	762	56.3 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont Know	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,225 valid cases out of 1,354 total cases.

Location: 884-887 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6PEI10A: S6 PEI: Better be individual or not

Value	Label	Unweighted Frequency	%
1	Some peopel think its better to be an individual	1005	74.2 %
2	Other people think its better to go along with crowd	222	16.4 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,227 valid cases out of 1,354 total cases.

Location: 888-891 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6PEI10B: S6 PEI: Choice10 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	402	29.7 %
2	Really True	825	60.9 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,227 valid cases out of 1,354 total cases.

Location: 892-895 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6GOALONG: S6 PEI: Go along with friends

Value	Label	Unweighted Frequency	%
1	1st option; Really true	76	5.6 %
2	1st option; Sort of true	209	15.4 %
3	2nd option; Sort of true	319	23.6 %
4	2nd option; Really true	623	46.0 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,227 valid cases out of 1,354 total cases.

Location: 896-899 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S6FITIN: S6 PEI: Fit in with friends

Value	Label	Unweighted Frequency	%
1	2nd option; Really true	92	6.8 %
2	2nd option; Sort of true	136	10.0 %
3	1st option; Sort of true	243	17.9 %
4	1st option; Really true	756	55.8 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,227 valid cases out of 1,354 total cases.

Location: 900-903 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S6CHANMIND: S6 PEI: Friends easily change their mind

Value	Label	Unweighted Frequency	%
1	1st option; Really true	107	7.9 %
2	1st option; Sort of true	234	17.3 %

Value	Label	Unweighted Frequency	%
3	2nd option; Sort of true	275	20.3 %
4	2nd option; Really true	611	45.1 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,227 valid cases out of 1,354 total cases.

Location: 904-907 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S6DOWRONG: S6 PEI: Do something wrong for friends

Value	Label	Unweighted Frequency	%
1	1st option; Really true	66	4.9 %
2	1st option; Sort of true	146	10.8 %
3	2nd option; Sort of true	293	21.6 %
4	2nd option; Really true	722	53.3 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,227 valid cases out of 1,354 total cases.

Location: 908-911 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S6HIDEOPIN: S6 PEI: Hide true opinion

Value	Label	Unweighted Frequency	%
1	1st option; Really true	58	4.3 %
2	1st option; Sort of true	107	7.9 %
3	2nd option; Sort of true	236	17.4 %
4	2nd option; Really true	826	61.0 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,227 valid cases out of 1,354 total cases.

Location: 912-915 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S6BREAKLAW: S6 PEI: Not Break laws for friends

Value	Label	Unweighted Frequency	%
1	2nd option; Really true	93	6.9 %
2	2nd option; Sort of true	115	8.5 %
3	1st option; Sort of true	298	22.0 %
4	1st option; Really true	720	53.2 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 916-919 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S6CHANGWA: S6 PEI: Change actions too often

Value	Label	Unweighted Frequency	%
1	1st option; Really true	56	4.1 %
2	1st option; Sort of true	80	5.9 %
3	2nd option; Sort of true	195	14.4 %
4	2nd option; Really true	895	66.1 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 920-923 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S6TAKERISK: S6 PEI: People take risks with friends

Value	Label	Unweighted Frequency	%
1	1st option; Really true	174	12.9 %
2	1st option; Sort of true	216	16.0 %
3	2nd option; Sort of true	199	14.7 %
4	2nd option; Really true	638	47.1 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,227 valid cases out of 1,354 total cases.

Location: 924-927 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S6SAYTHING: S6 PEI: Say Things They Dont Believe

Value	Label	Unweighted Frequency	%
1	1st option; Really true	103	7.6 %
2	1st option; Sort of true	150	11.1 %
3	2nd option; Sort of true	313	23.1 %
4	2nd option; Really true	659	48.7 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont Know	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,225 valid cases out of 1,354 total cases.

Location: 928-931 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S6GOAGAIN: S6 PEI: Better to be Individual

Value	Label	Unweighted Frequency	%
1	2nd option; Really true	87	6.4 %
2	2nd option; Sort of true	135	10.0 %
3	1st option; Sort of true	267	19.7 %
4	1st option; Really true	738	54.5 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,227 valid cases out of 1,354 total cases.

Location: 932-935 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S6PEERPR: S6 PEI: Resistance to Peer Influence

Based upon 1,227 valid cases out of 1,354 total cases.

- Mean: 3.3126958254
- Median: 3.4000000000
- Mode: 4.0000000000
- Minimum: 1.1000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.5489118833

Location: 936-950 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -9.0000000000 , -8.0000000000

S7PEI01A: S7 PEI: Go with friends or not

Value	Label	Unweighted Frequency	%
1	Some people go along with friends just to keep them happy	265	19.6 %
2	Other people refuse to go along with their friends	947	69.9 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,212 valid cases out of 1,354 total cases.

Location: 951-954 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7PEI01B: S7 PEI: choice1 Sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	529	39.1 %
2	Really True	683	50.4 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,212 valid cases out of 1,354 total cases.

Location: 955-958 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7PEI02A: S7 PEI: Individual or not

Value	Label	Unweighted Frequency	%
1	Some people think its more important to be an individual	981	72.5 %
2	Other people think it is more important to fit in	231	17.1 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,212 valid cases out of 1,354 total cases.

Location: 959-962 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7PEI02B: S7 PEI: Choice2 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	397	29.3 %
2	Really True	815	60.2 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,212 valid cases out of 1,354 total cases.

Location: 963-966 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7PEI03A: S7 PEI: Change mind or not

Value	Label	Unweighted Frequency	%
1	Pretty easy for some peoples friends to get to change mind	301	22.2 %
2	For other people its pretty hard to change their mind	911	67.3 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,212 valid cases out of 1,354 total cases.

Location: 967-970 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7PEI03B: S7 PEI: Choice3 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	538	39.7 %
2	Really True	674	49.8 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,212 valid cases out of 1,354 total cases.

Location: 971-974 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7PEI04A: S7 PEI: Do wrong good side or not

Value	Label	Unweighted Frequency	%
1	Some people would do something that they knew was wrong	192	14.2 %
2	Other people would not do something knew was wrong	1020	75.3 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,212 valid cases out of 1,354 total cases.

Location: 975-978 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7PEI04B: S7 PEI: Choice4 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	447	33.0 %
2	Really True	765	56.5 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,212 valid cases out of 1,354 total cases.

Location: 979-982 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7PEI05A: S7 PEI: Hide true feeling or not

Value	Label	Unweighted Frequency	%
1	Some people hide their true opinions from their friends	137	10.1 %
2	Other peopel will say their opinions to friends	1075	79.4 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,212 valid cases out of 1,354 total cases.

Location: 983-986 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7PEI05B: S7 PEI: Choice5 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	343	25.3 %
2	Really True	869	64.2 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,212 valid cases out of 1,354 total cases.

Location: 987-990 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7PEI06A: S7 PEI: Break law for friends or not

Value	Label	Unweighted Frequency	%
1	Some people will not break the law because friends said to	1015	75.0 %
2	Other people will break law if their friends said to	197	14.5 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,212 valid cases out of 1,354 total cases.

Location: 991-994 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7PEI06B: S7 PEI: Choice6 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	418	30.9 %
2	Really True	794	58.6 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,212 valid cases out of 1,354 total cases.

Location: 995-998 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7PEI07A: S7 PEI: Change around friends or not

Value	Label	Unweighted Frequency	%
1	Some people change way they act with their friends	126	9.3 %
2	Other people act the same way when alone and with friends	1086	80.2 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,212 valid cases out of 1,354 total cases.

Location: 999-1002 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7PEI07B: S7 PEI: Choice7 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	278	20.5 %
2	Really True	934	69.0 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,212 valid cases out of 1,354 total cases.

Location: 1003-1006 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7PEI08A: S7 PEI: Take risks with friends or not

Value	Label	Unweighted Frequency	%
1	Some people take more risks when with friends	361	26.7 %
2	Some people are just as risky when alone as with friends	850	62.8 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont Know	1	0.1 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 1,211 valid cases out of 1,354 total cases.

Location: 1007-1010 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7PEI08B: S7 PEI: Choice8 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	464	34.3 %
2	Really True	747	55.2 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,211 valid cases out of 1,354 total cases.

Location: 1011-1014 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7PEI09A: S7 PEI: Say things make friends respect or not

Value	Label	Unweighted Frequency	%
1	Some people say things they dont really belive	223	16.5 %
2	Other people would not say things they dont really believe	989	73.0 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,212 valid cases out of 1,354 total cases.

Location: 1015-1018 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7PEI09B: S7 PEI: Choice9 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	448	33.1 %
2	Really True	764	56.4 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,212 valid cases out of 1,354 total cases.

Location: 1019-1022 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7PEI10A: S7 PEI: Better be individual or not

Value	Label	Unweighted Frequency	%
1	Some peopel think its better to be an individual	1026	75.8 %
2	Other people think its better to go along with crowd	186	13.7 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,212 valid cases out of 1,354 total cases.

Location: 1023-1026 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7PEI10B: S7 PEI: Choice10 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	402	29.7 %
2	Really True	810	59.8 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,212 valid cases out of 1,354 total cases.

Location: 1027-1030 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7GOALONG: S7 PEI: Go along with friends

Value	Label	Unweighted Frequency	%
1	1st option; Really true	62	4.6 %
2	1st option; Sort of true	203	15.0 %
3	2nd option; Sort of true	326	24.1 %
4	2nd option; Really true	621	45.9 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,212 valid cases out of 1,354 total cases.

Location: 1031-1034 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S7FITIN: S7 PEI: Fit in with friends

Value	Label	Unweighted Frequency	%
1	2nd option; Really true	90	6.6 %
2	2nd option; Sort of true	141	10.4 %
3	1st option; Sort of true	256	18.9 %
4	1st option; Really true	725	53.5 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,212 valid cases out of 1,354 total cases.

Location: 1035-1038 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S7CHANMIND: S7 PEI: Friends easily change their mind

Value	Label	Unweighted Frequency	%
1	1st option; Really true	84	6.2 %
2	1st option; Sort of true	217	16.0 %
3	2nd option; Sort of true	321	23.7 %

Value	Label	Unweighted Frequency	%
4	2nd option; Really true	590	43.6 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,212 valid cases out of 1,354 total cases.

Location: 1039-1042 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S7DOWRONG: S7 PEI: Do something wrong for friends

Value	Label	Unweighted Frequency	%
1	1st option; Really true	54	4.0 %
2	1st option; Sort of true	138	10.2 %
3	2nd option; Sort of true	309	22.8 %
4	2nd option; Really true	711	52.5 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,212 valid cases out of 1,354 total cases.

Location: 1043-1046 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S7HIDEOPIN: S7 PEI: Hide true opinion

Value	Label	Unweighted Frequency	%
1	1st option; Really true	43	3.2 %
2	1st option; Sort of true	94	6.9 %
3	2nd option; Sort of true	249	18.4 %
4	2nd option; Really true	826	61.0 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,212 valid cases out of 1,354 total cases.

Location: 1047-1050 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S7BREAKLAW: S7 PEI: Not Break laws for friends

Value	Label	Unweighted Frequency	%
1	2nd option; Really true	88	6.5 %
2	2nd option; Sort of true	109	8.1 %
3	1st option; Sort of true	309	22.8 %
4	1st option; Really true	706	52.1 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,212 valid cases out of 1,354 total cases.

Location: 1051-1054 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S7CHANGWA: S7 PEI: Change actions too often

Value	Label	Unweighted Frequency	%
1	1st option; Really true	39	2.9 %
2	1st option; Sort of true	87	6.4 %
3	2nd option; Sort of true	191	14.1 %
4	2nd option; Really true	895	66.1 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,212 valid cases out of 1,354 total cases.

Location: 1055-1058 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S7TAKERISK: S7 PEI: People take risks with friends

Value	Label	Unweighted Frequency	%
1	1st option; Really true	149	11.0 %
2	1st option; Sort of true	212	15.7 %
3	2nd option; Sort of true	252	18.6 %
4	2nd option; Really true	598	44.2 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,211 valid cases out of 1,354 total cases.

Location: 1059-1062 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S7SAYTHING: S7 PEI: Say Things They Dont Believe

Value	Label	Unweighted Frequency	%
1	1st option; Really true	83	6.1 %
2	1st option; Sort of true	140	10.3 %
3	2nd option; Sort of true	308	22.7 %
4	2nd option; Really true	681	50.3 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,212 valid cases out of 1,354 total cases.

Location: 1063-1066 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S7GOAGAIN: S7 PEI: Better to be Individual

Value	Label	Unweighted Frequency	%
1	2nd option; Really true	48	3.5 %
2	2nd option; Sort of true	138	10.2 %
3	1st option; Sort of true	264	19.5 %
4	1st option; Really true	762	56.3 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,212 valid cases out of 1,354 total cases.

Location: 1067-1070 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S7PEERPR: S7 PEI: Resistance to Peer Influence

Based upon 1,212 valid cases out of 1,354 total cases.

- Mean: 3.3429776311
- Median: 3.4000000000
- Mode: 4.0000000000
- Minimum: 1.5000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.5294764198

Location: 1071-1085 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -9.0000000000 , -8.0000000000

S8PEI01A: S8 PEI: Go with friends or not

Value	Label	Unweighted Frequency	%
1	Some people go along with friends just to keep them happy	265	19.6 %
2	Other people refuse to go along with their friends	937	69.2 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,202 valid cases out of 1,354 total cases.

Location: 1086-1089 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8PEI01B: S8 PEI: choice1 Sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	506	37.4 %

Value	Label	Unweighted Frequency	%
2	Really True	696	51.4 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,202 valid cases out of 1,354 total cases.

Location: 1090-1093 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8PEI02A: S8 PEI: Individual or not

Value	Label	Unweighted Frequency	%
1	Some people think its more important to be an individual	1002	74.0 %
2	Other people think it is more important to fit in	199	14.7 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,201 valid cases out of 1,354 total cases.

Location: 1094-1097 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8PEI02B: S8 PEI: Choice2 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	362	26.7 %
2	Really True	839	62.0 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,201 valid cases out of 1,354 total cases.

Location: 1098-1101 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8PEI03A: S8 PEI: Change mind or not

Value	Label	Unweighted Frequency	%
1	Pretty easy for some peoples friends to get to change mind	315	23.3 %
2	For other people its pretty hard to change their mind	886	65.4 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,201 valid cases out of 1,354 total cases.

Location: 1102-1105 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8PEI03B: S8 PEI: Choice3 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	498	36.8 %
2	Really True	703	51.9 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,201 valid cases out of 1,354 total cases.

Location: 1106-1109 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8PEI04A: S8 PEI: Do wrong good side or not

Value	Label	Unweighted Frequency	%
1	Some people would do something that they knew was wrong	158	11.7 %
2	Other people would not do something knew was wrong	1043	77.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,201 valid cases out of 1,354 total cases.

Location: 1110-1113 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8PEI04B: S8 PEI: Choice4 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	383	28.3 %
2	Really True	818	60.4 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,201 valid cases out of 1,354 total cases.

Location: 1114-1117 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8PEI05A: S8 PEI: Hide true feeling or not

Value	Label	Unweighted Frequency	%
1	Some people hide their true opinions from their friends	128	9.5 %
2	Other peopel will say their opinions to friends	1074	79.3 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,202 valid cases out of 1,354 total cases.

Location: 1118-1121 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8PEI05B: S8 PEI: Choice5 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	305	22.5 %
2	Really True	897	66.2 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,202 valid cases out of 1,354 total cases.

Location: 1122-1125 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8PEI06A: S8 PEI: Break law for friends or not

Value	Label	Unweighted Frequency	%
1	Some people will not break the law because friends said to	1020	75.3 %
2	Other people will break law if their friends said to	182	13.4 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,202 valid cases out of 1,354 total cases.

Location: 1126-1129 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8PEI06B: S8 PEI: Choice6 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	367	27.1 %
2	Really True	835	61.7 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,202 valid cases out of 1,354 total cases.

Location: 1130-1133 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8PEI07A: S8 PEI: Change around friends or not

Value	Label	Unweighted Frequency	%
1	Some people change way they act with their friends	96	7.1 %
2	Other people act the same way when alone and with friends	1106	81.7 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,202 valid cases out of 1,354 total cases.

Location: 1134-1137 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8PEI07B: S8 PEI: Choice7 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	233	17.2 %
2	Really True	969	71.6 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,202 valid cases out of 1,354 total cases.

Location: 1138-1141 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8PEI08A: S8 PEI: Take risks with friends or not

Value	Label	Unweighted Frequency	%
1	Some people take more risks when with friends	345	25.5 %
2	Some people are just as risky when alone as with friends	856	63.2 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,201 valid cases out of 1,354 total cases.

Location: 1142-1145 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8PEI08B: S8 PEI: Choice8 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	457	33.8 %
2	Really True	744	54.9 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,201 valid cases out of 1,354 total cases.

Location: 1146-1149 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8PEI09A: S8 PEI: Say things make friends respect or not

Value	Label	Unweighted Frequency	%
1	Some people say things they dont really belive	200	14.8 %
2	Other people would not say things they dont really believe	1002	74.0 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,202 valid cases out of 1,354 total cases.

Location: 1150-1153 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8PEI09B: S8 PEI: Choice9 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	365	27.0 %
2	Really True	837	61.8 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,202 valid cases out of 1,354 total cases.

Location: 1154-1157 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8PEI10A: S8 PEI: Better be individual or not

Value	Label	Unweighted Frequency	%
1	Some peopel think its better to be an individual	1017	75.1 %
2	Other people think its better to go along with crowd	185	13.7 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,202 valid cases out of 1,354 total cases.

Location: 1158-1161 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8PEI10B: S8 PEI: Choice10 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	388	28.7 %
2	Really True	814	60.1 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,202 valid cases out of 1,354 total cases.

Location: 1162-1165 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8GOALONG: S8 PEI: Go along with friends

Value	Label	Unweighted Frequency	%
1	1st option; Really true	63	4.7 %
2	1st option; Sort of true	202	14.9 %
3	2nd option; Sort of true	304	22.5 %
4	2nd option; Really true	633	46.8 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,202 valid cases out of 1,354 total cases.

Location: 1166-1169 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S8FITIN: S8 PEI: Fit in with friends

Value	Label	Unweighted Frequency	%
1	2nd option; Really true	68	5.0 %
2	2nd option; Sort of true	131	9.7 %
3	1st option; Sort of true	231	17.1 %
4	1st option; Really true	771	56.9 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,201 valid cases out of 1,354 total cases.

Location: 1170-1173 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S8CHANMIND: S8 PEI: Friends easily change their mind

Value	Label	Unweighted Frequency	%
1	1st option; Really true	101	7.5 %
2	1st option; Sort of true	214	15.8 %
3	2nd option; Sort of true	284	21.0 %
4	2nd option; Really true	602	44.5 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,201 valid cases out of 1,354 total cases.

Location: 1174-1177 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S8DOWRONG: S8 PEI: Do something wrong for friends

Value	Label	Unweighted Frequency	%
1	1st option; Really true	45	3.3 %
2	1st option; Sort of true	113	8.3 %
3	2nd option; Sort of true	270	19.9 %
4	2nd option; Really true	773	57.1 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,201 valid cases out of 1,354 total cases.

Location: 1178-1181 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S8HIDEOPIN: S8 PEI: Hide true opinion

Value	Label	Unweighted Frequency	%
1	1st option; Really true	41	3.0 %
2	1st option; Sort of true	87	6.4 %
3	2nd option; Sort of true	218	16.1 %
4	2nd option; Really true	856	63.2 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,202 valid cases out of 1,354 total cases.

Location: 1182-1185 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S8BREAKLAW: S8 PEI: Not Break laws for friends

Value	Label	Unweighted Frequency	%
1	2nd option; Really true	60	4.4 %
2	2nd option; Sort of true	122	9.0 %
3	1st option; Sort of true	245	18.1 %
4	1st option; Really true	775	57.2 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,202 valid cases out of 1,354 total cases.

Location: 1186-1189 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S8CHANGWA: S8 PEI: Change actions too often

Value	Label	Unweighted Frequency	%
1	1st option; Really true	37	2.7 %
2	1st option; Sort of true	59	4.4 %
3	2nd option; Sort of true	174	12.9 %
4	2nd option; Really true	932	68.8 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,202 valid cases out of 1,354 total cases.

Location: 1190-1193 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S8TAKERISK: S8 PEI: People take risks with friends

Value	Label	Unweighted Frequency	%
1	1st option; Really true	126	9.3 %
2	1st option; Sort of true	219	16.2 %
3	2nd option; Sort of true	238	17.6 %
4	2nd option; Really true	618	45.6 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,201 valid cases out of 1,354 total cases.

Location: 1194-1197 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S8SAYTHING: S8 PEI: Say Things They Dont Believe

Value	Label	Unweighted Frequency	%
1	1st option; Really true	79	5.8 %
2	1st option; Sort of true	121	8.9 %
3	2nd option; Sort of true	244	18.0 %
4	2nd option; Really true	758	56.0 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,202 valid cases out of 1,354 total cases.

Location: 1198-1201 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S8GOAGAIN: S8 PEI: Better to be Individual

Value	Label	Unweighted Frequency	%
1	2nd option; Really true	65	4.8 %
2	2nd option; Sort of true	120	8.9 %
3	1st option; Sort of true	268	19.8 %
4	1st option; Really true	749	55.3 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,202 valid cases out of 1,354 total cases.

Location: 1202-1205 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S8PEERPR: S8 PEI: Resistance to Peer Influence

Based upon 1,202 valid cases out of 1,354 total cases.

- Mean: 3.392
- Median: 3.500
- Mode: 4.000
- Minimum: 1.000
- Maximum: 4.000
- Standard Deviation: 0.527

Location: 1206-1213 (width: 8; decimal: 3)
Variable Type: numeric
(Range of) Missing Values: -700.000 , -300.000 , -202.000 , -201.000 , -9.000 , -8.000

S9PEI01A: S9 PEI: Go with friends or not

Value	Label	Unweighted Frequency	%
1	Some people go along with friends just to keep them happy	229	16.9 %
2	Other people refuse to go along with their friends	945	69.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,174 valid cases out of 1,354 total cases.

Location: 1214-1217 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9PEI01B: S9 PEI: choice1 Sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	463	34.2 %
2	Really True	711	52.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,174 valid cases out of 1,354 total cases.

Location: 1218-1221 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9PEI02A: S9 PEI: Individual or not

Value	Label	Unweighted Frequency	%
1	Some people think its more important to be an individual	1037	76.6 %
2	Other people think it is more important to fit in	137	10.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,174 valid cases out of 1,354 total cases.

Location: 1222-1225 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9PEI02B: S9 PEI: Choice2 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	338	25.0 %
2	Really True	836	61.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,174 valid cases out of 1,354 total cases.

Location: 1226-1229 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9PEI03A: S9 PEI: Change mind or not

Value	Label	Unweighted Frequency	%
1	Pretty easy for some peoples friends to get to change mind	258	19.1 %
2	For other people its pretty hard to change their mind	916	67.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,174 valid cases out of 1,354 total cases.

Location: 1230-1233 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9PEI03B: S9 PEI: Choice3 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	486	35.9 %
2	Really True	688	50.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,174 valid cases out of 1,354 total cases.

Location: 1234-1237 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9PEI04A: S9 PEI: Do wrong good side or not

Value	Label	Unweighted Frequency	%
1	Some people would do something that they knew was wrong	160	11.8 %
2	Other people would not do something knew was wrong	1014	74.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,174 valid cases out of 1,354 total cases.

Location: 1238-1241 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9PEI04B: S9 PEI: Choice4 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	358	26.4 %
2	Really True	816	60.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,174 valid cases out of 1,354 total cases.

Location: 1242-1245 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9PEI05A: S9 PEI: Hide true feeling or not

Value	Label	Unweighted Frequency	%
1	Some people hide their true opinions from their friends	109	8.1 %
2	Other peopel will say their opinions to friends	1065	78.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,174 valid cases out of 1,354 total cases.

Location: 1246-1249 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9PEI05B: S9 PEI: Choice5 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	284	21.0 %
2	Really True	890	65.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,174 valid cases out of 1,354 total cases.

Location: 1250-1253 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9PEI06A: S9 PEI: Break law for friends or not

Value	Label	Unweighted Frequency	%
1	Some people will not break the law because friends said to	1017	75.1 %
2	Other people will break law if their friends said to	157	11.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,174 valid cases out of 1,354 total cases.

Location: 1254-1257 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9PEI06B: S9 PEI: Choice6 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	333	24.6 %
2	Really True	841	62.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,174 valid cases out of 1,354 total cases.

Location: 1258-1261 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9PEI07A: S9 PEI: Change around friends or not

Value	Label	Unweighted Frequency	%
1	Some people change way they act with their friends	89	6.6 %
2	Other people act the same way when alone and with friends	1085	80.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,174 valid cases out of 1,354 total cases.

Location: 1262-1265 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9PEI07B: S9 PEI: Choice7 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	221	16.3 %
2	Really True	953	70.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,174 valid cases out of 1,354 total cases.

Location: 1266-1269 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9PEI08A: S9 PEI: Take risks with friends or not

Value	Label	Unweighted Frequency	%
1	Some people take more risks when with friends	326	24.1 %
2	Some people are just as risky when alone as with friends	847	62.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,173 valid cases out of 1,354 total cases.

Location: 1270-1273 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9PEI08B: S9 PEI: Choice8 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	442	32.6 %
2	Really True	731	54.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,173 valid cases out of 1,354 total cases.

Location: 1274-1277 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9PEI09A: S9 PEI: Say things make friends respect or not

Value	Label	Unweighted Frequency	%
1	Some people say things they dont really belive	193	14.3 %
2	Other people would not say things they dont really believe	981	72.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,174 valid cases out of 1,354 total cases.

Location: 1278-1281 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9PEI09B: S9 PEI: Choice9 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	369	27.3 %
2	Really True	805	59.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,174 valid cases out of 1,354 total cases.

Location: 1282-1285 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9PEI10A: S9 PEI: Better be individual or not

Value	Label	Unweighted Frequency	%
1	Some peopel think its better to be an individual	1022	75.5 %
2	Other people think its better to go along with crowd	152	11.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,174 valid cases out of 1,354 total cases.

Location: 1286-1289 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9PEI10B: S9 PEI: Choice10 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	350	25.8 %
2	Really True	824	60.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,174 valid cases out of 1,354 total cases.

Location: 1290-1293 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9GOALONG: S9 PEI: Go along with friends

Value	Label	Unweighted Frequency	%
1	1st option; Really true	51	3.8 %
2	1st option; Sort of true	178	13.1 %
3	2nd option; Sort of true	285	21.0 %
4	2nd option; Really true	660	48.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,174 valid cases out of 1,354 total cases.

Location: 1294-1297 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S9FITIN: S9 PEI: Fit in with friends

Value	Label	Unweighted Frequency	%
1	2nd option; Really true	46	3.4 %
2	2nd option; Sort of true	91	6.7 %
3	1st option; Sort of true	247	18.2 %
4	1st option; Really true	790	58.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,174 valid cases out of 1,354 total cases.

Location: 1298-1301 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S9CHANMIND: S9 PEI: Friends easily change their mind

Value	Label	Unweighted Frequency	%
1	1st option; Really true	76	5.6 %
2	1st option; Sort of true	182	13.4 %
3	2nd option; Sort of true	304	22.5 %
4	2nd option; Really true	612	45.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,174 valid cases out of 1,354 total cases.

Location: 1302-1305 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S9DOWRONG: S9 PEI: Do something wrong for friends

Value	Label	Unweighted Frequency	%
1	1st option; Really true	45	3.3 %
2	1st option; Sort of true	115	8.5 %
3	2nd option; Sort of true	243	17.9 %
4	2nd option; Really true	771	56.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,174 valid cases out of 1,354 total cases.

Location: 1306-1309 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S9HIDEOPIN: S9 PEI: Hide true opinion

Value	Label	Unweighted Frequency	%
1	1st option; Really true	36	2.7 %
2	1st option; Sort of true	73	5.4 %
3	2nd option; Sort of true	211	15.6 %
4	2nd option; Really true	854	63.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,174 valid cases out of 1,354 total cases.

Location: 1310-1313 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S9BREAKLAW: S9 PEI: Not Break laws for friends

Value	Label	Unweighted Frequency	%
1	2nd option; Really true	72	5.3 %
2	2nd option; Sort of true	85	6.3 %
3	1st option; Sort of true	248	18.3 %
4	1st option; Really true	769	56.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,174 valid cases out of 1,354 total cases.

Location: 1314-1317 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S9CHANGWA: S9 PEI: Change actions too often

Value	Label	Unweighted Frequency	%
1	1st option; Really true	33	2.4 %
2	1st option; Sort of true	56	4.1 %
3	2nd option; Sort of true	165	12.2 %
4	2nd option; Really true	920	67.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,174 valid cases out of 1,354 total cases.

Location: 1318-1321 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S9TAKERISK: S9 PEI: People take risks with friends

Value	Label	Unweighted Frequency	%
1	1st option; Really true	114	8.4 %
2	1st option; Sort of true	212	15.7 %
3	2nd option; Sort of true	230	17.0 %

Value	Label	Unweighted Frequency	%
4	2nd option; Really true	617	45.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,173 valid cases out of 1,354 total cases.

Location: 1322-1325 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S9SAYTHING: S9 PEI: Say Things They Dont Believe

Value	Label	Unweighted Frequency	%
1	1st option; Really true	77	5.7 %
2	1st option; Sort of true	116	8.6 %
3	2nd option; Sort of true	253	18.7 %
4	2nd option; Really true	728	53.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,174 valid cases out of 1,354 total cases.

Location: 1326-1329 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S9GOAGAIN: S9 PEI: Better to be Individual

Value	Label	Unweighted Frequency	%
1	2nd option; Really true	48	3.5 %
2	2nd option; Sort of true	104	7.7 %
3	1st option; Sort of true	246	18.2 %
4	1st option; Really true	776	57.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,174 valid cases out of 1,354 total cases.

Location: 1330-1333 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

S9PEERPR: S9 PEI: Resistance to Peer Influence

Based upon 1,174 valid cases out of 1,354 total cases.

- Mean: 3.4335415484
- Median: 3.6000000000
- Mode: 4.0000000000
- Minimum: 1.2000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.5178501072

Location: 1334-1348 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -9.0000000000 , -8.0000000000

SAPEI01A: SA PEI: Go with friends or not

Value	Label	Unweighted Frequency	%
1	Some people go along with friends just to keep them happy	235	17.4 %
2	Other people refuse to go along with their friends	894	66.0 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,129 valid cases out of 1,354 total cases.

Location: 1349-1352 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SAPEI01B: SA PEI: choice1 Sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	467	34.5 %
2	Really True	662	48.9 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,129 valid cases out of 1,354 total cases.

Location: 1353-1356 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SAPEI02A: SA PEI: Individual or not

Value	Label	Unweighted Frequency	%
1	Some people think its more important to be an individual	985	72.7 %
2	Other people think it is more important to fit in	144	10.6 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,129 valid cases out of 1,354 total cases.

Location: 1357-1360 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SAPEI02B: SA PEI: Choice2 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	304	22.5 %
2	Really True	825	60.9 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,129 valid cases out of 1,354 total cases.

Location: 1361-1364 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SAPEI03A: SA PEI: Change mind or not

Value	Label	Unweighted Frequency	%
1	Pretty easy for some peoples friends to get to change mind	267	19.7 %
2	For other people its pretty hard to change their mind	862	63.7 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,129 valid cases out of 1,354 total cases.

Location: 1365-1368 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SAPEI03B: SA PEI: Choice3 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	462	34.1 %
2	Really True	667	49.3 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,129 valid cases out of 1,354 total cases.

Location: 1369-1372 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SAPEI04A: SA PEI: Do wrong good side or not

Value	Label	Unweighted Frequency	%
1	Some people would do something that they knew was wrong	124	9.2 %
2	Other people would not do something knew was wrong	1005	74.2 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,129 valid cases out of 1,354 total cases.

Location: 1373-1376 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SAPEI04B: SA PEI: Choice4 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	327	24.2 %
2	Really True	802	59.2 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,129 valid cases out of 1,354 total cases.

Location: 1377-1380 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SAPEI05A: SA PEI: Hide true feeling or not

Value	Label	Unweighted Frequency	%
1	Some people hide their true opinions from their friends	98	7.2 %
2	Other peopel will say their opinions to friends	1031	76.1 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,129 valid cases out of 1,354 total cases.

Location: 1381-1384 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SAPEI05B: SA PEI: Choice5 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	293	21.6 %
2	Really True	836	61.7 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,129 valid cases out of 1,354 total cases.

Location: 1385-1388 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SAPEI06A: SA PEI: Break law for friends or not

Value	Label	Unweighted Frequency	%
1	Some people will not break the law because friends said to	970	71.6 %
2	Other people will break law if their friends said to	159	11.7 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,129 valid cases out of 1,354 total cases.

Location: 1389-1392 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SAPEI06B: SA PEI: Choice6 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	310	22.9 %
2	Really True	819	60.5 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,129 valid cases out of 1,354 total cases.

Location: 1393-1396 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SAPEI07A: SA PEI: Change around friends or not

Value	Label	Unweighted Frequency	%
1	Some people change way they act with their friends	78	5.8 %
2	Other people act the same way when alone and with friends	1051	77.6 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,129 valid cases out of 1,354 total cases.

Location: 1397-1400 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SAPEI07B: SA PEI: Choice7 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	214	15.8 %
2	Really True	915	67.6 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,129 valid cases out of 1,354 total cases.

Location: 1401-1404 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SAPEI08A: SA PEI: Take risks with friends or not

Value	Label	Unweighted Frequency	%
1	Some people take more risks when with friends	271	20.0 %
2	Some people are just as risky when alone as with friends	855	63.1 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,126 valid cases out of 1,354 total cases.

Location: 1405-1408 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SAPEI08B: SA PEI: Choice8 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	429	31.7 %
2	Really True	697	51.5 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,126 valid cases out of 1,354 total cases.

Location: 1409-1412 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SAPEI09A: SA PEI: Say things make friends respect or not

Value	Label	Unweighted Frequency	%
1	Some people say things they dont really belive	172	12.7 %
2	Other people would not say things they dont really believe	957	70.7 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,129 valid cases out of 1,354 total cases.

Location: 1413-1416 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SAPEI09B: SA PEI: Choice9 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	348	25.7 %
2	Really True	781	57.7 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,129 valid cases out of 1,354 total cases.

Location: 1417-1420 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SAPEI10A: SA PEI: Better be individual or not

Value	Label	Unweighted Frequency	%
1	Some peopel think its better to be an individual	957	70.7 %
2	Other people think its better to go along with crowd	172	12.7 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,129 valid cases out of 1,354 total cases.

Location: 1421-1424 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SAPEI10B: SA PEI: Choice10 sort/really true

Value	Label	Unweighted Frequency	%
1	Sort of True	341	25.2 %
2	Really True	788	58.2 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,129 valid cases out of 1,354 total cases.

Location: 1425-1428 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SAGOALONG: SA PEI: Go along with friends

Value	Label	Unweighted Frequency	%
1	1st option; Really true	34	2.5 %
2	1st option; Sort of true	201	14.8 %
3	2nd option; Sort of true	266	19.6 %
4	2nd option; Really true	628	46.4 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 1,129 valid cases out of 1,354 total cases.

Location: 1429-1432 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

SAFITIN: SA PEI: Fit in with friends

Value	Label	Unweighted Frequency	%
1	2nd option; Really true	54	4.0 %
2	2nd option; Sort of true	90	6.6 %
3	1st option; Sort of true	214	15.8 %
4	1st option; Really true	771	56.9 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,129 valid cases out of 1,354 total cases.

Location: 1433-1436 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

SACHANMIND: SA PEI: Friends easily change their mind

Value	Label	Unweighted Frequency	%
1	1st option; Really true	77	5.7 %
2	1st option; Sort of true	190	14.0 %
3	2nd option; Sort of true	272	20.1 %
4	2nd option; Really true	590	43.6 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,129 valid cases out of 1,354 total cases.

Location: 1437-1440 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

SADOWRONG: SA PEI: Do something wrong for friends

Value	Label	Unweighted Frequency	%
1	1st option; Really true	40	3.0 %
2	1st option; Sort of true	84	6.2 %
3	2nd option; Sort of true	243	17.9 %
4	2nd option; Really true	762	56.3 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,129 valid cases out of 1,354 total cases.

Location: 1441-1444 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

SAHIDEOPIN: SA PEI: Hide true opinion

Value	Label	Unweighted Frequency	%
1	1st option; Really true	31	2.3 %
2	1st option; Sort of true	67	4.9 %
3	2nd option; Sort of true	226	16.7 %
4	2nd option; Really true	805	59.5 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,129 valid cases out of 1,354 total cases.

Location: 1445-1448 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

SABREAKLAW: SA PEI: Not Break laws for friends

Value	Label	Unweighted Frequency	%
1	2nd option; Really true	54	4.0 %
2	2nd option; Sort of true	105	7.8 %
3	1st option; Sort of true	205	15.1 %
4	1st option; Really true	765	56.5 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,129 valid cases out of 1,354 total cases.

Location: 1449-1452 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

SACHANGWA: SA PEI: Change actions too often

Value	Label	Unweighted Frequency	%
1	1st option; Really true	24	1.8 %
2	1st option; Sort of true	54	4.0 %
3	2nd option; Sort of true	160	11.8 %
4	2nd option; Really true	891	65.8 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,129 valid cases out of 1,354 total cases.

Location: 1453-1456 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

SATAKERISK: SA PEI: People take risks with friends

Value	Label	Unweighted Frequency	%
1	1st option; Really true	89	6.6 %
2	1st option; Sort of true	182	13.4 %
3	2nd option; Sort of true	247	18.2 %
4	2nd option; Really true	608	44.9 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,126 valid cases out of 1,354 total cases.

Location: 1457-1460 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

SASAYTHING: SA PEI: Say Things They Dont Believe

Value	Label	Unweighted Frequency	%
1	1st option; Really true	74	5.5 %
2	1st option; Sort of true	98	7.2 %
3	2nd option; Sort of true	250	18.5 %
4	2nd option; Really true	707	52.2 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,129 valid cases out of 1,354 total cases.

Location: 1461-1464 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

SAGOAGAIN: SA PEI: Better to be Individual

Value	Label	Unweighted Frequency	%
1	2nd option; Really true	48	3.5 %
2	2nd option; Sort of true	124	9.2 %
3	1st option; Sort of true	217	16.0 %
4	1st option; Really true	740	54.7 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,129 valid cases out of 1,354 total cases.

Location: 1465-1468 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -300 , -202 , -201 , -9 , -8

SAPEERPR: SA PEI: Resistance to Peer Influence

Based upon 1,129 valid cases out of 1,354 total cases.

- Mean: 3.4449955713
- Median: 3.6000000000
- Mode: 4.0000000000
- Minimum: 1.0000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.5148507305

Location: 1469-1483 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -9.0000000000 , -8.0000000000