ICPSR | INTER-UNIVERSITY CONSORTIUM FOR POLITICAL AND SOCIAL RESEARCH

ICPSR 36800

Research on Pathways to Desistance [Maricopa County, AZ and Philadelphia County, PA]: Subject Measures - Scales, 2000-2010

Edward P. Mulvey
University of Pittsburgh

Codebook for Routine Activities

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/36800/terms

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE
WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 36800

Research on Pathways to Desistance [Maricopa County, AZ and Philadelphia County, PA]: Subject Measures - Scales, 2000-2010

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Routine Activities

CASEID: S0 IntInfo: Subject ID

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1-5 (width: 5; decimal: 0)
Variable Type: numeric

S0ROUT1: S0 Rout: How often ride in car for fun

Value	Label	Unweighted Frequency	%
1	Never	174	12.9 %
2	A few times a year	141	10.4 %
3	Once or twice a month	149	11.0 %
4	At least once a week	303	22.4 %
5	Almost every day	583	43.1 %
	Missing Data		
-200	Data missing	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,350 valid cases out of 1,354 total cases.

Location: 6-9 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0ROUT2: S0 Rout: How often get w/friends informally

Value	Label	Unweighted Frequency	%
1	Never	43	3.2 %
2	A few times a year	62	4.6 %
3	Once or twice a month	89	6.6 %
4	At least once a week	275	20.3 %
5	Almost every day	881	65.1 %
	Missing Data		
-200	Data missing	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,350 valid cases out of 1,354 total cases.

Location: 10-13 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0ROUT3: S0 Rout: How often go to parties

Value	Label	Unweighted Frequency	%
1	Never	144	10.6 %
2	A few times a year	144	10.6 %
3	Once or twice a month	333	24.6 %
4	At least once a week	582	43.0 %
5	Almost every day	147	10.9 %
	Missing Data		
-200	Data missing	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,350 valid cases out of 1,354 total cases.

Location: 14-17 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0ROUT4: S0 Rout: How often go out for fun typical week

Value	Label	Unweighted Frequency	%
1	Less than one	91	6.7 %
2	One	157	11.6 %
3	Two	240	17.7 %
4	Three	240	17.7 %
5	Four or five	238	17.6 %
6	Six or seven	383	28.3 %
	Missing Data		
-200	Data missing	4	0.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,349 valid cases out of 1,354 total cases.

Location: 18-21 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0ROUT: S0 Rout: Unsupervised Routine Activities

Based upon 1,350 valid cases out of 1,354 total cases.

- Mean: 3.83
- Median: 4.00
- Mode: 4.50
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.85

Location: 22-28 (width: 7; decimal: 2)
Variable Type: numeric

(Range of) Missing Values: -300.00 , -200.00 , -9.00 , -8.00

S1ROUT1: S1 Rout: How often ride in car for fun

Value	Label	Unweighted Frequency	%
1	Never	212	15.7 %
2	A few times a year	135	10.0 %
3	Once or twice a month	115	8.5 %
4	At least once a week	185	13.7 %
5	Almost every day	168	12.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	S1Locked=1, items skipped	445	32.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 815 valid cases out of 1,354 total cases.

Location: 29-32 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -666 , -400 , -202 , -201 , -103 , -101 , -9 , -8

S1ROUT2: S1 Rout: How often get w/friends informally

Value	Label	Unweighted Frequency	%
1	Never	79	5.8 %
2	A few times a year	79	5.8 %
3	Once or twice a month	104	7.7 %
4	At least once a week	243	17.9 %
5	Almost every day	310	22.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	S1Locked=1, items skipped	445	32.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 815 valid cases out of 1,354 total cases.

Location: 33-36 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -666 , -400 , -202 , -201 , -103 , -101 , -9 , -8

S1ROUT3: S1 Rout: How often go to parties

Value	Label	Unweighted Frequency	%
1	Never	170	12.6 %
2	A few times a year	128	9.5 %
3	Once or twice a month	226	16.7 %
4	At least once a week	254	18.8 %
5	Almost every day	37	2.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	S1Locked=1, items skipped	445	32.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 815 valid cases out of 1,354 total cases.

Location: 37-40 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -666 , -400 , -202 , -201 , -103 , -101 , -9 , -8

S1ROUT4: S1 Rout: How often go out for fun typical week

Value	Label	Unweighted Frequency	%
0	-	121	8.9 %
1	-	114	8.4 %
2	-	189	14.0 %
3	-	148	10.9 %
4	-	71	5.2 %
5	-	58	4.3 %
6	-	25	1.8 %
7	-	84	6.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	S1Locked=1, items skipped	445	32.9 %
-9	Dont Know	6	0.4 %
	Total	**1,354**	**100%**

Based upon 810 valid cases out of 1,354 total cases.

Location: 41-44 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -666 , -202 , -201 , -101 , -9 , -8

S1ROUT5: S1 Rout: How often hung out in streets/parks

Value	Label	Unweighted Frequency	%
1	Never	0	0.0 %
2	A few times a year	0	0.0 %
3	Once ot twice a month	0	0.0 %
4	At least once a week	0	0.0 %
5	Almost every day	0	0.0 %
	Missing Data		
-400	5-7 not present before 01.16	1265	93.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 45-48 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -666 , -400 , -202 , -201 , -103 , -101 , -99 , -98

S1ROUT6: S1 Rout: Num hours per week

Value	Label	Unweighted Frequency	%
	Missing Data		
-400	5-7 not present before 01.16	1265	93.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 49-52 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -666 , -400 , -202 , -201 , -103 , -102 , -101

S1ROUT7: S1 Rout: How often go to bar/club

Value	Label	Unweighted Frequency	%
1	Never	0	0.0 %
2	A few times a year	0	0.0 %
3	Once or twice a month	0	0.0 %
4	At least once a week	0	0.0 %
5	Almost every day	0	0.0 %
	Missing Data		
-400	5-7 not present before 01.16	1265	93.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 53-56 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -666 , -400 , -202 , -201 , -103 , -101 , -9 , -8

S1ROUT: S1 Rout: Unsupervised Routine Activities

Based upon 815 valid cases out of 1,354 total cases.

- Mean: 3.2187116564
- Median: 3.2500000000
- Mode: 3.7500000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 1.0105449565

Location: 57-71 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -666.0000000000 , -400.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S2ROUT1: S2 Rout: How often ride in car for fun

Value	Label	Unweighted Frequency	%
1	Never	228	16.8 %
2	A few times a year	144	10.6 %
3	Once or twice a month	119	8.8 %
4	At least once a week	224	16.5 %
5	Almost every day	179	13.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	S2Locked=1, items skipped	366	27.0 %
	Total	**1,354**	**100%**

Based upon 894 valid cases out of 1,354 total cases.

Location: 72-75 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -666 , -400 , -202 , -201 , -103 , -101 , -9 , -8

S2ROUT2: S2 Rout: How often get w/friends informally

Value	Label	Unweighted Frequency	%
1	Never	68	5.0 %
2	A few times a year	87	6.4 %
3	Once or twice a month	116	8.6 %
4	At least once a week	307	22.7 %
5	Almost every day	316	23.3 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	S2Locked=1, items skipped	366	27.0 %
	Total	**1,354**	**100%**

Based upon 894 valid cases out of 1,354 total cases.

Location: 76-79 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -666 , -400 , -202 , -201 , -103 , -101 , -9 , -8

S2ROUT3: S2 Rout: How often go to parties

Value	Label	Unweighted Frequency	%
1	Never	196	14.5 %
2	A few times a year	139	10.3 %
3	Once or twice a month	241	17.8 %
4	At least once a week	278	20.5 %
5	Almost every day	40	3.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	S2Locked=1, items skipped	366	27.0 %
	Total	**1,354**	**100%**

Based upon 894 valid cases out of 1,354 total cases.

Location: 80-83 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -666 , -400 , -202 , -201 , -103 , -101 , -9 , -8

S2ROUT4: S2 Rout: How often go out for fun typical week

Value	Label	Unweighted Frequency	%
0	-	89	6.6 %
1	-	150	11.1 %
2	-	233	17.2 %
3	-	141	10.4 %
4	-	97	7.2 %
5	-	54	4.0 %
6	-	21	1.6 %
7	-	108	8.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	S2Locked=1, items skipped	366	27.0 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 893 valid cases out of 1,354 total cases.

Location: 84-87 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -666 , -202 , -201 , -101 , -9 , -8

S2ROUT5: S2 Rout: How often hung out in streets/parks

Value	Label	Unweighted Frequency	%
1	Never	0	0.0 %
2	A few times a year	0	0.0 %
3	Once ot twice a month	0	0.0 %
4	At least once a week	0	0.0 %
5	Almost every day	0	0.0 %
	Missing Data		
-400	5-7 not present before 01.16	1262	93.2 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 88-91 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -666 , -400 , -202 , -201 , -103 , -101 , -99 , -98

S2ROUT6: S2 Rout: Num hours per week

Value	Label	Unweighted Frequency	%
	Missing Data		
-400	5-7 not present before 01.16	1262	93.2 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 92-95 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -666 , -400 , -202 , -201 , -103 , -102 , -101

S2ROUT7: S2 Rout: How often go to bar/club

Value	Label	Unweighted Frequency	%
1	Never	0	0.0 %
2	A few times a year	0	0.0 %
3	Once or twice a month	0	0.0 %
4	At least once a week	0	0.0 %
5	Almost every day	0	0.0 %
	Missing Data		
-400	5-7 not present before 01.16	1262	93.2 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 96-99 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -666 , -400 , -202 , -201 , -103 , -101 , -9 , -8

S2ROUT: S2 Rout: Unsupervised Routine Activities

Based upon 894 valid cases out of 1,354 total cases.

- Mean: 3.2513049963
- Median: 3.2500000000
- Mode: 3.2500000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.9556132208

Location: 100-114 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -666.0000000000 , -400.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S3ROUT1: S3 Rout: How often ride in car for fun

Value	Label	Unweighted Frequency	%
1	Never	249	18.4 %
2	A few times a year	163	12.0 %
3	Once or twice a month	141	10.4 %
4	At least once a week	228	16.8 %
5	Almost every day	174	12.9 %
	Missing Data		
-666	Data deleted due to overlap - data in other tp	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	S3Locked=1, items skipped	272	20.1 %
	Total	**1,354**	**100%**

Based upon 955 valid cases out of 1,354 total cases.

Location: 115-118 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -666 , -400 , -202 , -201 , -103 , -101 , -9 , -8

S3ROUT2: S3 Rout: How often get w/friends informally

Value	Label	Unweighted Frequency	%
1	Never	72	5.3 %
2	A few times a year	73	5.4 %
3	Once or twice a month	135	10.0 %
4	At least once a week	298	22.0 %
5	Almost every day	377	27.8 %
	Missing Data		
-666	Data deleted due to overlap - data in other tp	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	S3Locked=1, items skipped	272	20.1 %
	Total	**1,354**	**100%**

Based upon 955 valid cases out of 1,354 total cases.

Location: 119-122 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -666 , -400 , -202 , -201 , -103 , -101 , -9 , -8

S3ROUT3: S3 Rout: How often go to parties

Value	Label	Unweighted Frequency	%
1	Never	206	15.2 %
2	A few times a year	143	10.6 %
3	Once or twice a month	269	19.9 %
4	At least once a week	295	21.8 %
5	Almost every day	42	3.1 %
	Missing Data		
-666	Data deleted due to overlap - data in other tp	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	S3Locked=1, items skipped	272	20.1 %
	Total	**1,354**	**100%**

Based upon 955 valid cases out of 1,354 total cases.

Location: 123-126 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -666 , -400 , -202 , -201 , -103 , -101 , -9 , -8

S3ROUT4: S3 Rout: How often go out for fun typical week

Value	Label	Unweighted Frequency	%
0	-	112	8.3 %
1	-	141	10.4 %
2	-	251	18.5 %
3	-	165	12.2 %
4	-	76	5.6 %
5	-	67	4.9 %
6	-	37	2.7 %
7	-	105	7.8 %
	Missing Data		
-666	Data deleted due to overlap - data in other tp	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	S3Locked=1, items skipped	272	20.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 954 valid cases out of 1,354 total cases.

Location: 127-130 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -666 , -202 , -201 , -101 , -9 , -8

S3ROUT5: S3 Rout: How often hung out in streets/parks

Value	Label	Unweighted Frequency	%
1	Never	0	0.0 %
2	A few times a year	0	0.0 %
3	Once ot twice a month	0	0.0 %
4	At least once a week	0	0.0 %
5	Almost every day	0	0.0 %
	Missing Data		
-666	Data deleted due to overlap - data in other tp	1	0.1 %
-400	5-7 not present before 01.16	1228	90.7 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 131-134 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -666 , -400 , -202 , -201 , -103 , -101 , -99 , -98

S3ROUT6: S3 Rout: Num hours per week

Value	Label	Unweighted Frequency	%
	Missing Data		
-666	Data deleted due to overlap - data in other tp	1	0.1 %
-400	5-7 not present before 01.16	1228	90.7 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 135-138 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -666 , -400 , -202 , -201 , -103 , -102 , -101

S3ROUT7: S3 Rout: How often go to bar/club

Value	Label	Unweighted Frequency	%
1	Never	0	0.0 %
2	A few times a year	0	0.0 %
3	Once or twice a month	0	0.0 %
4	At least once a week	0	0.0 %
5	Almost every day	0	0.0 %
	Missing Data		
-666	Data deleted due to overlap - data in other tp	1	0.1 %
-400	5-7 not present before 01.16	1228	90.7 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 139-142 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -666 , -400 , -202 , -201 , -103 , -101 , -9 , -8

S3ROUT: S3 Rout: Unsupervised Routine Activities

Based upon 955 valid cases out of 1,354 total cases.

- Mean: 3.2472949389
- Median: 3.2500000000
- Mode: 3.5000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.9578603553

Location: 143-157 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -666.0000000000 , -400.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S4ROUT1: S4 Rout: How often ride in car for fun

Value	Label	Unweighted Frequency	%
1	Never	264	19.5 %
2	A few times a year	154	11.4 %
3	Once or twice a month	134	9.9 %
4	At least once a week	221	16.3 %
5	Almost every day	187	13.8 %
	Missing Data		
-666	Data deleted due to overlap - data in other tp	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	S4Locked=1, items skipped	266	19.6 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 960 valid cases out of 1,354 total cases.

Location: 158-161 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -666 , -400 , -202 , -201 , -103 , -101 , -9 , -8

S4ROUT2: S4 Rout: How often get w/friends informally

Value	Label	Unweighted Frequency	%
1	Never	77	5.7 %
2	A few times a year	76	5.6 %
3	Once or twice a month	122	9.0 %
4	At least once a week	316	23.3 %
5	Almost every day	370	27.3 %
	Missing Data		
-666	Data deleted due to overlap - data in other tp	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	S4Locked=1, items skipped	266	19.6 %
	Total	**1,354**	**100%**

Based upon 961 valid cases out of 1,354 total cases.

Location: 162-165 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -666 , -400 , -202 , -201 , -103 , -101 , -9 , -8

S4ROUT3: S4 Rout: How often go to parties

Value	Label	Unweighted Frequency	%
1	Never	201	14.8 %
2	A few times a year	154	11.4 %
3	Once or twice a month	270	19.9 %
4	At least once a week	290	21.4 %
5	Almost every day	46	3.4 %
	Missing Data		
-666	Data deleted due to overlap - data in other tp	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	S4Locked=1, items skipped	266	19.6 %
	Total	**1,354**	**100%**

Based upon 961 valid cases out of 1,354 total cases.

Location: 166-169 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -666 , -400 , -202 , -201 , -103 , -101 , -9 , -8

S4ROUT4: S4 Rout: How often go out for fun typical week

Value	Label	Unweighted Frequency	%
0	-	102	7.5 %
1	-	172	12.7 %
2	-	273	20.2 %
3	-	159	11.7 %
4	-	82	6.1 %
5	-	56	4.1 %
6	-	31	2.3 %
7	-	84	6.2 %
	Missing Data		
-666	Data deleted due to overlap - data in other tp	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	S4Locked=1, items skipped	266	19.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 959 valid cases out of 1,354 total cases.

Location: 170-173 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -666 , -202 , -201 , -101 , -9 , -8

S4ROUT5: S4 Rout: How often hung out in streets/parks

Value	Label	Unweighted Frequency	%
1	Never	2	0.1 %
2	A few times a year	0	0.0 %
3	Once ot twice a month	0	0.0 %
4	At least once a week	0	0.0 %
5	Almost every day	0	0.0 %
	Missing Data		
-666	Data deleted due to overlap - data in other tp	1	0.1 %
-400	5-7 not present before 01.16	1225	90.5 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	S4Locked=1, items skipped	3	0.2 %
	Total	**1,354**	**100%**

Based upon 2 valid cases out of 1,354 total cases.

Location: 174-177 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -666 , -400 , -202 , -201 , -103 , -101 , -99 , -98

S4ROUT6: S4 Rout: Num hours per week

Value	Label	Unweighted Frequency	%
12	-	1	0.1 %
	Missing Data		
-999	Dont Know	1	0.1 %
-666	Data deleted due to overlap - data in other tp	1	0.1 %
-400	5-7 not present before 01.16	1225	90.5 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-102	Rout6 added and removed in 01.16	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 178-181 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -666 , -400 , -202 , -201 , -103 , -102 , -101

S4ROUT7: S4 Rout: How often go to bar/club

Value	Label	Unweighted Frequency	%
1	Never	0	0.0 %
2	A few times a year	0	0.0 %
3	Once or twice a month	0	0.0 %

Value	Label	Unweighted Frequency	%
4	At least once a week	0	0.0 %
5	Almost every day	0	0.0 %
	Missing Data		
-666	Data deleted due to overlap - data in other tp	1	0.1 %
-400	5-7 not present before 01.16	1230	90.8 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 182-185 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -666 , -400 , -202 , -201 , -103 , -101 , -9 , -8

S4ROUT: S4 Rout: Unsupervised Routine Activities

Based upon 961 valid cases out of 1,354 total cases.

- Mean: 3.2222511273
- Median: 3.2500000000
- Mode: 3.5000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.9365251271

Location: 186-200 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -666.0000000000 , -400.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S5ROUT1: S5 Rout: How often ride in car for fun

Value	Label	Unweighted Frequency	%
1	Never	293	21.6 %
2	A few times a year	133	9.8 %
3	Once or twice a month	140	10.3 %
4	At least once a week	231	17.1 %
5	Almost every day	170	12.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	S5Locked=1, items skipped	266	19.6 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 967 valid cases out of 1,354 total cases.

Location: 201-204 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -700 , -666 , -400 , -202 , -201 , -103 , -101 , -9 , -8

S5ROUT2: S5 Rout: How often get w/friends informally

Value	Label	Unweighted Frequency	%
1	Never	106	7.8 %
2	A few times a year	84	6.2 %
3	Once or twice a month	121	8.9 %
4	At least once a week	321	23.7 %
5	Almost every day	335	24.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	S5Locked=1, items skipped	266	19.6 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 967 valid cases out of 1,354 total cases.

Location: 205-208 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -666 , -400 , -202 , -201 , -103 , -101 , -9 , -8

S5ROUT3: S5 Rout: How often go to parties

Value	Label	Unweighted Frequency	%
1	Never	235	17.4 %
2	A few times a year	150	11.1 %
3	Once or twice a month	257	19.0 %
4	At least once a week	283	20.9 %
5	Almost every day	42	3.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	S5Locked=1, items skipped	266	19.6 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 967 valid cases out of 1,354 total cases.

Location: 209-212 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -666 , -400 , -202 , -201 , -103 , -101 , -9 , -8

S5ROUT4: S5 Rout: How often go out for fun typical week

Value	Label	Unweighted Frequency	%
0	-	118	8.7 %

Value	Label	Unweighted Frequency	%
1	-	167	12.3 %
2	-	286	21.1 %
3	-	148	10.9 %
4	-	74	5.5 %
5	-	46	3.4 %
6	-	33	2.4 %
7	-	93	6.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	S5Locked=1, items skipped	266	19.6 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 965 valid cases out of 1,354 total cases.

Location: 213-216 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -666 , -202 , -201 , -101 , -9 , -8

S5ROUT5: S5 Rout: How often hung out in streets/parks

Value	Label	Unweighted Frequency	%
1	Never	60	4.4 %
2	A few times a year	15	1.1 %
3	Once ot twice a month	11	0.8 %
4	At least once a week	24	1.8 %
5	Almost every day	14	1.0 %
	Missing Data		
-700	Missing due to bug in interview	1	0.1 %
-400	5-7 not present before 01.16	1046	77.3 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-103	S5subjag < 18, items 5-7 skipped	6	0.4 %
-101	S5Locked=1, items skipped	57	4.2 %
	Total	**1,354**	**100%**

Based upon 124 valid cases out of 1,354 total cases.

Location: 217-220 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -666 , -400 , -202 , -201 , -103 , -101 , -99 , -98

S5ROUT6: S5 Rout: Num hours per week

Based upon 79 valid cases out of 1,354 total cases.

- Mean: 21.78
- Median: 12.00
- Mode: 10.00
- Minimum: 0.00
- Maximum: 144.00
- Standard Deviation: 25.05

Location: 221-224 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -666 , -400 , -202 , -201 , -103 , -102 , -101

S5ROUT7: S5 Rout: How often go to bar/club

Value	Label	Unweighted Frequency	%
1	Never	24	1.8 %
2	A few times a year	1	0.1 %
3	Once or twice a month	2	0.1 %
4	At least once a week	2	0.1 %
5	Almost every day	1	0.1 %
	Missing Data		
-400	5-7 not present before 01.16	1187	87.7 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-103	S5subjag < 18, items 5-7 skipped	4	0.3 %
-101	S5Locked=1, items skipped	12	0.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 30 valid cases out of 1,354 total cases.

Location: 225-228 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -666 , -400 , -202 , -201 , -103 , -101 , -9 , -8

S5ROUT: S5 Rout: Unsupervised Routine Activities

Based upon 967 valid cases out of 1,354 total cases.

- Mean: 3.1369355395
- Median: 3.2500000000
- Mode: 3.0000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.9877976220

Location: 229-243 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -666.0000000000 , -400.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S6ROUT1: S6 Rout: How often ride in car for fun

Value	Label	Unweighted Frequency	%
1	Never	291	21.5 %
2	A few times a year	132	9.7 %
3	Once or twice a month	142	10.5 %
4	At least once a week	224	16.5 %
5	Almost every day	193	14.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	S6Locked=1, items skipped	249	18.4 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 982 valid cases out of 1,354 total cases.

Location: 244-247 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -666 , -400 , -202 , -201 , -103 , -101 , -9 , -8

S6ROUT2: S6 Rout: How often get w/friends informally

Value	Label	Unweighted Frequency	%
1	Never	96	7.1 %
2	A few times a year	71	5.2 %
3	Once or twice a month	147	10.9 %
4	At least once a week	343	25.3 %
5	Almost every day	326	24.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	S6Locked=1, items skipped	249	18.4 %
	Total	**1,354**	**100%**

Based upon 983 valid cases out of 1,354 total cases.

Location: 248-251 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -666 , -400 , -202 , -201 , -103 , -101 , -9 , -8

S6ROUT3: S6 Rout: How often go to parties

Value	Label	Unweighted Frequency	%
1	Never	247	18.2 %
2	A few times a year	139	10.3 %
3	Once or twice a month	284	21.0 %
4	At least once a week	274	20.2 %
5	Almost every day	39	2.9 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	S6Locked=1, items skipped	249	18.4 %
	Total	**1,354**	**100%**

Based upon 983 valid cases out of 1,354 total cases.

Location: 252-255 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -666 , -400 , -202 , -201 , -103 , -101 , -9 , -8

S6ROUT4: S6 Rout: How often go out for fun typical week

Value	Label	Unweighted Frequency	%
0	-	144	10.6 %
1	-	192	14.2 %
2	-	262	19.4 %
3	-	160	11.8 %
4	-	74	5.5 %
5	-	56	4.1 %
6	-	24	1.8 %
7	-	71	5.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	S6Locked=1, items skipped	249	18.4 %
	Total	**1,354**	**100%**

Based upon 983 valid cases out of 1,354 total cases.

Location: 256-259 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -666 , -202 , -201 , -101 , -9 , -8

S6ROUT5: S6 Rout: How often hung out in streets/parks

Value	Label	Unweighted Frequency	%
1	Never	183	13.5 %
2	A few times a year	48	3.5 %
3	Once ot twice a month	48	3.5 %
4	At least once a week	76	5.6 %
5	Almost every day	75	5.5 %
	Missing Data		
-700	Missing due to bug in interview	5	0.4 %
-400	5-7 not present before 01.16	627	46.3 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	122	9.0 %
-103	S6subjag < 18, items 5-7 skipped	30	2.2 %
-101	S6Locked=1, items skipped	140	10.3 %
	Total	**1,354**	**100%**

Based upon 430 valid cases out of 1,354 total cases.

Location: 260-263 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -666 , -400 , -202 , -201 , -103 , -101 , -99 , -98

S6ROUT6: S6 Rout: Num hours per week

Based upon 130 valid cases out of 1,354 total cases.

- Mean: 19.40
- Median: 12.00
- Minimum: 0.00
- Maximum: 120.00
- Standard Deviation: 21.31

Location: 264-267 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -666 , -400 , -202 , -201 , -103 , -102 , -101

S6ROUT7: S6 Rout: How often go to bar/club

Value	Label	Unweighted Frequency	%
1	Never	148	10.9 %
2	A few times a year	22	1.6 %
3	Once or twice a month	38	2.8 %
4	At least once a week	44	3.2 %
5	Almost every day	6	0.4 %
	Missing Data		
-400	5-7 not present before 01.16	857	63.3 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-103	S6subjag < 18, items 5-7 skipped	27	2.0 %
-101	S6Locked=1, items skipped	90	6.6 %
	Total	**1,354**	**100%**

Based upon 258 valid cases out of 1,354 total cases.

Location: 268-271 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -666 , -400 , -202 , -201 , -103 , -101 , -9 , -8

S6ROUT: S6 Rout: Unsupervised Routine Activities

Based upon 983 valid cases out of 1,354 total cases.

- Mean: 3.12
- Median: 3.25
- Mode: 3.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.97

Location: 272-278 (width: 7; decimal: 2)
Variable Type: numeric
(Range of) Missing Values: -666.00 , -400.00 , -300.00 , -202.00 , -201.00 , -100.00 , -9.00 , -8.00

S7ROUT1: S7 Rout: How often ride in car for fun

Value	Label	Unweighted Frequency	%
1	Never	295	21.8 %
2	A few times a year	157	11.6 %
3	Once or twice a month	156	11.5 %
4	At least once a week	231	17.1 %
5	Almost every day	174	12.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	S7Locked=1, items skipped	202	14.9 %
	Total	**1,354**	**100%**

Based upon 1,013 valid cases out of 1,354 total cases.

Location: 279-282 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -666 , -400 , -202 , -201 , -103 , -101 , -9 , -8

S7ROUT2: S7 Rout: How often get w/friends informally

Value	Label	Unweighted Frequency	%
1	Never	93	6.9 %
2	A few times a year	116	8.6 %
3	Once or twice a month	193	14.3 %
4	At least once a week	335	24.7 %
5	Almost every day	276	20.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	S7Locked=1, items skipped	202	14.9 %
	Total	**1,354**	**100%**

Based upon 1,013 valid cases out of 1,354 total cases.

Location: 283-286 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -700 , -666 , -400 , -202 , -201 , -103 , -101 , -9 , -8

S7ROUT3: S7 Rout: How often go to parties

Value	Label	Unweighted Frequency	%
1	Never	234	17.3 %
2	A few times a year	213	15.7 %
3	Once or twice a month	282	20.8 %
4	At least once a week	251	18.5 %
5	Almost every day	33	2.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	S7Locked=1, items skipped	202	14.9 %
	Total	**1,354**	**100%**

Based upon 1,013 valid cases out of 1,354 total cases.

Location: 287-290 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -666 , -400 , -202 , -201 , -103 , -101 , -9 , -8

S7ROUT4: S7 Rout: How often go out for fun typical week

Value	Label	Unweighted Frequency	%
0	-	125	9.2 %
1	-	242	17.9 %
2	-	278	20.5 %
3	-	141	10.4 %
4	-	76	5.6 %
5	-	54	4.0 %
6	-	21	1.6 %
7	-	76	5.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	S7Locked=1, items skipped	202	14.9 %
	Total	**1,354**	**100%**

Based upon 1,013 valid cases out of 1,354 total cases.

Location: 291-294 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -666 , -202 , -201 , -101 , -9 , -8

S7ROUT5: S7 Rout: How often hung out in streets/parks

Value	Label	Unweighted Frequency	%
1	Never	387	28.6 %
2	A few times a year	132	9.7 %
3	Once ot twice a month	127	9.4 %
4	At least once a week	197	14.5 %
5	Almost every day	163	12.0 %
	Missing Data		
-700	Missing due to bug in interview	6	0.4 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	S7Locked=1, items skipped	202	14.9 %
-99	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,006 valid cases out of 1,354 total cases.

Location: 295-298 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -666 , -400 , -202 , -201 , -103 , -101 , -99 , -98

S7ROUT6: S7 Rout: Num hours per week

Based upon 121 valid cases out of 1,354 total cases.

- Mean: 23.04
- Median: 15.00
- Mode: 20.00
- Minimum: 0.00
- Maximum: 144.00
- Standard Deviation: 26.01

Location: 299-302 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -666 , -400 , -202 , -201 , -103 , -102 , -101

S7ROUT7: S7 Rout: How often go to bar/club

Value	Label	Unweighted Frequency	%
1	Never	376	27.8 %
2	A few times a year	139	10.3 %
3	Once or twice a month	152	11.2 %
4	At least once a week	172	12.7 %
5	Almost every day	19	1.4 %
	Missing Data		
-700	Missing due to bug in interview	1	0.1 %
-400	5-7 not present before 01.16	173	12.8 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	S7Locked=1, items skipped	181	13.4 %

Value	Label	Unweighted Frequency	%
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 858 valid cases out of 1,354 total cases.

Location: 303-306 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -666 , -400 , -202 , -201 , -103 , -101 , -9 , -8

S7ROUT: S7 Rout: Unsupervised Routine Activities

Based upon 1,013 valid cases out of 1,354 total cases.

- Mean: 3.04
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.95

Location: 307-313 (width: 7; decimal: 2)
Variable Type: numeric
(Range of) Missing Values: -666.00 , -400.00 , -300.00 , -202.00 , -201.00 , -100.00 , -9.00 , -8.00

S8ROUT1: S8 Rout: How often ride in car for fun

Value	Label	Unweighted Frequency	%
1	Never	327	24.2 %
2	A few times a year	198	14.6 %
3	Once or twice a month	131	9.7 %
4	At least once a week	188	13.9 %
5	Almost every day	170	12.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	S8Locked=1, items skipped	191	14.1 %
	Total	**1,354**	**100%**

Based upon 1,014 valid cases out of 1,354 total cases.

Location: 314-317 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -666 , -400 , -202 , -201 , -103 , -101 , -9 , -8

S8ROUT2: S8 Rout: How often get w/friends informally

Value	Label	Unweighted Frequency	%
1	Never	123	9.1 %

Value	Label	Unweighted Frequency	%
2	A few times a year	139	10.3 %
3	Once or twice a month	199	14.7 %
4	At least once a week	330	24.4 %
5	Almost every day	223	16.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	S8Locked=1, items skipped	191	14.1 %
	Total	**1,354**	**100%**

Based upon 1,014 valid cases out of 1,354 total cases.

Location: 318-321 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -666 , -400 , -202 , -201 , -103 , -101 , -9 , -8

S8ROUT3: S8 Rout: How often go to parties

Value	Label	Unweighted Frequency	%
1	Never	227	16.8 %
2	A few times a year	224	16.5 %
3	Once or twice a month	286	21.1 %
4	At least once a week	246	18.2 %
5	Almost every day	31	2.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	S8Locked=1, items skipped	191	14.1 %
	Total	**1,354**	**100%**

Based upon 1,014 valid cases out of 1,354 total cases.

Location: 322-325 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -666 , -400 , -202 , -201 , -103 , -101 , -9 , -8

S8ROUT4: S8 Rout: How often go out for fun typical week

Value	Label	Unweighted Frequency	%
0	-	152	11.2 %
1	-	281	20.8 %
2	-	285	21.0 %
3	-	129	9.5 %
4	-	62	4.6 %

Value	Label	Unweighted Frequency	%
5	-	42	3.1 %
6	-	6	0.4 %
7	-	57	4.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	S8Locked=1, items skipped	191	14.1 %
	Total	**1,354**	**100%**

Based upon 1,014 valid cases out of 1,354 total cases.

Location: 326-329 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -666 , -202 , -201 , -101 , -9 , -8

S8ROUT5: S8 Rout: How often hung out in streets/parks

Value	Label	Unweighted Frequency	%
1	Never	438	32.3 %
2	A few times a year	125	9.2 %
3	Once ot twice a month	129	9.5 %
4	At least once a week	189	14.0 %
5	Almost every day	131	9.7 %
	Missing Data		
-700	Missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	S8Locked=1, items skipped	191	14.1 %
	Total	**1,354**	**100%**

Based upon 1,012 valid cases out of 1,354 total cases.

Location: 330-333 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -666 , -400 , -202 , -201 , -103 , -101 , -99 , -98

S8ROUT6: S8 Rout: Num hours per week

Based upon 0 valid cases out of 1,354 total cases.

Location: 334-337 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -666 , -400 , -202 , -201 , -103 , -102 , -101

S8ROUT7: S8 Rout: How often go to bar/club

Value	Label	Unweighted Frequency	%
1	Never	363	26.8 %
2	A few times a year	194	14.3 %
3	Once or twice a month	196	14.5 %
4	At least once a week	241	17.8 %
5	Almost every day	20	1.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	S8Locked=1, items skipped	191	14.1 %
	Total	**1,354**	**100%**

Based upon 1,014 valid cases out of 1,354 total cases.

Location: 338-341 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -666 , -400 , -202 , -201 , -103 , -101 , -9 , -8

S8ROUT: S8 Rout: Unsupervised Routine Activities

Based upon 1,014 valid cases out of 1,354 total cases.

- Mean: 2.90
- Median: 3.00
- Mode: 2.75
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.96

Location: 342-348 (width: 7; decimal: 2)
Variable Type: numeric
(Range of) Missing Values: -666.00 , -400.00 , -300.00 , -202.00 , -201.00 , -100.00 , -9.00 , -8.00

S9ROUT1: S9 Rout: How often ride in car for fun

Value	Label	Unweighted Frequency	%
1	Never	322	23.8 %
2	A few times a year	212	15.7 %
3	Once or twice a month	125	9.2 %
4	At least once a week	183	13.5 %
5	Almost every day	128	9.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	S9Locked=1, items skipped	208	15.4 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 970 valid cases out of 1,354 total cases.

Location: 349-352 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -666 , -400 , -202 , -201 , -103 , -101 , -9 , -8

S9ROUT2: S9 Rout: How often get w/friends informally

Value	Label	Unweighted Frequency	%
1	Never	98	7.2 %
2	A few times a year	147	10.9 %
3	Once or twice a month	215	15.9 %
4	At least once a week	329	24.3 %
5	Almost every day	181	13.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	S9Locked=1, items skipped	208	15.4 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 970 valid cases out of 1,354 total cases.

Location: 353-356 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -666 , -400 , -202 , -201 , -103 , -101 , -9 , -8

S9ROUT3: S9 Rout: How often go to parties

Value	Label	Unweighted Frequency	%
1	Never	219	16.2 %
2	A few times a year	229	16.9 %
3	Once or twice a month	278	20.5 %
4	At least once a week	222	16.4 %
5	Almost every day	22	1.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	S9Locked=1, items skipped	208	15.4 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 970 valid cases out of 1,354 total cases.

Location: 357-360 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -666 , -400 , -202 , -201 , -103 , -101 , -9 , -8

S9ROUT4: S9 Rout: How often go out for fun typical week

Value	Label	Unweighted Frequency	%
0	-	136	10.0 %
1	-	301	22.2 %
2	-	289	21.3 %
3	-	117	8.6 %
4	-	52	3.8 %
5	-	38	2.8 %
6	-	12	0.9 %
7	-	25	1.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	S9Locked=1, items skipped	208	15.4 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 970 valid cases out of 1,354 total cases.

Location: 361-364 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -666 , -202 , -201 , -101 , -9 , -8

S9ROUT5: S9 Rout: How often hung out in streets/parks

Value	Label	Unweighted Frequency	%
1	Never	444	32.8 %
2	A few times a year	166	12.3 %
3	Once ot twice a month	102	7.5 %
4	At least once a week	167	12.3 %
5	Almost every day	86	6.4 %
	Missing Data		
-700	Missing due to bug in interview	3	0.2 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	S9Locked=1, items skipped	208	15.4 %
-99	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 965 valid cases out of 1,354 total cases.

Location: 365-368 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -666 , -400 , -202 , -201 , -103 , -101 , -99 , -98

S9ROUT6: S9 Rout: Num hours per week

Based upon 0 valid cases out of 1,354 total cases.

Location: 369-372 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -666 , -400 , -202 , -201 , -103 , -102 , -101

S9ROUT7: S9 Rout: How often go to bar/club

Value	Label	Unweighted Frequency	%
1	Never	321	23.7 %
2	A few times a year	216	16.0 %
3	Once or twice a month	175	12.9 %
4	At least once a week	233	17.2 %
5	Almost every day	23	1.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	S9Locked=1, items skipped	208	15.4 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 968 valid cases out of 1,354 total cases.

Location: 373-376 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -666 , -400 , -202 , -201 , -103 , -101 , -9 , -8

S9ROUT: S9 Rout: Unsupervised Routine Activities

Based upon 970 valid cases out of 1,354 total cases.

- Mean: 2.83
- Median: 2.75
- Mode: 3.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.95

Location: 377-383 (width: 7; decimal: 2)
Variable Type: numeric
(Range of) Missing Values: -666.00 , -400.00 , -300.00 , -202.00 , -201.00 , -100.00 , -9.00 , -8.00

SAROUT1: SA Rout: How often ride in car for fun

Value	Label	Unweighted Frequency	%
1	Never	345	25.5 %
2	A few times a year	208	15.4 %
3	Once or twice a month	121	8.9 %
4	At least once a week	141	10.4 %
5	Almost every day	87	6.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	SALocked=1, items skipped	231	17.1 %
	Total	**1,354**	**100%**

Based upon 902 valid cases out of 1,354 total cases.

Location: 384-387 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -666 , -400 , -202 , -201 , -103 , -101 , -9 , -8

SAROUT2: SA Rout: How often get w/friends informally

Value	Label	Unweighted Frequency	%
1	Never	92	6.8 %
2	A few times a year	157	11.6 %
3	Once or twice a month	218	16.1 %
4	At least once a week	284	21.0 %
5	Almost every day	151	11.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	SALocked=1, items skipped	231	17.1 %
	Total	**1,354**	**100%**

Based upon 902 valid cases out of 1,354 total cases.

Location: 388-391 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -666 , -400 , -202 , -201 , -103 , -101 , -9 , -8

SAROUT3: SA Rout: How often go to parties

Value	Label	Unweighted Frequency	%
1	Never	190	14.0 %
2	A few times a year	235	17.4 %
3	Once or twice a month	247	18.2 %
4	At least once a week	214	15.8 %
5	Almost every day	16	1.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	SALocked=1, items skipped	231	17.1 %
	Total	**1,354**	**100%**

Based upon 902 valid cases out of 1,354 total cases.

Location: 392-395 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -666 , -400 , -202 , -201 , -103 , -101 , -9 , -8

SAROUT4: SA Rout: How often go out for fun typical week

Value	Label	Unweighted Frequency	%
0	-	148	10.9 %
1	-	283	20.9 %
2	-	243	17.9 %
3	-	121	8.9 %
4	-	39	2.9 %
5	-	39	2.9 %
6	-	5	0.4 %
7	-	23	1.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	SALocked=1, items skipped	231	17.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 901 valid cases out of 1,354 total cases.

Location: 396-399 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -666 , -202 , -201 , -101 , -9 , -8

SAROUT5: SA Rout: How often hung out in streets/parks

Value	Label	Unweighted Frequency	%
1	Never	400	29.5 %
2	A few times a year	193	14.3 %
3	Once ot twice a month	117	8.6 %
4	At least once a week	114	8.4 %
5	Almost every day	71	5.2 %
	Missing Data		
-700	Missing due to bug in interview	6	0.4 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	SALocked=1, items skipped	231	17.1 %
-99	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 895 valid cases out of 1,354 total cases.

Location: 400-403 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -666 , -400 , -202 , -201 , -103 , -101 , -99 , -98

SAROUT6: SA Rout: Num hours per week

Based upon 0 valid cases out of 1,354 total cases.

Location: 404-407 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -666 , -400 , -202 , -201 , -103 , -102 , -101

SAROUT7: SA Rout: How often go to bar/club

Value	Label	Unweighted Frequency	%
1	Never	263	19.4 %
2	A few times a year	216	16.0 %
3	Once or twice a month	208	15.4 %
4	At least once a week	193	14.3 %
5	Almost every day	20	1.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	SALocked=1, items skipped	231	17.1 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 900 valid cases out of 1,354 total cases.

Location: 408-411 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -666 , -400 , -202 , -201 , -103 , -101 , -9 , -8

SAROUT: SA Rout: Unsupervised Routine Activities

Based upon 902 valid cases out of 1,354 total cases.

- Mean: 2.7357723577
- Median: 2.7500000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.9117629715

Location: 412-426 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -666.0000000000 , -400.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000