ICPSR | INTER-UNIVERSITY CONSORTIUM FOR POLITICAL AND SOCIAL RESEARCH

ICPSR 36800

Research on Pathways to Desistance [Maricopa County, AZ and Philadelphia County, PA]: Subject Measures - Scales, 2000-2010

Edward P. Mulvey
University of Pittsburgh

Codebook for Services and Medications

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/36800/terms

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE
WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 36800

Research on Pathways to Desistance [Maricopa County, AZ and Philadelphia County, PA]: Subject Measures - Scales, 2000-2010

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Services and Medications

CASEID: S0 IntInfo: Subject ID

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1-5 (width: 5; decimal: 0)
Variable Type: numeric

S0SER1: S0 Services: D/A: Ever have an overnight stay

Value	Label	Unweighted Frequency	%
1	Yes	57	4.2 %
5	No	1289	95.2 %
	Missing Data		
-200	Data missing	8	0.6 %
	Total	**1,354**	**100%**

Based upon 1,346 valid cases out of 1,354 total cases.

Location: 6-9 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0SER2: S0 Services: D/A: Age 1st time stayed overnight

Based upon 57 valid cases out of 1,354 total cases.

- Mean: 14.79
- Median: 15.00
- Mode: 15.00
- Minimum: 1.00
- Maximum: 18.00
- Standard Deviation: 2.48

Location: 10-13 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -99 , -98

S0SER3: S0 Services: D/A: Past 6 months had an overnight stay

Value	Label	Unweighted Frequency	%
1	Yes	19	1.4 %
5	No	38	2.8 %
	Missing Data		
-200	Data missing	8	0.6 %
-101	Skipped: Service not endorsed	1289	95.2 %
	Total	**1,354**	**100%**

Based upon 57 valid cases out of 1,354 total cases.

Location: 14-17 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0SER4: S0 Services: Psych: Ever have an overnight stay

Value	Label	Unweighted Frequency	%
1	Yes	101	7.5 %
5	No	1245	91.9 %
	Missing Data		
-200	Data missing	8	0.6 %
	Total	**1,354**	**100%**

Based upon 1,346 valid cases out of 1,354 total cases.

Location: 18-21 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0SER5: S0 Services: Psych: Age 1st time stayed overnight

Based upon 100 valid cases out of 1,354 total cases.

- Mean: 13.04
- Median: 13.00
- Mode: 12.00
- Minimum: 6.00
- Maximum: 17.00
- Standard Deviation: 2.12

Location: 22-25 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -99 , -98

S0SER6: S0 Services: Psych: Past 6 months had an overnight stay

Value	Label	Unweighted Frequency	%
1	Yes	23	1.7 %
5	No	78	5.8 %
	Missing Data		
-200	Data missing	8	0.6 %
-101	Skipped: Service not endorsed	1245	91.9 %
	Total	**1,354**	**100%**

Based upon 101 valid cases out of 1,354 total cases.

Location: 26-29 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0SER7: S0 Services: RTC: Ever have an overnight stay

Value	Label	Unweighted Frequency	%
1	Yes	251	18.5 %
5	No	1095	80.9 %
	Missing Data		
-200	Data missing	8	0.6 %
	Total	**1,354**	**100%**

Based upon 1,346 valid cases out of 1,354 total cases.

Location: 30-33 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0SER8: S0 Services: RTC: Age 1st time stayed overnight

Based upon 250 valid cases out of 1,354 total cases.

- Mean: 13.68
- Median: 14.00
- Mode: 15.00
- Minimum: 4.00
- Maximum: 18.00
- Standard Deviation: 2.32

Location: 34-37 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -99 , -98

S0SER9: S0 Services: RTC: Past 6 months had an overnight stay

Value	Label	Unweighted Frequency	%
1	Yes	97	7.2 %
5	No	154	11.4 %
	Missing Data		
-200	Data missing	8	0.6 %
-101	Skipped: Service not endorsed	1095	80.9 %
	Total	**1,354**	**100%**

Based upon 251 valid cases out of 1,354 total cases.

Location: 38-41 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0SER10: S0 Services: Foster: Ever have an overnight stay

Value	Label	Unweighted Frequency	%
1	Yes	81	6.0 %
5	No	1265	93.4 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-200	Data missing	8	0.6 %
	Total	**1,354**	**100%**

Based upon 1,346 valid cases out of 1,354 total cases.

Location: 42-45 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0SER12: S0 Services: Foster: Age 1st time stayed overnight

Based upon 79 valid cases out of 1,354 total cases.

- Mean: 8.85
- Median: 9.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 16.00
- Standard Deviation: 4.51

Location: 46-49 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -99 , -98

S0SER13: S0 Services: Foster: Past 6 months had an overnight stay

Value	Label	Unweighted Frequency	%
1	Yes	9	0.7 %
5	No	72	5.3 %
	Missing Data		
-200	Data missing	8	0.6 %
-101	Skipped: Service not endorsed	1265	93.4 %
	Total	**1,354**	**100%**

Based upon 81 valid cases out of 1,354 total cases.

Location: 50-53 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0SER11: S0 Services: Foster: Number different foster families lived with

Based upon 79 valid cases out of 1,354 total cases.

- Mean: 3.54
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 74.00

- Standard Deviation: 8.87

Location: 54-57 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -99 , -98

S0SER14: S0 Services: Det: Ever have an overnight stay

Value	Label	Unweighted Frequency	%
1	Yes	808	59.7 %
5	No	538	39.7 %
	Missing Data		
-200	Data missing	8	0.6 %
	Total	**1,354**	**100%**

Based upon 1,346 valid cases out of 1,354 total cases.

Location: 58-61 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0SER15: S0 Services: Det: Age 1st time stayed overnight

Based upon 808 valid cases out of 1,354 total cases.

- Mean: 14.04
- Median: 14.00
- Minimum: 1.00
- Maximum: 18.00
- Standard Deviation: 2.07

Location: 62-65 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -99 , -98

S0SER16: S0 Services: Det: Past 6 months had an overnight stay

Value	Label	Unweighted Frequency	%
1	Yes	421	31.1 %
5	No	387	28.6 %
	Missing Data		
-200	Data missing	8	0.6 %
-101	Skipped: Service not endorsed	538	39.7 %
	Total	**1,354**	**100%**

Based upon 808 valid cases out of 1,354 total cases.

Location: 66-69 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0SER17: S0 Services: Shelter: Ever have an overnight stay

Value	Label	Unweighted Frequency	%
1	Yes	110	8.1 %
5	No	1236	91.3 %
	Missing Data		
-200	Data missing	8	0.6 %
	Total	**1,354**	**100%**

Based upon 1,346 valid cases out of 1,354 total cases.

Location: 70-73 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0SER18: S0 Services: Shelter: Age 1st time stayed overnight

Based upon 106 valid cases out of 1,354 total cases.

- Mean: 10.38
- Median: 11.00
- Minimum: 1.00
- Maximum: 17.00
- Standard Deviation: 3.99

Location: 74-77 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -99 , -98

S0SER19: S0 Services: Shelter: Past 6 months had an overnight stay

Value	Label	Unweighted Frequency	%
1	Yes	15	1.1 %
5	No	95	7.0 %
	Missing Data		
-200	Data missing	8	0.6 %
-101	Skipped: Service not endorsed	1236	91.3 %
	Total	**1,354**	**100%**

Based upon 110 valid cases out of 1,354 total cases.

Location: 78-81 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0SER20: S0 Services: Other: Ever have an overnight stay

Value	Label	Unweighted Frequency	%
1	Yes	38	2.8 %

Value	Label	Unweighted Frequency	%
5	No	1308	96.6 %
	Missing Data		
-200	Data missing	8	0.6 %
	Total	**1,354**	**100%**

Based upon 1,346 valid cases out of 1,354 total cases.

Location: 82-85 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0SER22: S0 Services: Other: Age 1st time stayed overnight

Based upon 38 valid cases out of 1,354 total cases.

- Mean: 14.11
- Median: 15.00
- Mode: 15.00
- Minimum: 7.00
- Maximum: 17.00
- Standard Deviation: 2.18

Location: 86-89 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -99 , -98

S0SER23: S0 Services: Other: Past 6 months had an overnight stay

Value	Label	Unweighted Frequency	%
1	Yes	15	1.1 %
5	No	23	1.7 %
	Missing Data		
-200	Data missing	8	0.6 %
-101	Skipped: Service not endorsed	1308	96.6 %
	Total	**1,354**	**100%**

Based upon 38 valid cases out of 1,354 total cases.

Location: 90-93 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0ANYIN: S0 Services: Any Overnight Stays in a Facility

Value	Label	Unweighted Frequency	%
0	No	418	30.9 %
1	Yes	928	68.5 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-200	Data missing	8	0.6 %
	Total	**1,354**	**100%**

Based upon 1,346 valid cases out of 1,354 total cases.

Location: 94-97 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -200 , -9 , -8

S0OVERNT: S0 Services: Overnight Services By Type - Total Count

Value	Label	Unweighted Frequency	%
0	-	418	30.9 %
1	-	581	42.9 %
2	-	216	16.0 %
3	-	98	7.2 %
4	-	26	1.9 %
5	-	7	0.5 %
	Missing Data		
-200	Data missing	8	0.6 %
	Total	**1,354**	**100%**

Based upon 1,346 valid cases out of 1,354 total cases.

Location: 98-101 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -200 , -9 , -8

S0SER24: S0 CommBased: Ever go to psychologist/counselor/social worker

Value	Label	Unweighted Frequency	%
1	Yes	416	30.7 %
5	No	930	68.7 %
	Missing Data		
-200	Data missing	8	0.6 %
	Total	**1,354**	**100%**

Based upon 1,346 valid cases out of 1,354 total cases.

Location: 102-105 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0SER25: S0 CommBased: Age 1st time went to psychologist/counselor/social worker

Based upon 413 valid cases out of 1,354 total cases.

- Mean: 12.84
- Median: 13.00
- Mode: 15.00
- Minimum: 1.00
- Maximum: 18.00
- Standard Deviation: 3.02

Location: 106-109 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -99 , -98

S0SER26: S0 CommBased: Past 6mo go to psychologist/counselor/social worker

Value	Label	Unweighted Frequency	%
1	Yes	236	17.4 %
5	No	180	13.3 %
	Missing Data		
-200	Data missing	8	0.6 %
-101	Skipped: Service not endorsed	930	68.7 %
	Total	**1,354**	**100%**

Based upon 416 valid cases out of 1,354 total cases.

Location: 110-113 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0SER27: S0 CommBased: Go to psychologist/counselor/social for d/a treatment

Value	Label	Unweighted Frequency	%
1	Yes	122	9.0 %
5	No	293	21.6 %
	Missing Data		
-200	Data missing	8	0.6 %
-101	Skipped: Service not endorsed	930	68.7 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 415 valid cases out of 1,354 total cases.

Location: 114-117 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0SER28: S0 CommBased: Ever go to community support groups

Value	Label	Unweighted Frequency	%
1	Yes	172	12.7 %

Value	Label	Unweighted Frequency	%
5	No	1174	86.7 %
	Missing Data		
-200	Data missing	8	0.6 %
	Total	**1,354**	**100%**

Based upon 1,346 valid cases out of 1,354 total cases.

Location: 118-121 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0SER29: S0 CommBased: Age 1st time went to community support groups

Based upon 172 valid cases out of 1,354 total cases.

- Mean: 14.81
- Median: 15.00
- Mode: 15.00
- Minimum: 5.00
- Maximum: 18.00
- Standard Deviation: 1.77

Location: 122-125 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -99 , -98

S0SER30: S0 CommBased: Past 6mo go to community support groups

Value	Label	Unweighted Frequency	%
1	Yes	92	6.8 %
5	No	80	5.9 %
	Missing Data		
-200	Data missing	8	0.6 %
-101	Skipped: Service not endorsed	1174	86.7 %
	Total	**1,354**	**100%**

Based upon 172 valid cases out of 1,354 total cases.

Location: 126-129 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0SER31: S0 CommBased: Go to community support groups for d/a treatment

Value	Label	Unweighted Frequency	%
1	Yes	137	10.1 %
5	No	35	2.6 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-200	Data missing	8	0.6 %
-101	Skipped: Service not endorsed	1174	86.7 %
	Total	**1,354**	**100%**

Based upon 172 valid cases out of 1,354 total cases.

Location: 130-133 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0SER32: S0 CommBased: Ever go to priest/minister/clergy/healer

Value	Label	Unweighted Frequency	%
1	Yes	54	4.0 %
5	No	1292	95.4 %
	Missing Data		
-200	Data missing	8	0.6 %
	Total	**1,354**	**100%**

Based upon 1,346 valid cases out of 1,354 total cases.

Location: 134-137 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0SER33: S0 CommBased: Age 1st time went to priest/minister/clergy/healer

Based upon 54 valid cases out of 1,354 total cases.

- Mean: 13.98
- Median: 15.00
- Mode: 16.00
- Minimum: 6.00
- Maximum: 17.00
- Standard Deviation: 2.49

Location: 138-141 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -99 , -98

S0SER34: S0 CommBased: Past 6mo go to priest/minister/clergy/healer

Value	Label	Unweighted Frequency	%
1	Yes	30	2.2 %
5	No	24	1.8 %
	Missing Data		
-200	Data missing	8	0.6 %
-101	Skipped: Service not endorsed	1292	95.4 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 54 valid cases out of 1,354 total cases.

Location: 142-145 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0SER35: S0 CommBased: Go to priest/minister/clergy/healer for d/a treatment

Value	Label	Unweighted Frequency	%
1	Yes	16	1.2 %
5	No	38	2.8 %
	Missing Data		
-200	Data missing	8	0.6 %
-101	Skipped: Service not endorsed	1292	95.4 %
	Total	**1,354**	**100%**

Based upon 54 valid cases out of 1,354 total cases.

Location: 146-149 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0SER36: S0 CommBased: Ever had people come into home for counseling

Value	Label	Unweighted Frequency	%
1	Yes	172	12.7 %
5	No	1173	86.6 %
	Missing Data		
-200	Data missing	8	0.6 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,345 valid cases out of 1,354 total cases.

Location: 150-153 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0SER37: S0 CommBased: Age 1st time had people come into home for counseling

Based upon 171 valid cases out of 1,354 total cases.

- Mean: 13.77
- Median: 14.00
- Mode: 14.00
- Minimum: 7.00

- Maximum: 17.00
- Standard Deviation: 1.98

Location: 154-157 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -99 , -98

S0SER38: S0 CommBased: Past 6mo had people come into home for counseling

Value	Label	Unweighted Frequency	%
1	Yes	70	5.2 %
5	No	102	7.5 %
	Missing Data		
-200	Data missing	8	0.6 %
-101	Skipped: Service not endorsed	1174	86.7 %
	Total	**1,354**	**100%**

Based upon 172 valid cases out of 1,354 total cases.

Location: 158-161 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0SER39: S0 CommBased: Had people come into home for counseling for d/a treatment

Value	Label	Unweighted Frequency	%
1	Yes	32	2.4 %
5	No	139	10.3 %
	Missing Data		
-200	Data missing	8	0.6 %
-101	Skipped: Service not endorsed	1174	86.7 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 171 valid cases out of 1,354 total cases.

Location: 162-165 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0SER52: S0 CommBased: Ever go to partial hospitalization/day program

Value	Label	Unweighted Frequency	%
1	Yes	72	5.3 %
5	No	1274	94.1 %
	Missing Data		
-200	Data missing	8	0.6 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 1,346 valid cases out of 1,354 total cases.

Location: 166-169 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0SER53: S0 CommBased: Age 1st time went to partial hospitalization/day program

Based upon 72 valid cases out of 1,354 total cases.

- Mean: 14.08
- Median: 14.00
- Mode: 14.00
- Minimum: 10.00
- Maximum: 17.00
- Standard Deviation: 1.79

Location: 170-173 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -99 , -98

S0SER54: S0 CommBased: Past 6mo went to partial hospitalization/day program

Value	Label	Unweighted Frequency	%
1	Yes	22	1.6 %
5	No	50	3.7 %
	Missing Data		
-200	Data missing	8	0.6 %
-101	Skipped: Service not endorsed	1274	94.1 %
	Total	**1,354**	**100%**

Based upon 72 valid cases out of 1,354 total cases.

Location: 174-177 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0SER55: S0 CommBased: Go to partial hospitalization/day program for d/a treatment

Value	Label	Unweighted Frequency	%
1	Yes	37	2.7 %
5	No	35	2.6 %
	Missing Data		
-200	Data missing	8	0.6 %
-101	Skipped: Service not endorsed	1274	94.1 %
	Total	**1,354**	**100%**

Based upon 72 valid cases out of 1,354 total cases.

Location: 178-181 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0SER40: S0 CommBased: Ever went to the ER

Value	Label	Unweighted Frequency	%
1	Yes	64	4.7 %
5	No	1282	94.7 %
	Missing Data		
-200	Data missing	8	0.6 %
	Total	**1,354**	**100%**

Based upon 1,346 valid cases out of 1,354 total cases.

Location: 182-185 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0SER41: S0 CommBased: Age 1st time went to the ER

Based upon 64 valid cases out of 1,354 total cases.

- Mean: 14.19
- Median: 15.00
- Mode: 16.00
- Minimum: 1.00
- Maximum: 17.00
- Standard Deviation: 2.90

Location: 186-189 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -99 , -98

S0SER42: S0 CommBased: Past 6mo went to the ER

Value	Label	Unweighted Frequency	%
1	Yes	21	1.6 %
5	No	43	3.2 %
	Missing Data		
-200	Data missing	8	0.6 %
-101	Skipped: Service not endorsed	1282	94.7 %
	Total	**1,354**	**100%**

Based upon 64 valid cases out of 1,354 total cases.

Location: 190-193 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0SER43: S0 CommBased: Went to the ER for d/a treatment

Value	Label	Unweighted Frequency	%
1	Yes	47	3.5 %
5	No	17	1.3 %
	Missing Data		
-200	Data missing	8	0.6 %
-101	Skipped: Service not endorsed	1282	94.7 %
	Total	**1,354**	**100%**

Based upon 64 valid cases out of 1,354 total cases.

Location: 194-197 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0SER44: S0 CommBased: Ever go to counselor/special teacher at school

Value	Label	Unweighted Frequency	%
1	Yes	123	9.1 %
5	No	1223	90.3 %
	Missing Data		
-200	Data missing	8	0.6 %
	Total	**1,354**	**100%**

Based upon 1,346 valid cases out of 1,354 total cases.

Location: 198-201 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0SER45: S0 CommBased: Age 1st time went to counselor/special teacher at school

Based upon 122 valid cases out of 1,354 total cases.

- Mean: 13.36
- Median: 14.00
- Mode: 14.00
- Minimum: 6.00
- Maximum: 18.00
- Standard Deviation: 2.41

Location: 202-205 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -99 , -98

S0SER46: S0 CommBased: Past 6mo went to counselor/special teacher at school

Value	Label	Unweighted Frequency	%
1	Yes	41	3.0 %
5	No	82	6.1 %
	Missing Data		
-200	Data missing	8	0.6 %
-101	Skipped: Service not endorsed	1223	90.3 %
	Total	**1,354**	**100%**

Based upon 123 valid cases out of 1,354 total cases.

Location: 206-209 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0SER47: S0 CommBased: Go to counselor/special teacher at school for d/a treatment

Value	Label	Unweighted Frequency	%
1	Yes	39	2.9 %
5	No	84	6.2 %
	Missing Data		
-200	Data missing	8	0.6 %
-101	Skipped: Service not endorsed	1223	90.3 %
	Total	**1,354**	**100%**

Based upon 123 valid cases out of 1,354 total cases.

Location: 210-213 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0SER48: S0 CommBased: Ever go to school for kids with special needs

Value	Label	Unweighted Frequency	%
1	Yes	66	4.9 %
5	No	1279	94.5 %
	Missing Data		
-200	Data missing	8	0.6 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,345 valid cases out of 1,354 total cases.

Location: 214-217 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0SER49: S0 CommBased: Age 1st time went to school for kids with special needs

Based upon 66 valid cases out of 1,354 total cases.

- Mean: 13.36
- Median: 13.00
- Mode: 13.00
- Minimum: 6.00
- Maximum: 16.00
- Standard Deviation: 1.88

Location: 218-221 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -99 , -98

S0SER50: S0 CommBased: Past 6mo went to school for kids with special needs

Value	Label	Unweighted Frequency	%
1	Yes	25	1.8 %
5	No	41	3.0 %
	Missing Data		
-200	Data missing	8	0.6 %
-101	Skipped: Service not endorsed	1280	94.5 %
	Total	**1,354**	**100%**

Based upon 66 valid cases out of 1,354 total cases.

Location: 222-225 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0SER51: S0 CommBased: Went to school for kids with special needs for d/a treatment

Value	Label	Unweighted Frequency	%
1	Yes	10	0.7 %
5	No	56	4.1 %
	Missing Data		
-200	Data missing	8	0.6 %
-101	Skipped: Service not endorsed	1280	94.5 %
	Total	**1,354**	**100%**

Based upon 66 valid cases out of 1,354 total cases.

Location: 226-229 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0ANYCOM: S0 Services: Ever receive any community service

Value	Label	Unweighted Frequency	%
0	No	726	53.6 %

Value	Label	Unweighted Frequency	%
1	Yes	620	45.8 %
	Missing Data		
-200	Data missing	8	0.6 %
	Total	**1,354**	**100%**

Based upon 1,346 valid cases out of 1,354 total cases.

Location: 230-233 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -200 , -9 , -8

S0COMMUN: S0 Services: Total number community services ever received - count by type

Value	Label	Unweighted Frequency	%
0	-	726	53.6 %
1	-	317	23.4 %
2	-	179	13.2 %
3	-	67	4.9 %
4	-	29	2.1 %
5	-	21	1.6 %
6	-	7	0.5 %
	Missing Data		
-200	Data missing	8	0.6 %
	Total	**1,354**	**100%**

Based upon 1,346 valid cases out of 1,354 total cases.

Location: 234-237 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -200 , -9 , -8

S0INDIV: S0 Services: Ever receive individual community services

Value	Label	Unweighted Frequency	%
0	No	901	66.5 %
1	Yes	445	32.9 %
	Missing Data		
-200	Data missing	8	0.6 %
	Total	**1,354**	**100%**

Based upon 1,346 valid cases out of 1,354 total cases.

Location: 238-241 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -200 , -9 , -8

S0GROUP: S0 Services: Ever receive group community services

Value	Label	Unweighted Frequency	%
0	No	1137	84.0 %
1	Yes	209	15.4 %
	Missing Data		
-200	Data missing	8	0.6 %
	Total	**1,354**	**100%**

Based upon 1,346 valid cases out of 1,354 total cases.

Location: 242-245 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -200 , -9 , -8

S0HOFAM: S0 Services: Ever receive in-home counseling for youth/family

Value	Label	Unweighted Frequency	%
0	No	1174	86.7 %
1	Yes	172	12.7 %
	Missing Data		
-200	Data missing	8	0.6 %
	Total	**1,354**	**100%**

Based upon 1,346 valid cases out of 1,354 total cases.

Location: 246-249 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -200 , -9 , -8

S0SCHOOL: S0 Services: Ever receive school services

Value	Label	Unweighted Frequency	%
0	No	1170	86.4 %
1	Yes	176	13.0 %
	Missing Data		
-200	Data missing	8	0.6 %
	Total	**1,354**	**100%**

Based upon 1,346 valid cases out of 1,354 total cases.

Location: 250-253 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -200 , -9 , -8

S0MED53: S0 Medication: Age 1st time on prescription med

Based upon 292 valid cases out of 1,354 total cases.

- Mean: 12.04
- Median: 13.00
- Mode: 13.00
- Minimum: 1.00
- Maximum: 18.00
- Standard Deviation: 3.42

Location: 254-257 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -99 , -98

S0MED54: S0 Medication: PRIOR to past 6 months: Number meds on

Based upon 292 valid cases out of 1,354 total cases.

- Mean: 1.79
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 29.00
- Standard Deviation: 2.52

Location: 258-261 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -99 , -98

S0PRIORMED01: S0 Medication: PRIOR to past 6 months: Coded name of Med01

Based upon 250 valid cases out of 1,354 total cases.

Location: 262-265 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -104 , -103 , -102 , -101

S0PRIORMEDCATEGORY01: S0 Medication: PRIOR to past 6 months: Category for Med01

Value	Label	Unweighted Frequency	%
100	Antipsychotic	7	0.5 %
200	Anti-manic	4	0.3 %
300	Antidepressant	82	6.1 %
400	Monoamine Oxidase (MAO) Inhibitors	0	0.0 %
500	Anxiolytic Drugs	2	0.1 %
600	Anti-Parkinson	0	0.0 %
700	Anti-Convulsant	26	1.9 %
800	Analgesics	121	8.9 %
900	Drug dependency therapy	3	0.2 %
999	Category Unknown	5	0.4 %
	Missing Data		
-200	Data missing	8	0.6 %
-103	Skipped: Number of meds taken prior to past six months unknown	4	0.3 %
-102	Skipped: Zero meds taken prior to past six months	42	3.1 %

Value	Label	Unweighted Frequency	%
-101	Skipped: Subject has never been on medication	1050	77.5 %
	Total	**1,354**	**100%**

Based upon 250 valid cases out of 1,354 total cases.

Location: 266-269 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -104 , -103 , -102 , -101

S0PRIORMED02: S0 Medication: PRIOR to past 6 months: Coded name of Med02

Based upon 110 valid cases out of 1,354 total cases.

Location: 270-273 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -104 , -103 , -102 , -101

S0PRIORMEDCATEGORY02: S0 Medication: PRIOR to past 6 months: Category for Med02

Value	Label	Unweighted Frequency	%
100	Antipsychotic	12	0.9 %
200	Anti-manic	4	0.3 %
300	Antidepressant	34	2.5 %
400	Monoamine Oxidase (MAO) Inhibitors	0	0.0 %
500	Anxiolytic Drugs	6	0.4 %
600	Anti-Parkinson	0	0.0 %
700	Anti-Convulsant	14	1.0 %
800	Analgesics	26	1.9 %
900	Drug dependency therapy	8	0.6 %
999	Category Unknown	6	0.4 %
	Missing Data		
-200	Data missing	8	0.6 %
-104	Skipped: No additional meds taken prior to past six months	140	10.3 %
-103	Skipped: Number of meds taken prior to past six months unknown	4	0.3 %
-102	Skipped: Zero meds taken prior to past six months	42	3.1 %
-101	Skipped: Subject has never been on medication	1050	77.5 %
	Total	**1,354**	**100%**

Based upon 110 valid cases out of 1,354 total cases.

Location: 274-277 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -104 , -103 , -102 , -101

S0PRIORMED03: S0 Medication: PRIOR to past 6 months: Coded name of Med03

Based upon 56 valid cases out of 1,354 total cases.

Location: 278-281 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -104 , -103 , -102 , -101

S0PRIORMEDCATEGORY03: S0 Medication: PRIOR to past 6 months: Category for Med03

Value	Label	Unweighted Frequency	%
100	Antipsychotic	13	1.0 %
200	Anti-manic	0	0.0 %
300	Antidepressant	18	1.3 %
400	Monoamine Oxidase (MAO) Inhibitors	0	0.0 %
500	Anxiolytic Drugs	2	0.1 %
600	Anti-Parkinson	2	0.1 %
700	Anti-Convulsant	6	0.4 %
800	Analgesics	9	0.7 %
900	Drug dependency therapy	3	0.2 %
999	Category Unknown	3	0.2 %
	Missing Data		
-200	Data missing	8	0.6 %
-104	Skipped: No additional meds taken prior to past six months	194	14.3 %
-103	Skipped: Number of meds taken prior to past six months unknown	4	0.3 %
-102	Skipped: Zero meds taken prior to past six months	42	3.1 %
-101	Skipped: Subject has never been on medication	1050	77.5 %
	Total	**1,354**	**100%**

Based upon 56 valid cases out of 1,354 total cases.

Location: 282-285 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -104 , -103 , -102 , -101

S0PRIORMED04: S0 Medication: PRIOR to past 6 months: Coded name of Med04

Based upon 29 valid cases out of 1,354 total cases.

Location: 286-289 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -104 , -103 , -102 , -101

S0PRIORMEDCATEGORY04: S0 Medication: PRIOR to past 6 months: Category for Med04

Value	Label	Unweighted Frequency	%
100	Antipsychotic	3	0.2 %
200	Anti-manic	2	0.1 %
300	Antidepressant	8	0.6 %
400	Monoamine Oxidase (MAO) Inhibitors	0	0.0 %
500	Anxiolytic Drugs	1	0.1 %

Value	Label	Unweighted Frequency	%
600	Anti-Parkinson	2	0.1 %
700	Anti-Convulsant	4	0.3 %
800	Analgesics	6	0.4 %
900	Drug dependency therapy	1	0.1 %
999	Category Unknown	2	0.1 %
	Missing Data		
-200	Data missing	8	0.6 %
-104	Skipped: No additional meds taken prior to past six months	221	16.3 %
-103	Skipped: Number of meds taken prior to past six months unknown	4	0.3 %
-102	Skipped: Zero meds taken prior to past six months	42	3.1 %
-101	Skipped: Subject has never been on medication	1050	77.5 %
	Total	**1,354**	**100%**

Based upon 29 valid cases out of 1,354 total cases.

Location: 290-293 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -104 , -103 , -102 , -101

S0PRIORMED05: S0 Medication: PRIOR to past 6 months: Coded name of Med05

Based upon 12 valid cases out of 1,354 total cases.

Location: 294-297 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -104 , -103 , -102 , -101

S0PRIORMEDCATEGORY05: S0 Medication: PRIOR to past 6 months: Category for Med05

Value	Label	Unweighted Frequency	%
100	Antipsychotic	1	0.1 %
200	Anti-manic	0	0.0 %
300	Antidepressant	2	0.1 %
400	Monoamine Oxidase (MAO) Inhibitors	0	0.0 %
500	Anxiolytic Drugs	0	0.0 %
600	Anti-Parkinson	0	0.0 %
700	Anti-Convulsant	2	0.1 %
800	Analgesics	2	0.1 %
900	Drug dependency therapy	0	0.0 %
999	Category Unknown	5	0.4 %
	Missing Data		
-200	Data missing	8	0.6 %
-104	Skipped: No additional meds taken prior to past six months	238	17.6 %
-103	Skipped: Number of meds taken prior to past six months unknown	4	0.3 %

Value	Label	Unweighted Frequency	%
-102	Skipped: Zero meds taken prior to past six months	42	3.1 %
-101	Skipped: Subject has never been on medication	1050	77.5 %
	Total	**1,354**	**100%**

Based upon 12 valid cases out of 1,354 total cases.

Location: 298-301 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -104 , -103 , -102 , -101

S0PRIORMED06: S0 Medication: PRIOR to past 6 months: Coded name of Med06

Based upon 8 valid cases out of 1,354 total cases.

Location: 302-305 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -104 , -103 , -102 , -101

S0PRIORMEDCATEGORY06: S0 Medication: PRIOR to past 6 months: Category for Med06

Value	Label	Unweighted Frequency	%
100	Antipsychotic	0	0.0 %
200	Anti-manic	0	0.0 %
300	Antidepressant	2	0.1 %
400	Monoamine Oxidase (MAO) Inhibitors	0	0.0 %
500	Anxiolytic Drugs	0	0.0 %
600	Anti-Parkinson	0	0.0 %
700	Anti-Convulsant	0	0.0 %
800	Analgesics	0	0.0 %
900	Drug dependency therapy	0	0.0 %
999	Category Unknown	6	0.4 %
	Missing Data		
-200	Data missing	8	0.6 %
-104	Skipped: No additional meds taken prior to past six months	242	17.9 %
-103	Skipped: Number of meds taken prior to past six months unknown	4	0.3 %
-102	Skipped: Zero meds taken prior to past six months	42	3.1 %
-101	Skipped: Subject has never been on medication	1050	77.5 %
	Total	**1,354**	**100%**

Based upon 8 valid cases out of 1,354 total cases.

Location: 306-309 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -104 , -103 , -102 , -101

S0MED61: S0 Medication: DURING past 6 months: Number meds on

Based upon 296 valid cases out of 1,354 total cases.

- Mean: 0.95
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 1.19

Location: 310-313 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -99 , -98

S0PAST6MOMED01: S0 Medication: DURING past 6 months: Coded name of Med01

Based upon 152 valid cases out of 1,354 total cases.

Location: 314-317 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -107 , -106 , -105 , -101

S0PAST6MOMEDCATEGORY01: S0 Medication: DURING past 6 months: Category for Med01

Value	Label	Unweighted Frequency	%
100	Antipsychotic	10	0.7 %
200	Anti-manic	5	0.4 %
300	Antidepressant	83	6.1 %
400	Monoamine Oxidase (MAO) Inhibitors	0	0.0 %
500	Anxiolytic Drugs	2	0.1 %
600	Anti-Parkinson	1	0.1 %
700	Anti-Convulsant	20	1.5 %
800	Analgesics	25	1.8 %
900	Drug dependency therapy	1	0.1 %
999	Category Unknown	5	0.4 %
	Missing Data		
-200	Data missing	8	0.6 %
-105	Skipped: Zero meds taken in the past six months	144	10.6 %
-101	Skipped: Subject has never been on medication	1050	77.5 %
	Total	**1,354**	**100%**

Based upon 152 valid cases out of 1,354 total cases.

Location: 318-321 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -107 , -106 , -105 , -101

S0MED631: S0 Medication: Currently taking this med (Past 6mo Med01)

Value	Label	Unweighted Frequency	%
1	Yes	122	9.0 %
5	No	30	2.2 %
	Missing Data		
-200	Data missing	8	0.6 %
-105	Skipped: Zero meds taken in the past six months	144	10.6 %
-101	Skipped: Subject has never been on medication	1050	77.5 %
	Total	**1,354**	**100%**

Based upon 152 valid cases out of 1,354 total cases.

Location: 322-325 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -106 , -105 , -101 , -9 , -8

S0NHRS9: S0 Medication: Before interview when was last dose - in hours (Past 6mo Med01)

Based upon 122 valid cases out of 1,354 total cases.

- Mean: 26.08
- Median: 8.00
- Mode: 8.00
- Minimum: 1.00
- Maximum: 840.00
- Standard Deviation: 93.97

Location: 326-333 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9999999 , -9999998 , -200 , -107 , -106 , -105 , -101

S0PAST6MOMED02: S0 Medication: DURING past 6 months: Coded name of Med02

Based upon 80 valid cases out of 1,354 total cases.

Location: 334-337 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -107 , -106 , -105 , -101

S0PAST6MOMEDCATEGORY02: S0 Medication: DURING past 6 months: Category for Med02

Value	Label	Unweighted Frequency	%
100	Antipsychotic	19	1.4 %
200	Anti-manic	4	0.3 %
300	Antidepressant	25	1.8 %
400	Monoamine Oxidase (MAO) Inhibitors	0	0.0 %
500	Anxiolytic Drugs	1	0.1 %
600	Anti-Parkinson	1	0.1 %
700	Anti-Convulsant	10	0.7 %
800	Analgesics	8	0.6 %

Value	Label	Unweighted Frequency	%
900	Drug dependency therapy	4	0.3 %
999	Category Unknown	8	0.6 %
	Missing Data		
-200	Data missing	8	0.6 %
-106	Skipped: No additional meds taken in the past six months	72	5.3 %
-105	Skipped: Zero meds taken in the past six months	144	10.6 %
-101	Skipped: Subject has never been on medication	1050	77.5 %
	Total	**1,354**	**100%**

Based upon 80 valid cases out of 1,354 total cases.

Location: 338-341 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -107 , -106 , -105 , -101

S0MED632: S0 Medication: Currently taking this med (Past 6mo Med02)

Value	Label	Unweighted Frequency	%
1	Yes	65	4.8 %
5	No	15	1.1 %
	Missing Data		
-200	Data missing	8	0.6 %
-106	Skipped: No additional meds taken in the past six months	72	5.3 %
-105	Skipped: Zero meds taken in the past six months	144	10.6 %
-101	Skipped: Subject has never been on medication	1050	77.5 %
	Total	**1,354**	**100%**

Based upon 80 valid cases out of 1,354 total cases.

Location: 342-345 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -106 , -105 , -101 , -9 , -8

S0NHRS10: S0 Medication: Before interview when was last dose - in hours (Past 6mo Med02)

Based upon 65 valid cases out of 1,354 total cases.

- Mean: 20.15
- Median: 8.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 672.00
- Standard Deviation: 82.44

Location: 346-353 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9999999 , -9999998 , -200 , -107 , -106 , -105 , -101

S0PAST6MOMED03: S0 Medication: DURING past 6 months: Coded name of Med03

Based upon 30 valid cases out of 1,354 total cases.

Location: 354-357 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -107 , -106 , -105 , -101

S0PAST6MOMEDCATEGORY03: S0 Medication: DURING past 6 months: Category for Med03

Value	Label	Unweighted Frequency	%
100	Antipsychotic	6	0.4 %
200	Anti-manic	3	0.2 %
300	Antidepressant	12	0.9 %
400	Monoamine Oxidase (MAO) Inhibitors	0	0.0 %
500	Anxiolytic Drugs	1	0.1 %
600	Anti-Parkinson	1	0.1 %
700	Anti-Convulsant	3	0.2 %
800	Analgesics	2	0.1 %
900	Drug dependency therapy	0	0.0 %
999	Category Unknown	2	0.1 %
	Missing Data		
-200	Data missing	8	0.6 %
-106	Skipped: No additional meds taken in the past six months	122	9.0 %
-105	Skipped: Zero meds taken in the past six months	144	10.6 %
-101	Skipped: Subject has never been on medication	1050	77.5 %
	Total	**1,354**	**100%**

Based upon 30 valid cases out of 1,354 total cases.

Location: 358-361 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -107 , -106 , -105 , -101

S0MED633: S0 Medication: Currently taking this med (Past 6mo Med03)

Value	Label	Unweighted Frequency	%
1	Yes	23	1.7 %
5	No	7	0.5 %
	Missing Data		
-200	Data missing	8	0.6 %
-106	Skipped: No additional meds taken in the past six months	122	9.0 %
-105	Skipped: Zero meds taken in the past six months	144	10.6 %
-101	Skipped: Subject has never been on medication	1050	77.5 %
	Total	**1,354**	**100%**

Based upon 30 valid cases out of 1,354 total cases.

Location: 362-365 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -106 , -105 , -101 , -9 , -8

S0NHRS11: S0 Medication: Before interview when was last dose - in hours (Past 6mo Med03)

Based upon 23 valid cases out of 1,354 total cases.

- Mean: 9.39
- Median: 8.00
- Mode: 8.00
- Minimum: 1.00
- Maximum: 24.00
- Standard Deviation: 5.37

Location: 366-373 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9999999 , -9999998 , -200 , -107 , -106 , -105 , -101

S0PAST6MOMED04: S0 Medication: DURING past 6 months: Coded name of Med04

Based upon 13 valid cases out of 1,354 total cases.

Location: 374-377 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -107 , -106 , -105 , -101

S0PAST6MOMEDCATEGORY04: S0 Medication: DURING past 6 months: Category for Med04

Value	Label	Unweighted Frequency	%
100	Antipsychotic	5	0.4 %
200	Anti-manic	1	0.1 %
300	Antidepressant	1	0.1 %
400	Monoamine Oxidase (MAO) Inhibitors	0	0.0 %
500	Anxiolytic Drugs	0	0.0 %
600	Anti-Parkinson	2	0.1 %
700	Anti-Convulsant	0	0.0 %
800	Analgesics	3	0.2 %
900	Drug dependency therapy	0	0.0 %
999	Category Unknown	1	0.1 %
	Missing Data		
-200	Data missing	8	0.6 %
-106	Skipped: No additional meds taken in the past six months	139	10.3 %
-105	Skipped: Zero meds taken in the past six months	144	10.6 %
-101	Skipped: Subject has never been on medication	1050	77.5 %
	Total	**1,354**	**100%**

Based upon 13 valid cases out of 1,354 total cases.

Location: 378-381 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -107 , -106 , -105 , -101

S0MED634: S0 Medication: Currently taking this med (Past 6mo Med04)

Value	Label	Unweighted Frequency	%
1	Yes	6	0.4 %
5	No	7	0.5 %
	Missing Data		
-200	Data missing	8	0.6 %
-106	Skipped: No additional meds taken in the past six months	139	10.3 %
-105	Skipped: Zero meds taken in the past six months	144	10.6 %
-101	Skipped: Subject has never been on medication	1050	77.5 %
	Total	**1,354**	**100%**

Based upon 13 valid cases out of 1,354 total cases.

Location: 382-385 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -106 , -105 , -101 , -9 , -8

S0NHRS12: S0 Medication: Before interview when was last dose - in hours (Past 6mo Med04)

Value	Label	Unweighted Frequency	%
1	-	1	0.1 %
4	-	1	0.1 %
8	-	2	0.1 %
11	-	1	0.1 %
24	-	1	0.1 %
	Missing Data		
-200	Data missing	8	0.6 %
-107	Skipped: Not currently taking this med	7	0.5 %
-106	Skipped: No additional meds taken in the past six months	139	10.3 %
-105	Skipped: Zero meds taken in the past six months	144	10.6 %
-101	Skipped: Subject has never been on medication	1050	77.5 %
	Total	**1,354**	**100%**

Based upon 6 valid cases out of 1,354 total cases.

Location: 386-393 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9999999 , -9999998 , -200 , -107 , -106 , -105 , -101

S0PAST6MOMED05: S0 Medication: DURING past 6 months: Coded name of Med05

Based upon 6 valid cases out of 1,354 total cases.

Location: 394-397 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -107 , -106 , -105 , -101

S0PAST6MOMEDCATEGORY05: S0 Medication: DURING past 6 months: Category for Med05

Value	Label	Unweighted Frequency	%
100	Antipsychotic	1	0.1 %
200	Anti-manic	0	0.0 %
300	Antidepressant	3	0.2 %
400	Monoamine Oxidase (MAO) Inhibitors	0	0.0 %
500	Anxiolytic Drugs	0	0.0 %
600	Anti-Parkinson	0	0.0 %
700	Anti-Convulsant	1	0.1 %
800	Analgesics	0	0.0 %
900	Drug dependency therapy	0	0.0 %
999	Category Unknown	1	0.1 %
	Missing Data		
-200	Data missing	8	0.6 %
-106	Skipped: No additional meds taken in the past six months	146	10.8 %
-105	Skipped: Zero meds taken in the past six months	144	10.6 %
-101	Skipped: Subject has never been on medication	1050	77.5 %
	Total	**1,354**	**100%**

Based upon 6 valid cases out of 1,354 total cases.

Location: 398-401 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -107 , -106 , -105 , -101

S0MED635: S0 Medication: Currently taking this med (Past 6mo Med05)

Value	Label	Unweighted Frequency	%
1	Yes	4	0.3 %
5	No	2	0.1 %
	Missing Data		
-200	Data missing	8	0.6 %
-106	Skipped: No additional meds taken in the past six months	146	10.8 %
-105	Skipped: Zero meds taken in the past six months	144	10.6 %
-101	Skipped: Subject has never been on medication	1050	77.5 %
	Total	**1,354**	**100%**

Based upon 6 valid cases out of 1,354 total cases.

Location: 402-405 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -200 , -106 , -105 , -101 , -9 , -8

S0NHRS13: S0 Medication: Before interview when was last dose - in hours (Past 6mo Med05)

Value	Label	Unweighted Frequency	%
3	-	1	0.1 %
8	-	2	0.1 %
17	-	1	0.1 %
	Missing Data		
-200	Data missing	8	0.6 %
-107	Skipped: Not currently taking this med	2	0.1 %
-106	Skipped: No additional meds taken in the past six months	146	10.8 %
-105	Skipped: Zero meds taken in the past six months	144	10.6 %
-101	Skipped: Subject has never been on medication	1050	77.5 %
	Total	**1,354**	**100%**

Based upon 4 valid cases out of 1,354 total cases.

Location: 406-413 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9999999 , -9999998 , -200 , -107 , -106 , -105 , -101

S0MEDSEV: S0 Medication: Ever on Px Meds

Value	Label	Unweighted Frequency	%
0	No	1050	77.5 %
1	Yes	296	21.9 %
	Missing Data		
-200	Data missing	8	0.6 %
	Total	**1,354**	**100%**

Based upon 1,346 valid cases out of 1,354 total cases.

Location: 414-417 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -200 , -9 , -8

S0REL248: S0 Medication: Currently taking meds for emotion/behavior problems

Value	Label	Unweighted Frequency	%
1	Yes	153	11.3 %
5	No	1201	88.7 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 418-418 (width: 1; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: 8 , 9

S0REL249: S0 Medication: How long ago did you take your last dose (number)

Based upon 152 valid cases out of 1,354 total cases.

Location: 419-421 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 998 , 999 , .

S0REL250: S0 Medication: How long ago did you take your last does (units)

Value	Label	Unweighted Frequency	%
1	Hours	122	9.0 %
2	Days	16	1.2 %
3	Weeks	6	0.4 %
4	Months	9	0.7 %
	Missing Data		
.	-	1201	88.7 %
	Total	**1,354**	**100%**

Based upon 153 valid cases out of 1,354 total cases.

Location: 422-422 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S0NHRS2: S0 Medication: How long ago did you take your last dose - converted to hours

Based upon 152 valid cases out of 1,354 total cases.

- Mean: 153.57
- Median: 9.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 8640.00
- Standard Deviation: 773.66

Location: 423-428 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 999998 , 999999 , .

S0REL252: S0 Medication: How long ago did you take your last dose - converted to minutes

Value	Label	Unweighted Frequency	%
0	-	1	0.1 %
5	-	1	0.1 %
30	-	2	0.1 %
	Missing Data		
99	Don't Know	1	0.1 %

Value	Label	Unweighted Frequency	%
.	-	1349	99.6 %
	Total	**1,354**	**100%**

Based upon 4 valid cases out of 1,354 total cases.

Location: 429-430 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 98 , 99 , .

S0MED52: S0 Medication: Ever been on prescription med for emotion/behavior problems

Value	Label	Unweighted Frequency	%
1	Yes	296	21.9 %
5	No	1050	77.5 %
	Missing Data		
-200	Data missing	8	0.6 %
	Total	**1,354**	**100%**

Based upon 1,346 valid cases out of 1,354 total cases.

Location: 431-434 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0MED54A: S0 Medication: PRIOR to past 6 months: Number meds on (trunc to 6)

Value	Label	Unweighted Frequency	%
0	-	42	3.1 %
1	-	140	10.3 %
2	-	54	4.0 %
3	-	27	2.0 %
4	-	17	1.3 %
5	-	4	0.3 %
6	-	8	0.6 %
	Missing Data		
-200	Data missing	8	0.6 %
-101	Skipped: Subject has never been on medication	1050	77.5 %
-9	Dont Know	4	0.3 %
	Total	**1,354**	**100%**

Based upon 292 valid cases out of 1,354 total cases.

Location: 435-438 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0MED61A: S0 Medication: DURING past 6 months: Number meds on (trunc to 6)

Value	Label	Unweighted Frequency	%
0	-	144	10.6 %
1	-	72	5.3 %
2	-	50	3.7 %
3	-	17	1.3 %
4	-	7	0.5 %
5	-	6	0.4 %
	Missing Data		
-200	Data missing	8	0.6 %
-101	Skipped: Subject has never been on medication	1050	77.5 %
	Total	**1,354**	**100%**

Based upon 296 valid cases out of 1,354 total cases.

Location: 439-442 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8