ICPSR | INTER-UNIVERSITY CONSORTIUM FOR POLITICAL AND SOCIAL RESEARCH

ICPSR 36800

Research on Pathways to Desistance [Maricopa County, AZ and Philadelphia County, PA]: Subject Measures - Scales, 2000-2010

Edward P. Mulvey
University of Pittsburgh

Codebook for Weinberger Adjustment Inventory (WAI) [RESTRICTED]

Inter-university Consortium for Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/36800/terms

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE
WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 36800

Research on Pathways to Desistance [Maricopa County, AZ and Philadelphia County, PA]: Subject Measures - Scales, 2000-2010

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Weinberger Adjustment Inventory (WAI) [RESTRICTED]

CASEID: S0 IntInfo: Subject ID

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1-5 (width: 5; decimal: 0)
Variable Type: numeric

S0WAI1: S0 WAI: Doing things to help people more important to me than almost anything else

Value	Label	Unweighted Frequency	%
1	False	231	17.1 %
2	Somewhat False	109	8.1 %
3	Not sure	213	15.7 %
4	Somewhat True	487	36.0 %
5	True	311	23.0 %
	Missing Data		
-200	Data missing	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,351 valid cases out of 1,354 total cases.

Location: 6-9 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0WAI2: S0 WAI: I will try anything once even if not that safe

Value	Label	Unweighted Frequency	%
1	False	432	31.9 %
2	Somewhat False	140	10.3 %
3	Not sure	153	11.3 %
4	Somewhat True	261	19.3 %
5	True	365	27.0 %
	Missing Data		
-200	Data missing	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,351 valid cases out of 1,354 total cases.

Location: 10-13 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0WAI3: S0 WAI: People who get me angry better watch out

Value	Label	Unweighted Frequency	%
1	False	375	27.7 %
2	Somewhat False	153	11.3 %
3	Not sure	182	13.4 %
4	Somewhat True	318	23.5 %
5	True	323	23.9 %
	Missing Data		
-200	Data missing	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,351 valid cases out of 1,354 total cases.

Location: 14-17 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0WAI4: S0 WAI: I should try harder to control myself when having fun

Value	Label	Unweighted Frequency	%
1	False	310	22.9 %
2	Somewhat False	127	9.4 %
3	Not sure	167	12.3 %
4	Somewhat True	288	21.3 %
5	True	459	33.9 %
	Missing Data		
-200	Data missing	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,351 valid cases out of 1,354 total cases.

Location: 18-21 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0WAI5: S0 WAI: I often go out of my way to do things for other people

Value	Label	Unweighted Frequency	%
1	False	171	12.6 %
2	Somewhat False	100	7.4 %
3	Not sure	130	9.6 %
4	Somewhat True	498	36.8 %
5	True	452	33.4 %
	Missing Data		
-200	Data missing	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,351 valid cases out of 1,354 total cases.

Location: 22-25 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0WAI6: S0 WAI: I can do things as well as other people can

Value	Label	Unweighted Frequency	%
1	False	55	4.1 %
2	Somewhat False	28	2.1 %
3	Not sure	109	8.1 %
4	Somewhat True	296	21.9 %
5	True	863	63.7 %
	Missing Data		
-200	Data missing	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,351 valid cases out of 1,354 total cases.

Location: 26-29 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0WAI7: S0 WAI: I do things without giving them enough thought

Value	Label	Unweighted Frequency	%
1	False	175	12.9 %
2	Somewhat False	115	8.5 %
3	Not sure	153	11.3 %
4	Somewhat True	414	30.6 %
5	True	494	36.5 %
	Missing Data		
-200	Data missing	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,351 valid cases out of 1,354 total cases.

Location: 30-33 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0WAI8: S0 WAI: I enjoy doing things for people even when I do not receive anything in return

Value	Label	Unweighted Frequency	%
1	False	159	11.7 %
2	Somewhat False	100	7.4 %

Value	Label	Unweighted Frequency	%
3	Not sure	114	8.4 %
4	Somewhat True	437	32.3 %
5	True	541	40.0 %
	Missing Data		
-200	Data missing	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,351 valid cases out of 1,354 total cases.

Location: 34-37 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0WAI9: S0 WAI: If someone tries to hurt me I make sure I get even with them

Value	Label	Unweighted Frequency	%
1	False	269	19.9 %
2	Somewhat False	149	11.0 %
3	Not sure	145	10.7 %
4	Somewhat True	331	24.4 %
5	True	457	33.8 %
	Missing Data		
-200	Data missing	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,351 valid cases out of 1,354 total cases.

Location: 38-41 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0WAI10: S0 WAI: I like to do new/different things that many people would consider weird/unsafe

Value	Label	Unweighted Frequency	%
1	False	400	29.5 %
2	Somewhat False	147	10.9 %
3	Not sure	174	12.9 %
4	Somewhat True	277	20.5 %
5	True	353	26.1 %
	Missing Data		
-200	Data missing	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,351 valid cases out of 1,354 total cases.

Location: 42-45 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0WAI11: S0 WAI: I become wild and crazy and do things other people might not like

Value	Label	Unweighted Frequency	%
1	False	552	40.8 %
2	Somewhat False	175	12.9 %
3	Not sure	116	8.6 %
4	Somewhat True	242	17.9 %
5	True	266	19.6 %
	Missing Data		
-200	Data missing	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,351 valid cases out of 1,354 total cases.

Location: 46-49 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0WAI12: S0 WAI: If someone does something I really do not like, I yell at them about it

Value	Label	Unweighted Frequency	%
1	False	403	29.8 %
2	Somewhat False	155	11.4 %
3	Not sure	114	8.4 %
4	Somewhat True	329	24.3 %
5	True	350	25.8 %
	Missing Data		
-200	Data missing	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,351 valid cases out of 1,354 total cases.

Location: 50-53 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0WAI13: S0 WAI: Before I do something, I think about how it will affect people around me

Value	Label	Unweighted Frequency	%
1	False	336	24.8 %
2	Somewhat False	144	10.6 %

Value	Label	Unweighted Frequency	%
3	Not sure	160	11.8 %
4	Somewhat True	361	26.7 %
5	True	350	25.8 %
	Missing Data		
-200	Data missing	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,351 valid cases out of 1,354 total cases.

Location: 54-57 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0WAI14: S0 WAI: When doing something fun I tend to get carried away and go too far

Value	Label	Unweighted Frequency	%
1	False	504	37.2 %
2	Somewhat False	195	14.4 %
3	Not sure	126	9.3 %
4	Somewhat True	283	20.9 %
5	True	242	17.9 %
	Missing Data		
-200	Data missing	3	0.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,350 valid cases out of 1,354 total cases.

Location: 58-61 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0WAI15: S0 WAI: I say the first thing that comes into my mind without thinking enough about it

Value	Label	Unweighted Frequency	%
1	False	374	27.6 %
2	Somewhat False	165	12.2 %
3	Not sure	147	10.9 %
4	Somewhat True	304	22.5 %
5	True	361	26.7 %
	Missing Data		
-200	Data missing	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,351 valid cases out of 1,354 total cases.

Location: 62-65 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0WAI16: S0 WAI: I pick on people I do not like

Value	Label	Unweighted Frequency	%
1	False	786	58.1 %
2	Somewhat False	171	12.6 %
3	Not sure	71	5.2 %
4	Somewhat True	173	12.8 %
5	True	150	11.1 %
	Missing Data		
-200	Data missing	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,351 valid cases out of 1,354 total cases.

Location: 66-69 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0WAI17: S0 WAI: I try very hard not to hurt other people s feelings

Value	Label	Unweighted Frequency	%
1	False	196	14.5 %
2	Somewhat False	130	9.6 %
3	Not sure	129	9.5 %
4	Somewhat True	384	28.4 %
5	True	512	37.8 %
	Missing Data		
-200	Data missing	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,351 valid cases out of 1,354 total cases.

Location: 70-73 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0WAI18: S0 WAI: I lose my temper and let people have it when I am angry

Value	Label	Unweighted Frequency	%
1	False	385	28.4 %
2	Somewhat False	170	12.6 %

Value	Label	Unweighted Frequency	%
3	Not sure	117	8.6 %
4	Somewhat True	306	22.6 %
5	True	373	27.5 %
	Missing Data		
-200	Data missing	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,351 valid cases out of 1,354 total cases.

Location: 74-77 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0WAI19: S0 WAI: I make sure that doing what I want will not cause problems for others

Value	Label	Unweighted Frequency	%
1	False	219	16.2 %
2	Somewhat False	170	12.6 %
3	Not sure	207	15.3 %
4	Somewhat True	330	24.4 %
5	True	425	31.4 %
	Missing Data		
-200	Data missing	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,351 valid cases out of 1,354 total cases.

Location: 78-81 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0WAI20: S0 WAI: I stop and think things through before I act

Value	Label	Unweighted Frequency	%
1	False	331	24.4 %
2	Somewhat False	184	13.6 %
3	Not sure	138	10.2 %
4	Somewhat True	377	27.8 %
5	True	321	23.7 %
	Missing Data		
-200	Data missing	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,351 valid cases out of 1,354 total cases.

Location: 82-85 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0WAI21: S0 WAI: I say something mean to someone who has upset me

Value	Label	Unweighted Frequency	%
1	False	254	18.8 %
2	Somewhat False	117	8.6 %
3	Not sure	110	8.1 %
4	Somewhat True	391	28.9 %
5	True	479	35.4 %
	Missing Data		
-200	Data missing	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,351 valid cases out of 1,354 total cases.

Location: 86-89 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0WAI22: S0 WAI: I think about other people s feelings before I do something they might not like

Value	Label	Unweighted Frequency	%
1	False	288	21.3 %
2	Somewhat False	174	12.9 %
3	Not sure	163	12.0 %
4	Somewhat True	382	28.2 %
5	True	344	25.4 %
	Missing Data		
-200	Data missing	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,351 valid cases out of 1,354 total cases.

Location: 90-93 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0WAI23: S0 WAI: When someone tries to start a fight with me, I fight back

Value	Label	Unweighted Frequency	%
1	False	86	6.4 %
2	Somewhat False	54	4.0 %
3	Not sure	49	3.6 %

Value	Label	Unweighted Frequency	%
4	Somewhat True	228	16.8 %
5	True	934	69.0 %
	Missing Data		
-200	Data missing	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,351 valid cases out of 1,354 total cases.

Location: 94-97 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0WAI2R: S0 WAI:Kind of person try anything once - Reversed

Value	Label	Unweighted Frequency	%
1	True	365	27.0 %
2	Somewhat True	261	19.3 %
3	Not Sure	153	11.3 %
4	Somewhat False	140	10.3 %
5	False	432	31.9 %
	Missing Data		
-200	Data Missing	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,351 valid cases out of 1,354 total cases.

Location: 98-101 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0WAI3R: S0 WAI:Get me angry and watch out - Reversed

Value	Label	Unweighted Frequency	%
1	True	323	23.9 %
2	Somewhat True	318	23.5 %
3	Not Sure	182	13.4 %
4	Somewhat False	153	11.3 %
5	False	375	27.7 %
	Missing Data		
-200	Data Missing	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,351 valid cases out of 1,354 total cases.

Location: 102-105 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -200 , -9 , -8

S0WAI4R: S0 WAI:Try harder to control self - Reversed

Value	Label	Unweighted Frequency	%
1	True	459	33.9 %
2	Somewhat True	288	21.3 %
3	Not Sure	167	12.3 %
4	Somewhat False	127	9.4 %
5	False	310	22.9 %
	Missing Data		
-200	Data Missing	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,351 valid cases out of 1,354 total cases.

Location: 106-109 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0WAI7R: S0 WAI:Do things without thought - Reversed

Value	Label	Unweighted Frequency	%
1	True	494	36.5 %
2	Somewhat True	414	30.6 %
3	Not Sure	153	11.3 %
4	Somewhat False	115	8.5 %
5	False	175	12.9 %
	Missing Data		
-200	Data Missing	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,351 valid cases out of 1,354 total cases.

Location: 110-113 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0WAI9R: S0 WAI:Hurt me, I get even - Reversed

Value	Label	Unweighted Frequency	%
1	True	457	33.8 %
2	Somewhat True	331	24.4 %
3	Not Sure	145	10.7 %
4	Somewhat False	149	11.0 %
5	False	269	19.9 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-200	Data Missing	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,351 valid cases out of 1,354 total cases.

Location: 114-117 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0WAI10R: S0 WAI:Like new and different things - Reversed

Value	Label	Unweighted Frequency	%
1	True	353	26.1 %
2	Somewhat True	277	20.5 %
3	Not Sure	174	12.9 %
4	Somewhat False	147	10.9 %
5	False	400	29.5 %
	Missing Data		
-200	Data Missing	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,351 valid cases out of 1,354 total cases.

Location: 118-121 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0WAI11R: S0 WAI:Become wild and crazy - Reversed

Value	Label	Unweighted Frequency	%
1	True	266	19.6 %
2	Somewhat True	242	17.9 %
3	Not Sure	116	8.6 %
4	Somewhat False	175	12.9 %
5	False	552	40.8 %
	Missing Data		
-200	Data Missing	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,351 valid cases out of 1,354 total cases.

Location: 122-125 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0WAI12R: S0 WAI:If don't like, I yell at someone - Reversed

Value	Label	Unweighted Frequency	%
1	True	350	25.8 %
2	Somewhat True	329	24.3 %
3	Not Sure	114	8.4 %
4	Somewhat False	155	11.4 %
5	False	403	29.8 %
	Missing Data		
-200	Data Missing	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,351 valid cases out of 1,354 total cases.

Location: 126-129 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0WAI14R: S0 WAI:When partying, get out of control - Reversed

Value	Label	Unweighted Frequency	%
1	True	242	17.9 %
2	Somewhat True	283	20.9 %
3	Not Sure	126	9.3 %
4	Somewhat False	195	14.4 %
5	False	504	37.2 %
	Missing Data		
-200	Data Missing	3	0.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,350 valid cases out of 1,354 total cases.

Location: 130-133 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0WAI15R: S0 WAI:Say the first thing I think -Reversed

Value	Label	Unweighted Frequency	%
1	True	361	26.7 %
2	Somewhat True	304	22.5 %
3	Not Sure	147	10.9 %
4	Somewhat False	165	12.2 %
5	False	374	27.6 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-200	Data Missing	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,351 valid cases out of 1,354 total cases.

Location: 134-137 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0WAI16R: S0 WAI:Pick on people don't like - Reversed

Value	Label	Unweighted Frequency	%
1	True	150	11.1 %
2	Somewhat True	173	12.8 %
3	Not Sure	71	5.2 %
4	Somewhat False	171	12.6 %
5	False	786	58.1 %
	Missing Data		
-200	Data Missing	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,351 valid cases out of 1,354 total cases.

Location: 138-141 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0WAI18R: S0 WAI:Lose temper, let people have it - Reversed

Value	Label	Unweighted Frequency	%
1	True	373	27.5 %
2	Somewhat True	306	22.6 %
3	Not Sure	117	8.6 %
4	Somewhat False	170	12.6 %
5	False	385	28.4 %
	Missing Data		
-200	Data Missing	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,351 valid cases out of 1,354 total cases.

Location: 142-145 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0WAI21R: S0 WAI:Say mean things if upset - Reversed

Value	Label	Unweighted Frequency	%
1	True	479	35.4 %
2	Somewhat True	391	28.9 %
3	Not Sure	110	8.1 %
4	Somewhat False	117	8.6 %
5	False	254	18.8 %
	Missing Data		
-200	Data Missing	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,351 valid cases out of 1,354 total cases.

Location: 146-149 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0WAI23R: S0 WAI:Start fight, I fight back - Reversed

Value	Label	Unweighted Frequency	%
1	True	934	69.0 %
2	Somewhat True	228	16.8 %
3	Not Sure	49	3.6 %
4	Somewhat False	54	4.0 %
5	False	86	6.4 %
	Missing Data		
-200	Data Missing	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,351 valid cases out of 1,354 total cases.

Location: 150-153 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0IMPULS: S0 WAI: Impulse Control

Based upon 1,351 valid cases out of 1,354 total cases.

- Mean: 2.960
- Median: 3.000
- Mode: 3.000
- Minimum: 1.000
- Maximum: 5.000
- Standard Deviation: 0.950

Location: 154-161 (width: 8; decimal: 3)
Variable Type: numeric

(Range of) Missing Values: -300.000 , -200.000 , -9.000 , -8.000

S0SUPAGG: S0 WAI: Suppression of Aggression

Based upon 1,351 valid cases out of 1,354 total cases.

- Mean: 2.7755102041
- Median: 2.7142857143
- Mode: 2.1428571429
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.9852798455

Location: 162-176 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -200.0000000000 , -9.0000000000 , -8.0000000000

S0CONSID: S0 WAI: Consideration of Others

Based upon 1,351 valid cases out of 1,354 total cases.

- Mean: 3.4887385006
- Median: 3.5714285714
- Mode: 3.2857142857
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.8824256625

Location: 177-191 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -200.0000000000 , -9.0000000000 , -8.0000000000

S0TEMPER: S0 WAI: Temperance

Based upon 1,351 valid cases out of 1,354 total cases.

- Mean: 2.8746395968
- Median: 2.8666666667
- Mode: 2.6000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.8549472241

Location: 192-206 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -200.0000000000 , -9.0000000000 , -8.0000000000

S1WAI1: S1 WAI: Help others most important

Value	Label	Unweighted Frequency	%
1	False	224	16.5 %
2	Somewhat false	108	8.0 %
3	Not sure	276	20.4 %
4	Somewhat true	415	30.6 %

Value	Label	Unweighted Frequency	%
5	True	238	17.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 207-210 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S1WAI2: S1 WAI: Try anything once

Value	Label	Unweighted Frequency	%
1	False	393	29.0 %
2	Somewhat false	132	9.7 %
3	Not sure	149	11.0 %
4	Somewhat true	301	22.2 %
5	True	286	21.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 211-214 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S1WAI3: S1 WAI: Get angry people better watch out

Value	Label	Unweighted Frequency	%
1	False	336	24.8 %
2	Somewhat false	180	13.3 %
3	Not sure	197	14.5 %
4	Somewhat true	323	23.9 %
5	True	225	16.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 215-218 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S1WAI4: S1 WAI: Control self when having fun

Value	Label	Unweighted Frequency	%
1	False	287	21.2 %
2	Somewhat false	167	12.3 %
3	Not sure	170	12.6 %
4	Somewhat true	311	23.0 %
5	True	326	24.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 219-222 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S1WAI5: S1 WAI: Go out of for others

Value	Label	Unweighted Frequency	%
1	False	160	11.8 %
2	Somewhat false	111	8.2 %
3	Not sure	124	9.2 %
4	Somewhat true	522	38.6 %
5	True	344	25.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 223-226 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S1WAI6: S1 WAI: Do things as well as others

Value	Label	Unweighted Frequency	%
1	False	30	2.2 %
2	Somewhat false	36	2.7 %
3	Not sure	91	6.7 %
4	Somewhat true	291	21.5 %
5	True	813	60.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 227-230 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S1WAI7: S1 WAI: Do things w/out giving enough thought

Value	Label	Unweighted Frequency	%
1	False	177	13.1 %
2	Somewhat false	129	9.5 %
3	Not sure	141	10.4 %
4	Somewhat true	456	33.7 %
5	True	358	26.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 231-234 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S1WAI8: S1 WAI: Do for others dont receive in return

Value	Label	Unweighted Frequency	%
1	False	122	9.0 %
2	Somewhat false	81	6.0 %
3	Not sure	140	10.3 %
4	Somewhat true	485	35.8 %
5	True	433	32.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 235-238 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S1WAI9: S1 WAI: Get even with others

Value	Label	Unweighted Frequency	%
1	False	239	17.7 %
2	Somewhat false	153	11.3 %
3	Not sure	166	12.3 %
4	Somewhat true	347	25.6 %
5	True	356	26.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 239-242 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S1WAI10: S1 WAI: Like to do things weird or not safe

Value	Label	Unweighted Frequency	%
1	False	369	27.3 %
2	Somewhat false	158	11.7 %
3	Not sure	203	15.0 %
4	Somewhat true	250	18.5 %
5	True	281	20.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 243-246 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -9 , -8

S1WAI11: S1 WAI: Do things others dont like

Value	Label	Unweighted Frequency	%
1	False	524	38.7 %
2	Somewhat false	198	14.6 %
3	Not sure	159	11.7 %
4	Somewhat true	197	14.5 %
5	True	183	13.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 247-250 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S1WAI12: S1 WAI: Yell at others

Value	Label	Unweighted Frequency	%
1	False	349	25.8 %
2	Somewhat false	195	14.4 %
3	Not sure	122	9.0 %
4	Somewhat true	336	24.8 %
5	True	259	19.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 251-254 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S1WAI13: S1 WAI: Think before acting

Value	Label	Unweighted Frequency	%
1	False	247	18.2 %
2	Somewhat false	185	13.7 %
3	Not sure	158	11.7 %

Value	Label	Unweighted Frequency	%
4	Somewhat true	365	27.0 %
5	True	306	22.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 255-258 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S1WAI14: S1 WAI: Doing something fun get carried away

Value	Label	Unweighted Frequency	%
1	False	469	34.6 %
2	Somewhat false	206	15.2 %
3	Not sure	128	9.5 %
4	Somewhat true	266	19.6 %
5	True	192	14.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 259-262 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S1WAI15: S1 WAI: Say things w/o thinking about it

Value	Label	Unweighted Frequency	%
1	False	323	23.9 %
2	Somewhat false	166	12.3 %
3	Not sure	131	9.7 %
4	Somewhat true	343	25.3 %
5	True	298	22.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 263-266 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S1WAI16: S1 WAI: Pick on people dont like

Value	Label	Unweighted Frequency	%
1	False	657	48.5 %
2	Somewhat false	212	15.7 %
3	Not sure	107	7.9 %
4	Somewhat true	166	12.3 %
5	True	119	8.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 267-270 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S1WAI17: S1 WAI: Try not to hurt others feelings

Value	Label	Unweighted Frequency	%
1	False	185	13.7 %
2	Somewhat false	141	10.4 %
3	Not sure	138	10.2 %
4	Somewhat true	376	27.8 %
5	True	421	31.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 271-274 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S1WAI18: S1 WAI: Lose temper let people have it

Value	Label	Unweighted Frequency	%
1	False	354	26.1 %
2	Somewhat false	187	13.8 %
3	Not sure	123	9.1 %
4	Somewhat true	308	22.7 %
5	True	289	21.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 275-278 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S1WAI19: S1 WAI: Make sure wont cause problem for others

Value	Label	Unweighted Frequency	%
1	False	175	12.9 %
2	Somewhat false	157	11.6 %
3	Not sure	205	15.1 %
4	Somewhat true	372	27.5 %
5	True	352	26.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 279-282 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S1WAI20: S1 WAI: Think things through before act

Value	Label	Unweighted Frequency	%
1	False	223	16.5 %
2	Somewhat false	190	14.0 %
3	Not sure	116	8.6 %
4	Somewhat true	404	29.8 %
5	True	328	24.2 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 283-286 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S1WAI21: S1 WAI: Say something mean to one who upsets

Value	Label	Unweighted Frequency	%
1	False	206	15.2 %
2	Somewhat false	142	10.5 %
3	Not sure	101	7.5 %
4	Somewhat true	397	29.3 %
5	True	415	30.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 287-290 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S1WAI22: S1 WAI: Think of other before do thing they wont like

Value	Label	Unweighted Frequency	%
1	False	193	14.3 %
2	Somewhat false	172	12.7 %
3	Not sure	178	13.1 %
4	Somewhat true	408	30.1 %
5	True	310	22.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 291-294 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -9 , -8

S1WAI23: S1 WAI: Someone start fight w/me fight back

Value	Label	Unweighted Frequency	%
1	False	72	5.3 %
2	Somewhat false	61	4.5 %
3	Not sure	58	4.3 %
4	Somewhat true	241	17.8 %
5	True	829	61.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 295-298 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S1WAI2R: S1 WAI:Kind of person try anything once - Reversed

Value	Label	Unweighted Frequency	%
1	True	286	21.1 %
2	Somewhat True	301	22.2 %
3	Not Sure	149	11.0 %
4	Somewhat False	132	9.7 %
5	False	393	29.0 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	4	0.3 %
-201	IntCompStat = 4, missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 299-302 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S1WAI3R: S1 WAI:Get me angry and watch out - Reversed

Value	Label	Unweighted Frequency	%
1	True	225	16.6 %
2	Somewhat True	323	23.9 %
3	Not Sure	197	14.5 %

Value	Label	Unweighted Frequency	%
4	Somewhat False	180	13.3 %
5	False	336	24.8 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	4	0.3 %
-201	IntCompStat = 4, missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 303-306 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S1WAI4R: S1 WAI:Try harder to control self - Reversed

Value	Label	Unweighted Frequency	%
1	True	326	24.1 %
2	Somewhat True	311	23.0 %
3	Not Sure	170	12.6 %
4	Somewhat False	167	12.3 %
5	False	287	21.2 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	4	0.3 %
-201	IntCompStat = 4, missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 307-310 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S1WAI7R: S1 WAI:Do things without thought - Reversed

Value	Label	Unweighted Frequency	%
1	True	358	26.4 %
2	Somewhat True	456	33.7 %
3	Not Sure	141	10.4 %
4	Somewhat False	129	9.5 %
5	False	177	13.1 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	4	0.3 %
-201	IntCompStat = 4, missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 311-314 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S1WAI9R: S1 WAI:Hurt me, I get even - Reversed

Value	Label	Unweighted Frequency	%
1	True	356	26.3 %
2	Somewhat True	347	25.6 %
3	Not Sure	166	12.3 %
4	Somewhat False	153	11.3 %
5	False	239	17.7 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	4	0.3 %
-201	IntCompStat = 4, missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 315-318 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S1WAI10R: S1 WAI:Like new and different things - Reversed

Value	Label	Unweighted Frequency	%
1	True	281	20.8 %
2	Somewhat True	250	18.5 %
3	Not Sure	203	15.0 %
4	Somewhat False	158	11.7 %
5	False	369	27.3 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	4	0.3 %
-201	IntCompStat = 4, missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 319-322 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S1WAI11R: S1 WAI:Become wild and crazy - Reversed

Value	Label	Unweighted Frequency	%
1	True	183	13.5 %
2	Somewhat True	197	14.5 %
3	Not Sure	159	11.7 %
4	Somewhat False	198	14.6 %
5	False	524	38.7 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	4	0.3 %
-201	IntCompStat = 4, missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 323-326 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S1WAI12R: S1 WAI:If don't like, I yell at someone - Reversed

Value	Label	Unweighted Frequency	%
1	True	259	19.1 %
2	Somewhat True	336	24.8 %
3	Not Sure	122	9.0 %
4	Somewhat False	195	14.4 %
5	False	349	25.8 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	4	0.3 %
-201	IntCompStat = 4, missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 327-330 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S1WAI14R: S1 WAI:When partying, get out of control - Reversed

Value	Label	Unweighted Frequency	%
1	True	192	14.2 %
2	Somewhat True	266	19.6 %
3	Not Sure	128	9.5 %
4	Somewhat False	206	15.2 %
5	False	469	34.6 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2, partial interview, data missing	4	0.3 %
-201	IntCompStat = 4, missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 331-334 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S1WAI15R: S1 WAI:Say the first thing I think -Reversed

Value	Label	Unweighted Frequency	%
1	True	298	22.0 %
2	Somewhat True	343	25.3 %
3	Not Sure	131	9.7 %
4	Somewhat False	166	12.3 %
5	False	323	23.9 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	4	0.3 %
-201	IntCompStat = 4, missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 335-338 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S1WAI16R: S1 WAI:Pick on people don't like - Reversed

Value	Label	Unweighted Frequency	%
1	True	119	8.8 %
2	Somewhat True	166	12.3 %
3	Not Sure	107	7.9 %
4	Somewhat False	212	15.7 %
5	False	657	48.5 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	4	0.3 %
-201	IntCompStat = 4, missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 339-342 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -9 , -8

S1WAI18R: S1 WAI:Lose temper, let people have it - Reversed

Value	Label	Unweighted Frequency	%
1	True	289	21.3 %
2	Somewhat True	308	22.7 %
3	Not Sure	123	9.1 %
4	Somewhat False	187	13.8 %
5	False	354	26.1 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	4	0.3 %
-201	IntCompStat = 4, missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 343-346 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S1WAI21R: S1 WAI:Say mean things if upset - Reversed

Value	Label	Unweighted Frequency	%
1	True	415	30.6 %
2	Somewhat True	397	29.3 %
3	Not Sure	101	7.5 %
4	Somewhat False	142	10.5 %
5	False	206	15.2 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	4	0.3 %
-201	IntCompStat = 4, missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 347-350 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S1WAI23R: S1 WAI:Start fight, I fight back - Reversed

Value	Label	Unweighted Frequency	%
1	True	829	61.2 %
2	Somewhat True	241	17.8 %
3	Not Sure	58	4.3 %

Value	Label	Unweighted Frequency	%
4	Somewhat False	61	4.5 %
5	False	72	5.3 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	4	0.3 %
-201	IntCompStat = 4, missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 351-354 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S1IMPULS: S1 WAI: Impulse Control

Based upon 1,261 valid cases out of 1,354 total cases.

- Mean: 3.069
- Median: 3.000
- Minimum: 1.000
- Maximum: 5.000
- Standard Deviation: 0.941

Location: 355-362 (width: 8; decimal: 3)
Variable Type: numeric
(Range of) Missing Values: -300.000 , -202.000 , -201.000 , -9.000 , -8.000

S1SUPAGG: S1 WAI: Suppression of Aggression

Based upon 1,261 valid cases out of 1,354 total cases.

- Mean: 2.8248555568
- Median: 2.7142857143
- Mode: 2.2857142857
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.9555778558

Location: 363-377 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -9.0000000000 , -8.0000000000

S1CONSID: S1 WAI: Consideration of Others

Based upon 1,261 valid cases out of 1,354 total cases.

- Mean: 3.4740002266
- Median: 3.5714285714
- Mode: 3.2857142857
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.8742202909

Location: 378-392 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -9.0000000000 , -8.0000000000

S1TEMPER: S1 WAI: Temperance

Based upon 1,261 valid cases out of 1,354 total cases.

- Mean: 2.9548506476
- Median: 2.9333333333
- Mode: 2.6000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.8430097185

Location: 393-407 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -9.0000000000 , -8.0000000000

S2WAI1: S2 WAI: Help others most important

Value	Label	Unweighted Frequency	%
1	False	204	15.1 %
2	Somewhat false	113	8.3 %
3	Not sure	250	18.5 %
4	Somewhat true	462	34.1 %
5	True	231	17.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 408-411 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S2WAI2: S2 WAI: Try anything once

Value	Label	Unweighted Frequency	%
1	False	392	29.0 %
2	Somewhat false	140	10.3 %
3	Not sure	159	11.7 %
4	Somewhat true	310	22.9 %
5	True	259	19.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 412-415 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S2WAI3: S2 WAI: Get angry people better watch out

Value	Label	Unweighted Frequency	%
1	False	345	25.5 %
2	Somewhat false	180	13.3 %
3	Not sure	217	16.0 %
4	Somewhat true	299	22.1 %
5	True	219	16.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 416-419 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S2WAI4: S2 WAI: Control self when having fun

Value	Label	Unweighted Frequency	%
1	False	351	25.9 %
2	Somewhat false	199	14.7 %
3	Not sure	144	10.6 %
4	Somewhat true	291	21.5 %
5	True	275	20.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 420-423 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S2WAI5: S2 WAI: Go out of for others

Value	Label	Unweighted Frequency	%
1	False	142	10.5 %
2	Somewhat false	117	8.6 %
3	Not sure	124	9.2 %
4	Somewhat true	532	39.3 %
5	True	345	25.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 424-427 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S2WAI6: S2 WAI: Do things as well as others

Value	Label	Unweighted Frequency	%
1	False	31	2.3 %
2	Somewhat false	21	1.6 %
3	Not sure	66	4.9 %
4	Somewhat true	340	25.1 %
5	True	802	59.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 428-431 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S2WAI7: S2 WAI: Do things w/out giving enough thought

Value	Label	Unweighted Frequency	%
1	False	245	18.1 %
2	Somewhat false	150	11.1 %
3	Not sure	150	11.1 %
4	Somewhat true	382	28.2 %

Value	Label	Unweighted Frequency	%
5	True	333	24.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 432-435 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S2WAI8: S2 WAI: Do for others dont receive in return

Value	Label	Unweighted Frequency	%
1	False	121	8.9 %
2	Somewhat false	64	4.7 %
3	Not sure	146	10.8 %
4	Somewhat true	484	35.7 %
5	True	445	32.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 436-439 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S2WAI9: S2 WAI: Get even with others

Value	Label	Unweighted Frequency	%
1	False	269	19.9 %
2	Somewhat false	139	10.3 %
3	Not sure	183	13.5 %
4	Somewhat true	293	21.6 %
5	True	376	27.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 440-443 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S2WAI10: S2 WAI: Like to do things weird or not safe

Value	Label	Unweighted Frequency	%
1	False	408	30.1 %
2	Somewhat false	153	11.3 %
3	Not sure	197	14.5 %
4	Somewhat true	249	18.4 %
5	True	253	18.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 444-447 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S2WAI11: S2 WAI: Do things others dont like

Value	Label	Unweighted Frequency	%
1	False	550	40.6 %
2	Somewhat false	187	13.8 %
3	Not sure	161	11.9 %
4	Somewhat true	207	15.3 %
5	True	154	11.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 448-451 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S2WAI12: S2 WAI: Yell at others

Value	Label	Unweighted Frequency	%
1	False	341	25.2 %
2	Somewhat false	205	15.1 %
3	Not sure	135	10.0 %
4	Somewhat true	336	24.8 %
5	True	243	17.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 452-455 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S2WAI13: S2 WAI: Think before acting

Value	Label	Unweighted Frequency	%
1	False	204	15.1 %
2	Somewhat false	158	11.7 %
3	Not sure	162	12.0 %
4	Somewhat true	400	29.5 %
5	True	336	24.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 456-459 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S2WAI14: S2 WAI: Doing something fun get carried away

Value	Label	Unweighted Frequency	%
1	False	476	35.2 %
2	Somewhat false	242	17.9 %
3	Not sure	150	11.1 %
4	Somewhat true	240	17.7 %
5	True	152	11.2 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 460-463 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S2WAI15: S2 WAI: Say things w/o thinking about it

Value	Label	Unweighted Frequency	%
1	False	356	26.3 %
2	Somewhat false	198	14.6 %
3	Not sure	128	9.5 %
4	Somewhat true	323	23.9 %
5	True	255	18.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 464-467 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S2WAI16: S2 WAI: Pick on people dont like

Value	Label	Unweighted Frequency	%
1	False	698	51.6 %
2	Somewhat false	209	15.4 %
3	Not sure	117	8.6 %
4	Somewhat true	147	10.9 %
5	True	89	6.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 468-471 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -9 , -8

S2WAI17: S2 WAI: Try not to hurt others feelings

Value	Label	Unweighted Frequency	%
1	False	169	12.5 %
2	Somewhat false	165	12.2 %
3	Not sure	140	10.3 %
4	Somewhat true	375	27.7 %
5	True	411	30.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 472-475 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S2WAI18: S2 WAI: Lose temper let people have it

Value	Label	Unweighted Frequency	%
1	False	390	28.8 %
2	Somewhat false	177	13.1 %
3	Not sure	142	10.5 %
4	Somewhat true	312	23.0 %
5	True	239	17.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 476-479 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S2WAI19: S2 WAI: Make sure wont cause problem for others

Value	Label	Unweighted Frequency	%
1	False	140	10.3 %
2	Somewhat false	130	9.6 %
3	Not sure	192	14.2 %

Value	Label	Unweighted Frequency	%
4	Somewhat true	420	31.0 %
5	True	378	27.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 480-483 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S2WAI20: S2 WAI: Think things through before act

Value	Label	Unweighted Frequency	%
1	False	179	13.2 %
2	Somewhat false	173	12.8 %
3	Not sure	108	8.0 %
4	Somewhat true	429	31.7 %
5	True	371	27.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 484-487 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S2WAI21: S2 WAI: Say something mean to one who upsets

Value	Label	Unweighted Frequency	%
1	False	232	17.1 %
2	Somewhat false	141	10.4 %
3	Not sure	128	9.5 %
4	Somewhat true	429	31.7 %
5	True	330	24.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 488-491 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S2WAI22: S2 WAI: Think of other before do thing they wont like

Value	Label	Unweighted Frequency	%
1	False	188	13.9 %
2	Somewhat false	148	10.9 %
3	Not sure	190	14.0 %
4	Somewhat true	426	31.5 %
5	True	308	22.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 492-495 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S2WAI23: S2 WAI: Someone start fight w/me fight back

Value	Label	Unweighted Frequency	%
1	False	87	6.4 %
2	Somewhat false	63	4.7 %
3	Not sure	62	4.6 %
4	Somewhat true	247	18.2 %
5	True	801	59.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 496-499 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S2WAI2R: S2 WAIKind of person try anything once - Reversed

Value	Label	Unweighted Frequency	%
1	True	259	19.1 %
2	Somewhat True	310	22.9 %
3	Not Sure	159	11.7 %
4	Somewhat False	140	10.3 %
5	False	392	29.0 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	2	0.1 %
-201	IntCompStat = 4, missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 500-503 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S2WAI3R: S2 WAI: Get me angry and watch out - Reversed

Value	Label	Unweighted Frequency	%
1	True	219	16.2 %
2	Somewhat True	299	22.1 %
3	Not Sure	217	16.0 %
4	Somewhat False	180	13.3 %
5	False	345	25.5 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	2	0.1 %
-201	IntCompStat = 4, missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 504-507 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S2WAI4R: S2 WAI: Try harder to control self - Reversed

Value	Label	Unweighted Frequency	%
1	True	275	20.3 %
2	Somewhat True	291	21.5 %
3	Not Sure	144	10.6 %
4	Somewhat False	199	14.7 %
5	False	351	25.9 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2, partial interview, data missing	2	0.1 %
-201	IntCompStat = 4, missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 508-511 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S2WAI7R: S2 WAI: Do things without thought - Reversed

Value	Label	Unweighted Frequency	%
1	True	333	24.6 %
2	Somewhat True	382	28.2 %
3	Not Sure	150	11.1 %
4	Somewhat False	150	11.1 %
5	False	245	18.1 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	2	0.1 %
-201	IntCompStat = 4, missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 512-515 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S2WAI9R: S2 WAI: Hurt me, I get even - Reversed

Value	Label	Unweighted Frequency	%
1	True	376	27.8 %
2	Somewhat True	293	21.6 %
3	Not Sure	183	13.5 %
4	Somewhat False	139	10.3 %
5	False	269	19.9 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	2	0.1 %
-201	IntCompStat = 4, missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 516-519 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -9 , -8

S2WAI10R: S2 WAI: Like new and different things - Reversed

Value	Label	Unweighted Frequency	%
1	True	253	18.7 %
2	Somewhat True	249	18.4 %
3	Not Sure	197	14.5 %
4	Somewhat False	153	11.3 %
5	False	408	30.1 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	2	0.1 %
-201	IntCompStat = 4, missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 520-523 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S2WAI11R: S2 WAI: Become wild and crazy - Reversed

Value	Label	Unweighted Frequency	%
1	True	154	11.4 %
2	Somewhat True	207	15.3 %
3	Not Sure	161	11.9 %
4	Somewhat False	187	13.8 %
5	False	550	40.6 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	2	0.1 %
-201	IntCompStat = 4, missed interview	92	6.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 524-527 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S2WAI12R: S2 WAI: If don't like, I yell at someone - Reversed

Value	Label	Unweighted Frequency	%
1	True	243	17.9 %
2	Somewhat True	336	24.8 %

Value	Label	Unweighted Frequency	%
3	Not Sure	135	10.0 %
4	Somewhat False	205	15.1 %
5	False	341	25.2 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	2	0.1 %
-201	IntCompStat = 4, missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 528-531 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S2WAI14R: S2 WAI: When partying, get out of control - Reversed

Value	Label	Unweighted Frequency	%
1	True	152	11.2 %
2	Somewhat True	240	17.7 %
3	Not Sure	150	11.1 %
4	Somewhat False	242	17.9 %
5	False	476	35.2 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	2	0.1 %
-201	IntCompStat = 4, missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 532-535 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S2WAI15R: S2 WAI: Say the first thing I think -Reversed

Value	Label	Unweighted Frequency	%
1	True	255	18.8 %
2	Somewhat True	323	23.9 %
3	Not Sure	128	9.5 %
4	Somewhat False	198	14.6 %
5	False	356	26.3 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	2	0.1 %
-201	IntCompStat = 4, missed interview	92	6.8 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 536-539 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S2WAI16R: S2 WAI: Pick on people don't like - Reversed

Value	Label	Unweighted Frequency	%
1	True	89	6.6 %
2	Somewhat True	147	10.9 %
3	Not Sure	117	8.6 %
4	Somewhat False	209	15.4 %
5	False	698	51.6 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	2	0.1 %
-201	IntCompStat = 4, missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 540-543 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S2WAI18R: S2 WAI: Lose temper, let people have it - Reversed

Value	Label	Unweighted Frequency	%
1	True	239	17.7 %
2	Somewhat True	312	23.0 %
3	Not Sure	142	10.5 %
4	Somewhat False	177	13.1 %
5	False	390	28.8 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	2	0.1 %
-201	IntCompStat = 4, missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 544-547 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S2WAI21R: S2 WAI: Say mean things if upset - Reversed

Value	Label	Unweighted Frequency	%
1	True	330	24.4 %
2	Somewhat True	429	31.7 %
3	Not Sure	128	9.5 %
4	Somewhat False	141	10.4 %
5	False	232	17.1 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	2	0.1 %
-201	IntCompStat = 4, missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 548-551 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S2WAI23R: S2 WAI: Start fight, I fight back - Reversed

Value	Label	Unweighted Frequency	%
1	True	801	59.2 %
2	Somewhat True	247	18.2 %
3	Not Sure	62	4.6 %
4	Somewhat False	63	4.7 %
5	False	87	6.4 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	2	0.1 %
-201	IntCompStat = 4, missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 552-555 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S2IMPULS: S2 WAI: Impulse Control

Based upon 1,260 valid cases out of 1,354 total cases.

- Mean: 3.2084183673
- Median: 3.2500000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.9569156984

Location: 556-570 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -9.0000000000 , -8.0000000000

S2SUPAGG: S2 WAI: Suppression of Aggression

Based upon 1,260 valid cases out of 1,354 total cases.

- Mean: 2.9071428571
- Median: 2.8571428571
- Mode: 2.7142857143
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.9438246551

Location: 571-585 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -9.0000000000 , -8.0000000000

S2CONSID: S2 WAI: Consideration of Others

Based upon 1,260 valid cases out of 1,354 total cases.

- Mean: 3.5414965986
- Median: 3.5714285714
- Mode: 4.0000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.8163908811

Location: 586-600 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -9.0000000000 , -8.0000000000

S2TEMPER: S2 WAI: Temperance

Based upon 1,260 valid cases out of 1,354 total cases.

- Mean: 3.0678231293
- Median: 3.0666666667
- Minimum: 1.0666666667
- Maximum: 5.0000000000
- Standard Deviation: 0.8377352595

Location: 601-615 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -9.0000000000 , -8.0000000000

S3WAI1: S3 WAI: Help others most important

Value	Label	Unweighted Frequency	%
1	False	180	13.3 %
2	Somewhat false	106	7.8 %
3	Not sure	247	18.2 %
4	Somewhat true	464	34.3 %

Value	Label	Unweighted Frequency	%
5	True	231	17.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 616-619 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S3WAI2: S3 WAI: Try anything once

Value	Label	Unweighted Frequency	%
1	False	353	26.1 %
2	Somewhat false	133	9.8 %
3	Not sure	164	12.1 %
4	Somewhat true	306	22.6 %
5	True	272	20.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 620-623 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S3WAI3: S3 WAI: Get angry people better watch out

Value	Label	Unweighted Frequency	%
1	False	322	23.8 %
2	Somewhat false	190	14.0 %
3	Not sure	220	16.2 %
4	Somewhat true	289	21.3 %
5	True	207	15.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 624-627 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S3WAI4: S3 WAI: Control self when having fun

Value	Label	Unweighted Frequency	%
1	False	340	25.1 %
2	Somewhat false	186	13.7 %
3	Not sure	167	12.3 %
4	Somewhat true	271	20.0 %
5	True	264	19.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 628-631 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S3WAI5: S3 WAI: Go out of for others

Value	Label	Unweighted Frequency	%
1	False	128	9.5 %
2	Somewhat false	88	6.5 %
3	Not sure	119	8.8 %
4	Somewhat true	534	39.4 %
5	True	359	26.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 632-635 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S3WAI6: S3 WAI: Do things as well as others

Value	Label	Unweighted Frequency	%
1	False	31	2.3 %
2	Somewhat false	20	1.5 %
3	Not sure	57	4.2 %
4	Somewhat true	330	24.4 %
5	True	790	58.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 636-639 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S3WAI7: S3 WAI: Do things w/out giving enough thought

Value	Label	Unweighted Frequency	%
1	False	239	17.7 %
2	Somewhat false	171	12.6 %
3	Not sure	138	10.2 %
4	Somewhat true	380	28.1 %
5	True	300	22.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 640-643 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S3WAI8: S3 WAI: Do for others dont receive in return

Value	Label	Unweighted Frequency	%
1	False	101	7.5 %
2	Somewhat false	78	5.8 %
3	Not sure	122	9.0 %
4	Somewhat true	482	35.6 %
5	True	445	32.9 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 644-647 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S3WAI9: S3 WAI: Get even with others

Value	Label	Unweighted Frequency	%
1	False	269	19.9 %
2	Somewhat false	150	11.1 %
3	Not sure	184	13.6 %
4	Somewhat true	314	23.2 %
5	True	311	23.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 648-651 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S3WAI10: S3 WAI: Like to do things weird or not safe

Value	Label	Unweighted Frequency	%
1	False	396	29.2 %
2	Somewhat false	162	12.0 %
3	Not sure	183	13.5 %
4	Somewhat true	267	19.7 %
5	True	220	16.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 652-655 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -9 , -8

S3WAI11: S3 WAI: Do things others dont like

Value	Label	Unweighted Frequency	%
1	False	536	39.6 %
2	Somewhat false	204	15.1 %
3	Not sure	144	10.6 %
4	Somewhat true	196	14.5 %
5	True	148	10.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 656-659 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S3WAI12: S3 WAI: Yell at others

Value	Label	Unweighted Frequency	%
1	False	342	25.3 %
2	Somewhat false	189	14.0 %
3	Not sure	129	9.5 %
4	Somewhat true	328	24.2 %
5	True	240	17.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 660-663 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S3WAI13: S3 WAI: Think before acting

Value	Label	Unweighted Frequency	%
1	False	210	15.5 %
2	Somewhat false	145	10.7 %
3	Not sure	142	10.5 %

Value	Label	Unweighted Frequency	%
4	Somewhat true	413	30.5 %
5	True	318	23.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 664-667 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S3WAI14: S3 WAI: Doing something fun get carried away

Value	Label	Unweighted Frequency	%
1	False	444	32.8 %
2	Somewhat false	227	16.8 %
3	Not sure	142	10.5 %
4	Somewhat true	272	20.1 %
5	True	143	10.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 668-671 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S3WAI15: S3 WAI: Say things w/o thinking about it

Value	Label	Unweighted Frequency	%
1	False	356	26.3 %
2	Somewhat false	171	12.6 %
3	Not sure	127	9.4 %
4	Somewhat true	306	22.6 %
5	True	268	19.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 672-675 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S3WAI16: S3 WAI: Pick on people dont like

Value	Label	Unweighted Frequency	%
1	False	715	52.8 %
2	Somewhat false	204	15.1 %
3	Not sure	96	7.1 %
4	Somewhat true	137	10.1 %
5	True	76	5.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 676-679 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S3WAI17: S3 WAI: Try not to hurt others feelings

Value	Label	Unweighted Frequency	%
1	False	190	14.0 %
2	Somewhat false	139	10.3 %
3	Not sure	122	9.0 %
4	Somewhat true	376	27.8 %
5	True	401	29.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 680-683 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S3WAI18: S3 WAI: Lose temper let people have it

Value	Label	Unweighted Frequency	%
1	False	390	28.8 %
2	Somewhat false	189	14.0 %
3	Not sure	109	8.1 %
4	Somewhat true	287	21.2 %
5	True	253	18.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 684-687 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S3WAI19: S3 WAI: Make sure wont cause problem for others

Value	Label	Unweighted Frequency	%
1	False	175	12.9 %
2	Somewhat false	127	9.4 %
3	Not sure	162	12.0 %
4	Somewhat true	402	29.7 %
5	True	362	26.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 688-691 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S3WAI20: S3 WAI: Think things through before act

Value	Label	Unweighted Frequency	%
1	False	182	13.4 %
2	Somewhat false	146	10.8 %
3	Not sure	115	8.5 %
4	Somewhat true	418	30.9 %
5	True	367	27.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 692-695 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S3WAI21: S3 WAI: Say something mean to one who upsets

Value	Label	Unweighted Frequency	%
1	False	263	19.4 %
2	Somewhat false	135	10.0 %
3	Not sure	142	10.5 %
4	Somewhat true	388	28.7 %
5	True	299	22.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,227 valid cases out of 1,354 total cases.

Location: 696-699 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S3WAI22: S3 WAI: Think of other before do thing they wont like

Value	Label	Unweighted Frequency	%
1	False	183	13.5 %
2	Somewhat false	157	11.6 %
3	Not sure	161	11.9 %
4	Somewhat true	422	31.2 %
5	True	305	22.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 700-703 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S3WAI23: S3 WAI: Someone start fight w/me fight back

Value	Label	Unweighted Frequency	%
1	False	80	5.9 %
2	Somewhat false	52	3.8 %
3	Not sure	67	4.9 %
4	Somewhat true	270	19.9 %
5	True	758	56.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,227 valid cases out of 1,354 total cases.

Location: 704-707 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S3WAI2R: S3 WAI: Kind of person try anything once - Reversed

Value	Label	Unweighted Frequency	%
1	True	272	20.1 %
2	Somewhat True	306	22.6 %
3	Not Sure	164	12.1 %
4	Somewhat False	133	9.8 %
5	False	353	26.1 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	1	0.1 %
-201	IntCompStat = 4, missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 708-711 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S3WAI3R: S3 WAI: Get me angry and watch out - Reversed

Value	Label	Unweighted Frequency	%
1	True	207	15.3 %
2	Somewhat True	289	21.3 %
3	Not Sure	220	16.2 %
4	Somewhat False	190	14.0 %
5	False	322	23.8 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	1	0.1 %
-201	IntCompStat = 4, missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 712-715 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S3WAI4R: S3 WAI: Try harder to control self - Reversed

Value	Label	Unweighted Frequency	%
1	True	264	19.5 %
2	Somewhat True	271	20.0 %
3	Not Sure	167	12.3 %
4	Somewhat False	186	13.7 %
5	False	340	25.1 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	1	0.1 %
-201	IntCompStat = 4, missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 716-719 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S3WAI7R: S3 WAI: Do things without thought - Reversed

Value	Label	Unweighted Frequency	%
1	True	300	22.2 %
2	Somewhat True	380	28.1 %
3	Not Sure	138	10.2 %
4	Somewhat False	171	12.6 %
5	False	239	17.7 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2, partial interview, data missing	1	0.1 %
-201	IntCompStat = 4, missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 720-723 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S3WAI9R: S3 WAI: Hurt me, I get even - Reversed

Value	Label	Unweighted Frequency	%
1	True	311	23.0 %
2	Somewhat True	314	23.2 %
3	Not Sure	184	13.6 %
4	Somewhat False	150	11.1 %
5	False	269	19.9 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	1	0.1 %
-201	IntCompStat = 4, missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 724-727 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S3WAI10R: S3 WAI: Like new and different things - Reversed

Value	Label	Unweighted Frequency	%
1	True	220	16.2 %
2	Somewhat True	267	19.7 %
3	Not Sure	183	13.5 %
4	Somewhat False	162	12.0 %
5	False	396	29.2 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	1	0.1 %
-201	IntCompStat = 4, missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 728-731 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -9 , -8

S3WAI11R: S3 WAI: Become wild and crazy - Reversed

Value	Label	Unweighted Frequency	%
1	True	148	10.9 %
2	Somewhat True	196	14.5 %
3	Not Sure	144	10.6 %
4	Somewhat False	204	15.1 %
5	False	536	39.6 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	1	0.1 %
-201	IntCompStat = 4, missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 732-735 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S3WAI12R: S3 WAI: If don't like, I yell at someone - Reversed

Value	Label	Unweighted Frequency	%
1	True	240	17.7 %
2	Somewhat True	328	24.2 %
3	Not Sure	129	9.5 %
4	Somewhat False	189	14.0 %
5	False	342	25.3 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	1	0.1 %
-201	IntCompStat = 4, missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 736-739 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S3WAI14R: S3 WAI: When partying, get out of control - Reversed

Value	Label	Unweighted Frequency	%
1	True	143	10.6 %
2	Somewhat True	272	20.1 %
3	Not Sure	142	10.5 %

Value	Label	Unweighted Frequency	%
4	Somewhat False	227	16.8 %
5	False	444	32.8 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	1	0.1 %
-201	IntCompStat = 4, missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 740-743 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S3WAI15R: S3 WAI: Say the first thing I think -Reversed

Value	Label	Unweighted Frequency	%
1	True	268	19.8 %
2	Somewhat True	306	22.6 %
3	Not Sure	127	9.4 %
4	Somewhat False	171	12.6 %
5	False	356	26.3 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	1	0.1 %
-201	IntCompStat = 4, missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 744-747 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S3WAI16R: S3 WAI: Pick on people don't like - Reversed

Value	Label	Unweighted Frequency	%
1	True	76	5.6 %
2	Somewhat True	137	10.1 %
3	Not Sure	96	7.1 %
4	Somewhat False	204	15.1 %
5	False	715	52.8 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	1	0.1 %
-201	IntCompStat = 4, missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 748-751 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S3WAI18R: S3 WAI: Lose temper, let people have it - Reversed

Value	Label	Unweighted Frequency	%
1	True	253	18.7 %
2	Somewhat True	287	21.2 %
3	Not Sure	109	8.1 %
4	Somewhat False	189	14.0 %
5	False	390	28.8 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	1	0.1 %
-201	IntCompStat = 4, missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 752-755 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S3WAI21R: S3 WAI: Say mean things if upset - Reversed

Value	Label	Unweighted Frequency	%
1	True	299	22.1 %
2	Somewhat True	388	28.7 %
3	Not Sure	142	10.5 %
4	Somewhat False	135	10.0 %
5	False	263	19.4 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	1	0.1 %
-201	IntCompStat = 4, missed interview	125	9.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,227 valid cases out of 1,354 total cases.

Location: 756-759 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S3WAI23R: S3 WAI: Start fight, I fight back - Reversed

Value	Label	Unweighted Frequency	%
1	True	758	56.0 %
2	Somewhat True	270	19.9 %
3	Not Sure	67	4.9 %
4	Somewhat False	52	3.8 %
5	False	80	5.9 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	1	0.1 %
-201	IntCompStat = 4, missed interview	125	9.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,227 valid cases out of 1,354 total cases.

Location: 760-763 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S3IMPULS: S3 WAI: Impulse Control

Based upon 1,228 valid cases out of 1,354 total cases.

- Mean: 3.203
- Median: 3.125
- Mode: 3.500
- Minimum: 1.000
- Maximum: 5.000
- Standard Deviation: 0.974

Location: 764-771 (width: 8; decimal: 3)
Variable Type: numeric
(Range of) Missing Values: -300.000 , -202.000 , -201.000 , -9.000 , -8.000

S3SUPAGG: S3 WAI: Suppression of Aggression

Based upon 1,228 valid cases out of 1,354 total cases.

- Mean: 2.9502287886
- Median: 2.8571428571
- Mode: 2.7142857143
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.9845535517

Location: 772-786 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -9.0000000000 , -8.0000000000

S3CONSID: S3 WAI: Consideration of Others

Based upon 1,228 valid cases out of 1,354 total cases.

- Mean: 3.5538622615
- Median: 3.7142857143
- Mode: 3.8571428571
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.8654507957

Location: 787-801 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -9.0000000000 , -8.0000000000

S3TEMPER: S3 WAI: Temperance

Based upon 1,228 valid cases out of 1,354 total cases.

- Mean: 3.0851248643
- Median: 3.0666666667
- Mode: 3.1333333333
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.8628009436

Location: 802-816 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -9.0000000000 , -8.0000000000

S4WAI1: S4 WAI: Help others most important

Value	Label	Unweighted Frequency	%
1	False	167	12.3 %
2	Somewhat false	124	9.2 %
3	Not sure	238	17.6 %
4	Somewhat true	444	32.8 %
5	True	256	18.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 817-820 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S4WAI2: S4 WAI: Try anything once

Value	Label	Unweighted Frequency	%
1	False	283	20.9 %
2	Somewhat false	139	10.3 %

Value	Label	Unweighted Frequency	%
3	Not sure	167	12.3 %
4	Somewhat true	331	24.4 %
5	True	309	22.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 821-824 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S4WAI3: S4 WAI: Get angry people better watch out

Value	Label	Unweighted Frequency	%
1	False	271	20.0 %
2	Somewhat false	195	14.4 %
3	Not sure	219	16.2 %
4	Somewhat true	302	22.3 %
5	True	242	17.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 825-828 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S4WAI4: S4 WAI: Control self when having fun

Value	Label	Unweighted Frequency	%
1	False	270	19.9 %
2	Somewhat false	198	14.6 %
3	Not sure	174	12.9 %
4	Somewhat true	322	23.8 %
5	True	264	19.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %

Value	Label	Unweighted Frequency	%
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 829-832 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S4WAI5: S4 WAI: Go out of for others

Value	Label	Unweighted Frequency	%
1	False	88	6.5 %
2	Somewhat false	92	6.8 %
3	Not sure	112	8.3 %
4	Somewhat true	540	39.9 %
5	True	396	29.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 833-836 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S4WAI6: S4 WAI: Do things as well as others

Value	Label	Unweighted Frequency	%
1	False	23	1.7 %
2	Somewhat false	19	1.4 %
3	Not sure	70	5.2 %
4	Somewhat true	364	26.9 %
5	True	753	55.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 837-840 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -9 , -8

S4WAI7: S4 WAI: Do things w/out giving enough thought

Value	Label	Unweighted Frequency	%
1	False	217	16.0 %
2	Somewhat false	162	12.0 %
3	Not sure	138	10.2 %
4	Somewhat true	408	30.1 %
5	True	304	22.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 841-844 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S4WAI8: S4 WAI: Do for others dont receive in return

Value	Label	Unweighted Frequency	%
1	False	91	6.7 %
2	Somewhat false	75	5.5 %
3	Not sure	125	9.2 %
4	Somewhat true	483	35.7 %
5	True	455	33.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 845-848 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S4WAI9: S4 WAI: Get even with others

Value	Label	Unweighted Frequency	%
1	False	227	16.8 %
2	Somewhat false	141	10.4 %
3	Not sure	183	13.5 %

Value	Label	Unweighted Frequency	%
4	Somewhat true	328	24.2 %
5	True	349	25.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 849-852 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S4WAI10: S4 WAI: Like to do things weird or not safe

Value	Label	Unweighted Frequency	%
1	False	320	23.6 %
2	Somewhat false	164	12.1 %
3	Not sure	171	12.6 %
4	Somewhat true	301	22.2 %
5	True	273	20.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 853-856 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S4WAI11: S4 WAI: Do things others dont like

Value	Label	Unweighted Frequency	%
1	False	441	32.6 %
2	Somewhat false	209	15.4 %
3	Not sure	165	12.2 %
4	Somewhat true	243	17.9 %
5	True	171	12.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 857-860 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S4WAI12: S4 WAI: Yell at others

Value	Label	Unweighted Frequency	%
1	False	308	22.7 %
2	Somewhat false	202	14.9 %
3	Not sure	165	12.2 %
4	Somewhat true	325	24.0 %
5	True	229	16.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 861-864 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S4WAI13: S4 WAI: Think before acting

Value	Label	Unweighted Frequency	%
1	False	159	11.7 %
2	Somewhat false	168	12.4 %
3	Not sure	155	11.4 %
4	Somewhat true	422	31.2 %
5	True	325	24.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 865-868 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S4WAI14: S4 WAI: Doing something fun get carried away

Value	Label	Unweighted Frequency	%
1	False	385	28.4 %
2	Somewhat false	234	17.3 %
3	Not sure	176	13.0 %
4	Somewhat true	260	19.2 %
5	True	174	12.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 869-872 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S4WAI15: S4 WAI: Say things w/o thinking about it

Value	Label	Unweighted Frequency	%
1	False	303	22.4 %
2	Somewhat false	188	13.9 %
3	Not sure	134	9.9 %
4	Somewhat true	344	25.4 %
5	True	260	19.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 873-876 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S4WAI16: S4 WAI: Pick on people dont like

Value	Label	Unweighted Frequency	%
1	False	703	51.9 %
2	Somewhat false	203	15.0 %
3	Not sure	117	8.6 %
4	Somewhat true	109	8.1 %

Value	Label	Unweighted Frequency	%
5	True	97	7.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 877-880 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S4WAI17: S4 WAI: Try not to hurt others feelings

Value	Label	Unweighted Frequency	%
1	False	148	10.9 %
2	Somewhat false	141	10.4 %
3	Not sure	117	8.6 %
4	Somewhat true	407	30.1 %
5	True	416	30.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 881-884 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S4WAI18: S4 WAI: Lose temper let people have it

Value	Label	Unweighted Frequency	%
1	False	351	25.9 %
2	Somewhat false	184	13.6 %
3	Not sure	149	11.0 %
4	Somewhat true	302	22.3 %
5	True	243	17.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 885-888 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S4WAI19: S4 WAI: Make sure wont cause problem for others

Value	Label	Unweighted Frequency	%
1	False	118	8.7 %
2	Somewhat false	133	9.8 %
3	Not sure	193	14.3 %
4	Somewhat true	420	31.0 %
5	True	365	27.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 889-892 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S4WAI20: S4 WAI: Think things through before act

Value	Label	Unweighted Frequency	%
1	False	160	11.8 %
2	Somewhat false	183	13.5 %
3	Not sure	134	9.9 %
4	Somewhat true	414	30.6 %
5	True	338	25.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 893-896 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S4WAI21: S4 WAI: Say something mean to one who upsets

Value	Label	Unweighted Frequency	%
1	False	235	17.4 %
2	Somewhat false	145	10.7 %
3	Not sure	140	10.3 %
4	Somewhat true	395	29.2 %
5	True	314	23.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 897-900 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S4WAI22: S4 WAI: Think of other before do thing they wont like

Value	Label	Unweighted Frequency	%
1	False	161	11.9 %
2	Somewhat false	153	11.3 %
3	Not sure	161	11.9 %
4	Somewhat true	465	34.3 %
5	True	289	21.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 901-904 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S4WAI23: S4 WAI: Someone start fight w/me fight back

Value	Label	Unweighted Frequency	%
1	False	70	5.2 %
2	Somewhat false	54	4.0 %
3	Not sure	69	5.1 %
4	Somewhat true	271	20.0 %
5	True	765	56.5 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 905-908 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S4WAI2R: S4 WAI: Kind of person try anything once - Reversed

Value	Label	Unweighted Frequency	%
1	True	309	22.8 %
2	Somewhat True	331	24.4 %
3	Not Sure	167	12.3 %
4	Somewhat False	139	10.3 %
5	False	283	20.9 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	2	0.1 %
-201	IntCompStat = 4, missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 909-912 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S4WAI3R: S4 WAI: Get me angry and watch out - Reversed

Value	Label	Unweighted Frequency	%
1	True	242	17.9 %
2	Somewhat True	302	22.3 %
3	Not Sure	219	16.2 %
4	Somewhat False	195	14.4 %
5	False	271	20.0 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	2	0.1 %
-201	IntCompStat = 4, missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 913-916 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -9 , -8

S4WAI4R: S4 WAI: Try harder to control self - Reversed

Value	Label	Unweighted Frequency	%
1	True	264	19.5 %
2	Somewhat True	322	23.8 %
3	Not Sure	174	12.9 %
4	Somewhat False	198	14.6 %
5	False	270	19.9 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	2	0.1 %
-201	IntCompStat = 4, missed interview	123	9.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 917-920 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S4WAI7R: S4 WAI: Do things without thought - Reversed

Value	Label	Unweighted Frequency	%
1	True	304	22.5 %
2	Somewhat True	408	30.1 %
3	Not Sure	138	10.2 %
4	Somewhat False	162	12.0 %
5	False	217	16.0 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	2	0.1 %
-201	IntCompStat = 4, missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 921-924 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S4WAI9R: S4 WAI: Hurt me, I get even - Reversed

Value	Label	Unweighted Frequency	%
1	True	349	25.8 %
2	Somewhat True	328	24.2 %

Value	Label	Unweighted Frequency	%
3	Not Sure	183	13.5 %
4	Somewhat False	141	10.4 %
5	False	227	16.8 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	2	0.1 %
-201	IntCompStat = 4, missed interview	123	9.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 925-928 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S4WAI10R: S4 WAI: Like new and different things - Reversed

Value	Label	Unweighted Frequency	%
1	True	273	20.2 %
2	Somewhat True	301	22.2 %
3	Not Sure	171	12.6 %
4	Somewhat False	164	12.1 %
5	False	320	23.6 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	2	0.1 %
-201	IntCompStat = 4, missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 929-932 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S4WAI11R: S4 WAI: Become wild and crazy - Reversed

Value	Label	Unweighted Frequency	%
1	True	171	12.6 %
2	Somewhat True	243	17.9 %
3	Not Sure	165	12.2 %
4	Somewhat False	209	15.4 %
5	False	441	32.6 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	2	0.1 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4, missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 933-936 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S4WAI12R: S4 WAI: If don't like, I yell at someone - Reversed

Value	Label	Unweighted Frequency	%
1	True	229	16.9 %
2	Somewhat True	325	24.0 %
3	Not Sure	165	12.2 %
4	Somewhat False	202	14.9 %
5	False	308	22.7 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	2	0.1 %
-201	IntCompStat = 4, missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 937-940 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S4WAI14R: S4 WAI: When partying, get out of control - Reversed

Value	Label	Unweighted Frequency	%
1	True	174	12.9 %
2	Somewhat True	260	19.2 %
3	Not Sure	176	13.0 %
4	Somewhat False	234	17.3 %
5	False	385	28.4 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	2	0.1 %
-201	IntCompStat = 4, missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 941-944 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S4WAI15R: S4 WAI: Say the first thing I think -Reversed

Value	Label	Unweighted Frequency	%
1	True	260	19.2 %
2	Somewhat True	344	25.4 %
3	Not Sure	134	9.9 %
4	Somewhat False	188	13.9 %
5	False	303	22.4 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	2	0.1 %
-201	IntCompStat = 4, missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 945-948 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S4WAI16R: S4 WAI: Pick on people don't like - Reversed

Value	Label	Unweighted Frequency	%
1	True	97	7.2 %
2	Somewhat True	109	8.1 %
3	Not Sure	117	8.6 %
4	Somewhat False	203	15.0 %
5	False	703	51.9 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	2	0.1 %
-201	IntCompStat = 4, missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 949-952 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S4WAI18R: S4 WAI: Lose temper, let people have it - Reversed

Value	Label	Unweighted Frequency	%
1	True	243	17.9 %
2	Somewhat True	302	22.3 %
3	Not Sure	149	11.0 %
4	Somewhat False	184	13.6 %

Value	Label	Unweighted Frequency	%
5	False	351	25.9 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	2	0.1 %
-201	IntCompStat = 4, missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 953-956 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S4WAI21R: S4 WAI: Say mean things if upset - Reversed

Value	Label	Unweighted Frequency	%
1	True	314	23.2 %
2	Somewhat True	395	29.2 %
3	Not Sure	140	10.3 %
4	Somewhat False	145	10.7 %
5	False	235	17.4 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	2	0.1 %
-201	IntCompStat = 4, missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 957-960 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S4WAI23R: S4 WAI: Start fight, I fight back - Reversed

Value	Label	Unweighted Frequency	%
1	True	765	56.5 %
2	Somewhat True	271	20.0 %
3	Not Sure	69	5.1 %
4	Somewhat False	54	4.0 %
5	False	70	5.2 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	2	0.1 %
-201	IntCompStat = 4, missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 961-964 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S4IMPULS: S4 WAI: Impulse Control

Based upon 1,229 valid cases out of 1,354 total cases.

- Mean: 3.061
- Median: 3.000
- Mode: 2.500
- Minimum: 1.000
- Maximum: 5.000
- Standard Deviation: 0.948

Location: 965-972 (width: 8; decimal: 3)
Variable Type: numeric
(Range of) Missing Values: -300.000 , -202.000 , -201.000 , -9.000 , -8.000

S4SUPAGG: S4 WAI: Suppression of Aggression

Based upon 1,229 valid cases out of 1,354 total cases.

- Mean: 2.8771746290
- Median: 2.8571428571
- Mode: 2.2857142857
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.9537715873

Location: 973-987 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -9.0000000000 , -8.0000000000

S4CONSID: S4 WAI: Consideration of Others

Based upon 1,229 valid cases out of 1,354 total cases.

- Mean: 3.6317176179
- Median: 3.7142857143
- Mode: 3.8571428571
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.7907661703

Location: 988-1002 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -9.0000000000 , -8.0000000000

S4TEMPER: S4 WAI: Temperance

Based upon 1,229 valid cases out of 1,354 total cases.

- Mean: 2.9752310613
- Median: 2.9333333333

- Mode: 2.8666666667
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.8433333840

Location: 1003-1017 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -9.0000000000 , -8.0000000000

S5WAI1: S5 WAI: Help others most important

Value	Label	Unweighted Frequency	%
1	False	161	11.9 %
2	Somewhat false	110	8.1 %
3	Not sure	237	17.5 %
4	Somewhat true	487	36.0 %
5	True	238	17.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 1018-1021 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S5WAI2: S5 WAI: Try anything once

Value	Label	Unweighted Frequency	%
1	False	322	23.8 %
2	Somewhat false	116	8.6 %
3	Not sure	161	11.9 %
4	Somewhat true	380	28.1 %
5	True	254	18.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 1022-1025 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S5WAI3: S5 WAI: Get angry people better watch out

Value	Label	Unweighted Frequency	%
1	False	329	24.3 %
2	Somewhat false	182	13.4 %
3	Not sure	203	15.0 %
4	Somewhat true	331	24.4 %
5	True	188	13.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 1026-1029 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S5WAI4: S5 WAI: Control self when having fun

Value	Label	Unweighted Frequency	%
1	False	334	24.7 %
2	Somewhat false	205	15.1 %
3	Not sure	150	11.1 %
4	Somewhat true	309	22.8 %
5	True	235	17.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 1030-1033 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S5WAI5: S5 WAI: Go out of for others

Value	Label	Unweighted Frequency	%
1	False	102	7.5 %
2	Somewhat false	91	6.7 %
3	Not sure	109	8.1 %
4	Somewhat true	550	40.6 %
5	True	381	28.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 1034-1037 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S5WAI6: S5 WAI: Do things as well as others

Value	Label	Unweighted Frequency	%
1	False	24	1.8 %
2	Somewhat false	15	1.1 %
3	Not sure	76	5.6 %
4	Somewhat true	350	25.8 %
5	True	768	56.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 1038-1041 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S5WAI7: S5 WAI: Do things w/out giving enough thought

Value	Label	Unweighted Frequency	%
1	False	243	17.9 %
2	Somewhat false	159	11.7 %
3	Not sure	139	10.3 %
4	Somewhat true	433	32.0 %
5	True	259	19.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 1042-1045 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -9 , -8

S5WAI8: S5 WAI: Do for others dont receive in return

Value	Label	Unweighted Frequency	%
1	False	76	5.6 %
2	Somewhat false	74	5.5 %
3	Not sure	122	9.0 %
4	Somewhat true	525	38.8 %
5	True	436	32.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 1046-1049 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S5WAI9: S5 WAI: Get even with others

Value	Label	Unweighted Frequency	%
1	False	248	18.3 %
2	Somewhat false	163	12.0 %
3	Not sure	199	14.7 %
4	Somewhat true	324	23.9 %
5	True	299	22.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 1050-1053 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S5WAI10: S5 WAI: Like to do things weird or not safe

Value	Label	Unweighted Frequency	%
1	False	374	27.6 %
2	Somewhat false	149	11.0 %
3	Not sure	167	12.3 %

Value	Label	Unweighted Frequency	%
4	Somewhat true	314	23.2 %
5	True	229	16.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 1054-1057 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S5WAI11: S5 WAI: Do things others dont like

Value	Label	Unweighted Frequency	%
1	False	504	37.2 %
2	Somewhat false	212	15.7 %
3	Not sure	150	11.1 %
4	Somewhat true	228	16.8 %
5	True	139	10.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 1058-1061 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S5WAI12: S5 WAI: Yell at others

Value	Label	Unweighted Frequency	%
1	False	340	25.1 %
2	Somewhat false	194	14.3 %
3	Not sure	133	9.8 %
4	Somewhat true	350	25.8 %
5	True	216	16.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 1062-1065 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S5WAI13: S5 WAI: Think before acting

Value	Label	Unweighted Frequency	%
1	False	168	12.4 %
2	Somewhat false	145	10.7 %
3	Not sure	132	9.7 %
4	Somewhat true	439	32.4 %
5	True	348	25.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 1066-1069 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S5WAI14: S5 WAI: Doing something fun get carried away

Value	Label	Unweighted Frequency	%
1	False	464	34.3 %
2	Somewhat false	226	16.7 %
3	Not sure	155	11.4 %
4	Somewhat true	247	18.2 %
5	True	141	10.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 1070-1073 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S5WAI15: S5 WAI: Say things w/o thinking about it

Value	Label	Unweighted Frequency	%
1	False	357	26.4 %
2	Somewhat false	183	13.5 %
3	Not sure	105	7.8 %
4	Somewhat true	372	27.5 %
5	True	216	16.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 1074-1077 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S5WAI16: S5 WAI: Pick on people dont like

Value	Label	Unweighted Frequency	%
1	False	735	54.3 %
2	Somewhat false	206	15.2 %
3	Not sure	97	7.2 %
4	Somewhat true	125	9.2 %
5	True	70	5.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 1078-1081 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S5WAI17: S5 WAI: Try not to hurt others feelings

Value	Label	Unweighted Frequency	%
1	False	181	13.4 %
2	Somewhat false	152	11.2 %
3	Not sure	125	9.2 %
4	Somewhat true	355	26.2 %
5	True	420	31.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 1082-1085 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S5WAI18: S5 WAI: Lose temper let people have it

Value	Label	Unweighted Frequency	%
1	False	364	26.9 %
2	Somewhat false	182	13.4 %
3	Not sure	132	9.7 %
4	Somewhat true	319	23.6 %
5	True	236	17.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 1086-1089 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S5WAI19: S5 WAI: Make sure wont cause problem for others

Value	Label	Unweighted Frequency	%
1	False	139	10.3 %
2	Somewhat false	116	8.6 %
3	Not sure	175	12.9 %
4	Somewhat true	420	31.0 %
5	True	383	28.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 1090-1093 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -9 , -8

S5WAI20: S5 WAI: Think things through before act

Value	Label	Unweighted Frequency	%
1	False	134	9.9 %
2	Somewhat false	156	11.5 %
3	Not sure	122	9.0 %
4	Somewhat true	429	31.7 %
5	True	392	29.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 1094-1097 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S5WAI21: S5 WAI: Say something mean to one who upsets

Value	Label	Unweighted Frequency	%
1	False	245	18.1 %
2	Somewhat false	157	11.6 %
3	Not sure	126	9.3 %
4	Somewhat true	409	30.2 %
5	True	296	21.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 1098-1101 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S5WAI22: S5 WAI: Think of other before do thing they wont like

Value	Label	Unweighted Frequency	%
1	False	166	12.3 %
2	Somewhat false	127	9.4 %
3	Not sure	146	10.8 %

Value	Label	Unweighted Frequency	%
4	Somewhat true	476	35.2 %
5	True	318	23.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 1102-1105 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S5WAI23: S5 WAI: Someone start fight w/me fight back

Value	Label	Unweighted Frequency	%
1	False	89	6.6 %
2	Somewhat false	53	3.9 %
3	Not sure	83	6.1 %
4	Somewhat true	298	22.0 %
5	True	710	52.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 1106-1109 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S5WAI2R: S5 WAI: Kind of person try anything once - Reversed

Value	Label	Unweighted Frequency	%
1	True	254	18.8 %
2	Somewhat True	380	28.1 %
3	Not Sure	161	11.9 %
4	Somewhat False	116	8.6 %
5	False	322	23.8 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	1	0.1 %
-201	IntCompStat = 4, missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 1110-1113 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S5WAI3R: S5 WAI: Get me angry and watch out - Reversed

Value	Label	Unweighted Frequency	%
1	True	188	13.9 %
2	Somewhat True	331	24.4 %
3	Not Sure	203	15.0 %
4	Somewhat False	182	13.4 %
5	False	329	24.3 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	1	0.1 %
-201	IntCompStat = 4, missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 1114-1117 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S5WAI4R: S5 WAI: Try harder to control self - Reversed

Value	Label	Unweighted Frequency	%
1	True	235	17.4 %
2	Somewhat True	309	22.8 %
3	Not Sure	150	11.1 %
4	Somewhat False	205	15.1 %
5	False	334	24.7 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	1	0.1 %
-201	IntCompStat = 4, missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 1118-1121 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S5WAI7R: S5 WAI: Do things without thought - Reversed

Value	Label	Unweighted Frequency	%
1	True	259	19.1 %
2	Somewhat True	433	32.0 %
3	Not Sure	139	10.3 %
4	Somewhat False	159	11.7 %
5	False	243	17.9 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	1	0.1 %
-201	IntCompStat = 4, missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 1122-1125 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S5WAI9R: S5 WAI: Hurt me, I get even - Reversed

Value	Label	Unweighted Frequency	%
1	True	299	22.1 %
2	Somewhat True	324	23.9 %
3	Not Sure	199	14.7 %
4	Somewhat False	163	12.0 %
5	False	248	18.3 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	1	0.1 %
-201	IntCompStat = 4, missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 1126-1129 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S5WAI10R: S5 WAI: Like new and different things - Reversed

Value	Label	Unweighted Frequency	%
1	True	229	16.9 %
2	Somewhat True	314	23.2 %
3	Not Sure	167	12.3 %
4	Somewhat False	149	11.0 %
5	False	374	27.6 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2, partial interview, data missing	1	0.1 %
-201	IntCompStat = 4, missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 1130-1133 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S5WAI11R: S5 WAI: Become wild and crazy - Reversed

Value	Label	Unweighted Frequency	%
1	True	139	10.3 %
2	Somewhat True	228	16.8 %
3	Not Sure	150	11.1 %
4	Somewhat False	212	15.7 %
5	False	504	37.2 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	1	0.1 %
-201	IntCompStat = 4, missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 1134-1137 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S5WAI12R: S5 WAI: If don't like, I yell at someone - Reversed

Value	Label	Unweighted Frequency	%
1	True	216	16.0 %
2	Somewhat True	350	25.8 %
3	Not Sure	133	9.8 %
4	Somewhat False	194	14.3 %
5	False	340	25.1 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	1	0.1 %
-201	IntCompStat = 4, missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 1138-1141 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -9 , -8

S5WAI14R: S5 WAI: When partying, get out of control - Reversed

Value	Label	Unweighted Frequency	%
1	True	141	10.4 %
2	Somewhat True	247	18.2 %
3	Not Sure	155	11.4 %
4	Somewhat False	226	16.7 %
5	False	464	34.3 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	1	0.1 %
-201	IntCompStat = 4, missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 1142-1145 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S5WAI15R: S5 WAI: Say the first thing I think -Reversed

Value	Label	Unweighted Frequency	%
1	True	216	16.0 %
2	Somewhat True	372	27.5 %
3	Not Sure	105	7.8 %
4	Somewhat False	183	13.5 %
5	False	357	26.4 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	1	0.1 %
-201	IntCompStat = 4, missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 1146-1149 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S5WAI16R: S5 WAI: Pick on people don't like - Reversed

Value	Label	Unweighted Frequency	%
1	True	70	5.2 %
2	Somewhat True	125	9.2 %
3	Not Sure	97	7.2 %

Value	Label	Unweighted Frequency	%
4	Somewhat False	206	15.2 %
5	False	735	54.3 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	1	0.1 %
-201	IntCompStat = 4, missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 1150-1153 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S5WAI18R: S5 WAI: Lose temper, let people have it - Reversed

Value	Label	Unweighted Frequency	%
1	True	236	17.4 %
2	Somewhat True	319	23.6 %
3	Not Sure	132	9.7 %
4	Somewhat False	182	13.4 %
5	False	364	26.9 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	1	0.1 %
-201	IntCompStat = 4, missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 1154-1157 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S5WAI21R: S5 WAI: Say mean things if upset - Reversed

Value	Label	Unweighted Frequency	%
1	True	296	21.9 %
2	Somewhat True	409	30.2 %
3	Not Sure	126	9.3 %
4	Somewhat False	157	11.6 %
5	False	245	18.1 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	1	0.1 %
-201	IntCompStat = 4, missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 1158-1161 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S5WAI23R: S5 WAI: Start fight, I fight back - Reversed

Value	Label	Unweighted Frequency	%
1	True	710	52.4 %
2	Somewhat True	298	22.0 %
3	Not Sure	83	6.1 %
4	Somewhat False	53	3.9 %
5	False	89	6.6 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	1	0.1 %
-201	IntCompStat = 4, missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 1162-1165 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S5IMPULS: S5 WAI: Impulse Control

Based upon 1,233 valid cases out of 1,354 total cases.

- Mean: 3.203
- Median: 3.125
- Mode: 3.500
- Minimum: 1.000
- Maximum: 5.000
- Standard Deviation: 0.952

Location: 1166-1173 (width: 8; decimal: 3)
Variable Type: numeric
(Range of) Missing Values: -300.000 , -202.000 , -201.000 , -9.000 , -8.000

S5SUPAGG: S5 WAI: Suppression of Aggression

Based upon 1,233 valid cases out of 1,354 total cases.

- Mean: 2.9595643610
- Median: 2.8571428571
- Mode: 2.7142857143
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.9782302377

Location: 1174-1188 (width: 15; decimal: 10)
Variable Type: numeric

(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -9.0000000000 , -8.0000000000

S5CONSID: S5 WAI: Consideration of Others

Based upon 1,233 valid cases out of 1,354 total cases.

- Mean: 3.6369868304
- Median: 3.7142857143
- Mode: 4.0000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.8342486161

Location: 1189-1203 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -9.0000000000 , -8.0000000000

S5TEMPER: S5 WAI: Temperance

Based upon 1,233 valid cases out of 1,354 total cases.

- Mean: 3.0895917816
- Median: 3.0666666667
- Mode: 2.8666666667
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.8633222940

Location: 1204-1218 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -9.0000000000 , -8.0000000000

S6WAI1: S6 WAI: Help others most important

Value	Label	Unweighted Frequency	%
1	False	158	11.7 %
2	Somewhat false	100	7.4 %
3	Not sure	223	16.5 %
4	Somewhat true	482	35.6 %
5	True	269	19.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 1219-1222 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S6WAI2: S6 WAI: Try anything once

Value	Label	Unweighted Frequency	%
1	False	320	23.6 %
2	Somewhat false	125	9.2 %
3	Not sure	170	12.6 %
4	Somewhat true	357	26.4 %
5	True	260	19.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 1223-1226 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S6WAI3: S6 WAI: Get angry people better watch out

Value	Label	Unweighted Frequency	%
1	False	324	23.9 %
2	Somewhat false	201	14.8 %
3	Not sure	188	13.9 %
4	Somewhat true	304	22.5 %
5	True	215	15.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 1227-1230 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S6WAI4: S6 WAI: Control self when having fun

Value	Label	Unweighted Frequency	%
1	False	339	25.0 %
2	Somewhat false	223	16.5 %
3	Not sure	156	11.5 %
4	Somewhat true	296	21.9 %
5	True	218	16.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 1231-1234 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S6WAI5: S6 WAI: Go out of for others

Value	Label	Unweighted Frequency	%
1	False	99	7.3 %
2	Somewhat false	78	5.8 %
3	Not sure	105	7.8 %
4	Somewhat true	568	41.9 %
5	True	382	28.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 1235-1238 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S6WAI6: S6 WAI: Do things as well as others

Value	Label	Unweighted Frequency	%
1	False	22	1.6 %
2	Somewhat false	23	1.7 %
3	Not sure	58	4.3 %
4	Somewhat true	349	25.8 %
5	True	780	57.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 1239-1242 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S6WAI7: S6 WAI: Do things w/out giving enough thought

Value	Label	Unweighted Frequency	%
1	False	223	16.5 %
2	Somewhat false	183	13.5 %

Value	Label	Unweighted Frequency	%
3	Not sure	122	9.0 %
4	Somewhat true	433	32.0 %
5	True	271	20.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 1243-1246 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S6WAI8: S6 WAI: Do for others dont receive in return

Value	Label	Unweighted Frequency	%
1	False	82	6.1 %
2	Somewhat false	61	4.5 %
3	Not sure	110	8.1 %
4	Somewhat true	512	37.8 %
5	True	467	34.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 1247-1250 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S6WAI9: S6 WAI: Get even with others

Value	Label	Unweighted Frequency	%
1	False	275	20.3 %
2	Somewhat false	169	12.5 %
3	Not sure	182	13.4 %
4	Somewhat true	316	23.3 %
5	True	290	21.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 1251-1254 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S6WAI10: S6 WAI: Like to do things weird or not safe

Value	Label	Unweighted Frequency	%
1	False	376	27.8 %
2	Somewhat false	186	13.7 %
3	Not sure	169	12.5 %
4	Somewhat true	289	21.3 %
5	True	212	15.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 1255-1258 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S6WAI11: S6 WAI: Do things others dont like

Value	Label	Unweighted Frequency	%
1	False	510	37.7 %
2	Somewhat false	218	16.1 %
3	Not sure	132	9.7 %
4	Somewhat true	239	17.7 %
5	True	133	9.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 1259-1262 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S6WAI12: S6 WAI: Yell at others

Value	Label	Unweighted Frequency	%
1	False	337	24.9 %
2	Somewhat false	200	14.8 %
3	Not sure	132	9.7 %

Value	Label	Unweighted Frequency	%
4	Somewhat true	344	25.4 %
5	True	219	16.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 1263-1266 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S6WAI13: S6 WAI: Think before acting

Value	Label	Unweighted Frequency	%
1	False	160	11.8 %
2	Somewhat false	146	10.8 %
3	Not sure	152	11.2 %
4	Somewhat true	427	31.5 %
5	True	347	25.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 1267-1270 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S6WAI14: S6 WAI: Doing something fun get carried away

Value	Label	Unweighted Frequency	%
1	False	471	34.8 %
2	Somewhat false	245	18.1 %
3	Not sure	147	10.9 %
4	Somewhat true	226	16.7 %
5	True	143	10.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 1271-1274 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -9 , -8

S6WAI15: S6 WAI: Say things w/o thinking about it

Value	Label	Unweighted Frequency	%
1	False	368	27.2 %
2	Somewhat false	212	15.7 %
3	Not sure	103	7.6 %
4	Somewhat true	345	25.5 %
5	True	204	15.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 1275-1278 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S6WAI16: S6 WAI: Pick on people dont like

Value	Label	Unweighted Frequency	%
1	False	757	55.9 %
2	Somewhat false	226	16.7 %
3	Not sure	89	6.6 %
4	Somewhat true	101	7.5 %
5	True	59	4.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 1279-1282 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S6WAI17: S6 WAI: Try not to hurt others feelings

Value	Label	Unweighted Frequency	%
1	False	169	12.5 %
2	Somewhat false	129	9.5 %
3	Not sure	131	9.7 %
4	Somewhat true	406	30.0 %
5	True	397	29.3 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 1283-1286 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S6WAI18: S6 WAI: Lose temper let people have it

Value	Label	Unweighted Frequency	%
1	False	354	26.1 %
2	Somewhat false	191	14.1 %
3	Not sure	138	10.2 %
4	Somewhat true	314	23.2 %
5	True	235	17.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 1287-1290 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S6WAI19: S6 WAI: Make sure wont cause problem for others

Value	Label	Unweighted Frequency	%
1	False	123	9.1 %
2	Somewhat false	111	8.2 %
3	Not sure	171	12.6 %
4	Somewhat true	441	32.6 %
5	True	385	28.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,231 valid cases out of 1,354 total cases.

Location: 1291-1294 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S6WAI20: S6 WAI: Think things through before act

Value	Label	Unweighted Frequency	%
1	False	135	10.0 %
2	Somewhat false	145	10.7 %
3	Not sure	130	9.6 %
4	Somewhat true	422	31.2 %
5	True	400	29.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 1295-1298 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S6WAI21: S6 WAI: Say something mean to one who upsets

Value	Label	Unweighted Frequency	%
1	False	273	20.2 %
2	Somewhat false	148	10.9 %
3	Not sure	142	10.5 %
4	Somewhat true	404	29.8 %
5	True	265	19.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 1299-1302 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S6WAI22: S6 WAI: Think of other before do thing they wont like

Value	Label	Unweighted Frequency	%
1	False	165	12.2 %
2	Somewhat false	136	10.0 %
3	Not sure	161	11.9 %
4	Somewhat true	456	33.7 %
5	True	314	23.2 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 1303-1306 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S6WAI23: S6 WAI: Someone start fight w/me fight back

Value	Label	Unweighted Frequency	%
1	False	79	5.8 %
2	Somewhat false	42	3.1 %
3	Not sure	74	5.5 %
4	Somewhat true	305	22.5 %
5	True	732	54.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 1307-1310 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S6WAI2R: S6 WAI: Kind of person try anything once - Reversed

Value	Label	Unweighted Frequency	%
1	True	260	19.2 %
2	Somewhat True	357	26.4 %
3	Not Sure	170	12.6 %
4	Somewhat False	125	9.2 %
5	False	320	23.6 %
	Missing Data		
-201	IntCompStat = 4, missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 1311-1314 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S6WAI3R: S6 WAI: Get me angry and watch out - Reversed

Value	Label	Unweighted Frequency	%
1	True	215	15.9 %
2	Somewhat True	304	22.5 %
3	Not Sure	188	13.9 %
4	Somewhat False	201	14.8 %
5	False	324	23.9 %
	Missing Data		
-201	IntCompStat = 4, missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 1315-1318 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S6WAI4R: S6 WAI: Try harder to control self - Reversed

Value	Label	Unweighted Frequency	%
1	True	218	16.1 %
2	Somewhat True	296	21.9 %
3	Not Sure	156	11.5 %
4	Somewhat False	223	16.5 %
5	False	339	25.0 %
	Missing Data		
-201	IntCompStat = 4, missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 1319-1322 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S6WAI7R: S6 WAI: Do things without thought - Reversed

Value	Label	Unweighted Frequency	%
1	True	271	20.0 %
2	Somewhat True	433	32.0 %
3	Not Sure	122	9.0 %
4	Somewhat False	183	13.5 %
5	False	223	16.5 %
	Missing Data		
-201	IntCompStat = 4, missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 1323-1326 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S6WAI9R: S6 WAI: Hurt me, I get even - Reversed

Value	Label	Unweighted Frequency	%
1	True	290	21.4 %
2	Somewhat True	316	23.3 %
3	Not Sure	182	13.4 %
4	Somewhat False	169	12.5 %
5	False	275	20.3 %
	Missing Data		
-201	IntCompStat = 4, missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 1327-1330 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S6WAI10R: S6 WAI: Like new and different things - Reversed

Value	Label	Unweighted Frequency	%
1	True	212	15.7 %
2	Somewhat True	289	21.3 %
3	Not Sure	169	12.5 %
4	Somewhat False	186	13.7 %
5	False	376	27.8 %
	Missing Data		
-201	IntCompStat = 4, missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 1331-1334 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S6WAI11R: S6 WAI: Become wild and crazy - Reversed

Value	Label	Unweighted Frequency	%
1	True	133	9.8 %
2	Somewhat True	239	17.7 %

Value	Label	Unweighted Frequency	%
3	Not Sure	132	9.7 %
4	Somewhat False	218	16.1 %
5	False	510	37.7 %
	Missing Data		
-201	IntCompStat = 4, missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 1335-1338 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S6WAI12R: S6 WAI: If don't like, I yell at someone - Reversed

Value	Label	Unweighted Frequency	%
1	True	219	16.2 %
2	Somewhat True	344	25.4 %
3	Not Sure	132	9.7 %
4	Somewhat False	200	14.8 %
5	False	337	24.9 %
	Missing Data		
-201	IntCompStat = 4, missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 1339-1342 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S6WAI14R: S6 WAI: When partying, get out of control - Reversed

Value	Label	Unweighted Frequency	%
1	True	143	10.6 %
2	Somewhat True	226	16.7 %
3	Not Sure	147	10.9 %
4	Somewhat False	245	18.1 %
5	False	471	34.8 %
	Missing Data		
-201	IntCompStat = 4, missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 1343-1346 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S6WAI15R: S6 WAI: Say the first thing I think -Reversed

Value	Label	Unweighted Frequency	%
1	True	204	15.1 %
2	Somewhat True	345	25.5 %
3	Not Sure	103	7.6 %
4	Somewhat False	212	15.7 %
5	False	368	27.2 %
	Missing Data		
-201	IntCompStat = 4, missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 1347-1350 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S6WAI16R: S6 WAI: Pick on people don't like - Reversed

Value	Label	Unweighted Frequency	%
1	True	59	4.4 %
2	Somewhat True	101	7.5 %
3	Not Sure	89	6.6 %
4	Somewhat False	226	16.7 %
5	False	757	55.9 %
	Missing Data		
-201	IntCompStat = 4, missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 1351-1354 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S6WAI18R: S6 WAI: Lose temper, let people have it - Reversed

Value	Label	Unweighted Frequency	%
1	True	235	17.4 %
2	Somewhat True	314	23.2 %
3	Not Sure	138	10.2 %

Value	Label	Unweighted Frequency	%
4	Somewhat False	191	14.1 %
5	False	354	26.1 %
	Missing Data		
-201	IntCompStat = 4, missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 1355-1358 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S6WAI21R: S6 WAI: Say mean things if upset - Reversed

Value	Label	Unweighted Frequency	%
1	True	265	19.6 %
2	Somewhat True	404	29.8 %
3	Not Sure	142	10.5 %
4	Somewhat False	148	10.9 %
5	False	273	20.2 %
	Missing Data		
-201	IntCompStat = 4, missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 1359-1362 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S6WAI23R: S6 WAI: Start fight, I fight back - Reversed

Value	Label	Unweighted Frequency	%
1	True	732	54.1 %
2	Somewhat True	305	22.5 %
3	Not Sure	74	5.5 %
4	Somewhat False	42	3.1 %
5	False	79	5.8 %
	Missing Data		
-201	IntCompStat = 4, missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 1363-1366 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -9 , -8

S6IMPULS: S6 WAI: Impulse Control

Based upon 1,232 valid cases out of 1,354 total cases.

- Mean: 3.238
- Median: 3.250
- Mode: 3.000
- Minimum: 1.000
- Maximum: 5.000
- Standard Deviation: 0.975

Location: 1367-1374 (width: 8; decimal: 3)
Variable Type: numeric
(Range of) Missing Values: -300.000 , -202.000 , -201.000 , -9.000 , -8.000

S6SUPAGG: S6 WAI: Suppression of Aggression

Based upon 1,232 valid cases out of 1,354 total cases.

- Mean: 2.9834183673
- Median: 2.8571428571
- Mode: 2.7142857143
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.9614703164

Location: 1375-1389 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -9.0000000000 , -8.0000000000

S6CONSID: S6 WAI: Consideration of Others

Based upon 1,232 valid cases out of 1,354 total cases.

- Mean: 3.6658356524
- Median: 3.7142857143
- Mode: 4.0000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.8132684168

Location: 1390-1404 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -9.0000000000 , -8.0000000000

S6TEMPER: S6 WAI: Temperance

Based upon 1,232 valid cases out of 1,354 total cases.

- Mean: 3.1192099567
- Median: 3.0666666667
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.8583380078

Location: 1405-1419 (width: 15; decimal: 10)

Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -9.0000000000 , -8.0000000000

S7WAI1: S7 WAI: Help others most important

Value	Label	Unweighted Frequency	%
1	False	132	9.7 %
2	Somewhat false	80	5.9 %
3	Not sure	208	15.4 %
4	Somewhat true	554	40.9 %
5	True	239	17.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 1420-1423 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S7WAI2: S7 WAI: Try anything once

Value	Label	Unweighted Frequency	%
1	False	338	25.0 %
2	Somewhat false	123	9.1 %
3	Not sure	156	11.5 %
4	Somewhat true	352	26.0 %
5	True	244	18.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 1424-1427 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S7WAI3: S7 WAI: Get angry people better watch out

Value	Label	Unweighted Frequency	%
1	False	325	24.0 %
2	Somewhat false	189	14.0 %
3	Not sure	232	17.1 %
4	Somewhat true	288	21.3 %
5	True	179	13.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 1428-1431 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S7WAI4: S7 WAI: Control self when having fun

Value	Label	Unweighted Frequency	%
1	False	372	27.5 %
2	Somewhat false	194	14.3 %
3	Not sure	155	11.4 %
4	Somewhat true	295	21.8 %
5	True	197	14.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 1432-1435 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S7WAI5: S7 WAI: Go out of for others

Value	Label	Unweighted Frequency	%
1	False	88	6.5 %
2	Somewhat false	60	4.4 %
3	Not sure	93	6.9 %
4	Somewhat true	582	43.0 %

Value	Label	Unweighted Frequency	%
5	True	390	28.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 1436-1439 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S7WAI6: S7 WAI: Do things as well as others

Value	Label	Unweighted Frequency	%
1	False	17	1.3 %
2	Somewhat false	18	1.3 %
3	Not sure	52	3.8 %
4	Somewhat true	350	25.8 %
5	True	776	57.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 1440-1443 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S7WAI7: S7 WAI: Do things w/out giving enough thought

Value	Label	Unweighted Frequency	%
1	False	253	18.7 %
2	Somewhat false	166	12.3 %
3	Not sure	134	9.9 %
4	Somewhat true	420	31.0 %
5	True	240	17.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %

Value	Label	Unweighted Frequency	%
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 1444-1447 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S7WAI8: S7 WAI: Do for others dont receive in return

Value	Label	Unweighted Frequency	%
1	False	66	4.9 %
2	Somewhat false	57	4.2 %
3	Not sure	94	6.9 %
4	Somewhat true	487	36.0 %
5	True	509	37.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 1448-1451 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S7WAI9: S7 WAI: Get even with others

Value	Label	Unweighted Frequency	%
1	False	286	21.1 %
2	Somewhat false	171	12.6 %
3	Not sure	196	14.5 %
4	Somewhat true	283	20.9 %
5	True	277	20.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 1452-1455 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S7WAI10: S7 WAI: Like to do things weird or not safe

Value	Label	Unweighted Frequency	%
1	False	391	28.9 %
2	Somewhat false	148	10.9 %
3	Not sure	166	12.3 %
4	Somewhat true	285	21.0 %
5	True	223	16.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 1456-1459 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S7WAI11: S7 WAI: Do things others dont like

Value	Label	Unweighted Frequency	%
1	False	517	38.2 %
2	Somewhat false	208	15.4 %
3	Not sure	148	10.9 %
4	Somewhat true	199	14.7 %
5	True	141	10.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 1460-1463 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S7WAI12: S7 WAI: Yell at others

Value	Label	Unweighted Frequency	%
1	False	380	28.1 %
2	Somewhat false	177	13.1 %
3	Not sure	125	9.2 %
4	Somewhat true	340	25.1 %
5	True	191	14.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 1464-1467 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S7WAI13: S7 WAI: Think before acting

Value	Label	Unweighted Frequency	%
1	False	153	11.3 %
2	Somewhat false	123	9.1 %
3	Not sure	124	9.2 %
4	Somewhat true	461	34.0 %
5	True	352	26.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 1468-1471 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S7WAI14: S7 WAI: Doing something fun get carried away

Value	Label	Unweighted Frequency	%
1	False	472	34.9 %
2	Somewhat false	219	16.2 %
3	Not sure	144	10.6 %
4	Somewhat true	246	18.2 %

Value	Label	Unweighted Frequency	%
5	True	132	9.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 1472-1475 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S7WAI15: S7 WAI: Say things w/o thinking about it

Value	Label	Unweighted Frequency	%
1	False	385	28.4 %
2	Somewhat false	195	14.4 %
3	Not sure	113	8.3 %
4	Somewhat true	325	24.0 %
5	True	195	14.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 1476-1479 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S7WAI16: S7 WAI: Pick on people dont like

Value	Label	Unweighted Frequency	%
1	False	799	59.0 %
2	Somewhat false	197	14.5 %
3	Not sure	92	6.8 %
4	Somewhat true	77	5.7 %
5	True	48	3.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %

Value	Label	Unweighted Frequency	%
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 1480-1483 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S7WAI17: S7 WAI: Try not to hurt others feelings

Value	Label	Unweighted Frequency	%
1	False	188	13.9 %
2	Somewhat false	100	7.4 %
3	Not sure	111	8.2 %
4	Somewhat true	414	30.6 %
5	True	400	29.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 1484-1487 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S7WAI18: S7 WAI: Lose temper let people have it

Value	Label	Unweighted Frequency	%
1	False	413	30.5 %
2	Somewhat false	194	14.3 %
3	Not sure	126	9.3 %
4	Somewhat true	282	20.8 %
5	True	198	14.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 1488-1491 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S7WAI19: S7 WAI: Make sure wont cause problem for others

Value	Label	Unweighted Frequency	%
1	False	146	10.8 %
2	Somewhat false	93	6.9 %
3	Not sure	140	10.3 %
4	Somewhat true	468	34.6 %
5	True	366	27.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 1492-1495 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S7WAI20: S7 WAI: Think things through before act

Value	Label	Unweighted Frequency	%
1	False	125	9.2 %
2	Somewhat false	137	10.1 %
3	Not sure	114	8.4 %
4	Somewhat true	448	33.1 %
5	True	389	28.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 1496-1499 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S7WAI21: S7 WAI: Say something mean to one who upsets

Value	Label	Unweighted Frequency	%
1	False	278	20.5 %
2	Somewhat false	152	11.2 %
3	Not sure	143	10.6 %
4	Somewhat true	385	28.4 %
5	True	255	18.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 1500-1503 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S7WAI22: S7 WAI: Think of other before do thing they wont like

Value	Label	Unweighted Frequency	%
1	False	127	9.4 %
2	Somewhat false	113	8.3 %
3	Not sure	137	10.1 %
4	Somewhat true	521	38.5 %
5	True	315	23.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 1504-1507 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S7WAI23: S7 WAI: Someone start fight w/me fight back

Value	Label	Unweighted Frequency	%
1	False	79	5.8 %
2	Somewhat false	55	4.1 %
3	Not sure	84	6.2 %
4	Somewhat true	278	20.5 %

Value	Label	Unweighted Frequency	%
5	True	717	53.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 1508-1511 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S7WAI2R: S7 WAI: Kind of person try anything once - Reversed

Value	Label	Unweighted Frequency	%
1	True	244	18.0 %
2	Somewhat True	352	26.0 %
3	Not Sure	156	11.5 %
4	Somewhat False	123	9.1 %
5	False	338	25.0 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	1	0.1 %
-201	IntCompStat = 4, missed interview	139	10.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 1512-1515 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S7WAI3R: S7 WAI: Get me angry and watch out - Reversed

Value	Label	Unweighted Frequency	%
1	True	179	13.2 %
2	Somewhat True	288	21.3 %
3	Not Sure	232	17.1 %
4	Somewhat False	189	14.0 %
5	False	325	24.0 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	1	0.1 %
-201	IntCompStat = 4, missed interview	139	10.3 %

Value	Label	Unweighted Frequency	%
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 1516-1519 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S7WAI4R: S7 WAI: Try harder to control self - Reversed

Value	Label	Unweighted Frequency	%
1	True	197	14.5 %
2	Somewhat True	295	21.8 %
3	Not Sure	155	11.4 %
4	Somewhat False	194	14.3 %
5	False	372	27.5 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	1	0.1 %
-201	IntCompStat = 4, missed interview	139	10.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 1520-1523 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S7WAI7R: S7 WAI: Do things without thought - Reversed

Value	Label	Unweighted Frequency	%
1	True	240	17.7 %
2	Somewhat True	420	31.0 %
3	Not Sure	134	9.9 %
4	Somewhat False	166	12.3 %
5	False	253	18.7 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	1	0.1 %
-201	IntCompStat = 4, missed interview	139	10.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 1524-1527 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S7WAI9R: S7 WAI: Hurt me, I get even - Reversed

Value	Label	Unweighted Frequency	%
1	True	277	20.5 %
2	Somewhat True	283	20.9 %
3	Not Sure	196	14.5 %
4	Somewhat False	171	12.6 %
5	False	286	21.1 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	1	0.1 %
-201	IntCompStat = 4, missed interview	139	10.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 1528-1531 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S7WAI10R: S7 WAI: Like new and different things - Reversed

Value	Label	Unweighted Frequency	%
1	True	223	16.5 %
2	Somewhat True	285	21.0 %
3	Not Sure	166	12.3 %
4	Somewhat False	148	10.9 %
5	False	391	28.9 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	1	0.1 %
-201	IntCompStat = 4, missed interview	139	10.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 1532-1535 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S7WAI11R: S7 WAI: Become wild and crazy - Reversed

Value	Label	Unweighted Frequency	%
1	True	141	10.4 %
2	Somewhat True	199	14.7 %
3	Not Sure	148	10.9 %
4	Somewhat False	208	15.4 %
5	False	517	38.2 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	1	0.1 %
-201	IntCompStat = 4, missed interview	139	10.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 1536-1539 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S7WAI12R: S7 WAI: If don't like, I yell at someone - Reversed

Value	Label	Unweighted Frequency	%
1	True	191	14.1 %
2	Somewhat True	340	25.1 %
3	Not Sure	125	9.2 %
4	Somewhat False	177	13.1 %
5	False	380	28.1 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	1	0.1 %
-201	IntCompStat = 4, missed interview	139	10.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 1540-1543 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S7WAI14R: S7 WAI: When partying, get out of control - Reversed

Value	Label	Unweighted Frequency	%
1	True	132	9.7 %
2	Somewhat True	246	18.2 %
3	Not Sure	144	10.6 %
4	Somewhat False	219	16.2 %

Value	Label	Unweighted Frequency	%
5	False	472	34.9 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	1	0.1 %
-201	IntCompStat = 4, missed interview	139	10.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 1544-1547 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S7WAI15R: S7 WAI: Say the first thing I think -Reversed

Value	Label	Unweighted Frequency	%
1	True	195	14.4 %
2	Somewhat True	325	24.0 %
3	Not Sure	113	8.3 %
4	Somewhat False	195	14.4 %
5	False	385	28.4 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	1	0.1 %
-201	IntCompStat = 4, missed interview	139	10.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 1548-1551 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S7WAI16R: S7 WAI: Pick on people don't like - Reversed

Value	Label	Unweighted Frequency	%
1	True	48	3.5 %
2	Somewhat True	77	5.7 %
3	Not Sure	92	6.8 %
4	Somewhat False	197	14.5 %
5	False	799	59.0 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	1	0.1 %
-201	IntCompStat = 4, missed interview	139	10.3 %

Value	Label	Unweighted Frequency	%
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 1552-1555 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S7WAI18R: S7 WAI: Lose temper, let people have it - Reversed

Value	Label	Unweighted Frequency	%
1	True	198	14.6 %
2	Somewhat True	282	20.8 %
3	Not Sure	126	9.3 %
4	Somewhat False	194	14.3 %
5	False	413	30.5 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	1	0.1 %
-201	IntCompStat = 4, missed interview	139	10.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 1556-1559 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S7WAI21R: S7 WAI: Say mean things if upset - Reversed

Value	Label	Unweighted Frequency	%
1	True	255	18.8 %
2	Somewhat True	385	28.4 %
3	Not Sure	143	10.6 %
4	Somewhat False	152	11.2 %
5	False	278	20.5 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	1	0.1 %
-201	IntCompStat = 4, missed interview	139	10.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 1560-1563 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S7WAI23R: S7 WAI: Start fight, I fight back - Reversed

Value	Label	Unweighted Frequency	%
1	True	717	53.0 %
2	Somewhat True	278	20.5 %
3	Not Sure	84	6.2 %
4	Somewhat False	55	4.1 %
5	False	79	5.8 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	1	0.1 %
-201	IntCompStat = 4, missed interview	139	10.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 1564-1567 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S7IMPULS: S7 WAI: Impulse Control

Based upon 1,213 valid cases out of 1,354 total cases.

- Mean: 3.276
- Median: 3.250
- Mode: 3.000
- Minimum: 1.000
- Maximum: 5.000
- Standard Deviation: 0.957

Location: 1568-1575 (width: 8; decimal: 3)
Variable Type: numeric
(Range of) Missing Values: -300.000 , -202.000 , -201.000 , -9.000 , -8.000

S7SUPAGG: S7 WAI: Suppression of Aggression

Based upon 1,213 valid cases out of 1,354 total cases.

- Mean: 3.0697208809
- Median: 3.0000000000
- Mode: 2.7142857143
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.9274653103

Location: 1576-1590 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -9.0000000000 , -8.0000000000

S7CONSID: S7 WAI: Consideration of Others

Based upon 1,213 valid cases out of 1,354 total cases.

- Mean: 3.7305382169
- Median: 3.8571428571
- Mode: 4.0000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.8110577732

Location: 1591-1605 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -9.0000000000 , -8.0000000000

S7TEMPER: S7 WAI: Temperance

Based upon 1,213 valid cases out of 1,354 total cases.

- Mean: 3.1799395438
- Median: 3.1333333333
- Mode: 2.6000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.8346527926

Location: 1606-1620 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -9.0000000000 , -8.0000000000

S8WAI1: S8 WAI: Help others most important

Value	Label	Unweighted Frequency	%
1	False	110	8.1 %
2	Somewhat false	89	6.6 %
3	Not sure	188	13.9 %
4	Somewhat true	572	42.2 %
5	True	245	18.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 1621-1624 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S8WAI2: S8 WAI: Try anything once

Value	Label	Unweighted Frequency	%
1	False	306	22.6 %
2	Somewhat false	126	9.3 %
3	Not sure	152	11.2 %
4	Somewhat true	372	27.5 %
5	True	248	18.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 1625-1628 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S8WAI3: S8 WAI: Get angry people better watch out

Value	Label	Unweighted Frequency	%
1	False	333	24.6 %
2	Somewhat false	187	13.8 %
3	Not sure	196	14.5 %
4	Somewhat true	322	23.8 %
5	True	166	12.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 1629-1632 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S8WAI4: S8 WAI: Control self when having fun

Value	Label	Unweighted Frequency	%
1	False	367	27.1 %
2	Somewhat false	187	13.8 %
3	Not sure	161	11.9 %
4	Somewhat true	297	21.9 %
5	True	192	14.2 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 1633-1636 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S8WAI5: S8 WAI: Go out of for others

Value	Label	Unweighted Frequency	%
1	False	75	5.5 %
2	Somewhat false	62	4.6 %
3	Not sure	88	6.5 %
4	Somewhat true	581	42.9 %
5	True	398	29.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 1637-1640 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S8WAI6: S8 WAI: Do things as well as others

Value	Label	Unweighted Frequency	%
1	False	15	1.1 %
2	Somewhat false	14	1.0 %
3	Not sure	49	3.6 %
4	Somewhat true	346	25.6 %
5	True	780	57.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 1641-1644 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -9 , -8

S8WAI7: S8 WAI: Do things w/out giving enough thought

Value	Label	Unweighted Frequency	%
1	False	252	18.6 %
2	Somewhat false	198	14.6 %
3	Not sure	121	8.9 %
4	Somewhat true	387	28.6 %
5	True	246	18.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 1645-1648 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S8WAI8: S8 WAI: Do for others dont receive in return

Value	Label	Unweighted Frequency	%
1	False	60	4.4 %
2	Somewhat false	48	3.5 %
3	Not sure	75	5.5 %
4	Somewhat true	500	36.9 %
5	True	521	38.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 1649-1652 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S8WAI9: S8 WAI: Get even with others

Value	Label	Unweighted Frequency	%
1	False	311	23.0 %
2	Somewhat false	176	13.0 %
3	Not sure	185	13.7 %

Value	Label	Unweighted Frequency	%
4	Somewhat true	288	21.3 %
5	True	244	18.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 1653-1656 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S8WAI10: S8 WAI: Like to do things weird or not safe

Value	Label	Unweighted Frequency	%
1	False	378	27.9 %
2	Somewhat false	155	11.4 %
3	Not sure	172	12.7 %
4	Somewhat true	282	20.8 %
5	True	217	16.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 1657-1660 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S8WAI11: S8 WAI: Do things others dont like

Value	Label	Unweighted Frequency	%
1	False	521	38.5 %
2	Somewhat false	213	15.7 %
3	Not sure	138	10.2 %
4	Somewhat true	195	14.4 %
5	True	137	10.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 1661-1664 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S8WAI12: S8 WAI: Yell at others

Value	Label	Unweighted Frequency	%
1	False	370	27.3 %
2	Somewhat false	202	14.9 %
3	Not sure	115	8.5 %
4	Somewhat true	319	23.6 %
5	True	198	14.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 1665-1668 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S8WAI13: S8 WAI: Think before acting

Value	Label	Unweighted Frequency	%
1	False	149	11.0 %
2	Somewhat false	120	8.9 %
3	Not sure	115	8.5 %
4	Somewhat true	460	34.0 %
5	True	360	26.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 1669-1672 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S8WAI14: S8 WAI: Doing something fun get carried away

Value	Label	Unweighted Frequency	%
1	False	486	35.9 %
2	Somewhat false	223	16.5 %
3	Not sure	130	9.6 %
4	Somewhat true	238	17.6 %
5	True	127	9.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 1673-1676 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S8WAI15: S8 WAI: Say things w/o thinking about it

Value	Label	Unweighted Frequency	%
1	False	381	28.1 %
2	Somewhat false	207	15.3 %
3	Not sure	104	7.7 %
4	Somewhat true	326	24.1 %
5	True	186	13.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 1677-1680 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S8WAI16: S8 WAI: Pick on people dont like

Value	Label	Unweighted Frequency	%
1	False	800	59.1 %
2	Somewhat false	205	15.1 %
3	Not sure	71	5.2 %
4	Somewhat true	85	6.3 %
5	True	43	3.2 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 1681-1684 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S8WAI17: S8 WAI: Try not to hurt others feelings

Value	Label	Unweighted Frequency	%
1	False	159	11.7 %
2	Somewhat false	100	7.4 %
3	Not sure	105	7.8 %
4	Somewhat true	436	32.2 %
5	True	404	29.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 1685-1688 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S8WAI18: S8 WAI: Lose temper let people have it

Value	Label	Unweighted Frequency	%
1	False	406	30.0 %
2	Somewhat false	204	15.1 %
3	Not sure	119	8.8 %
4	Somewhat true	288	21.3 %
5	True	187	13.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 1689-1692 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -9 , -8

S8WAI19: S8 WAI: Make sure wont cause problem for others

Value	Label	Unweighted Frequency	%
1	False	123	9.1 %
2	Somewhat false	94	6.9 %
3	Not sure	122	9.0 %
4	Somewhat true	503	37.1 %
5	True	362	26.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 1693-1696 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S8WAI20: S8 WAI: Think things through before act

Value	Label	Unweighted Frequency	%
1	False	146	10.8 %
2	Somewhat false	121	8.9 %
3	Not sure	100	7.4 %
4	Somewhat true	458	33.8 %
5	True	379	28.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 1697-1700 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S8WAI21: S8 WAI: Say something mean to one who upsets

Value	Label	Unweighted Frequency	%
1	False	280	20.7 %
2	Somewhat false	176	13.0 %
3	Not sure	133	9.8 %

Value	Label	Unweighted Frequency	%
4	Somewhat true	380	28.1 %
5	True	235	17.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 1701-1704 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S8WAI22: S8 WAI: Think of other before do thing they wont like

Value	Label	Unweighted Frequency	%
1	False	136	10.0 %
2	Somewhat false	121	8.9 %
3	Not sure	134	9.9 %
4	Somewhat true	478	35.3 %
5	True	335	24.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 1705-1708 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S8WAI23: S8 WAI: Someone start fight w/me fight back

Value	Label	Unweighted Frequency	%
1	False	86	6.4 %
2	Somewhat false	71	5.2 %
3	Not sure	75	5.5 %
4	Somewhat true	280	20.7 %
5	True	692	51.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 1709-1712 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S8WAI2R: S8 WAI: Kind of person try anything once - Reversed

Value	Label	Unweighted Frequency	%
1	True	248	18.3 %
2	Somewhat True	372	27.5 %
3	Not Sure	152	11.2 %
4	Somewhat False	126	9.3 %
5	False	306	22.6 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	3	0.2 %
-201	IntCompStat = 4, missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 1713-1716 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S8WAI3R: S8 WAI: Get me angry and watch out - Reversed

Value	Label	Unweighted Frequency	%
1	True	166	12.3 %
2	Somewhat True	322	23.8 %
3	Not Sure	196	14.5 %
4	Somewhat False	187	13.8 %
5	False	333	24.6 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	3	0.2 %
-201	IntCompStat = 4, missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 1717-1720 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S8WAI4R: S8 WAI: Try harder to control self - Reversed

Value	Label	Unweighted Frequency	%
1	True	192	14.2 %
2	Somewhat True	297	21.9 %
3	Not Sure	161	11.9 %
4	Somewhat False	187	13.8 %
5	False	367	27.1 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	3	0.2 %
-201	IntCompStat = 4, missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 1721-1724 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S8WAI7R: S8 WAI: Do things without thought - Reversed

Value	Label	Unweighted Frequency	%
1	True	246	18.2 %
2	Somewhat True	387	28.6 %
3	Not Sure	121	8.9 %
4	Somewhat False	198	14.6 %
5	False	252	18.6 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	3	0.2 %
-201	IntCompStat = 4, missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 1725-1728 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S8WAI9R: S8 WAI: Hurt me, I get even - Reversed

Value	Label	Unweighted Frequency	%
1	True	244	18.0 %
2	Somewhat True	288	21.3 %
3	Not Sure	185	13.7 %
4	Somewhat False	176	13.0 %
5	False	311	23.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2, partial interview, data missing	3	0.2 %
-201	IntCompStat = 4, missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 1729-1732 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S8WAI10R: S8 WAI: Like new and different things - Reversed

Value	Label	Unweighted Frequency	%
1	True	217	16.0 %
2	Somewhat True	282	20.8 %
3	Not Sure	172	12.7 %
4	Somewhat False	155	11.4 %
5	False	378	27.9 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	3	0.2 %
-201	IntCompStat = 4, missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 1733-1736 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S8WAI11R: S8 WAI: Become wild and crazy - Reversed

Value	Label	Unweighted Frequency	%
1	True	137	10.1 %
2	Somewhat True	195	14.4 %
3	Not Sure	138	10.2 %
4	Somewhat False	213	15.7 %
5	False	521	38.5 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	3	0.2 %
-201	IntCompStat = 4, missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 1737-1740 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -9 , -8

S8WAI12R: S8 WAI: If don't like, I yell at someone - Reversed

Value	Label	Unweighted Frequency	%
1	True	198	14.6 %
2	Somewhat True	319	23.6 %
3	Not Sure	115	8.5 %
4	Somewhat False	202	14.9 %
5	False	370	27.3 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	3	0.2 %
-201	IntCompStat = 4, missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 1741-1744 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S8WAI14R: S8 WAI: When partying, get out of control - Reversed

Value	Label	Unweighted Frequency	%
1	True	127	9.4 %
2	Somewhat True	238	17.6 %
3	Not Sure	130	9.6 %
4	Somewhat False	223	16.5 %
5	False	486	35.9 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	3	0.2 %
-201	IntCompStat = 4, missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 1745-1748 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S8WAI15R: S8 WAI: Say the first thing I think -Reversed

Value	Label	Unweighted Frequency	%
1	True	186	13.7 %
2	Somewhat True	326	24.1 %
3	Not Sure	104	7.7 %

Value	Label	Unweighted Frequency	%
4	Somewhat False	207	15.3 %
5	False	381	28.1 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	3	0.2 %
-201	IntCompStat = 4, missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 1749-1752 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S8WAI16R: S8 WAI: Pick on people don't like - Reversed

Value	Label	Unweighted Frequency	%
1	True	43	3.2 %
2	Somewhat True	85	6.3 %
3	Not Sure	71	5.2 %
4	Somewhat False	205	15.1 %
5	False	800	59.1 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	3	0.2 %
-201	IntCompStat = 4, missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 1753-1756 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S8WAI18R: S8 WAI: Lose temper, let people have it - Reversed

Value	Label	Unweighted Frequency	%
1	True	187	13.8 %
2	Somewhat True	288	21.3 %
3	Not Sure	119	8.8 %
4	Somewhat False	204	15.1 %
5	False	406	30.0 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	3	0.2 %
-201	IntCompStat = 4, missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 1757-1760 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S8WAI21R: S8 WAI: Say mean things if upset - Reversed

Value	Label	Unweighted Frequency	%
1	True	235	17.4 %
2	Somewhat True	380	28.1 %
3	Not Sure	133	9.8 %
4	Somewhat False	176	13.0 %
5	False	280	20.7 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	3	0.2 %
-201	IntCompStat = 4, missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 1761-1764 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S8WAI23R: S8 WAI: Start fight, I fight back - Reversed

Value	Label	Unweighted Frequency	%
1	True	692	51.1 %
2	Somewhat True	280	20.7 %
3	Not Sure	75	5.5 %
4	Somewhat False	71	5.2 %
5	False	86	6.4 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	3	0.2 %
-201	IntCompStat = 4, missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 1765-1768 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S8IMPULS: S8 WAI: Impulse Control

Based upon 1,204 valid cases out of 1,354 total cases.

- Mean: 3.279
- Median: 3.250
- Mode: 3.000
- Minimum: 1.000
- Maximum: 5.000
- Standard Deviation: 0.975

Location: 1769-1776 (width: 8; decimal: 3)
Variable Type: numeric
(Range of) Missing Values: -300.000 , -202.000 , -201.000 , -9.000 , -8.000

S8SUPAGG: S8 WAI: Suppression of Aggression

Based upon 1,204 valid cases out of 1,354 total cases.

- Mean: 3.1069055529
- Median: 3.0000000000
- Mode: 3.0000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.9606817925

Location: 1777-1791 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -9.0000000000 , -8.0000000000

S8CONSID: S8 WAI: Consideration of Others

Based upon 1,204 valid cases out of 1,354 total cases.

- Mean: 3.7738490745
- Median: 3.8571428571
- Mode: 4.0000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.7837464357

Location: 1792-1806 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -9.0000000000 , -8.0000000000

S8TEMPER: S8 WAI: Temperance

Based upon 1,204 valid cases out of 1,354 total cases.

- Mean: 3.1988925803
- Median: 3.2000000000
- Mode: 3.1333333333
- Minimum: 1.0666666667
- Maximum: 5.0000000000
- Standard Deviation: 0.8540563657

Location: 1807-1821 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -9.0000000000 , -8.0000000000

S9WAI1: S9 WAI: Help others most important

Value	Label	Unweighted Frequency	%
1	False	112	8.3 %
2	Somewhat false	73	5.4 %
3	Not sure	201	14.8 %
4	Somewhat true	542	40.0 %
5	True	251	18.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 1822-1825 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S9WAI2: S9 WAI: Try anything once

Value	Label	Unweighted Frequency	%
1	False	309	22.8 %
2	Somewhat false	144	10.6 %
3	Not sure	132	9.7 %
4	Somewhat true	359	26.5 %
5	True	235	17.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 1826-1829 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S9WAI3: S9 WAI: Get angry people better watch out

Value	Label	Unweighted Frequency	%
1	False	347	25.6 %
2	Somewhat false	177	13.1 %
3	Not sure	187	13.8 %
4	Somewhat true	322	23.8 %
5	True	146	10.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 1830-1833 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S9WAI4: S9 WAI: Control self when having fun

Value	Label	Unweighted Frequency	%
1	False	338	25.0 %
2	Somewhat false	213	15.7 %
3	Not sure	151	11.2 %
4	Somewhat true	318	23.5 %
5	True	159	11.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 1834-1837 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S9WAI5: S9 WAI: Go out of for others

Value	Label	Unweighted Frequency	%
1	False	67	4.9 %
2	Somewhat false	58	4.3 %
3	Not sure	82	6.1 %
4	Somewhat true	589	43.5 %
5	True	383	28.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 1838-1841 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S9WAI6: S9 WAI: Do things as well as others

Value	Label	Unweighted Frequency	%
1	False	14	1.0 %
2	Somewhat false	12	0.9 %

Value	Label	Unweighted Frequency	%
3	Not sure	39	2.9 %
4	Somewhat true	330	24.4 %
5	True	784	57.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 1842-1845 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S9WAI7: S9 WAI: Do things w/out giving enough thought

Value	Label	Unweighted Frequency	%
1	False	246	18.2 %
2	Somewhat false	200	14.8 %
3	Not sure	116	8.6 %
4	Somewhat true	398	29.4 %
5	True	219	16.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 1846-1849 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S9WAI8: S9 WAI: Do for others dont receive in return

Value	Label	Unweighted Frequency	%
1	False	57	4.2 %
2	Somewhat false	44	3.2 %
3	Not sure	70	5.2 %
4	Somewhat true	508	37.5 %
5	True	500	36.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 1850-1853 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S9WAI9: S9 WAI: Get even with others

Value	Label	Unweighted Frequency	%
1	False	331	24.4 %
2	Somewhat false	166	12.3 %
3	Not sure	158	11.7 %
4	Somewhat true	304	22.5 %
5	True	220	16.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 1854-1857 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S9WAI10: S9 WAI: Like to do things weird or not safe

Value	Label	Unweighted Frequency	%
1	False	391	28.9 %
2	Somewhat false	181	13.4 %
3	Not sure	136	10.0 %
4	Somewhat true	275	20.3 %
5	True	196	14.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 1858-1861 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S9WAI11: S9 WAI: Do things others dont like

Value	Label	Unweighted Frequency	%
1	False	503	37.1 %
2	Somewhat false	232	17.1 %
3	Not sure	120	8.9 %

Value	Label	Unweighted Frequency	%
4	Somewhat true	213	15.7 %
5	True	111	8.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 1862-1865 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S9WAI12: S9 WAI: Yell at others

Value	Label	Unweighted Frequency	%
1	False	379	28.0 %
2	Somewhat false	182	13.4 %
3	Not sure	113	8.3 %
4	Somewhat true	335	24.7 %
5	True	170	12.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 1866-1869 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S9WAI13: S9 WAI: Think before acting

Value	Label	Unweighted Frequency	%
1	False	118	8.7 %
2	Somewhat false	111	8.2 %
3	Not sure	116	8.6 %
4	Somewhat true	496	36.6 %
5	True	338	25.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 1870-1873 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -9 , -8

S9WAI14: S9 WAI: Doing something fun get carried away

Value	Label	Unweighted Frequency	%
1	False	465	34.3 %
2	Somewhat false	273	20.2 %
3	Not sure	114	8.4 %
4	Somewhat true	235	17.4 %
5	True	92	6.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 1874-1877 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S9WAI15: S9 WAI: Say things w/o thinking about it

Value	Label	Unweighted Frequency	%
1	False	374	27.6 %
2	Somewhat false	202	14.9 %
3	Not sure	92	6.8 %
4	Somewhat true	355	26.2 %
5	True	156	11.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 1878-1881 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S9WAI16: S9 WAI: Pick on people dont like

Value	Label	Unweighted Frequency	%
1	False	809	59.7 %
2	Somewhat false	194	14.3 %
3	Not sure	67	4.9 %
4	Somewhat true	79	5.8 %
5	True	30	2.2 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 1882-1885 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S9WAI17: S9 WAI: Try not to hurt others feelings

Value	Label	Unweighted Frequency	%
1	False	142	10.5 %
2	Somewhat false	105	7.8 %
3	Not sure	91	6.7 %
4	Somewhat true	441	32.6 %
5	True	400	29.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 1886-1889 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S9WAI18: S9 WAI: Lose temper let people have it

Value	Label	Unweighted Frequency	%
1	False	416	30.7 %
2	Somewhat false	175	12.9 %
3	Not sure	105	7.8 %
4	Somewhat true	321	23.7 %
5	True	162	12.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 1890-1893 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S9WAI19: S9 WAI: Make sure wont cause problem for others

Value	Label	Unweighted Frequency	%
1	False	107	7.9 %
2	Somewhat false	100	7.4 %
3	Not sure	125	9.2 %
4	Somewhat true	457	33.8 %
5	True	390	28.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 1894-1897 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S9WAI20: S9 WAI: Think things through before act

Value	Label	Unweighted Frequency	%
1	False	98	7.2 %
2	Somewhat false	140	10.3 %
3	Not sure	103	7.6 %
4	Somewhat true	455	33.6 %
5	True	383	28.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 1898-1901 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S9WAI21: S9 WAI: Say something mean to one who upsets

Value	Label	Unweighted Frequency	%
1	False	302	22.3 %
2	Somewhat false	162	12.0 %
3	Not sure	117	8.6 %
4	Somewhat true	392	29.0 %
5	True	206	15.2 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 1902-1905 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S9WAI22: S9 WAI: Think of other before do thing they wont like

Value	Label	Unweighted Frequency	%
1	False	106	7.8 %
2	Somewhat false	117	8.6 %
3	Not sure	113	8.3 %
4	Somewhat true	502	37.1 %
5	True	341	25.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 1906-1909 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S9WAI23: S9 WAI: Someone start fight w/me fight back

Value	Label	Unweighted Frequency	%
1	False	107	7.9 %
2	Somewhat false	71	5.2 %
3	Not sure	78	5.8 %
4	Somewhat true	274	20.2 %
5	True	649	47.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 1910-1913 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S9WAI2R: S9 WAI: Kind of person try anything once - Reversed

Value	Label	Unweighted Frequency	%
1	True	235	17.4 %
2	Somewhat True	359	26.5 %
3	Not Sure	132	9.7 %
4	Somewhat False	144	10.6 %
5	False	309	22.8 %
	Missing Data		
-201	IntCompStat = 4, missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 1914-1917 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S9WAI3R: S9 WAI: Get me angry and watch out - Reversed

Value	Label	Unweighted Frequency	%
1	True	146	10.8 %
2	Somewhat True	322	23.8 %
3	Not Sure	187	13.8 %
4	Somewhat False	177	13.1 %
5	False	347	25.6 %
	Missing Data		
-201	IntCompStat = 4, missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 1918-1921 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S9WAI4R: S9 WAI: Try harder to control self - Reversed

Value	Label	Unweighted Frequency	%
1	True	159	11.7 %
2	Somewhat True	318	23.5 %
3	Not Sure	151	11.2 %
4	Somewhat False	213	15.7 %
5	False	338	25.0 %
	Missing Data		
-201	IntCompStat = 4, missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 1922-1925 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S9WAI7R: S9 WAI: Do things without thought - Reversed

Value	Label	Unweighted Frequency	%
1	True	219	16.2 %
2	Somewhat True	398	29.4 %
3	Not Sure	116	8.6 %
4	Somewhat False	200	14.8 %
5	False	246	18.2 %
	Missing Data		
-201	IntCompStat = 4, missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 1926-1929 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S9WAI9R: S9 WAI: Hurt me, I get even - Reversed

Value	Label	Unweighted Frequency	%
1	True	220	16.2 %
2	Somewhat True	304	22.5 %
3	Not Sure	158	11.7 %
4	Somewhat False	166	12.3 %
5	False	331	24.4 %
	Missing Data		
-201	IntCompStat = 4, missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 1930-1933 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S9WAI10R: S9 WAI: Like new and different things - Reversed

Value	Label	Unweighted Frequency	%
1	True	196	14.5 %
2	Somewhat True	275	20.3 %

Value	Label	Unweighted Frequency	%
3	Not Sure	136	10.0 %
4	Somewhat False	181	13.4 %
5	False	391	28.9 %
	Missing Data		
-201	IntCompStat = 4, missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 1934-1937 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S9WAI11R: S9 WAI: Become wild and crazy - Reversed

Value	Label	Unweighted Frequency	%
1	True	111	8.2 %
2	Somewhat True	213	15.7 %
3	Not Sure	120	8.9 %
4	Somewhat False	232	17.1 %
5	False	503	37.1 %
	Missing Data		
-201	IntCompStat = 4, missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 1938-1941 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S9WAI12R: S9 WAI: If don't like, I yell at someone - Reversed

Value	Label	Unweighted Frequency	%
1	True	170	12.6 %
2	Somewhat True	335	24.7 %
3	Not Sure	113	8.3 %
4	Somewhat False	182	13.4 %
5	False	379	28.0 %
	Missing Data		
-201	IntCompStat = 4, missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 1942-1945 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S9WAI14R: S9 WAI: When partying, get out of control - Reversed

Value	Label	Unweighted Frequency	%
1	True	92	6.8 %
2	Somewhat True	235	17.4 %
3	Not Sure	114	8.4 %
4	Somewhat False	273	20.2 %
5	False	465	34.3 %
	Missing Data		
-201	IntCompStat = 4, missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 1946-1949 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S9WAI15R: S9 WAI: Say the first thing I think -Reversed

Value	Label	Unweighted Frequency	%
1	True	156	11.5 %
2	Somewhat True	355	26.2 %
3	Not Sure	92	6.8 %
4	Somewhat False	202	14.9 %
5	False	374	27.6 %
	Missing Data		
-201	IntCompStat = 4, missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 1950-1953 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S9WAI16R: S9 WAI: Pick on people don't like - Reversed

Value	Label	Unweighted Frequency	%
1	True	30	2.2 %
2	Somewhat True	79	5.8 %
3	Not Sure	67	4.9 %

Value	Label	Unweighted Frequency	%
4	Somewhat False	194	14.3 %
5	False	809	59.7 %
	Missing Data		
-201	IntCompStat = 4, missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 1954-1957 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S9WAI18R: S9 WAI: Lose temper, let people have it - Reversed

Value	Label	Unweighted Frequency	%
1	True	162	12.0 %
2	Somewhat True	321	23.7 %
3	Not Sure	105	7.8 %
4	Somewhat False	175	12.9 %
5	False	416	30.7 %
	Missing Data		
-201	IntCompStat = 4, missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 1958-1961 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S9WAI21R: S9 WAI: Say mean things if upset - Reversed

Value	Label	Unweighted Frequency	%
1	True	206	15.2 %
2	Somewhat True	392	29.0 %
3	Not Sure	117	8.6 %
4	Somewhat False	162	12.0 %
5	False	302	22.3 %
	Missing Data		
-201	IntCompStat = 4, missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 1962-1965 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -9 , -8

S9WAI23R: S9 WAI: Start fight, I fight back - Reversed

Value	Label	Unweighted Frequency	%
1	True	649	47.9 %
2	Somewhat True	274	20.2 %
3	Not Sure	78	5.8 %
4	Somewhat False	71	5.2 %
5	False	107	7.9 %
	Missing Data		
-201	IntCompStat = 4, missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 1966-1969 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S9IMPULS: S9 WAI: Impulse Control

Based upon 1,179 valid cases out of 1,354 total cases.

- Mean: 3.328
- Median: 3.375
- Mode: 5.000
- Minimum: 1.000
- Maximum: 5.000
- Standard Deviation: 0.982

Location: 1970-1977 (width: 8; decimal: 3)
Variable Type: numeric
(Range of) Missing Values: -300.000 , -202.000 , -201.000 , -9.000 , -8.000

S9SUPAGG: S9 WAI: Suppression of Aggression

Based upon 1,179 valid cases out of 1,354 total cases.

- Mean: 3.1594571671
- Median: 3.1428571429
- Mode: 2.1428571429
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.9727862188

Location: 1978-1992 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -9.0000000000 , -8.0000000000

S9CONSID: S9 WAI: Consideration of Others

Based upon 1,179 valid cases out of 1,354 total cases.

- Mean: 3.8136435236
- Median: 4.0000000000
- Mode: 4.0000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.7700035141

Location: 1993-2007 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -9.0000000000 , -8.0000000000

S9TEMPER: S9 WAI: Temperance

Based upon 1,179 valid cases out of 1,354 total cases.

- Mean: 3.2493073226
- Median: 3.2666666667
- Mode: 3.1333333333
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.8606009934

Location: 2008-2022 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -9.0000000000 , -8.0000000000

SAWAI1: SA WAI: Help others most important

Value	Label	Unweighted Frequency	%
1	False	103	7.6 %
2	Somewhat false	103	7.6 %
3	Not sure	157	11.6 %
4	Somewhat true	555	41.0 %
5	True	213	15.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 2023-2026 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

SAWAI2: SA WAI: Try anything once

Value	Label	Unweighted Frequency	%
1	False	283	20.9 %
2	Somewhat false	170	12.6 %

Value	Label	Unweighted Frequency	%
3	Not sure	111	8.2 %
4	Somewhat true	356	26.3 %
5	True	211	15.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 2027-2030 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

SAWAI3: SA WAI: Get angry people better watch out

Value	Label	Unweighted Frequency	%
1	False	304	22.5 %
2	Somewhat false	217	16.0 %
3	Not sure	165	12.2 %
4	Somewhat true	311	23.0 %
5	True	134	9.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 2031-2034 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

SAWAI4: SA WAI: Control self when having fun

Value	Label	Unweighted Frequency	%
1	False	338	25.0 %
2	Somewhat false	223	16.5 %
3	Not sure	121	8.9 %
4	Somewhat true	298	22.0 %
5	True	151	11.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 2035-2038 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

SAWAI5: SA WAI: Go out of for others

Value	Label	Unweighted Frequency	%
1	False	66	4.9 %
2	Somewhat false	65	4.8 %
3	Not sure	86	6.4 %
4	Somewhat true	576	42.5 %
5	True	337	24.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,130 valid cases out of 1,354 total cases.

Location: 2039-2042 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

SAWAI6: SA WAI: Do things as well as others

Value	Label	Unweighted Frequency	%
1	False	16	1.2 %
2	Somewhat false	17	1.3 %
3	Not sure	34	2.5 %
4	Somewhat true	337	24.9 %
5	True	727	53.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 2043-2046 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

SAWAI7: SA WAI: Do things w/out giving enough thought

Value	Label	Unweighted Frequency	%
1	False	241	17.8 %
2	Somewhat false	202	14.9 %
3	Not sure	105	7.8 %
4	Somewhat true	420	31.0 %
5	True	163	12.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 2047-2050 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

SAWAI8: SA WAI: Do for others dont receive in return

Value	Label	Unweighted Frequency	%
1	False	42	3.1 %
2	Somewhat false	41	3.0 %
3	Not sure	85	6.3 %
4	Somewhat true	530	39.1 %
5	True	433	32.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 2051-2054 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

SAWAI9: SA WAI: Get even with others

Value	Label	Unweighted Frequency	%
1	False	290	21.4 %
2	Somewhat false	199	14.7 %
3	Not sure	158	11.7 %
4	Somewhat true	301	22.2 %

Value	Label	Unweighted Frequency	%
5	True	183	13.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 2055-2058 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

SAWAI10: SA WAI: Like to do things weird or not safe

Value	Label	Unweighted Frequency	%
1	False	366	27.0 %
2	Somewhat false	189	14.0 %
3	Not sure	139	10.3 %
4	Somewhat true	260	19.2 %
5	True	177	13.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 2059-2062 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

SAWAI11: SA WAI: Do things others dont like

Value	Label	Unweighted Frequency	%
1	False	489	36.1 %
2	Somewhat false	252	18.6 %
3	Not sure	100	7.4 %
4	Somewhat true	195	14.4 %
5	True	95	7.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 2063-2066 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

SAWAI12: SA WAI: Yell at others

Value	Label	Unweighted Frequency	%
1	False	355	26.2 %
2	Somewhat false	210	15.5 %
3	Not sure	94	6.9 %
4	Somewhat true	333	24.6 %
5	True	139	10.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 2067-2070 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

SAWAI13: SA WAI: Think before acting

Value	Label	Unweighted Frequency	%
1	False	110	8.1 %
2	Somewhat false	115	8.5 %
3	Not sure	99	7.3 %
4	Somewhat true	474	35.0 %
5	True	333	24.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 2071-2074 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

SAWAI14: SA WAI: Doing something fun get carried away

Value	Label	Unweighted Frequency	%
1	False	449	33.2 %
2	Somewhat false	250	18.5 %
3	Not sure	116	8.6 %
4	Somewhat true	231	17.1 %
5	True	85	6.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 2075-2078 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

SAWAI15: SA WAI: Say things w/o thinking about it

Value	Label	Unweighted Frequency	%
1	False	349	25.8 %
2	Somewhat false	230	17.0 %
3	Not sure	89	6.6 %
4	Somewhat true	335	24.7 %
5	True	128	9.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 2079-2082 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

SAWAI16: SA WAI: Pick on people dont like

Value	Label	Unweighted Frequency	%
1	False	761	56.2 %
2	Somewhat false	222	16.4 %
3	Not sure	50	3.7 %
4	Somewhat true	66	4.9 %
5	True	32	2.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 2083-2086 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

SAWAI17: SA WAI: Try not to hurt others feelings

Value	Label	Unweighted Frequency	%
1	False	124	9.2 %
2	Somewhat false	109	8.1 %
3	Not sure	93	6.9 %
4	Somewhat true	440	32.5 %
5	True	365	27.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 2087-2090 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

SAWAI18: SA WAI: Lose temper let people have it

Value	Label	Unweighted Frequency	%
1	False	370	27.3 %
2	Somewhat false	214	15.8 %
3	Not sure	98	7.2 %
4	Somewhat true	306	22.6 %
5	True	143	10.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 2091-2094 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -9 , -8

SAWAI19: SA WAI: Make sure wont cause problem for others

Value	Label	Unweighted Frequency	%
1	False	113	8.3 %
2	Somewhat false	110	8.1 %
3	Not sure	129	9.5 %
4	Somewhat true	460	34.0 %
5	True	319	23.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 2095-2098 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

SAWAI20: SA WAI: Think things through before act

Value	Label	Unweighted Frequency	%
1	False	107	7.9 %
2	Somewhat false	118	8.7 %
3	Not sure	81	6.0 %
4	Somewhat true	457	33.8 %
5	True	368	27.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 2099-2102 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

SAWAI21: SA WAI: Say something mean to one who upsets

Value	Label	Unweighted Frequency	%
1	False	278	20.5 %
2	Somewhat false	190	14.0 %
3	Not sure	112	8.3 %

Value	Label	Unweighted Frequency	%
4	Somewhat true	384	28.4 %
5	True	167	12.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 2103-2106 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

SAWAI22: SA WAI: Think of other before do thing they wont like

Value	Label	Unweighted Frequency	%
1	False	114	8.4 %
2	Somewhat false	125	9.2 %
3	Not sure	112	8.3 %
4	Somewhat true	479	35.4 %
5	True	301	22.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 2107-2110 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

SAWAI23: SA WAI: Someone start fight w/me fight back

Value	Label	Unweighted Frequency	%
1	False	86	6.4 %
2	Somewhat false	82	6.1 %
3	Not sure	62	4.6 %
4	Somewhat true	300	22.2 %
5	True	601	44.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 2111-2114 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

SAWAI2R: SA WAI: Kind of person try anything once - Reversed

Value	Label	Unweighted Frequency	%
1	True	211	15.6 %
2	Somewhat True	356	26.3 %
3	Not Sure	111	8.2 %
4	Somewhat False	170	12.6 %
5	False	283	20.9 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	3	0.2 %
-201	IntCompStat = 4, missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 2115-2118 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

SAWAI3R: SA WAI: Get me angry and watch out - Reversed

Value	Label	Unweighted Frequency	%
1	True	134	9.9 %
2	Somewhat True	311	23.0 %
3	Not Sure	165	12.2 %
4	Somewhat False	217	16.0 %
5	False	304	22.5 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	3	0.2 %
-201	IntCompStat = 4, missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 2119-2122 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

SAWAI4R: SA WAI: Try harder to control self - Reversed

Value	Label	Unweighted Frequency	%
1	True	151	11.2 %
2	Somewhat True	298	22.0 %
3	Not Sure	121	8.9 %
4	Somewhat False	223	16.5 %
5	False	338	25.0 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	3	0.2 %
-201	IntCompStat = 4, missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 2123-2126 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

SAWAI7R: SA WAI: Do things without thought - Reversed

Value	Label	Unweighted Frequency	%
1	True	163	12.0 %
2	Somewhat True	420	31.0 %
3	Not Sure	105	7.8 %
4	Somewhat False	202	14.9 %
5	False	241	17.8 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	3	0.2 %
-201	IntCompStat = 4, missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 2127-2130 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

SAWAI9R: SA WAI: Hurt me, I get even - Reversed

Value	Label	Unweighted Frequency	%
1	True	183	13.5 %
2	Somewhat True	301	22.2 %
3	Not Sure	158	11.7 %
4	Somewhat False	199	14.7 %
5	False	290	21.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2, partial interview, data missing	3	0.2 %
-201	IntCompStat = 4, missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 2131-2134 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

SAWAI10R: SA WAI: Like new and different things - Reversed

Value	Label	Unweighted Frequency	%
1	True	177	13.1 %
2	Somewhat True	260	19.2 %
3	Not Sure	139	10.3 %
4	Somewhat False	189	14.0 %
5	False	366	27.0 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	3	0.2 %
-201	IntCompStat = 4, missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 2135-2138 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

SAWAI11R: SA WAI: Become wild and crazy - Reversed

Value	Label	Unweighted Frequency	%
1	True	95	7.0 %
2	Somewhat True	195	14.4 %
3	Not Sure	100	7.4 %
4	Somewhat False	252	18.6 %
5	False	489	36.1 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	3	0.2 %
-201	IntCompStat = 4, missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 2139-2142 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -9 , -8

SAWAI12R: SA WAI: If don't like, I yell at someone - Reversed

Value	Label	Unweighted Frequency	%
1	True	139	10.3 %
2	Somewhat True	333	24.6 %
3	Not Sure	94	6.9 %
4	Somewhat False	210	15.5 %
5	False	355	26.2 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	3	0.2 %
-201	IntCompStat = 4, missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 2143-2146 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

SAWAI14R: SA WAI: When partying, get out of control - Reversed

Value	Label	Unweighted Frequency	%
1	True	85	6.3 %
2	Somewhat True	231	17.1 %
3	Not Sure	116	8.6 %
4	Somewhat False	250	18.5 %
5	False	449	33.2 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	3	0.2 %
-201	IntCompStat = 4, missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 2147-2150 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

SAWAI15R: SA WAI: Say the first thing I think -Reversed

Value	Label	Unweighted Frequency	%
1	True	128	9.5 %
2	Somewhat True	335	24.7 %
3	Not Sure	89	6.6 %

Value	Label	Unweighted Frequency	%
4	Somewhat False	230	17.0 %
5	False	349	25.8 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	3	0.2 %
-201	IntCompStat = 4, missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 2151-2154 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

SAWAI16R: SA WAI: Pick on people don't like - Reversed

Value	Label	Unweighted Frequency	%
1	True	32	2.4 %
2	Somewhat True	66	4.9 %
3	Not Sure	50	3.7 %
4	Somewhat False	222	16.4 %
5	False	761	56.2 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	3	0.2 %
-201	IntCompStat = 4, missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 2155-2158 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

SAWAI18R: SA WAI: Lose temper, let people have it - Reversed

Value	Label	Unweighted Frequency	%
1	True	143	10.6 %
2	Somewhat True	306	22.6 %
3	Not Sure	98	7.2 %
4	Somewhat False	214	15.8 %
5	False	370	27.3 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	3	0.2 %
-201	IntCompStat = 4, missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 2159-2162 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

SAWAI21R: SA WAI: Say mean things if upset - Reversed

Value	Label	Unweighted Frequency	%
1	True	167	12.3 %
2	Somewhat True	384	28.4 %
3	Not Sure	112	8.3 %
4	Somewhat False	190	14.0 %
5	False	278	20.5 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	3	0.2 %
-201	IntCompStat = 4, missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 2163-2166 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

SAWAI23R: SA WAI: Start fight, I fight back - Reversed

Value	Label	Unweighted Frequency	%
1	True	601	44.4 %
2	Somewhat True	300	22.2 %
3	Not Sure	62	4.6 %
4	Somewhat False	82	6.1 %
5	False	86	6.4 %
	Missing Data		
-202	IntCompStat = 2, partial interview, data missing	3	0.2 %
-201	IntCompStat = 4, missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 2167-2170 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

SAIMPULS: SA WAI: Impulse Control

Based upon 1,131 valid cases out of 1,354 total cases.

- Mean: 3.364
- Median: 3.375
- Mode: 4.000
- Minimum: 1.000
- Maximum: 5.000
- Standard Deviation: 0.974

Location: 2171-2178 (width: 8; decimal: 3)
Variable Type: numeric
(Range of) Missing Values: -300.000 , -202.000 , -201.000 , -9.000 , -8.000

SASUPAGG: SA WAI: Suppression of Aggression

Based upon 1,131 valid cases out of 1,354 total cases.

- Mean: 3.1797398004
- Median: 3.1428571429
- Mode: 2.2857142857
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.9714602866

Location: 2179-2193 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -9.0000000000 , -8.0000000000

SACONSID: SA WAI: Consideration of Others

Based upon 1,131 valid cases out of 1,354 total cases.

- Mean: 3.7710622711
- Median: 3.8571428571
- Mode: 4.0000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.7515993730

Location: 2194-2208 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -9.0000000000 , -8.0000000000

SATEMPER: SA WAI: Temperance

Based upon 1,131 valid cases out of 1,354 total cases.

- Mean: 3.2779251400
- Median: 3.2666666667
- Mode: 2.9333333333
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.8572732251

Location: 2209-2223 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -9.0000000000 , -8.0000000000