ICPSR | INTER-UNIVERSITY CONSORTIUM FOR POLITICAL AND SOCIAL RESEARCH

ICPSR 36800

Research on Pathways to Desistance [Maricopa County, AZ and Philadelphia County, PA]: Subject Measures - Scales, 2000-2010

Edward P. Mulvey
University of Pittsburgh

Codebook for Acculturation Rating Scale for Mexican Americans - II (ARSMA-II)

Inter-university Consortium for Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/36800/terms

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE
WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 36800

Research on Pathways to Desistance [Maricopa County, AZ and Philadelphia County, PA]: Subject Measures - Scales, 2000-2010

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Acculturation Rating Scale for Mexican Americans - II (ARSMA-II)

CASEID: S1 IntInfo: Subject ID

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1-5 (width: 5; decimal: 0)
Variable Type: numeric

S0MEXAM: S0 ARSMA: Consider yourself to be Mexican American

Value	Label	Unweighted Frequency	%
1	Yes	334	24.7 %
5	No	1020	75.3 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 6-6 (width: 1; decimal: 0)
Variable Type: numeric

S0ARMSA0: S0 ARSMA: I speak Spanish

Value	Label	Unweighted Frequency	%
1	Not at all	59	4.4 %
2	Very little or not very often	72	5.3 %
3	Moderately	52	3.8 %
4	More or very often	58	4.3 %
5	Extremely often or almost always	93	6.9 %
	Missing Data		
-101	Skipped: Subject does not consider self mexican american	1020	75.3 %
	Total	**1,354**	**100%**

Based upon 334 valid cases out of 1,354 total cases.

Location: 7-10 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0ARMSA1: S0 ARSMA: I speak English

Value	Label	Unweighted Frequency	%
1	Not at all	2	0.1 %
2	Very little or not very often	6	0.4 %
3	Moderately	17	1.3 %
4	More or very often	52	3.8 %

Value	Label	Unweighted Frequency	%
5	Extremely often or almost always	257	19.0 %
	Missing Data		
-101	Skipped: Subject does not consider self mexican american	1020	75.3 %
	Total	**1,354**	**100%**

Based upon 334 valid cases out of 1,354 total cases.

Location: 11-14 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0ARMSA2: S0 ARSMA: I enjoy speaking Spanish

Value	Label	Unweighted Frequency	%
1	Not at all	69	5.1 %
2	Very little or not very often	48	3.5 %
3	Moderately	56	4.1 %
4	More or very often	63	4.7 %
5	Extremely often or almost always	98	7.2 %
	Missing Data		
-101	Skipped: Subject does not consider self mexican american	1020	75.3 %
	Total	**1,354**	**100%**

Based upon 334 valid cases out of 1,354 total cases.

Location: 15-18 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0ARMSA3: S0 ARSMA: I associate with Anglos

Value	Label	Unweighted Frequency	%
1	Not at all	30	2.2 %
2	Very little or not very often	65	4.8 %
3	Moderately	85	6.3 %
4	More or very often	81	6.0 %
5	Extremely often or almost always	72	5.3 %
	Missing Data		
-101	Skipped: Subject does not consider self mexican american	1020	75.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 333 valid cases out of 1,354 total cases.

Location: 19-22 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -101 , -9 , -8

S0ARMSA4: S0 ARSMA: I associate with Mexicans and/or Mexican Americans

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	9	0.7 %
3	Moderately	28	2.1 %
4	More or very often	77	5.7 %
5	Extremely often or almost always	220	16.2 %
	Missing Data		
-101	Skipped: Subject does not consider self mexican american	1020	75.3 %
	Total	**1,354**	**100%**

Based upon 334 valid cases out of 1,354 total cases.

Location: 23-26 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0ARMSA5: S0 ARSMA: I enjoy listening to Spanish language music

Value	Label	Unweighted Frequency	%
1	Not at all	91	6.7 %
2	Very little or not very often	49	3.6 %
3	Moderately	43	3.2 %
4	More or very often	53	3.9 %
5	Extremely often or almost always	98	7.2 %
	Missing Data		
-101	Skipped: Subject does not consider self mexican american	1020	75.3 %
	Total	**1,354**	**100%**

Based upon 334 valid cases out of 1,354 total cases.

Location: 27-30 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0ARMSA6: S0 ARSMA: I enjoy listening to English language music

Value	Label	Unweighted Frequency	%
1	Not at all	2	0.1 %
2	Very little or not very often	7	0.5 %
3	Moderately	21	1.6 %
4	More or very often	58	4.3 %
5	Extremely often or almost always	246	18.2 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-101	Skipped: Subject does not consider self mexican american	1020	75.3 %
	Total	**1,354**	**100%**

Based upon 334 valid cases out of 1,354 total cases.

Location: 31-34 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0ARMSA7: S0 ARSMA: I enjoy Spanish language TV

Value	Label	Unweighted Frequency	%
1	Not at all	103	7.6 %
2	Very little or not very often	63	4.7 %
3	Moderately	47	3.5 %
4	More or very often	47	3.5 %
5	Extremely often or almost always	74	5.5 %
	Missing Data		
-101	Skipped: Subject does not consider self mexican american	1020	75.3 %
	Total	**1,354**	**100%**

Based upon 334 valid cases out of 1,354 total cases.

Location: 35-38 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0ARMSA8: S0 ARSMA: I enjoy English language TV

Value	Label	Unweighted Frequency	%
1	Not at all	2	0.1 %
2	Very little or not very often	7	0.5 %
3	Moderately	21	1.6 %
4	More or very often	54	4.0 %
5	Extremely often or almost always	250	18.5 %
	Missing Data		
-101	Skipped: Subject does not consider self mexican american	1020	75.3 %
	Total	**1,354**	**100%**

Based upon 334 valid cases out of 1,354 total cases.

Location: 39-42 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0ARMSA9: S0 ARSMA: I enjoy English language movies

Value	Label	Unweighted Frequency	%
1	Not at all	1	0.1 %
2	Very little or not very often	4	0.3 %
3	Moderately	13	1.0 %
4	More or very often	44	3.2 %
5	Extremely often or almost always	272	20.1 %
	Missing Data		
-101	Skipped: Subject does not consider self mexican american	1020	75.3 %
	Total	**1,354**	**100%**

Based upon 334 valid cases out of 1,354 total cases.

Location: 43-46 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0ARMS10: S0 ARSMA: I enjoy Spanish language movies

Value	Label	Unweighted Frequency	%
1	Not at all	131	9.7 %
2	Very little or not very often	54	4.0 %
3	Moderately	46	3.4 %
4	More or very often	40	3.0 %
5	Extremely often or almost always	63	4.7 %
	Missing Data		
-101	Skipped: Subject does not consider self mexican american	1020	75.3 %
	Total	**1,354**	**100%**

Based upon 334 valid cases out of 1,354 total cases.

Location: 47-50 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0ARMS11: S0 ARSMA: I enjoy reading (e.g. books in Spanish)

Value	Label	Unweighted Frequency	%
1	Not at all	204	15.1 %
2	Very little or not very often	46	3.4 %
3	Moderately	41	3.0 %
4	More or very often	13	1.0 %
5	Extremely often or almost always	30	2.2 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-101	Skipped: Subject does not consider self mexican american	1020	75.3 %
	Total	**1,354**	**100%**

Based upon 334 valid cases out of 1,354 total cases.

Location: 51-54 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0ARMS12: S0 ARSMA: I enjoy reading (e.g. books in English)

Value	Label	Unweighted Frequency	%
1	Not at all	34	2.5 %
2	Very little or not very often	40	3.0 %
3	Moderately	52	3.8 %
4	More or very often	60	4.4 %
5	Extremely often or almost always	148	10.9 %
	Missing Data		
-101	Skipped: Subject does not consider self mexican american	1020	75.3 %
	Total	**1,354**	**100%**

Based upon 334 valid cases out of 1,354 total cases.

Location: 55-58 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0ARMS13: S0 ARSMA: I write (e.g. letters in Spanish)

Value	Label	Unweighted Frequency	%
1	Not at all	194	14.3 %
2	Very little or not very often	41	3.0 %
3	Moderately	35	2.6 %
4	More or very often	20	1.5 %
5	Extremely often or almost always	44	3.2 %
	Missing Data		
-101	Skipped: Subject does not consider self mexican american	1020	75.3 %
	Total	**1,354**	**100%**

Based upon 334 valid cases out of 1,354 total cases.

Location: 59-62 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0ARMS14: S0 ARSMA: I write (e.g. letters in English)

Value	Label	Unweighted Frequency	%
1	Not at all	14	1.0 %
2	Very little or not very often	32	2.4 %
3	Moderately	37	2.7 %
4	More or very often	55	4.1 %
5	Extremely often or almost always	196	14.5 %
	Missing Data		
-101	Skipped: Subject does not consider self mexican american	1020	75.3 %
	Total	**1,354**	**100%**

Based upon 334 valid cases out of 1,354 total cases.

Location: 63-66 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0ARMS15: S0 ARSMA: My thinking is done in the English language

Value	Label	Unweighted Frequency	%
1	Not at all	9	0.7 %
2	Very little or not very often	7	0.5 %
3	Moderately	26	1.9 %
4	More or very often	54	4.0 %
5	Extremely often or almost always	238	17.6 %
	Missing Data		
-101	Skipped: Subject does not consider self mexican american	1020	75.3 %
	Total	**1,354**	**100%**

Based upon 334 valid cases out of 1,354 total cases.

Location: 67-70 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0ARMS16: S0 ARSMA: My thinking is done in the Spanish language

Value	Label	Unweighted Frequency	%
1	Not at all	163	12.0 %
2	Very little or not very often	47	3.5 %
3	Moderately	50	3.7 %
4	More or very often	31	2.3 %
5	Extremely often or almost always	43	3.2 %
	Missing Data		
-101	Skipped: Subject does not consider self mexican american	1020	75.3 %
	Total	**1,354**	**100%**

Based upon 334 valid cases out of 1,354 total cases.

Location: 71-74 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0ARMS17: S0 ARSMA: My contact with Mexico has been...

Value	Label	Unweighted Frequency	%
1	Not at all	105	7.8 %
2	Very little or not very often	94	6.9 %
3	Moderately	54	4.0 %
4	More or very often	34	2.5 %
5	Extremely often or almost always	47	3.5 %
	Missing Data		
-101	Skipped: Subject does not consider self mexican american	1020	75.3 %
	Total	**1,354**	**100%**

Based upon 334 valid cases out of 1,354 total cases.

Location: 75-78 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0ARMS18: S0 ARSMA: My contact with the USA has been...

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	3	0.2 %
3	Moderately	13	1.0 %
4	More or very often	20	1.5 %
5	Extremely often or almost always	298	22.0 %
	Missing Data		
-101	Skipped: Subject does not consider self mexican american	1020	75.3 %
	Total	**1,354**	**100%**

Based upon 334 valid cases out of 1,354 total cases.

Location: 79-82 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0ARMS19: S0 ARSMA: My father identifies himself as Mexicano

Value	Label	Unweighted Frequency	%
1	Not at all	38	2.8 %
2	Very little or not very often	14	1.0 %

Value	Label	Unweighted Frequency	%
3	Moderately	16	1.2 %
4	More or very often	26	1.9 %
5	Extremely often or almost always	214	15.8 %
	Missing Data		
-101	Skipped: Subject does not consider self mexican american	1020	75.3 %
-9	Dont Know	26	1.9 %
	Total	**1,354**	**100%**

Based upon 308 valid cases out of 1,354 total cases.

Location: 83-86 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0ARMS20: S0 ARSMA: My mother identifies herself as Mexicana

Value	Label	Unweighted Frequency	%
1	Not at all	71	5.2 %
2	Very little or not very often	15	1.1 %
3	Moderately	23	1.7 %
4	More or very often	33	2.4 %
5	Extremely often or almost always	185	13.7 %
	Missing Data		
-101	Skipped: Subject does not consider self mexican american	1020	75.3 %
-9	Dont Know	7	0.5 %
	Total	**1,354**	**100%**

Based upon 327 valid cases out of 1,354 total cases.

Location: 87-90 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0ARMS21: S0 ARSMA: Growing up my friends were of Mexican origin

Value	Label	Unweighted Frequency	%
1	Not at all	16	1.2 %
2	Very little or not very often	19	1.4 %
3	Moderately	49	3.6 %
4	More or very often	77	5.7 %
5	Extremely often or almost always	173	12.8 %
	Missing Data		
-101	Skipped: Subject does not consider self mexican american	1020	75.3 %
	Total	**1,354**	**100%**

Based upon 334 valid cases out of 1,354 total cases.

Location: 91-94 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0ARMS22: S0 ARSMA: Growing up My friends were of Anglo origin

Value	Label	Unweighted Frequency	%
1	Not at all	59	4.4 %
2	Very little or not very often	97	7.2 %
3	Moderately	106	7.8 %
4	More or very often	36	2.7 %
5	Extremely often or almost always	36	2.7 %
	Missing Data		
-101	Skipped: Subject does not consider self mexican american	1020	75.3 %
	Total	**1,354**	**100%**

Based upon 334 valid cases out of 1,354 total cases.

Location: 95-98 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0ARMS23: S0 ARSMA: My family cooks Mexican foods

Value	Label	Unweighted Frequency	%
1	Not at all	4	0.3 %
2	Very little or not very often	9	0.7 %
3	Moderately	20	1.5 %
4	More or very often	56	4.1 %
5	Extremely often or almost always	245	18.1 %
	Missing Data		
-101	Skipped: Subject does not consider self mexican american	1020	75.3 %
	Total	**1,354**	**100%**

Based upon 334 valid cases out of 1,354 total cases.

Location: 99-102 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0ARMS24: S0 ARSMA: My friends now are of Anglo origin

Value	Label	Unweighted Frequency	%
1	Not at all	58	4.3 %
2	Very little or not very often	100	7.4 %

Value	Label	Unweighted Frequency	%
3	Moderately	110	8.1 %
4	More or very often	30	2.2 %
5	Extremely often or almost always	36	2.7 %
	Missing Data		
-101	Skipped: Subject does not consider self mexican american	1020	75.3 %
	Total	**1,354**	**100%**

Based upon 334 valid cases out of 1,354 total cases.

Location: 103-106 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0ARMS25: S0 ARSMA: My friends now are of Mexican origin

Value	Label	Unweighted Frequency	%
1	Not at all	7	0.5 %
2	Very little or not very often	19	1.4 %
3	Moderately	51	3.8 %
4	More or very often	84	6.2 %
5	Extremely often or almost always	173	12.8 %
	Missing Data		
-101	Skipped: Subject does not consider self mexican american	1020	75.3 %
	Total	**1,354**	**100%**

Based upon 334 valid cases out of 1,354 total cases.

Location: 107-110 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0ARMS26: S0 ARSMA: I like to identify myself as an Anglo American

Value	Label	Unweighted Frequency	%
1	Not at all	252	18.6 %
2	Very little or not very often	35	2.6 %
3	Moderately	31	2.3 %
4	More or very often	10	0.7 %
5	Extremely often or almost always	5	0.4 %
	Missing Data		
-101	Skipped: Subject does not consider self mexican american	1020	75.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 333 valid cases out of 1,354 total cases.

Location: 111-114 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0ARMS27: S0 ARSMA: I like to identify myself as a Mexican American

Value	Label	Unweighted Frequency	%
1	Not at all	29	2.1 %
2	Very little or not very often	12	0.9 %
3	Moderately	37	2.7 %
4	More or very often	52	3.8 %
5	Extremely often or almost always	203	15.0 %
	Missing Data		
-101	Skipped: Subject does not consider self mexican american	1020	75.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 333 valid cases out of 1,354 total cases.

Location: 115-118 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0ARMS28: S0 ARSMA: I like to identify myself as a Mexican

Value	Label	Unweighted Frequency	%
1	Not at all	54	4.0 %
2	Very little or not very often	26	1.9 %
3	Moderately	54	4.0 %
4	More or very often	44	3.2 %
5	Extremely often or almost always	156	11.5 %
	Missing Data		
-101	Skipped: Subject does not consider self mexican american	1020	75.3 %
	Total	**1,354**	**100%**

Based upon 334 valid cases out of 1,354 total cases.

Location: 119-122 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0ARMS29: S0 ARSMA: I like to identify myself as an American

Value	Label	Unweighted Frequency	%
1	Not at all	56	4.1 %

Value	Label	Unweighted Frequency	%
2	Very little or not very often	30	2.2 %
3	Moderately	66	4.9 %
4	More or very often	50	3.7 %
5	Extremely often or almost always	132	9.7 %
	Missing Data		
-101	Skipped: Subject does not consider self mexican american	1020	75.3 %
	Total	**1,354**	**100%**

Based upon 334 valid cases out of 1,354 total cases.

Location: 123-126 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0ARMS30: S0 ARSMA: Difficulty accepting Anglo ideas

Value	Label	Unweighted Frequency	%
1	Not at all	165	12.2 %
2	Very little or not very often	54	4.0 %
3	Moderately	69	5.1 %
4	More or very often	29	2.1 %
5	Extremely often or almost always	17	1.3 %
	Missing Data		
-101	Skipped: Subject does not consider self mexican american	1020	75.3 %
	Total	**1,354**	**100%**

Based upon 334 valid cases out of 1,354 total cases.

Location: 127-130 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0ARMS31: S0 ARSMA: Difficulty accepting Anglo attitudes

Value	Label	Unweighted Frequency	%
1	Not at all	138	10.2 %
2	Very little or not very often	73	5.4 %
3	Moderately	65	4.8 %
4	More or very often	33	2.4 %
5	Extremely often or almost always	25	1.8 %
	Missing Data		
-101	Skipped: Subject does not consider self mexican american	1020	75.3 %
	Total	**1,354**	**100%**

Based upon 334 valid cases out of 1,354 total cases.

Location: 131-134 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0ARMS32: S0 ARSMA: Difficulty accepting Anglo behaviors

Value	Label	Unweighted Frequency	%
1	Not at all	137	10.1 %
2	Very little or not very often	76	5.6 %
3	Moderately	61	4.5 %
4	More or very often	43	3.2 %
5	Extremely often or almost always	16	1.2 %
	Missing Data		
-101	Skipped: Subject does not consider self mexican american	1020	75.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 333 valid cases out of 1,354 total cases.

Location: 135-138 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0ARMS33: S0 ARSMA: Difficulty accepting Anglo values

Value	Label	Unweighted Frequency	%
1	Not at all	166	12.3 %
2	Very little or not very often	81	6.0 %
3	Moderately	45	3.3 %
4	More or very often	26	1.9 %
5	Extremely often or almost always	15	1.1 %
	Missing Data		
-101	Skipped: Subject does not consider self mexican american	1020	75.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 333 valid cases out of 1,354 total cases.

Location: 139-142 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0ARMS34: S0 ARSMA: Difficulty accepting Anglo customs

Value	Label	Unweighted Frequency	%
1	Not at all	176	13.0 %
2	Very little or not very often	72	5.3 %
3	Moderately	50	3.7 %
4	More or very often	22	1.6 %
5	Extremely often or almost always	11	0.8 %
	Missing Data		
-101	Skipped: Subject does not consider self mexican american	1020	75.3 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 331 valid cases out of 1,354 total cases.

Location: 143-146 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0ARMS35: S0 ARSMA: Difficulty accepting Anglos as close personal friends

Value	Label	Unweighted Frequency	%
1	Not at all	218	16.1 %
2	Very little or not very often	51	3.8 %
3	Moderately	44	3.2 %
4	More or very often	16	1.2 %
5	Extremely often or almost always	5	0.4 %
	Missing Data		
-101	Skipped: Subject does not consider self mexican american	1020	75.3 %
	Total	**1,354**	**100%**

Based upon 334 valid cases out of 1,354 total cases.

Location: 147-150 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0ARMS36: S0 ARSMA: Difficulty accepting Mexican ideas

Value	Label	Unweighted Frequency	%
1	Not at all	192	14.2 %
2	Very little or not very often	54	4.0 %
3	Moderately	55	4.1 %
4	More or very often	21	1.6 %
5	Extremely often or almost always	12	0.9 %
	Missing Data		
-101	Skipped: Subject does not consider self mexican american	1020	75.3 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 334 valid cases out of 1,354 total cases.

Location: 151-154 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0ARMS37: S0 ARSMA: Difficulty accepting Mexican attitudes

Value	Label	Unweighted Frequency	%
1	Not at all	163	12.0 %
2	Very little or not very often	72	5.3 %
3	Moderately	57	4.2 %
4	More or very often	26	1.9 %
5	Extremely often or almost always	16	1.2 %
	Missing Data		
-101	Skipped: Subject does not consider self mexican american	1020	75.3 %
	Total	**1,354**	**100%**

Based upon 334 valid cases out of 1,354 total cases.

Location: 155-158 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0ARMS38: S0 ARSMA: Difficulty accepting Mexican behaviors

Value	Label	Unweighted Frequency	%
1	Not at all	154	11.4 %
2	Very little or not very often	80	5.9 %
3	Moderately	53	3.9 %
4	More or very often	30	2.2 %
5	Extremely often or almost always	17	1.3 %
	Missing Data		
-101	Skipped: Subject does not consider self mexican american	1020	75.3 %
	Total	**1,354**	**100%**

Based upon 334 valid cases out of 1,354 total cases.

Location: 159-162 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0ARMS39: S0 ARSMA: Difficulty accepting Mexican values

Value	Label	Unweighted Frequency	%
1	Not at all	201	14.8 %
2	Very little or not very often	61	4.5 %
3	Moderately	46	3.4 %
4	More or very often	18	1.3 %
5	Extremely often or almost always	8	0.6 %
	Missing Data		
-101	Skipped: Subject does not consider self mexican american	1020	75.3 %
	Total	**1,354**	**100%**

Based upon 334 valid cases out of 1,354 total cases.

Location: 163-166 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0ARMS40: S0 ARSMA: Difficulty accepting Mexican customs customs

Value	Label	Unweighted Frequency	%
1	Not at all	214	15.8 %
2	Very little or not very often	54	4.0 %
3	Moderately	47	3.5 %
4	More or very often	9	0.7 %
5	Extremely often or almost always	10	0.7 %
	Missing Data		
-101	Skipped: Subject does not consider self mexican american	1020	75.3 %
	Total	**1,354**	**100%**

Based upon 334 valid cases out of 1,354 total cases.

Location: 167-170 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0ARMS41: S0 ARSMA: Difficulty accepting Mexicans as close personal friends

Value	Label	Unweighted Frequency	%
1	Not at all	266	19.6 %
2	Very little or not very often	29	2.1 %
3	Moderately	19	1.4 %
4	More or very often	12	0.9 %
5	Extremely often or almost always	8	0.6 %
	Missing Data		
-101	Skipped: Subject does not consider self mexican american	1020	75.3 %
	Total	**1,354**	**100%**

Based upon 334 valid cases out of 1,354 total cases.

Location: 171-174 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0ARMS42: S0 ARSMA: Difficulty accepting Mexican American ideas

Value	Label	Unweighted Frequency	%
1	Not at all	229	16.9 %
2	Very little or not very often	54	4.0 %
3	Moderately	35	2.6 %
4	More or very often	12	0.9 %
5	Extremely often or almost always	4	0.3 %
	Missing Data		
-101	Skipped: Subject does not consider self mexican american	1020	75.3 %
	Total	**1,354**	**100%**

Based upon 334 valid cases out of 1,354 total cases.

Location: 175-178 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0ARMS43: S0 ARSMA: Difficulty accepting Mexican American attitudes

Value	Label	Unweighted Frequency	%
1	Not at all	176	13.0 %
2	Very little or not very often	78	5.8 %
3	Moderately	47	3.5 %
4	More or very often	25	1.8 %
5	Extremely often or almost always	8	0.6 %
	Missing Data		
-101	Skipped: Subject does not consider self mexican american	1020	75.3 %
	Total	**1,354**	**100%**

Based upon 334 valid cases out of 1,354 total cases.

Location: 179-182 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0ARMS44: S0 ARSMA: Difficulty accepting Mexican American behaviors

Value	Label	Unweighted Frequency	%
1	Not at all	171	12.6 %
2	Very little or not very often	86	6.4 %

Value	Label	Unweighted Frequency	%
3	Moderately	45	3.3 %
4	More or very often	23	1.7 %
5	Extremely often or almost always	9	0.7 %
	Missing Data		
-101	Skipped: Subject does not consider self mexican american	1020	75.3 %
	Total	**1,354**	**100%**

Based upon 334 valid cases out of 1,354 total cases.

Location: 183-186 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0ARMS45: S0 ARSMA: Difficulty accepting Mexican American values

Value	Label	Unweighted Frequency	%
1	Not at all	212	15.7 %
2	Very little or not very often	65	4.8 %
3	Moderately	39	2.9 %
4	More or very often	11	0.8 %
5	Extremely often or almost always	7	0.5 %
	Missing Data		
-101	Skipped: Subject does not consider self mexican american	1020	75.3 %
	Total	**1,354**	**100%**

Based upon 334 valid cases out of 1,354 total cases.

Location: 187-190 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0ARMS46: S0 ARSMA: Difficulty accepting Mexican American customs

Value	Label	Unweighted Frequency	%
1	Not at all	220	16.2 %
2	Very little or not very often	58	4.3 %
3	Moderately	45	3.3 %
4	More or very often	7	0.5 %
5	Extremely often or almost always	4	0.3 %
	Missing Data		
-101	Skipped: Subject does not consider self mexican american	1020	75.3 %
	Total	**1,354**	**100%**

Based upon 334 valid cases out of 1,354 total cases.

Location: 191-194 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0ARMS47: S0 ARSMA: Difficulty accepting Mexican Americans as close personal friends

Value	Label	Unweighted Frequency	%
1	Not at all	265	19.6 %
2	Very little or not very often	35	2.6 %
3	Moderately	16	1.2 %
4	More or very often	9	0.7 %
5	Extremely often or almost always	9	0.7 %
	Missing Data		
-101	Skipped: Subject does not consider self mexican american	1020	75.3 %
	Total	**1,354**	**100%**

Based upon 334 valid cases out of 1,354 total cases.

Location: 195-198 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0AOS: S0 ARSMA: Anglo Orientation Subscale

Based upon 334 valid cases out of 1,354 total cases.

- Mean: 4.0488296135
- Median: 4.0909090909
- Mode: 4.3636363636
- Minimum: 2.0909090909
- Maximum: 5.0000000000
- Standard Deviation: 0.5549720132

Location: 199-213 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S0ANGAFF: S0 ARSMA: Anglo Affiliation Subscale

Based upon 334 valid cases out of 1,354 total cases.

- Mean: 2.8782435130
- Median: 3.0000000000
- Mode: 3.0000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 1.0377327520

Location: 214-228 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S0ENGLNG: S0 ARSMA: English Language Subscale

Based upon 334 valid cases out of 1,354 total cases.

- Mean: 4.487
- Median: 4.625
- Mode: 5.000
- Minimum: 2.000
- Maximum: 5.000
- Standard Deviation: 0.563

Location: 229-236 (width: 8; decimal: 3)
Variable Type: numeric
(Range of) Missing Values: -300.000 , -100.000 , -9.000 , -8.000

S0MOS: S0 ARSMA: Mexican Orientation Subscale

Based upon 334 valid cases out of 1,354 total cases.

- Mean: 3.0159680639
- Median: 2.9166666667
- Mode: 2.6666666667
- Minimum: 1.2500000000
- Maximum: 5.0000000000
- Standard Deviation: 0.9918097251

Location: 237-251 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S0MEXAFF: S0 ARSMA: Mexican Affiliation Subscale

Based upon 334 valid cases out of 1,354 total cases.

- Mean: 4.2744510978
- Median: 4.6666666667
- Mode: 5.0000000000
- Minimum: 1.3333333333
- Maximum: 5.0000000000
- Standard Deviation: 0.7955032622

Location: 252-266 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S0SPALNG: S0 ARSMA: Spanish Language Subscale

Based upon 334 valid cases out of 1,354 total cases.

- Mean: 2.5964737192
- Median: 2.4444444444
- Mode: 1.0000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 1.1985870089

Location: 267-281 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S1ARMSA_MEXAM: S1 ARSMA: Consider yourself to be Mexican American

Value	Label	Unweighted Frequency	%
1	Yes	316	23.3 %
5	No	946	69.9 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	3	0.2 %
-201	IntCompStat = 4; missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,262 valid cases out of 1,354 total cases.

Location: 282-285 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S1ARMSA01: S1 ARSMA: Speak Spanish

Value	Label	Unweighted Frequency	%
1	Not at all	60	4.4 %
2	Very little or not very often	63	4.7 %
3	Moderately	52	3.8 %
4	More or very often	45	3.3 %
5	Extremely often or almost always	95	7.0 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	4	0.3 %
-201	IntCompStat = 4; missed interview	89	6.6 %
-101	ARSMA skipped: S1ARMSA_MexAm=NO	946	69.9 %
	Total	**1,354**	**100%**

Based upon 315 valid cases out of 1,354 total cases.

Location: 286-289 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S1ARMSA02: S1 ARSMA: Speak English

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	4	0.3 %
3	Moderately	14	1.0 %
4	More or very often	44	3.2 %
5	Extremely often or almost always	253	18.7 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2; partial interview, data missing	4	0.3 %
-201	IntCompStat = 4; missed interview	89	6.6 %
-101	ARSMA skipped: S1ARMSA_MexAm=NO	946	69.9 %
	Total	**1,354**	**100%**

Based upon 315 valid cases out of 1,354 total cases.

Location: 290-293 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S1ARMSA03: S1 ARSMA: Enjoy speaking Spanish

Value	Label	Unweighted Frequency	%
1	Not at all	75	5.5 %
2	Very little or not very often	44	3.2 %
3	Moderately	50	3.7 %
4	More or very often	39	2.9 %
5	Extremely often or almost always	107	7.9 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	4	0.3 %
-201	IntCompStat = 4; missed interview	89	6.6 %
-101	ARSMA skipped: S1ARMSA_MexAm=NO	946	69.9 %
	Total	**1,354**	**100%**

Based upon 315 valid cases out of 1,354 total cases.

Location: 294-297 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S1ARMSA04: S1 ARSMA: Associate w/anglos

Value	Label	Unweighted Frequency	%
1	Not at all	30	2.2 %
2	Very little or not very often	41	3.0 %
3	Moderately	85	6.3 %
4	More or very often	87	6.4 %
5	Extremely often or almost always	72	5.3 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	4	0.3 %
-201	IntCompStat = 4; missed interview	89	6.6 %
-101	ARSMA skipped: S1ARMSA_MexAm=NO	946	69.9 %
	Total	**1,354**	**100%**

Based upon 315 valid cases out of 1,354 total cases.

Location: 298-301 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S1ARMSA05: S1 ARSMA: Associate w/Mexicans/Mex Americans

Value	Label	Unweighted Frequency	%
1	Not at all	3	0.2 %
2	Very little or not very often	6	0.4 %
3	Moderately	31	2.3 %
4	More or very often	88	6.5 %
5	Extremely often or almost always	187	13.8 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	4	0.3 %
-201	IntCompStat = 4; missed interview	89	6.6 %
-101	ARSMA skipped: S1ARMSA_MexAm=NO	946	69.9 %
	Total	**1,354**	**100%**

Based upon 315 valid cases out of 1,354 total cases.

Location: 302-305 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S1ARMSA06: S1 ARSMA: Enjoy Spanish language music

Value	Label	Unweighted Frequency	%
1	Not at all	79	5.8 %
2	Very little or not very often	47	3.5 %
3	Moderately	47	3.5 %
4	More or very often	50	3.7 %
5	Extremely often or almost always	92	6.8 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	4	0.3 %
-201	IntCompStat = 4; missed interview	89	6.6 %
-101	ARSMA skipped: S1ARMSA_MexAm=NO	946	69.9 %
	Total	**1,354**	**100%**

Based upon 315 valid cases out of 1,354 total cases.

Location: 306-309 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S1ARMSA07: S1 ARSMA: Enjoy English speak music

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	3	0.2 %
3	Moderately	16	1.2 %
4	More or very often	70	5.2 %
5	Extremely often or almost always	226	16.7 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	4	0.3 %
-201	IntCompStat = 4; missed interview	89	6.6 %
-101	ARSMA skipped: S1ARMSA_MexAm=NO	946	69.9 %
	Total	**1,354**	**100%**

Based upon 315 valid cases out of 1,354 total cases.

Location: 310-313 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S1ARMSA08: S1 ARSMA: Enjoy Spanish language TV

Value	Label	Unweighted Frequency	%
1	Not at all	110	8.1 %
2	Very little or not very often	39	2.9 %
3	Moderately	48	3.5 %
4	More or very often	38	2.8 %
5	Extremely often or almost always	80	5.9 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	4	0.3 %
-201	IntCompStat = 4; missed interview	89	6.6 %
-101	ARSMA skipped: S1ARMSA_MexAm=NO	946	69.9 %
	Total	**1,354**	**100%**

Based upon 315 valid cases out of 1,354 total cases.

Location: 314-317 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S1ARMSA09: S1 ARSMA: Enjoy English language TV

Value	Label	Unweighted Frequency	%
1	Not at all	3	0.2 %
2	Very little or not very often	5	0.4 %
3	Moderately	16	1.2 %
4	More or very often	58	4.3 %

Value	Label	Unweighted Frequency	%
5	Extremely often or almost always	233	17.2 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	4	0.3 %
-201	IntCompStat = 4; missed interview	89	6.6 %
-101	ARSMA skipped: S1ARMSA_MexAm=NO	946	69.9 %
	Total	**1,354**	**100%**

Based upon 315 valid cases out of 1,354 total cases.

Location: 318-321 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S1ARMSA10: S1 ARSMA: Enjoy English langguage movies

Value	Label	Unweighted Frequency	%
1	Not at all	2	0.1 %
2	Very little or not very often	2	0.1 %
3	Moderately	6	0.4 %
4	More or very often	53	3.9 %
5	Extremely often or almost always	252	18.6 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	4	0.3 %
-201	IntCompStat = 4; missed interview	89	6.6 %
-101	ARSMA skipped: S1ARMSA_MexAm=NO	946	69.9 %
	Total	**1,354**	**100%**

Based upon 315 valid cases out of 1,354 total cases.

Location: 322-325 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S1ARMSA11: S1 ARSMA: Enjoy Spanish language movies

Value	Label	Unweighted Frequency	%
1	Not at all	124	9.2 %
2	Very little or not very often	46	3.4 %
3	Moderately	31	2.3 %
4	More or very often	39	2.9 %
5	Extremely often or almost always	75	5.5 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	4	0.3 %
-201	IntCompStat = 4; missed interview	89	6.6 %

Value	Label	Unweighted Frequency	%
-101	ARSMA skipped: S1ARMSA_MexAm=NO	946	69.9 %
	Total	**1,354**	**100%**

Based upon 315 valid cases out of 1,354 total cases.

Location: 326-329 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S1ARMSA12: S1 ARSMA: Enjoy reading Spanish books

Value	Label	Unweighted Frequency	%
1	Not at all	194	14.3 %
2	Very little or not very often	41	3.0 %
3	Moderately	20	1.5 %
4	More or very often	20	1.5 %
5	Extremely often or almost always	40	3.0 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	4	0.3 %
-201	IntCompStat = 4; missed interview	89	6.6 %
-101	ARSMA skipped: S1ARMSA_MexAm=NO	946	69.9 %
	Total	**1,354**	**100%**

Based upon 315 valid cases out of 1,354 total cases.

Location: 330-333 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S1ARMSA13: S1 ARSMA: Enjoy reading English books

Value	Label	Unweighted Frequency	%
1	Not at all	42	3.1 %
2	Very little or not very often	42	3.1 %
3	Moderately	46	3.4 %
4	More or very often	60	4.4 %
5	Extremely often or almost always	125	9.2 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	4	0.3 %
-201	IntCompStat = 4; missed interview	89	6.6 %
-101	ARSMA skipped: S1ARMSA_MexAm=NO	946	69.9 %
	Total	**1,354**	**100%**

Based upon 315 valid cases out of 1,354 total cases.

Location: 334-337 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S1ARMSA14: S1 ARSMA: Write letters in Spanish

Value	Label	Unweighted Frequency	%
1	Not at all	184	13.6 %
2	Very little or not very often	31	2.3 %
3	Moderately	26	1.9 %
4	More or very often	23	1.7 %
5	Extremely often or almost always	51	3.8 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	4	0.3 %
-201	IntCompStat = 4; missed interview	89	6.6 %
-101	ARSMA skipped: S1ARMSA_MexAm=NO	946	69.9 %
	Total	**1,354**	**100%**

Based upon 315 valid cases out of 1,354 total cases.

Location: 338-341 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S1ARMSA15: S1 ARSMA: Write letters in English

Value	Label	Unweighted Frequency	%
1	Not at all	16	1.2 %
2	Very little or not very often	25	1.8 %
3	Moderately	36	2.7 %
4	More or very often	56	4.1 %
5	Extremely often or almost always	182	13.4 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	4	0.3 %
-201	IntCompStat = 4; missed interview	89	6.6 %
-101	ARSMA skipped: S1ARMSA_MexAm=NO	946	69.9 %
	Total	**1,354**	**100%**

Based upon 315 valid cases out of 1,354 total cases.

Location: 342-345 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S1ARMSA16: S1 ARSMA: Think in English

Value	Label	Unweighted Frequency	%
1	Not at all	8	0.6 %
2	Very little or not very often	5	0.4 %
3	Moderately	26	1.9 %
4	More or very often	57	4.2 %
5	Extremely often or almost always	219	16.2 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	4	0.3 %
-201	IntCompStat = 4; missed interview	89	6.6 %
-101	ARSMA skipped: S1ARMSA_MexAm=NO	946	69.9 %
	Total	**1,354**	**100%**

Based upon 315 valid cases out of 1,354 total cases.

Location: 346-349 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S1ARMSA17: S1 ARSMA: Think in Spanish

Value	Label	Unweighted Frequency	%
1	Not at all	150	11.1 %
2	Very little or not very often	42	3.1 %
3	Moderately	42	3.1 %
4	More or very often	38	2.8 %
5	Extremely often or almost always	43	3.2 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	4	0.3 %
-201	IntCompStat = 4; missed interview	89	6.6 %
-101	ARSMA skipped: S1ARMSA_MexAm=NO	946	69.9 %
	Total	**1,354**	**100%**

Based upon 315 valid cases out of 1,354 total cases.

Location: 350-353 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S1ARMSA18: S1 ARSMA: Contact with Mexico

Value	Label	Unweighted Frequency	%
1	Not at all	121	8.9 %
2	Very little or not very often	74	5.5 %
3	Moderately	57	4.2 %
4	More or very often	21	1.6 %

Value	Label	Unweighted Frequency	%
5	Extremely often or almost always	42	3.1 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	4	0.3 %
-201	IntCompStat = 4; missed interview	89	6.6 %
-101	ARSMA skipped: S1ARMSA_MexAm=NO	946	69.9 %
	Total	**1,354**	**100%**

Based upon 315 valid cases out of 1,354 total cases.

Location: 354-357 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S1ARMSA19: S1 ARSMA: Contact with USA

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	1	0.1 %
3	Moderately	10	0.7 %
4	More or very often	41	3.0 %
5	Extremely often or almost always	263	19.4 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	4	0.3 %
-201	IntCompStat = 4; missed interview	89	6.6 %
-101	ARSMA skipped: S1ARMSA_MexAm=NO	946	69.9 %
	Total	**1,354**	**100%**

Based upon 315 valid cases out of 1,354 total cases.

Location: 358-361 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S1ARMSA20: S1 ARSMA: Father is Mexicano

Value	Label	Unweighted Frequency	%
1	Not at all	44	3.2 %
2	Very little or not very often	13	1.0 %
3	Moderately	20	1.5 %
4	More or very often	19	1.4 %
5	Extremely often or almost always	208	15.4 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	4	0.3 %
-201	IntCompStat = 4; missed interview	89	6.6 %

Value	Label	Unweighted Frequency	%
-101	ARSMA skipped: S1ARMSA_MexAm=NO	946	69.9 %
-9	Dont Know	11	0.8 %
	Total	**1,354**	**100%**

Based upon 304 valid cases out of 1,354 total cases.

Location: 362-365 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S1ARMSA21: S1 ARSMA: Mother is Mexicano

Value	Label	Unweighted Frequency	%
1	Not at all	67	4.9 %
2	Very little or not very often	13	1.0 %
3	Moderately	24	1.8 %
4	More or very often	21	1.6 %
5	Extremely often or almost always	189	14.0 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	4	0.3 %
-201	IntCompStat = 4; missed interview	89	6.6 %
-101	ARSMA skipped: S1ARMSA_MexAm=NO	946	69.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 314 valid cases out of 1,354 total cases.

Location: 366-369 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S1ARMSA22: S1 ARSMA: Friends were Mexican

Value	Label	Unweighted Frequency	%
1	Not at all	21	1.6 %
2	Very little or not very often	14	1.0 %
3	Moderately	64	4.7 %
4	More or very often	58	4.3 %
5	Extremely often or almost always	158	11.7 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	4	0.3 %
-201	IntCompStat = 4; missed interview	89	6.6 %
-101	ARSMA skipped: S1ARMSA_MexAm=NO	946	69.9 %
	Total	**1,354**	**100%**

Based upon 315 valid cases out of 1,354 total cases.

Location: 370-373 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S1ARMSA23: S1 ARSMA: Friends were Anglo

Value	Label	Unweighted Frequency	%
1	Not at all	64	4.7 %
2	Very little or not very often	74	5.5 %
3	Moderately	112	8.3 %
4	More or very often	38	2.8 %
5	Extremely often or almost always	27	2.0 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	4	0.3 %
-201	IntCompStat = 4; missed interview	89	6.6 %
-101	ARSMA skipped: S1ARMSA_MexAm=NO	946	69.9 %
	Total	**1,354**	**100%**

Based upon 315 valid cases out of 1,354 total cases.

Location: 374-377 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S1ARMSA24: S1 ARSMA: Family cooks Mexican food

Value	Label	Unweighted Frequency	%
1	Not at all	4	0.3 %
2	Very little or not very often	7	0.5 %
3	Moderately	41	3.0 %
4	More or very often	40	3.0 %
5	Extremely often or almost always	223	16.5 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	4	0.3 %
-201	IntCompStat = 4; missed interview	89	6.6 %
-101	ARSMA skipped: S1ARMSA_MexAm=NO	946	69.9 %
	Total	**1,354**	**100%**

Based upon 315 valid cases out of 1,354 total cases.

Location: 378-381 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S1ARMSA25: S1 ARSMA: Friends now are Anglo

Value	Label	Unweighted Frequency	%
1	Not at all	63	4.7 %
2	Very little or not very often	78	5.8 %
3	Moderately	105	7.8 %
4	More or very often	40	3.0 %
5	Extremely often or almost always	29	2.1 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	4	0.3 %
-201	IntCompStat = 4; missed interview	89	6.6 %
-101	ARSMA skipped: S1ARMSA_MexAm=NO	946	69.9 %
	Total	**1,354**	**100%**

Based upon 315 valid cases out of 1,354 total cases.

Location: 382-385 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S1ARMSA26: S1 ARSMA: Friends now are Mexican

Value	Label	Unweighted Frequency	%
1	Not at all	8	0.6 %
2	Very little or not very often	9	0.7 %
3	Moderately	50	3.7 %
4	More or very often	86	6.4 %
5	Extremely often or almost always	162	12.0 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	4	0.3 %
-201	IntCompStat = 4; missed interview	89	6.6 %
-101	ARSMA skipped: S1ARMSA_MexAm=NO	946	69.9 %
	Total	**1,354**	**100%**

Based upon 315 valid cases out of 1,354 total cases.

Location: 386-389 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S1ARMSA27: S1 ARSMA: Identify self as Anglo American

Value	Label	Unweighted Frequency	%
1	Not at all	250	18.5 %
2	Very little or not very often	39	2.9 %
3	Moderately	11	0.8 %
4	More or very often	7	0.5 %

Value	Label	Unweighted Frequency	%
5	Extremely often or almost always	8	0.6 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	4	0.3 %
-201	IntCompStat = 4; missed interview	89	6.6 %
-101	ARSMA skipped: S1ARMSA_MexAm=NO	946	69.9 %
	Total	**1,354**	**100%**

Based upon 315 valid cases out of 1,354 total cases.

Location: 390-393 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S1ARMSA28: S1 ARSMA: Identify as Mexican American

Value	Label	Unweighted Frequency	%
1	Not at all	28	2.1 %
2	Very little or not very often	17	1.3 %
3	Moderately	25	1.8 %
4	More or very often	46	3.4 %
5	Extremely often or almost always	199	14.7 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	4	0.3 %
-201	IntCompStat = 4; missed interview	89	6.6 %
-101	ARSMA skipped: S1ARMSA_MexAm=NO	946	69.9 %
	Total	**1,354**	**100%**

Based upon 315 valid cases out of 1,354 total cases.

Location: 394-397 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S1ARMSA29: S1 ARSMA: Identify as Mexican

Value	Label	Unweighted Frequency	%
1	Not at all	51	3.8 %
2	Very little or not very often	24	1.8 %
3	Moderately	41	3.0 %
4	More or very often	37	2.7 %
5	Extremely often or almost always	162	12.0 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	4	0.3 %
-201	IntCompStat = 4; missed interview	89	6.6 %

Value	Label	Unweighted Frequency	%
-101	ARSMA skipped: S1ARMSA_MexAm=NO	946	69.9 %
	Total	**1,354**	**100%**

Based upon 315 valid cases out of 1,354 total cases.

Location: 398-401 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S1ARMSA30: S1 ARSMA: Identify as American

Value	Label	Unweighted Frequency	%
1	Not at all	41	3.0 %
2	Very little or not very often	28	2.1 %
3	Moderately	49	3.6 %
4	More or very often	53	3.9 %
5	Extremely often or almost always	144	10.6 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	4	0.3 %
-201	IntCompStat = 4; missed interview	89	6.6 %
-101	ARSMA skipped: S1ARMSA_MexAm=NO	946	69.9 %
	Total	**1,354**	**100%**

Based upon 315 valid cases out of 1,354 total cases.

Location: 402-405 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S1ARMSA31: S1 ARSMA: Difficult accept some Anglo ideas

Value	Label	Unweighted Frequency	%
1	Not at all	160	11.8 %
2	Very little or not very often	56	4.1 %
3	Moderately	75	5.5 %
4	More or very often	16	1.2 %
5	Extremely often or almost always	8	0.6 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	4	0.3 %
-201	IntCompStat = 4; missed interview	89	6.6 %
-101	ARSMA skipped: S1ARMSA_MexAm=NO	946	69.9 %
	Total	**1,354**	**100%**

Based upon 315 valid cases out of 1,354 total cases.

Location: 406-409 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S1ARMSA32: S1 ARSMA: Difficult accept some Anglo attitudes

Value	Label	Unweighted Frequency	%
1	Not at all	137	10.1 %
2	Very little or not very often	60	4.4 %
3	Moderately	76	5.6 %
4	More or very often	29	2.1 %
5	Extremely often or almost always	13	1.0 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	4	0.3 %
-201	IntCompStat = 4; missed interview	89	6.6 %
-101	ARSMA skipped: S1ARMSA_MexAm=NO	946	69.9 %
	Total	**1,354**	**100%**

Based upon 315 valid cases out of 1,354 total cases.

Location: 410-413 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S1ARMSA33: S1 ARSMA: Difficult accept some Anglo behaviors

Value	Label	Unweighted Frequency	%
1	Not at all	134	9.9 %
2	Very little or not very often	71	5.2 %
3	Moderately	73	5.4 %
4	More or very often	22	1.6 %
5	Extremely often or almost always	15	1.1 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	4	0.3 %
-201	IntCompStat = 4; missed interview	89	6.6 %
-101	ARSMA skipped: S1ARMSA_MexAm=NO	946	69.9 %
	Total	**1,354**	**100%**

Based upon 315 valid cases out of 1,354 total cases.

Location: 414-417 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S1ARMSA34: S1 ARSMA: Difficult accept some Anglo values

Value	Label	Unweighted Frequency	%
1	Not at all	159	11.7 %
2	Very little or not very often	56	4.1 %
3	Moderately	69	5.1 %
4	More or very often	20	1.5 %
5	Extremely often or almost always	11	0.8 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	4	0.3 %
-201	IntCompStat = 4; missed interview	89	6.6 %
-101	ARSMA skipped: S1ARMSA_MexAm=NO	946	69.9 %
	Total	**1,354**	**100%**

Based upon 315 valid cases out of 1,354 total cases.

Location: 418-421 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S1ARMSA35: S1 ARSMA: Difficult accept some Anglo customs

Value	Label	Unweighted Frequency	%
1	Not at all	164	12.1 %
2	Very little or not very often	61	4.5 %
3	Moderately	60	4.4 %
4	More or very often	20	1.5 %
5	Extremely often or almost always	10	0.7 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	4	0.3 %
-201	IntCompStat = 4; missed interview	89	6.6 %
-101	ARSMA skipped: S1ARMSA_MexAm=NO	946	69.9 %
	Total	**1,354**	**100%**

Based upon 315 valid cases out of 1,354 total cases.

Location: 422-425 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S1ARMSA36: S1 ARSMA: Difficult accept Anglos as close friends

Value	Label	Unweighted Frequency	%
1	Not at all	197	14.5 %
2	Very little or not very often	57	4.2 %
3	Moderately	36	2.7 %
4	More or very often	15	1.1 %

Value	Label	Unweighted Frequency	%
5	Extremely often or almost always	9	0.7 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	4	0.3 %
-201	IntCompStat = 4; missed interview	89	6.6 %
-101	ARSMA skipped: S1ARMSA_MexAm=NO	946	69.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 314 valid cases out of 1,354 total cases.

Location: 426-429 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S1ARMSA37: S1 ARSMA: Difficult accept some Mexican ideas

Value	Label	Unweighted Frequency	%
1	Not at all	176	13.0 %
2	Very little or not very often	49	3.6 %
3	Moderately	56	4.1 %
4	More or very often	20	1.5 %
5	Extremely often or almost always	14	1.0 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	4	0.3 %
-201	IntCompStat = 4; missed interview	89	6.6 %
-101	ARSMA skipped: S1ARMSA_MexAm=NO	946	69.9 %
	Total	**1,354**	**100%**

Based upon 315 valid cases out of 1,354 total cases.

Location: 430-433 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S1ARMSA38: S1 ARSMA: Difficult accept some Mexican attitudes

Value	Label	Unweighted Frequency	%
1	Not at all	156	11.5 %
2	Very little or not very often	59	4.4 %
3	Moderately	61	4.5 %
4	More or very often	24	1.8 %
5	Extremely often or almost always	15	1.1 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	4	0.3 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4; missed interview	89	6.6 %
-101	ARSMA skipped: S1ARMSA_MexAm=NO	946	69.9 %
	Total	**1,354**	**100%**

Based upon 315 valid cases out of 1,354 total cases.

Location: 434-437 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S1ARMSA39: S1 ARSMA: Difficult accept some Mexican behaviors

Value	Label	Unweighted Frequency	%
1	Not at all	152	11.2 %
2	Very little or not very often	65	4.8 %
3	Moderately	65	4.8 %
4	More or very often	22	1.6 %
5	Extremely often or almost always	11	0.8 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	4	0.3 %
-201	IntCompStat = 4; missed interview	89	6.6 %
-101	ARSMA skipped: S1ARMSA_MexAm=NO	946	69.9 %
	Total	**1,354**	**100%**

Based upon 315 valid cases out of 1,354 total cases.

Location: 438-441 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S1ARMSA40: S1 ARSMA: Difficult accept some Mexican values

Value	Label	Unweighted Frequency	%
1	Not at all	191	14.1 %
2	Very little or not very often	49	3.6 %
3	Moderately	50	3.7 %
4	More or very often	20	1.5 %
5	Extremely often or almost always	5	0.4 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	4	0.3 %
-201	IntCompStat = 4; missed interview	89	6.6 %
-101	ARSMA skipped: S1ARMSA_MexAm=NO	946	69.9 %
	Total	**1,354**	**100%**

Based upon 315 valid cases out of 1,354 total cases.

Location: 442-445 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S1ARMSA41: S1 ARSMA: Difficult accept some Mexican customs

Value	Label	Unweighted Frequency	%
1	Not at all	197	14.5 %
2	Very little or not very often	52	3.8 %
3	Moderately	48	3.5 %
4	More or very often	12	0.9 %
5	Extremely often or almost always	6	0.4 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	4	0.3 %
-201	IntCompStat = 4; missed interview	89	6.6 %
-101	ARSMA skipped: S1ARMSA_MexAm=NO	946	69.9 %
	Total	**1,354**	**100%**

Based upon 315 valid cases out of 1,354 total cases.

Location: 446-449 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S1ARMSA42: S1 ARSMA: Difficult accept Mexicans as close friends

Value	Label	Unweighted Frequency	%
1	Not at all	246	18.2 %
2	Very little or not very often	34	2.5 %
3	Moderately	24	1.8 %
4	More or very often	6	0.4 %
5	Extremely often or almost always	5	0.4 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	4	0.3 %
-201	IntCompStat = 4; missed interview	89	6.6 %
-101	ARSMA skipped: S1ARMSA_MexAm=NO	946	69.9 %
	Total	**1,354**	**100%**

Based upon 315 valid cases out of 1,354 total cases.

Location: 450-453 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S1ARMSA43: S1 ARSMA: Difficult accept ideas of Mex Amer

Value	Label	Unweighted Frequency	%
1	Not at all	205	15.1 %
2	Very little or not very often	55	4.1 %
3	Moderately	44	3.2 %
4	More or very often	6	0.4 %
5	Extremely often or almost always	5	0.4 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	4	0.3 %
-201	IntCompStat = 4; missed interview	89	6.6 %
-101	ARSMA skipped: S1ARMSA_MexAm=NO	946	69.9 %
	Total	**1,354**	**100%**

Based upon 315 valid cases out of 1,354 total cases.

Location: 454-457 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S1ARMSA44: S1 ARSMA: Difficult accept attitudes of Mex Amer

Value	Label	Unweighted Frequency	%
1	Not at all	178	13.1 %
2	Very little or not very often	59	4.4 %
3	Moderately	62	4.6 %
4	More or very often	10	0.7 %
5	Extremely often or almost always	6	0.4 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	4	0.3 %
-201	IntCompStat = 4; missed interview	89	6.6 %
-101	ARSMA skipped: S1ARMSA_MexAm=NO	946	69.9 %
	Total	**1,354**	**100%**

Based upon 315 valid cases out of 1,354 total cases.

Location: 458-461 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S1ARMSA45: S1 ARSMA: Difficult accept behaviors of Mex Amer

Value	Label	Unweighted Frequency	%
1	Not at all	171	12.6 %
2	Very little or not very often	69	5.1 %
3	Moderately	60	4.4 %
4	More or very often	8	0.6 %

Value	Label	Unweighted Frequency	%
5	Extremely often or almost always	7	0.5 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	4	0.3 %
-201	IntCompStat = 4; missed interview	89	6.6 %
-101	ARSMA skipped: S1ARMSA_MexAm=NO	946	69.9 %
	Total	**1,354**	**100%**

Based upon 315 valid cases out of 1,354 total cases.

Location: 462-465 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S1ARMSA46: S1 ARSMA: Difficult accept values of Mex Amer

Value	Label	Unweighted Frequency	%
1	Not at all	200	14.8 %
2	Very little or not very often	55	4.1 %
3	Moderately	49	3.6 %
4	More or very often	8	0.6 %
5	Extremely often or almost always	3	0.2 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	4	0.3 %
-201	IntCompStat = 4; missed interview	89	6.6 %
-101	ARSMA skipped: S1ARMSA_MexAm=NO	946	69.9 %
	Total	**1,354**	**100%**

Based upon 315 valid cases out of 1,354 total cases.

Location: 466-469 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S1ARMSA47: S1 ARSMA: Difficult accept customs of Mex Amer

Value	Label	Unweighted Frequency	%
1	Not at all	206	15.2 %
2	Very little or not very often	56	4.1 %
3	Moderately	46	3.4 %
4	More or very often	5	0.4 %
5	Extremely often or almost always	2	0.1 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	4	0.3 %
-201	IntCompStat = 4; missed interview	89	6.6 %

Value	Label	Unweighted Frequency	%
-101	ARSMA skipped: S1ARMSA_MexAm=NO	946	69.9 %
	Total	**1,354**	**100%**

Based upon 315 valid cases out of 1,354 total cases.

Location: 470-473 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S1ARMSA48: S1 ARSMA: Difficult accept Mex Amer as close friends

Value	Label	Unweighted Frequency	%
1	Not at all	250	18.5 %
2	Very little or not very often	36	2.7 %
3	Moderately	19	1.4 %
4	More or very often	7	0.5 %
5	Extremely often or almost always	3	0.2 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	4	0.3 %
-201	IntCompStat = 4; missed interview	89	6.6 %
-101	ARSMA skipped: S1ARMSA_MexAm=NO	946	69.9 %
	Total	**1,354**	**100%**

Based upon 315 valid cases out of 1,354 total cases.

Location: 474-477 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S1AOS: S1 ARSMA: Anglo Orientation Subscale

Based upon 315 valid cases out of 1,354 total cases.

- Mean: 4.0476190476
- Median: 4.0909090909
- Mode: 4.2727272727
- Minimum: 2.2727272727
- Maximum: 5.0000000000
- Standard Deviation: 0.5068507726

Location: 478-492 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S1ANGAFF: S1 ARSMA: Anglo Affiliation Subscale

Based upon 315 valid cases out of 1,354 total cases.

- Mean: 2.9089947090
- Median: 3.0000000000
- Mode: 3.0000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 1.0162377075

Location: 493-507 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S1ENGLNG: S1 ARSMA: English Language Subscale

Based upon 315 valid cases out of 1,354 total cases.

- Mean: 4.475
- Median: 4.625
- Mode: 5.000
- Minimum: 2.625
- Maximum: 5.000
- Standard Deviation: 0.527

Location: 508-515 (width: 8; decimal: 3)
Variable Type: numeric
(Range of) Missing Values: -700.000 , -300.000 , -202.000 , -201.000 , -100.000 , -9.000 , -8.000

S1MOS: S1 ARSMA: Mexican Orientation Subscale

Based upon 315 valid cases out of 1,354 total cases.

- Mean: 3.0251322751
- Median: 2.8333333333
- Mode: 5.0000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 1.0525844958

Location: 516-530 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S1MEXAFF: S1 ARSMA: Mexican Affiliation Subscale

Based upon 315 valid cases out of 1,354 total cases.

- Mean: 4.2201058201
- Median: 4.3333333333
- Mode: 5.0000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.8135994588

Location: 531-545 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S1SPALNG: S1 ARSMA: Spanish Language Subscale

Based upon 315 valid cases out of 1,354 total cases.

- Mean: 2.6268077601
- Median: 2.3333333333
- Mode: 1.0000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 1.2757139475

Location: 546-560 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S2ARMSA_MEXAM: S2 ARSMA: Consider yourself to be Mexican American

Value	Label	Unweighted Frequency	%
1	Yes	313	23.1 %
5	No	948	70.0 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	1	0.1 %
-201	IntCompStat = 4; missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 561-564 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S2ARMSA01: S2 ARSMA: Speak Spanish

Value	Label	Unweighted Frequency	%
1	Not at all	63	4.7 %
2	Very little or not very often	64	4.7 %
3	Moderately	47	3.5 %
4	More or very often	43	3.2 %
5	Extremely often or almost always	96	7.1 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	1	0.1 %
-201	IntCompStat = 4; missed interview	92	6.8 %
-101	ARSMA skipped: S2ARMSA_MexAm=NO	948	70.0 %
	Total	**1,354**	**100%**

Based upon 313 valid cases out of 1,354 total cases.

Location: 565-568 (width: 4; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S2ARMSA02: S2 ARSMA: Speak English

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	5	0.4 %
3	Moderately	15	1.1 %
4	More or very often	35	2.6 %
5	Extremely often or almost always	258	19.1 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	1	0.1 %
-201	IntCompStat = 4; missed interview	92	6.8 %
-101	ARSMA skipped: S2ARMSA_MexAm=NO	948	70.0 %
	Total	**1,354**	**100%**

Based upon 313 valid cases out of 1,354 total cases.

Location: 569-572 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S2ARMSA03: S2 ARSMA: Enjoy speaking Spanish

Value	Label	Unweighted Frequency	%
1	Not at all	74	5.5 %
2	Very little or not very often	50	3.7 %
3	Moderately	39	2.9 %
4	More or very often	45	3.3 %
5	Extremely often or almost always	103	7.6 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	1	0.1 %
-201	IntCompStat = 4; missed interview	92	6.8 %
-101	ARSMA skipped: S2ARMSA_MexAm=NO	948	70.0 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 311 valid cases out of 1,354 total cases.

Location: 573-576 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S2ARMSA04: S2 ARSMA: Associate w/anglos

Value	Label	Unweighted Frequency	%
1	Not at all	37	2.7 %
2	Very little or not very often	38	2.8 %
3	Moderately	77	5.7 %
4	More or very often	74	5.5 %
5	Extremely often or almost always	86	6.4 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	1	0.1 %
-201	IntCompStat = 4; missed interview	92	6.8 %
-101	ARSMA skipped: S2ARMSA_MexAm=NO	948	70.0 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 312 valid cases out of 1,354 total cases.

Location: 577-580 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S2ARMSA05: S2 ARSMA: Associate w/Mexicans/Mex Americans

Value	Label	Unweighted Frequency	%
1	Not at all	1	0.1 %
2	Very little or not very often	6	0.4 %
3	Moderately	24	1.8 %
4	More or very often	80	5.9 %
5	Extremely often or almost always	202	14.9 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	1	0.1 %
-201	IntCompStat = 4; missed interview	92	6.8 %
-101	ARSMA skipped: S2ARMSA_MexAm=NO	948	70.0 %
	Total	**1,354**	**100%**

Based upon 313 valid cases out of 1,354 total cases.

Location: 581-584 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S2ARMSA06: S2 ARSMA: Enjoy Spanish language music

Value	Label	Unweighted Frequency	%
1	Not at all	76	5.6 %
2	Very little or not very often	46	3.4 %
3	Moderately	53	3.9 %

Value	Label	Unweighted Frequency	%
4	More or very often	38	2.8 %
5	Extremely often or almost always	100	7.4 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	1	0.1 %
-201	IntCompStat = 4; missed interview	92	6.8 %
-101	ARSMA skipped: S2ARMSA_MexAm=NO	948	70.0 %
	Total	**1,354**	**100%**

Based upon 313 valid cases out of 1,354 total cases.

Location: 585-588 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S2ARMSA07: S2 ARSMA: Enjoy English speak music

Value	Label	Unweighted Frequency	%
1	Not at all	1	0.1 %
2	Very little or not very often	5	0.4 %
3	Moderately	18	1.3 %
4	More or very often	54	4.0 %
5	Extremely often or almost always	235	17.4 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	1	0.1 %
-201	IntCompStat = 4; missed interview	92	6.8 %
-101	ARSMA skipped: S2ARMSA_MexAm=NO	948	70.0 %
	Total	**1,354**	**100%**

Based upon 313 valid cases out of 1,354 total cases.

Location: 589-592 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S2ARMSA08: S2 ARSMA: Enjoy Spanish language TV

Value	Label	Unweighted Frequency	%
1	Not at all	99	7.3 %
2	Very little or not very often	42	3.1 %
3	Moderately	47	3.5 %
4	More or very often	35	2.6 %
5	Extremely often or almost always	90	6.6 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	1	0.1 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4; missed interview	92	6.8 %
-101	ARSMA skipped: S2ARMSA_MexAm=NO	948	70.0 %
	Total	**1,354**	**100%**

Based upon 313 valid cases out of 1,354 total cases.

Location: 593-596 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S2ARMSA09: S2 ARSMA: Enjoy English language TV

Value	Label	Unweighted Frequency	%
1	Not at all	3	0.2 %
2	Very little or not very often	6	0.4 %
3	Moderately	24	1.8 %
4	More or very often	53	3.9 %
5	Extremely often or almost always	227	16.8 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	1	0.1 %
-201	IntCompStat = 4; missed interview	92	6.8 %
-101	ARSMA skipped: S2ARMSA_MexAm=NO	948	70.0 %
	Total	**1,354**	**100%**

Based upon 313 valid cases out of 1,354 total cases.

Location: 597-600 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S2ARMSA10: S2 ARSMA: Enjoy English langguage movies

Value	Label	Unweighted Frequency	%
1	Not at all	3	0.2 %
2	Very little or not very often	4	0.3 %
3	Moderately	17	1.3 %
4	More or very often	51	3.8 %
5	Extremely often or almost always	238	17.6 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	1	0.1 %
-201	IntCompStat = 4; missed interview	92	6.8 %
-101	ARSMA skipped: S2ARMSA_MexAm=NO	948	70.0 %
	Total	**1,354**	**100%**

Based upon 313 valid cases out of 1,354 total cases.

Location: 601-604 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S2ARMSA11: S2 ARSMA: Enjoy Spanish language movies

Value	Label	Unweighted Frequency	%
1	Not at all	124	9.2 %
2	Very little or not very often	41	3.0 %
3	Moderately	42	3.1 %
4	More or very often	33	2.4 %
5	Extremely often or almost always	73	5.4 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	1	0.1 %
-201	IntCompStat = 4; missed interview	92	6.8 %
-101	ARSMA skipped: S2ARMSA_MexAm=NO	948	70.0 %
	Total	**1,354**	**100%**

Based upon 313 valid cases out of 1,354 total cases.

Location: 605-608 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S2ARMSA12: S2 ARSMA: Enjoy reading Spanish books

Value	Label	Unweighted Frequency	%
1	Not at all	183	13.5 %
2	Very little or not very often	43	3.2 %
3	Moderately	21	1.6 %
4	More or very often	25	1.8 %
5	Extremely often or almost always	41	3.0 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	1	0.1 %
-201	IntCompStat = 4; missed interview	92	6.8 %
-101	ARSMA skipped: S2ARMSA_MexAm=NO	948	70.0 %
	Total	**1,354**	**100%**

Based upon 313 valid cases out of 1,354 total cases.

Location: 609-612 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S2ARMSA13: S2 ARSMA: Enjoy reading English books

Value	Label	Unweighted Frequency	%
1	Not at all	44	3.2 %
2	Very little or not very often	41	3.0 %
3	Moderately	37	2.7 %
4	More or very often	49	3.6 %
5	Extremely often or almost always	142	10.5 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	1	0.1 %
-201	IntCompStat = 4; missed interview	92	6.8 %
-101	ARSMA skipped: S2ARMSA_MexAm=NO	948	70.0 %
	Total	**1,354**	**100%**

Based upon 313 valid cases out of 1,354 total cases.

Location: 613-616 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S2ARMSA14: S2 ARSMA: Write letters in Spanish

Value	Label	Unweighted Frequency	%
1	Not at all	172	12.7 %
2	Very little or not very often	38	2.8 %
3	Moderately	31	2.3 %
4	More or very often	19	1.4 %
5	Extremely often or almost always	53	3.9 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	1	0.1 %
-201	IntCompStat = 4; missed interview	92	6.8 %
-101	ARSMA skipped: S2ARMSA_MexAm=NO	948	70.0 %
	Total	**1,354**	**100%**

Based upon 313 valid cases out of 1,354 total cases.

Location: 617-620 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S2ARMSA15: S2 ARSMA: Write letters in English

Value	Label	Unweighted Frequency	%
1	Not at all	17	1.3 %
2	Very little or not very often	28	2.1 %
3	Moderately	32	2.4 %
4	More or very often	47	3.5 %

Value	Label	Unweighted Frequency	%
5	Extremely often or almost always	189	14.0 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	1	0.1 %
-201	IntCompStat = 4; missed interview	92	6.8 %
-101	ARSMA skipped: S2ARMSA_MexAm=NO	948	70.0 %
	Total	**1,354**	**100%**

Based upon 313 valid cases out of 1,354 total cases.

Location: 621-624 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S2ARMSA16: S2 ARSMA: Think in English

Value	Label	Unweighted Frequency	%
1	Not at all	7	0.5 %
2	Very little or not very often	7	0.5 %
3	Moderately	23	1.7 %
4	More or very often	58	4.3 %
5	Extremely often or almost always	218	16.1 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	1	0.1 %
-201	IntCompStat = 4; missed interview	92	6.8 %
-101	ARSMA skipped: S2ARMSA_MexAm=NO	948	70.0 %
	Total	**1,354**	**100%**

Based upon 313 valid cases out of 1,354 total cases.

Location: 625-628 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S2ARMSA17: S2 ARSMA: Think in Spanish

Value	Label	Unweighted Frequency	%
1	Not at all	145	10.7 %
2	Very little or not very often	48	3.5 %
3	Moderately	42	3.1 %
4	More or very often	30	2.2 %
5	Extremely often or almost always	48	3.5 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	1	0.1 %
-201	IntCompStat = 4; missed interview	92	6.8 %

Value	Label	Unweighted Frequency	%
-101	ARSMA skipped: S2ARMSA_MexAm=NO	948	70.0 %
	Total	**1,354**	**100%**

Based upon 313 valid cases out of 1,354 total cases.

Location: 629-632 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S2ARMSA18: S2 ARSMA: Contact with Mexico

Value	Label	Unweighted Frequency	%
1	Not at all	128	9.5 %
2	Very little or not very often	77	5.7 %
3	Moderately	46	3.4 %
4	More or very often	20	1.5 %
5	Extremely often or almost always	42	3.1 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	1	0.1 %
-201	IntCompStat = 4; missed interview	92	6.8 %
-101	ARSMA skipped: S2ARMSA_MexAm=NO	948	70.0 %
	Total	**1,354**	**100%**

Based upon 313 valid cases out of 1,354 total cases.

Location: 633-636 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S2ARMSA19: S2 ARSMA: Contact with USA

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	1	0.1 %
3	Moderately	16	1.2 %
4	More or very often	35	2.6 %
5	Extremely often or almost always	261	19.3 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	1	0.1 %
-201	IntCompStat = 4; missed interview	92	6.8 %
-101	ARSMA skipped: S2ARMSA_MexAm=NO	948	70.0 %
	Total	**1,354**	**100%**

Based upon 313 valid cases out of 1,354 total cases.

Location: 637-640 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S2ARMSA20: S2 ARSMA: Father is Mexicano

Value	Label	Unweighted Frequency	%
1	Not at all	38	2.8 %
2	Very little or not very often	13	1.0 %
3	Moderately	20	1.5 %
4	More or very often	29	2.1 %
5	Extremely often or almost always	199	14.7 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	1	0.1 %
-201	IntCompStat = 4; missed interview	92	6.8 %
-101	ARSMA skipped: S2ARMSA_MexAm=NO	948	70.0 %
-9	Dont Know	14	1.0 %
	Total	**1,354**	**100%**

Based upon 299 valid cases out of 1,354 total cases.

Location: 641-644 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S2ARMSA21: S2 ARSMA: Mother is Mexicano

Value	Label	Unweighted Frequency	%
1	Not at all	65	4.8 %
2	Very little or not very often	10	0.7 %
3	Moderately	22	1.6 %
4	More or very often	34	2.5 %
5	Extremely often or almost always	180	13.3 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	1	0.1 %
-201	IntCompStat = 4; missed interview	92	6.8 %
-101	ARSMA skipped: S2ARMSA_MexAm=NO	948	70.0 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 311 valid cases out of 1,354 total cases.

Location: 645-648 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S2ARMSA22: S2 ARSMA: Friends were Mexican

Value	Label	Unweighted Frequency	%
1	Not at all	11	0.8 %
2	Very little or not very often	17	1.3 %
3	Moderately	58	4.3 %
4	More or very often	71	5.2 %
5	Extremely often or almost always	156	11.5 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	1	0.1 %
-201	IntCompStat = 4; missed interview	92	6.8 %
-101	ARSMA skipped: S2ARMSA_MexAm=NO	948	70.0 %
	Total	**1,354**	**100%**

Based upon 313 valid cases out of 1,354 total cases.

Location: 649-652 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S2ARMSA23: S2 ARSMA: Friends were Anglo

Value	Label	Unweighted Frequency	%
1	Not at all	60	4.4 %
2	Very little or not very often	84	6.2 %
3	Moderately	89	6.6 %
4	More or very often	41	3.0 %
5	Extremely often or almost always	39	2.9 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	1	0.1 %
-201	IntCompStat = 4; missed interview	92	6.8 %
-101	ARSMA skipped: S2ARMSA_MexAm=NO	948	70.0 %
	Total	**1,354**	**100%**

Based upon 313 valid cases out of 1,354 total cases.

Location: 653-656 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S2ARMSA24: S2 ARSMA: Family cooks Mexican food

Value	Label	Unweighted Frequency	%
1	Not at all	3	0.2 %
2	Very little or not very often	9	0.7 %

Value	Label	Unweighted Frequency	%
3	Moderately	29	2.1 %
4	More or very often	62	4.6 %
5	Extremely often or almost always	210	15.5 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	1	0.1 %
-201	IntCompStat = 4; missed interview	92	6.8 %
-101	ARSMA skipped: S2ARMSA_MexAm=NO	948	70.0 %
	Total	**1,354**	**100%**

Based upon 313 valid cases out of 1,354 total cases.

Location: 657-660 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S2ARMSA25: S2 ARSMA: Friends now are Anglo

Value	Label	Unweighted Frequency	%
1	Not at all	56	4.1 %
2	Very little or not very often	83	6.1 %
3	Moderately	92	6.8 %
4	More or very often	45	3.3 %
5	Extremely often or almost always	37	2.7 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	1	0.1 %
-201	IntCompStat = 4; missed interview	92	6.8 %
-101	ARSMA skipped: S2ARMSA_MexAm=NO	948	70.0 %
	Total	**1,354**	**100%**

Based upon 313 valid cases out of 1,354 total cases.

Location: 661-664 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S2ARMSA26: S2 ARSMA: Friends now are Mexican

Value	Label	Unweighted Frequency	%
1	Not at all	9	0.7 %
2	Very little or not very often	11	0.8 %
3	Moderately	54	4.0 %
4	More or very often	86	6.4 %
5	Extremely often or almost always	153	11.3 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2; partial interview, data missing	1	0.1 %
-201	IntCompStat = 4; missed interview	92	6.8 %
-101	ARSMA skipped: S2ARMSA_MexAm=NO	948	70.0 %
	Total	**1,354**	**100%**

Based upon 313 valid cases out of 1,354 total cases.

Location: 665-668 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S2ARMSA27: S2 ARSMA: Identify self as Anglo American

Value	Label	Unweighted Frequency	%
1	Not at all	251	18.5 %
2	Very little or not very often	30	2.2 %
3	Moderately	14	1.0 %
4	More or very often	9	0.7 %
5	Extremely often or almost always	9	0.7 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	1	0.1 %
-201	IntCompStat = 4; missed interview	92	6.8 %
-101	ARSMA skipped: S2ARMSA_MexAm=NO	948	70.0 %
	Total	**1,354**	**100%**

Based upon 313 valid cases out of 1,354 total cases.

Location: 669-672 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S2ARMSA28: S2 ARSMA: Identify as Mexican American

Value	Label	Unweighted Frequency	%
1	Not at all	34	2.5 %
2	Very little or not very often	14	1.0 %
3	Moderately	29	2.1 %
4	More or very often	50	3.7 %
5	Extremely often or almost always	186	13.7 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	1	0.1 %
-201	IntCompStat = 4; missed interview	92	6.8 %
-101	ARSMA skipped: S2ARMSA_MexAm=NO	948	70.0 %
	Total	**1,354**	**100%**

Based upon 313 valid cases out of 1,354 total cases.

Location: 673-676 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S2ARMSA29: S2 ARSMA: Identify as Mexican

Value	Label	Unweighted Frequency	%
1	Not at all	48	3.5 %
2	Very little or not very often	20	1.5 %
3	Moderately	38	2.8 %
4	More or very often	47	3.5 %
5	Extremely often or almost always	160	11.8 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	1	0.1 %
-201	IntCompStat = 4; missed interview	92	6.8 %
-101	ARSMA skipped: S2ARMSA_MexAm=NO	948	70.0 %
	Total	**1,354**	**100%**

Based upon 313 valid cases out of 1,354 total cases.

Location: 677-680 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S2ARMSA30: S2 ARSMA: Identify as American

Value	Label	Unweighted Frequency	%
1	Not at all	48	3.5 %
2	Very little or not very often	21	1.6 %
3	Moderately	41	3.0 %
4	More or very often	52	3.8 %
5	Extremely often or almost always	150	11.1 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	1	0.1 %
-201	IntCompStat = 4; missed interview	92	6.8 %
-101	ARSMA skipped: S2ARMSA_MexAm=NO	948	70.0 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 312 valid cases out of 1,354 total cases.

Location: 681-684 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S2ARMSA31: S2 ARSMA: Difficult accept some Anglo ideas

Value	Label	Unweighted Frequency	%
1	Not at all	139	10.3 %
2	Very little or not very often	78	5.8 %
3	Moderately	66	4.9 %
4	More or very often	18	1.3 %
5	Extremely often or almost always	12	0.9 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	1	0.1 %
-201	IntCompStat = 4; missed interview	92	6.8 %
-101	ARSMA skipped: S2ARMSA_MexAm=NO	948	70.0 %
	Total	**1,354**	**100%**

Based upon 313 valid cases out of 1,354 total cases.

Location: 685-688 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S2ARMSA32: S2 ARSMA: Difficult accept some Anglo attitudes

Value	Label	Unweighted Frequency	%
1	Not at all	133	9.8 %
2	Very little or not very often	68	5.0 %
3	Moderately	66	4.9 %
4	More or very often	28	2.1 %
5	Extremely often or almost always	18	1.3 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	1	0.1 %
-201	IntCompStat = 4; missed interview	92	6.8 %
-101	ARSMA skipped: S2ARMSA_MexAm=NO	948	70.0 %
	Total	**1,354**	**100%**

Based upon 313 valid cases out of 1,354 total cases.

Location: 689-692 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S2ARMSA33: S2 ARSMA: Difficult accept some Anglo behaviors

Value	Label	Unweighted Frequency	%
1	Not at all	129	9.5 %
2	Very little or not very often	71	5.2 %

Value	Label	Unweighted Frequency	%
3	Moderately	77	5.7 %
4	More or very often	19	1.4 %
5	Extremely often or almost always	17	1.3 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	1	0.1 %
-201	IntCompStat = 4; missed interview	92	6.8 %
-101	ARSMA skipped: S2ARMSA_MexAm=NO	948	70.0 %
	Total	**1,354**	**100%**

Based upon 313 valid cases out of 1,354 total cases.

Location: 693-696 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S2ARMSA34: S2 ARSMA: Difficult accept some Anglo values

Value	Label	Unweighted Frequency	%
1	Not at all	155	11.4 %
2	Very little or not very often	62	4.6 %
3	Moderately	69	5.1 %
4	More or very often	16	1.2 %
5	Extremely often or almost always	11	0.8 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	1	0.1 %
-201	IntCompStat = 4; missed interview	92	6.8 %
-101	ARSMA skipped: S2ARMSA_MexAm=NO	948	70.0 %
	Total	**1,354**	**100%**

Based upon 313 valid cases out of 1,354 total cases.

Location: 697-700 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S2ARMSA35: S2 ARSMA: Difficult accept some Anglo customs

Value	Label	Unweighted Frequency	%
1	Not at all	161	11.9 %
2	Very little or not very often	61	4.5 %
3	Moderately	67	4.9 %
4	More or very often	11	0.8 %
5	Extremely often or almost always	13	1.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2; partial interview, data missing	1	0.1 %
-201	IntCompStat = 4; missed interview	92	6.8 %
-101	ARSMA skipped: S2ARMSA_MexAm=NO	948	70.0 %
	Total	**1,354**	**100%**

Based upon 313 valid cases out of 1,354 total cases.

Location: 701-704 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S2ARMSA36: S2 ARSMA: Difficult accept Anglos as close friends

Value	Label	Unweighted Frequency	%
1	Not at all	203	15.0 %
2	Very little or not very often	53	3.9 %
3	Moderately	38	2.8 %
4	More or very often	12	0.9 %
5	Extremely often or almost always	7	0.5 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	1	0.1 %
-201	IntCompStat = 4; missed interview	92	6.8 %
-101	ARSMA skipped: S2ARMSA_MexAm=NO	948	70.0 %
	Total	**1,354**	**100%**

Based upon 313 valid cases out of 1,354 total cases.

Location: 705-708 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S2ARMSA37: S2 ARSMA: Difficult accept some Mexican ideas

Value	Label	Unweighted Frequency	%
1	Not at all	173	12.8 %
2	Very little or not very often	56	4.1 %
3	Moderately	58	4.3 %
4	More or very often	15	1.1 %
5	Extremely often or almost always	11	0.8 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	1	0.1 %
-201	IntCompStat = 4; missed interview	92	6.8 %
-101	ARSMA skipped: S2ARMSA_MexAm=NO	948	70.0 %
	Total	**1,354**	**100%**

Based upon 313 valid cases out of 1,354 total cases.

Location: 709-712 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S2ARMSA38: S2 ARSMA: Difficult accept some Mexican attitudes

Value	Label	Unweighted Frequency	%
1	Not at all	162	12.0 %
2	Very little or not very often	56	4.1 %
3	Moderately	67	4.9 %
4	More or very often	16	1.2 %
5	Extremely often or almost always	12	0.9 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	1	0.1 %
-201	IntCompStat = 4; missed interview	92	6.8 %
-101	ARSMA skipped: S2ARMSA_MexAm=NO	948	70.0 %
	Total	**1,354**	**100%**

Based upon 313 valid cases out of 1,354 total cases.

Location: 713-716 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S2ARMSA39: S2 ARSMA: Difficult accept some Mexican behaviors

Value	Label	Unweighted Frequency	%
1	Not at all	157	11.6 %
2	Very little or not very often	61	4.5 %
3	Moderately	67	4.9 %
4	More or very often	21	1.6 %
5	Extremely often or almost always	7	0.5 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	1	0.1 %
-201	IntCompStat = 4; missed interview	92	6.8 %
-101	ARSMA skipped: S2ARMSA_MexAm=NO	948	70.0 %
	Total	**1,354**	**100%**

Based upon 313 valid cases out of 1,354 total cases.

Location: 717-720 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S2ARMSA40: S2 ARSMA: Difficult accept some Mexican values

Value	Label	Unweighted Frequency	%
1	Not at all	191	14.1 %
2	Very little or not very often	56	4.1 %
3	Moderately	50	3.7 %
4	More or very often	11	0.8 %
5	Extremely often or almost always	5	0.4 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	1	0.1 %
-201	IntCompStat = 4; missed interview	92	6.8 %
-101	ARSMA skipped: S2ARMSA_MexAm=NO	948	70.0 %
	Total	**1,354**	**100%**

Based upon 313 valid cases out of 1,354 total cases.

Location: 721-724 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S2ARMSA41: S2 ARSMA: Difficult accept some Mexican customs

Value	Label	Unweighted Frequency	%
1	Not at all	199	14.7 %
2	Very little or not very often	56	4.1 %
3	Moderately	45	3.3 %
4	More or very often	10	0.7 %
5	Extremely often or almost always	3	0.2 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	1	0.1 %
-201	IntCompStat = 4; missed interview	92	6.8 %
-101	ARSMA skipped: S2ARMSA_MexAm=NO	948	70.0 %
	Total	**1,354**	**100%**

Based upon 313 valid cases out of 1,354 total cases.

Location: 725-728 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S2ARMSA42: S2 ARSMA: Difficult accept Mexicans as close friends

Value	Label	Unweighted Frequency	%
1	Not at all	246	18.2 %
2	Very little or not very often	34	2.5 %
3	Moderately	19	1.4 %
4	More or very often	8	0.6 %

Value	Label	Unweighted Frequency	%
5	Extremely often or almost always	6	0.4 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	1	0.1 %
-201	IntCompStat = 4; missed interview	92	6.8 %
-101	ARSMA skipped: S2ARMSA_MexAm=NO	948	70.0 %
	Total	**1,354**	**100%**

Based upon 313 valid cases out of 1,354 total cases.

Location: 729-732 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S2ARMSA43: S2 ARSMA: Difficult accept ideas of Mex Amer

Value	Label	Unweighted Frequency	%
1	Not at all	198	14.6 %
2	Very little or not very often	53	3.9 %
3	Moderately	45	3.3 %
4	More or very often	9	0.7 %
5	Extremely often or almost always	8	0.6 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	1	0.1 %
-201	IntCompStat = 4; missed interview	92	6.8 %
-101	ARSMA skipped: S2ARMSA_MexAm=NO	948	70.0 %
	Total	**1,354**	**100%**

Based upon 313 valid cases out of 1,354 total cases.

Location: 733-736 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S2ARMSA44: S2 ARSMA: Difficult accept attitudes of Mex Amer

Value	Label	Unweighted Frequency	%
1	Not at all	175	12.9 %
2	Very little or not very often	66	4.9 %
3	Moderately	53	3.9 %
4	More or very often	10	0.7 %
5	Extremely often or almost always	9	0.7 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	1	0.1 %
-201	IntCompStat = 4; missed interview	92	6.8 %

Value	Label	Unweighted Frequency	%
-101	ARSMA skipped: S2ARMSA_MexAm=NO	948	70.0 %
	Total	**1,354**	**100%**

Based upon 313 valid cases out of 1,354 total cases.

Location: 737-740 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S2ARMSA45: S2 ARSMA: Difficult accept behaviors of Mex Amer

Value	Label	Unweighted Frequency	%
1	Not at all	174	12.9 %
2	Very little or not very often	60	4.4 %
3	Moderately	57	4.2 %
4	More or very often	14	1.0 %
5	Extremely often or almost always	8	0.6 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	1	0.1 %
-201	IntCompStat = 4; missed interview	92	6.8 %
-101	ARSMA skipped: S2ARMSA_MexAm=NO	948	70.0 %
	Total	**1,354**	**100%**

Based upon 313 valid cases out of 1,354 total cases.

Location: 741-744 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S2ARMSA46: S2 ARSMA: Difficult accept values of Mex Amer

Value	Label	Unweighted Frequency	%
1	Not at all	200	14.8 %
2	Very little or not very often	56	4.1 %
3	Moderately	45	3.3 %
4	More or very often	8	0.6 %
5	Extremely often or almost always	4	0.3 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	1	0.1 %
-201	IntCompStat = 4; missed interview	92	6.8 %
-101	ARSMA skipped: S2ARMSA_MexAm=NO	948	70.0 %
	Total	**1,354**	**100%**

Based upon 313 valid cases out of 1,354 total cases.

Location: 745-748 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S2ARMSA47: S2 ARSMA: Difficult accept customs of Mex Amer

Value	Label	Unweighted Frequency	%
1	Not at all	203	15.0 %
2	Very little or not very often	52	3.8 %
3	Moderately	46	3.4 %
4	More or very often	6	0.4 %
5	Extremely often or almost always	6	0.4 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	1	0.1 %
-201	IntCompStat = 4; missed interview	92	6.8 %
-101	ARSMA skipped: S2ARMSA_MexAm=NO	948	70.0 %
	Total	**1,354**	**100%**

Based upon 313 valid cases out of 1,354 total cases.

Location: 749-752 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S2ARMSA48: S2 ARSMA: Difficult accept Mex Amer as close friends

Value	Label	Unweighted Frequency	%
1	Not at all	251	18.5 %
2	Very little or not very often	34	2.5 %
3	Moderately	19	1.4 %
4	More or very often	4	0.3 %
5	Extremely often or almost always	5	0.4 %
	Missing Data		
-202	IntCompStat = 2; partial interview, data missing	1	0.1 %
-201	IntCompStat = 4; missed interview	92	6.8 %
-101	ARSMA skipped: S2ARMSA_MexAm=NO	948	70.0 %
	Total	**1,354**	**100%**

Based upon 313 valid cases out of 1,354 total cases.

Location: 753-756 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S2AOS: S2 ARSMA: Anglo Orientation Subscale

Based upon 313 valid cases out of 1,354 total cases.

- Mean: 4.0587278536
- Median: 4.1818181818
- Mode: 4.3636363636
- Minimum: 2.4545454545
- Maximum: 5.0000000000
- Standard Deviation: 0.5725639291

Location: 757-771 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S2ANGAFF: S2 ARSMA: Anglo Affiliation Subscale

Based upon 313 valid cases out of 1,354 total cases.

- Mean: 2.9691160809
- Median: 3.0000000000
- Mode: 3.0000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 1.0851091788

Location: 772-786 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S2ENGLNG: S2 ARSMA: English Language Subscale

Based upon 313 valid cases out of 1,354 total cases.

- Mean: 4.466
- Median: 4.625
- Mode: 5.000
- Minimum: 2.500
- Maximum: 5.000
- Standard Deviation: 0.591

Location: 787-794 (width: 8; decimal: 3)
Variable Type: numeric
(Range of) Missing Values: -700.000 , -300.000 , -202.000 , -201.000 , -100.000 , -9.000 , -8.000

S2MOS: S2 ARSMA: Mexican Orientation Subscale

Based upon 313 valid cases out of 1,354 total cases.

- Mean: 3.0488914706
- Median: 2.8333333333
- Mode: 5.0000000000
- Minimum: 1.0833333333
- Maximum: 5.0000000000
- Standard Deviation: 1.0455060608

Location: 795-809 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S2MEXAFF: S2 ARSMA: Mexican Affiliation Subscale

Based upon 313 valid cases out of 1,354 total cases.

- Mean: 4.2598509052
- Median: 4.3333333333
- Mode: 5.0000000000
- Minimum: 1.3333333333
- Maximum: 5.0000000000
- Standard Deviation: 0.7476909225

Location: 810-824 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S2SPALNG: S2 ARSMA: Spanish Language Subscale

Based upon 313 valid cases out of 1,354 total cases.

- Mean: 2.6448349308
- Median: 2.3333333333
- Mode: 1.0000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 1.2855205210

Location: 825-839 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S3ARMSA_MEXAM: S3 ARSMA: Consider yourself to be Mexican American

Value	Label	Unweighted Frequency	%
1	Yes	311	23.0 %
5	No	918	67.8 %
	Missing Data		
-201	IntCompStat = 4; missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 840-843 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S3ARMSA01: S3 ARSMA: Speak Spanish

Value	Label	Unweighted Frequency	%
1	Not at all	67	4.9 %
2	Very little or not very often	60	4.4 %

Value	Label	Unweighted Frequency	%
3	Moderately	50	3.7 %
4	More or very often	38	2.8 %
5	Extremely often or almost always	95	7.0 %
	Missing Data		
-201	IntCompStat = 4; missed interview	125	9.2 %
-101	ARSMA skipped: S3ARMSA_MexAm=NO	918	67.8 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 844-847 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S3ARMSA02: S3 ARSMA: Speak English

Value	Label	Unweighted Frequency	%
1	Not at all	2	0.1 %
2	Very little or not very often	7	0.5 %
3	Moderately	19	1.4 %
4	More or very often	44	3.2 %
5	Extremely often or almost always	238	17.6 %
	Missing Data		
-201	IntCompStat = 4; missed interview	125	9.2 %
-101	ARSMA skipped: S3ARMSA_MexAm=NO	918	67.8 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 848-851 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S3ARMSA03: S3 ARSMA: Enjoy speaking Spanish

Value	Label	Unweighted Frequency	%
1	Not at all	79	5.8 %
2	Very little or not very often	39	2.9 %
3	Moderately	46	3.4 %
4	More or very often	38	2.8 %
5	Extremely often or almost always	107	7.9 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4; missed interview	125	9.2 %
-101	ARSMA skipped: S3ARMSA_MexAm=NO	918	67.8 %
-9	Dont Know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 309 valid cases out of 1,354 total cases.

Location: 852-855 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S3ARMSA04: S3 ARSMA: Associate w/anglos

Value	Label	Unweighted Frequency	%
1	Not at all	41	3.0 %
2	Very little or not very often	42	3.1 %
3	Moderately	74	5.5 %
4	More or very often	77	5.7 %
5	Extremely often or almost always	76	5.6 %
	Missing Data		
-201	IntCompStat = 4; missed interview	125	9.2 %
-101	ARSMA skipped: S3ARMSA_MexAm=NO	918	67.8 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 856-859 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S3ARMSA05: S3 ARSMA: Associate w/Mexicans/Mex Americans

Value	Label	Unweighted Frequency	%
1	Not at all	3	0.2 %
2	Very little or not very often	6	0.4 %
3	Moderately	34	2.5 %
4	More or very often	95	7.0 %
5	Extremely often or almost always	172	12.7 %
	Missing Data		
-201	IntCompStat = 4; missed interview	125	9.2 %
-101	ARSMA skipped: S3ARMSA_MexAm=NO	918	67.8 %
-8	Refused	1	0.1 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 860-863 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S3ARMSA06: S3 ARSMA: Enjoy Spanish language music

Value	Label	Unweighted Frequency	%
1	Not at all	76	5.6 %
2	Very little or not very often	51	3.8 %
3	Moderately	51	3.8 %
4	More or very often	38	2.8 %
5	Extremely often or almost always	94	6.9 %
	Missing Data		
-201	IntCompStat = 4; missed interview	125	9.2 %
-101	ARSMA skipped: S3ARMSA_MexAm=NO	918	67.8 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 864-867 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S3ARMSA07: S3 ARSMA: Enjoy English speak music

Value	Label	Unweighted Frequency	%
1	Not at all	2	0.1 %
2	Very little or not very often	6	0.4 %
3	Moderately	23	1.7 %
4	More or very often	57	4.2 %
5	Extremely often or almost always	222	16.4 %
	Missing Data		
-201	IntCompStat = 4; missed interview	125	9.2 %
-101	ARSMA skipped: S3ARMSA_MexAm=NO	918	67.8 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 868-871 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S3ARMSA08: S3 ARSMA: Enjoy Spanish language TV

Value	Label	Unweighted Frequency	%
1	Not at all	102	7.5 %
2	Very little or not very often	52	3.8 %
3	Moderately	48	3.5 %
4	More or very often	34	2.5 %
5	Extremely often or almost always	74	5.5 %
	Missing Data		
-201	IntCompStat = 4; missed interview	125	9.2 %
-101	ARSMA skipped: S3ARMSA_MexAm=NO	918	67.8 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 872-875 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S3ARMSA09: S3 ARSMA: Enjoy English language TV

Value	Label	Unweighted Frequency	%
1	Not at all	4	0.3 %
2	Very little or not very often	5	0.4 %
3	Moderately	20	1.5 %
4	More or very often	60	4.4 %
5	Extremely often or almost always	221	16.3 %
	Missing Data		
-201	IntCompStat = 4; missed interview	125	9.2 %
-101	ARSMA skipped: S3ARMSA_MexAm=NO	918	67.8 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 876-879 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S3ARMSA10: S3 ARSMA: Enjoy English langguage movies

Value	Label	Unweighted Frequency	%
1	Not at all	1	0.1 %

Value	Label	Unweighted Frequency	%
2	Very little or not very often	3	0.2 %
3	Moderately	12	0.9 %
4	More or very often	64	4.7 %
5	Extremely often or almost always	230	17.0 %
	Missing Data		
-201	IntCompStat = 4; missed interview	125	9.2 %
-101	ARSMA skipped: S3ARMSA_MexAm=NO	918	67.8 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 880-883 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S3ARMSA11: S3 ARSMA: Enjoy Spanish language movies

Value	Label	Unweighted Frequency	%
1	Not at all	130	9.6 %
2	Very little or not very often	50	3.7 %
3	Moderately	28	2.1 %
4	More or very often	32	2.4 %
5	Extremely often or almost always	70	5.2 %
	Missing Data		
-201	IntCompStat = 4; missed interview	125	9.2 %
-101	ARSMA skipped: S3ARMSA_MexAm=NO	918	67.8 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 884-887 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S3ARMSA12: S3 ARSMA: Enjoy reading Spanish books

Value	Label	Unweighted Frequency	%
1	Not at all	189	14.0 %
2	Very little or not very often	35	2.6 %
3	Moderately	28	2.1 %
4	More or very often	18	1.3 %
5	Extremely often or almost always	39	2.9 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-201	IntCompStat = 4; missed interview	125	9.2 %
-101	ARSMA skipped: S3ARMSA_MexAm=NO	918	67.8 %
-9	Dont Know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 309 valid cases out of 1,354 total cases.

Location: 888-891 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S3ARMSA13: S3 ARSMA: Enjoy reading English books

Value	Label	Unweighted Frequency	%
1	Not at all	46	3.4 %
2	Very little or not very often	35	2.6 %
3	Moderately	50	3.7 %
4	More or very often	42	3.1 %
5	Extremely often or almost always	137	10.1 %
	Missing Data		
-201	IntCompStat = 4; missed interview	125	9.2 %
-101	ARSMA skipped: S3ARMSA_MexAm=NO	918	67.8 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 892-895 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S3ARMSA14: S3 ARSMA: Write letters in Spanish

Value	Label	Unweighted Frequency	%
1	Not at all	171	12.6 %
2	Very little or not very often	33	2.4 %
3	Moderately	37	2.7 %
4	More or very often	20	1.5 %
5	Extremely often or almost always	49	3.6 %
	Missing Data		
-201	IntCompStat = 4; missed interview	125	9.2 %
-101	ARSMA skipped: S3ARMSA_MexAm=NO	918	67.8 %

Value	Label	Unweighted Frequency	%
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 896-899 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S3ARMSA15: S3 ARSMA: Write letters in English

Value	Label	Unweighted Frequency	%
1	Not at all	18	1.3 %
2	Very little or not very often	31	2.3 %
3	Moderately	35	2.6 %
4	More or very often	52	3.8 %
5	Extremely often or almost always	174	12.9 %
	Missing Data		
-201	IntCompStat = 4; missed interview	125	9.2 %
-101	ARSMA skipped: S3ARMSA_MexAm=NO	918	67.8 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 900-903 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S3ARMSA16: S3 ARSMA: Think in English

Value	Label	Unweighted Frequency	%
1	Not at all	10	0.7 %
2	Very little or not very often	6	0.4 %
3	Moderately	28	2.1 %
4	More or very often	54	4.0 %
5	Extremely often or almost always	212	15.7 %
	Missing Data		
-201	IntCompStat = 4; missed interview	125	9.2 %
-101	ARSMA skipped: S3ARMSA_MexAm=NO	918	67.8 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 904-907 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S3ARMSA17: S3 ARSMA: Think in Spanish

Value	Label	Unweighted Frequency	%
1	Not at all	151	11.2 %
2	Very little or not very often	37	2.7 %
3	Moderately	51	3.8 %
4	More or very often	25	1.8 %
5	Extremely often or almost always	46	3.4 %
	Missing Data		
-201	IntCompStat = 4; missed interview	125	9.2 %
-101	ARSMA skipped: S3ARMSA_MexAm=NO	918	67.8 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 908-911 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S3ARMSA18: S3 ARSMA: Contact with Mexico

Value	Label	Unweighted Frequency	%
1	Not at all	148	10.9 %
2	Very little or not very often	51	3.8 %
3	Moderately	47	3.5 %
4	More or very often	21	1.6 %
5	Extremely often or almost always	43	3.2 %
	Missing Data		
-201	IntCompStat = 4; missed interview	125	9.2 %
-101	ARSMA skipped: S3ARMSA_MexAm=NO	918	67.8 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 912-915 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S3ARMSA19: S3 ARSMA: Contact with USA

Value	Label	Unweighted Frequency	%
1	Not at all	3	0.2 %
2	Very little or not very often	3	0.2 %
3	Moderately	11	0.8 %
4	More or very often	24	1.8 %
5	Extremely often or almost always	269	19.9 %
	Missing Data		
-201	IntCompStat = 4; missed interview	125	9.2 %
-101	ARSMA skipped: S3ARMSA_MexAm=NO	918	67.8 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 916-919 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S3ARMSA20: S3 ARSMA: Father is Mexicano

Value	Label	Unweighted Frequency	%
1	Not at all	26	1.9 %
2	Very little or not very often	9	0.7 %
3	Moderately	18	1.3 %
4	More or very often	31	2.3 %
5	Extremely often or almost always	209	15.4 %
	Missing Data		
-201	IntCompStat = 4; missed interview	125	9.2 %
-101	ARSMA skipped: S3ARMSA_MexAm=NO	918	67.8 %
-9	Dont Know	17	1.3 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 293 valid cases out of 1,354 total cases.

Location: 920-923 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S3ARMSA21: S3 ARSMA: Mother is Mexicano

Value	Label	Unweighted Frequency	%
1	Not at all	47	3.5 %
2	Very little or not very often	17	1.3 %
3	Moderately	15	1.1 %

Value	Label	Unweighted Frequency	%
4	More or very often	29	2.1 %
5	Extremely often or almost always	198	14.6 %
	Missing Data		
-201	IntCompStat = 4; missed interview	125	9.2 %
-101	ARSMA skipped: S3ARMSA_MexAm=NO	918	67.8 %
-9	Dont Know	4	0.3 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 306 valid cases out of 1,354 total cases.

Location: 924-927 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S3ARMSA22: S3 ARSMA: Friends were Mexican

Value	Label	Unweighted Frequency	%
1	Not at all	7	0.5 %
2	Very little or not very often	13	1.0 %
3	Moderately	50	3.7 %
4	More or very often	90	6.6 %
5	Extremely often or almost always	149	11.0 %
	Missing Data		
-201	IntCompStat = 4; missed interview	125	9.2 %
-101	ARSMA skipped: S3ARMSA_MexAm=NO	918	67.8 %
-9	Dont Know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 309 valid cases out of 1,354 total cases.

Location: 928-931 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S3ARMSA23: S3 ARSMA: Friends were Anglo

Value	Label	Unweighted Frequency	%
1	Not at all	68	5.0 %
2	Very little or not very often	73	5.4 %
3	Moderately	102	7.5 %
4	More or very often	34	2.5 %
5	Extremely often or almost always	33	2.4 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-201	IntCompStat = 4; missed interview	125	9.2 %
-101	ARSMA skipped: S3ARMSA_MexAm=NO	918	67.8 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 932-935 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S3ARMSA24: S3 ARSMA: Family cooks Mexican food

Value	Label	Unweighted Frequency	%
1	Not at all	3	0.2 %
2	Very little or not very often	9	0.7 %
3	Moderately	26	1.9 %
4	More or very often	60	4.4 %
5	Extremely often or almost always	212	15.7 %
	Missing Data		
-201	IntCompStat = 4; missed interview	125	9.2 %
-101	ARSMA skipped: S3ARMSA_MexAm=NO	918	67.8 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 936-939 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S3ARMSA25: S3 ARSMA: Friends now are Anglo

Value	Label	Unweighted Frequency	%
1	Not at all	66	4.9 %
2	Very little or not very often	87	6.4 %
3	Moderately	96	7.1 %
4	More or very often	37	2.7 %
5	Extremely often or almost always	23	1.7 %
	Missing Data		
-201	IntCompStat = 4; missed interview	125	9.2 %
-101	ARSMA skipped: S3ARMSA_MexAm=NO	918	67.8 %
-9	Dont Know	1	0.1 %

Value	Label	Unweighted Frequency	%
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 309 valid cases out of 1,354 total cases.

Location: 940-943 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S3ARMSA26: S3 ARSMA: Friends now are Mexican

Value	Label	Unweighted Frequency	%
1	Not at all	6	0.4 %
2	Very little or not very often	7	0.5 %
3	Moderately	59	4.4 %
4	More or very often	98	7.2 %
5	Extremely often or almost always	140	10.3 %
	Missing Data		
-201	IntCompStat = 4; missed interview	125	9.2 %
-101	ARSMA skipped: S3ARMSA_MexAm=NO	918	67.8 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 944-947 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S3ARMSA27: S3 ARSMA: Identify self as Anglo American

Value	Label	Unweighted Frequency	%
1	Not at all	259	19.1 %
2	Very little or not very often	24	1.8 %
3	Moderately	18	1.3 %
4	More or very often	3	0.2 %
5	Extremely often or almost always	6	0.4 %
	Missing Data		
-201	IntCompStat = 4; missed interview	125	9.2 %
-101	ARSMA skipped: S3ARMSA_MexAm=NO	918	67.8 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 948-951 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S3ARMSA28: S3 ARSMA: Identify as Mexican American

Value	Label	Unweighted Frequency	%
1	Not at all	36	2.7 %
2	Very little or not very often	18	1.3 %
3	Moderately	23	1.7 %
4	More or very often	42	3.1 %
5	Extremely often or almost always	191	14.1 %
	Missing Data		
-201	IntCompStat = 4; missed interview	125	9.2 %
-101	ARSMA skipped: S3ARMSA_MexAm=NO	918	67.8 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 952-955 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S3ARMSA29: S3 ARSMA: Identify as Mexican

Value	Label	Unweighted Frequency	%
1	Not at all	44	3.2 %
2	Very little or not very often	23	1.7 %
3	Moderately	35	2.6 %
4	More or very often	38	2.8 %
5	Extremely often or almost always	169	12.5 %
	Missing Data		
-201	IntCompStat = 4; missed interview	125	9.2 %
-101	ARSMA skipped: S3ARMSA_MexAm=NO	918	67.8 %
-9	Dont Know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 309 valid cases out of 1,354 total cases.

Location: 956-959 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S3ARMSA30: S3 ARSMA: Identify as American

Value	Label	Unweighted Frequency	%
1	Not at all	51	3.8 %
2	Very little or not very often	28	2.1 %
3	Moderately	42	3.1 %
4	More or very often	49	3.6 %
5	Extremely often or almost always	140	10.3 %
	Missing Data		
-201	IntCompStat = 4; missed interview	125	9.2 %
-101	ARSMA skipped: S3ARMSA_MexAm=NO	918	67.8 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 960-963 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S3ARMSA31: S3 ARSMA: Difficult accept some Anglo ideas

Value	Label	Unweighted Frequency	%
1	Not at all	157	11.6 %
2	Very little or not very often	68	5.0 %
3	Moderately	54	4.0 %
4	More or very often	18	1.3 %
5	Extremely often or almost always	13	1.0 %
	Missing Data		
-201	IntCompStat = 4; missed interview	125	9.2 %
-101	ARSMA skipped: S3ARMSA_MexAm=NO	918	67.8 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 964-967 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S3ARMSA32: S3 ARSMA: Difficult accept some Anglo attitudes

Value	Label	Unweighted Frequency	%
1	Not at all	147	10.9 %
2	Very little or not very often	68	5.0 %
3	Moderately	54	4.0 %
4	More or very often	23	1.7 %

Value	Label	Unweighted Frequency	%
5	Extremely often or almost always	17	1.3 %
	Missing Data		
-201	IntCompStat = 4; missed interview	125	9.2 %
-101	ARSMA skipped: S3ARMSA_MexAm=NO	918	67.8 %
-9	Dont Know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 309 valid cases out of 1,354 total cases.

Location: 968-971 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S3ARMSA33: S3 ARSMA: Difficult accept some Anglo behaviors

Value	Label	Unweighted Frequency	%
1	Not at all	145	10.7 %
2	Very little or not very often	68	5.0 %
3	Moderately	56	4.1 %
4	More or very often	25	1.8 %
5	Extremely often or almost always	16	1.2 %
	Missing Data		
-201	IntCompStat = 4; missed interview	125	9.2 %
-101	ARSMA skipped: S3ARMSA_MexAm=NO	918	67.8 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 972-975 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S3ARMSA34: S3 ARSMA: Difficult accept some Anglo values

Value	Label	Unweighted Frequency	%
1	Not at all	165	12.2 %
2	Very little or not very often	62	4.6 %
3	Moderately	53	3.9 %
4	More or very often	18	1.3 %
5	Extremely often or almost always	12	0.9 %
	Missing Data		
-201	IntCompStat = 4; missed interview	125	9.2 %

Value	Label	Unweighted Frequency	%
-101	ARSMA skipped: S3ARMSA_MexAm=NO	918	67.8 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 976-979 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S3ARMSA35: S3 ARSMA: Difficult accept some Anglo customs

Value	Label	Unweighted Frequency	%
1	Not at all	161	11.9 %
2	Very little or not very often	72	5.3 %
3	Moderately	53	3.9 %
4	More or very often	13	1.0 %
5	Extremely often or almost always	11	0.8 %
	Missing Data		
-201	IntCompStat = 4; missed interview	125	9.2 %
-101	ARSMA skipped: S3ARMSA_MexAm=NO	918	67.8 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 980-983 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S3ARMSA36: S3 ARSMA: Difficult accept Anglos as close friends

Value	Label	Unweighted Frequency	%
1	Not at all	194	14.3 %
2	Very little or not very often	63	4.7 %
3	Moderately	32	2.4 %
4	More or very often	9	0.7 %
5	Extremely often or almost always	12	0.9 %
	Missing Data		
-201	IntCompStat = 4; missed interview	125	9.2 %
-101	ARSMA skipped: S3ARMSA_MexAm=NO	918	67.8 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 984-987 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S3ARMSA37: S3 ARSMA: Difficult accept some Mexican ideas

Value	Label	Unweighted Frequency	%
1	Not at all	184	13.6 %
2	Very little or not very often	62	4.6 %
3	Moderately	42	3.1 %
4	More or very often	14	1.0 %
5	Extremely often or almost always	8	0.6 %
	Missing Data		
-201	IntCompStat = 4; missed interview	125	9.2 %
-101	ARSMA skipped: S3ARMSA_MexAm=NO	918	67.8 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 988-991 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S3ARMSA38: S3 ARSMA: Difficult accept some Mexican attitudes

Value	Label	Unweighted Frequency	%
1	Not at all	171	12.6 %
2	Very little or not very often	67	4.9 %
3	Moderately	49	3.6 %
4	More or very often	13	1.0 %
5	Extremely often or almost always	10	0.7 %
	Missing Data		
-201	IntCompStat = 4; missed interview	125	9.2 %
-101	ARSMA skipped: S3ARMSA_MexAm=NO	918	67.8 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 992-995 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S3ARMSA39: S3 ARSMA: Difficult accept some Mexican behaviors

Value	Label	Unweighted Frequency	%
1	Not at all	167	12.3 %
2	Very little or not very often	74	5.5 %
3	Moderately	46	3.4 %
4	More or very often	15	1.1 %
5	Extremely often or almost always	8	0.6 %
	Missing Data		
-201	IntCompStat = 4; missed interview	125	9.2 %
-101	ARSMA skipped: S3ARMSA_MexAm=NO	918	67.8 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 996-999 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S3ARMSA40: S3 ARSMA: Difficult accept some Mexican values

Value	Label	Unweighted Frequency	%
1	Not at all	195	14.4 %
2	Very little or not very often	62	4.6 %
3	Moderately	36	2.7 %
4	More or very often	9	0.7 %
5	Extremely often or almost always	8	0.6 %
	Missing Data		
-201	IntCompStat = 4; missed interview	125	9.2 %
-101	ARSMA skipped: S3ARMSA_MexAm=NO	918	67.8 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 1000-1003 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S3ARMSA41: S3 ARSMA: Difficult accept some Mexican customs

Value	Label	Unweighted Frequency	%
1	Not at all	202	14.9 %
2	Very little or not very often	65	4.8 %
3	Moderately	29	2.1 %
4	More or very often	9	0.7 %

Value	Label	Unweighted Frequency	%
5	Extremely often or almost always	5	0.4 %
	Missing Data		
-201	IntCompStat = 4; missed interview	125	9.2 %
-101	ARSMA skipped: S3ARMSA_MexAm=NO	918	67.8 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 1004-1007 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S3ARMSA42: S3 ARSMA: Difficult accept Mexicans as close friends

Value	Label	Unweighted Frequency	%
1	Not at all	246	18.2 %
2	Very little or not very often	43	3.2 %
3	Moderately	10	0.7 %
4	More or very often	7	0.5 %
5	Extremely often or almost always	4	0.3 %
	Missing Data		
-201	IntCompStat = 4; missed interview	125	9.2 %
-101	ARSMA skipped: S3ARMSA_MexAm=NO	918	67.8 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 1008-1011 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S3ARMSA43: S3 ARSMA: Difficult accept ideas of Mex Amer

Value	Label	Unweighted Frequency	%
1	Not at all	202	14.9 %
2	Very little or not very often	55	4.1 %
3	Moderately	41	3.0 %
4	More or very often	2	0.1 %
5	Extremely often or almost always	9	0.7 %
	Missing Data		
-201	IntCompStat = 4; missed interview	125	9.2 %
-101	ARSMA skipped: S3ARMSA_MexAm=NO	918	67.8 %

Value	Label	Unweighted Frequency	%
-9	Dont Know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 309 valid cases out of 1,354 total cases.

Location: 1012-1015 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S3ARMSA44: S3 ARSMA: Difficult accept attitudes of Mex Amer

Value	Label	Unweighted Frequency	%
1	Not at all	186	13.7 %
2	Very little or not very often	64	4.7 %
3	Moderately	47	3.5 %
4	More or very often	4	0.3 %
5	Extremely often or almost always	9	0.7 %
	Missing Data		
-201	IntCompStat = 4; missed interview	125	9.2 %
-101	ARSMA skipped: S3ARMSA_MexAm=NO	918	67.8 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 1016-1019 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S3ARMSA45: S3 ARSMA: Difficult accept behaviors of Mex Amer

Value	Label	Unweighted Frequency	%
1	Not at all	177	13.1 %
2	Very little or not very often	70	5.2 %
3	Moderately	45	3.3 %
4	More or very often	9	0.7 %
5	Extremely often or almost always	9	0.7 %
	Missing Data		
-201	IntCompStat = 4; missed interview	125	9.2 %
-101	ARSMA skipped: S3ARMSA_MexAm=NO	918	67.8 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 1020-1023 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S3ARMSA46: S3 ARSMA: Difficult accept values of Mex Amer

Value	Label	Unweighted Frequency	%
1	Not at all	201	14.8 %
2	Very little or not very often	61	4.5 %
3	Moderately	30	2.2 %
4	More or very often	10	0.7 %
5	Extremely often or almost always	8	0.6 %
	Missing Data		
-201	IntCompStat = 4; missed interview	125	9.2 %
-101	ARSMA skipped: S3ARMSA_MexAm=NO	918	67.8 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 1024-1027 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S3ARMSA47: S3 ARSMA: Difficult accept customs of Mex Amer

Value	Label	Unweighted Frequency	%
1	Not at all	199	14.7 %
2	Very little or not very often	66	4.9 %
3	Moderately	30	2.2 %
4	More or very often	7	0.5 %
5	Extremely often or almost always	8	0.6 %
	Missing Data		
-201	IntCompStat = 4; missed interview	125	9.2 %
-101	ARSMA skipped: S3ARMSA_MexAm=NO	918	67.8 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 1028-1031 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S3ARMSA48: S3 ARSMA: Difficult accept Mex Amer as close friends

Value	Label	Unweighted Frequency	%
1	Not at all	248	18.3 %
2	Very little or not very often	40	3.0 %
3	Moderately	11	0.8 %
4	More or very often	4	0.3 %
5	Extremely often or almost always	7	0.5 %
	Missing Data		
-201	IntCompStat = 4; missed interview	125	9.2 %
-101	ARSMA skipped: S3ARMSA_MexAm=NO	918	67.8 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 1032-1035 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S3AOS: S3 ARSMA: Anglo Orientation Subscale

Based upon 310 valid cases out of 1,354 total cases.

- Mean: 3.9961290323
- Median: 4.0909090909
- Mode: 4.0909090909
- Minimum: 1.3636363636
- Maximum: 5.0000000000
- Standard Deviation: 0.5889965640

Location: 1036-1050 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S3ANGAFF: S3 ARSMA: Anglo Affiliation Subscale

Based upon 310 valid cases out of 1,354 total cases.

- Mean: 2.8505376344
- Median: 3.0000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 1.0456454444

Location: 1051-1065 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S3ENGLNG: S3 ARSMA: English Language Subscale

Based upon 310 valid cases out of 1,354 total cases.

- Mean: 4.425
- Median: 4.500
- Mode: 5.000
- Minimum: 1.375
- Maximum: 5.000
- Standard Deviation: 0.603

Location: 1066-1073 (width: 8; decimal: 3)
Variable Type: numeric
(Range of) Missing Values: -700.000 , -300.000 , -202.000 , -201.000 , -100.000 , -9.000 , -8.000

S3MOS: S3 ARSMA: Mexican Orientation Subscale

Based upon 310 valid cases out of 1,354 total cases.

- Mean: 3.0020478983
- Median: 2.8333333333
- Mode: 5.0000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 1.0355747079

Location: 1074-1088 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S3MEXAFF: S3 ARSMA: Mexican Affiliation Subscale

Based upon 310 valid cases out of 1,354 total cases.

- Mean: 4.2354838710
- Median: 4.3333333333
- Mode: 5.0000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.7791528368

Location: 1089-1103 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S3SPALNG: S3 ARSMA: Spanish Language Subscale

Based upon 310 valid cases out of 1,354 total cases.

- Mean: 2.5916026626
- Median: 2.3333333333
- Mode: 1.0000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 1.2624067175

Location: 1104-1118 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S4ARMSA_MEXAM: S4 ARSMA: Consider yourself to be Mexican American

Value	Label	Unweighted Frequency	%
1	Yes	317	23.4 %
5	No	914	67.5 %
	Missing Data		
-201	IntCompStat = 4; missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,231 valid cases out of 1,354 total cases.

Location: 1119-1122 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S4ARMSA01: S4 ARSMA: Speak Spanish

Value	Label	Unweighted Frequency	%
1	Not at all	71	5.2 %
2	Very little or not very often	55	4.1 %
3	Moderately	50	3.7 %
4	More or very often	47	3.5 %
5	Extremely often or almost always	94	6.9 %
	Missing Data		
-201	IntCompStat = 4; missed interview	123	9.1 %
-101	ARSMA skipped: S4ARMSA_MexAm=NO	914	67.5 %
	Total	**1,354**	**100%**

Based upon 317 valid cases out of 1,354 total cases.

Location: 1123-1126 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S4ARMSA02: S4 ARSMA: Speak English

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	6	0.4 %
3	Moderately	26	1.9 %
4	More or very often	44	3.2 %
5	Extremely often or almost always	241	17.8 %
	Missing Data		
-201	IntCompStat = 4; missed interview	123	9.1 %
-101	ARSMA skipped: S4ARMSA_MexAm=NO	914	67.5 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 317 valid cases out of 1,354 total cases.

Location: 1127-1130 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S4ARMSA03: S4 ARSMA: Enjoy speaking Spanish

Value	Label	Unweighted Frequency	%
1	Not at all	86	6.4 %
2	Very little or not very often	40	3.0 %
3	Moderately	44	3.2 %
4	More or very often	47	3.5 %
5	Extremely often or almost always	100	7.4 %
	Missing Data		
-201	IntCompStat = 4; missed interview	123	9.1 %
-101	ARSMA skipped: S4ARMSA_MexAm=NO	914	67.5 %
	Total	**1,354**	**100%**

Based upon 317 valid cases out of 1,354 total cases.

Location: 1131-1134 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S4ARMSA04: S4 ARSMA: Associate w/anglos

Value	Label	Unweighted Frequency	%
1	Not at all	32	2.4 %
2	Very little or not very often	53	3.9 %
3	Moderately	86	6.4 %
4	More or very often	61	4.5 %
5	Extremely often or almost always	85	6.3 %
	Missing Data		
-201	IntCompStat = 4; missed interview	123	9.1 %
-101	ARSMA skipped: S4ARMSA_MexAm=NO	914	67.5 %
	Total	**1,354**	**100%**

Based upon 317 valid cases out of 1,354 total cases.

Location: 1135-1138 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S4ARMSA05: S4 ARSMA: Associate w/Mexicans/Mex Americans

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	9	0.7 %
3	Moderately	36	2.7 %
4	More or very often	79	5.8 %
5	Extremely often or almost always	193	14.3 %
	Missing Data		
-201	IntCompStat = 4; missed interview	123	9.1 %
-101	ARSMA skipped: S4ARMSA_MexAm=NO	914	67.5 %
	Total	**1,354**	**100%**

Based upon 317 valid cases out of 1,354 total cases.

Location: 1139-1142 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S4ARMSA06: S4 ARSMA: Enjoy Spanish language music

Value	Label	Unweighted Frequency	%
1	Not at all	73	5.4 %
2	Very little or not very often	48	3.5 %
3	Moderately	57	4.2 %
4	More or very often	41	3.0 %
5	Extremely often or almost always	98	7.2 %
	Missing Data		
-201	IntCompStat = 4; missed interview	123	9.1 %
-101	ARSMA skipped: S4ARMSA_MexAm=NO	914	67.5 %
	Total	**1,354**	**100%**

Based upon 317 valid cases out of 1,354 total cases.

Location: 1143-1146 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S4ARMSA07: S4 ARSMA: Enjoy English speak music

Value	Label	Unweighted Frequency	%
1	Not at all	3	0.2 %
2	Very little or not very often	2	0.1 %
3	Moderately	26	1.9 %
4	More or very often	63	4.7 %

Value	Label	Unweighted Frequency	%
5	Extremely often or almost always	223	16.5 %
	Missing Data		
-201	IntCompStat = 4; missed interview	123	9.1 %
-101	ARSMA skipped: S4ARMSA_MexAm=NO	914	67.5 %
	Total	**1,354**	**100%**

Based upon 317 valid cases out of 1,354 total cases.

Location: 1147-1150 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S4ARMSA08: S4 ARSMA: Enjoy Spanish language TV

Value	Label	Unweighted Frequency	%
1	Not at all	109	8.1 %
2	Very little or not very often	44	3.2 %
3	Moderately	45	3.3 %
4	More or very often	33	2.4 %
5	Extremely often or almost always	86	6.4 %
	Missing Data		
-201	IntCompStat = 4; missed interview	123	9.1 %
-101	ARSMA skipped: S4ARMSA_MexAm=NO	914	67.5 %
	Total	**1,354**	**100%**

Based upon 317 valid cases out of 1,354 total cases.

Location: 1151-1154 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S4ARMSA09: S4 ARSMA: Enjoy English language TV

Value	Label	Unweighted Frequency	%
1	Not at all	3	0.2 %
2	Very little or not very often	2	0.1 %
3	Moderately	22	1.6 %
4	More or very often	61	4.5 %
5	Extremely often or almost always	229	16.9 %
	Missing Data		
-201	IntCompStat = 4; missed interview	123	9.1 %
-101	ARSMA skipped: S4ARMSA_MexAm=NO	914	67.5 %
	Total	**1,354**	**100%**

Based upon 317 valid cases out of 1,354 total cases.

Location: 1155-1158 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S4ARMSA10: S4 ARSMA: Enjoy English langguage movies

Value	Label	Unweighted Frequency	%
1	Not at all	2	0.1 %
2	Very little or not very often	6	0.4 %
3	Moderately	12	0.9 %
4	More or very often	54	4.0 %
5	Extremely often or almost always	243	17.9 %
	Missing Data		
-201	IntCompStat = 4; missed interview	123	9.1 %
-101	ARSMA skipped: S4ARMSA_MexAm=NO	914	67.5 %
	Total	**1,354**	**100%**

Based upon 317 valid cases out of 1,354 total cases.

Location: 1159-1162 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S4ARMSA11: S4 ARSMA: Enjoy Spanish language movies

Value	Label	Unweighted Frequency	%
1	Not at all	129	9.5 %
2	Very little or not very often	46	3.4 %
3	Moderately	40	3.0 %
4	More or very often	31	2.3 %
5	Extremely often or almost always	71	5.2 %
	Missing Data		
-201	IntCompStat = 4; missed interview	123	9.1 %
-101	ARSMA skipped: S4ARMSA_MexAm=NO	914	67.5 %
	Total	**1,354**	**100%**

Based upon 317 valid cases out of 1,354 total cases.

Location: 1163-1166 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S4ARMSA12: S4 ARSMA: Enjoy reading Spanish books

Value	Label	Unweighted Frequency	%
1	Not at all	183	13.5 %
2	Very little or not very often	43	3.2 %
3	Moderately	36	2.7 %
4	More or very often	16	1.2 %
5	Extremely often or almost always	39	2.9 %
	Missing Data		
-201	IntCompStat = 4; missed interview	123	9.1 %
-101	ARSMA skipped: S4ARMSA_MexAm=NO	914	67.5 %
	Total	**1,354**	**100%**

Based upon 317 valid cases out of 1,354 total cases.

Location: 1167-1170 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S4ARMSA13: S4 ARSMA: Enjoy reading English books

Value	Label	Unweighted Frequency	%
1	Not at all	34	2.5 %
2	Very little or not very often	32	2.4 %
3	Moderately	48	3.5 %
4	More or very often	51	3.8 %
5	Extremely often or almost always	152	11.2 %
	Missing Data		
-201	IntCompStat = 4; missed interview	123	9.1 %
-101	ARSMA skipped: S4ARMSA_MexAm=NO	914	67.5 %
	Total	**1,354**	**100%**

Based upon 317 valid cases out of 1,354 total cases.

Location: 1171-1174 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S4ARMSA14: S4 ARSMA: Write letters in Spanish

Value	Label	Unweighted Frequency	%
1	Not at all	180	13.3 %
2	Very little or not very often	35	2.6 %
3	Moderately	34	2.5 %
4	More or very often	17	1.3 %
5	Extremely often or almost always	51	3.8 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4; missed interview	123	9.1 %
-101	ARSMA skipped: S4ARMSA_MexAm=NO	914	67.5 %
	Total	**1,354**	**100%**

Based upon 317 valid cases out of 1,354 total cases.

Location: 1175-1178 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S4ARMSA15: S4 ARSMA: Write letters in English

Value	Label	Unweighted Frequency	%
1	Not at all	25	1.8 %
2	Very little or not very often	25	1.8 %
3	Moderately	33	2.4 %
4	More or very often	55	4.1 %
5	Extremely often or almost always	179	13.2 %
	Missing Data		
-201	IntCompStat = 4; missed interview	123	9.1 %
-101	ARSMA skipped: S4ARMSA_MexAm=NO	914	67.5 %
	Total	**1,354**	**100%**

Based upon 317 valid cases out of 1,354 total cases.

Location: 1179-1182 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S4ARMSA16: S4 ARSMA: Think in English

Value	Label	Unweighted Frequency	%
1	Not at all	8	0.6 %
2	Very little or not very often	10	0.7 %
3	Moderately	39	2.9 %
4	More or very often	51	3.8 %
5	Extremely often or almost always	208	15.4 %
	Missing Data		
-201	IntCompStat = 4; missed interview	123	9.1 %
-101	ARSMA skipped: S4ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 316 valid cases out of 1,354 total cases.

Location: 1183-1186 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S4ARMSA17: S4 ARSMA: Think in Spanish

Value	Label	Unweighted Frequency	%
1	Not at all	162	12.0 %
2	Very little or not very often	37	2.7 %
3	Moderately	40	3.0 %
4	More or very often	28	2.1 %
5	Extremely often or almost always	49	3.6 %
	Missing Data		
-201	IntCompStat = 4; missed interview	123	9.1 %
-101	ARSMA skipped: S4ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 316 valid cases out of 1,354 total cases.

Location: 1187-1190 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S4ARMSA18: S4 ARSMA: Contact with Mexico

Value	Label	Unweighted Frequency	%
1	Not at all	146	10.8 %
2	Very little or not very often	67	4.9 %
3	Moderately	42	3.1 %
4	More or very often	18	1.3 %
5	Extremely often or almost always	44	3.2 %
	Missing Data		
-201	IntCompStat = 4; missed interview	123	9.1 %
-101	ARSMA skipped: S4ARMSA_MexAm=NO	914	67.5 %
	Total	**1,354**	**100%**

Based upon 317 valid cases out of 1,354 total cases.

Location: 1191-1194 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S4ARMSA19: S4 ARSMA: Contact with USA

Value	Label	Unweighted Frequency	%
1	Not at all	2	0.1 %
2	Very little or not very often	0	0.0 %
3	Moderately	9	0.7 %
4	More or very often	34	2.5 %
5	Extremely often or almost always	272	20.1 %
	Missing Data		
-201	IntCompStat = 4; missed interview	123	9.1 %
-101	ARSMA skipped: S4ARMSA_MexAm=NO	914	67.5 %
	Total	**1,354**	**100%**

Based upon 317 valid cases out of 1,354 total cases.

Location: 1195-1198 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S4ARMSA20: S4 ARSMA: Father is Mexicano

Value	Label	Unweighted Frequency	%
1	Not at all	35	2.6 %
2	Very little or not very often	10	0.7 %
3	Moderately	25	1.8 %
4	More or very often	29	2.1 %
5	Extremely often or almost always	201	14.8 %
	Missing Data		
-201	IntCompStat = 4; missed interview	123	9.1 %
-101	ARSMA skipped: S4ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	17	1.3 %
	Total	**1,354**	**100%**

Based upon 300 valid cases out of 1,354 total cases.

Location: 1199-1202 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S4ARMSA21: S4 ARSMA: Mother is Mexicano

Value	Label	Unweighted Frequency	%
1	Not at all	55	4.1 %
2	Very little or not very often	11	0.8 %
3	Moderately	22	1.6 %
4	More or very often	36	2.7 %
5	Extremely often or almost always	189	14.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-201	IntCompStat = 4; missed interview	123	9.1 %
-101	ARSMA skipped: S4ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	4	0.3 %
	Total	**1,354**	**100%**

Based upon 313 valid cases out of 1,354 total cases.

Location: 1203-1206 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S4ARMSA22: S4 ARSMA: Friends were Mexican

Value	Label	Unweighted Frequency	%
1	Not at all	8	0.6 %
2	Very little or not very often	17	1.3 %
3	Moderately	72	5.3 %
4	More or very often	68	5.0 %
5	Extremely often or almost always	151	11.2 %
	Missing Data		
-201	IntCompStat = 4; missed interview	123	9.1 %
-101	ARSMA skipped: S4ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 316 valid cases out of 1,354 total cases.

Location: 1207-1210 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S4ARMSA23: S4 ARSMA: Friends were Anglo

Value	Label	Unweighted Frequency	%
1	Not at all	63	4.7 %
2	Very little or not very often	77	5.7 %
3	Moderately	102	7.5 %
4	More or very often	40	3.0 %
5	Extremely often or almost always	34	2.5 %
	Missing Data		
-201	IntCompStat = 4; missed interview	123	9.1 %
-101	ARSMA skipped: S4ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	1	0.1 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 316 valid cases out of 1,354 total cases.

Location: 1211-1214 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S4ARMSA24: S4 ARSMA: Family cooks Mexican food

Value	Label	Unweighted Frequency	%
1	Not at all	4	0.3 %
2	Very little or not very often	8	0.6 %
3	Moderately	43	3.2 %
4	More or very often	63	4.7 %
5	Extremely often or almost always	199	14.7 %
	Missing Data		
-201	IntCompStat = 4; missed interview	123	9.1 %
-101	ARSMA skipped: S4ARMSA_MexAm=NO	914	67.5 %
	Total	**1,354**	**100%**

Based upon 317 valid cases out of 1,354 total cases.

Location: 1215-1218 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S4ARMSA25: S4 ARSMA: Friends now are Anglo

Value	Label	Unweighted Frequency	%
1	Not at all	67	4.9 %
2	Very little or not very often	91	6.7 %
3	Moderately	93	6.9 %
4	More or very often	36	2.7 %
5	Extremely often or almost always	30	2.2 %
	Missing Data		
-201	IntCompStat = 4; missed interview	123	9.1 %
-101	ARSMA skipped: S4ARMSA_MexAm=NO	914	67.5 %
	Total	**1,354**	**100%**

Based upon 317 valid cases out of 1,354 total cases.

Location: 1219-1222 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S4ARMSA26: S4 ARSMA: Friends now are Mexican

Value	Label	Unweighted Frequency	%
1	Not at all	8	0.6 %
2	Very little or not very often	8	0.6 %
3	Moderately	68	5.0 %
4	More or very often	78	5.8 %
5	Extremely often or almost always	155	11.4 %
	Missing Data		
-201	IntCompStat = 4; missed interview	123	9.1 %
-101	ARSMA skipped: S4ARMSA_MexAm=NO	914	67.5 %
	Total	**1,354**	**100%**

Based upon 317 valid cases out of 1,354 total cases.

Location: 1223-1226 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S4ARMSA27: S4 ARSMA: Identify self as Anglo American

Value	Label	Unweighted Frequency	%
1	Not at all	257	19.0 %
2	Very little or not very often	29	2.1 %
3	Moderately	14	1.0 %
4	More or very often	9	0.7 %
5	Extremely often or almost always	8	0.6 %
	Missing Data		
-201	IntCompStat = 4; missed interview	123	9.1 %
-101	ARSMA skipped: S4ARMSA_MexAm=NO	914	67.5 %
	Total	**1,354**	**100%**

Based upon 317 valid cases out of 1,354 total cases.

Location: 1227-1230 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S4ARMSA28: S4 ARSMA: Identify as Mexican American

Value	Label	Unweighted Frequency	%
1	Not at all	42	3.1 %
2	Very little or not very often	17	1.3 %
3	Moderately	31	2.3 %
4	More or very often	46	3.4 %

Value	Label	Unweighted Frequency	%
5	Extremely often or almost always	181	13.4 %
	Missing Data		
-201	IntCompStat = 4; missed interview	123	9.1 %
-101	ARSMA skipped: S4ARMSA_MexAm=NO	914	67.5 %
	Total	**1,354**	**100%**

Based upon 317 valid cases out of 1,354 total cases.

Location: 1231-1234 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S4ARMSA29: S4 ARSMA: Identify as Mexican

Value	Label	Unweighted Frequency	%
1	Not at all	55	4.1 %
2	Very little or not very often	23	1.7 %
3	Moderately	45	3.3 %
4	More or very often	48	3.5 %
5	Extremely often or almost always	146	10.8 %
	Missing Data		
-201	IntCompStat = 4; missed interview	123	9.1 %
-101	ARSMA skipped: S4ARMSA_MexAm=NO	914	67.5 %
	Total	**1,354**	**100%**

Based upon 317 valid cases out of 1,354 total cases.

Location: 1235-1238 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S4ARMSA30: S4 ARSMA: Identify as American

Value	Label	Unweighted Frequency	%
1	Not at all	53	3.9 %
2	Very little or not very often	31	2.3 %
3	Moderately	47	3.5 %
4	More or very often	42	3.1 %
5	Extremely often or almost always	142	10.5 %
	Missing Data		
-400	S4Armsa30 to S4Armsa48 dropped at 01.16	2	0.1 %
-201	IntCompStat = 4; missed interview	123	9.1 %
-101	ARSMA skipped: S4ARMSA_MexAm=NO	914	67.5 %
	Total	**1,354**	**100%**

Based upon 315 valid cases out of 1,354 total cases.

Location: 1239-1242 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S4ARMSA31: S4 ARSMA: Difficult accept some Anglo ideas

Value	Label	Unweighted Frequency	%
1	Not at all	155	11.4 %
2	Very little or not very often	72	5.3 %
3	Moderately	67	4.9 %
4	More or very often	6	0.4 %
5	Extremely often or almost always	9	0.7 %
	Missing Data		
-400	S4Armsa30 to S4Armsa48 dropped at 01.16	2	0.1 %
-201	IntCompStat = 4; missed interview	123	9.1 %
-101	ARSMA skipped: S4ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	6	0.4 %
	Total	**1,354**	**100%**

Based upon 309 valid cases out of 1,354 total cases.

Location: 1243-1246 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S4ARMSA32: S4 ARSMA: Difficult accept some Anglo attitudes

Value	Label	Unweighted Frequency	%
1	Not at all	149	11.0 %
2	Very little or not very often	74	5.5 %
3	Moderately	63	4.7 %
4	More or very often	13	1.0 %
5	Extremely often or almost always	10	0.7 %
	Missing Data		
-400	S4Armsa30 to S4Armsa48 dropped at 01.16	2	0.1 %
-201	IntCompStat = 4; missed interview	123	9.1 %
-101	ARSMA skipped: S4ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	6	0.4 %
	Total	**1,354**	**100%**

Based upon 309 valid cases out of 1,354 total cases.

Location: 1247-1250 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S4ARMSA33: S4 ARSMA: Difficult accept some Anglo behaviors

Value	Label	Unweighted Frequency	%
1	Not at all	147	10.9 %
2	Very little or not very often	80	5.9 %
3	Moderately	63	4.7 %
4	More or very often	8	0.6 %
5	Extremely often or almost always	11	0.8 %
	Missing Data		
-400	S4Armsa30 to S4Armsa48 dropped at 01.16	2	0.1 %
-201	IntCompStat = 4; missed interview	123	9.1 %
-101	ARSMA skipped: S4ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	6	0.4 %
	Total	**1,354**	**100%**

Based upon 309 valid cases out of 1,354 total cases.

Location: 1251-1254 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S4ARMSA34: S4 ARSMA: Difficult accept some Anglo values

Value	Label	Unweighted Frequency	%
1	Not at all	160	11.8 %
2	Very little or not very often	71	5.2 %
3	Moderately	57	4.2 %
4	More or very often	12	0.9 %
5	Extremely often or almost always	9	0.7 %
	Missing Data		
-400	S4Armsa30 to S4Armsa48 dropped at 01.16	2	0.1 %
-201	IntCompStat = 4; missed interview	123	9.1 %
-101	ARSMA skipped: S4ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	6	0.4 %
	Total	**1,354**	**100%**

Based upon 309 valid cases out of 1,354 total cases.

Location: 1255-1258 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S4ARMSA35: S4 ARSMA: Difficult accept some Anglo customs

Value	Label	Unweighted Frequency	%
1	Not at all	164	12.1 %
2	Very little or not very often	72	5.3 %
3	Moderately	54	4.0 %
4	More or very often	12	0.9 %
5	Extremely often or almost always	7	0.5 %
	Missing Data		
-400	S4Armsa30 to S4Armsa48 dropped at 01.16	2	0.1 %
-201	IntCompStat = 4; missed interview	123	9.1 %
-101	ARSMA skipped: S4ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	6	0.4 %
	Total	**1,354**	**100%**

Based upon 309 valid cases out of 1,354 total cases.

Location: 1259-1262 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S4ARMSA36: S4 ARSMA: Difficult accept Anglos as close friends

Value	Label	Unweighted Frequency	%
1	Not at all	197	14.5 %
2	Very little or not very often	67	4.9 %
3	Moderately	29	2.1 %
4	More or very often	9	0.7 %
5	Extremely often or almost always	7	0.5 %
	Missing Data		
-400	S4Armsa30 to S4Armsa48 dropped at 01.16	2	0.1 %
-201	IntCompStat = 4; missed interview	123	9.1 %
-101	ARSMA skipped: S4ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	6	0.4 %
	Total	**1,354**	**100%**

Based upon 309 valid cases out of 1,354 total cases.

Location: 1263-1266 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S4ARMSA37: S4 ARSMA: Difficult accept some Mexican ideas

Value	Label	Unweighted Frequency	%
1	Not at all	189	14.0 %
2	Very little or not very often	65	4.8 %

Value	Label	Unweighted Frequency	%
3	Moderately	39	2.9 %
4	More or very often	12	0.9 %
5	Extremely often or almost always	4	0.3 %
	Missing Data		
-400	S4Armsa30 to S4Armsa48 dropped at 01.16	2	0.1 %
-201	IntCompStat = 4; missed interview	123	9.1 %
-101	ARSMA skipped: S4ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	6	0.4 %
	Total	**1,354**	**100%**

Based upon 309 valid cases out of 1,354 total cases.

Location: 1267-1270 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S4ARMSA38: S4 ARSMA: Difficult accept some Mexican attitudes

Value	Label	Unweighted Frequency	%
1	Not at all	172	12.7 %
2	Very little or not very often	72	5.3 %
3	Moderately	46	3.4 %
4	More or very often	14	1.0 %
5	Extremely often or almost always	5	0.4 %
	Missing Data		
-400	S4Armsa30 to S4Armsa48 dropped at 01.16	2	0.1 %
-201	IntCompStat = 4; missed interview	123	9.1 %
-101	ARSMA skipped: S4ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	6	0.4 %
	Total	**1,354**	**100%**

Based upon 309 valid cases out of 1,354 total cases.

Location: 1271-1274 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S4ARMSA39: S4 ARSMA: Difficult accept some Mexican behaviors

Value	Label	Unweighted Frequency	%
1	Not at all	163	12.0 %
2	Very little or not very often	75	5.5 %
3	Moderately	52	3.8 %
4	More or very often	16	1.2 %

Value	Label	Unweighted Frequency	%
5	Extremely often or almost always	3	0.2 %
	Missing Data		
-400	S4Armsa30 to S4Armsa48 dropped at 01.16	2	0.1 %
-201	IntCompStat = 4; missed interview	123	9.1 %
-101	ARSMA skipped: S4ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	6	0.4 %
	Total	**1,354**	**100%**

Based upon 309 valid cases out of 1,354 total cases.

Location: 1275-1278 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S4ARMSA40: S4 ARSMA: Difficult accept some Mexican values

Value	Label	Unweighted Frequency	%
1	Not at all	191	14.1 %
2	Very little or not very often	65	4.8 %
3	Moderately	41	3.0 %
4	More or very often	11	0.8 %
5	Extremely often or almost always	1	0.1 %
	Missing Data		
-400	S4Armsa30 to S4Armsa48 dropped at 01.16	2	0.1 %
-201	IntCompStat = 4; missed interview	123	9.1 %
-101	ARSMA skipped: S4ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	6	0.4 %
	Total	**1,354**	**100%**

Based upon 309 valid cases out of 1,354 total cases.

Location: 1279-1282 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S4ARMSA41: S4 ARSMA: Difficult accept some Mexican customs

Value	Label	Unweighted Frequency	%
1	Not at all	199	14.7 %
2	Very little or not very often	66	4.9 %
3	Moderately	35	2.6 %
4	More or very often	8	0.6 %
5	Extremely often or almost always	1	0.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-400	S4Armsa30 to S4Armsa48 dropped at 01.16	2	0.1 %
-201	IntCompStat = 4; missed interview	123	9.1 %
-101	ARSMA skipped: S4ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	6	0.4 %
	Total	**1,354**	**100%**

Based upon 309 valid cases out of 1,354 total cases.

Location: 1283-1286 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S4ARMSA42: S4 ARSMA: Difficult accept Mexicans as close friends

Value	Label	Unweighted Frequency	%
1	Not at all	235	17.4 %
2	Very little or not very often	48	3.5 %
3	Moderately	17	1.3 %
4	More or very often	7	0.5 %
5	Extremely often or almost always	2	0.1 %
	Missing Data		
-400	S4Armsa30 to S4Armsa48 dropped at 01.16	2	0.1 %
-201	IntCompStat = 4; missed interview	123	9.1 %
-101	ARSMA skipped: S4ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	6	0.4 %
	Total	**1,354**	**100%**

Based upon 309 valid cases out of 1,354 total cases.

Location: 1287-1290 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S4ARMSA43: S4 ARSMA: Difficult accept ideas of Mex Amer

Value	Label	Unweighted Frequency	%
1	Not at all	200	14.8 %
2	Very little or not very often	54	4.0 %
3	Moderately	42	3.1 %
4	More or very often	11	0.8 %
5	Extremely often or almost always	2	0.1 %
	Missing Data		
-400	S4Armsa30 to S4Armsa48 dropped at 01.16	2	0.1 %
-201	IntCompStat = 4; missed interview	123	9.1 %

Value	Label	Unweighted Frequency	%
-101	ARSMA skipped: S4ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	6	0.4 %
	Total	**1,354**	**100%**

Based upon 309 valid cases out of 1,354 total cases.

Location: 1291-1294 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S4ARMSA44: S4 ARSMA: Difficult accept attitudes of Mex Amer

Value	Label	Unweighted Frequency	%
1	Not at all	183	13.5 %
2	Very little or not very often	69	5.1 %
3	Moderately	40	3.0 %
4	More or very often	13	1.0 %
5	Extremely often or almost always	4	0.3 %
	Missing Data		
-400	S4Armsa30 to S4Armsa48 dropped at 01.16	2	0.1 %
-201	IntCompStat = 4; missed interview	123	9.1 %
-101	ARSMA skipped: S4ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	6	0.4 %
	Total	**1,354**	**100%**

Based upon 309 valid cases out of 1,354 total cases.

Location: 1295-1298 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S4ARMSA45: S4 ARSMA: Difficult accept behaviors of Mex Amer

Value	Label	Unweighted Frequency	%
1	Not at all	183	13.5 %
2	Very little or not very often	62	4.6 %
3	Moderately	47	3.5 %
4	More or very often	13	1.0 %
5	Extremely often or almost always	4	0.3 %
	Missing Data		
-400	S4Armsa30 to S4Armsa48 dropped at 01.16	2	0.1 %
-201	IntCompStat = 4; missed interview	123	9.1 %
-101	ARSMA skipped: S4ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	6	0.4 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 309 valid cases out of 1,354 total cases.

Location: 1299-1302 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S4ARMSA46: S4 ARSMA: Difficult accept values of Mex Amer

Value	Label	Unweighted Frequency	%
1	Not at all	197	14.5 %
2	Very little or not very often	58	4.3 %
3	Moderately	43	3.2 %
4	More or very often	8	0.6 %
5	Extremely often or almost always	3	0.2 %
	Missing Data		
-400	S4Armsa30 to S4Armsa48 dropped at 01.16	2	0.1 %
-201	IntCompStat = 4; missed interview	123	9.1 %
-101	ARSMA skipped: S4ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	6	0.4 %
	Total	**1,354**	**100%**

Based upon 309 valid cases out of 1,354 total cases.

Location: 1303-1306 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S4ARMSA47: S4 ARSMA: Difficult accept customs of Mex Amer

Value	Label	Unweighted Frequency	%
1	Not at all	207	15.3 %
2	Very little or not very often	56	4.1 %
3	Moderately	34	2.5 %
4	More or very often	10	0.7 %
5	Extremely often or almost always	2	0.1 %
	Missing Data		
-400	S4Armsa30 to S4Armsa48 dropped at 01.16	2	0.1 %
-201	IntCompStat = 4; missed interview	123	9.1 %
-101	ARSMA skipped: S4ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	6	0.4 %
	Total	**1,354**	**100%**

Based upon 309 valid cases out of 1,354 total cases.

Location: 1307-1310 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S4ARMSA48: S4 ARSMA: Difficult accept Mex Amer as close friends

Value	Label	Unweighted Frequency	%
1	Not at all	241	17.8 %
2	Very little or not very often	45	3.3 %
3	Moderately	19	1.4 %
4	More or very often	4	0.3 %
5	Extremely often or almost always	2	0.1 %
	Missing Data		
-201	IntCompStat = 4; missed interview	123	9.1 %
-101	ARSMA skipped: S4ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	6	0.4 %
	Total	**1,354**	**100%**

Based upon 311 valid cases out of 1,354 total cases.

Location: 1311-1314 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S4AOS: S4 ARSMA: Anglo Orientation Subscale

Based upon 317 valid cases out of 1,354 total cases.

- Mean: 4.0214511041
- Median: 4.0000000000
- Mode: 3.9090909091
- Minimum: 2.2727272727
- Maximum: 5.0000000000
- Standard Deviation: 0.5846027572

Location: 1315-1329 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S4ANGAFF: S4 ARSMA: Anglo Affiliation Subscale

Based upon 317 valid cases out of 1,354 total cases.

- Mean: 2.8822292324
- Median: 3.0000000000
- Mode: 3.0000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 1.0840924024

Location: 1330-1344 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S4ENGLNG: S4 ARSMA: English Language Subscale

Based upon 317 valid cases out of 1,354 total cases.

- Mean: 4.4478368635
- Median: 4.6250000000
- Mode: 5.0000000000
- Minimum: 1.7500000000
- Maximum: 5.0000000000
- Standard Deviation: 0.6066016399

Location: 1345-1359 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S4MOS: S4 ARSMA: Mexican Orientation Subscale

Based upon 317 valid cases out of 1,354 total cases.

- Mean: 3.0014816939
- Median: 2.8333333333
- Mode: 5.0000000000
- Minimum: 1.3333333333
- Maximum: 5.0000000000
- Standard Deviation: 1.0450025806

Location: 1360-1374 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S4MEXAFF: S4 ARSMA: Mexican Affiliation Subscale

Based upon 317 valid cases out of 1,354 total cases.

- Mean: 4.2187171399
- Median: 4.3333333333
- Mode: 5.0000000000
- Minimum: 2.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.7829765111

Location: 1375-1389 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S4SPALNG: S4 ARSMA: Spanish Language Subscale

Based upon 317 valid cases out of 1,354 total cases.

- Mean: 2.5967840869
- Median: 2.3333333333
- Mode: 1.0000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 1.2782668157

Location: 1390-1404 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S5ARMSA_MEXAM: S5 ARSMA: Consider yourself to be Mexican American

Value	Label	Unweighted Frequency	%
1	Yes	313	23.1 %
5	No	921	68.0 %
	Missing Data		
-201	IntCompStat = 4; missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,234 valid cases out of 1,354 total cases.

Location: 1405-1408 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S5ARMSA01: S5 ARSMA: Speak Spanish

Value	Label	Unweighted Frequency	%
1	Not at all	63	4.7 %
2	Very little or not very often	61	4.5 %
3	Moderately	51	3.8 %
4	More or very often	51	3.8 %
5	Extremely often or almost always	87	6.4 %
	Missing Data		
-201	IntCompStat = 4; missed interview	120	8.9 %
-101	ARSMA skipped: S5ARMSA_MexAm=NO	921	68.0 %
	Total	**1,354**	**100%**

Based upon 313 valid cases out of 1,354 total cases.

Location: 1409-1412 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S5ARMSA02: S5 ARSMA: Speak English

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	3	0.2 %
3	Moderately	19	1.4 %
4	More or very often	52	3.8 %
5	Extremely often or almost always	239	17.7 %
	Missing Data		
-201	IntCompStat = 4; missed interview	120	8.9 %
-101	ARSMA skipped: S5ARMSA_MexAm=NO	921	68.0 %
	Total	**1,354**	**100%**

Based upon 313 valid cases out of 1,354 total cases.

Location: 1413-1416 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S5ARMSA03: S5 ARSMA: Enjoy speaking Spanish

Value	Label	Unweighted Frequency	%
1	Not at all	73	5.4 %
2	Very little or not very often	44	3.2 %
3	Moderately	49	3.6 %
4	More or very often	48	3.5 %
5	Extremely often or almost always	99	7.3 %
	Missing Data		
-201	IntCompStat = 4; missed interview	120	8.9 %
-101	ARSMA skipped: S5ARMSA_MexAm=NO	921	68.0 %
	Total	**1,354**	**100%**

Based upon 313 valid cases out of 1,354 total cases.

Location: 1417-1420 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S5ARMSA04: S5 ARSMA: Associate w/anglos

Value	Label	Unweighted Frequency	%
1	Not at all	34	2.5 %
2	Very little or not very often	45	3.3 %
3	Moderately	91	6.7 %
4	More or very often	67	4.9 %
5	Extremely often or almost always	76	5.6 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4; missed interview	120	8.9 %
-101	ARSMA skipped: S5ARMSA_MexAm=NO	921	68.0 %
	Total	**1,354**	**100%**

Based upon 313 valid cases out of 1,354 total cases.

Location: 1421-1424 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S5ARMSA05: S5 ARSMA: Associate w/Mexicans/Mex Americans

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	7	0.5 %
3	Moderately	34	2.5 %
4	More or very often	87	6.4 %
5	Extremely often or almost always	185	13.7 %
	Missing Data		
-201	IntCompStat = 4; missed interview	120	8.9 %
-101	ARSMA skipped: S5ARMSA_MexAm=NO	921	68.0 %
	Total	**1,354**	**100%**

Based upon 313 valid cases out of 1,354 total cases.

Location: 1425-1428 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S5ARMSA06: S5 ARSMA: Enjoy Spanish language music

Value	Label	Unweighted Frequency	%
1	Not at all	80	5.9 %
2	Very little or not very often	45	3.3 %
3	Moderately	50	3.7 %
4	More or very often	46	3.4 %
5	Extremely often or almost always	92	6.8 %
	Missing Data		
-201	IntCompStat = 4; missed interview	120	8.9 %
-101	ARSMA skipped: S5ARMSA_MexAm=NO	921	68.0 %
	Total	**1,354**	**100%**

Based upon 313 valid cases out of 1,354 total cases.

Location: 1429-1432 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S5ARMSA07: S5 ARSMA: Enjoy English speak music

Value	Label	Unweighted Frequency	%
1	Not at all	2	0.1 %
2	Very little or not very often	0	0.0 %
3	Moderately	22	1.6 %
4	More or very often	60	4.4 %
5	Extremely often or almost always	229	16.9 %
	Missing Data		
-201	IntCompStat = 4; missed interview	120	8.9 %
-101	ARSMA skipped: S5ARMSA_MexAm=NO	921	68.0 %
	Total	**1,354**	**100%**

Based upon 313 valid cases out of 1,354 total cases.

Location: 1433-1436 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S5ARMSA08: S5 ARSMA: Enjoy Spanish language TV

Value	Label	Unweighted Frequency	%
1	Not at all	108	8.0 %
2	Very little or not very often	49	3.6 %
3	Moderately	38	2.8 %
4	More or very often	40	3.0 %
5	Extremely often or almost always	78	5.8 %
	Missing Data		
-201	IntCompStat = 4; missed interview	120	8.9 %
-101	ARSMA skipped: S5ARMSA_MexAm=NO	921	68.0 %
	Total	**1,354**	**100%**

Based upon 313 valid cases out of 1,354 total cases.

Location: 1437-1440 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S5ARMSA09: S5 ARSMA: Enjoy English language TV

Value	Label	Unweighted Frequency	%
1	Not at all	2	0.1 %
2	Very little or not very often	4	0.3 %
3	Moderately	19	1.4 %

Value	Label	Unweighted Frequency	%
4	More or very often	59	4.4 %
5	Extremely often or almost always	229	16.9 %
	Missing Data		
-201	IntCompStat = 4; missed interview	120	8.9 %
-101	ARSMA skipped: S5ARMSA_MexAm=NO	921	68.0 %
	Total	**1,354**	**100%**

Based upon 313 valid cases out of 1,354 total cases.

Location: 1441-1444 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S5ARMSA10: S5 ARSMA: Enjoy English langguage movies

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	3	0.2 %
3	Moderately	10	0.7 %
4	More or very often	58	4.3 %
5	Extremely often or almost always	242	17.9 %
	Missing Data		
-201	IntCompStat = 4; missed interview	120	8.9 %
-101	ARSMA skipped: S5ARMSA_MexAm=NO	921	68.0 %
	Total	**1,354**	**100%**

Based upon 313 valid cases out of 1,354 total cases.

Location: 1445-1448 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S5ARMSA11: S5 ARSMA: Enjoy Spanish language movies

Value	Label	Unweighted Frequency	%
1	Not at all	133	9.8 %
2	Very little or not very often	39	2.9 %
3	Moderately	34	2.5 %
4	More or very often	31	2.3 %
5	Extremely often or almost always	76	5.6 %
	Missing Data		
-201	IntCompStat = 4; missed interview	120	8.9 %
-101	ARSMA skipped: S5ARMSA_MexAm=NO	921	68.0 %
	Total	**1,354**	**100%**

Based upon 313 valid cases out of 1,354 total cases.

Location: 1449-1452 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S5ARMSA12: S5 ARSMA: Enjoy reading Spanish books

Value	Label	Unweighted Frequency	%
1	Not at all	192	14.2 %
2	Very little or not very often	35	2.6 %
3	Moderately	31	2.3 %
4	More or very often	12	0.9 %
5	Extremely often or almost always	43	3.2 %
	Missing Data		
-201	IntCompStat = 4; missed interview	120	8.9 %
-101	ARSMA skipped: S5ARMSA_MexAm=NO	921	68.0 %
	Total	**1,354**	**100%**

Based upon 313 valid cases out of 1,354 total cases.

Location: 1453-1456 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S5ARMSA13: S5 ARSMA: Enjoy reading English books

Value	Label	Unweighted Frequency	%
1	Not at all	44	3.2 %
2	Very little or not very often	29	2.1 %
3	Moderately	41	3.0 %
4	More or very often	49	3.6 %
5	Extremely often or almost always	150	11.1 %
	Missing Data		
-201	IntCompStat = 4; missed interview	120	8.9 %
-101	ARSMA skipped: S5ARMSA_MexAm=NO	921	68.0 %
	Total	**1,354**	**100%**

Based upon 313 valid cases out of 1,354 total cases.

Location: 1457-1460 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S5ARMSA14: S5 ARSMA: Write letters in Spanish

Value	Label	Unweighted Frequency	%
1	Not at all	177	13.1 %
2	Very little or not very often	31	2.3 %
3	Moderately	26	1.9 %
4	More or very often	24	1.8 %
5	Extremely often or almost always	55	4.1 %
	Missing Data		
-201	IntCompStat = 4; missed interview	120	8.9 %
-101	ARSMA skipped: S5ARMSA_MexAm=NO	921	68.0 %
	Total	**1,354**	**100%**

Based upon 313 valid cases out of 1,354 total cases.

Location: 1461-1464 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S5ARMSA15: S5 ARSMA: Write letters in English

Value	Label	Unweighted Frequency	%
1	Not at all	21	1.6 %
2	Very little or not very often	22	1.6 %
3	Moderately	35	2.6 %
4	More or very often	62	4.6 %
5	Extremely often or almost always	173	12.8 %
	Missing Data		
-201	IntCompStat = 4; missed interview	120	8.9 %
-101	ARSMA skipped: S5ARMSA_MexAm=NO	921	68.0 %
	Total	**1,354**	**100%**

Based upon 313 valid cases out of 1,354 total cases.

Location: 1465-1468 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S5ARMSA16: S5 ARSMA: Think in English

Value	Label	Unweighted Frequency	%
1	Not at all	6	0.4 %
2	Very little or not very often	8	0.6 %
3	Moderately	25	1.8 %
4	More or very often	57	4.2 %
5	Extremely often or almost always	215	15.9 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4; missed interview	120	8.9 %
-101	ARSMA skipped: S5ARMSA_MexAm=NO	921	68.0 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 311 valid cases out of 1,354 total cases.

Location: 1469-1472 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S5ARMSA17: S5 ARSMA: Think in Spanish

Value	Label	Unweighted Frequency	%
1	Not at all	148	10.9 %
2	Very little or not very often	40	3.0 %
3	Moderately	46	3.4 %
4	More or very often	28	2.1 %
5	Extremely often or almost always	49	3.6 %
	Missing Data		
-201	IntCompStat = 4; missed interview	120	8.9 %
-101	ARSMA skipped: S5ARMSA_MexAm=NO	921	68.0 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 311 valid cases out of 1,354 total cases.

Location: 1473-1476 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S5ARMSA18: S5 ARSMA: Contact with Mexico

Value	Label	Unweighted Frequency	%
1	Not at all	159	11.7 %
2	Very little or not very often	49	3.6 %
3	Moderately	45	3.3 %
4	More or very often	11	0.8 %
5	Extremely often or almost always	49	3.6 %
	Missing Data		
-201	IntCompStat = 4; missed interview	120	8.9 %
-101	ARSMA skipped: S5ARMSA_MexAm=NO	921	68.0 %
	Total	**1,354**	**100%**

Based upon 313 valid cases out of 1,354 total cases.

Location: 1477-1480 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S5ARMSA19: S5 ARSMA: Contact with USA

Value	Label	Unweighted Frequency	%
1	Not at all	1	0.1 %
2	Very little or not very often	2	0.1 %
3	Moderately	12	0.9 %
4	More or very often	25	1.8 %
5	Extremely often or almost always	273	20.2 %
	Missing Data		
-201	IntCompStat = 4; missed interview	120	8.9 %
-101	ARSMA skipped: S5ARMSA_MexAm=NO	921	68.0 %
	Total	**1,354**	**100%**

Based upon 313 valid cases out of 1,354 total cases.

Location: 1481-1484 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S5ARMSA20: S5 ARSMA: Father is Mexicano

Value	Label	Unweighted Frequency	%
1	Not at all	36	2.7 %
2	Very little or not very often	9	0.7 %
3	Moderately	14	1.0 %
4	More or very often	25	1.8 %
5	Extremely often or almost always	212	15.7 %
	Missing Data		
-201	IntCompStat = 4; missed interview	120	8.9 %
-101	ARSMA skipped: S5ARMSA_MexAm=NO	921	68.0 %
-9	Dont Know	16	1.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 296 valid cases out of 1,354 total cases.

Location: 1485-1488 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S5ARMSA21: S5 ARSMA: Mother is Mexicano

Value	Label	Unweighted Frequency	%
1	Not at all	55	4.1 %
2	Very little or not very often	10	0.7 %
3	Moderately	23	1.7 %
4	More or very often	24	1.8 %
5	Extremely often or almost always	195	14.4 %
	Missing Data		
-201	IntCompStat = 4; missed interview	120	8.9 %
-101	ARSMA skipped: S5ARMSA_MexAm=NO	921	68.0 %
-9	Dont Know	6	0.4 %
	Total	**1,354**	**100%**

Based upon 307 valid cases out of 1,354 total cases.

Location: 1489-1492 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S5ARMSA22: S5 ARSMA: Friends were Mexican

Value	Label	Unweighted Frequency	%
1	Not at all	9	0.7 %
2	Very little or not very often	15	1.1 %
3	Moderately	53	3.9 %
4	More or very often	77	5.7 %
5	Extremely often or almost always	158	11.7 %
	Missing Data		
-201	IntCompStat = 4; missed interview	120	8.9 %
-101	ARSMA skipped: S5ARMSA_MexAm=NO	921	68.0 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 312 valid cases out of 1,354 total cases.

Location: 1493-1496 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S5ARMSA23: S5 ARSMA: Friends were Anglo

Value	Label	Unweighted Frequency	%
1	Not at all	55	4.1 %
2	Very little or not very often	84	6.2 %
3	Moderately	106	7.8 %
4	More or very often	38	2.8 %

Value	Label	Unweighted Frequency	%
5	Extremely often or almost always	29	2.1 %
	Missing Data		
-201	IntCompStat = 4; missed interview	120	8.9 %
-101	ARSMA skipped: S5ARMSA_MexAm=NO	921	68.0 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 312 valid cases out of 1,354 total cases.

Location: 1497-1500 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S5ARMSA24: S5 ARSMA: Family cooks Mexican food

Value	Label	Unweighted Frequency	%
1	Not at all	4	0.3 %
2	Very little or not very often	8	0.6 %
3	Moderately	31	2.3 %
4	More or very often	49	3.6 %
5	Extremely often or almost always	221	16.3 %
	Missing Data		
-201	IntCompStat = 4; missed interview	120	8.9 %
-101	ARSMA skipped: S5ARMSA_MexAm=NO	921	68.0 %
	Total	**1,354**	**100%**

Based upon 313 valid cases out of 1,354 total cases.

Location: 1501-1504 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S5ARMSA25: S5 ARSMA: Friends now are Anglo

Value	Label	Unweighted Frequency	%
1	Not at all	65	4.8 %
2	Very little or not very often	81	6.0 %
3	Moderately	103	7.6 %
4	More or very often	36	2.7 %
5	Extremely often or almost always	28	2.1 %
	Missing Data		
-201	IntCompStat = 4; missed interview	120	8.9 %
-101	ARSMA skipped: S5ARMSA_MexAm=NO	921	68.0 %
	Total	**1,354**	**100%**

Based upon 313 valid cases out of 1,354 total cases.

Location: 1505-1508 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S5ARMSA26: S5 ARSMA: Friends now are Mexican

Value	Label	Unweighted Frequency	%
1	Not at all	6	0.4 %
2	Very little or not very often	9	0.7 %
3	Moderately	56	4.1 %
4	More or very often	74	5.5 %
5	Extremely often or almost always	168	12.4 %
	Missing Data		
-201	IntCompStat = 4; missed interview	120	8.9 %
-101	ARSMA skipped: S5ARMSA_MexAm=NO	921	68.0 %
	Total	**1,354**	**100%**

Based upon 313 valid cases out of 1,354 total cases.

Location: 1509-1512 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S5ARMSA27: S5 ARSMA: Identify self as Anglo American

Value	Label	Unweighted Frequency	%
1	Not at all	265	19.6 %
2	Very little or not very often	25	1.8 %
3	Moderately	13	1.0 %
4	More or very often	3	0.2 %
5	Extremely often or almost always	6	0.4 %
	Missing Data		
-201	IntCompStat = 4; missed interview	120	8.9 %
-101	ARSMA skipped: S5ARMSA_MexAm=NO	921	68.0 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 312 valid cases out of 1,354 total cases.

Location: 1513-1516 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S5ARMSA28: S5 ARSMA: Identify as Mexican American

Value	Label	Unweighted Frequency	%
1	Not at all	38	2.8 %
2	Very little or not very often	17	1.3 %
3	Moderately	27	2.0 %
4	More or very often	28	2.1 %
5	Extremely often or almost always	201	14.8 %
	Missing Data		
-201	IntCompStat = 4; missed interview	120	8.9 %
-101	ARSMA skipped: S5ARMSA_MexAm=NO	921	68.0 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 311 valid cases out of 1,354 total cases.

Location: 1517-1520 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S5ARMSA29: S5 ARSMA: Identify as Mexican

Value	Label	Unweighted Frequency	%
1	Not at all	50	3.7 %
2	Very little or not very often	23	1.7 %
3	Moderately	43	3.2 %
4	More or very often	33	2.4 %
5	Extremely often or almost always	163	12.0 %
	Missing Data		
-201	IntCompStat = 4; missed interview	120	8.9 %
-101	ARSMA skipped: S5ARMSA_MexAm=NO	921	68.0 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 312 valid cases out of 1,354 total cases.

Location: 1521-1524 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S5ARMSA30: S5 ARSMA: Identify as American

Value	Label	Unweighted Frequency	%
1	Not at all	38	2.8 %
2	Very little or not very often	20	1.5 %
3	Moderately	38	2.8 %
4	More or very often	33	2.4 %

Value	Label	Unweighted Frequency	%
5	Extremely often or almost always	124	9.2 %
	Missing Data		
-400	S5Armsa30 to S5Armsa48 dropped at 01.16	59	4.4 %
-201	IntCompStat = 4; missed interview	120	8.9 %
-101	ARSMA skipped: S5ARMSA_MexAm=NO	921	68.0 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 253 valid cases out of 1,354 total cases.

Location: 1525-1528 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S5ARMSA31: S5 ARSMA: Difficult accept some Anglo ideas

Value	Label	Unweighted Frequency	%
1	Not at all	143	10.6 %
2	Very little or not very often	62	4.6 %
3	Moderately	33	2.4 %
4	More or very often	12	0.9 %
5	Extremely often or almost always	3	0.2 %
	Missing Data		
-400	S5Armsa30 to S5Armsa48 dropped at 01.16	59	4.4 %
-201	IntCompStat = 4; missed interview	120	8.9 %
-101	ARSMA skipped: S5ARMSA_MexAm=NO	921	68.0 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 253 valid cases out of 1,354 total cases.

Location: 1529-1532 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S5ARMSA32: S5 ARSMA: Difficult accept some Anglo attitudes

Value	Label	Unweighted Frequency	%
1	Not at all	128	9.5 %
2	Very little or not very often	58	4.3 %
3	Moderately	48	3.5 %
4	More or very often	12	0.9 %
5	Extremely often or almost always	7	0.5 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-400	S5Armsa30 to S5Armsa48 dropped at 01.16	59	4.4 %
-201	IntCompStat = 4; missed interview	120	8.9 %
-101	ARSMA skipped: S5ARMSA_MexAm=NO	921	68.0 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 253 valid cases out of 1,354 total cases.

Location: 1533-1536 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S5ARMSA33: S5 ARSMA: Difficult accept some Anglo behaviors

Value	Label	Unweighted Frequency	%
1	Not at all	132	9.7 %
2	Very little or not very often	63	4.7 %
3	Moderately	39	2.9 %
4	More or very often	11	0.8 %
5	Extremely often or almost always	7	0.5 %
	Missing Data		
-400	S5Armsa30 to S5Armsa48 dropped at 01.16	59	4.4 %
-201	IntCompStat = 4; missed interview	120	8.9 %
-101	ARSMA skipped: S5ARMSA_MexAm=NO	921	68.0 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 252 valid cases out of 1,354 total cases.

Location: 1537-1540 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S5ARMSA34: S5 ARSMA: Difficult accept some Anglo values

Value	Label	Unweighted Frequency	%
1	Not at all	145	10.7 %
2	Very little or not very often	60	4.4 %
3	Moderately	31	2.3 %
4	More or very often	12	0.9 %
5	Extremely often or almost always	4	0.3 %
	Missing Data		
-400	S5Armsa30 to S5Armsa48 dropped at 01.16	59	4.4 %
-201	IntCompStat = 4; missed interview	120	8.9 %

Value	Label	Unweighted Frequency	%
-101	ARSMA skipped: S5ARMSA_MexAm=NO	921	68.0 %
-9	Dont Know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 252 valid cases out of 1,354 total cases.

Location: 1541-1544 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S5ARMSA35: S5 ARSMA: Difficult accept some Anglo customs

Value	Label	Unweighted Frequency	%
1	Not at all	155	11.4 %
2	Very little or not very often	51	3.8 %
3	Moderately	31	2.3 %
4	More or very often	11	0.8 %
5	Extremely often or almost always	4	0.3 %
	Missing Data		
-400	S5Armsa30 to S5Armsa48 dropped at 01.16	59	4.4 %
-201	IntCompStat = 4; missed interview	120	8.9 %
-101	ARSMA skipped: S5ARMSA_MexAm=NO	921	68.0 %
-9	Dont Know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 252 valid cases out of 1,354 total cases.

Location: 1545-1548 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S5ARMSA36: S5 ARSMA: Difficult accept Anglos as close friends

Value	Label	Unweighted Frequency	%
1	Not at all	174	12.9 %
2	Very little or not very often	50	3.7 %
3	Moderately	16	1.2 %
4	More or very often	8	0.6 %
5	Extremely often or almost always	4	0.3 %
	Missing Data		
-400	S5Armsa30 to S5Armsa48 dropped at 01.16	59	4.4 %
-201	IntCompStat = 4; missed interview	120	8.9 %

Value	Label	Unweighted Frequency	%
-101	ARSMA skipped: S5ARMSA_MexAm=NO	921	68.0 %
-9	Dont Know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 252 valid cases out of 1,354 total cases.

Location: 1549-1552 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S5ARMSA37: S5 ARSMA: Difficult accept some Mexican ideas

Value	Label	Unweighted Frequency	%
1	Not at all	151	11.2 %
2	Very little or not very often	45	3.3 %
3	Moderately	44	3.2 %
4	More or very often	7	0.5 %
5	Extremely often or almost always	5	0.4 %
	Missing Data		
-400	S5Armsa30 to S5Armsa48 dropped at 01.16	59	4.4 %
-201	IntCompStat = 4; missed interview	120	8.9 %
-101	ARSMA skipped: S5ARMSA_MexAm=NO	921	68.0 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 252 valid cases out of 1,354 total cases.

Location: 1553-1556 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S5ARMSA38: S5 ARSMA: Difficult accept some Mexican attitudes

Value	Label	Unweighted Frequency	%
1	Not at all	137	10.1 %
2	Very little or not very often	48	3.5 %
3	Moderately	47	3.5 %
4	More or very often	14	1.0 %
5	Extremely often or almost always	6	0.4 %
	Missing Data		
-400	S5Armsa30 to S5Armsa48 dropped at 01.16	59	4.4 %
-201	IntCompStat = 4; missed interview	120	8.9 %
-101	ARSMA skipped: S5ARMSA_MexAm=NO	921	68.0 %

Value	Label	Unweighted Frequency	%
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 252 valid cases out of 1,354 total cases.

Location: 1557-1560 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S5ARMSA39: S5 ARSMA: Difficult accept some Mexican behaviors

Value	Label	Unweighted Frequency	%
1	Not at all	139	10.3 %
2	Very little or not very often	50	3.7 %
3	Moderately	43	3.2 %
4	More or very often	15	1.1 %
5	Extremely often or almost always	5	0.4 %
	Missing Data		
-400	S5Armsa30 to S5Armsa48 dropped at 01.16	59	4.4 %
-201	IntCompStat = 4; missed interview	120	8.9 %
-101	ARSMA skipped: S5ARMSA_MexAm=NO	921	68.0 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 252 valid cases out of 1,354 total cases.

Location: 1561-1564 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S5ARMSA40: S5 ARSMA: Difficult accept some Mexican values

Value	Label	Unweighted Frequency	%
1	Not at all	151	11.2 %
2	Very little or not very often	55	4.1 %
3	Moderately	31	2.3 %
4	More or very often	11	0.8 %
5	Extremely often or almost always	4	0.3 %
	Missing Data		
-400	S5Armsa30 to S5Armsa48 dropped at 01.16	59	4.4 %
-201	IntCompStat = 4; missed interview	120	8.9 %
-101	ARSMA skipped: S5ARMSA_MexAm=NO	921	68.0 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 252 valid cases out of 1,354 total cases.

Location: 1565-1568 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S5ARMSA41: S5 ARSMA: Difficult accept some Mexican customs

Value	Label	Unweighted Frequency	%
1	Not at all	167	12.3 %
2	Very little or not very often	48	3.5 %
3	Moderately	27	2.0 %
4	More or very often	6	0.4 %
5	Extremely often or almost always	4	0.3 %
	Missing Data		
-400	S5Armsa30 to S5Armsa48 dropped at 01.16	59	4.4 %
-201	IntCompStat = 4; missed interview	120	8.9 %
-101	ARSMA skipped: S5ARMSA_MexAm=NO	921	68.0 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 252 valid cases out of 1,354 total cases.

Location: 1569-1572 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S5ARMSA42: S5 ARSMA: Difficult accept Mexicans as close friends

Value	Label	Unweighted Frequency	%
1	Not at all	202	14.9 %
2	Very little or not very often	29	2.1 %
3	Moderately	14	1.0 %
4	More or very often	5	0.4 %
5	Extremely often or almost always	2	0.1 %
	Missing Data		
-400	S5Armsa30 to S5Armsa48 dropped at 01.16	59	4.4 %
-201	IntCompStat = 4; missed interview	120	8.9 %
-101	ARSMA skipped: S5ARMSA_MexAm=NO	921	68.0 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 252 valid cases out of 1,354 total cases.

Location: 1573-1576 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S5ARMSA43: S5 ARSMA: Difficult accept ideas of Mex Amer

Value	Label	Unweighted Frequency	%
1	Not at all	167	12.3 %
2	Very little or not very often	45	3.3 %
3	Moderately	28	2.1 %
4	More or very often	9	0.7 %
5	Extremely often or almost always	3	0.2 %
	Missing Data		
-400	S5Armsa30 to S5Armsa48 dropped at 01.16	59	4.4 %
-201	IntCompStat = 4; missed interview	120	8.9 %
-101	ARSMA skipped: S5ARMSA_MexAm=NO	921	68.0 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 252 valid cases out of 1,354 total cases.

Location: 1577-1580 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S5ARMSA44: S5 ARSMA: Difficult accept attitudes of Mex Amer

Value	Label	Unweighted Frequency	%
1	Not at all	154	11.4 %
2	Very little or not very often	53	3.9 %
3	Moderately	33	2.4 %
4	More or very often	8	0.6 %
5	Extremely often or almost always	4	0.3 %
	Missing Data		
-400	S5Armsa30 to S5Armsa48 dropped at 01.16	59	4.4 %
-201	IntCompStat = 4; missed interview	120	8.9 %
-101	ARSMA skipped: S5ARMSA_MexAm=NO	921	68.0 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 252 valid cases out of 1,354 total cases.

Location: 1581-1584 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S5ARMSA45: S5 ARSMA: Difficult accept behaviors of Mex Amer

Value	Label	Unweighted Frequency	%
1	Not at all	153	11.3 %
2	Very little or not very often	54	4.0 %
3	Moderately	32	2.4 %
4	More or very often	8	0.6 %
5	Extremely often or almost always	5	0.4 %
	Missing Data		
-400	S5Armsa30 to S5Armsa48 dropped at 01.16	59	4.4 %
-201	IntCompStat = 4; missed interview	120	8.9 %
-101	ARSMA skipped: S5ARMSA_MexAm=NO	921	68.0 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 252 valid cases out of 1,354 total cases.

Location: 1585-1588 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S5ARMSA46: S5 ARSMA: Difficult accept values of Mex Amer

Value	Label	Unweighted Frequency	%
1	Not at all	169	12.5 %
2	Very little or not very often	51	3.8 %
3	Moderately	26	1.9 %
4	More or very often	4	0.3 %
5	Extremely often or almost always	2	0.1 %
	Missing Data		
-400	S5Armsa30 to S5Armsa48 dropped at 01.16	59	4.4 %
-201	IntCompStat = 4; missed interview	120	8.9 %
-101	ARSMA skipped: S5ARMSA_MexAm=NO	921	68.0 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 252 valid cases out of 1,354 total cases.

Location: 1589-1592 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S5ARMSA47: S5 ARSMA: Difficult accept customs of Mex Amer

Value	Label	Unweighted Frequency	%
1	Not at all	174	12.9 %
2	Very little or not very often	47	3.5 %

Value	Label	Unweighted Frequency	%
3	Moderately	27	2.0 %
4	More or very often	2	0.1 %
5	Extremely often or almost always	2	0.1 %
	Missing Data		
-400	S5Armsa30 to S5Armsa48 dropped at 01.16	59	4.4 %
-201	IntCompStat = 4; missed interview	120	8.9 %
-101	ARSMA skipped: S5ARMSA_MexAm=NO	921	68.0 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 252 valid cases out of 1,354 total cases.

Location: 1593-1596 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S5ARMSA48: S5 ARSMA: Difficult accept Mex Amer as close friends

Value	Label	Unweighted Frequency	%
1	Not at all	227	16.8 %
2	Very little or not very often	38	2.8 %
3	Moderately	14	1.0 %
4	More or very often	2	0.1 %
5	Extremely often or almost always	3	0.2 %
	Missing Data		
-400	S5Armsa30 to S5Armsa48 dropped at 01.16	19	1.4 %
-201	IntCompStat = 4; missed interview	120	8.9 %
-101	ARSMA skipped: S5ARMSA_MexAm=NO	921	68.0 %
-9	Dont Know	10	0.7 %
	Total	**1,354**	**100%**

Based upon 284 valid cases out of 1,354 total cases.

Location: 1597-1600 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S5AOS: S5 ARSMA: Anglo Orientation Subscale

Based upon 313 valid cases out of 1,354 total cases.

- Mean: 4.0428986349
- Median: 4.0000000000
- Mode: 3.9090909091
- Minimum: 2.2727272727
- Maximum: 5.0000000000

- Standard Deviation: 0.5335777823

Location: 1601-1615 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S5ANGAFF: S5 ARSMA: Anglo Affiliation Subscale

Based upon 313 valid cases out of 1,354 total cases.

- Mean: 2.8817891374
- Median: 3.0000000000
- Mode: 3.0000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 1.0513245923

Location: 1616-1630 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S5ENGLNG: S5 ARSMA: English Language Subscale

Based upon 313 valid cases out of 1,354 total cases.

- Mean: 4.4785486079
- Median: 4.6250000000
- Mode: 5.0000000000
- Minimum: 2.5000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.5567602819

Location: 1631-1645 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S5MOS: S5 ARSMA: Mexican Orientation Subscale

Based upon 313 valid cases out of 1,354 total cases.

- Mean: 3.0235259948
- Median: 2.8333333333
- Mode: 5.0000000000
- Minimum: 1.0833333333
- Maximum: 5.0000000000
- Standard Deviation: 1.0525691654

Location: 1646-1660 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S5MEXAFF: S5 ARSMA: Mexican Affiliation Subscale

Based upon 313 valid cases out of 1,354 total cases.

- Mean: 4.2790202343
- Median: 4.3333333333
- Mode: 5.0000000000
- Minimum: 1.3333333333
- Maximum: 5.0000000000
- Standard Deviation: 0.7662508385

Location: 1661-1675 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S5SPALNG: S5 ARSMA: Spanish Language Subscale

Based upon 313 valid cases out of 1,354 total cases.

- Mean: 2.6053869365
- Median: 2.3333333333
- Mode: 1.0000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 1.2835950804

Location: 1676-1690 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S6ARMSA_MEXAM: S6 ARSMA: Consider yourself to be Mexican American

Value	Label	Unweighted Frequency	%
1	Yes	318	23.5 %
5	No	914	67.5 %
	Missing Data		
-201	IntCompStat = 4; missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 1691-1694 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S6ARMSA01: S6 ARSMA: Speak Spanish

Value	Label	Unweighted Frequency	%
1	Not at all	65	4.8 %
2	Very little or not very often	66	4.9 %
3	Moderately	47	3.5 %
4	More or very often	45	3.3 %

Value	Label	Unweighted Frequency	%
5	Extremely often or almost always	94	6.9 %
	Missing Data		
-201	IntCompStat = 4; missed interview	122	9.0 %
-101	ARSMA skipped: S6ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 317 valid cases out of 1,354 total cases.

Location: 1695-1698 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S6ARMSA02: S6 ARSMA: Speak English

Value	Label	Unweighted Frequency	%
1	Not at all	1	0.1 %
2	Very little or not very often	2	0.1 %
3	Moderately	27	2.0 %
4	More or very often	45	3.3 %
5	Extremely often or almost always	242	17.9 %
	Missing Data		
-201	IntCompStat = 4; missed interview	122	9.0 %
-101	ARSMA skipped: S6ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 317 valid cases out of 1,354 total cases.

Location: 1699-1702 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S6ARMSA03: S6 ARSMA: Enjoy speaking Spanish

Value	Label	Unweighted Frequency	%
1	Not at all	77	5.7 %
2	Very little or not very often	41	3.0 %
3	Moderately	53	3.9 %
4	More or very often	45	3.3 %
5	Extremely often or almost always	100	7.4 %
	Missing Data		
-201	IntCompStat = 4; missed interview	122	9.0 %
-101	ARSMA skipped: S6ARMSA_MexAm=NO	914	67.5 %

Value	Label	Unweighted Frequency	%
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 316 valid cases out of 1,354 total cases.

Location: 1703-1706 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S6ARMSA04: S6 ARSMA: Associate w/anglos

Value	Label	Unweighted Frequency	%
1	Not at all	39	2.9 %
2	Very little or not very often	42	3.1 %
3	Moderately	93	6.9 %
4	More or very often	63	4.7 %
5	Extremely often or almost always	80	5.9 %
	Missing Data		
-201	IntCompStat = 4; missed interview	122	9.0 %
-101	ARSMA skipped: S6ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 317 valid cases out of 1,354 total cases.

Location: 1707-1710 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S6ARMSA05: S6 ARSMA: Associate w/Mexicans/Mex Americans

Value	Label	Unweighted Frequency	%
1	Not at all	3	0.2 %
2	Very little or not very often	8	0.6 %
3	Moderately	44	3.2 %
4	More or very often	71	5.2 %
5	Extremely often or almost always	190	14.0 %
	Missing Data		
-201	IntCompStat = 4; missed interview	122	9.0 %
-101	ARSMA skipped: S6ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 316 valid cases out of 1,354 total cases.

Location: 1711-1714 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S6ARMSA06: S6 ARSMA: Enjoy Spanish language music

Value	Label	Unweighted Frequency	%
1	Not at all	90	6.6 %
2	Very little or not very often	50	3.7 %
3	Moderately	44	3.2 %
4	More or very often	35	2.6 %
5	Extremely often or almost always	98	7.2 %
	Missing Data		
-201	IntCompStat = 4; missed interview	122	9.0 %
-101	ARSMA skipped: S6ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 317 valid cases out of 1,354 total cases.

Location: 1715-1718 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S6ARMSA07: S6 ARSMA: Enjoy English speak music

Value	Label	Unweighted Frequency	%
1	Not at all	3	0.2 %
2	Very little or not very often	6	0.4 %
3	Moderately	26	1.9 %
4	More or very often	51	3.8 %
5	Extremely often or almost always	230	17.0 %
	Missing Data		
-201	IntCompStat = 4; missed interview	122	9.0 %
-101	ARSMA skipped: S6ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 316 valid cases out of 1,354 total cases.

Location: 1719-1722 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S6ARMSA08: S6 ARSMA: Enjoy Spanish language TV

Value	Label	Unweighted Frequency	%
1	Not at all	106	7.8 %
2	Very little or not very often	49	3.6 %
3	Moderately	40	3.0 %
4	More or very often	36	2.7 %
5	Extremely often or almost always	86	6.4 %
	Missing Data		
-201	IntCompStat = 4; missed interview	122	9.0 %
-101	ARSMA skipped: S6ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 317 valid cases out of 1,354 total cases.

Location: 1723-1726 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S6ARMSA09: S6 ARSMA: Enjoy English language TV

Value	Label	Unweighted Frequency	%
1	Not at all	4	0.3 %
2	Very little or not very often	9	0.7 %
3	Moderately	25	1.8 %
4	More or very often	41	3.0 %
5	Extremely often or almost always	238	17.6 %
	Missing Data		
-201	IntCompStat = 4; missed interview	122	9.0 %
-101	ARSMA skipped: S6ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 317 valid cases out of 1,354 total cases.

Location: 1727-1730 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S6ARMSA10: S6 ARSMA: Enjoy English langguage movies

Value	Label	Unweighted Frequency	%
1	Not at all	5	0.4 %
2	Very little or not very often	7	0.5 %
3	Moderately	20	1.5 %
4	More or very often	41	3.0 %

Value	Label	Unweighted Frequency	%
5	Extremely often or almost always	244	18.0 %
	Missing Data		
-201	IntCompStat = 4; missed interview	122	9.0 %
-101	ARSMA skipped: S6ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 317 valid cases out of 1,354 total cases.

Location: 1731-1734 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S6ARMSA11: S6 ARSMA: Enjoy Spanish language movies

Value	Label	Unweighted Frequency	%
1	Not at all	135	10.0 %
2	Very little or not very often	47	3.5 %
3	Moderately	43	3.2 %
4	More or very often	23	1.7 %
5	Extremely often or almost always	69	5.1 %
	Missing Data		
-201	IntCompStat = 4; missed interview	122	9.0 %
-101	ARSMA skipped: S6ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 317 valid cases out of 1,354 total cases.

Location: 1735-1738 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S6ARMSA12: S6 ARSMA: Enjoy reading Spanish books

Value	Label	Unweighted Frequency	%
1	Not at all	192	14.2 %
2	Very little or not very often	33	2.4 %
3	Moderately	34	2.5 %
4	More or very often	10	0.7 %
5	Extremely often or almost always	48	3.5 %
	Missing Data		
-201	IntCompStat = 4; missed interview	122	9.0 %
-101	ARSMA skipped: S6ARMSA_MexAm=NO	914	67.5 %

Value	Label	Unweighted Frequency	%
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 317 valid cases out of 1,354 total cases.

Location: 1739-1742 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S6ARMSA13: S6 ARSMA: Enjoy reading English books

Value	Label	Unweighted Frequency	%
1	Not at all	46	3.4 %
2	Very little or not very often	18	1.3 %
3	Moderately	50	3.7 %
4	More or very often	53	3.9 %
5	Extremely often or almost always	150	11.1 %
	Missing Data		
-201	IntCompStat = 4; missed interview	122	9.0 %
-101	ARSMA skipped: S6ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 317 valid cases out of 1,354 total cases.

Location: 1743-1746 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S6ARMSA14: S6 ARSMA: Write letters in Spanish

Value	Label	Unweighted Frequency	%
1	Not at all	169	12.5 %
2	Very little or not very often	40	3.0 %
3	Moderately	31	2.3 %
4	More or very often	20	1.5 %
5	Extremely often or almost always	57	4.2 %
	Missing Data		
-201	IntCompStat = 4; missed interview	122	9.0 %
-101	ARSMA skipped: S6ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 317 valid cases out of 1,354 total cases.

Location: 1747-1750 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S6ARMSA15: S6 ARSMA: Write letters in English

Value	Label	Unweighted Frequency	%
1	Not at all	19	1.4 %
2	Very little or not very often	17	1.3 %
3	Moderately	42	3.1 %
4	More or very often	62	4.6 %
5	Extremely often or almost always	177	13.1 %
	Missing Data		
-201	IntCompStat = 4; missed interview	122	9.0 %
-101	ARSMA skipped: S6ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 317 valid cases out of 1,354 total cases.

Location: 1751-1754 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S6ARMSA16: S6 ARSMA: Think in English

Value	Label	Unweighted Frequency	%
1	Not at all	8	0.6 %
2	Very little or not very often	5	0.4 %
3	Moderately	37	2.7 %
4	More or very often	60	4.4 %
5	Extremely often or almost always	207	15.3 %
	Missing Data		
-201	IntCompStat = 4; missed interview	122	9.0 %
-101	ARSMA skipped: S6ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 317 valid cases out of 1,354 total cases.

Location: 1755-1758 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S6ARMSA17: S6 ARSMA: Think in Spanish

Value	Label	Unweighted Frequency	%
1	Not at all	142	10.5 %
2	Very little or not very often	45	3.3 %
3	Moderately	44	3.2 %
4	More or very often	29	2.1 %
5	Extremely often or almost always	57	4.2 %
	Missing Data		
-201	IntCompStat = 4; missed interview	122	9.0 %
-101	ARSMA skipped: S6ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 317 valid cases out of 1,354 total cases.

Location: 1759-1762 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S6ARMSA18: S6 ARSMA: Contact with Mexico

Value	Label	Unweighted Frequency	%
1	Not at all	161	11.9 %
2	Very little or not very often	55	4.1 %
3	Moderately	32	2.4 %
4	More or very often	20	1.5 %
5	Extremely often or almost always	49	3.6 %
	Missing Data		
-201	IntCompStat = 4; missed interview	122	9.0 %
-101	ARSMA skipped: S6ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 317 valid cases out of 1,354 total cases.

Location: 1763-1766 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S6ARMSA19: S6 ARSMA: Contact with USA

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	7	0.5 %
4	More or very often	31	2.3 %

Value	Label	Unweighted Frequency	%
5	Extremely often or almost always	279	20.6 %
	Missing Data		
-201	IntCompStat = 4; missed interview	122	9.0 %
-101	ARSMA skipped: S6ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 317 valid cases out of 1,354 total cases.

Location: 1767-1770 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S6ARMSA20: S6 ARSMA: Father is Mexicano

Value	Label	Unweighted Frequency	%
1	Not at all	37	2.7 %
2	Very little or not very often	10	0.7 %
3	Moderately	7	0.5 %
4	More or very often	34	2.5 %
5	Extremely often or almost always	216	16.0 %
	Missing Data		
-201	IntCompStat = 4; missed interview	122	9.0 %
-101	ARSMA skipped: S6ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	14	1.0 %
	Total	**1,354**	**100%**

Based upon 304 valid cases out of 1,354 total cases.

Location: 1771-1774 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S6ARMSA21: S6 ARSMA: Mother is Mexicano

Value	Label	Unweighted Frequency	%
1	Not at all	60	4.4 %
2	Very little or not very often	12	0.9 %
3	Moderately	14	1.0 %
4	More or very often	27	2.0 %
5	Extremely often or almost always	199	14.7 %
	Missing Data		
-201	IntCompStat = 4; missed interview	122	9.0 %
-101	ARSMA skipped: S6ARMSA_MexAm=NO	914	67.5 %

Value	Label	Unweighted Frequency	%
-9	Dont Know	6	0.4 %
	Total	**1,354**	**100%**

Based upon 312 valid cases out of 1,354 total cases.

Location: 1775-1778 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S6ARMSA22: S6 ARSMA: Friends were Mexican

Value	Label	Unweighted Frequency	%
1	Not at all	7	0.5 %
2	Very little or not very often	14	1.0 %
3	Moderately	64	4.7 %
4	More or very often	65	4.8 %
5	Extremely often or almost always	166	12.3 %
	Missing Data		
-201	IntCompStat = 4; missed interview	122	9.0 %
-101	ARSMA skipped: S6ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 316 valid cases out of 1,354 total cases.

Location: 1779-1782 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S6ARMSA23: S6 ARSMA: Friends were Anglo

Value	Label	Unweighted Frequency	%
1	Not at all	59	4.4 %
2	Very little or not very often	81	6.0 %
3	Moderately	115	8.5 %
4	More or very often	32	2.4 %
5	Extremely often or almost always	29	2.1 %
	Missing Data		
-201	IntCompStat = 4; missed interview	122	9.0 %
-101	ARSMA skipped: S6ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 316 valid cases out of 1,354 total cases.

Location: 1783-1786 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S6ARMSA24: S6 ARSMA: Family cooks Mexican food

Value	Label	Unweighted Frequency	%
1	Not at all	6	0.4 %
2	Very little or not very often	8	0.6 %
3	Moderately	30	2.2 %
4	More or very often	60	4.4 %
5	Extremely often or almost always	213	15.7 %
	Missing Data		
-201	IntCompStat = 4; missed interview	122	9.0 %
-101	ARSMA skipped: S6ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 317 valid cases out of 1,354 total cases.

Location: 1787-1790 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S6ARMSA25: S6 ARSMA: Friends now are Anglo

Value	Label	Unweighted Frequency	%
1	Not at all	72	5.3 %
2	Very little or not very often	68	5.0 %
3	Moderately	117	8.6 %
4	More or very often	31	2.3 %
5	Extremely often or almost always	28	2.1 %
	Missing Data		
-201	IntCompStat = 4; missed interview	122	9.0 %
-101	ARSMA skipped: S6ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 316 valid cases out of 1,354 total cases.

Location: 1791-1794 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S6ARMSA26: S6 ARSMA: Friends now are Mexican

Value	Label	Unweighted Frequency	%
1	Not at all	7	0.5 %
2	Very little or not very often	11	0.8 %
3	Moderately	64	4.7 %
4	More or very often	69	5.1 %
5	Extremely often or almost always	165	12.2 %
	Missing Data		
-201	IntCompStat = 4; missed interview	122	9.0 %
-101	ARSMA skipped: S6ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 316 valid cases out of 1,354 total cases.

Location: 1795-1798 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S6ARMSA27: S6 ARSMA: Identify self as Anglo American

Value	Label	Unweighted Frequency	%
1	Not at all	257	19.0 %
2	Very little or not very often	24	1.8 %
3	Moderately	20	1.5 %
4	More or very often	7	0.5 %
5	Extremely often or almost always	7	0.5 %
	Missing Data		
-201	IntCompStat = 4; missed interview	122	9.0 %
-101	ARSMA skipped: S6ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 315 valid cases out of 1,354 total cases.

Location: 1799-1802 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S6ARMSA28: S6 ARSMA: Identify as Mexican American

Value	Label	Unweighted Frequency	%
1	Not at all	29	2.1 %
2	Very little or not very often	15	1.1 %
3	Moderately	23	1.7 %
4	More or very often	46	3.4 %

Value	Label	Unweighted Frequency	%
5	Extremely often or almost always	202	14.9 %
	Missing Data		
-201	IntCompStat = 4; missed interview	122	9.0 %
-101	ARSMA skipped: S6ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 315 valid cases out of 1,354 total cases.

Location: 1803-1806 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S6ARMSA29: S6 ARSMA: Identify as Mexican

Value	Label	Unweighted Frequency	%
1	Not at all	44	3.2 %
2	Very little or not very often	26	1.9 %
3	Moderately	44	3.2 %
4	More or very often	44	3.2 %
5	Extremely often or almost always	157	11.6 %
	Missing Data		
-201	IntCompStat = 4; missed interview	122	9.0 %
-101	ARSMA skipped: S6ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 315 valid cases out of 1,354 total cases.

Location: 1807-1810 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S6ARMSA30: S6 ARSMA: Identify as American

Value	Label	Unweighted Frequency	%
1	Not at all	24	1.8 %
2	Very little or not very often	11	0.8 %
3	Moderately	24	1.8 %
4	More or very often	18	1.3 %
5	Extremely often or almost always	69	5.1 %
	Missing Data		
-400	S6Armsa30 to S6Armsa48 dropped at 01.16	172	12.7 %
-201	IntCompStat = 4; missed interview	122	9.0 %

Value	Label	Unweighted Frequency	%
-101	ARSMA skipped: S6ARMSA_MexAm=NO	914	67.5 %
	Total	**1,354**	**100%**

Based upon 146 valid cases out of 1,354 total cases.

Location: 1811-1814 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S6ARMSA31: S6 ARSMA: Difficult accept some Anglo ideas

Value	Label	Unweighted Frequency	%
1	Not at all	71	5.2 %
2	Very little or not very often	34	2.5 %
3	Moderately	24	1.8 %
4	More or very often	9	0.7 %
5	Extremely often or almost always	3	0.2 %
	Missing Data		
-400	S6Armsa30 to S6Armsa48 dropped at 01.16	172	12.7 %
-201	IntCompStat = 4; missed interview	122	9.0 %
-101	ARSMA skipped: S6ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	5	0.4 %
	Total	**1,354**	**100%**

Based upon 141 valid cases out of 1,354 total cases.

Location: 1815-1818 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S6ARMSA32: S6 ARSMA: Difficult accept some Anglo attitudes

Value	Label	Unweighted Frequency	%
1	Not at all	63	4.7 %
2	Very little or not very often	37	2.7 %
3	Moderately	32	2.4 %
4	More or very often	5	0.4 %
5	Extremely often or almost always	4	0.3 %
	Missing Data		
-400	S6Armsa30 to S6Armsa48 dropped at 01.16	172	12.7 %
-201	IntCompStat = 4; missed interview	122	9.0 %
-101	ARSMA skipped: S6ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	5	0.4 %
	Total	**1,354**	**100%**

Based upon 141 valid cases out of 1,354 total cases.

Location: 1819-1822 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S6ARMSA33: S6 ARSMA: Difficult accept some Anglo behaviors

Value	Label	Unweighted Frequency	%
1	Not at all	63	4.7 %
2	Very little or not very often	34	2.5 %
3	Moderately	32	2.4 %
4	More or very often	6	0.4 %
5	Extremely often or almost always	6	0.4 %
	Missing Data		
-400	S6Armsa30 to S6Armsa48 dropped at 01.16	172	12.7 %
-201	IntCompStat = 4; missed interview	122	9.0 %
-101	ARSMA skipped: S6ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	5	0.4 %
	Total	**1,354**	**100%**

Based upon 141 valid cases out of 1,354 total cases.

Location: 1823-1826 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S6ARMSA34: S6 ARSMA: Difficult accept some Anglo values

Value	Label	Unweighted Frequency	%
1	Not at all	73	5.4 %
2	Very little or not very often	32	2.4 %
3	Moderately	27	2.0 %
4	More or very often	6	0.4 %
5	Extremely often or almost always	3	0.2 %
	Missing Data		
-400	S6Armsa30 to S6Armsa48 dropped at 01.16	172	12.7 %
-201	IntCompStat = 4; missed interview	122	9.0 %
-101	ARSMA skipped: S6ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	5	0.4 %
	Total	**1,354**	**100%**

Based upon 141 valid cases out of 1,354 total cases.

Location: 1827-1830 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S6ARMSA35: S6 ARSMA: Difficult accept some Anglo customs

Value	Label	Unweighted Frequency	%
1	Not at all	77	5.7 %
2	Very little or not very often	33	2.4 %
3	Moderately	22	1.6 %
4	More or very often	4	0.3 %
5	Extremely often or almost always	5	0.4 %
	Missing Data		
-400	S6Armsa30 to S6Armsa48 dropped at 01.16	172	12.7 %
-201	IntCompStat = 4; missed interview	122	9.0 %
-101	ARSMA skipped: S6ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	5	0.4 %
	Total	**1,354**	**100%**

Based upon 141 valid cases out of 1,354 total cases.

Location: 1831-1834 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S6ARMSA36: S6 ARSMA: Difficult accept Anglos as close friends

Value	Label	Unweighted Frequency	%
1	Not at all	95	7.0 %
2	Very little or not very often	33	2.4 %
3	Moderately	7	0.5 %
4	More or very often	4	0.3 %
5	Extremely often or almost always	2	0.1 %
	Missing Data		
-400	S6Armsa30 to S6Armsa48 dropped at 01.16	172	12.7 %
-201	IntCompStat = 4; missed interview	122	9.0 %
-101	ARSMA skipped: S6ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	5	0.4 %
	Total	**1,354**	**100%**

Based upon 141 valid cases out of 1,354 total cases.

Location: 1835-1838 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S6ARMSA37: S6 ARSMA: Difficult accept some Mexican ideas

Value	Label	Unweighted Frequency	%
1	Not at all	82	6.1 %
2	Very little or not very often	26	1.9 %
3	Moderately	28	2.1 %
4	More or very often	4	0.3 %
5	Extremely often or almost always	1	0.1 %
	Missing Data		
-400	S6Armsa30 to S6Armsa48 dropped at 01.16	172	12.7 %
-201	IntCompStat = 4; missed interview	122	9.0 %
-101	ARSMA skipped: S6ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	5	0.4 %
	Total	**1,354**	**100%**

Based upon 141 valid cases out of 1,354 total cases.

Location: 1839-1842 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S6ARMSA38: S6 ARSMA: Difficult accept some Mexican attitudes

Value	Label	Unweighted Frequency	%
1	Not at all	69	5.1 %
2	Very little or not very often	31	2.3 %
3	Moderately	29	2.1 %
4	More or very often	10	0.7 %
5	Extremely often or almost always	2	0.1 %
	Missing Data		
-400	S6Armsa30 to S6Armsa48 dropped at 01.16	172	12.7 %
-201	IntCompStat = 4; missed interview	122	9.0 %
-101	ARSMA skipped: S6ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	5	0.4 %
	Total	**1,354**	**100%**

Based upon 141 valid cases out of 1,354 total cases.

Location: 1843-1846 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S6ARMSA39: S6 ARSMA: Difficult accept some Mexican behaviors

Value	Label	Unweighted Frequency	%
1	Not at all	68	5.0 %
2	Very little or not very often	31	2.3 %

Value	Label	Unweighted Frequency	%
3	Moderately	30	2.2 %
4	More or very often	8	0.6 %
5	Extremely often or almost always	4	0.3 %
	Missing Data		
-400	S6Armsa30 to S6Armsa48 dropped at 01.16	172	12.7 %
-201	IntCompStat = 4; missed interview	122	9.0 %
-101	ARSMA skipped: S6ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	5	0.4 %
	Total	**1,354**	**100%**

Based upon 141 valid cases out of 1,354 total cases.

Location: 1847-1850 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S6ARMSA40: S6 ARSMA: Difficult accept some Mexican values

Value	Label	Unweighted Frequency	%
1	Not at all	85	6.3 %
2	Very little or not very often	27	2.0 %
3	Moderately	19	1.4 %
4	More or very often	10	0.7 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	S6Armsa30 to S6Armsa48 dropped at 01.16	172	12.7 %
-201	IntCompStat = 4; missed interview	122	9.0 %
-101	ARSMA skipped: S6ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	5	0.4 %
	Total	**1,354**	**100%**

Based upon 141 valid cases out of 1,354 total cases.

Location: 1851-1854 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S6ARMSA41: S6 ARSMA: Difficult accept some Mexican customs

Value	Label	Unweighted Frequency	%
1	Not at all	92	6.8 %
2	Very little or not very often	21	1.6 %
3	Moderately	22	1.6 %
4	More or very often	6	0.4 %

Value	Label	Unweighted Frequency	%
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	S6Armsa30 to S6Armsa48 dropped at 01.16	172	12.7 %
-201	IntCompStat = 4; missed interview	122	9.0 %
-101	ARSMA skipped: S6ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	5	0.4 %
	Total	**1,354**	**100%**

Based upon 141 valid cases out of 1,354 total cases.

Location: 1855-1858 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S6ARMSA42: S6 ARSMA: Difficult accept Mexicans as close friends

Value	Label	Unweighted Frequency	%
1	Not at all	112	8.3 %
2	Very little or not very often	20	1.5 %
3	Moderately	6	0.4 %
4	More or very often	3	0.2 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	S6Armsa30 to S6Armsa48 dropped at 01.16	172	12.7 %
-201	IntCompStat = 4; missed interview	122	9.0 %
-101	ARSMA skipped: S6ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	5	0.4 %
	Total	**1,354**	**100%**

Based upon 141 valid cases out of 1,354 total cases.

Location: 1859-1862 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S6ARMSA43: S6 ARSMA: Difficult accept ideas of Mex Amer

Value	Label	Unweighted Frequency	%
1	Not at all	94	6.9 %
2	Very little or not very often	26	1.9 %
3	Moderately	18	1.3 %
4	More or very often	3	0.2 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-400	S6Armsa30 to S6Armsa48 dropped at 01.16	172	12.7 %
-201	IntCompStat = 4; missed interview	122	9.0 %
-101	ARSMA skipped: S6ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	5	0.4 %
	Total	**1,354**	**100%**

Based upon 141 valid cases out of 1,354 total cases.

Location: 1863-1866 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S6ARMSA44: S6 ARSMA: Difficult accept attitudes of Mex Amer

Value	Label	Unweighted Frequency	%
1	Not at all	82	6.1 %
2	Very little or not very often	35	2.6 %
3	Moderately	19	1.4 %
4	More or very often	5	0.4 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	S6Armsa30 to S6Armsa48 dropped at 01.16	172	12.7 %
-201	IntCompStat = 4; missed interview	122	9.0 %
-101	ARSMA skipped: S6ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	5	0.4 %
	Total	**1,354**	**100%**

Based upon 141 valid cases out of 1,354 total cases.

Location: 1867-1870 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S6ARMSA45: S6 ARSMA: Difficult accept behaviors of Mex Amer

Value	Label	Unweighted Frequency	%
1	Not at all	81	6.0 %
2	Very little or not very often	31	2.3 %
3	Moderately	20	1.5 %
4	More or very often	9	0.7 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	S6Armsa30 to S6Armsa48 dropped at 01.16	172	12.7 %
-201	IntCompStat = 4; missed interview	122	9.0 %

Value	Label	Unweighted Frequency	%
-101	ARSMA skipped: S6ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	5	0.4 %
	Total	**1,354**	**100%**

Based upon 141 valid cases out of 1,354 total cases.

Location: 1871-1874 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S6ARMSA46: S6 ARSMA: Difficult accept values of Mex Amer

Value	Label	Unweighted Frequency	%
1	Not at all	90	6.6 %
2	Very little or not very often	27	2.0 %
3	Moderately	20	1.5 %
4	More or very often	3	0.2 %
5	Extremely often or almost always	1	0.1 %
	Missing Data		
-400	S6Armsa30 to S6Armsa48 dropped at 01.16	172	12.7 %
-201	IntCompStat = 4; missed interview	122	9.0 %
-101	ARSMA skipped: S6ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	5	0.4 %
	Total	**1,354**	**100%**

Based upon 141 valid cases out of 1,354 total cases.

Location: 1875-1878 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S6ARMSA47: S6 ARSMA: Difficult accept customs of Mex Amer

Value	Label	Unweighted Frequency	%
1	Not at all	97	7.2 %
2	Very little or not very often	26	1.9 %
3	Moderately	14	1.0 %
4	More or very often	4	0.3 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	S6Armsa30 to S6Armsa48 dropped at 01.16	172	12.7 %
-201	IntCompStat = 4; missed interview	122	9.0 %
-101	ARSMA skipped: S6ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	5	0.4 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 141 valid cases out of 1,354 total cases.

Location: 1879-1882 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S6ARMSA48: S6 ARSMA: Difficult accept Mex Amer as close friends

Value	Label	Unweighted Frequency	%
1	Not at all	145	10.7 %
2	Very little or not very often	24	1.8 %
3	Moderately	5	0.4 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	3	0.2 %
	Missing Data		
-400	S6Armsa30 to S6Armsa48 dropped at 01.16	131	9.7 %
-201	IntCompStat = 4; missed interview	122	9.0 %
-101	ARSMA skipped: S6ARMSA_MexAm=NO	914	67.5 %
-9	Dont Know	10	0.7 %
	Total	**1,354**	**100%**

Based upon 177 valid cases out of 1,354 total cases.

Location: 1883-1886 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S6AOS: S6 ARSMA: Anglo Orientation Subscale

Based upon 317 valid cases out of 1,354 total cases.

- Mean: 4.0188700889
- Median: 4.0909090909
- Mode: 3.9090909091
- Minimum: 1.7272727273
- Maximum: 5.0000000000
- Standard Deviation: 0.5587837675

Location: 1887-1901 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S6ANGAFF: S6 ARSMA: Anglo Affiliation Subscale

Based upon 317 valid cases out of 1,354 total cases.

- Mean: 2.8611987382
- Median: 3.0000000000
- Mode: 3.0000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 1.0408388610

Location: 1902-1916 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S6ENGLNG: S6 ARSMA: English Language Subscale

Based upon 317 valid cases out of 1,354 total cases.

- Mean: 4.4522307346
- Median: 4.6250000000
- Mode: 5.0000000000
- Minimum: 2.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.6074332597

Location: 1917-1931 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S6MOS: S6 ARSMA: Mexican Orientation Subscale

Based upon 317 valid cases out of 1,354 total cases.

- Mean: 3.0151515152
- Median: 2.8333333333
- Mode: 5.0000000000
- Minimum: 1.1666666667
- Maximum: 5.0000000000
- Standard Deviation: 1.0723107839

Location: 1932-1946 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S6MEXAFF: S6 ARSMA: Mexican Affiliation Subscale

Based upon 317 valid cases out of 1,354 total cases.

- Mean: 4.2439537329
- Median: 4.3333333333
- Mode: 5.0000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.8221203851

Location: 1947-1961 (width: 15; decimal: 10)
Variable Type: numeric

(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S6SPALNG: S6 ARSMA: Spanish Language Subscale

Based upon 317 valid cases out of 1,354 total cases.

- Mean: 2.6063792499
- Median: 2.3333333333
- Mode: 1.0000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 1.3029933424

Location: 1962-1976 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S7ARMSA_MEXAM: S7 ARSMA: Consider yourself to be Mexican American

Value	Label	Unweighted Frequency	%
1	Yes	318	23.5 %
5	No	896	66.2 %
	Missing Data		
-201	IntCompStat = 4; missed interview	139	10.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,214 valid cases out of 1,354 total cases.

Location: 1977-1980 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S7ARMSA01: S7 ARSMA: Speak Spanish

Value	Label	Unweighted Frequency	%
1	Not at all	65	4.8 %
2	Very little or not very often	51	3.8 %
3	Moderately	61	4.5 %
4	More or very often	41	3.0 %
5	Extremely often or almost always	98	7.2 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-201	IntCompStat = 4; missed interview	139	10.3 %
-101	ARSMA skipped: S7ARMSA_MexAm=NO	897	66.2 %
-9	Dont Know	1	0.1 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 316 valid cases out of 1,354 total cases.

Location: 1981-1984 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S7ARMSA02: S7 ARSMA: Speak English

Value	Label	Unweighted Frequency	%
1	Not at all	1	0.1 %
2	Very little or not very often	4	0.3 %
3	Moderately	23	1.7 %
4	More or very often	40	3.0 %
5	Extremely often or almost always	248	18.3 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-201	IntCompStat = 4; missed interview	139	10.3 %
-101	ARSMA skipped: S7ARMSA_MexAm=NO	897	66.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 316 valid cases out of 1,354 total cases.

Location: 1985-1988 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S7ARMSA03: S7 ARSMA: Enjoy speaking Spanish

Value	Label	Unweighted Frequency	%
1	Not at all	70	5.2 %
2	Very little or not very often	47	3.5 %
3	Moderately	53	3.9 %
4	More or very often	35	2.6 %
5	Extremely often or almost always	110	8.1 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-201	IntCompStat = 4; missed interview	139	10.3 %
-101	ARSMA skipped: S7ARMSA_MexAm=NO	897	66.2 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 315 valid cases out of 1,354 total cases.

Location: 1989-1992 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S7ARMSA04: S7 ARSMA: Associate w/anglos

Value	Label	Unweighted Frequency	%
1	Not at all	35	2.6 %
2	Very little or not very often	37	2.7 %
3	Moderately	99	7.3 %
4	More or very often	54	4.0 %
5	Extremely often or almost always	91	6.7 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-201	IntCompStat = 4; missed interview	139	10.3 %
-101	ARSMA skipped: S7ARMSA_MexAm=NO	897	66.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 316 valid cases out of 1,354 total cases.

Location: 1993-1996 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S7ARMSA05: S7 ARSMA: Associate w/Mexicans/Mex Americans

Value	Label	Unweighted Frequency	%
1	Not at all	1	0.1 %
2	Very little or not very often	4	0.3 %
3	Moderately	43	3.2 %
4	More or very often	75	5.5 %
5	Extremely often or almost always	193	14.3 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-201	IntCompStat = 4; missed interview	139	10.3 %
-101	ARSMA skipped: S7ARMSA_MexAm=NO	897	66.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 316 valid cases out of 1,354 total cases.

Location: 1997-2000 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S7ARMSA06: S7 ARSMA: Enjoy Spanish language music

Value	Label	Unweighted Frequency	%
1	Not at all	75	5.5 %
2	Very little or not very often	39	2.9 %
3	Moderately	48	3.5 %
4	More or very often	36	2.7 %
5	Extremely often or almost always	118	8.7 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-201	IntCompStat = 4; missed interview	139	10.3 %
-101	ARSMA skipped: S7ARMSA_MexAm=NO	897	66.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 316 valid cases out of 1,354 total cases.

Location: 2001-2004 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S7ARMSA07: S7 ARSMA: Enjoy English speak music

Value	Label	Unweighted Frequency	%
1	Not at all	1	0.1 %
2	Very little or not very often	6	0.4 %
3	Moderately	23	1.7 %
4	More or very often	53	3.9 %
5	Extremely often or almost always	233	17.2 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-201	IntCompStat = 4; missed interview	139	10.3 %
-101	ARSMA skipped: S7ARMSA_MexAm=NO	897	66.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 316 valid cases out of 1,354 total cases.

Location: 2005-2008 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S7ARMSA08: S7 ARSMA: Enjoy Spanish language TV

Value	Label	Unweighted Frequency	%
1	Not at all	98	7.2 %
2	Very little or not very often	54	4.0 %
3	Moderately	43	3.2 %
4	More or very often	24	1.8 %
5	Extremely often or almost always	97	7.2 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-201	IntCompStat = 4; missed interview	139	10.3 %
-101	ARSMA skipped: S7ARMSA_MexAm=NO	897	66.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 316 valid cases out of 1,354 total cases.

Location: 2009-2012 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S7ARMSA09: S7 ARSMA: Enjoy English language TV

Value	Label	Unweighted Frequency	%
1	Not at all	4	0.3 %
2	Very little or not very often	8	0.6 %
3	Moderately	20	1.5 %
4	More or very often	44	3.2 %
5	Extremely often or almost always	240	17.7 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-201	IntCompStat = 4; missed interview	139	10.3 %
-101	ARSMA skipped: S7ARMSA_MexAm=NO	897	66.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 316 valid cases out of 1,354 total cases.

Location: 2013-2016 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S7ARMSA10: S7 ARSMA: Enjoy English langguage movies

Value	Label	Unweighted Frequency	%
1	Not at all	1	0.1 %
2	Very little or not very often	3	0.2 %

Value	Label	Unweighted Frequency	%
3	Moderately	19	1.4 %
4	More or very often	42	3.1 %
5	Extremely often or almost always	251	18.5 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-201	IntCompStat = 4; missed interview	139	10.3 %
-101	ARSMA skipped: S7ARMSA_MexAm=NO	897	66.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 316 valid cases out of 1,354 total cases.

Location: 2017-2020 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S7ARMSA11: S7 ARSMA: Enjoy Spanish language movies

Value	Label	Unweighted Frequency	%
1	Not at all	130	9.6 %
2	Very little or not very often	44	3.2 %
3	Moderately	33	2.4 %
4	More or very often	22	1.6 %
5	Extremely often or almost always	87	6.4 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-201	IntCompStat = 4; missed interview	139	10.3 %
-101	ARSMA skipped: S7ARMSA_MexAm=NO	897	66.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 316 valid cases out of 1,354 total cases.

Location: 2021-2024 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S7ARMSA12: S7 ARSMA: Enjoy reading Spanish books

Value	Label	Unweighted Frequency	%
1	Not at all	187	13.8 %
2	Very little or not very often	37	2.7 %
3	Moderately	25	1.8 %
4	More or very often	12	0.9 %

Value	Label	Unweighted Frequency	%
5	Extremely often or almost always	55	4.1 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-201	IntCompStat = 4; missed interview	139	10.3 %
-101	ARSMA skipped: S7ARMSA_MexAm=NO	897	66.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 316 valid cases out of 1,354 total cases.

Location: 2025-2028 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S7ARMSA13: S7 ARSMA: Enjoy reading English books

Value	Label	Unweighted Frequency	%
1	Not at all	44	3.2 %
2	Very little or not very often	23	1.7 %
3	Moderately	55	4.1 %
4	More or very often	45	3.3 %
5	Extremely often or almost always	149	11.0 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-201	IntCompStat = 4; missed interview	139	10.3 %
-101	ARSMA skipped: S7ARMSA_MexAm=NO	897	66.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 316 valid cases out of 1,354 total cases.

Location: 2029-2032 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S7ARMSA14: S7 ARSMA: Write letters in Spanish

Value	Label	Unweighted Frequency	%
1	Not at all	177	13.1 %
2	Very little or not very often	28	2.1 %
3	Moderately	32	2.4 %
4	More or very often	19	1.4 %
5	Extremely often or almost always	60	4.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-700	Data missing due to bug in interview	1	0.1 %
-201	IntCompStat = 4; missed interview	139	10.3 %
-101	ARSMA skipped: S7ARMSA_MexAm=NO	897	66.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 316 valid cases out of 1,354 total cases.

Location: 2033-2036 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S7ARMSA15: S7 ARSMA: Write letters in English

Value	Label	Unweighted Frequency	%
1	Not at all	31	2.3 %
2	Very little or not very often	17	1.3 %
3	Moderately	46	3.4 %
4	More or very often	37	2.7 %
5	Extremely often or almost always	185	13.7 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-201	IntCompStat = 4; missed interview	139	10.3 %
-101	ARSMA skipped: S7ARMSA_MexAm=NO	897	66.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 316 valid cases out of 1,354 total cases.

Location: 2037-2040 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S7ARMSA16: S7 ARSMA: Think in English

Value	Label	Unweighted Frequency	%
1	Not at all	7	0.5 %
2	Very little or not very often	6	0.4 %
3	Moderately	28	2.1 %
4	More or very often	43	3.2 %
5	Extremely often or almost always	231	17.1 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-201	IntCompStat = 4; missed interview	139	10.3 %

Value	Label	Unweighted Frequency	%
-101	ARSMA skipped: S7ARMSA_MexAm=NO	897	66.2 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 315 valid cases out of 1,354 total cases.

Location: 2041-2044 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S7ARMSA17: S7 ARSMA: Think in Spanish

Value	Label	Unweighted Frequency	%
1	Not at all	137	10.1 %
2	Very little or not very often	43	3.2 %
3	Moderately	46	3.4 %
4	More or very often	22	1.6 %
5	Extremely often or almost always	67	4.9 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-201	IntCompStat = 4; missed interview	139	10.3 %
-101	ARSMA skipped: S7ARMSA_MexAm=NO	897	66.2 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 315 valid cases out of 1,354 total cases.

Location: 2045-2048 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S7ARMSA18: S7 ARSMA: Contact with Mexico

Value	Label	Unweighted Frequency	%
1	Not at all	137	10.1 %
2	Very little or not very often	56	4.1 %
3	Moderately	36	2.7 %
4	More or very often	13	1.0 %
5	Extremely often or almost always	74	5.5 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-201	IntCompStat = 4; missed interview	139	10.3 %
-101	ARSMA skipped: S7ARMSA_MexAm=NO	897	66.2 %
-9	Dont Know	1	0.1 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 316 valid cases out of 1,354 total cases.

Location: 2049-2052 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S7ARMSA19: S7 ARSMA: Contact with USA

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	3	0.2 %
3	Moderately	9	0.7 %
4	More or very often	21	1.6 %
5	Extremely often or almost always	283	20.9 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-201	IntCompStat = 4; missed interview	139	10.3 %
-101	ARSMA skipped: S7ARMSA_MexAm=NO	897	66.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 316 valid cases out of 1,354 total cases.

Location: 2053-2056 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S7ARMSA20: S7 ARSMA: Father is Mexicano

Value	Label	Unweighted Frequency	%
1	Not at all	32	2.4 %
2	Very little or not very often	9	0.7 %
3	Moderately	21	1.6 %
4	More or very often	29	2.1 %
5	Extremely often or almost always	215	15.9 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-201	IntCompStat = 4; missed interview	139	10.3 %
-101	ARSMA skipped: S7ARMSA_MexAm=NO	897	66.2 %
-9	Dont Know	11	0.8 %
	Total	**1,354**	**100%**

Based upon 306 valid cases out of 1,354 total cases.

Location: 2057-2060 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S7ARMSA21: S7 ARSMA: Mother is Mexicano

Value	Label	Unweighted Frequency	%
1	Not at all	59	4.4 %
2	Very little or not very often	7	0.5 %
3	Moderately	18	1.3 %
4	More or very often	33	2.4 %
5	Extremely often or almost always	196	14.5 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-201	IntCompStat = 4; missed interview	139	10.3 %
-101	ARSMA skipped: S7ARMSA_MexAm=NO	897	66.2 %
-9	Dont Know	4	0.3 %
	Total	**1,354**	**100%**

Based upon 313 valid cases out of 1,354 total cases.

Location: 2061-2064 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S7ARMSA22: S7 ARSMA: Friends were Mexican

Value	Label	Unweighted Frequency	%
1	Not at all	9	0.7 %
2	Very little or not very often	7	0.5 %
3	Moderately	58	4.3 %
4	More or very often	81	6.0 %
5	Extremely often or almost always	161	11.9 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-201	IntCompStat = 4; missed interview	139	10.3 %
-101	ARSMA skipped: S7ARMSA_MexAm=NO	897	66.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 316 valid cases out of 1,354 total cases.

Location: 2065-2068 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S7ARMSA23: S7 ARSMA: Friends were Anglo

Value	Label	Unweighted Frequency	%
1	Not at all	69	5.1 %
2	Very little or not very often	51	3.8 %
3	Moderately	119	8.8 %
4	More or very often	41	3.0 %
5	Extremely often or almost always	36	2.7 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-201	IntCompStat = 4; missed interview	139	10.3 %
-101	ARSMA skipped: S7ARMSA_MexAm=NO	897	66.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 316 valid cases out of 1,354 total cases.

Location: 2069-2072 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S7ARMSA24: S7 ARSMA: Family cooks Mexican food

Value	Label	Unweighted Frequency	%
1	Not at all	7	0.5 %
2	Very little or not very often	8	0.6 %
3	Moderately	32	2.4 %
4	More or very often	56	4.1 %
5	Extremely often or almost always	213	15.7 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-201	IntCompStat = 4; missed interview	139	10.3 %
-101	ARSMA skipped: S7ARMSA_MexAm=NO	897	66.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 316 valid cases out of 1,354 total cases.

Location: 2073-2076 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S7ARMSA25: S7 ARSMA: Friends now are Anglo

Value	Label	Unweighted Frequency	%
1	Not at all	67	4.9 %
2	Very little or not very often	62	4.6 %
3	Moderately	125	9.2 %
4	More or very often	24	1.8 %
5	Extremely often or almost always	38	2.8 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-201	IntCompStat = 4; missed interview	139	10.3 %
-101	ARSMA skipped: S7ARMSA_MexAm=NO	897	66.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 316 valid cases out of 1,354 total cases.

Location: 2077-2080 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S7ARMSA26: S7 ARSMA: Friends now are Mexican

Value	Label	Unweighted Frequency	%
1	Not at all	8	0.6 %
2	Very little or not very often	6	0.4 %
3	Moderately	71	5.2 %
4	More or very often	66	4.9 %
5	Extremely often or almost always	165	12.2 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-201	IntCompStat = 4; missed interview	139	10.3 %
-101	ARSMA skipped: S7ARMSA_MexAm=NO	897	66.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 316 valid cases out of 1,354 total cases.

Location: 2081-2084 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S7ARMSA27: S7 ARSMA: Identify self as Anglo American

Value	Label	Unweighted Frequency	%
1	Not at all	259	19.1 %
2	Very little or not very often	18	1.3 %

Value	Label	Unweighted Frequency	%
3	Moderately	24	1.8 %
4	More or very often	5	0.4 %
5	Extremely often or almost always	10	0.7 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-201	IntCompStat = 4; missed interview	139	10.3 %
-101	ARSMA skipped: S7ARMSA_MexAm=NO	897	66.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 316 valid cases out of 1,354 total cases.

Location: 2085-2088 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S7ARMSA28: S7 ARSMA: Identify as Mexican American

Value	Label	Unweighted Frequency	%
1	Not at all	38	2.8 %
2	Very little or not very often	13	1.0 %
3	Moderately	29	2.1 %
4	More or very often	32	2.4 %
5	Extremely often or almost always	204	15.1 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-201	IntCompStat = 4; missed interview	139	10.3 %
-101	ARSMA skipped: S7ARMSA_MexAm=NO	897	66.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 316 valid cases out of 1,354 total cases.

Location: 2089-2092 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S7ARMSA29: S7 ARSMA: Identify as Mexican

Value	Label	Unweighted Frequency	%
1	Not at all	52	3.8 %
2	Very little or not very often	22	1.6 %
3	Moderately	39	2.9 %
4	More or very often	35	2.6 %

Value	Label	Unweighted Frequency	%
5	Extremely often or almost always	168	12.4 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-201	IntCompStat = 4; missed interview	139	10.3 %
-101	ARSMA skipped: S7ARMSA_MexAm=NO	897	66.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 316 valid cases out of 1,354 total cases.

Location: 2093-2096 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S7ARMSA30: S7 ARSMA: Identify as American

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	S7Armsa30 to S7Armsa48 dropped at 01.16	318	23.5 %
-201	IntCompStat = 4; missed interview	139	10.3 %
-101	ARSMA skipped: S7ARMSA_MexAm=NO	897	66.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2097-2100 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S7ARMSA31: S7 ARSMA: Difficult accept some Anglo ideas

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	S7Armsa30 to S7Armsa48 dropped at 01.16	318	23.5 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4; missed interview	139	10.3 %
-101	ARSMA skipped: S7ARMSA_MexAm=NO	897	66.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2101-2104 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S7ARMSA32: S7 ARSMA: Difficult accept some Anglo attitudes

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	S7Armsa30 to S7Armsa48 dropped at 01.16	318	23.5 %
-201	IntCompStat = 4; missed interview	139	10.3 %
-101	ARSMA skipped: S7ARMSA_MexAm=NO	897	66.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2105-2108 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S7ARMSA33: S7 ARSMA: Difficult accept some Anglo behaviors

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	S7Armsa30 to S7Armsa48 dropped at 01.16	318	23.5 %
-201	IntCompStat = 4; missed interview	139	10.3 %
-101	ARSMA skipped: S7ARMSA_MexAm=NO	897	66.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2109-2112 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S7ARMSA34: S7 ARSMA: Difficult accept some Anglo values

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	S7Armsa30 to S7Armsa48 dropped at 01.16	318	23.5 %
-201	IntCompStat = 4; missed interview	139	10.3 %
-101	ARSMA skipped: S7ARMSA_MexAm=NO	897	66.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2113-2116 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S7ARMSA35: S7 ARSMA: Difficult accept some Anglo customs

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	S7Armsa30 to S7Armsa48 dropped at 01.16	318	23.5 %
-201	IntCompStat = 4; missed interview	139	10.3 %
-101	ARSMA skipped: S7ARMSA_MexAm=NO	897	66.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2117-2120 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S7ARMSA36: S7 ARSMA: Difficult accept Anglos as close friends

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	S7Armsa30 to S7Armsa48 dropped at 01.16	318	23.5 %
-201	IntCompStat = 4; missed interview	139	10.3 %
-101	ARSMA skipped: S7ARMSA_MexAm=NO	897	66.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2121-2124 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S7ARMSA37: S7 ARSMA: Difficult accept some Mexican ideas

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	S7Armsa30 to S7Armsa48 dropped at 01.16	318	23.5 %
-201	IntCompStat = 4; missed interview	139	10.3 %
-101	ARSMA skipped: S7ARMSA_MexAm=NO	897	66.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2125-2128 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S7ARMSA38: S7 ARSMA: Difficult accept some Mexican attitudes

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %

Value	Label	Unweighted Frequency	%
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	S7Armsa30 to S7Armsa48 dropped at 01.16	318	23.5 %
-201	IntCompStat = 4; missed interview	139	10.3 %
-101	ARSMA skipped: S7ARMSA_MexAm=NO	897	66.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2129-2132 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S7ARMSA39: S7 ARSMA: Difficult accept some Mexican behaviors

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	S7Armsa30 to S7Armsa48 dropped at 01.16	318	23.5 %
-201	IntCompStat = 4; missed interview	139	10.3 %
-101	ARSMA skipped: S7ARMSA_MexAm=NO	897	66.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2133-2136 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S7ARMSA40: S7 ARSMA: Difficult accept some Mexican values

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	S7Armsa30 to S7Armsa48 dropped at 01.16	318	23.5 %
-201	IntCompStat = 4; missed interview	139	10.3 %

Value	Label	Unweighted Frequency	%
-101	ARSMA skipped: S7ARMSA_MexAm=NO	897	66.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2137-2140 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S7ARMSA41: S7 ARSMA: Difficult accept some Mexican customs

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	S7Armsa30 to S7Armsa48 dropped at 01.16	318	23.5 %
-201	IntCompStat = 4; missed interview	139	10.3 %
-101	ARSMA skipped: S7ARMSA_MexAm=NO	897	66.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2141-2144 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S7ARMSA42: S7 ARSMA: Difficult accept Mexicans as close friends

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	S7Armsa30 to S7Armsa48 dropped at 01.16	318	23.5 %
-201	IntCompStat = 4; missed interview	139	10.3 %
-101	ARSMA skipped: S7ARMSA_MexAm=NO	897	66.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2145-2148 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S7ARMSA43: S7 ARSMA: Difficult accept ideas of Mex Amer

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	S7Armsa30 to S7Armsa48 dropped at 01.16	318	23.5 %
-201	IntCompStat = 4; missed interview	139	10.3 %
-101	ARSMA skipped: S7ARMSA_MexAm=NO	897	66.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2149-2152 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S7ARMSA44: S7 ARSMA: Difficult accept attitudes of Mex Amer

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	S7Armsa30 to S7Armsa48 dropped at 01.16	318	23.5 %
-201	IntCompStat = 4; missed interview	139	10.3 %
-101	ARSMA skipped: S7ARMSA_MexAm=NO	897	66.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2153-2156 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S7ARMSA45: S7 ARSMA: Difficult accept behaviors of Mex Amer

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	S7Armsa30 to S7Armsa48 dropped at 01.16	318	23.5 %
-201	IntCompStat = 4; missed interview	139	10.3 %
-101	ARSMA skipped: S7ARMSA_MexAm=NO	897	66.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2157-2160 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S7ARMSA46: S7 ARSMA: Difficult accept values of Mex Amer

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	S7Armsa30 to S7Armsa48 dropped at 01.16	318	23.5 %
-201	IntCompStat = 4; missed interview	139	10.3 %
-101	ARSMA skipped: S7ARMSA_MexAm=NO	897	66.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2161-2164 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S7ARMSA47: S7 ARSMA: Difficult accept customs of Mex Amer

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %

Value	Label	Unweighted Frequency	%
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	S7Armsa30 to S7Armsa48 dropped at 01.16	318	23.5 %
-201	IntCompStat = 4; missed interview	139	10.3 %
-101	ARSMA skipped: S7ARMSA_MexAm=NO	897	66.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2165-2168 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S7ARMSA48: S7 ARSMA: Difficult accept Mex Amer as close friends

Value	Label	Unweighted Frequency	%
1	Not at all	23	1.7 %
2	Very little or not very often	2	0.1 %
3	Moderately	1	0.1 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	1	0.1 %
	Missing Data		
-400	S7Armsa30 to S7Armsa48 dropped at 01.16	285	21.0 %
-201	IntCompStat = 4; missed interview	139	10.3 %
-101	ARSMA skipped: S7ARMSA_MexAm=NO	897	66.2 %
-9	Dont Know	6	0.4 %
	Total	**1,354**	**100%**

Based upon 27 valid cases out of 1,354 total cases.

Location: 2169-2172 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S7AOS: S7 ARSMA: Anglo Orientation Subscale

Based upon 316 valid cases out of 1,354 total cases.

- Mean: 4.0574798619
- Median: 4.0909090909
- Mode: 3.9090909091
- Minimum: 2.0909090909
- Maximum: 5.0000000000
- Standard Deviation: 0.5502461677

Location: 2173-2187 (width: 15; decimal: 10)
Variable Type: numeric

(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S7ANGAFF: S7 ARSMA: Anglo Affiliation Subscale

Based upon 316 valid cases out of 1,354 total cases.

- Mean: 2.9546413502
- Median: 3.0000000000
- Mode: 3.0000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 1.0718703649

Location: 2188-2202 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S7ENGLNG: S7 ARSMA: English Language Subscale

Based upon 316 valid cases out of 1,354 total cases.

- Mean: 4.471
- Median: 4.625
- Mode: 5.000
- Minimum: 2.000
- Maximum: 5.000
- Standard Deviation: 0.583

Location: 2203-2210 (width: 8; decimal: 3)
Variable Type: numeric
(Range of) Missing Values: -700.000 , -300.000 , -202.000 , -201.000 , -100.000 , -9.000 , -8.000

S7MOS: S7 ARSMA: Mexican Orientation Subscale

Based upon 316 valid cases out of 1,354 total cases.

- Mean: 3.1085778673
- Median: 2.8333333333
- Mode: 5.0000000000
- Minimum: 1.1666666667
- Maximum: 5.0000000000
- Standard Deviation: 1.1003226496

Location: 2211-2225 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S7MEXAFF: S7 ARSMA: Mexican Affiliation Subscale

Based upon 316 valid cases out of 1,354 total cases.

- Mean: 4.2732067511
- Median: 4.3333333333
- Mode: 5.0000000000

- Minimum: 1.3333333333
- Maximum: 5.0000000000
- Standard Deviation: 0.7817852212

Location: 2226-2240 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S7SPALNG: S7 ARSMA: Spanish Language Subscale

Based upon 316 valid cases out of 1,354 total cases.

- Mean: 2.7200685654
- Median: 2.3333333333
- Mode: 5.0000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 1.3342188697

Location: 2241-2255 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S8ARMSA_MEXAM: S8 ARSMA: Consider yourself to be Mexican American

Value	Label	Unweighted Frequency	%
1	Yes	311	23.0 %
5	No	896	66.2 %
	Missing Data		
-201	IntCompStat = 4; missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,207 valid cases out of 1,354 total cases.

Location: 2256-2259 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S8ARMSA01: S8 ARSMA: Speak Spanish

Value	Label	Unweighted Frequency	%
1	Not at all	57	4.2 %
2	Very little or not very often	64	4.7 %
3	Moderately	58	4.3 %
4	More or very often	46	3.4 %
5	Extremely often or almost always	84	6.2 %
	Missing Data		
-201	IntCompStat = 4; missed interview	147	10.9 %

Value	Label	Unweighted Frequency	%
-101	ARSMA skipped: S8ARMSA_MexAm=NO	896	66.2 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 309 valid cases out of 1,354 total cases.

Location: 2260-2263 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S8ARMSA02: S8 ARSMA: Speak English

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	2	0.1 %
3	Moderately	20	1.5 %
4	More or very often	49	3.6 %
5	Extremely often or almost always	239	17.7 %
	Missing Data		
-201	IntCompStat = 4; missed interview	147	10.9 %
-101	ARSMA skipped: S8ARMSA_MexAm=NO	896	66.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 2264-2267 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S8ARMSA03: S8 ARSMA: Enjoy speaking Spanish

Value	Label	Unweighted Frequency	%
1	Not at all	71	5.2 %
2	Very little or not very often	41	3.0 %
3	Moderately	60	4.4 %
4	More or very often	53	3.9 %
5	Extremely often or almost always	83	6.1 %
	Missing Data		
-201	IntCompStat = 4; missed interview	147	10.9 %
-101	ARSMA skipped: S8ARMSA_MexAm=NO	896	66.2 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 308 valid cases out of 1,354 total cases.

Location: 2268-2271 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S8ARMSA04: S8 ARSMA: Associate w/anglos

Value	Label	Unweighted Frequency	%
1	Not at all	38	2.8 %
2	Very little or not very often	28	2.1 %
3	Moderately	99	7.3 %
4	More or very often	74	5.5 %
5	Extremely often or almost always	71	5.2 %
	Missing Data		
-201	IntCompStat = 4; missed interview	147	10.9 %
-101	ARSMA skipped: S8ARMSA_MexAm=NO	896	66.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 2272-2275 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S8ARMSA05: S8 ARSMA: Associate w/Mexicans/Mex Americans

Value	Label	Unweighted Frequency	%
1	Not at all	1	0.1 %
2	Very little or not very often	5	0.4 %
3	Moderately	39	2.9 %
4	More or very often	79	5.8 %
5	Extremely often or almost always	186	13.7 %
	Missing Data		
-201	IntCompStat = 4; missed interview	147	10.9 %
-101	ARSMA skipped: S8ARMSA_MexAm=NO	896	66.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 2276-2279 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S8ARMSA06: S8 ARSMA: Enjoy Spanish language music

Value	Label	Unweighted Frequency	%
1	Not at all	77	5.7 %
2	Very little or not very often	47	3.5 %
3	Moderately	52	3.8 %
4	More or very often	38	2.8 %
5	Extremely often or almost always	96	7.1 %
	Missing Data		
-201	IntCompStat = 4; missed interview	147	10.9 %
-101	ARSMA skipped: S8ARMSA_MexAm=NO	896	66.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 2280-2283 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S8ARMSA07: S8 ARSMA: Enjoy English speak music

Value	Label	Unweighted Frequency	%
1	Not at all	2	0.1 %
2	Very little or not very often	3	0.2 %
3	Moderately	26	1.9 %
4	More or very often	54	4.0 %
5	Extremely often or almost always	225	16.6 %
	Missing Data		
-201	IntCompStat = 4; missed interview	147	10.9 %
-101	ARSMA skipped: S8ARMSA_MexAm=NO	896	66.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 2284-2287 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S8ARMSA08: S8 ARSMA: Enjoy Spanish language TV

Value	Label	Unweighted Frequency	%
1	Not at all	97	7.2 %
2	Very little or not very often	45	3.3 %
3	Moderately	46	3.4 %
4	More or very often	38	2.8 %

Value	Label	Unweighted Frequency	%
5	Extremely often or almost always	84	6.2 %
	Missing Data		
-201	IntCompStat = 4; missed interview	147	10.9 %
-101	ARSMA skipped: S8ARMSA_MexAm=NO	896	66.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 2288-2291 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S8ARMSA09: S8 ARSMA: Enjoy English language TV

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	5	0.4 %
3	Moderately	21	1.6 %
4	More or very often	56	4.1 %
5	Extremely often or almost always	228	16.8 %
	Missing Data		
-201	IntCompStat = 4; missed interview	147	10.9 %
-101	ARSMA skipped: S8ARMSA_MexAm=NO	896	66.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 2292-2295 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S8ARMSA10: S8 ARSMA: Enjoy English langguage movies

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	2	0.1 %
3	Moderately	20	1.5 %
4	More or very often	51	3.8 %
5	Extremely often or almost always	237	17.5 %
	Missing Data		
-201	IntCompStat = 4; missed interview	147	10.9 %
-101	ARSMA skipped: S8ARMSA_MexAm=NO	896	66.2 %

Value	Label	Unweighted Frequency	%
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 2296-2299 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S8ARMSA11: S8 ARSMA: Enjoy Spanish language movies

Value	Label	Unweighted Frequency	%
1	Not at all	136	10.0 %
2	Very little or not very often	40	3.0 %
3	Moderately	27	2.0 %
4	More or very often	29	2.1 %
5	Extremely often or almost always	78	5.8 %
	Missing Data		
-201	IntCompStat = 4; missed interview	147	10.9 %
-101	ARSMA skipped: S8ARMSA_MexAm=NO	896	66.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 2300-2303 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S8ARMSA12: S8 ARSMA: Enjoy reading Spanish books

Value	Label	Unweighted Frequency	%
1	Not at all	189	14.0 %
2	Very little or not very often	33	2.4 %
3	Moderately	21	1.6 %
4	More or very often	13	1.0 %
5	Extremely often or almost always	54	4.0 %
	Missing Data		
-201	IntCompStat = 4; missed interview	147	10.9 %
-101	ARSMA skipped: S8ARMSA_MexAm=NO	896	66.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 2304-2307 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S8ARMSA13: S8 ARSMA: Enjoy reading English books

Value	Label	Unweighted Frequency	%
1	Not at all	33	2.4 %
2	Very little or not very often	21	1.6 %
3	Moderately	45	3.3 %
4	More or very often	54	4.0 %
5	Extremely often or almost always	157	11.6 %
	Missing Data		
-201	IntCompStat = 4; missed interview	147	10.9 %
-101	ARSMA skipped: S8ARMSA_MexAm=NO	896	66.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 2308-2311 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S8ARMSA14: S8 ARSMA: Write letters in Spanish

Value	Label	Unweighted Frequency	%
1	Not at all	170	12.6 %
2	Very little or not very often	37	2.7 %
3	Moderately	28	2.1 %
4	More or very often	14	1.0 %
5	Extremely often or almost always	61	4.5 %
	Missing Data		
-201	IntCompStat = 4; missed interview	147	10.9 %
-101	ARSMA skipped: S8ARMSA_MexAm=NO	896	66.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 2312-2315 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S8ARMSA15: S8 ARSMA: Write letters in English

Value	Label	Unweighted Frequency	%
1	Not at all	24	1.8 %
2	Very little or not very often	18	1.3 %
3	Moderately	36	2.7 %
4	More or very often	45	3.3 %
5	Extremely often or almost always	187	13.8 %
	Missing Data		
-201	IntCompStat = 4; missed interview	147	10.9 %
-101	ARSMA skipped: S8ARMSA_MexAm=NO	896	66.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 2316-2319 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S8ARMSA16: S8 ARSMA: Think in English

Value	Label	Unweighted Frequency	%
1	Not at all	3	0.2 %
2	Very little or not very often	4	0.3 %
3	Moderately	26	1.9 %
4	More or very often	50	3.7 %
5	Extremely often or almost always	227	16.8 %
	Missing Data		
-201	IntCompStat = 4; missed interview	147	10.9 %
-101	ARSMA skipped: S8ARMSA_MexAm=NO	896	66.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 2320-2323 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S8ARMSA17: S8 ARSMA: Think in Spanish

Value	Label	Unweighted Frequency	%
1	Not at all	145	10.7 %
2	Very little or not very often	38	2.8 %
3	Moderately	41	3.0 %
4	More or very often	20	1.5 %

Value	Label	Unweighted Frequency	%
5	Extremely often or almost always	66	4.9 %
	Missing Data		
-201	IntCompStat = 4; missed interview	147	10.9 %
-101	ARSMA skipped: S8ARMSA_MexAm=NO	896	66.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 2324-2327 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S8ARMSA18: S8 ARSMA: Contact with Mexico

Value	Label	Unweighted Frequency	%
1	Not at all	142	10.5 %
2	Very little or not very often	41	3.0 %
3	Moderately	35	2.6 %
4	More or very often	16	1.2 %
5	Extremely often or almost always	76	5.6 %
	Missing Data		
-201	IntCompStat = 4; missed interview	147	10.9 %
-101	ARSMA skipped: S8ARMSA_MexAm=NO	896	66.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 2328-2331 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S8ARMSA19: S8 ARSMA: Contact with USA

Value	Label	Unweighted Frequency	%
1	Not at all	1	0.1 %
2	Very little or not very often	1	0.1 %
3	Moderately	7	0.5 %
4	More or very often	20	1.5 %
5	Extremely often or almost always	281	20.8 %
	Missing Data		
-201	IntCompStat = 4; missed interview	147	10.9 %
-101	ARSMA skipped: S8ARMSA_MexAm=NO	896	66.2 %

Value	Label	Unweighted Frequency	%
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 2332-2335 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S8ARMSA20: S8 ARSMA: Father is Mexicano

Value	Label	Unweighted Frequency	%
1	Not at all	30	2.2 %
2	Very little or not very often	9	0.7 %
3	Moderately	17	1.3 %
4	More or very often	25	1.8 %
5	Extremely often or almost always	221	16.3 %
	Missing Data		
-201	IntCompStat = 4; missed interview	147	10.9 %
-101	ARSMA skipped: S8ARMSA_MexAm=NO	896	66.2 %
-9	Dont Know	9	0.7 %
	Total	**1,354**	**100%**

Based upon 302 valid cases out of 1,354 total cases.

Location: 2336-2339 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S8ARMSA21: S8 ARSMA: Mother is Mexicano

Value	Label	Unweighted Frequency	%
1	Not at all	50	3.7 %
2	Very little or not very often	10	0.7 %
3	Moderately	21	1.6 %
4	More or very often	28	2.1 %
5	Extremely often or almost always	201	14.8 %
	Missing Data		
-201	IntCompStat = 4; missed interview	147	10.9 %
-101	ARSMA skipped: S8ARMSA_MexAm=NO	896	66.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 2340-2343 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S8ARMSA22: S8 ARSMA: Friends were Mexican

Value	Label	Unweighted Frequency	%
1	Not at all	7	0.5 %
2	Very little or not very often	12	0.9 %
3	Moderately	66	4.9 %
4	More or very often	73	5.4 %
5	Extremely often or almost always	152	11.2 %
	Missing Data		
-201	IntCompStat = 4; missed interview	147	10.9 %
-101	ARSMA skipped: S8ARMSA_MexAm=NO	896	66.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 2344-2347 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S8ARMSA23: S8 ARSMA: Friends were Anglo

Value	Label	Unweighted Frequency	%
1	Not at all	62	4.6 %
2	Very little or not very often	54	4.0 %
3	Moderately	127	9.4 %
4	More or very often	36	2.7 %
5	Extremely often or almost always	31	2.3 %
	Missing Data		
-201	IntCompStat = 4; missed interview	147	10.9 %
-101	ARSMA skipped: S8ARMSA_MexAm=NO	896	66.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 2348-2351 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S8ARMSA24: S8 ARSMA: Family cooks Mexican food

Value	Label	Unweighted Frequency	%
1	Not at all	5	0.4 %
2	Very little or not very often	7	0.5 %
3	Moderately	36	2.7 %
4	More or very often	62	4.6 %
5	Extremely often or almost always	200	14.8 %
	Missing Data		
-201	IntCompStat = 4; missed interview	147	10.9 %
-101	ARSMA skipped: S8ARMSA_MexAm=NO	896	66.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 2352-2355 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S8ARMSA25: S8 ARSMA: Friends now are Anglo

Value	Label	Unweighted Frequency	%
1	Not at all	71	5.2 %
2	Very little or not very often	57	4.2 %
3	Moderately	124	9.2 %
4	More or very often	31	2.3 %
5	Extremely often or almost always	27	2.0 %
	Missing Data		
-201	IntCompStat = 4; missed interview	147	10.9 %
-101	ARSMA skipped: S8ARMSA_MexAm=NO	896	66.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 2356-2359 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S8ARMSA26: S8 ARSMA: Friends now are Mexican

Value	Label	Unweighted Frequency	%
1	Not at all	4	0.3 %
2	Very little or not very often	9	0.7 %
3	Moderately	85	6.3 %
4	More or very often	66	4.9 %

Value	Label	Unweighted Frequency	%
5	Extremely often or almost always	146	10.8 %
	Missing Data		
-201	IntCompStat = 4; missed interview	147	10.9 %
-101	ARSMA skipped: S8ARMSA_MexAm=NO	896	66.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 2360-2363 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S8ARMSA27: S8 ARSMA: Identify self as Anglo American

Value	Label	Unweighted Frequency	%
1	Not at all	261	19.3 %
2	Very little or not very often	21	1.6 %
3	Moderately	19	1.4 %
4	More or very often	4	0.3 %
5	Extremely often or almost always	5	0.4 %
	Missing Data		
-201	IntCompStat = 4; missed interview	147	10.9 %
-101	ARSMA skipped: S8ARMSA_MexAm=NO	896	66.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 2364-2367 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S8ARMSA28: S8 ARSMA: Identify as Mexican American

Value	Label	Unweighted Frequency	%
1	Not at all	35	2.6 %
2	Very little or not very often	11	0.8 %
3	Moderately	37	2.7 %
4	More or very often	35	2.6 %
5	Extremely often or almost always	192	14.2 %
	Missing Data		
-201	IntCompStat = 4; missed interview	147	10.9 %
-101	ARSMA skipped: S8ARMSA_MexAm=NO	896	66.2 %

Value	Label	Unweighted Frequency	%
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 2368-2371 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S8ARMSA29: S8 ARSMA: Identify as Mexican

Value	Label	Unweighted Frequency	%
1	Not at all	44	3.2 %
2	Very little or not very often	16	1.2 %
3	Moderately	42	3.1 %
4	More or very often	44	3.2 %
5	Extremely often or almost always	164	12.1 %
	Missing Data		
-201	IntCompStat = 4; missed interview	147	10.9 %
-101	ARSMA skipped: S8ARMSA_MexAm=NO	896	66.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 2372-2375 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S8ARMSA30: S8 ARSMA: Identify as American

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	S8Armsa30 to S8Armsa48 dropped at 01.16	311	23.0 %
-201	IntCompStat = 4; missed interview	147	10.9 %
-101	ARSMA skipped: S8ARMSA_MexAm=NO	896	66.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2376-2379 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S8ARMSA31: S8 ARSMA: Difficult accept some Anglo ideas

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	S8Armsa30 to S8Armsa48 dropped at 01.16	311	23.0 %
-201	IntCompStat = 4; missed interview	147	10.9 %
-101	ARSMA skipped: S8ARMSA_MexAm=NO	896	66.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2380-2383 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S8ARMSA32: S8 ARSMA: Difficult accept some Anglo attitudes

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	S8Armsa30 to S8Armsa48 dropped at 01.16	311	23.0 %
-201	IntCompStat = 4; missed interview	147	10.9 %
-101	ARSMA skipped: S8ARMSA_MexAm=NO	896	66.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2384-2387 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S8ARMSA33: S8 ARSMA: Difficult accept some Anglo behaviors

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	S8Armsa30 to S8Armsa48 dropped at 01.16	311	23.0 %
-201	IntCompStat = 4; missed interview	147	10.9 %
-101	ARSMA skipped: S8ARMSA_MexAm=NO	896	66.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2388-2391 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S8ARMSA34: S8 ARSMA: Difficult accept some Anglo values

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	S8Armsa30 to S8Armsa48 dropped at 01.16	311	23.0 %
-201	IntCompStat = 4; missed interview	147	10.9 %
-101	ARSMA skipped: S8ARMSA_MexAm=NO	896	66.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2392-2395 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S8ARMSA35: S8 ARSMA: Difficult accept some Anglo customs

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %

Value	Label	Unweighted Frequency	%
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	S8Armsa30 to S8Armsa48 dropped at 01.16	311	23.0 %
-201	IntCompStat = 4; missed interview	147	10.9 %
-101	ARSMA skipped: S8ARMSA_MexAm=NO	896	66.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2396-2399 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S8ARMSA36: S8 ARSMA: Difficult accept Anglos as close friends

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	S8Armsa30 to S8Armsa48 dropped at 01.16	311	23.0 %
-201	IntCompStat = 4; missed interview	147	10.9 %
-101	ARSMA skipped: S8ARMSA_MexAm=NO	896	66.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2400-2403 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S8ARMSA37: S8 ARSMA: Difficult accept some Mexican ideas

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	S8Armsa30 to S8Armsa48 dropped at 01.16	311	23.0 %
-201	IntCompStat = 4; missed interview	147	10.9 %

Value	Label	Unweighted Frequency	%
-101	ARSMA skipped: S8ARMSA_MexAm=NO	896	66.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2404-2407 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S8ARMSA38: S8 ARSMA: Difficult accept some Mexican attitudes

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	S8Armsa30 to S8Armsa48 dropped at 01.16	311	23.0 %
-201	IntCompStat = 4; missed interview	147	10.9 %
-101	ARSMA skipped: S8ARMSA_MexAm=NO	896	66.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2408-2411 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S8ARMSA39: S8 ARSMA: Difficult accept some Mexican behaviors

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	S8Armsa30 to S8Armsa48 dropped at 01.16	311	23.0 %
-201	IntCompStat = 4; missed interview	147	10.9 %
-101	ARSMA skipped: S8ARMSA_MexAm=NO	896	66.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2412-2415 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S8ARMSA40: S8 ARSMA: Difficult accept some Mexican values

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	S8Armsa30 to S8Armsa48 dropped at 01.16	311	23.0 %
-201	IntCompStat = 4; missed interview	147	10.9 %
-101	ARSMA skipped: S8ARMSA_MexAm=NO	896	66.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2416-2419 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S8ARMSA41: S8 ARSMA: Difficult accept some Mexican customs

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	S8Armsa30 to S8Armsa48 dropped at 01.16	311	23.0 %
-201	IntCompStat = 4; missed interview	147	10.9 %
-101	ARSMA skipped: S8ARMSA_MexAm=NO	896	66.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2420-2423 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S8ARMSA42: S8 ARSMA: Difficult accept Mexicans as close friends

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	S8Armsa30 to S8Armsa48 dropped at 01.16	311	23.0 %
-201	IntCompStat = 4; missed interview	147	10.9 %
-101	ARSMA skipped: S8ARMSA_MexAm=NO	896	66.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2424-2427 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S8ARMSA43: S8 ARSMA: Difficult accept ideas of Mex Amer

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	S8Armsa30 to S8Armsa48 dropped at 01.16	311	23.0 %
-201	IntCompStat = 4; missed interview	147	10.9 %
-101	ARSMA skipped: S8ARMSA_MexAm=NO	896	66.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2428-2431 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S8ARMSA44: S8 ARSMA: Difficult accept attitudes of Mex Amer

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %

Value	Label	Unweighted Frequency	%
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	S8Armsa30 to S8Armsa48 dropped at 01.16	311	23.0 %
-201	IntCompStat = 4; missed interview	147	10.9 %
-101	ARSMA skipped: S8ARMSA_MexAm=NO	896	66.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2432-2435 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S8ARMSA45: S8 ARSMA: Difficult accept behaviors of Mex Amer

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	S8Armsa30 to S8Armsa48 dropped at 01.16	311	23.0 %
-201	IntCompStat = 4; missed interview	147	10.9 %
-101	ARSMA skipped: S8ARMSA_MexAm=NO	896	66.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2436-2439 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S8ARMSA46: S8 ARSMA: Difficult accept values of Mex Amer

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	S8Armsa30 to S8Armsa48 dropped at 01.16	311	23.0 %
-201	IntCompStat = 4; missed interview	147	10.9 %

Value	Label	Unweighted Frequency	%
-101	ARSMA skipped: S8ARMSA_MexAm=NO	896	66.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2440-2443 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S8ARMSA47: S8 ARSMA: Difficult accept customs of Mex Amer

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	S8Armsa30 to S8Armsa48 dropped at 01.16	311	23.0 %
-201	IntCompStat = 4; missed interview	147	10.9 %
-101	ARSMA skipped: S8ARMSA_MexAm=NO	896	66.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2444-2447 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S8ARMSA48: S8 ARSMA: Difficult accept Mex Amer as close friends

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	S8Armsa30 to S8Armsa48 dropped at 01.16	311	23.0 %
-201	IntCompStat = 4; missed interview	147	10.9 %
-101	ARSMA skipped: S8ARMSA_MexAm=NO	896	66.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2448-2451 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S8AOS: S8 ARSMA: Anglo Orientation Subscale

Based upon 310 valid cases out of 1,354 total cases.

- Mean: 4.0782991202
- Median: 4.0909090909
- Mode: 3.9090909091
- Minimum: 2.3636363636
- Maximum: 5.0000000000
- Standard Deviation: 0.4949944822

Location: 2452-2466 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S8ANGAFF: S8 ARSMA: Anglo Affiliation Subscale

Based upon 310 valid cases out of 1,354 total cases.

- Mean: 2.9118279570
- Median: 3.0000000000
- Mode: 3.3333333333
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 1.0383356107

Location: 2467-2481 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S8ENGLNG: S8 ARSMA: English Language Subscale

Based upon 310 valid cases out of 1,354 total cases.

- Mean: 4.516
- Median: 4.750
- Mode: 5.000
- Minimum: 2.625
- Maximum: 5.000
- Standard Deviation: 0.546

Location: 2482-2489 (width: 8; decimal: 3)
Variable Type: numeric
(Range of) Missing Values: -700.000 , -300.000 , -202.000 , -201.000 , -100.000 , -9.000 , -8.000

S8MOS: S8 ARSMA: Mexican Orientation Subscale

Based upon 310 valid cases out of 1,354 total cases.

- Mean: 3.0563049853
- Median: 2.7500000000

- Mode: 5.0000000000
- Minimum: 1.2500000000
- Maximum: 5.0000000000
- Standard Deviation: 1.1129794706

Location: 2490-2504 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S8MEXAFF: S8 ARSMA: Mexican Affiliation Subscale

Based upon 310 valid cases out of 1,354 total cases.

- Mean: 4.2215053763
- Median: 4.3333333333
- Mode: 5.0000000000
- Minimum: 2.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.7630230187

Location: 2505-2519 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S8SPALNG: S8 ARSMA: Spanish Language Subscale

Based upon 310 valid cases out of 1,354 total cases.

- Mean: 2.6671594982
- Median: 2.3333333333
- Mode: 5.0000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 1.3546855098

Location: 2520-2534 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S9ARMSA_MEXAM: S9 ARSMA: Consider yourself to be Mexican American

Value	Label	Unweighted Frequency	%
1	Yes	311	23.0 %
5	No	868	64.1 %
	Missing Data		
-201	IntCompStat = 4; missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 2535-2538 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -9 , -8

S9ARMSA01: S9 ARSMA: Speak Spanish

Value	Label	Unweighted Frequency	%
1	Not at all	60	4.4 %
2	Very little or not very often	63	4.7 %
3	Moderately	52	3.8 %
4	More or very often	40	3.0 %
5	Extremely often or almost always	94	6.9 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-201	IntCompStat = 4; missed interview	175	12.9 %
-101	ARSMA skipped: S9ARMSA_MexAm=NO	868	64.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 309 valid cases out of 1,354 total cases.

Location: 2539-2542 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S9ARMSA02: S9 ARSMA: Speak English

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	1	0.1 %
3	Moderately	18	1.3 %
4	More or very often	37	2.7 %
5	Extremely often or almost always	253	18.7 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-201	IntCompStat = 4; missed interview	175	12.9 %
-101	ARSMA skipped: S9ARMSA_MexAm=NO	868	64.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 309 valid cases out of 1,354 total cases.

Location: 2543-2546 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S9ARMSA03: S9 ARSMA: Enjoy speaking Spanish

Value	Label	Unweighted Frequency	%
1	Not at all	71	5.2 %
2	Very little or not very often	43	3.2 %
3	Moderately	45	3.3 %
4	More or very often	42	3.1 %
5	Extremely often or almost always	105	7.8 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-201	IntCompStat = 4; missed interview	175	12.9 %
-101	ARSMA skipped: S9ARMSA_MexAm=NO	868	64.1 %
-9	Dont Know	4	0.3 %
	Total	**1,354**	**100%**

Based upon 306 valid cases out of 1,354 total cases.

Location: 2547-2550 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S9ARMSA04: S9 ARSMA: Associate w/anglos

Value	Label	Unweighted Frequency	%
1	Not at all	33	2.4 %
2	Very little or not very often	27	2.0 %
3	Moderately	84	6.2 %
4	More or very often	64	4.7 %
5	Extremely often or almost always	101	7.5 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-201	IntCompStat = 4; missed interview	175	12.9 %
-101	ARSMA skipped: S9ARMSA_MexAm=NO	868	64.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 309 valid cases out of 1,354 total cases.

Location: 2551-2554 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S9ARMSA05: S9 ARSMA: Associate w/Mexicans/Mex Americans

Value	Label	Unweighted Frequency	%
1	Not at all	2	0.1 %
2	Very little or not very often	4	0.3 %

Value	Label	Unweighted Frequency	%
3	Moderately	38	2.8 %
4	More or very often	70	5.2 %
5	Extremely often or almost always	195	14.4 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-201	IntCompStat = 4; missed interview	175	12.9 %
-101	ARSMA skipped: S9ARMSA_MexAm=NO	868	64.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 309 valid cases out of 1,354 total cases.

Location: 2555-2558 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S9ARMSA06: S9 ARSMA: Enjoy Spanish language music

Value	Label	Unweighted Frequency	%
1	Not at all	88	6.5 %
2	Very little or not very often	36	2.7 %
3	Moderately	47	3.5 %
4	More or very often	32	2.4 %
5	Extremely often or almost always	106	7.8 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-201	IntCompStat = 4; missed interview	175	12.9 %
-101	ARSMA skipped: S9ARMSA_MexAm=NO	868	64.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 309 valid cases out of 1,354 total cases.

Location: 2559-2562 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S9ARMSA07: S9 ARSMA: Enjoy English speak music

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	2	0.1 %
3	Moderately	21	1.6 %
4	More or very often	48	3.5 %

Value	Label	Unweighted Frequency	%
5	Extremely often or almost always	238	17.6 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-201	IntCompStat = 4; missed interview	175	12.9 %
-101	ARSMA skipped: S9ARMSA_MexAm=NO	868	64.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 309 valid cases out of 1,354 total cases.

Location: 2563-2566 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S9ARMSA08: S9 ARSMA: Enjoy Spanish language TV

Value	Label	Unweighted Frequency	%
1	Not at all	109	8.1 %
2	Very little or not very often	33	2.4 %
3	Moderately	49	3.6 %
4	More or very often	27	2.0 %
5	Extremely often or almost always	91	6.7 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-201	IntCompStat = 4; missed interview	175	12.9 %
-101	ARSMA skipped: S9ARMSA_MexAm=NO	868	64.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 309 valid cases out of 1,354 total cases.

Location: 2567-2570 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S9ARMSA09: S9 ARSMA: Enjoy English language TV

Value	Label	Unweighted Frequency	%
1	Not at all	2	0.1 %
2	Very little or not very often	1	0.1 %
3	Moderately	23	1.7 %
4	More or very often	34	2.5 %
5	Extremely often or almost always	249	18.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-700	Data missing due to bug in interview	1	0.1 %
-201	IntCompStat = 4; missed interview	175	12.9 %
-101	ARSMA skipped: S9ARMSA_MexAm=NO	868	64.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 309 valid cases out of 1,354 total cases.

Location: 2571-2574 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S9ARMSA10: S9 ARSMA: Enjoy English langguage movies

Value	Label	Unweighted Frequency	%
1	Not at all	2	0.1 %
2	Very little or not very often	0	0.0 %
3	Moderately	14	1.0 %
4	More or very often	36	2.7 %
5	Extremely often or almost always	257	19.0 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-201	IntCompStat = 4; missed interview	175	12.9 %
-101	ARSMA skipped: S9ARMSA_MexAm=NO	868	64.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 309 valid cases out of 1,354 total cases.

Location: 2575-2578 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S9ARMSA11: S9 ARSMA: Enjoy Spanish language movies

Value	Label	Unweighted Frequency	%
1	Not at all	142	10.5 %
2	Very little or not very often	28	2.1 %
3	Moderately	30	2.2 %
4	More or very often	22	1.6 %
5	Extremely often or almost always	87	6.4 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-201	IntCompStat = 4; missed interview	175	12.9 %

Value	Label	Unweighted Frequency	%
-101	ARSMA skipped: S9ARMSA_MexAm=NO	868	64.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 309 valid cases out of 1,354 total cases.

Location: 2579-2582 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S9ARMSA12: S9 ARSMA: Enjoy reading Spanish books

Value	Label	Unweighted Frequency	%
1	Not at all	186	13.7 %
2	Very little or not very often	22	1.6 %
3	Moderately	26	1.9 %
4	More or very often	14	1.0 %
5	Extremely often or almost always	61	4.5 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-201	IntCompStat = 4; missed interview	175	12.9 %
-101	ARSMA skipped: S9ARMSA_MexAm=NO	868	64.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 309 valid cases out of 1,354 total cases.

Location: 2583-2586 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S9ARMSA13: S9 ARSMA: Enjoy reading English books

Value	Label	Unweighted Frequency	%
1	Not at all	29	2.1 %
2	Very little or not very often	13	1.0 %
3	Moderately	39	2.9 %
4	More or very often	46	3.4 %
5	Extremely often or almost always	182	13.4 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-201	IntCompStat = 4; missed interview	175	12.9 %
-101	ARSMA skipped: S9ARMSA_MexAm=NO	868	64.1 %
-9	Dont Know	1	0.1 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 309 valid cases out of 1,354 total cases.

Location: 2587-2590 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S9ARMSA14: S9 ARSMA: Write letters in Spanish

Value	Label	Unweighted Frequency	%
1	Not at all	168	12.4 %
2	Very little or not very often	30	2.2 %
3	Moderately	30	2.2 %
4	More or very often	15	1.1 %
5	Extremely often or almost always	66	4.9 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-201	IntCompStat = 4; missed interview	175	12.9 %
-101	ARSMA skipped: S9ARMSA_MexAm=NO	868	64.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 309 valid cases out of 1,354 total cases.

Location: 2591-2594 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S9ARMSA15: S9 ARSMA: Write letters in English

Value	Label	Unweighted Frequency	%
1	Not at all	14	1.0 %
2	Very little or not very often	5	0.4 %
3	Moderately	23	1.7 %
4	More or very often	38	2.8 %
5	Extremely often or almost always	229	16.9 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-201	IntCompStat = 4; missed interview	175	12.9 %
-101	ARSMA skipped: S9ARMSA_MexAm=NO	868	64.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 309 valid cases out of 1,354 total cases.

Location: 2595-2598 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S9ARMSA16: S9 ARSMA: Think in English

Value	Label	Unweighted Frequency	%
1	Not at all	3	0.2 %
2	Very little or not very often	4	0.3 %
3	Moderately	25	1.8 %
4	More or very often	32	2.4 %
5	Extremely often or almost always	245	18.1 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-201	IntCompStat = 4; missed interview	175	12.9 %
-101	ARSMA skipped: S9ARMSA_MexAm=NO	868	64.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 309 valid cases out of 1,354 total cases.

Location: 2599-2602 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S9ARMSA17: S9 ARSMA: Think in Spanish

Value	Label	Unweighted Frequency	%
1	Not at all	158	11.7 %
2	Very little or not very often	31	2.3 %
3	Moderately	38	2.8 %
4	More or very often	22	1.6 %
5	Extremely often or almost always	60	4.4 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-201	IntCompStat = 4; missed interview	175	12.9 %
-101	ARSMA skipped: S9ARMSA_MexAm=NO	868	64.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 309 valid cases out of 1,354 total cases.

Location: 2603-2606 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S9ARMSA18: S9 ARSMA: Contact with Mexico

Value	Label	Unweighted Frequency	%
1	Not at all	149	11.0 %
2	Very little or not very often	36	2.7 %
3	Moderately	32	2.4 %
4	More or very often	14	1.0 %
5	Extremely often or almost always	78	5.8 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-201	IntCompStat = 4; missed interview	175	12.9 %
-101	ARSMA skipped: S9ARMSA_MexAm=NO	868	64.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 309 valid cases out of 1,354 total cases.

Location: 2607-2610 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S9ARMSA19: S9 ARSMA: Contact with USA

Value	Label	Unweighted Frequency	%
1	Not at all	1	0.1 %
2	Very little or not very often	0	0.0 %
3	Moderately	6	0.4 %
4	More or very often	7	0.5 %
5	Extremely often or almost always	295	21.8 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-201	IntCompStat = 4; missed interview	175	12.9 %
-101	ARSMA skipped: S9ARMSA_MexAm=NO	868	64.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 309 valid cases out of 1,354 total cases.

Location: 2611-2614 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S9ARMSA20: S9 ARSMA: Father is Mexicano

Value	Label	Unweighted Frequency	%
1	Not at all	38	2.8 %
2	Very little or not very often	4	0.3 %
3	Moderately	15	1.1 %
4	More or very often	19	1.4 %
5	Extremely often or almost always	231	17.1 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-201	IntCompStat = 4; missed interview	175	12.9 %
-101	ARSMA skipped: S9ARMSA_MexAm=NO	868	64.1 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 307 valid cases out of 1,354 total cases.

Location: 2615-2618 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S9ARMSA21: S9 ARSMA: Mother is Mexicano

Value	Label	Unweighted Frequency	%
1	Not at all	58	4.3 %
2	Very little or not very often	3	0.2 %
3	Moderately	20	1.5 %
4	More or very often	24	1.8 %
5	Extremely often or almost always	203	15.0 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-201	IntCompStat = 4; missed interview	175	12.9 %
-101	ARSMA skipped: S9ARMSA_MexAm=NO	868	64.1 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 308 valid cases out of 1,354 total cases.

Location: 2619-2622 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S9ARMSA22: S9 ARSMA: Friends were Mexican

Value	Label	Unweighted Frequency	%
1	Not at all	9	0.7 %
2	Very little or not very often	11	0.8 %

Value	Label	Unweighted Frequency	%
3	Moderately	69	5.1 %
4	More or very often	58	4.3 %
5	Extremely often or almost always	162	12.0 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-201	IntCompStat = 4; missed interview	175	12.9 %
-101	ARSMA skipped: S9ARMSA_MexAm=NO	868	64.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 309 valid cases out of 1,354 total cases.

Location: 2623-2626 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S9ARMSA23: S9 ARSMA: Friends were Anglo

Value	Label	Unweighted Frequency	%
1	Not at all	55	4.1 %
2	Very little or not very often	52	3.8 %
3	Moderately	118	8.7 %
4	More or very often	40	3.0 %
5	Extremely often or almost always	44	3.2 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-201	IntCompStat = 4; missed interview	175	12.9 %
-101	ARSMA skipped: S9ARMSA_MexAm=NO	868	64.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 309 valid cases out of 1,354 total cases.

Location: 2627-2630 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S9ARMSA24: S9 ARSMA: Family cooks Mexican food

Value	Label	Unweighted Frequency	%
1	Not at all	11	0.8 %
2	Very little or not very often	2	0.1 %
3	Moderately	39	2.9 %
4	More or very often	54	4.0 %

Value	Label	Unweighted Frequency	%
5	Extremely often or almost always	203	15.0 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-201	IntCompStat = 4; missed interview	175	12.9 %
-101	ARSMA skipped: S9ARMSA_MexAm=NO	868	64.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 309 valid cases out of 1,354 total cases.

Location: 2631-2634 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S9ARMSA25: S9 ARSMA: Friends now are Anglo

Value	Label	Unweighted Frequency	%
1	Not at all	62	4.6 %
2	Very little or not very often	51	3.8 %
3	Moderately	117	8.6 %
4	More or very often	41	3.0 %
5	Extremely often or almost always	38	2.8 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-201	IntCompStat = 4; missed interview	175	12.9 %
-101	ARSMA skipped: S9ARMSA_MexAm=NO	868	64.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 309 valid cases out of 1,354 total cases.

Location: 2635-2638 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S9ARMSA26: S9 ARSMA: Friends now are Mexican

Value	Label	Unweighted Frequency	%
1	Not at all	8	0.6 %
2	Very little or not very often	8	0.6 %
3	Moderately	82	6.1 %
4	More or very often	60	4.4 %
5	Extremely often or almost always	151	11.2 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-700	Data missing due to bug in interview	1	0.1 %
-201	IntCompStat = 4; missed interview	175	12.9 %
-101	ARSMA skipped: S9ARMSA_MexAm=NO	868	64.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 309 valid cases out of 1,354 total cases.

Location: 2639-2642 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S9ARMSA27: S9 ARSMA: Identify self as Anglo American

Value	Label	Unweighted Frequency	%
1	Not at all	267	19.7 %
2	Very little or not very often	10	0.7 %
3	Moderately	17	1.3 %
4	More or very often	7	0.5 %
5	Extremely often or almost always	8	0.6 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-201	IntCompStat = 4; missed interview	175	12.9 %
-101	ARSMA skipped: S9ARMSA_MexAm=NO	868	64.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 309 valid cases out of 1,354 total cases.

Location: 2643-2646 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S9ARMSA28: S9 ARSMA: Identify as Mexican American

Value	Label	Unweighted Frequency	%
1	Not at all	46	3.4 %
2	Very little or not very often	9	0.7 %
3	Moderately	34	2.5 %
4	More or very often	28	2.1 %
5	Extremely often or almost always	192	14.2 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-201	IntCompStat = 4; missed interview	175	12.9 %

Value	Label	Unweighted Frequency	%
-101	ARSMA skipped: S9ARMSA_MexAm=NO	868	64.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 309 valid cases out of 1,354 total cases.

Location: 2647-2650 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S9ARMSA29: S9 ARSMA: Identify as Mexican

Value	Label	Unweighted Frequency	%
1	Not at all	48	3.5 %
2	Very little or not very often	16	1.2 %
3	Moderately	40	3.0 %
4	More or very often	32	2.4 %
5	Extremely often or almost always	173	12.8 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-201	IntCompStat = 4; missed interview	175	12.9 %
-101	ARSMA skipped: S9ARMSA_MexAm=NO	868	64.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 309 valid cases out of 1,354 total cases.

Location: 2651-2654 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S9ARMSA30: S9 ARSMA: Identify as American

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	S9Armsa30 to S9Armsa48 dropped at 01.16	311	23.0 %
-201	IntCompStat = 4; missed interview	175	12.9 %
-101	ARSMA skipped: S9ARMSA_MexAm=NO	868	64.1 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2655-2658 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S9ARMSA31: S9 ARSMA: Difficult accept some Anglo ideas

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	S9Armsa30 to S9Armsa48 dropped at 01.16	311	23.0 %
-201	IntCompStat = 4; missed interview	175	12.9 %
-101	ARSMA skipped: S9ARMSA_MexAm=NO	868	64.1 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2659-2662 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S9ARMSA32: S9 ARSMA: Difficult accept some Anglo attitudes

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	S9Armsa30 to S9Armsa48 dropped at 01.16	311	23.0 %
-201	IntCompStat = 4; missed interview	175	12.9 %
-101	ARSMA skipped: S9ARMSA_MexAm=NO	868	64.1 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2663-2666 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S9ARMSA33: S9 ARSMA: Difficult accept some Anglo behaviors

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	S9Armsa30 to S9Armsa48 dropped at 01.16	311	23.0 %
-201	IntCompStat = 4; missed interview	175	12.9 %
-101	ARSMA skipped: S9ARMSA_MexAm=NO	868	64.1 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2667-2670 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S9ARMSA34: S9 ARSMA: Difficult accept some Anglo values

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	S9Armsa30 to S9Armsa48 dropped at 01.16	311	23.0 %
-201	IntCompStat = 4; missed interview	175	12.9 %
-101	ARSMA skipped: S9ARMSA_MexAm=NO	868	64.1 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2671-2674 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S9ARMSA35: S9 ARSMA: Difficult accept some Anglo customs

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %

Value	Label	Unweighted Frequency	%
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	S9Armsa30 to S9Armsa48 dropped at 01.16	311	23.0 %
-201	IntCompStat = 4; missed interview	175	12.9 %
-101	ARSMA skipped: S9ARMSA_MexAm=NO	868	64.1 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2675-2678 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S9ARMSA36: S9 ARSMA: Difficult accept Anglos as close friends

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	S9Armsa30 to S9Armsa48 dropped at 01.16	311	23.0 %
-201	IntCompStat = 4; missed interview	175	12.9 %
-101	ARSMA skipped: S9ARMSA_MexAm=NO	868	64.1 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2679-2682 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S9ARMSA37: S9 ARSMA: Difficult accept some Mexican ideas

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	S9Armsa30 to S9Armsa48 dropped at 01.16	311	23.0 %
-201	IntCompStat = 4; missed interview	175	12.9 %

Value	Label	Unweighted Frequency	%
-101	ARSMA skipped: S9ARMSA_MexAm=NO	868	64.1 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2683-2686 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S9ARMSA38: S9 ARSMA: Difficult accept some Mexican attitudes

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	S9Armsa30 to S9Armsa48 dropped at 01.16	311	23.0 %
-201	IntCompStat = 4; missed interview	175	12.9 %
-101	ARSMA skipped: S9ARMSA_MexAm=NO	868	64.1 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2687-2690 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S9ARMSA39: S9 ARSMA: Difficult accept some Mexican behaviors

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	S9Armsa30 to S9Armsa48 dropped at 01.16	311	23.0 %
-201	IntCompStat = 4; missed interview	175	12.9 %
-101	ARSMA skipped: S9ARMSA_MexAm=NO	868	64.1 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2691-2694 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S9ARMSA40: S9 ARSMA: Difficult accept some Mexican values

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	S9Armsa30 to S9Armsa48 dropped at 01.16	311	23.0 %
-201	IntCompStat = 4; missed interview	175	12.9 %
-101	ARSMA skipped: S9ARMSA_MexAm=NO	868	64.1 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2695-2698 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S9ARMSA41: S9 ARSMA: Difficult accept some Mexican customs

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	S9Armsa30 to S9Armsa48 dropped at 01.16	311	23.0 %
-201	IntCompStat = 4; missed interview	175	12.9 %
-101	ARSMA skipped: S9ARMSA_MexAm=NO	868	64.1 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2699-2702 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S9ARMSA42: S9 ARSMA: Difficult accept Mexicans as close friends

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	S9Armsa30 to S9Armsa48 dropped at 01.16	311	23.0 %
-201	IntCompStat = 4; missed interview	175	12.9 %
-101	ARSMA skipped: S9ARMSA_MexAm=NO	868	64.1 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2703-2706 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S9ARMSA43: S9 ARSMA: Difficult accept ideas of Mex Amer

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	S9Armsa30 to S9Armsa48 dropped at 01.16	311	23.0 %
-201	IntCompStat = 4; missed interview	175	12.9 %
-101	ARSMA skipped: S9ARMSA_MexAm=NO	868	64.1 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2707-2710 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S9ARMSA44: S9 ARSMA: Difficult accept attitudes of Mex Amer

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %

Value	Label	Unweighted Frequency	%
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	S9Armsa30 to S9Armsa48 dropped at 01.16	311	23.0 %
-201	IntCompStat = 4; missed interview	175	12.9 %
-101	ARSMA skipped: S9ARMSA_MexAm=NO	868	64.1 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2711-2714 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S9ARMSA45: S9 ARSMA: Difficult accept behaviors of Mex Amer

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	S9Armsa30 to S9Armsa48 dropped at 01.16	311	23.0 %
-201	IntCompStat = 4; missed interview	175	12.9 %
-101	ARSMA skipped: S9ARMSA_MexAm=NO	868	64.1 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2715-2718 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S9ARMSA46: S9 ARSMA: Difficult accept values of Mex Amer

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	S9Armsa30 to S9Armsa48 dropped at 01.16	311	23.0 %
-201	IntCompStat = 4; missed interview	175	12.9 %

Value	Label	Unweighted Frequency	%
-101	ARSMA skipped: S9ARMSA_MexAm=NO	868	64.1 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2719-2722 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S9ARMSA47: S9 ARSMA: Difficult accept customs of Mex Amer

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	S9Armsa30 to S9Armsa48 dropped at 01.16	311	23.0 %
-201	IntCompStat = 4; missed interview	175	12.9 %
-101	ARSMA skipped: S9ARMSA_MexAm=NO	868	64.1 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2723-2726 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S9ARMSA48: S9 ARSMA: Difficult accept Mex Amer as close friends

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	S9Armsa30 to S9Armsa48 dropped at 01.16	311	23.0 %
-201	IntCompStat = 4; missed interview	175	12.9 %
-101	ARSMA skipped: S9ARMSA_MexAm=NO	868	64.1 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2727-2730 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

S9AOS: S9 ARSMA: Anglo Orientation Subscale

Based upon 309 valid cases out of 1,354 total cases.

- Mean: 4.2141806414
- Median: 4.2727272727
- Mode: 4.2727272727
- Minimum: 1.8181818182
- Maximum: 5.0000000000
- Standard Deviation: 0.4904596259

Location: 2731-2745 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S9ANGAFF: S9 ARSMA: Anglo Affiliation Subscale

Based upon 309 valid cases out of 1,354 total cases.

- Mean: 3.0873786408
- Median: 3.0000000000
- Mode: 3.0000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 1.0933629942

Location: 2746-2760 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S9ENGLNG: S9 ARSMA: English Language Subscale

Based upon 309 valid cases out of 1,354 total cases.

- Mean: 4.637
- Median: 4.875
- Mode: 5.000
- Minimum: 2.125
- Maximum: 5.000
- Standard Deviation: 0.501

Location: 2761-2768 (width: 8; decimal: 3)
Variable Type: numeric
(Range of) Missing Values: -700.000 , -300.000 , -202.000 , -201.000 , -100.000 , -9.000 , -8.000

S9MOS: S9 ARSMA: Mexican Orientation Subscale

Based upon 309 valid cases out of 1,354 total cases.

- Mean: 3.0755124056
- Median: 2.8333333333

- Mode: 5.0000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 1.1537525383

Location: 2769-2783 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S9MEXAFF: S9 ARSMA: Mexican Affiliation Subscale

Based upon 309 valid cases out of 1,354 total cases.

- Mean: 4.2330097087
- Median: 4.3333333333
- Mode: 5.0000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.8047051634

Location: 2784-2798 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S9SPALNG: S9 ARSMA: Spanish Language Subscale

Based upon 309 valid cases out of 1,354 total cases.

- Mean: 2.6888709097
- Median: 2.3333333333
- Mode: 5.0000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 1.3918633012

Location: 2799-2813 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

SAARMSA_MEXAM: SA ARSMA: Consider yourself to be Mexican American

Value	Label	Unweighted Frequency	%
1	Yes	294	21.7 %
5	No	840	62.0 %
	Missing Data		
-201	IntCompStat = 4; missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,134 valid cases out of 1,354 total cases.

Location: 2814-2817 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -9 , -8

SAARMSA01: SA ARSMA: Speak Spanish

Value	Label	Unweighted Frequency	%
1	Not at all	69	5.1 %
2	Very little or not very often	50	3.7 %
3	Moderately	62	4.6 %
4	More or very often	43	3.2 %
5	Extremely often or almost always	70	5.2 %
	Missing Data		
-201	IntCompStat = 4; missed interview	220	16.2 %
-101	ARSMA skipped: SAARMSA_MexAm=NO	840	62.0 %
	Total	**1,354**	**100%**

Based upon 294 valid cases out of 1,354 total cases.

Location: 2818-2821 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

SAARMSA02: SA ARSMA: Speak English

Value	Label	Unweighted Frequency	%
1	Not at all	2	0.1 %
2	Very little or not very often	4	0.3 %
3	Moderately	20	1.5 %
4	More or very often	42	3.1 %
5	Extremely often or almost always	226	16.7 %
	Missing Data		
-201	IntCompStat = 4; missed interview	220	16.2 %
-101	ARSMA skipped: SAARMSA_MexAm=NO	840	62.0 %
	Total	**1,354**	**100%**

Based upon 294 valid cases out of 1,354 total cases.

Location: 2822-2825 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

SAARMSA03: SA ARSMA: Enjoy speaking Spanish

Value	Label	Unweighted Frequency	%
1	Not at all	83	6.1 %
2	Very little or not very often	37	2.7 %
3	Moderately	48	3.5 %

Value	Label	Unweighted Frequency	%
4	More or very often	49	3.6 %
5	Extremely often or almost always	74	5.5 %
	Missing Data		
-201	IntCompStat = 4; missed interview	220	16.2 %
-101	ARSMA skipped: SAARMSA_MexAm=NO	840	62.0 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 291 valid cases out of 1,354 total cases.

Location: 2826-2829 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

SAARMSA04: SA ARSMA: Associate w/anglos

Value	Label	Unweighted Frequency	%
1	Not at all	19	1.4 %
2	Very little or not very often	32	2.4 %
3	Moderately	97	7.2 %
4	More or very often	63	4.7 %
5	Extremely often or almost always	82	6.1 %
	Missing Data		
-201	IntCompStat = 4; missed interview	220	16.2 %
-101	ARSMA skipped: SAARMSA_MexAm=NO	840	62.0 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 293 valid cases out of 1,354 total cases.

Location: 2830-2833 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

SAARMSA05: SA ARSMA: Associate w/Mexicans/Mex Americans

Value	Label	Unweighted Frequency	%
1	Not at all	6	0.4 %
2	Very little or not very often	5	0.4 %
3	Moderately	46	3.4 %
4	More or very often	92	6.8 %
5	Extremely often or almost always	144	10.6 %
	Missing Data		
-201	IntCompStat = 4; missed interview	220	16.2 %

Value	Label	Unweighted Frequency	%
-101	ARSMA skipped: SAARMSA_MexAm=NO	840	62.0 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 293 valid cases out of 1,354 total cases.

Location: 2834-2837 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

SAARMSA06: SA ARSMA: Enjoy Spanish language music

Value	Label	Unweighted Frequency	%
1	Not at all	81	6.0 %
2	Very little or not very often	55	4.1 %
3	Moderately	44	3.2 %
4	More or very often	45	3.3 %
5	Extremely often or almost always	68	5.0 %
	Missing Data		
-201	IntCompStat = 4; missed interview	220	16.2 %
-101	ARSMA skipped: SAARMSA_MexAm=NO	840	62.0 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 293 valid cases out of 1,354 total cases.

Location: 2838-2841 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

SAARMSA07: SA ARSMA: Enjoy English speak music

Value	Label	Unweighted Frequency	%
1	Not at all	5	0.4 %
2	Very little or not very often	1	0.1 %
3	Moderately	26	1.9 %
4	More or very often	44	3.2 %
5	Extremely often or almost always	217	16.0 %
	Missing Data		
-201	IntCompStat = 4; missed interview	220	16.2 %
-101	ARSMA skipped: SAARMSA_MexAm=NO	840	62.0 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 293 valid cases out of 1,354 total cases.

Location: 2842-2845 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

SAARMSA08: SA ARSMA: Enjoy Spanish language TV

Value	Label	Unweighted Frequency	%
1	Not at all	103	7.6 %
2	Very little or not very often	49	3.6 %
3	Moderately	53	3.9 %
4	More or very often	33	2.4 %
5	Extremely often or almost always	55	4.1 %
	Missing Data		
-201	IntCompStat = 4; missed interview	220	16.2 %
-101	ARSMA skipped: SAARMSA_MexAm=NO	840	62.0 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 293 valid cases out of 1,354 total cases.

Location: 2846-2849 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

SAARMSA09: SA ARSMA: Enjoy English language TV

Value	Label	Unweighted Frequency	%
1	Not at all	3	0.2 %
2	Very little or not very often	6	0.4 %
3	Moderately	23	1.7 %
4	More or very often	41	3.0 %
5	Extremely often or almost always	220	16.2 %
	Missing Data		
-201	IntCompStat = 4; missed interview	220	16.2 %
-101	ARSMA skipped: SAARMSA_MexAm=NO	840	62.0 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 293 valid cases out of 1,354 total cases.

Location: 2850-2853 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

SAARMSA10: SA ARSMA: Enjoy English langguage movies

Value	Label	Unweighted Frequency	%
1	Not at all	5	0.4 %
2	Very little or not very often	0	0.0 %
3	Moderately	17	1.3 %
4	More or very often	41	3.0 %
5	Extremely often or almost always	230	17.0 %
	Missing Data		
-201	IntCompStat = 4; missed interview	220	16.2 %
-101	ARSMA skipped: SAARMSA_MexAm=NO	840	62.0 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 293 valid cases out of 1,354 total cases.

Location: 2854-2857 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

SAARMSA11: SA ARSMA: Enjoy Spanish language movies

Value	Label	Unweighted Frequency	%
1	Not at all	160	11.8 %
2	Very little or not very often	34	2.5 %
3	Moderately	31	2.3 %
4	More or very often	23	1.7 %
5	Extremely often or almost always	45	3.3 %
	Missing Data		
-201	IntCompStat = 4; missed interview	220	16.2 %
-101	ARSMA skipped: SAARMSA_MexAm=NO	840	62.0 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 293 valid cases out of 1,354 total cases.

Location: 2858-2861 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

SAARMSA12: SA ARSMA: Enjoy reading Spanish books

Value	Label	Unweighted Frequency	%
1	Not at all	183	13.5 %
2	Very little or not very often	29	2.1 %
3	Moderately	42	3.1 %
4	More or very often	11	0.8 %

Value	Label	Unweighted Frequency	%
5	Extremely often or almost always	28	2.1 %
	Missing Data		
-201	IntCompStat = 4; missed interview	220	16.2 %
-101	ARSMA skipped: SAARMSA_MexAm=NO	840	62.0 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 293 valid cases out of 1,354 total cases.

Location: 2862-2865 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

SAARMSA13: SA ARSMA: Enjoy reading English books

Value	Label	Unweighted Frequency	%
1	Not at all	22	1.6 %
2	Very little or not very often	17	1.3 %
3	Moderately	48	3.5 %
4	More or very often	47	3.5 %
5	Extremely often or almost always	159	11.7 %
	Missing Data		
-201	IntCompStat = 4; missed interview	220	16.2 %
-101	ARSMA skipped: SAARMSA_MexAm=NO	840	62.0 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 293 valid cases out of 1,354 total cases.

Location: 2866-2869 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

SAARMSA14: SA ARSMA: Write letters in Spanish

Value	Label	Unweighted Frequency	%
1	Not at all	167	12.3 %
2	Very little or not very often	41	3.0 %
3	Moderately	30	2.2 %
4	More or very often	22	1.6 %
5	Extremely often or almost always	33	2.4 %
	Missing Data		
-201	IntCompStat = 4; missed interview	220	16.2 %
-101	ARSMA skipped: SAARMSA_MexAm=NO	840	62.0 %

Value	Label	Unweighted Frequency	%
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 293 valid cases out of 1,354 total cases.

Location: 2870-2873 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

SAARMSA15: SA ARSMA: Write letters in English

Value	Label	Unweighted Frequency	%
1	Not at all	11	0.8 %
2	Very little or not very often	18	1.3 %
3	Moderately	29	2.1 %
4	More or very often	44	3.2 %
5	Extremely often or almost always	191	14.1 %
	Missing Data		
-201	IntCompStat = 4; missed interview	220	16.2 %
-101	ARSMA skipped: SAARMSA_MexAm=NO	840	62.0 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 293 valid cases out of 1,354 total cases.

Location: 2874-2877 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

SAARMSA16: SA ARSMA: Think in English

Value	Label	Unweighted Frequency	%
1	Not at all	7	0.5 %
2	Very little or not very often	7	0.5 %
3	Moderately	26	1.9 %
4	More or very often	40	3.0 %
5	Extremely often or almost always	213	15.7 %
	Missing Data		
-201	IntCompStat = 4; missed interview	220	16.2 %
-101	ARSMA skipped: SAARMSA_MexAm=NO	840	62.0 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 293 valid cases out of 1,354 total cases.

Location: 2878-2881 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

SAARMSA17: SA ARSMA: Think in Spanish

Value	Label	Unweighted Frequency	%
1	Not at all	154	11.4 %
2	Very little or not very often	34	2.5 %
3	Moderately	42	3.1 %
4	More or very often	24	1.8 %
5	Extremely often or almost always	39	2.9 %
	Missing Data		
-201	IntCompStat = 4; missed interview	220	16.2 %
-101	ARSMA skipped: SAARMSA_MexAm=NO	840	62.0 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 293 valid cases out of 1,354 total cases.

Location: 2882-2885 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

SAARMSA18: SA ARSMA: Contact with Mexico

Value	Label	Unweighted Frequency	%
1	Not at all	185	13.7 %
2	Very little or not very often	33	2.4 %
3	Moderately	29	2.1 %
4	More or very often	11	0.8 %
5	Extremely often or almost always	35	2.6 %
	Missing Data		
-201	IntCompStat = 4; missed interview	220	16.2 %
-101	ARSMA skipped: SAARMSA_MexAm=NO	840	62.0 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 293 valid cases out of 1,354 total cases.

Location: 2886-2889 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

SAARMSA19: SA ARSMA: Contact with USA

Value	Label	Unweighted Frequency	%
1	Not at all	3	0.2 %
2	Very little or not very often	2	0.1 %
3	Moderately	10	0.7 %
4	More or very often	13	1.0 %
5	Extremely often or almost always	265	19.6 %
	Missing Data		
-201	IntCompStat = 4; missed interview	220	16.2 %
-101	ARSMA skipped: SAARMSA_MexAm=NO	840	62.0 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 293 valid cases out of 1,354 total cases.

Location: 2890-2893 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

SAARMSA20: SA ARSMA: Father is Mexicano

Value	Label	Unweighted Frequency	%
1	Not at all	37	2.7 %
2	Very little or not very often	3	0.2 %
3	Moderately	30	2.2 %
4	More or very often	28	2.1 %
5	Extremely often or almost always	186	13.7 %
	Missing Data		
-201	IntCompStat = 4; missed interview	220	16.2 %
-101	ARSMA skipped: SAARMSA_MexAm=NO	840	62.0 %
-9	Dont Know	10	0.7 %
	Total	**1,354**	**100%**

Based upon 284 valid cases out of 1,354 total cases.

Location: 2894-2897 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

SAARMSA21: SA ARSMA: Mother is Mexicano

Value	Label	Unweighted Frequency	%
1	Not at all	48	3.5 %
2	Very little or not very often	10	0.7 %
3	Moderately	34	2.5 %
4	More or very often	23	1.7 %

Value	Label	Unweighted Frequency	%
5	Extremely often or almost always	176	13.0 %
	Missing Data		
-201	IntCompStat = 4; missed interview	220	16.2 %
-101	ARSMA skipped: SAARMSA_MexAm=NO	840	62.0 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 291 valid cases out of 1,354 total cases.

Location: 2898-2901 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

SAARMSA22: SA ARSMA: Friends were Mexican

Value	Label	Unweighted Frequency	%
1	Not at all	6	0.4 %
2	Very little or not very often	16	1.2 %
3	Moderately	68	5.0 %
4	More or very often	68	5.0 %
5	Extremely often or almost always	135	10.0 %
	Missing Data		
-201	IntCompStat = 4; missed interview	220	16.2 %
-101	ARSMA skipped: SAARMSA_MexAm=NO	840	62.0 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 293 valid cases out of 1,354 total cases.

Location: 2902-2905 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

SAARMSA23: SA ARSMA: Friends were Anglo

Value	Label	Unweighted Frequency	%
1	Not at all	35	2.6 %
2	Very little or not very often	73	5.4 %
3	Moderately	107	7.9 %
4	More or very often	31	2.3 %
5	Extremely often or almost always	47	3.5 %
	Missing Data		
-201	IntCompStat = 4; missed interview	220	16.2 %
-101	ARSMA skipped: SAARMSA_MexAm=NO	840	62.0 %

Value	Label	Unweighted Frequency	%
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 293 valid cases out of 1,354 total cases.

Location: 2906-2909 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

SAARMSA24: SA ARSMA: Family cooks Mexican food

Value	Label	Unweighted Frequency	%
1	Not at all	5	0.4 %
2	Very little or not very often	11	0.8 %
3	Moderately	40	3.0 %
4	More or very often	55	4.1 %
5	Extremely often or almost always	182	13.4 %
	Missing Data		
-201	IntCompStat = 4; missed interview	220	16.2 %
-101	ARSMA skipped: SAARMSA_MexAm=NO	840	62.0 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 293 valid cases out of 1,354 total cases.

Location: 2910-2913 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

SAARMSA25: SA ARSMA: Friends now are Anglo

Value	Label	Unweighted Frequency	%
1	Not at all	47	3.5 %
2	Very little or not very often	70	5.2 %
3	Moderately	106	7.8 %
4	More or very often	29	2.1 %
5	Extremely often or almost always	41	3.0 %
	Missing Data		
-201	IntCompStat = 4; missed interview	220	16.2 %
-101	ARSMA skipped: SAARMSA_MexAm=NO	840	62.0 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 293 valid cases out of 1,354 total cases.

Location: 2914-2917 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

SAARMSA26: SA ARSMA: Friends now are Mexican

Value	Label	Unweighted Frequency	%
1	Not at all	6	0.4 %
2	Very little or not very often	17	1.3 %
3	Moderately	77	5.7 %
4	More or very often	63	4.7 %
5	Extremely often or almost always	130	9.6 %
	Missing Data		
-201	IntCompStat = 4; missed interview	220	16.2 %
-101	ARSMA skipped: SAARMSA_MexAm=NO	840	62.0 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 293 valid cases out of 1,354 total cases.

Location: 2918-2921 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

SAARMSA27: SA ARSMA: Identify self as Anglo American

Value	Label	Unweighted Frequency	%
1	Not at all	246	18.2 %
2	Very little or not very often	20	1.5 %
3	Moderately	17	1.3 %
4	More or very often	3	0.2 %
5	Extremely often or almost always	7	0.5 %
	Missing Data		
-201	IntCompStat = 4; missed interview	220	16.2 %
-101	ARSMA skipped: SAARMSA_MexAm=NO	840	62.0 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 293 valid cases out of 1,354 total cases.

Location: 2922-2925 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

SAARMSA28: SA ARSMA: Identify as Mexican American

Value	Label	Unweighted Frequency	%
1	Not at all	45	3.3 %
2	Very little or not very often	8	0.6 %
3	Moderately	42	3.1 %
4	More or very often	41	3.0 %
5	Extremely often or almost always	157	11.6 %
	Missing Data		
-201	IntCompStat = 4; missed interview	220	16.2 %
-101	ARSMA skipped: SAARMSA_MexAm=NO	840	62.0 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 293 valid cases out of 1,354 total cases.

Location: 2926-2929 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

SAARMSA29: SA ARSMA: Identify as Mexican

Value	Label	Unweighted Frequency	%
1	Not at all	48	3.5 %
2	Very little or not very often	18	1.3 %
3	Moderately	35	2.6 %
4	More or very often	41	3.0 %
5	Extremely often or almost always	151	11.2 %
	Missing Data		
-201	IntCompStat = 4; missed interview	220	16.2 %
-101	ARSMA skipped: SAARMSA_MexAm=NO	840	62.0 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 293 valid cases out of 1,354 total cases.

Location: 2930-2933 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

SAARMSA30: SA ARSMA: Identify as American

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %

Value	Label	Unweighted Frequency	%
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	SAArmsa30 to SAArmsa48 dropped at 01.16	294	21.7 %
-201	IntCompStat = 4; missed interview	220	16.2 %
-101	ARSMA skipped: SAARMSA_MexAm=NO	840	62.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2934-2937 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

SAARMSA31: SA ARSMA: Difficult accept some Anglo ideas

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	SAArmsa30 to SAArmsa48 dropped at 01.16	294	21.7 %
-201	IntCompStat = 4; missed interview	220	16.2 %
-101	ARSMA skipped: SAARMSA_MexAm=NO	840	62.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2938-2941 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

SAARMSA32: SA ARSMA: Difficult accept some Anglo attitudes

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	SAArmsa30 to SAArmsa48 dropped at 01.16	294	21.7 %
-201	IntCompStat = 4; missed interview	220	16.2 %

Value	Label	Unweighted Frequency	%
-101	ARSMA skipped: SAARMSA_MexAm=NO	840	62.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2942-2945 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

SAARMSA33: SA ARSMA: Difficult accept some Anglo behaviors

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	SAArmsa30 to SAArmsa48 dropped at 01.16	294	21.7 %
-201	IntCompStat = 4; missed interview	220	16.2 %
-101	ARSMA skipped: SAARMSA_MexAm=NO	840	62.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2946-2949 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

SAARMSA34: SA ARSMA: Difficult accept some Anglo values

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	SAArmsa30 to SAArmsa48 dropped at 01.16	294	21.7 %
-201	IntCompStat = 4; missed interview	220	16.2 %
-101	ARSMA skipped: SAARMSA_MexAm=NO	840	62.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2950-2953 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

SAARMSA35: SA ARSMA: Difficult accept some Anglo customs

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	SAArmsa30 to SAArmsa48 dropped at 01.16	294	21.7 %
-201	IntCompStat = 4; missed interview	220	16.2 %
-101	ARSMA skipped: SAARMSA_MexAm=NO	840	62.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2954-2957 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

SAARMSA36: SA ARSMA: Difficult accept Anglos as close friends

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	SAArmsa30 to SAArmsa48 dropped at 01.16	294	21.7 %
-201	IntCompStat = 4; missed interview	220	16.2 %
-101	ARSMA skipped: SAARMSA_MexAm=NO	840	62.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2958-2961 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

SAARMSA37: SA ARSMA: Difficult accept some Mexican ideas

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	SAArmsa30 to SAArmsa48 dropped at 01.16	294	21.7 %
-201	IntCompStat = 4; missed interview	220	16.2 %
-101	ARSMA skipped: SAARMSA_MexAm=NO	840	62.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2962-2965 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

SAARMSA38: SA ARSMA: Difficult accept some Mexican attitudes

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	SAArmsa30 to SAArmsa48 dropped at 01.16	294	21.7 %
-201	IntCompStat = 4; missed interview	220	16.2 %
-101	ARSMA skipped: SAARMSA_MexAm=NO	840	62.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2966-2969 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

SAARMSA39: SA ARSMA: Difficult accept some Mexican behaviors

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %

Value	Label	Unweighted Frequency	%
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	SAArmsa30 to SAArmsa48 dropped at 01.16	294	21.7 %
-201	IntCompStat = 4; missed interview	220	16.2 %
-101	ARSMA skipped: SAARMSA_MexAm=NO	840	62.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2970-2973 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

SAARMSA40: SA ARSMA: Difficult accept some Mexican values

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	SAArmsa30 to SAArmsa48 dropped at 01.16	294	21.7 %
-201	IntCompStat = 4; missed interview	220	16.2 %
-101	ARSMA skipped: SAARMSA_MexAm=NO	840	62.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2974-2977 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

SAARMSA41: SA ARSMA: Difficult accept some Mexican customs

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	SAArmsa30 to SAArmsa48 dropped at 01.16	294	21.7 %
-201	IntCompStat = 4; missed interview	220	16.2 %

Value	Label	Unweighted Frequency	%
-101	ARSMA skipped: SAARMSA_MexAm=NO	840	62.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2978-2981 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

SAARMSA42: SA ARSMA: Difficult accept Mexicans as close friends

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	SAArmsa30 to SAArmsa48 dropped at 01.16	294	21.7 %
-201	IntCompStat = 4; missed interview	220	16.2 %
-101	ARSMA skipped: SAARMSA_MexAm=NO	840	62.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2982-2985 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

SAARMSA43: SA ARSMA: Difficult accept ideas of Mex Amer

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	SAArmsa30 to SAArmsa48 dropped at 01.16	294	21.7 %
-201	IntCompStat = 4; missed interview	220	16.2 %
-101	ARSMA skipped: SAARMSA_MexAm=NO	840	62.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2986-2989 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

SAARMSA44: SA ARSMA: Difficult accept attitudes of Mex Amer

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	SAArmsa30 to SAArmsa48 dropped at 01.16	294	21.7 %
-201	IntCompStat = 4; missed interview	220	16.2 %
-101	ARSMA skipped: SAARMSA_MexAm=NO	840	62.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2990-2993 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

SAARMSA45: SA ARSMA: Difficult accept behaviors of Mex Amer

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	SAArmsa30 to SAArmsa48 dropped at 01.16	294	21.7 %
-201	IntCompStat = 4; missed interview	220	16.2 %
-101	ARSMA skipped: SAARMSA_MexAm=NO	840	62.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2994-2997 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

SAARMSA46: SA ARSMA: Difficult accept values of Mex Amer

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	SAArmsa30 to SAArmsa48 dropped at 01.16	294	21.7 %
-201	IntCompStat = 4; missed interview	220	16.2 %
-101	ARSMA skipped: SAARMSA_MexAm=NO	840	62.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2998-3001 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

SAARMSA47: SA ARSMA: Difficult accept customs of Mex Amer

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	SAArmsa30 to SAArmsa48 dropped at 01.16	294	21.7 %
-201	IntCompStat = 4; missed interview	220	16.2 %
-101	ARSMA skipped: SAARMSA_MexAm=NO	840	62.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 3002-3005 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

SAARMSA48: SA ARSMA: Difficult accept Mex Amer as close friends

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	Very little or not very often	0	0.0 %
3	Moderately	0	0.0 %
4	More or very often	0	0.0 %

Value	Label	Unweighted Frequency	%
5	Extremely often or almost always	0	0.0 %
	Missing Data		
-400	SAArmsa30 to SAArmsa48 dropped at 01.16	294	21.7 %
-201	IntCompStat = 4; missed interview	220	16.2 %
-101	ARSMA skipped: SAARMSA_MexAm=NO	840	62.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 3006-3009 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -101 , -9 , -8

SAAOS: SA ARSMA: Anglo Orientation Subscale

Based upon 293 valid cases out of 1,354 total cases.

- Mean: 4.1377598511
- Median: 4.1818181818
- Mode: 3.9090909091
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.5900506478

Location: 3010-3024 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

SAANGAFF: SA ARSMA: Anglo Affiliation Subscale

Based upon 293 valid cases out of 1,354 total cases.

- Mean: 3.0978384528
- Median: 3.0000000000
- Mode: 3.0000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 1.0480752960

Location: 3025-3039 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

SAENGLNG: SA ARSMA: English Language Subscale

Based upon 293 valid cases out of 1,354 total cases.

- Mean: 4.528
- Median: 4.750
- Mode: 5.000

- Minimum: 1.000
- Maximum: 5.000
- Standard Deviation: 0.607

Location: 3040-3047 (width: 8; decimal: 3)
Variable Type: numeric
(Range of) Missing Values: -700.000 , -300.000 , -202.000 , -201.000 , -100.000 , -9.000 , -8.000

SAMOS: SA ARSMA: Mexican Orientation Subscale

Based upon 293 valid cases out of 1,354 total cases.

- Mean: 2.8264039715
- Median: 2.6666666667
- Mode: 2.0000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 1.0187348919

Location: 3048-3062 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

SAMEXAFF: SA ARSMA: Mexican Affiliation Subscale

Based upon 293 valid cases out of 1,354 total cases.

- Mean: 4.1001137656
- Median: 4.3333333333
- Mode: 5.0000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.8411889928

Location: 3063-3077 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

SASPALNG: SA ARSMA: Spanish Language Subscale

Based upon 293 valid cases out of 1,354 total cases.

- Mean: 2.4013083049
- Median: 2.1111111111
- Mode: 1.0000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 1.2194239774

Location: 3078-3092 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000