ICPSR | INTER-UNIVERSITY CONSORTIUM FOR POLITICAL AND SOCIAL RESEARCH

ICPSR 36800

Research on Pathways to Desistance [Maricopa County, AZ and Philadelphia County, PA]: Subject Measures - Scales, 2000-2010

Edward P. Mulvey
University of Pittsburgh

Codebook for Brief Symptom Inventory (BSI)
[RESTRICTED]

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/36800/terms

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE
WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 36800

Research on Pathways to Desistance [Maricopa County, AZ and Philadelphia County, PA]: Subject Measures - Scales, 2000-2010

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Brief Symptom Inventory (BSI)

CASEID: S1 IntInfo: Subject ID

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1-5 (width: 5; decimal: 0)
Variable Type: numeric

S0BSI01: S0 BSI: q1 nervousness

Value	Label	Unweighted Frequency	%
0	Not at all	871	64.3 %
1	A little bit	268	19.8 %
2	Moderately	50	3.7 %
3	Quite a bit	110	8.1 %
4	Extremely	51	3.8 %
	Missing Data		
-200	Data missing	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,350 valid cases out of 1,354 total cases.

Location: 6-9 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0BSI02: S0 BSI: q2 faintness

Value	Label	Unweighted Frequency	%
0	Not at all	1113	82.2 %
1	A little bit	148	10.9 %
2	Moderately	32	2.4 %
3	Quite a bit	47	3.5 %
4	Extremely	10	0.7 %
	Missing Data		
-200	Data missing	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,350 valid cases out of 1,354 total cases.

Location: 10-13 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0BSI03: S0 BSI: q3 control thoughts

Value	Label	Unweighted Frequency	%
0	Not at all	1217	89.9 %
1	A little bit	72	5.3 %
2	Moderately	20	1.5 %
3	Quite a bit	23	1.7 %
4	Extremely	18	1.3 %
	Missing Data		
-200	Data missing	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,350 valid cases out of 1,354 total cases.

Location: 14-17 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0BSI04: S0 BSI: q4 blame

Value	Label	Unweighted Frequency	%
0	Not at all	1079	79.7 %
1	A little bit	163	12.0 %
2	Moderately	33	2.4 %
3	Quite a bit	52	3.8 %
4	Extremely	23	1.7 %
	Missing Data		
-200	Data missing	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,350 valid cases out of 1,354 total cases.

Location: 18-21 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0BSI05: S0 BSI: q5 remembering

Value	Label	Unweighted Frequency	%
0	Not at all	823	60.8 %
1	A little bit	313	23.1 %
2	Moderately	57	4.2 %
3	Quite a bit	110	8.1 %
4	Extremely	47	3.5 %
	Missing Data		
-200	Data missing	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,350 valid cases out of 1,354 total cases.

Location: 22-25 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0BSI06: S0 BSI: q6 irritated

Value	Label	Unweighted Frequency	%
0	Not at all	513	37.9 %
1	A little bit	345	25.5 %
2	Moderately	112	8.3 %
3	Quite a bit	228	16.8 %
4	Extremely	152	11.2 %
	Missing Data		
-200	Data missing	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,350 valid cases out of 1,354 total cases.

Location: 26-29 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0BSI07: S0 BSI: q7 pains

Value	Label	Unweighted Frequency	%
0	Not at all	1039	76.7 %
1	A little bit	181	13.4 %
2	Moderately	35	2.6 %
3	Quite a bit	70	5.2 %
4	Extremely	25	1.8 %
	Missing Data		
-200	Data missing	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,350 valid cases out of 1,354 total cases.

Location: 30-33 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0BSI08: S0 BSI: q8 afraid

Value	Label	Unweighted Frequency	%
0	Not at all	1177	86.9 %
1	A little bit	99	7.3 %

Value	Label	Unweighted Frequency	%
2	Moderately	26	1.9 %
3	Quite a bit	34	2.5 %
4	Extremely	14	1.0 %
	Missing Data		
-200	Data missing	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,350 valid cases out of 1,354 total cases.

Location: 34-37 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0BSI09: S0 BSI: q9 ending life

Value	Label	Unweighted Frequency	%
0	Not at all	1261	93.1 %
1	A little bit	54	4.0 %
2	Moderately	9	0.7 %
3	Quite a bit	16	1.2 %
4	Extremely	9	0.7 %
	Missing Data		
-200	Data missing	4	0.3 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,349 valid cases out of 1,354 total cases.

Location: 38-41 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0BSI10: S0 BSI: q10 trusted

Value	Label	Unweighted Frequency	%
0	Not at all	468	34.6 %
1	A little bit	339	25.0 %
2	Moderately	96	7.1 %
3	Quite a bit	251	18.5 %
4	Extremely	195	14.4 %
	Missing Data		
-200	Data missing	4	0.3 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,349 valid cases out of 1,354 total cases.

Location: 42-45 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0BSI11: S0 BSI: q11 poor appetite

Value	Label	Unweighted Frequency	%
0	Not at all	953	70.4 %
1	A little bit	195	14.4 %
2	Moderately	56	4.1 %
3	Quite a bit	80	5.9 %
4	Extremely	66	4.9 %
	Missing Data		
-200	Data missing	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,350 valid cases out of 1,354 total cases.

Location: 46-49 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0BSI12: S0 BSI: q12 scared

Value	Label	Unweighted Frequency	%
0	Not at all	1179	87.1 %
1	A little bit	95	7.0 %
2	Moderately	30	2.2 %
3	Quite a bit	33	2.4 %
4	Extremely	13	1.0 %
	Missing Data		
-200	Data missing	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,350 valid cases out of 1,354 total cases.

Location: 50-53 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0BSI13: S0 BSI: q13 outbursts

Value	Label	Unweighted Frequency	%
0	Not at all	962	71.0 %
1	A little bit	198	14.6 %

Value	Label	Unweighted Frequency	%
2	Moderately	56	4.1 %
3	Quite a bit	84	6.2 %
4	Extremely	50	3.7 %
	Missing Data		
-200	Data missing	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,350 valid cases out of 1,354 total cases.

Location: 54-57 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0BSI14: S0 BSI: q14 lonely1

Value	Label	Unweighted Frequency	%
0	Not at all	868	64.1 %
1	A little bit	227	16.8 %
2	Moderately	59	4.4 %
3	Quite a bit	108	8.0 %
4	Extremely	88	6.5 %
	Missing Data		
-200	Data missing	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,350 valid cases out of 1,354 total cases.

Location: 58-61 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0BSI15: S0 BSI: q15 blocked

Value	Label	Unweighted Frequency	%
0	Not at all	900	66.5 %
1	A little bit	239	17.7 %
2	Moderately	69	5.1 %
3	Quite a bit	95	7.0 %
4	Extremely	46	3.4 %
	Missing Data		
-200	Data missing	4	0.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,349 valid cases out of 1,354 total cases.

Location: 62-65 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0BSI16: S0 BSI: q16 lonely2

Value	Label	Unweighted Frequency	%
0	Not at all	828	61.2 %
1	A little bit	250	18.5 %
2	Moderately	50	3.7 %
3	Quite a bit	120	8.9 %
4	Extremely	102	7.5 %
	Missing Data		
-200	Data missing	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,350 valid cases out of 1,354 total cases.

Location: 66-69 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0BSI17: S0 BSI: q17 blue

Value	Label	Unweighted Frequency	%
0	Not at all	881	65.1 %
1	A little bit	236	17.4 %
2	Moderately	59	4.4 %
3	Quite a bit	96	7.1 %
4	Extremely	78	5.8 %
	Missing Data		
-200	Data missing	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,350 valid cases out of 1,354 total cases.

Location: 70-73 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0BSI18: S0 BSI: q18 interest

Value	Label	Unweighted Frequency	%
0	Not at all	720	53.2 %
1	A little bit	351	25.9 %

Value	Label	Unweighted Frequency	%
2	Moderately	97	7.2 %
3	Quite a bit	116	8.6 %
4	Extremely	66	4.9 %
	Missing Data		
-200	Data missing	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,350 valid cases out of 1,354 total cases.

Location: 74-77 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0BSI19: S0 BSI: q19 fearful

Value	Label	Unweighted Frequency	%
0	Not at all	1098	81.1 %
1	A little bit	160	11.8 %
2	Moderately	35	2.6 %
3	Quite a bit	37	2.7 %
4	Extremely	20	1.5 %
	Missing Data		
-200	Data missing	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,350 valid cases out of 1,354 total cases.

Location: 78-81 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0BSI20: S0 BSI: q20 feelings hurt

Value	Label	Unweighted Frequency	%
0	Not at all	1040	76.8 %
1	A little bit	191	14.1 %
2	Moderately	36	2.7 %
3	Quite a bit	58	4.3 %
4	Extremely	25	1.8 %
	Missing Data		
-200	Data missing	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,350 valid cases out of 1,354 total cases.

Location: 82-85 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0BSI21: S0 BSI: q21 disliked

Value	Label	Unweighted Frequency	%
0	Not at all	901	66.5 %
1	A little bit	277	20.5 %
2	Moderately	56	4.1 %
3	Quite a bit	74	5.5 %
4	Extremely	42	3.1 %
	Missing Data		
-200	Data missing	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,350 valid cases out of 1,354 total cases.

Location: 86-89 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0BSI22: S0 BSI: q22 inferior

Value	Label	Unweighted Frequency	%
0	Not at all	1139	84.1 %
1	A little bit	137	10.1 %
2	Moderately	30	2.2 %
3	Quite a bit	30	2.2 %
4	Extremely	14	1.0 %
	Missing Data		
-200	Data missing	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,350 valid cases out of 1,354 total cases.

Location: 90-93 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0BSI23: S0 BSI: q23 nausea

Value	Label	Unweighted Frequency	%
0	Not at all	1010	74.6 %
1	A little bit	205	15.1 %
2	Moderately	51	3.8 %

Value	Label	Unweighted Frequency	%
3	Quite a bit	54	4.0 %
4	Extremely	30	2.2 %
	Missing Data		
-200	Data missing	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,350 valid cases out of 1,354 total cases.

Location: 94-97 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0BSI24: S0 BSI: q24 watched

Value	Label	Unweighted Frequency	%
0	Not at all	752	55.5 %
1	A little bit	325	24.0 %
2	Moderately	72	5.3 %
3	Quite a bit	116	8.6 %
4	Extremely	85	6.3 %
	Missing Data		
-200	Data missing	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,350 valid cases out of 1,354 total cases.

Location: 98-101 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0BSI25: S0 BSI: q25 asleep

Value	Label	Unweighted Frequency	%
0	Not at all	766	56.6 %
1	A little bit	232	17.1 %
2	Moderately	65	4.8 %
3	Quite a bit	157	11.6 %
4	Extremely	130	9.6 %
	Missing Data		
-200	Data missing	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,350 valid cases out of 1,354 total cases.

Location: 102-105 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -200 , -9 , -8

S0BSI26: S0 BSI: q26 double-check

Value	Label	Unweighted Frequency	%
0	Not at all	780	57.6 %
1	A little bit	323	23.9 %
2	Moderately	66	4.9 %
3	Quite a bit	113	8.3 %
4	Extremely	68	5.0 %
	Missing Data		
-200	Data missing	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,350 valid cases out of 1,354 total cases.

Location: 106-109 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0BSI27: S0 BSI: q27 decisions

Value	Label	Unweighted Frequency	%
0	Not at all	742	54.8 %
1	A little bit	373	27.5 %
2	Moderately	78	5.8 %
3	Quite a bit	109	8.1 %
4	Extremely	48	3.5 %
	Missing Data		
-200	Data missing	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,350 valid cases out of 1,354 total cases.

Location: 110-113 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0BSI28: S0 BSI: q28 travel

Value	Label	Unweighted Frequency	%
0	Not at all	1255	92.7 %
1	A little bit	53	3.9 %
2	Moderately	11	0.8 %
3	Quite a bit	16	1.2 %
4	Extremely	14	1.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-200	Data missing	4	0.3 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,349 valid cases out of 1,354 total cases.

Location: 114-117 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0BSI29: S0 BSI: q29 breath

Value	Label	Unweighted Frequency	%
0	Not at all	1136	83.9 %
1	A little bit	142	10.5 %
2	Moderately	24	1.8 %
3	Quite a bit	31	2.3 %
4	Extremely	17	1.3 %
	Missing Data		
-200	Data missing	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,350 valid cases out of 1,354 total cases.

Location: 118-121 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0BSI30: S0 BSI: q30 spells

Value	Label	Unweighted Frequency	%
0	Not at all	1169	86.3 %
1	A little bit	111	8.2 %
2	Moderately	24	1.8 %
3	Quite a bit	27	2.0 %
4	Extremely	19	1.4 %
	Missing Data		
-200	Data missing	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,350 valid cases out of 1,354 total cases.

Location: 122-125 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0BSI31: S0 BSI: q31 frighten

Value	Label	Unweighted Frequency	%
0	Not at all	1203	88.8 %
1	A little bit	93	6.9 %
2	Moderately	24	1.8 %
3	Quite a bit	19	1.4 %
4	Extremely	11	0.8 %
	Missing Data		
-200	Data missing	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,350 valid cases out of 1,354 total cases.

Location: 126-129 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0BSI32: S0 BSI: q32 blank

Value	Label	Unweighted Frequency	%
0	Not at all	1063	78.5 %
1	A little bit	182	13.4 %
2	Moderately	37	2.7 %
3	Quite a bit	41	3.0 %
4	Extremely	27	2.0 %
	Missing Data		
-200	Data missing	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,350 valid cases out of 1,354 total cases.

Location: 130-133 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0BSI33: S0 BSI: q33 tingling

Value	Label	Unweighted Frequency	%
0	Not at all	1111	82.1 %
1	A little bit	150	11.1 %
2	Moderately	43	3.2 %
3	Quite a bit	31	2.3 %
4	Extremely	15	1.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-200	Data missing	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,350 valid cases out of 1,354 total cases.

Location: 134-137 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0BSI34: S0 BSI: q34 punished

Value	Label	Unweighted Frequency	%
0	Not at all	927	68.5 %
1	A little bit	242	17.9 %
2	Moderately	59	4.4 %
3	Quite a bit	78	5.8 %
4	Extremely	44	3.2 %
	Missing Data		
-200	Data missing	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,350 valid cases out of 1,354 total cases.

Location: 138-141 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0BSI35: S0 BSI: q35 hopeless

Value	Label	Unweighted Frequency	%
0	Not at all	969	71.6 %
1	A little bit	222	16.4 %
2	Moderately	52	3.8 %
3	Quite a bit	61	4.5 %
4	Extremely	46	3.4 %
	Missing Data		
-200	Data missing	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,350 valid cases out of 1,354 total cases.

Location: 142-145 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0BSI36: S0 BSI: q36 concentrating

Value	Label	Unweighted Frequency	%
0	Not at all	744	54.9 %
1	A little bit	380	28.1 %
2	Moderately	64	4.7 %
3	Quite a bit	108	8.0 %
4	Extremely	54	4.0 %
	Missing Data		
-200	Data missing	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,350 valid cases out of 1,354 total cases.

Location: 146-149 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0BSI37: S0 BSI: q37 weak

Value	Label	Unweighted Frequency	%
0	Not at all	985	72.7 %
1	A little bit	232	17.1 %
2	Moderately	47	3.5 %
3	Quite a bit	56	4.1 %
4	Extremely	30	2.2 %
	Missing Data		
-200	Data missing	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,350 valid cases out of 1,354 total cases.

Location: 150-153 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0BSI38: S0 BSI: q38 tense

Value	Label	Unweighted Frequency	%
0	Not at all	941	69.5 %
1	A little bit	231	17.1 %
2	Moderately	58	4.3 %
3	Quite a bit	75	5.5 %
4	Extremely	45	3.3 %
	Missing Data		
-200	Data missing	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,350 valid cases out of 1,354 total cases.

Location: 154-157 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0BSI39: S0 BSI: q39 dying

Value	Label	Unweighted Frequency	%
0	Not at all	1156	85.4 %
1	A little bit	105	7.8 %
2	Moderately	25	1.8 %
3	Quite a bit	38	2.8 %
4	Extremely	26	1.9 %
	Missing Data		
-200	Data missing	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,350 valid cases out of 1,354 total cases.

Location: 158-161 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0BSI40: S0 BSI: q40 beat

Value	Label	Unweighted Frequency	%
0	Not at all	1022	75.5 %
1	A little bit	175	12.9 %
2	Moderately	46	3.4 %
3	Quite a bit	72	5.3 %
4	Extremely	35	2.6 %
	Missing Data		
-200	Data missing	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,350 valid cases out of 1,354 total cases.

Location: 162-165 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0BSI41: S0 BSI: q41 smash

Value	Label	Unweighted Frequency	%
0	Not at all	1078	79.6 %
1	A little bit	154	11.4 %

Value	Label	Unweighted Frequency	%
2	Moderately	37	2.7 %
3	Quite a bit	50	3.7 %
4	Extremely	31	2.3 %
	Missing Data		
-200	Data missing	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,350 valid cases out of 1,354 total cases.

Location: 166-169 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0BSI42: S0 BSI: q42 self-conscious

Value	Label	Unweighted Frequency	%
0	Not at all	1032	76.2 %
1	A little bit	199	14.7 %
2	Moderately	42	3.1 %
3	Quite a bit	44	3.2 %
4	Extremely	33	2.4 %
	Missing Data		
-200	Data missing	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,350 valid cases out of 1,354 total cases.

Location: 170-173 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0BSI43: S0 BSI: q43 uneasy

Value	Label	Unweighted Frequency	%
0	Not at all	1123	82.9 %
1	A little bit	131	9.7 %
2	Moderately	30	2.2 %
3	Quite a bit	43	3.2 %
4	Extremely	23	1.7 %
	Missing Data		
-200	Data missing	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,350 valid cases out of 1,354 total cases.

Location: 174-177 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0BSI44: S0 BSI: q44 close

Value	Label	Unweighted Frequency	%
0	Not at all	968	71.5 %
1	A little bit	215	15.9 %
2	Moderately	41	3.0 %
3	Quite a bit	84	6.2 %
4	Extremely	41	3.0 %
	Missing Data		
-200	Data missing	4	0.3 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,349 valid cases out of 1,354 total cases.

Location: 178-181 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0BSI45: S0 BSI: q45 terror

Value	Label	Unweighted Frequency	%
0	Not at all	1219	90.0 %
1	A little bit	80	5.9 %
2	Moderately	15	1.1 %
3	Quite a bit	25	1.8 %
4	Extremely	11	0.8 %
	Missing Data		
-200	Data missing	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,350 valid cases out of 1,354 total cases.

Location: 182-185 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0BSI46: S0 BSI: q46 arguments

Value	Label	Unweighted Frequency	%
0	Not at all	792	58.5 %
1	A little bit	348	25.7 %

Value	Label	Unweighted Frequency	%
2	Moderately	64	4.7 %
3	Quite a bit	99	7.3 %
4	Extremely	47	3.5 %
	Missing Data		
-200	Data missing	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,350 valid cases out of 1,354 total cases.

Location: 186-189 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0BSI47: S0 BSI: q47 nervous2

Value	Label	Unweighted Frequency	%
0	Not at all	1172	86.6 %
1	A little bit	113	8.3 %
2	Moderately	15	1.1 %
3	Quite a bit	26	1.9 %
4	Extremely	24	1.8 %
	Missing Data		
-200	Data missing	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,350 valid cases out of 1,354 total cases.

Location: 190-193 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0BSI48: S0 BSI: q48 credit

Value	Label	Unweighted Frequency	%
0	Not at all	863	63.7 %
1	A little bit	302	22.3 %
2	Moderately	55	4.1 %
3	Quite a bit	83	6.1 %
4	Extremely	47	3.5 %
	Missing Data		
-200	Data missing	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,350 valid cases out of 1,354 total cases.

Location: 194-197 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0BSI49: S0 BSI: q49 restless

Value	Label	Unweighted Frequency	%
0	Not at all	867	64.0 %
1	A little bit	269	19.9 %
2	Moderately	66	4.9 %
3	Quite a bit	90	6.6 %
4	Extremely	57	4.2 %
	Missing Data		
-200	Data missing	4	0.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,349 valid cases out of 1,354 total cases.

Location: 198-201 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0BSI50: S0 BSI: q50 worthlessness

Value	Label	Unweighted Frequency	%
0	Not at all	1117	82.5 %
1	A little bit	130	9.6 %
2	Moderately	31	2.3 %
3	Quite a bit	47	3.5 %
4	Extremely	25	1.8 %
	Missing Data		
-200	Data missing	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,350 valid cases out of 1,354 total cases.

Location: 202-205 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0BSI51: S0 BSI: q51 advantage

Value	Label	Unweighted Frequency	%
0	Not at all	808	59.7 %
1	A little bit	280	20.7 %

Value	Label	Unweighted Frequency	%
2	Moderately	55	4.1 %
3	Quite a bit	102	7.5 %
4	Extremely	105	7.8 %
	Missing Data		
-200	Data missing	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,350 valid cases out of 1,354 total cases.

Location: 206-209 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0BSI52: S0 BSI: q52 guilt

Value	Label	Unweighted Frequency	%
0	Not at all	874	64.5 %
1	A little bit	269	19.9 %
2	Moderately	66	4.9 %
3	Quite a bit	81	6.0 %
4	Extremely	59	4.4 %
	Missing Data		
-200	Data missing	4	0.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,349 valid cases out of 1,354 total cases.

Location: 210-213 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0BSI53: S0 BSI: q53 wrong

Value	Label	Unweighted Frequency	%
0	Not at all	1062	78.4 %
1	A little bit	158	11.7 %
2	Moderately	47	3.5 %
3	Quite a bit	47	3.5 %
4	Extremely	35	2.6 %
	Missing Data		
-200	Data missing	4	0.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,349 valid cases out of 1,354 total cases.

Location: 214-217 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0BSIXX: s0 BSI: Indicator of valid administration per BSI codebook

Value	Label	Unweighted Frequency	%
0	Valid administration	1262	93.2 %
1	Invalid test administration	88	6.5 %
2	All missing answers	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 218-218 (width: 1; decimal: 0)
Variable Type: numeric

S0BSISOM: S0 BSI: Somatization

Based upon 1,262 valid cases out of 1,354 total cases.

- Mean: 0.3637083994
- Median: 0.1428571429
- Mode: 0.0000000000
- Minimum: 0.0000000000
- Maximum: 3.7142857143
- Standard Deviation: 0.5686296354

Location: 219-233 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -200.0000000000 , -100.0000000000 , -99.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

S0BSIOC: S0 BSI: Obsessive-Compulsive

Based upon 1,262 valid cases out of 1,354 total cases.

- Mean: 0.7188061278
- Median: 0.5000000000
- Mode: 0.0000000000
- Minimum: 0.0000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.7599072787

Location: 234-248 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -200.0000000000 , -100.0000000000 , -99.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

S0BSIIS: S0 BSI: Interpersonal Sensitivity

Based upon 1,262 valid cases out of 1,354 total cases.

- Mean: 0.44
- Median: 0.25
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.63

Location: 249-255 (width: 7; decimal: 2)
Variable Type: numeric
(Range of) Missing Values: -200.00 , -100.00 , -99.00 , -98.00 , -97.00 , -9.00 , -8.00

S0BSIDEP: S0 BSI: Depression

Based upon 1,262 valid cases out of 1,354 total cases.

- Mean: 0.5959323825
- Median: 0.3333333333
- Mode: 0.0000000000
- Minimum: 0.0000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.7452680386

Location: 256-270 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -200.0000000000 , -100.0000000000 , -99.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

S0BSIANX: S0 BSI: Anxiety

Based upon 1,262 valid cases out of 1,354 total cases.

- Mean: 0.4635235077
- Median: 0.1666666667
- Mode: 0.0000000000
- Minimum: 0.0000000000
- Maximum: 3.8333333333
- Standard Deviation: 0.6393558546

Location: 271-285 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -200.0000000000 , -100.0000000000 , -99.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

S0BSIHOS: S0 BSI: Hostility

Based upon 1,262 valid cases out of 1,354 total cases.

- Mean: 0.75
- Median: 0.60
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.78

Location: 286-291 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -200.0 , -100.0 , -99.0 , -98.0 , -97.0 , -9.0 , -8.0

S0BSIPHB: S0 BSI: Phobic Anxiety

Based upon 1,262 valid cases out of 1,354 total cases.

- Mean: 0.23
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.47

Location: 292-297 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -200.0 , -100.0 , -99.0 , -98.0 , -97.0 , -9.0 , -8.0

S0BSIPAR: S0 BSI: Paranoid Ideation

Based upon 1,262 valid cases out of 1,354 total cases.

- Mean: 0.90
- Median: 0.80
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.79

Location: 298-303 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -200.0 , -100.0 , -99.0 , -98.0 , -97.0 , -9.0 , -8.0

S0BSIPSY: S0 BSI: Psychoticism

Based upon 1,262 valid cases out of 1,354 total cases.

- Mean: 0.52
- Median: 0.20
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.64

Location: 304-310 (width: 7; decimal: 2)
Variable Type: numeric
(Range of) Missing Values: -200.00 , -100.00 , -99.00 , -98.00 , -97.00 , -9.00 , -8.00

S0BSIGSI: S0 BSI: Global Severity Index

Based upon 1,262 valid cases out of 1,354 total cases.

- Mean: 0.5595482095
- Median: 0.4150943396
- Mode: 0.0754716981
- Minimum: 0.0188679245
- Maximum: 3.2452830189
- Standard Deviation: 0.5328451384

Location: 311-325 (width: 15; decimal: 10)

Variable Type: numeric
(Range of) Missing Values: -200.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

S0BSIPST: S0 BSI: Positive Symptom Total

Based upon 1,262 valid cases out of 1,354 total cases.

- Mean: 15.69
- Median: 13.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 53.00
- Standard Deviation: 11.57

Location: 326-329 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -97 , -9 , -8

S0BSIPSD: S0 BSI: Positive Symptom Distress Index

Based upon 1,262 valid cases out of 1,354 total cases.

- Mean: 1.7478656089
- Minimum: 1.0000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.6713354791

Location: 330-344 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -200.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

S0SOM_T: S0 BSI: Somatization Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	1194	88.2 %
1	clinical range	68	5.0 %
	Missing Data		
-200	Data missing	4	0.3 %
-97	Invalid Test	88	6.5 %
	Total	**1,354**	**100%**

Based upon 1,262 valid cases out of 1,354 total cases.

Location: 345-348 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -97 , -9 , -8

S0OC_T: S0 BSI: Obsessive-Compulsive Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	1159	85.6 %
1	clinical range	103	7.6 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-200	Data missing	4	0.3 %
-97	Invalid Test	88	6.5 %
	Total	**1,354**	**100%**

Based upon 1,262 valid cases out of 1,354 total cases.

Location: 349-352 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -97 , -9 , -8

S0IS_T: S0 BSI: Interpersonal Sensitivity Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	1226	90.5 %
1	clinical range	36	2.7 %
	Missing Data		
-200	Data missing	4	0.3 %
-97	Invalid Test	88	6.5 %
	Total	**1,354**	**100%**

Based upon 1,262 valid cases out of 1,354 total cases.

Location: 353-356 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -97 , -9 , -8

S0DEP_T: S0 BSI: Depression Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	1165	86.0 %
1	clinical range	97	7.2 %
	Missing Data		
-200	Data missing	4	0.3 %
-97	Invalid Test	88	6.5 %
	Total	**1,354**	**100%**

Based upon 1,262 valid cases out of 1,354 total cases.

Location: 357-360 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -97 , -9 , -8

S0ANX_T: S0 BSI: Anxiety Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	1197	88.4 %
1	clinical range	65	4.8 %
	Missing Data		
-200	Data missing	4	0.3 %
-97	Invalid Test	88	6.5 %
	Total	**1,354**	**100%**

Based upon 1,262 valid cases out of 1,354 total cases.

Location: 361-364 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -97 , -9 , -8

S0HOS_T: S0 BSI: Hostility Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	1172	86.6 %
1	clinical range	90	6.6 %
	Missing Data		
-200	Data missing	4	0.3 %
-97	Invalid Test	88	6.5 %
	Total	**1,354**	**100%**

Based upon 1,262 valid cases out of 1,354 total cases.

Location: 365-368 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -97 , -9 , -8

S0PHB_T: S0 BSI: Phobic Anxiety Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	1223	90.3 %
1	clinical range	39	2.9 %
	Missing Data		
-200	Data missing	4	0.3 %
-97	Invalid Test	88	6.5 %
	Total	**1,354**	**100%**

Based upon 1,262 valid cases out of 1,354 total cases.

Location: 369-372 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -97 , -9 , -8

S0PAR_T: S0 BSI: Paranoid Ideation Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	1167	86.2 %
1	clinical range	95	7.0 %
	Missing Data		
-200	Data missing	4	0.3 %
-97	Invalid Test	88	6.5 %
	Total	**1,354**	**100%**

Based upon 1,262 valid cases out of 1,354 total cases.

Location: 373-376 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -97 , -9 , -8

S0PSY_T: S0 BSI: Psychoticism Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	1172	86.6 %
1	clinical range	90	6.6 %
	Missing Data		
-200	Data missing	4	0.3 %
-97	Invalid Test	88	6.5 %
	Total	**1,354**	**100%**

Based upon 1,262 valid cases out of 1,354 total cases.

Location: 377-380 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -97 , -9 , -8

S0GSI_T: S0 BSI: GSI Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	1204	88.9 %
1	clinical range	58	4.3 %
	Missing Data		
-200	Data missing	4	0.3 %
-97	Invalid Test	88	6.5 %
	Total	**1,354**	**100%**

Based upon 1,262 valid cases out of 1,354 total cases.

Location: 381-384 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -97 , -9 , -8

S0BSIDX1: S0 BSI: Subscale Diagnosis Significant

Value	Label	Unweighted Frequency	%
0	-	989	73.0 %
1	-	114	8.4 %
2	-	66	4.9 %
3	-	26	1.9 %
4	-	25	1.8 %
5	-	16	1.2 %
6	-	10	0.7 %
7	-	11	0.8 %
8	-	3	0.2 %
9	-	2	0.1 %
	Missing Data		
-200	Data missing	4	0.3 %
-97	Invalid test	88	6.5 %
	Total	**1,354**	**100%**

Based upon 1,262 valid cases out of 1,354 total cases.

Location: 385-388 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -97

S0BSIDX: S0 BSI: Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	1103	81.5 %
1	clinical range	159	11.7 %
	Missing Data		
-200	Data missing	4	0.3 %
-97	Invalid test	88	6.5 %
	Total	**1,354**	**100%**

Based upon 1,262 valid cases out of 1,354 total cases.

Location: 389-392 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -97 , -9 , -8

S1BSI01: S1 BSI: q1 nervousness

Value	Label	Unweighted Frequency	%
0	Not at all	953	70.4 %
1	A little bit	194	14.3 %
2	Moderately	47	3.5 %
3	Quite a bit	46	3.4 %

Value	Label	Unweighted Frequency	%
4	Extremely	17	1.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,257 valid cases out of 1,354 total cases.

Location: 393-396 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1BSI02: S1 BSI: q2 faintness

Value	Label	Unweighted Frequency	%
0	Not at all	1082	79.9 %
1	A little bit	127	9.4 %
2	Moderately	22	1.6 %
3	Quite a bit	23	1.7 %
4	Extremely	4	0.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 397-400 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1BSI03: S1 BSI: q3 control thoughts

Value	Label	Unweighted Frequency	%
0	Not at all	1174	86.7 %
1	A little bit	54	4.0 %
2	Moderately	10	0.7 %
3	Quite a bit	11	0.8 %
4	Extremely	9	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 401-404 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1BSI04: S1 BSI: q4 blame

Value	Label	Unweighted Frequency	%
0	Not at all	1070	79.0 %
1	A little bit	123	9.1 %
2	Moderately	33	2.4 %
3	Quite a bit	23	1.7 %
4	Extremely	9	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 405-408 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1BSI05: S1 BSI: q5 remembering

Value	Label	Unweighted Frequency	%
0	Not at all	792	58.5 %
1	A little bit	271	20.0 %
2	Moderately	70	5.2 %
3	Quite a bit	88	6.5 %
4	Extremely	37	2.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 409-412 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1BSI06: S1 BSI: q6 irritated

Value	Label	Unweighted Frequency	%
0	Not at all	572	42.2 %
1	A little bit	313	23.1 %
2	Moderately	122	9.0 %
3	Quite a bit	161	11.9 %
4	Extremely	90	6.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 413-416 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1BSI07: S1 BSI: q7 pains

Value	Label	Unweighted Frequency	%
0	Not at all	1047	77.3 %
1	A little bit	129	9.5 %
2	Moderately	28	2.1 %
3	Quite a bit	40	3.0 %
4	Extremely	14	1.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 417-420 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1BSI08: S1 BSI: q8 afraid

Value	Label	Unweighted Frequency	%
0	Not at all	1136	83.9 %
1	A little bit	74	5.5 %
2	Moderately	14	1.0 %
3	Quite a bit	25	1.8 %
4	Extremely	9	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 421-424 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1BSI09: S1 BSI: q9 ending life

Value	Label	Unweighted Frequency	%
0	Not at all	1210	89.4 %
1	A little bit	28	2.1 %
2	Moderately	8	0.6 %
3	Quite a bit	10	0.7 %
4	Extremely	2	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 425-428 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1BSI10: S1 BSI: q10 trusted

Value	Label	Unweighted Frequency	%
0	Not at all	561	41.4 %
1	A little bit	292	21.6 %
2	Moderately	122	9.0 %
3	Quite a bit	156	11.5 %

Value	Label	Unweighted Frequency	%
4	Extremely	127	9.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 429-432 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1BSI11: S1 BSI: q11 poor appetite

Value	Label	Unweighted Frequency	%
0	Not at all	908	67.1 %
1	A little bit	186	13.7 %
2	Moderately	65	4.8 %
3	Quite a bit	71	5.2 %
4	Extremely	28	2.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 433-436 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1BSI12: S1 BSI: q12 scared

Value	Label	Unweighted Frequency	%
0	Not at all	1133	83.7 %
1	A little bit	75	5.5 %
2	Moderately	19	1.4 %
3	Quite a bit	19	1.4 %
4	Extremely	12	0.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %

Value	Label	Unweighted Frequency	%
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 437-440 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1BSI13: S1 BSI: q13 outbursts

Value	Label	Unweighted Frequency	%
0	Not at all	959	70.8 %
1	A little bit	166	12.3 %
2	Moderately	58	4.3 %
3	Quite a bit	46	3.4 %
4	Extremely	29	2.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 441-444 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1BSI14: S1 BSI: q14 lonely1

Value	Label	Unweighted Frequency	%
0	Not at all	890	65.7 %
1	A little bit	187	13.8 %
2	Moderately	55	4.1 %
3	Quite a bit	79	5.8 %
4	Extremely	47	3.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 445-448 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1BSI15: S1 BSI: q15 blocked

Value	Label	Unweighted Frequency	%
0	Not at all	925	68.3 %
1	A little bit	190	14.0 %
2	Moderately	53	3.9 %
3	Quite a bit	55	4.1 %
4	Extremely	35	2.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 449-452 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1BSI16: S1 BSI: q16 lonely2

Value	Label	Unweighted Frequency	%
0	Not at all	860	63.5 %
1	A little bit	217	16.0 %
2	Moderately	41	3.0 %
3	Quite a bit	80	5.9 %
4	Extremely	60	4.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 453-456 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1BSI17: S1 BSI: q17 blue

Value	Label	Unweighted Frequency	%
0	Not at all	925	68.3 %
1	A little bit	185	13.7 %
2	Moderately	52	3.8 %
3	Quite a bit	63	4.7 %
4	Extremely	33	2.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 457-460 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1BSI18: S1 BSI: q18 interest

Value	Label	Unweighted Frequency	%
0	Not at all	795	58.7 %
1	A little bit	269	19.9 %
2	Moderately	81	6.0 %
3	Quite a bit	65	4.8 %
4	Extremely	48	3.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 461-464 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1BSI19: S1 BSI: q19 fearful

Value	Label	Unweighted Frequency	%
0	Not at all	1083	80.0 %
1	A little bit	116	8.6 %
2	Moderately	25	1.8 %
3	Quite a bit	22	1.6 %

Value	Label	Unweighted Frequency	%
4	Extremely	12	0.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 465-468 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1BSI20: S1 BSI: q20 feelings hurt

Value	Label	Unweighted Frequency	%
0	Not at all	1035	76.4 %
1	A little bit	145	10.7 %
2	Moderately	32	2.4 %
3	Quite a bit	28	2.1 %
4	Extremely	18	1.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 469-472 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1BSI21: S1 BSI: q21 disliked

Value	Label	Unweighted Frequency	%
0	Not at all	901	66.5 %
1	A little bit	234	17.3 %
2	Moderately	47	3.5 %
3	Quite a bit	44	3.2 %
4	Extremely	32	2.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %

Value	Label	Unweighted Frequency	%
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 473-476 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1BSI22: S1 BSI: q22 inferior

Value	Label	Unweighted Frequency	%
0	Not at all	1070	79.0 %
1	A little bit	131	9.7 %
2	Moderately	27	2.0 %
3	Quite a bit	21	1.6 %
4	Extremely	9	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 477-480 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1BSI23: S1 BSI: q23 nausea

Value	Label	Unweighted Frequency	%
0	Not at all	996	73.6 %
1	A little bit	164	12.1 %
2	Moderately	36	2.7 %
3	Quite a bit	42	3.1 %
4	Extremely	20	1.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 481-484 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1BSI24: S1 BSI: q24 watched

Value	Label	Unweighted Frequency	%
0	Not at all	802	59.2 %
1	A little bit	255	18.8 %
2	Moderately	73	5.4 %
3	Quite a bit	87	6.4 %
4	Extremely	41	3.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 485-488 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1BSI25: S1 BSI: q25 asleep

Value	Label	Unweighted Frequency	%
0	Not at all	814	60.1 %
1	A little bit	221	16.3 %
2	Moderately	67	4.9 %
3	Quite a bit	92	6.8 %
4	Extremely	64	4.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 489-492 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1BSI26: S1 BSI: q26 double-check

Value	Label	Unweighted Frequency	%
0	Not at all	788	58.2 %
1	A little bit	265	19.6 %
2	Moderately	81	6.0 %
3	Quite a bit	87	6.4 %
4	Extremely	37	2.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 493-496 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1BSI27: S1 BSI: q27 decisions

Value	Label	Unweighted Frequency	%
0	Not at all	796	58.8 %
1	A little bit	281	20.8 %
2	Moderately	80	5.9 %
3	Quite a bit	76	5.6 %
4	Extremely	24	1.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,257 valid cases out of 1,354 total cases.

Location: 497-500 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1BSI28: S1 BSI: q28 travel

Value	Label	Unweighted Frequency	%
0	Not at all	1164	86.0 %
1	A little bit	47	3.5 %
2	Moderately	17	1.3 %
3	Quite a bit	18	1.3 %

Value	Label	Unweighted Frequency	%
4	Extremely	11	0.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,257 valid cases out of 1,354 total cases.

Location: 501-504 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1BSI29: S1 BSI: q29 breath

Value	Label	Unweighted Frequency	%
0	Not at all	1127	83.2 %
1	A little bit	85	6.3 %
2	Moderately	18	1.3 %
3	Quite a bit	19	1.4 %
4	Extremely	8	0.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,257 valid cases out of 1,354 total cases.

Location: 505-508 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1BSI30: S1 BSI: q30 spells

Value	Label	Unweighted Frequency	%
0	Not at all	1138	84.0 %
1	A little bit	68	5.0 %
2	Moderately	22	1.6 %
3	Quite a bit	15	1.1 %
4	Extremely	14	1.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %

Value	Label	Unweighted Frequency	%
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,257 valid cases out of 1,354 total cases.

Location: 509-512 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1BSI31: S1 BSI: q31 frighten

Value	Label	Unweighted Frequency	%
0	Not at all	1160	85.7 %
1	A little bit	68	5.0 %
2	Moderately	14	1.0 %
3	Quite a bit	9	0.7 %
4	Extremely	6	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,257 valid cases out of 1,354 total cases.

Location: 513-516 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1BSI32: S1 BSI: q32 blank

Value	Label	Unweighted Frequency	%
0	Not at all	1051	77.6 %
1	A little bit	115	8.5 %
2	Moderately	48	3.5 %
3	Quite a bit	25	1.8 %
4	Extremely	18	1.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,257 valid cases out of 1,354 total cases.

Location: 517-520 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1BSI33: S1 BSI: q33 tingling

Value	Label	Unweighted Frequency	%
0	Not at all	1093	80.7 %
1	A little bit	102	7.5 %
2	Moderately	32	2.4 %
3	Quite a bit	24	1.8 %
4	Extremely	6	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,257 valid cases out of 1,354 total cases.

Location: 521-524 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1BSI34: S1 BSI: q34 punished

Value	Label	Unweighted Frequency	%
0	Not at all	942	69.6 %
1	A little bit	173	12.8 %
2	Moderately	54	4.0 %
3	Quite a bit	59	4.4 %
4	Extremely	29	2.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,257 valid cases out of 1,354 total cases.

Location: 525-528 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1BSI35: S1 BSI: q35 hopeless

Value	Label	Unweighted Frequency	%
0	Not at all	1016	75.0 %
1	A little bit	145	10.7 %
2	Moderately	37	2.7 %
3	Quite a bit	37	2.7 %
4	Extremely	22	1.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,257 valid cases out of 1,354 total cases.

Location: 529-532 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1BSI36: S1 BSI: q36 concentrating

Value	Label	Unweighted Frequency	%
0	Not at all	807	59.6 %
1	A little bit	262	19.4 %
2	Moderately	79	5.8 %
3	Quite a bit	72	5.3 %
4	Extremely	37	2.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,257 valid cases out of 1,354 total cases.

Location: 533-536 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1BSI37: S1 BSI: q37 weak

Value	Label	Unweighted Frequency	%
0	Not at all	993	73.3 %
1	A little bit	174	12.9 %
2	Moderately	36	2.7 %
3	Quite a bit	32	2.4 %

Value	Label	Unweighted Frequency	%
4	Extremely	22	1.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,257 valid cases out of 1,354 total cases.

Location: 537-540 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1BSI38: S1 BSI: q38 tense

Value	Label	Unweighted Frequency	%
0	Not at all	944	69.7 %
1	A little bit	192	14.2 %
2	Moderately	57	4.2 %
3	Quite a bit	44	3.2 %
4	Extremely	20	1.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,257 valid cases out of 1,354 total cases.

Location: 541-544 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1BSI39: S1 BSI: q39 dying

Value	Label	Unweighted Frequency	%
0	Not at all	1127	83.2 %
1	A little bit	81	6.0 %
2	Moderately	19	1.4 %
3	Quite a bit	23	1.7 %
4	Extremely	7	0.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %

Value	Label	Unweighted Frequency	%
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,257 valid cases out of 1,354 total cases.

Location: 545-548 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1BSI40: S1 BSI: q40 beat

Value	Label	Unweighted Frequency	%
0	Not at all	1012	74.7 %
1	A little bit	140	10.3 %
2	Moderately	40	3.0 %
3	Quite a bit	39	2.9 %
4	Extremely	26	1.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,257 valid cases out of 1,354 total cases.

Location: 549-552 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1BSI41: S1 BSI: q41 smash

Value	Label	Unweighted Frequency	%
0	Not at all	1067	78.8 %
1	A little bit	104	7.7 %
2	Moderately	36	2.7 %
3	Quite a bit	34	2.5 %
4	Extremely	16	1.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,257 valid cases out of 1,354 total cases.

Location: 553-556 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1BSI42: S1 BSI: q42 self-conscious

Value	Label	Unweighted Frequency	%
0	Not at all	989	73.0 %
1	A little bit	180	13.3 %
2	Moderately	41	3.0 %
3	Quite a bit	30	2.2 %
4	Extremely	17	1.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,257 valid cases out of 1,354 total cases.

Location: 557-560 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1BSI43: S1 BSI: q43 uneasy

Value	Label	Unweighted Frequency	%
0	Not at all	1073	79.2 %
1	A little bit	112	8.3 %
2	Moderately	24	1.8 %
3	Quite a bit	30	2.2 %
4	Extremely	18	1.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,257 valid cases out of 1,354 total cases.

Location: 561-564 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1BSI44: S1 BSI: q44 close

Value	Label	Unweighted Frequency	%
0	Not at all	981	72.5 %
1	A little bit	170	12.6 %
2	Moderately	41	3.0 %
3	Quite a bit	38	2.8 %
4	Extremely	27	2.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,257 valid cases out of 1,354 total cases.

Location: 565-568 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1BSI45: S1 BSI: q45 terror

Value	Label	Unweighted Frequency	%
0	Not at all	1174	86.7 %
1	A little bit	54	4.0 %
2	Moderately	14	1.0 %
3	Quite a bit	12	0.9 %
4	Extremely	3	0.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,257 valid cases out of 1,354 total cases.

Location: 569-572 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1BSI46: S1 BSI: q46 arguments

Value	Label	Unweighted Frequency	%
0	Not at all	835	61.7 %
1	A little bit	275	20.3 %
2	Moderately	67	4.9 %
3	Quite a bit	60	4.4 %

Value	Label	Unweighted Frequency	%
4	Extremely	20	1.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,257 valid cases out of 1,354 total cases.

Location: 573-576 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1BSI47: S1 BSI: q47 nervous2

Value	Label	Unweighted Frequency	%
0	Not at all	1122	82.9 %
1	A little bit	94	6.9 %
2	Moderately	13	1.0 %
3	Quite a bit	18	1.3 %
4	Extremely	10	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,257 valid cases out of 1,354 total cases.

Location: 577-580 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1BSI48: S1 BSI: q48 credit

Value	Label	Unweighted Frequency	%
0	Not at all	916	67.7 %
1	A little bit	194	14.3 %
2	Moderately	63	4.7 %
3	Quite a bit	55	4.1 %
4	Extremely	29	2.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %

Value	Label	Unweighted Frequency	%
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,257 valid cases out of 1,354 total cases.

Location: 581-584 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1BSI49: S1 BSI: q49 restless

Value	Label	Unweighted Frequency	%
0	Not at all	858	63.4 %
1	A little bit	244	18.0 %
2	Moderately	52	3.8 %
3	Quite a bit	71	5.2 %
4	Extremely	32	2.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,257 valid cases out of 1,354 total cases.

Location: 585-588 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1BSI50: S1 BSI: q50 worthlessness

Value	Label	Unweighted Frequency	%
0	Not at all	1106	81.7 %
1	A little bit	95	7.0 %
2	Moderately	24	1.8 %
3	Quite a bit	20	1.5 %
4	Extremely	12	0.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,257 valid cases out of 1,354 total cases.

Location: 589-592 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1BSI51: S1 BSI: q51 advantage

Value	Label	Unweighted Frequency	%
0	Not at all	792	58.5 %
1	A little bit	221	16.3 %
2	Moderately	76	5.6 %
3	Quite a bit	103	7.6 %
4	Extremely	65	4.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,257 valid cases out of 1,354 total cases.

Location: 593-596 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1BSI52: S1 BSI: q52 guilt

Value	Label	Unweighted Frequency	%
0	Not at all	966	71.3 %
1	A little bit	176	13.0 %
2	Moderately	37	2.7 %
3	Quite a bit	51	3.8 %
4	Extremely	27	2.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,257 valid cases out of 1,354 total cases.

Location: 597-600 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1BSI53: S1 BSI: q53 wrong

Value	Label	Unweighted Frequency	%
0	Not at all	1048	77.4 %
1	A little bit	120	8.9 %
2	Moderately	34	2.5 %
3	Quite a bit	34	2.5 %
4	Extremely	21	1.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,257 valid cases out of 1,354 total cases.

Location: 601-604 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S1BSIXX: s1 BSI: Indicator of valid administration per BSI codebook

Value	Label	Unweighted Frequency	%
0	Valid administration	1064	78.6 %
1	Invalid test administration	194	14.3 %
2	All missing answers	96	7.1 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 605-605 (width: 1; decimal: 0)
Variable Type: numeric

S1BSISOM: S1 BSI: Somatization

Based upon 1,064 valid cases out of 1,354 total cases.

- Mean: 0.2918904404
- Median: 0.1428571429
- Mode: 0.0000000000
- Minimum: 0.0000000000
- Maximum: 3.4285714286
- Standard Deviation: 0.4849573792

Location: 606-620 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -202.0000000000 , -201.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

S1BSIOC: S1 BSI: Obsessive-Compulsive

Based upon 1,064 valid cases out of 1,354 total cases.

- Mean: 0.6527255639
- Median: 0.5000000000
- Mode: 0.0000000000
- Minimum: 0.0000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.7179541960

Location: 621-635 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -202.0000000000 , -201.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

S1BSIIS: S1 BSI: Interpersonal Sensitivity

Based upon 1,064 valid cases out of 1,354 total cases.

- Mean: 0.39
- Median: 0.25
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.59

Location: 636-642 (width: 7; decimal: 2)
Variable Type: numeric
(Range of) Missing Values: -700.00 , -202.00 , -201.00 , -98.00 , -97.00 , -9.00 , -8.00

S1BSIDEP: S1 BSI: Depression

Based upon 1,064 valid cases out of 1,354 total cases.

- Mean: 0.4633458647
- Median: 0.1666666667
- Mode: 0.0000000000
- Minimum: 0.0000000000
- Maximum: 3.8333333333
- Standard Deviation: 0.6333502002

Location: 643-657 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -202.0000000000 , -201.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

S1BSIANX: S1 BSI: Anxiety

Based upon 1,064 valid cases out of 1,354 total cases.

- Mean: 0.3651629073
- Median: 0.1666666667
- Mode: 0.0000000000
- Minimum: 0.0000000000
- Maximum: 3.6666666667
- Standard Deviation: 0.5317511757

Location: 658-672 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -202.0000000000 , -201.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

S1BSIHOS: S1 BSI: Hostility

Based upon 1,064 valid cases out of 1,354 total cases.

- Mean: 0.64
- Median: 0.40
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.70

Location: 673-678 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -700.0 , -202.0 , -201.0 , -98.0 , -97.0 , -9.0 , -8.0

S1BSIPHB: S1 BSI: Phobic Anxiety

Based upon 1,064 valid cases out of 1,354 total cases.

- Mean: 0.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.20
- Standard Deviation: 0.42

Location: 679-684 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -700.0 , -202.0 , -201.0 , -98.0 , -97.0 , -9.0 , -8.0

S1BSIPAR: S1 BSI: Paranoid Ideation

Based upon 1,064 valid cases out of 1,354 total cases.

- Mean: 0.78
- Median: 0.60
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.73

Location: 685-690 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -700.0 , -202.0 , -201.0 , -98.0 , -97.0 , -9.0 , -8.0

S1BSIPSY: S1 BSI: Psychoticism

Based upon 1,064 valid cases out of 1,354 total cases.

- Mean: 0.43
- Median: 0.20
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.55

Location: 691-696 (width: 6; decimal: 1)

Variable Type: numeric
(Range of) Missing Values: -700.0 , -202.0 , -201.0 , -98.0 , -97.0 , -9.0 , -8.0

S1BSIGSI: S1 BSI: Global Severity Index

Based upon 1,064 valid cases out of 1,354 total cases.

- Mean: 0.4693276870
- Median: 0.3396226415
- Mode: 0.0188679245
- Minimum: 0.0188679245
- Maximum: 3.2075471698
- Standard Deviation: 0.4633745228

Location: 697-711 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -202.0000000000 , -201.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

S1BSIPST: S1 BSI: Positive Symptom Total

Based upon 1,064 valid cases out of 1,354 total cases.

- Mean: 13.97
- Median: 11.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 53.00
- Standard Deviation: 10.82

Location: 712-715 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S1BSIPSD: S1 BSI: Positive Symptom Distress Index

Based upon 1,064 valid cases out of 1,354 total cases.

- Mean: 1.6681513834
- Minimum: 1.0000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.6607609175

Location: 716-730 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -202.0000000000 , -201.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

S1SOM_T: S1 BSI: Somatization Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	1031	76.1 %
1	clinical range	33	2.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	89	6.6 %
-97	Invalid Test	194	14.3 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,064 valid cases out of 1,354 total cases.

Location: 731-734 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S1OC_T: S1 BSI: Obsessive-Compulsive Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	991	73.2 %
1	clinical range	73	5.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-97	Invalid Test	194	14.3 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,064 valid cases out of 1,354 total cases.

Location: 735-738 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S1IS_T: S1 BSI: Interpersonal Sensitivity Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	1040	76.8 %
1	clinical range	24	1.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-97	Invalid Test	194	14.3 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,064 valid cases out of 1,354 total cases.

Location: 739-742 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S1DEP_T: S1 BSI: Depression Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	1019	75.3 %
1	clinical range	45	3.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-97	Invalid Test	194	14.3 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,064 valid cases out of 1,354 total cases.

Location: 743-746 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S1ANX_T: S1 BSI: Anxiety Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	1035	76.4 %
1	clinical range	29	2.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-97	Invalid Test	194	14.3 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,064 valid cases out of 1,354 total cases.

Location: 747-750 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S1HOS_T: S1 BSI: Hostility Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	1017	75.1 %
1	clinical range	47	3.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-97	Invalid Test	194	14.3 %

Value	Label	Unweighted Frequency	%
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,064 valid cases out of 1,354 total cases.

Location: 751-754 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S1PHB_T: S1 BSI: Phobic Anxiety Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	1038	76.7 %
1	clinical range	26	1.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-97	Invalid Test	194	14.3 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,064 valid cases out of 1,354 total cases.

Location: 755-758 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S1PAR_T: S1 BSI: Paranoid Ideation Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	1010	74.6 %
1	clinical range	54	4.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-97	Invalid Test	194	14.3 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,064 valid cases out of 1,354 total cases.

Location: 759-762 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S1PSY_T: S1 BSI: Psychoticism Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	1022	75.5 %
1	clinical range	42	3.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-97	Invalid Test	194	14.3 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,064 valid cases out of 1,354 total cases.

Location: 763-766 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S1GSI_T: S1 BSI: GSI Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	1035	76.4 %
1	clinical range	29	2.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-97	Invalid Test	194	14.3 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,064 valid cases out of 1,354 total cases.

Location: 767-770 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S1BSIDX1: S1 BSI: Subscale Diagnosis Significant

Value	Label	Unweighted Frequency	%
0	-	895	66.1 %
1	-	90	6.6 %
2	-	29	2.1 %
3	-	22	1.6 %
4	-	8	0.6 %
5	-	8	0.6 %
6	-	4	0.3 %
7	-	3	0.2 %

Value	Label	Unweighted Frequency	%
8	-	3	0.2 %
9	-	2	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-97	Invalid Test	194	14.3 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,064 valid cases out of 1,354 total cases.

Location: 771-774 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S1BSIDX: S1 BSI: Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	985	72.7 %
1	clinical range	79	5.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-97	Invalid Test	194	14.3 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,064 valid cases out of 1,354 total cases.

Location: 775-778 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S2BSI01: S2 BSI: q1 nervousness

Value	Label	Unweighted Frequency	%
0	Not at all	961	71.0 %
1	A little bit	179	13.2 %
2	Moderately	41	3.0 %
3	Quite a bit	48	3.5 %
4	Extremely	30	2.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %

Value	Label	Unweighted Frequency	%
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 779-782 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2BSI02: S2 BSI: q2 faintness

Value	Label	Unweighted Frequency	%
0	Not at all	1100	81.2 %
1	A little bit	104	7.7 %
2	Moderately	22	1.6 %
3	Quite a bit	21	1.6 %
4	Extremely	12	0.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 783-786 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2BSI03: S2 BSI: q3 control thoughts

Value	Label	Unweighted Frequency	%
0	Not at all	1191	88.0 %
1	A little bit	35	2.6 %
2	Moderately	13	1.0 %
3	Quite a bit	15	1.1 %
4	Extremely	5	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 787-790 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2BSI04: S2 BSI: q4 blame

Value	Label	Unweighted Frequency	%
0	Not at all	1110	82.0 %
1	A little bit	100	7.4 %
2	Moderately	24	1.8 %
3	Quite a bit	17	1.3 %
4	Extremely	8	0.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 791-794 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2BSI05: S2 BSI: q5 remembering

Value	Label	Unweighted Frequency	%
0	Not at all	880	65.0 %
1	A little bit	214	15.8 %
2	Moderately	77	5.7 %
3	Quite a bit	55	4.1 %
4	Extremely	33	2.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 795-798 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2BSI06: S2 BSI: q6 irritated

Value	Label	Unweighted Frequency	%
0	Not at all	659	48.7 %
1	A little bit	283	20.9 %
2	Moderately	99	7.3 %
3	Quite a bit	133	9.8 %
4	Extremely	85	6.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 799-802 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2BSI07: S2 BSI: q7 pains

Value	Label	Unweighted Frequency	%
0	Not at all	1070	79.0 %
1	A little bit	99	7.3 %
2	Moderately	40	3.0 %
3	Quite a bit	36	2.7 %
4	Extremely	14	1.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 803-806 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2BSI08: S2 BSI: q8 afraid

Value	Label	Unweighted Frequency	%
0	Not at all	1138	84.0 %
1	A little bit	81	6.0 %
2	Moderately	16	1.2 %
3	Quite a bit	16	1.2 %

Value	Label	Unweighted Frequency	%
4	Extremely	8	0.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 807-810 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2BSI09: S2 BSI: q9 ending life

Value	Label	Unweighted Frequency	%
0	Not at all	1212	89.5 %
1	A little bit	30	2.2 %
2	Moderately	8	0.6 %
3	Quite a bit	7	0.5 %
4	Extremely	2	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 811-814 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2BSI10: S2 BSI: q10 trusted

Value	Label	Unweighted Frequency	%
0	Not at all	669	49.4 %
1	A little bit	246	18.2 %
2	Moderately	86	6.4 %
3	Quite a bit	153	11.3 %
4	Extremely	105	7.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %

Value	Label	Unweighted Frequency	%
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 815-818 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2BSI11: S2 BSI: q11 poor appetite

Value	Label	Unweighted Frequency	%
0	Not at all	968	71.5 %
1	A little bit	169	12.5 %
2	Moderately	40	3.0 %
3	Quite a bit	59	4.4 %
4	Extremely	23	1.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 819-822 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2BSI12: S2 BSI: q12 scared

Value	Label	Unweighted Frequency	%
0	Not at all	1152	85.1 %
1	A little bit	67	4.9 %
2	Moderately	14	1.0 %
3	Quite a bit	16	1.2 %
4	Extremely	10	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 823-826 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2BSI13: S2 BSI: q13 outbursts

Value	Label	Unweighted Frequency	%
0	Not at all	972	71.8 %
1	A little bit	152	11.2 %
2	Moderately	65	4.8 %
3	Quite a bit	50	3.7 %
4	Extremely	20	1.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 827-830 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2BSI14: S2 BSI: q14 lonely1

Value	Label	Unweighted Frequency	%
0	Not at all	929	68.6 %
1	A little bit	160	11.8 %
2	Moderately	63	4.7 %
3	Quite a bit	61	4.5 %
4	Extremely	46	3.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 831-834 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2BSI15: S2 BSI: q15 blocked

Value	Label	Unweighted Frequency	%
0	Not at all	939	69.4 %
1	A little bit	160	11.8 %
2	Moderately	66	4.9 %
3	Quite a bit	62	4.6 %
4	Extremely	32	2.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 835-838 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2BSI16: S2 BSI: q16 lonely2

Value	Label	Unweighted Frequency	%
0	Not at all	922	68.1 %
1	A little bit	156	11.5 %
2	Moderately	52	3.8 %
3	Quite a bit	73	5.4 %
4	Extremely	56	4.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 839-842 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2BSI17: S2 BSI: q17 blue

Value	Label	Unweighted Frequency	%
0	Not at all	940	69.4 %
1	A little bit	170	12.6 %
2	Moderately	59	4.4 %
3	Quite a bit	50	3.7 %

Value	Label	Unweighted Frequency	%
4	Extremely	40	3.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 843-846 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2BSI18: S2 BSI: q18 interest

Value	Label	Unweighted Frequency	%
0	Not at all	846	62.5 %
1	A little bit	249	18.4 %
2	Moderately	58	4.3 %
3	Quite a bit	70	5.2 %
4	Extremely	36	2.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 847-850 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2BSI19: S2 BSI: q19 fearful

Value	Label	Unweighted Frequency	%
0	Not at all	1093	80.7 %
1	A little bit	106	7.8 %
2	Moderately	25	1.8 %
3	Quite a bit	20	1.5 %
4	Extremely	15	1.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %

Value	Label	Unweighted Frequency	%
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 851-854 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2BSI20: S2 BSI: q20 feelings hurt

Value	Label	Unweighted Frequency	%
0	Not at all	1072	79.2 %
1	A little bit	102	7.5 %
2	Moderately	33	2.4 %
3	Quite a bit	37	2.7 %
4	Extremely	15	1.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 855-858 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2BSI21: S2 BSI: q21 disliked

Value	Label	Unweighted Frequency	%
0	Not at all	964	71.2 %
1	A little bit	196	14.5 %
2	Moderately	50	3.7 %
3	Quite a bit	29	2.1 %
4	Extremely	20	1.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 859-862 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2BSI22: S2 BSI: q22 inferior

Value	Label	Unweighted Frequency	%
0	Not at all	1101	81.3 %
1	A little bit	108	8.0 %
2	Moderately	24	1.8 %
3	Quite a bit	17	1.3 %
4	Extremely	9	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 863-866 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2BSI23: S2 BSI: q23 nausea

Value	Label	Unweighted Frequency	%
0	Not at all	1028	75.9 %
1	A little bit	148	10.9 %
2	Moderately	37	2.7 %
3	Quite a bit	31	2.3 %
4	Extremely	15	1.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 867-870 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2BSI24: S2 BSI: q24 watched

Value	Label	Unweighted Frequency	%
0	Not at all	851	62.9 %
1	A little bit	243	17.9 %
2	Moderately	54	4.0 %
3	Quite a bit	67	4.9 %
4	Extremely	44	3.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 871-874 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2BSI25: S2 BSI: q25 asleep

Value	Label	Unweighted Frequency	%
0	Not at all	871	64.3 %
1	A little bit	204	15.1 %
2	Moderately	58	4.3 %
3	Quite a bit	69	5.1 %
4	Extremely	57	4.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 875-878 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2BSI26: S2 BSI: q26 double-check

Value	Label	Unweighted Frequency	%
0	Not at all	828	61.2 %
1	A little bit	259	19.1 %
2	Moderately	67	4.9 %
3	Quite a bit	64	4.7 %

Value	Label	Unweighted Frequency	%
4	Extremely	41	3.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 879-882 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2BSI27: S2 BSI: q27 decisions

Value	Label	Unweighted Frequency	%
0	Not at all	848	62.6 %
1	A little bit	255	18.8 %
2	Moderately	63	4.7 %
3	Quite a bit	66	4.9 %
4	Extremely	26	1.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 883-886 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2BSI28: S2 BSI: q28 travel

Value	Label	Unweighted Frequency	%
0	Not at all	1164	86.0 %
1	A little bit	50	3.7 %
2	Moderately	15	1.1 %
3	Quite a bit	16	1.2 %
4	Extremely	14	1.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %

Value	Label	Unweighted Frequency	%
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 887-890 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2BSI29: S2 BSI: q29 breath

Value	Label	Unweighted Frequency	%
0	Not at all	1125	83.1 %
1	A little bit	81	6.0 %
2	Moderately	20	1.5 %
3	Quite a bit	27	2.0 %
4	Extremely	6	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 891-894 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2BSI30: S2 BSI: q30 spells

Value	Label	Unweighted Frequency	%
0	Not at all	1156	85.4 %
1	A little bit	50	3.7 %
2	Moderately	24	1.8 %
3	Quite a bit	17	1.3 %
4	Extremely	12	0.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 895-898 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2BSI31: S2 BSI: q31 frighten

Value	Label	Unweighted Frequency	%
0	Not at all	1174	86.7 %
1	A little bit	49	3.6 %
2	Moderately	19	1.4 %
3	Quite a bit	12	0.9 %
4	Extremely	5	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 899-902 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2BSI32: S2 BSI: q32 blank

Value	Label	Unweighted Frequency	%
0	Not at all	1074	79.3 %
1	A little bit	107	7.9 %
2	Moderately	36	2.7 %
3	Quite a bit	22	1.6 %
4	Extremely	20	1.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 903-906 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2BSI33: S2 BSI: q33 tingling

Value	Label	Unweighted Frequency	%
0	Not at all	1135	83.8 %
1	A little bit	77	5.7 %
2	Moderately	20	1.5 %
3	Quite a bit	22	1.6 %
4	Extremely	5	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 907-910 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2BSI34: S2 BSI: q34 punished

Value	Label	Unweighted Frequency	%
0	Not at all	1024	75.6 %
1	A little bit	135	10.0 %
2	Moderately	44	3.2 %
3	Quite a bit	40	3.0 %
4	Extremely	16	1.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 911-914 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2BSI35: S2 BSI: q35 hopeless

Value	Label	Unweighted Frequency	%
0	Not at all	1052	77.7 %
1	A little bit	121	8.9 %
2	Moderately	34	2.5 %
3	Quite a bit	29	2.1 %

Value	Label	Unweighted Frequency	%
4	Extremely	23	1.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 915-918 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2BSI36: S2 BSI: q36 concentrating

Value	Label	Unweighted Frequency	%
0	Not at all	852	62.9 %
1	A little bit	257	19.0 %
2	Moderately	61	4.5 %
3	Quite a bit	57	4.2 %
4	Extremely	32	2.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 919-922 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2BSI37: S2 BSI: q37 weak

Value	Label	Unweighted Frequency	%
0	Not at all	1040	76.8 %
1	A little bit	134	9.9 %
2	Moderately	38	2.8 %
3	Quite a bit	32	2.4 %
4	Extremely	15	1.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %

Value	Label	Unweighted Frequency	%
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 923-926 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2BSI38: S2 BSI: q38 tense

Value	Label	Unweighted Frequency	%
0	Not at all	969	71.6 %
1	A little bit	158	11.7 %
2	Moderately	65	4.8 %
3	Quite a bit	40	3.0 %
4	Extremely	27	2.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 927-930 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2BSI39: S2 BSI: q39 dying

Value	Label	Unweighted Frequency	%
0	Not at all	1137	84.0 %
1	A little bit	62	4.6 %
2	Moderately	27	2.0 %
3	Quite a bit	23	1.7 %
4	Extremely	10	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 931-934 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2BSI40: S2 BSI: q40 beat

Value	Label	Unweighted Frequency	%
0	Not at all	1022	75.5 %
1	A little bit	122	9.0 %
2	Moderately	49	3.6 %
3	Quite a bit	45	3.3 %
4	Extremely	21	1.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 935-938 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2BSI41: S2 BSI: q41 smash

Value	Label	Unweighted Frequency	%
0	Not at all	1092	80.6 %
1	A little bit	97	7.2 %
2	Moderately	25	1.8 %
3	Quite a bit	33	2.4 %
4	Extremely	12	0.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 939-942 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2BSI42: S2 BSI: q42 self-conscious

Value	Label	Unweighted Frequency	%
0	Not at all	1025	75.7 %
1	A little bit	145	10.7 %
2	Moderately	43	3.2 %
3	Quite a bit	32	2.4 %
4	Extremely	14	1.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 943-946 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2BSI43: S2 BSI: q43 uneasy

Value	Label	Unweighted Frequency	%
0	Not at all	1088	80.4 %
1	A little bit	116	8.6 %
2	Moderately	23	1.7 %
3	Quite a bit	18	1.3 %
4	Extremely	14	1.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 947-950 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2BSI44: S2 BSI: q44 close

Value	Label	Unweighted Frequency	%
0	Not at all	1016	75.0 %
1	A little bit	149	11.0 %
2	Moderately	35	2.6 %
3	Quite a bit	38	2.8 %

Value	Label	Unweighted Frequency	%
4	Extremely	21	1.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 951-954 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2BSI45: S2 BSI: q45 terror

Value	Label	Unweighted Frequency	%
0	Not at all	1198	88.5 %
1	A little bit	46	3.4 %
2	Moderately	6	0.4 %
3	Quite a bit	6	0.4 %
4	Extremely	3	0.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 955-958 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2BSI46: S2 BSI: q46 arguments

Value	Label	Unweighted Frequency	%
0	Not at all	876	64.7 %
1	A little bit	228	16.8 %
2	Moderately	74	5.5 %
3	Quite a bit	59	4.4 %
4	Extremely	22	1.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %

Value	Label	Unweighted Frequency	%
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 959-962 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2BSI47: S2 BSI: q47 nervous2

Value	Label	Unweighted Frequency	%
0	Not at all	1139	84.1 %
1	A little bit	77	5.7 %
2	Moderately	19	1.4 %
3	Quite a bit	15	1.1 %
4	Extremely	9	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 963-966 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2BSI48: S2 BSI: q48 credit

Value	Label	Unweighted Frequency	%
0	Not at all	978	72.2 %
1	A little bit	161	11.9 %
2	Moderately	47	3.5 %
3	Quite a bit	53	3.9 %
4	Extremely	20	1.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 967-970 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2BSI49: S2 BSI: q49 restless

Value	Label	Unweighted Frequency	%
0	Not at all	919	67.9 %
1	A little bit	197	14.5 %
2	Moderately	46	3.4 %
3	Quite a bit	63	4.7 %
4	Extremely	34	2.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 971-974 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2BSI50: S2 BSI: q50 worthlessness

Value	Label	Unweighted Frequency	%
0	Not at all	1133	83.7 %
1	A little bit	78	5.8 %
2	Moderately	24	1.8 %
3	Quite a bit	13	1.0 %
4	Extremely	11	0.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 975-978 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2BSI51: S2 BSI: q51 advantage

Value	Label	Unweighted Frequency	%
0	Not at all	846	62.5 %
1	A little bit	195	14.4 %
2	Moderately	63	4.7 %
3	Quite a bit	91	6.7 %
4	Extremely	64	4.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 979-982 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2BSI52: S2 BSI: q52 guilt

Value	Label	Unweighted Frequency	%
0	Not at all	1004	74.2 %
1	A little bit	151	11.2 %
2	Moderately	43	3.2 %
3	Quite a bit	44	3.2 %
4	Extremely	17	1.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 983-986 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2BSI53: S2 BSI: q53 wrong

Value	Label	Unweighted Frequency	%
0	Not at all	1069	79.0 %
1	A little bit	118	8.7 %
2	Moderately	28	2.1 %
3	Quite a bit	23	1.7 %

Value	Label	Unweighted Frequency	%
4	Extremely	21	1.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 987-990 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S2BSIXX: s2 BSI: Indicator of valid administration per BSI codebook

Value	Label	Unweighted Frequency	%
0	Valid administration	984	72.7 %
1	Invalid test administration	275	20.3 %
2	All missing answers	95	7.0 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 991-991 (width: 1; decimal: 0)
Variable Type: numeric

S2BSISOM: S2 BSI: Somatization

Based upon 984 valid cases out of 1,354 total cases.

- Mean: 0.2858594657
- Median: 0.0000000000
- Mode: 0.0000000000
- Minimum: 0.0000000000
- Maximum: 3.5714285714
- Standard Deviation: 0.5130999058

Location: 992-1006 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -202.0000000000 , -201.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

S2BSIOC: S2 BSI: Obsessive-Compulsive

Based upon 984 valid cases out of 1,354 total cases.

- Mean: 0.6278794038
- Median: 0.3333333333
- Mode: 0.0000000000
- Minimum: 0.0000000000

- Maximum: 4.0000000000
- Standard Deviation: 0.7351196357

Location: 1007-1021 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -202.0000000000 , -201.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

S2BSIIS: S2 BSI: Interpersonal Sensitivity

Based upon 984 valid cases out of 1,354 total cases.

- Mean: 0.36
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.57

Location: 1022-1028 (width: 7; decimal: 2)
Variable Type: numeric
(Range of) Missing Values: -700.00 , -202.00 , -201.00 , -98.00 , -97.00 , -9.00 , -8.00

S2BSIDEP: S2 BSI: Depression

Based upon 984 valid cases out of 1,354 total cases.

- Mean: 0.4525745257
- Median: 0.1666666667
- Mode: 0.0000000000
- Minimum: 0.0000000000
- Maximum: 3.6666666667
- Standard Deviation: 0.6546545230

Location: 1029-1043 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -202.0000000000 , -201.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

S2BSIANX: S2 BSI: Anxiety

Based upon 984 valid cases out of 1,354 total cases.

- Mean: 0.3729674797
- Median: 0.1666666667
- Mode: 0.0000000000
- Minimum: 0.0000000000
- Maximum: 3.5000000000
- Standard Deviation: 0.5454983851

Location: 1044-1058 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -202.0000000000 , -201.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

S2BSIHOS: S2 BSI: Hostility

Based upon 984 valid cases out of 1,354 total cases.

- Mean: 0.63
- Median: 0.40
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.72

Location: 1059-1064 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -700.0 , -202.0 , -201.0 , -98.0 , -97.0 , -9.0 , -8.0

S2BSIPHB: S2 BSI: Phobic Anxiety

Based upon 984 valid cases out of 1,354 total cases.

- Mean: 0.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.42

Location: 1065-1070 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -700.0 , -202.0 , -201.0 , -98.0 , -97.0 , -9.0 , -8.0

S2BSIPAR: S2 BSI: Paranoid Ideation

Based upon 984 valid cases out of 1,354 total cases.

- Mean: 0.73
- Median: 0.60
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.80
- Standard Deviation: 0.74

Location: 1071-1076 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -700.0 , -202.0 , -201.0 , -98.0 , -97.0 , -9.0 , -8.0

S2BSIPSY: S2 BSI: Psychoticism

Based upon 984 valid cases out of 1,354 total cases.

- Mean: 0.39
- Median: 0.20
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.20
- Standard Deviation: 0.56

Location: 1077-1082 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -700.0 , -202.0 , -201.0 , -98.0 , -97.0 , -9.0 , -8.0

S2BSIGSI: S2 BSI: Global Severity Index

Based upon 984 valid cases out of 1,354 total cases.

- Mean: 0.4513116984
- Median: 0.2830188679
- Mode: 0.0377358491
- Minimum: 0.0188679245
- Maximum: 3.1509433962
- Standard Deviation: 0.4806604966

Location: 1083-1097 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -202.0000000000 , -201.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

S2BSIPST: S2 BSI: Positive Symptom Total

Based upon 984 valid cases out of 1,354 total cases.

- Mean: 13.32
- Median: 10.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 53.00
- Standard Deviation: 11.11

Location: 1098-1101 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S2BSIPSD: S2 BSI: Positive Symptom Distress Index

Based upon 984 valid cases out of 1,354 total cases.

- Mean: 1.6839356986
- Minimum: 1.0000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.7202344831

Location: 1102-1116 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -202.0000000000 , -201.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

S2SOM_T: S2 BSI: Somatization Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	945	69.8 %
1	clinical range	39	2.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-97	Invalid Test	275	20.3 %

Value	Label	Unweighted Frequency	%
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 984 valid cases out of 1,354 total cases.

Location: 1117-1120 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S2OC_T: S2 BSI: Obsessive-Compulsive Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	918	67.8 %
1	clinical range	66	4.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-97	Invalid Test	275	20.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 984 valid cases out of 1,354 total cases.

Location: 1121-1124 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S2IS_T: S2 BSI: Interpersonal Sensitivity Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	966	71.3 %
1	clinical range	18	1.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-97	Invalid Test	275	20.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 984 valid cases out of 1,354 total cases.

Location: 1125-1128 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S2DEP_T: S2 BSI: Depression Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	928	68.5 %
1	clinical range	56	4.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-97	Invalid Test	275	20.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 984 valid cases out of 1,354 total cases.

Location: 1129-1132 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S2ANX_T: S2 BSI: Anxiety Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	953	70.4 %
1	clinical range	31	2.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-97	Invalid Test	275	20.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 984 valid cases out of 1,354 total cases.

Location: 1133-1136 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S2HOS_T: S2 BSI: Hostility Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	937	69.2 %
1	clinical range	47	3.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-97	Invalid Test	275	20.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 984 valid cases out of 1,354 total cases.

Location: 1137-1140 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S2PHB_T: S2 BSI: Phobic Anxiety Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	956	70.6 %
1	clinical range	28	2.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-97	Invalid Test	275	20.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 984 valid cases out of 1,354 total cases.

Location: 1141-1144 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S2PAR_T: S2 BSI: Paranoid Ideation Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	936	69.1 %
1	clinical range	48	3.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-97	Invalid Test	275	20.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 984 valid cases out of 1,354 total cases.

Location: 1145-1148 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S2PSY_T: S2 BSI: Psychoticism Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	945	69.8 %
1	clinical range	39	2.9 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-97	Invalid Test	275	20.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 984 valid cases out of 1,354 total cases.

Location: 1149-1152 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S2GSI_T: S2 BSI: GSI Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	954	70.5 %
1	clinical range	30	2.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-97	Invalid Test	275	20.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 984 valid cases out of 1,354 total cases.

Location: 1153-1156 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S2BSIDX1: S2 BSI: Subscale Diagnosis Significant

Value	Label	Unweighted Frequency	%
0	-	829	61.2 %
1	-	78	5.8 %
2	-	26	1.9 %
3	-	18	1.3 %
4	-	15	1.1 %
5	-	4	0.3 %
6	-	4	0.3 %
7	-	2	0.1 %
8	-	2	0.1 %
9	-	6	0.4 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-97	Invalid Test	275	20.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 984 valid cases out of 1,354 total cases.

Location: 1157-1160 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S2BSIDX: S2 BSI: Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	907	67.0 %
1	clinical range	77	5.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-97	Invalid Test	275	20.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 984 valid cases out of 1,354 total cases.

Location: 1161-1164 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S3BSI01: S3 BSI: q1 nervousness

Value	Label	Unweighted Frequency	%
0	Not at all	968	71.5 %
1	A little bit	163	12.0 %
2	Moderately	41	3.0 %
3	Quite a bit	45	3.3 %
4	Extremely	9	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1165-1168 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3BSI02: S3 BSI: q2 faintness

Value	Label	Unweighted Frequency	%
0	Not at all	1081	79.8 %
1	A little bit	94	6.9 %
2	Moderately	29	2.1 %
3	Quite a bit	16	1.2 %
4	Extremely	6	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1169-1172 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3BSI03: S3 BSI: q3 control thoughts

Value	Label	Unweighted Frequency	%
0	Not at all	1173	86.6 %
1	A little bit	36	2.7 %
2	Moderately	6	0.4 %
3	Quite a bit	8	0.6 %
4	Extremely	3	0.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1173-1176 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3BSI04: S3 BSI: q4 blame

Value	Label	Unweighted Frequency	%
0	Not at all	1113	82.2 %
1	A little bit	77	5.7 %
2	Moderately	16	1.2 %
3	Quite a bit	13	1.0 %
4	Extremely	7	0.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1177-1180 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3BSI05: S3 BSI: q5 remembering

Value	Label	Unweighted Frequency	%
0	Not at all	871	64.3 %
1	A little bit	215	15.9 %
2	Moderately	60	4.4 %
3	Quite a bit	56	4.1 %
4	Extremely	24	1.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1181-1184 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3BSI06: S3 BSI: q6 irritated

Value	Label	Unweighted Frequency	%
0	Not at all	688	50.8 %
1	A little bit	259	19.1 %
2	Moderately	95	7.0 %
3	Quite a bit	118	8.7 %

Value	Label	Unweighted Frequency	%
4	Extremely	66	4.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1185-1188 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3BSI07: S3 BSI: q7 pains

Value	Label	Unweighted Frequency	%
0	Not at all	1050	77.5 %
1	A little bit	98	7.2 %
2	Moderately	29	2.1 %
3	Quite a bit	36	2.7 %
4	Extremely	13	1.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1189-1192 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3BSI08: S3 BSI: q8 afraid

Value	Label	Unweighted Frequency	%
0	Not at all	1130	83.5 %
1	A little bit	56	4.1 %
2	Moderately	14	1.0 %
3	Quite a bit	17	1.3 %
4	Extremely	9	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %

Value	Label	Unweighted Frequency	%
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1193-1196 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3BSI09: S3 BSI: q9 ending life

Value	Label	Unweighted Frequency	%
0	Not at all	1197	88.4 %
1	A little bit	18	1.3 %
2	Moderately	8	0.6 %
3	Quite a bit	3	0.2 %
4	Extremely	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1197-1200 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3BSI10: S3 BSI: q10 trusted

Value	Label	Unweighted Frequency	%
0	Not at all	716	52.9 %
1	A little bit	232	17.1 %
2	Moderately	82	6.1 %
3	Quite a bit	115	8.5 %
4	Extremely	81	6.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1201-1204 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3BSI11: S3 BSI: q11 poor appetite

Value	Label	Unweighted Frequency	%
0	Not at all	944	69.7 %
1	A little bit	146	10.8 %
2	Moderately	59	4.4 %
3	Quite a bit	54	4.0 %
4	Extremely	23	1.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1205-1208 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3BSI12: S3 BSI: q12 scared

Value	Label	Unweighted Frequency	%
0	Not at all	1132	83.6 %
1	A little bit	60	4.4 %
2	Moderately	13	1.0 %
3	Quite a bit	16	1.2 %
4	Extremely	5	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1209-1212 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3BSI13: S3 BSI: q13 outbursts

Value	Label	Unweighted Frequency	%
0	Not at all	1011	74.7 %
1	A little bit	121	8.9 %
2	Moderately	37	2.7 %
3	Quite a bit	38	2.8 %
4	Extremely	19	1.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1213-1216 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3BSI14: S3 BSI: q14 lonely1

Value	Label	Unweighted Frequency	%
0	Not at all	953	70.4 %
1	A little bit	136	10.0 %
2	Moderately	48	3.5 %
3	Quite a bit	57	4.2 %
4	Extremely	32	2.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1217-1220 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3BSI15: S3 BSI: q15 blocked

Value	Label	Unweighted Frequency	%
0	Not at all	972	71.8 %
1	A little bit	153	11.3 %
2	Moderately	42	3.1 %
3	Quite a bit	39	2.9 %

Value	Label	Unweighted Frequency	%
4	Extremely	20	1.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1221-1224 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3BSI16: S3 BSI: q16 lonely2

Value	Label	Unweighted Frequency	%
0	Not at all	936	69.1 %
1	A little bit	136	10.0 %
2	Moderately	55	4.1 %
3	Quite a bit	64	4.7 %
4	Extremely	35	2.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1225-1228 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3BSI17: S3 BSI: q17 blue

Value	Label	Unweighted Frequency	%
0	Not at all	972	71.8 %
1	A little bit	143	10.6 %
2	Moderately	44	3.2 %
3	Quite a bit	49	3.6 %
4	Extremely	17	1.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %

Value	Label	Unweighted Frequency	%
-9	Dont Know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,225 valid cases out of 1,354 total cases.

Location: 1229-1232 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3BSI18: S3 BSI: q18 interest

Value	Label	Unweighted Frequency	%
0	Not at all	856	63.2 %
1	A little bit	225	16.6 %
2	Moderately	49	3.6 %
3	Quite a bit	73	5.4 %
4	Extremely	23	1.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1233-1236 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3BSI19: S3 BSI: q19 fearful

Value	Label	Unweighted Frequency	%
0	Not at all	1082	79.9 %
1	A little bit	92	6.8 %
2	Moderately	21	1.6 %
3	Quite a bit	22	1.6 %
4	Extremely	9	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1237-1240 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3BSI20: S3 BSI: q20 feelings hurt

Value	Label	Unweighted Frequency	%
0	Not at all	1046	77.3 %
1	A little bit	113	8.3 %
2	Moderately	27	2.0 %
3	Quite a bit	30	2.2 %
4	Extremely	10	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1241-1244 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3BSI21: S3 BSI: q21 disliked

Value	Label	Unweighted Frequency	%
0	Not at all	973	71.9 %
1	A little bit	162	12.0 %
2	Moderately	41	3.0 %
3	Quite a bit	33	2.4 %
4	Extremely	15	1.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-9	Dont Know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,224 valid cases out of 1,354 total cases.

Location: 1245-1248 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3BSI22: S3 BSI: q22 inferior

Value	Label	Unweighted Frequency	%
0	Not at all	1094	80.8 %
1	A little bit	87	6.4 %
2	Moderately	24	1.8 %
3	Quite a bit	14	1.0 %
4	Extremely	6	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,225 valid cases out of 1,354 total cases.

Location: 1249-1252 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3BSI23: S3 BSI: q23 nausea

Value	Label	Unweighted Frequency	%
0	Not at all	1030	76.1 %
1	A little bit	115	8.5 %
2	Moderately	33	2.4 %
3	Quite a bit	34	2.5 %
4	Extremely	13	1.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,225 valid cases out of 1,354 total cases.

Location: 1253-1256 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3BSI24: S3 BSI: q24 watched

Value	Label	Unweighted Frequency	%
0	Not at all	908	67.1 %
1	A little bit	182	13.4 %

Value	Label	Unweighted Frequency	%
2	Moderately	58	4.3 %
3	Quite a bit	49	3.6 %
4	Extremely	28	2.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,225 valid cases out of 1,354 total cases.

Location: 1257-1260 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3BSI25: S3 BSI: q25 asleep

Value	Label	Unweighted Frequency	%
0	Not at all	868	64.1 %
1	A little bit	173	12.8 %
2	Moderately	53	3.9 %
3	Quite a bit	73	5.4 %
4	Extremely	58	4.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,225 valid cases out of 1,354 total cases.

Location: 1261-1264 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3BSI26: S3 BSI: q26 double-check

Value	Label	Unweighted Frequency	%
0	Not at all	865	63.9 %
1	A little bit	198	14.6 %
2	Moderately	59	4.4 %
3	Quite a bit	73	5.4 %
4	Extremely	30	2.2 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,225 valid cases out of 1,354 total cases.

Location: 1265-1268 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3BSI27: S3 BSI: q27 decisions

Value	Label	Unweighted Frequency	%
0	Not at all	874	64.5 %
1	A little bit	207	15.3 %
2	Moderately	67	4.9 %
3	Quite a bit	58	4.3 %
4	Extremely	19	1.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,225 valid cases out of 1,354 total cases.

Location: 1269-1272 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3BSI28: S3 BSI: q28 travel

Value	Label	Unweighted Frequency	%
0	Not at all	1145	84.6 %
1	A little bit	45	3.3 %
2	Moderately	13	1.0 %
3	Quite a bit	13	1.0 %
4	Extremely	9	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,225 valid cases out of 1,354 total cases.

Location: 1273-1276 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3BSI29: S3 BSI: q29 breath

Value	Label	Unweighted Frequency	%
0	Not at all	1123	82.9 %
1	A little bit	67	4.9 %
2	Moderately	17	1.3 %
3	Quite a bit	13	1.0 %
4	Extremely	5	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,225 valid cases out of 1,354 total cases.

Location: 1277-1280 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3BSI30: S3 BSI: q30 spells

Value	Label	Unweighted Frequency	%
0	Not at all	1142	84.3 %
1	A little bit	47	3.5 %
2	Moderately	16	1.2 %
3	Quite a bit	16	1.2 %
4	Extremely	4	0.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,225 valid cases out of 1,354 total cases.

Location: 1281-1284 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3BSI31: S3 BSI: q31 frighten

Value	Label	Unweighted Frequency	%
0	Not at all	1155	85.3 %
1	A little bit	50	3.7 %
2	Moderately	7	0.5 %
3	Quite a bit	9	0.7 %
4	Extremely	4	0.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,225 valid cases out of 1,354 total cases.

Location: 1285-1288 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3BSI32: S3 BSI: q32 blank

Value	Label	Unweighted Frequency	%
0	Not at all	1055	77.9 %
1	A little bit	111	8.2 %
2	Moderately	32	2.4 %
3	Quite a bit	19	1.4 %
4	Extremely	8	0.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,225 valid cases out of 1,354 total cases.

Location: 1289-1292 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3BSI33: S3 BSI: q33 tingling

Value	Label	Unweighted Frequency	%
0	Not at all	1114	82.3 %
1	A little bit	75	5.5 %
2	Moderately	18	1.3 %
3	Quite a bit	15	1.1 %

Value	Label	Unweighted Frequency	%
4	Extremely	3	0.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,225 valid cases out of 1,354 total cases.

Location: 1293-1296 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3BSI34: S3 BSI: q34 punished

Value	Label	Unweighted Frequency	%
0	Not at all	1033	76.3 %
1	A little bit	102	7.5 %
2	Moderately	31	2.3 %
3	Quite a bit	32	2.4 %
4	Extremely	27	2.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,225 valid cases out of 1,354 total cases.

Location: 1297-1300 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3BSI35: S3 BSI: q35 hopeless

Value	Label	Unweighted Frequency	%
0	Not at all	1039	76.7 %
1	A little bit	114	8.4 %
2	Moderately	33	2.4 %
3	Quite a bit	26	1.9 %
4	Extremely	12	0.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	125	9.2 %

Value	Label	Unweighted Frequency	%
-8	Refused	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,224 valid cases out of 1,354 total cases.

Location: 1301-1304 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3BSI36: S3 BSI: q36 concentrating

Value	Label	Unweighted Frequency	%
0	Not at all	893	66.0 %
1	A little bit	204	15.1 %
2	Moderately	55	4.1 %
3	Quite a bit	48	3.5 %
4	Extremely	25	1.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,225 valid cases out of 1,354 total cases.

Location: 1305-1308 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3BSI37: S3 BSI: q37 weak

Value	Label	Unweighted Frequency	%
0	Not at all	1027	75.8 %
1	A little bit	125	9.2 %
2	Moderately	35	2.6 %
3	Quite a bit	28	2.1 %
4	Extremely	10	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,225 valid cases out of 1,354 total cases.

Location: 1309-1312 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3BSI38: S3 BSI: q38 tense

Value	Label	Unweighted Frequency	%
0	Not at all	979	72.3 %
1	A little bit	151	11.2 %
2	Moderately	42	3.1 %
3	Quite a bit	39	2.9 %
4	Extremely	14	1.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,225 valid cases out of 1,354 total cases.

Location: 1313-1316 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3BSI39: S3 BSI: q39 dying

Value	Label	Unweighted Frequency	%
0	Not at all	1127	83.2 %
1	A little bit	64	4.7 %
2	Moderately	13	1.0 %
3	Quite a bit	10	0.7 %
4	Extremely	11	0.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,225 valid cases out of 1,354 total cases.

Location: 1317-1320 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3BSI40: S3 BSI: q40 beat

Value	Label	Unweighted Frequency	%
0	Not at all	1051	77.6 %
1	A little bit	102	7.5 %
2	Moderately	35	2.6 %
3	Quite a bit	24	1.8 %
4	Extremely	13	1.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,225 valid cases out of 1,354 total cases.

Location: 1321-1324 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3BSI41: S3 BSI: q41 smash

Value	Label	Unweighted Frequency	%
0	Not at all	1079	79.7 %
1	A little bit	79	5.8 %
2	Moderately	31	2.3 %
3	Quite a bit	20	1.5 %
4	Extremely	16	1.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,225 valid cases out of 1,354 total cases.

Location: 1325-1328 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3BSI42: S3 BSI: q42 self-conscious

Value	Label	Unweighted Frequency	%
0	Not at all	1065	78.7 %
1	A little bit	107	7.9 %
2	Moderately	25	1.8 %
3	Quite a bit	18	1.3 %

Value	Label	Unweighted Frequency	%
4	Extremely	10	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,225 valid cases out of 1,354 total cases.

Location: 1329-1332 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3BSI43: S3 BSI: q43 uneasy

Value	Label	Unweighted Frequency	%
0	Not at all	1078	79.6 %
1	A little bit	85	6.3 %
2	Moderately	26	1.9 %
3	Quite a bit	22	1.6 %
4	Extremely	14	1.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,225 valid cases out of 1,354 total cases.

Location: 1333-1336 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3BSI44: S3 BSI: q44 close

Value	Label	Unweighted Frequency	%
0	Not at all	1008	74.4 %
1	A little bit	118	8.7 %
2	Moderately	44	3.2 %
3	Quite a bit	42	3.1 %
4	Extremely	13	1.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	125	9.2 %

Value	Label	Unweighted Frequency	%
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,225 valid cases out of 1,354 total cases.

Location: 1337-1340 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3BSI45: S3 BSI: q45 terror

Value	Label	Unweighted Frequency	%
0	Not at all	1162	85.8 %
1	A little bit	38	2.8 %
2	Moderately	12	0.9 %
3	Quite a bit	10	0.7 %
4	Extremely	3	0.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,225 valid cases out of 1,354 total cases.

Location: 1341-1344 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3BSI46: S3 BSI: q46 arguments

Value	Label	Unweighted Frequency	%
0	Not at all	910	67.2 %
1	A little bit	209	15.4 %
2	Moderately	36	2.7 %
3	Quite a bit	50	3.7 %
4	Extremely	20	1.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,225 valid cases out of 1,354 total cases.

Location: 1345-1348 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3BSI47: S3 BSI: q47 nervous2

Value	Label	Unweighted Frequency	%
0	Not at all	1113	82.2 %
1	A little bit	70	5.2 %
2	Moderately	20	1.5 %
3	Quite a bit	12	0.9 %
4	Extremely	10	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,225 valid cases out of 1,354 total cases.

Location: 1349-1352 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3BSI48: S3 BSI: q48 credit

Value	Label	Unweighted Frequency	%
0	Not at all	997	73.6 %
1	A little bit	157	11.6 %
2	Moderately	31	2.3 %
3	Quite a bit	31	2.3 %
4	Extremely	9	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,225 valid cases out of 1,354 total cases.

Location: 1353-1356 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3BSI49: S3 BSI: q49 restless

Value	Label	Unweighted Frequency	%
0	Not at all	958	70.8 %
1	A little bit	155	11.4 %
2	Moderately	33	2.4 %
3	Quite a bit	56	4.1 %
4	Extremely	23	1.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,225 valid cases out of 1,354 total cases.

Location: 1357-1360 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3BSI50: S3 BSI: q50 worthlessness

Value	Label	Unweighted Frequency	%
0	Not at all	1125	83.1 %
1	A little bit	63	4.7 %
2	Moderately	17	1.3 %
3	Quite a bit	12	0.9 %
4	Extremely	8	0.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,225 valid cases out of 1,354 total cases.

Location: 1361-1364 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3BSI51: S3 BSI: q51 advantage

Value	Label	Unweighted Frequency	%
0	Not at all	868	64.1 %
1	A little bit	173	12.8 %
2	Moderately	57	4.2 %
3	Quite a bit	75	5.5 %

Value	Label	Unweighted Frequency	%
4	Extremely	52	3.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,225 valid cases out of 1,354 total cases.

Location: 1365-1368 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3BSI52: S3 BSI: q52 guilt

Value	Label	Unweighted Frequency	%
0	Not at all	1035	76.4 %
1	A little bit	115	8.5 %
2	Moderately	29	2.1 %
3	Quite a bit	30	2.2 %
4	Extremely	16	1.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,225 valid cases out of 1,354 total cases.

Location: 1369-1372 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3BSI53: S3 BSI: q53 wrong

Value	Label	Unweighted Frequency	%
0	Not at all	1073	79.2 %
1	A little bit	84	6.2 %
2	Moderately	23	1.7 %
3	Quite a bit	23	1.7 %
4	Extremely	22	1.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	125	9.2 %

Value	Label	Unweighted Frequency	%
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,225 valid cases out of 1,354 total cases.

Location: 1373-1376 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S3BSIXX: s3 BSI: Indicator of valid administration per BSI codebook

Value	Label	Unweighted Frequency	%
0	Valid administration	906	66.9 %
1	Invalid test administration	320	23.6 %
2	All missing answers	128	9.5 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1377-1377 (width: 1; decimal: 0)
Variable Type: numeric

S3BSISOM: S3 BSI: Somatization

Based upon 905 valid cases out of 1,354 total cases.

- Mean: 0.2617205998
- Median: 0.0000000000
- Mode: 0.0000000000
- Minimum: 0.0000000000
- Maximum: 3.2857142857
- Standard Deviation: 0.4588067931

Location: 1378-1392 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -202.0000000000 , -201.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

S3BSIOC: S3 BSI: Obsessive-Compulsive

Based upon 905 valid cases out of 1,354 total cases.

- Mean: 0.5694290976
- Median: 0.3333333333
- Mode: 0.0000000000
- Minimum: 0.0000000000
- Maximum: 3.8333333333
- Standard Deviation: 0.6809845096

Location: 1393-1407 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -202.0000000000 , -201.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

S3BSIIS: S3 BSI: Interpersonal Sensitivity

Based upon 905 valid cases out of 1,354 total cases.

- Mean: 0.32
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.50
- Standard Deviation: 0.53

Location: 1408-1414 (width: 7; decimal: 2)
Variable Type: numeric
(Range of) Missing Values: -700.00 , -202.00 , -201.00 , -98.00 , -97.00 , -9.00 , -8.00

S3BSIDEP: S3 BSI: Depression

Based upon 906 valid cases out of 1,354 total cases.

- Mean: 0.3999264165
- Median: 0.1666666667
- Mode: 0.0000000000
- Minimum: 0.0000000000
- Maximum: 3.6666666667
- Standard Deviation: 0.5806729607

Location: 1415-1429 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -202.0000000000 , -201.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

S3BSIANX: S3 BSI: Anxiety

Based upon 905 valid cases out of 1,354 total cases.

- Mean: 0.3292817680
- Median: 0.1666666667
- Mode: 0.0000000000
- Minimum: 0.0000000000
- Maximum: 3.5000000000
- Standard Deviation: 0.4947321189

Location: 1430-1444 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -202.0000000000 , -201.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

S3BSIHOS: S3 BSI: Hostility

Based upon 905 valid cases out of 1,354 total cases.

- Mean: 0.56
- Median: 0.20
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00

- Standard Deviation: 0.66

Location: 1445-1450 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -700.0 , -202.0 , -201.0 , -98.0 , -97.0 , -9.0 , -8.0

S3BSIPHB: S3 BSI: Phobic Anxiety

Based upon 905 valid cases out of 1,354 total cases.

- Mean: 0.19
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.80
- Standard Deviation: 0.43

Location: 1451-1456 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -700.0 , -202.0 , -201.0 , -98.0 , -97.0 , -9.0 , -8.0

S3BSIPAR: S3 BSI: Paranoid Ideation

Based upon 905 valid cases out of 1,354 total cases.

- Mean: 0.63
- Median: 0.40
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.68

Location: 1457-1462 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -700.0 , -202.0 , -201.0 , -98.0 , -97.0 , -9.0 , -8.0

S3BSIPSY: S3 BSI: Psychoticism

Based upon 905 valid cases out of 1,354 total cases.

- Mean: 0.36
- Median: 0.20
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.20
- Standard Deviation: 0.54

Location: 1463-1468 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -700.0 , -202.0 , -201.0 , -98.0 , -97.0 , -9.0 , -8.0

S3BSIGSI: S3 BSI: Global Severity Index

Based upon 906 valid cases out of 1,354 total cases.

- Mean: 0.4070567334
- Median: 0.2452830189

- Mode: 0.0188679245
- Minimum: 0.0188679245
- Maximum: 3.4716981132
- Standard Deviation: 0.4381689034

Location: 1469-1483 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -202.0000000000 , -201.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

S3BSIPST: S3 BSI: Positive Symptom Total

Based upon 906 valid cases out of 1,354 total cases.

- Mean: 12.18
- Median: 9.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 53.00
- Standard Deviation: 10.62

Location: 1484-1487 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S3BSIPSD: S3 BSI: Positive Symptom Distress Index

Based upon 906 valid cases out of 1,354 total cases.

- Mean: 1.6805031883
- Minimum: 1.0000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.7331177411

Location: 1488-1502 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -202.0000000000 , -201.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

S3SOM_T: S3 BSI: Somatization Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	874	64.5 %
1	clinical range	31	2.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-98	Disqualified, too few answers	1	0.1 %
-97	Invalid Test	320	23.6 %
-8	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 905 valid cases out of 1,354 total cases.

Location: 1503-1506 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S3OC_T: S3 BSI: Obsessive-Compulsive Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	852	62.9 %
1	clinical range	53	3.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-98	Disqualified, too few answers	1	0.1 %
-97	Invalid Test	320	23.6 %
-8	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 905 valid cases out of 1,354 total cases.

Location: 1507-1510 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S3IS_T: S3 BSI: Interpersonal Sensitivity Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	892	65.9 %
1	clinical range	13	1.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-97	Invalid Test	320	23.6 %
-8	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 905 valid cases out of 1,354 total cases.

Location: 1511-1514 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S3DEP_T: S3 BSI: Depression Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	874	64.5 %

Value	Label	Unweighted Frequency	%
1	clinical range	32	2.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-97	Invalid Test	320	23.6 %
-8	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 906 valid cases out of 1,354 total cases.

Location: 1515-1518 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S3ANX_T: S3 BSI: Anxiety Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	885	65.4 %
1	clinical range	20	1.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-98	Disqualified, too few answers	1	0.1 %
-97	Invalid Test	320	23.6 %
-8	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 905 valid cases out of 1,354 total cases.

Location: 1519-1522 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S3HOS_T: S3 BSI: Hostility Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	871	64.3 %
1	clinical range	34	2.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-98	Disqualified, too few answers	1	0.1 %
-97	Invalid Test	320	23.6 %
-8	Refuse	1	0.1 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 905 valid cases out of 1,354 total cases.

Location: 1523-1526 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S3PHB_T: S3 BSI: Phobic Anxiety Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	883	65.2 %
1	clinical range	22	1.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-97	Invalid Test	320	23.6 %
-8	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 905 valid cases out of 1,354 total cases.

Location: 1527-1530 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S3PAR_T: S3 BSI: Paranoid Ideation Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	874	64.5 %
1	clinical range	31	2.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-98	Disqualified, too few answers	1	0.1 %
-97	Invalid Test	320	23.6 %
-8	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 905 valid cases out of 1,354 total cases.

Location: 1531-1534 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S3PSY_T: S3 BSI: Psychoticism Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	874	64.5 %
1	clinical range	31	2.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-98	Disqualified, too few answers	1	0.1 %
-97	Invalid Test	320	23.6 %
-8	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 905 valid cases out of 1,354 total cases.

Location: 1535-1538 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S3GSI_T: S3 BSI: GSI Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	888	65.6 %
1	clinical range	18	1.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-97	Invalid Test	320	23.6 %
-8	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 906 valid cases out of 1,354 total cases.

Location: 1539-1542 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S3BSIDX1: S3 BSI: Subscale Diagnosis Significant

Value	Label	Unweighted Frequency	%
0	-	781	57.7 %
1	-	66	4.9 %
2	-	27	2.0 %
3	-	9	0.7 %
4	-	9	0.7 %
5	-	5	0.4 %
6	-	6	0.4 %

Value	Label	Unweighted Frequency	%
7	-	2	0.1 %
9	-	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-97	Invalid Test	320	23.6 %
-8	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 906 valid cases out of 1,354 total cases.

Location: 1543-1546 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S3BSIDX: S3 BSI: Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	847	62.6 %
1	clinical range	59	4.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-97	Invalid Test	320	23.6 %
-8	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 906 valid cases out of 1,354 total cases.

Location: 1547-1550 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S4BSI01: S4 BSI: q1 nervousness

Value	Label	Unweighted Frequency	%
0	Not at all	965	71.3 %
1	A little bit	158	11.7 %
2	Moderately	39	2.9 %
3	Quite a bit	48	3.5 %
4	Extremely	16	1.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1551-1554 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4BSI02: S4 BSI: q2 faintness

Value	Label	Unweighted Frequency	%
0	Not at all	1102	81.4 %
1	A little bit	78	5.8 %
2	Moderately	21	1.6 %
3	Quite a bit	22	1.6 %
4	Extremely	3	0.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1555-1558 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4BSI03: S4 BSI: q3 control thoughts

Value	Label	Unweighted Frequency	%
0	Not at all	1185	87.5 %
1	A little bit	22	1.6 %
2	Moderately	5	0.4 %
3	Quite a bit	9	0.7 %
4	Extremely	5	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1559-1562 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4BSI04: S4 BSI: q4 blame

Value	Label	Unweighted Frequency	%
0	Not at all	1121	82.8 %
1	A little bit	71	5.2 %
2	Moderately	17	1.3 %
3	Quite a bit	13	1.0 %
4	Extremely	4	0.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1563-1566 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4BSI05: S4 BSI: q5 remembering

Value	Label	Unweighted Frequency	%
0	Not at all	876	64.7 %
1	A little bit	197	14.5 %
2	Moderately	77	5.7 %
3	Quite a bit	54	4.0 %
4	Extremely	22	1.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1567-1570 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4BSI06: S4 BSI: q6 irritated

Value	Label	Unweighted Frequency	%
0	Not at all	731	54.0 %
1	A little bit	231	17.1 %
2	Moderately	94	6.9 %
3	Quite a bit	120	8.9 %

Value	Label	Unweighted Frequency	%
4	Extremely	50	3.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1571-1574 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4BSI07: S4 BSI: q7 pains

Value	Label	Unweighted Frequency	%
0	Not at all	1065	78.7 %
1	A little bit	91	6.7 %
2	Moderately	30	2.2 %
3	Quite a bit	32	2.4 %
4	Extremely	8	0.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1575-1578 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4BSI08: S4 BSI: q8 afraid

Value	Label	Unweighted Frequency	%
0	Not at all	1142	84.3 %
1	A little bit	50	3.7 %
2	Moderately	15	1.1 %
3	Quite a bit	13	1.0 %
4	Extremely	6	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1579-1582 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4BSI09: S4 BSI: q9 ending life

Value	Label	Unweighted Frequency	%
0	Not at all	1195	88.3 %
1	A little bit	22	1.6 %
2	Moderately	4	0.3 %
3	Quite a bit	2	0.1 %
4	Extremely	2	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,225 valid cases out of 1,354 total cases.

Location: 1583-1586 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4BSI10: S4 BSI: q10 trusted

Value	Label	Unweighted Frequency	%
0	Not at all	741	54.7 %
1	A little bit	224	16.5 %
2	Moderately	86	6.4 %
3	Quite a bit	97	7.2 %
4	Extremely	78	5.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1587-1590 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4BSI11: S4 BSI: q11 poor appetite

Value	Label	Unweighted Frequency	%
0	Not at all	951	70.2 %
1	A little bit	147	10.9 %
2	Moderately	55	4.1 %
3	Quite a bit	52	3.8 %
4	Extremely	21	1.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1591-1594 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4BSI12: S4 BSI: q12 scared

Value	Label	Unweighted Frequency	%
0	Not at all	1133	83.7 %
1	A little bit	52	3.8 %
2	Moderately	22	1.6 %
3	Quite a bit	14	1.0 %
4	Extremely	5	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1595-1598 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4BSI13: S4 BSI: q13 outbursts

Value	Label	Unweighted Frequency	%
0	Not at all	1003	74.1 %
1	A little bit	124	9.2 %
2	Moderately	38	2.8 %
3	Quite a bit	39	2.9 %
4	Extremely	22	1.6 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1599-1602 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4BSI14: S4 BSI: q14 lonely1

Value	Label	Unweighted Frequency	%
0	Not at all	962	71.0 %
1	A little bit	134	9.9 %
2	Moderately	43	3.2 %
3	Quite a bit	57	4.2 %
4	Extremely	30	2.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1603-1606 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4BSI15: S4 BSI: q15 blocked

Value	Label	Unweighted Frequency	%
0	Not at all	975	72.0 %
1	A little bit	137	10.1 %
2	Moderately	50	3.7 %
3	Quite a bit	43	3.2 %
4	Extremely	21	1.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1607-1610 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4BSI16: S4 BSI: q16 lonely2

Value	Label	Unweighted Frequency	%
0	Not at all	937	69.2 %
1	A little bit	145	10.7 %
2	Moderately	56	4.1 %
3	Quite a bit	51	3.8 %
4	Extremely	37	2.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1611-1614 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4BSI17: S4 BSI: q17 blue

Value	Label	Unweighted Frequency	%
0	Not at all	974	71.9 %
1	A little bit	138	10.2 %
2	Moderately	42	3.1 %
3	Quite a bit	45	3.3 %
4	Extremely	27	2.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1615-1618 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4BSI18: S4 BSI: q18 interest

Value	Label	Unweighted Frequency	%
0	Not at all	903	66.7 %
1	A little bit	186	13.7 %
2	Moderately	62	4.6 %

Value	Label	Unweighted Frequency	%
3	Quite a bit	44	3.2 %
4	Extremely	31	2.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1619-1622 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4BSI19: S4 BSI: q19 fearful

Value	Label	Unweighted Frequency	%
0	Not at all	1094	80.8 %
1	A little bit	90	6.6 %
2	Moderately	22	1.6 %
3	Quite a bit	12	0.9 %
4	Extremely	8	0.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1623-1626 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4BSI20: S4 BSI: q20 feelings hurt

Value	Label	Unweighted Frequency	%
0	Not at all	1052	77.7 %
1	A little bit	100	7.4 %
2	Moderately	25	1.8 %
3	Quite a bit	32	2.4 %
4	Extremely	17	1.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1627-1630 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4BSI21: S4 BSI: q21 disliked

Value	Label	Unweighted Frequency	%
0	Not at all	983	72.6 %
1	A little bit	150	11.1 %
2	Moderately	57	4.2 %
3	Quite a bit	26	1.9 %
4	Extremely	10	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1631-1634 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4BSI22: S4 BSI: q22 inferior

Value	Label	Unweighted Frequency	%
0	Not at all	1108	81.8 %
1	A little bit	67	4.9 %
2	Moderately	25	1.8 %
3	Quite a bit	20	1.5 %
4	Extremely	6	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1635-1638 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4BSI23: S4 BSI: q23 nausea

Value	Label	Unweighted Frequency	%
0	Not at all	1019	75.3 %
1	A little bit	129	9.5 %
2	Moderately	38	2.8 %
3	Quite a bit	30	2.2 %
4	Extremely	10	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1639-1642 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4BSI24: S4 BSI: q24 watched

Value	Label	Unweighted Frequency	%
0	Not at all	931	68.8 %
1	A little bit	175	12.9 %
2	Moderately	46	3.4 %
3	Quite a bit	48	3.5 %
4	Extremely	26	1.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1643-1646 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4BSI25: S4 BSI: q25 asleep

Value	Label	Unweighted Frequency	%
0	Not at all	885	65.4 %
1	A little bit	144	10.6 %
2	Moderately	71	5.2 %
3	Quite a bit	72	5.3 %
4	Extremely	54	4.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1647-1650 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4BSI26: S4 BSI: q26 double-check

Value	Label	Unweighted Frequency	%
0	Not at all	853	63.0 %
1	A little bit	209	15.4 %
2	Moderately	73	5.4 %
3	Quite a bit	65	4.8 %
4	Extremely	26	1.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1651-1654 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4BSI27: S4 BSI: q27 decisions

Value	Label	Unweighted Frequency	%
0	Not at all	898	66.3 %
1	A little bit	197	14.5 %
2	Moderately	63	4.7 %
3	Quite a bit	50	3.7 %
4	Extremely	18	1.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1655-1658 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4BSI28: S4 BSI: q28 travel

Value	Label	Unweighted Frequency	%
0	Not at all	1150	84.9 %
1	A little bit	38	2.8 %
2	Moderately	14	1.0 %
3	Quite a bit	13	1.0 %
4	Extremely	11	0.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1659-1662 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4BSI29: S4 BSI: q29 breath

Value	Label	Unweighted Frequency	%
0	Not at all	1137	84.0 %
1	A little bit	46	3.4 %
2	Moderately	17	1.3 %
3	Quite a bit	16	1.2 %
4	Extremely	10	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1663-1666 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4BSI30: S4 BSI: q30 spells

Value	Label	Unweighted Frequency	%
0	Not at all	1140	84.2 %
1	A little bit	45	3.3 %
2	Moderately	19	1.4 %

Value	Label	Unweighted Frequency	%
3	Quite a bit	13	1.0 %
4	Extremely	9	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1667-1670 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4BSI31: S4 BSI: q31 frighten

Value	Label	Unweighted Frequency	%
0	Not at all	1163	85.9 %
1	A little bit	33	2.4 %
2	Moderately	11	0.8 %
3	Quite a bit	14	1.0 %
4	Extremely	5	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1671-1674 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4BSI32: S4 BSI: q32 blank

Value	Label	Unweighted Frequency	%
0	Not at all	1045	77.2 %
1	A little bit	100	7.4 %
2	Moderately	43	3.2 %
3	Quite a bit	29	2.1 %
4	Extremely	9	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1675-1678 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4BSI33: S4 BSI: q33 tingling

Value	Label	Unweighted Frequency	%
0	Not at all	1108	81.8 %
1	A little bit	70	5.2 %
2	Moderately	18	1.3 %
3	Quite a bit	21	1.6 %
4	Extremely	9	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1679-1682 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4BSI34: S4 BSI: q34 punished

Value	Label	Unweighted Frequency	%
0	Not at all	1040	76.8 %
1	A little bit	88	6.5 %
2	Moderately	45	3.3 %
3	Quite a bit	28	2.1 %
4	Extremely	24	1.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,225 valid cases out of 1,354 total cases.

Location: 1683-1686 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4BSI35: S4 BSI: q35 hopeless

Value	Label	Unweighted Frequency	%
0	Not at all	1043	77.0 %
1	A little bit	108	8.0 %
2	Moderately	37	2.7 %
3	Quite a bit	22	1.6 %
4	Extremely	16	1.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1687-1690 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4BSI36: S4 BSI: q36 concentrating

Value	Label	Unweighted Frequency	%
0	Not at all	881	65.1 %
1	A little bit	210	15.5 %
2	Moderately	67	4.9 %
3	Quite a bit	46	3.4 %
4	Extremely	22	1.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1691-1694 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4BSI37: S4 BSI: q37 weak

Value	Label	Unweighted Frequency	%
0	Not at all	1039	76.7 %
1	A little bit	122	9.0 %
2	Moderately	26	1.9 %
3	Quite a bit	27	2.0 %
4	Extremely	12	0.9 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1695-1698 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4BSI38: S4 BSI: q38 tense

Value	Label	Unweighted Frequency	%
0	Not at all	974	71.9 %
1	A little bit	155	11.4 %
2	Moderately	45	3.3 %
3	Quite a bit	40	3.0 %
4	Extremely	12	0.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1699-1702 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4BSI39: S4 BSI: q39 dying

Value	Label	Unweighted Frequency	%
0	Not at all	1136	83.9 %
1	A little bit	53	3.9 %
2	Moderately	18	1.3 %
3	Quite a bit	12	0.9 %
4	Extremely	7	0.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1703-1706 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4BSI40: S4 BSI: q40 beat

Value	Label	Unweighted Frequency	%
0	Not at all	1042	77.0 %
1	A little bit	102	7.5 %
2	Moderately	33	2.4 %
3	Quite a bit	33	2.4 %
4	Extremely	16	1.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1707-1710 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4BSI41: S4 BSI: q41 smash

Value	Label	Unweighted Frequency	%
0	Not at all	1087	80.3 %
1	A little bit	72	5.3 %
2	Moderately	30	2.2 %
3	Quite a bit	23	1.7 %
4	Extremely	14	1.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1711-1714 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4BSI42: S4 BSI: q42 self-conscious

Value	Label	Unweighted Frequency	%
0	Not at all	1036	76.5 %
1	A little bit	129	9.5 %
2	Moderately	28	2.1 %

Value	Label	Unweighted Frequency	%
3	Quite a bit	22	1.6 %
4	Extremely	11	0.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1715-1718 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4BSI43: S4 BSI: q43 uneasy

Value	Label	Unweighted Frequency	%
0	Not at all	1086	80.2 %
1	A little bit	85	6.3 %
2	Moderately	24	1.8 %
3	Quite a bit	21	1.6 %
4	Extremely	10	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1719-1722 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4BSI44: S4 BSI: q44 close

Value	Label	Unweighted Frequency	%
0	Not at all	1040	76.8 %
1	A little bit	118	8.7 %
2	Moderately	26	1.9 %
3	Quite a bit	30	2.2 %
4	Extremely	12	0.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1723-1726 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4BSI45: S4 BSI: q45 terror

Value	Label	Unweighted Frequency	%
0	Not at all	1166	86.1 %
1	A little bit	32	2.4 %
2	Moderately	15	1.1 %
3	Quite a bit	8	0.6 %
4	Extremely	5	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1727-1730 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4BSI46: S4 BSI: q46 arguments

Value	Label	Unweighted Frequency	%
0	Not at all	918	67.8 %
1	A little bit	192	14.2 %
2	Moderately	54	4.0 %
3	Quite a bit	46	3.4 %
4	Extremely	16	1.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1731-1734 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4BSI47: S4 BSI: q47 nervous2

Value	Label	Unweighted Frequency	%
0	Not at all	1107	81.8 %
1	A little bit	69	5.1 %
2	Moderately	23	1.7 %
3	Quite a bit	20	1.5 %
4	Extremely	7	0.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1735-1738 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4BSI48: S4 BSI: q48 credit

Value	Label	Unweighted Frequency	%
0	Not at all	1008	74.4 %
1	A little bit	133	9.8 %
2	Moderately	30	2.2 %
3	Quite a bit	41	3.0 %
4	Extremely	14	1.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1739-1742 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4BSI49: S4 BSI: q49 restless

Value	Label	Unweighted Frequency	%
0	Not at all	943	69.6 %
1	A little bit	140	10.3 %
2	Moderately	52	3.8 %
3	Quite a bit	60	4.4 %
4	Extremely	31	2.3 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1743-1746 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4BSI50: S4 BSI: q50 worthlessness

Value	Label	Unweighted Frequency	%
0	Not at all	1110	82.0 %
1	A little bit	59	4.4 %
2	Moderately	23	1.7 %
3	Quite a bit	24	1.8 %
4	Extremely	10	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1747-1750 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4BSI51: S4 BSI: q51 advantage

Value	Label	Unweighted Frequency	%
0	Not at all	871	64.3 %
1	A little bit	167	12.3 %
2	Moderately	58	4.3 %
3	Quite a bit	80	5.9 %
4	Extremely	50	3.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1751-1754 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4BSI52: S4 BSI: q52 guilt

Value	Label	Unweighted Frequency	%
0	Not at all	1036	76.5 %
1	A little bit	118	8.7 %
2	Moderately	38	2.8 %
3	Quite a bit	21	1.6 %
4	Extremely	13	1.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1755-1758 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4BSI53: S4 BSI: q53 wrong

Value	Label	Unweighted Frequency	%
0	Not at all	1088	80.4 %
1	A little bit	67	4.9 %
2	Moderately	33	2.4 %
3	Quite a bit	19	1.4 %
4	Extremely	19	1.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1759-1762 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S4BSIXX: s4 BSI: Indicator of valid administration per BSI codebook

Value	Label	Unweighted Frequency	%
0	Valid administration	868	64.1 %
1	Invalid test administration	358	26.4 %
2	All missing answers	128	9.5 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1763-1763 (width: 1; decimal: 0)
Variable Type: numeric

S4BSISOM: S4 BSI: Somatization

Based upon 868 valid cases out of 1,354 total cases.

- Mean: 0.2709019092
- Median: 0.0000000000
- Mode: 0.0000000000
- Minimum: 0.0000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.4946496736

Location: 1764-1778 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -202.0000000000 , -201.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

S4BSIOC: S4 BSI: Obsessive-Compulsive

Based upon 868 valid cases out of 1,354 total cases.

- Mean: 0.6008064516
- Median: 0.3333333333
- Mode: 0.0000000000
- Minimum: 0.0000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.7080454257

Location: 1779-1793 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -202.0000000000 , -201.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

S4BSIIS: S4 BSI: Interpersonal Sensitivity

Based upon 868 valid cases out of 1,354 total cases.

- Mean: 0.34
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.58

Location: 1794-1800 (width: 7; decimal: 2)
Variable Type: numeric
(Range of) Missing Values: -700.00 , -202.00 , -201.00 , -98.00 , -97.00 , -9.00 , -8.00

S4BSIDEP: S4 BSI: Depression

Based upon 868 valid cases out of 1,354 total cases.

- Mean: 0.4157450077
- Median: 0.1666666667
- Mode: 0.0000000000
- Minimum: 0.0000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.6264190211

Location: 1801-1815 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -202.0000000000 , -201.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

S4BSIANX: S4 BSI: Anxiety

Based upon 868 valid cases out of 1,354 total cases.

- Mean: 0.3592549923
- Median: 0.1666666667
- Mode: 0.0000000000
- Minimum: 0.0000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.5369233346

Location: 1816-1830 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -202.0000000000 , -201.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

S4BSIHOS: S4 BSI: Hostility

Based upon 868 valid cases out of 1,354 total cases.

- Mean: 0.57
- Median: 0.40
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.69

Location: 1831-1836 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -700.0 , -202.0 , -201.0 , -98.0 , -97.0 , -9.0 , -8.0

S4BSIPHB: S4 BSI: Phobic Anxiety

Based upon 868 valid cases out of 1,354 total cases.

- Mean: 0.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.80

- Standard Deviation: 0.43

Location: 1837-1842 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -700.0 , -202.0 , -201.0 , -98.0 , -97.0 , -9.0 , -8.0

S4BSIPAR: S4 BSI: Paranoid Ideation

Based upon 868 valid cases out of 1,354 total cases.

- Mean: 0.64
- Median: 0.40
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.80
- Standard Deviation: 0.67

Location: 1843-1848 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -700.0 , -202.0 , -201.0 , -98.0 , -97.0 , -9.0 , -8.0

S4BSIPSY: S4 BSI: Psychoticism

Based upon 868 valid cases out of 1,354 total cases.

- Mean: 0.35
- Median: 0.20
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.55

Location: 1849-1854 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -700.0 , -202.0 , -201.0 , -98.0 , -97.0 , -9.0 , -8.0

S4BSIGSI: S4 BSI: Global Severity Index

Based upon 868 valid cases out of 1,354 total cases.

- Mean: 0.4193845184
- Median: 0.2641509434
- Mode: 0.0377358491
- Minimum: 0.0188679245
- Maximum: 3.9622641509
- Standard Deviation: 0.4732492608

Location: 1855-1869 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -202.0000000000 , -201.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

S4BSIPST: S4 BSI: Positive Symptom Total

Based upon 868 valid cases out of 1,354 total cases.

- Mean: 12.44

- Median: 9.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 53.00
- Standard Deviation: 11.07

Location: 1870-1873 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S4BSIPSD: S4 BSI: Positive Symptom Distress Index

Based upon 868 valid cases out of 1,354 total cases.

- Mean: 1.6599086866
- Minimum: 1.0000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.6828321512

Location: 1874-1888 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -202.0000000000 , -201.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

S4SOM_T: S4 BSI: Somatization Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	840	62.0 %
1	clinical range	28	2.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-97	Invalid Test	358	26.4 %
	Total	**1,354**	**100%**

Based upon 868 valid cases out of 1,354 total cases.

Location: 1889-1892 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S4OC_T: S4 BSI: Obsessive-Compulsive Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	818	60.4 %
1	clinical range	50	3.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-97	Invalid Test	358	26.4 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 868 valid cases out of 1,354 total cases.

Location: 1893-1896 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S4IS_T: S4 BSI: Interpersonal Sensitivity Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	850	62.8 %
1	clinical range	18	1.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-97	Invalid Test	358	26.4 %
	Total	**1,354**	**100%**

Based upon 868 valid cases out of 1,354 total cases.

Location: 1897-1900 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S4DEP_T: S4 BSI: Depression Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	833	61.5 %
1	clinical range	35	2.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-97	Invalid Test	358	26.4 %
	Total	**1,354**	**100%**

Based upon 868 valid cases out of 1,354 total cases.

Location: 1901-1904 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S4ANX_T: S4 BSI: Anxiety Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	838	61.9 %

Value	Label	Unweighted Frequency	%
1	clinical range	30	2.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-97	Invalid Test	358	26.4 %
	Total	**1,354**	**100%**

Based upon 868 valid cases out of 1,354 total cases.

Location: 1905-1908 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S4HOS_T: S4 BSI: Hostility Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	829	61.2 %
1	clinical range	39	2.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-97	Invalid Test	358	26.4 %
	Total	**1,354**	**100%**

Based upon 868 valid cases out of 1,354 total cases.

Location: 1909-1912 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S4PHB_T: S4 BSI: Phobic Anxiety Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	846	62.5 %
1	clinical range	22	1.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-97	Invalid Test	358	26.4 %
	Total	**1,354**	**100%**

Based upon 868 valid cases out of 1,354 total cases.

Location: 1913-1916 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S4PAR_T: S4 BSI: Paranoid Ideation Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	841	62.1 %
1	clinical range	27	2.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-97	Invalid Test	358	26.4 %
	Total	**1,354**	**100%**

Based upon 868 valid cases out of 1,354 total cases.

Location: 1917-1920 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S4PSY_T: S4 BSI: Psychoticism Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	841	62.1 %
1	clinical range	27	2.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-97	Invalid Test	358	26.4 %
	Total	**1,354**	**100%**

Based upon 868 valid cases out of 1,354 total cases.

Location: 1921-1924 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S4GSI_T: S4 BSI: GSI Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	843	62.3 %
1	clinical range	25	1.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-97	Invalid Test	358	26.4 %
	Total	**1,354**	**100%**

Based upon 868 valid cases out of 1,354 total cases.

Location: 1925-1928 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S4BSIDX1: S4 BSI: Subscale Diagnosis Significant

Value	Label	Unweighted Frequency	%
0	-	757	55.9 %
1	-	47	3.5 %
2	-	30	2.2 %
3	-	10	0.7 %
4	-	9	0.7 %
5	-	3	0.2 %
6	-	5	0.4 %
7	-	1	0.1 %
8	-	3	0.2 %
9	-	3	0.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-97	Invalid Test	358	26.4 %
	Total	**1,354**	**100%**

Based upon 868 valid cases out of 1,354 total cases.

Location: 1929-1932 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S4BSIDX: S4 BSI: Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	804	59.4 %
1	clinical range	64	4.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-97	Invalid Test	358	26.4 %
	Total	**1,354**	**100%**

Based upon 868 valid cases out of 1,354 total cases.

Location: 1933-1936 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S5BSI01: S5 BSI: q1 nervousness

Value	Label	Unweighted Frequency	%
0	Not at all	984	72.7 %
1	A little bit	160	11.8 %
2	Moderately	34	2.5 %
3	Quite a bit	36	2.7 %
4	Extremely	17	1.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,231 valid cases out of 1,354 total cases.

Location: 1937-1940 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5BSI02: S5 BSI: q2 faintness

Value	Label	Unweighted Frequency	%
0	Not at all	1101	81.3 %
1	A little bit	78	5.8 %
2	Moderately	36	2.7 %
3	Quite a bit	12	0.9 %
4	Extremely	4	0.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,231 valid cases out of 1,354 total cases.

Location: 1941-1944 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5BSI03: S5 BSI: q3 control thoughts

Value	Label	Unweighted Frequency	%
0	Not at all	1182	87.3 %
1	A little bit	28	2.1 %

Value	Label	Unweighted Frequency	%
2	Moderately	11	0.8 %
3	Quite a bit	6	0.4 %
4	Extremely	4	0.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,231 valid cases out of 1,354 total cases.

Location: 1945-1948 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5BSI04: S5 BSI: q4 blame

Value	Label	Unweighted Frequency	%
0	Not at all	1134	83.8 %
1	A little bit	65	4.8 %
2	Moderately	19	1.4 %
3	Quite a bit	12	0.9 %
4	Extremely	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,231 valid cases out of 1,354 total cases.

Location: 1949-1952 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5BSI05: S5 BSI: q5 remembering

Value	Label	Unweighted Frequency	%
0	Not at all	897	66.2 %
1	A little bit	191	14.1 %
2	Moderately	69	5.1 %
3	Quite a bit	52	3.8 %
4	Extremely	22	1.6 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,231 valid cases out of 1,354 total cases.

Location: 1953-1956 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5BSI06: S5 BSI: q6 irritated

Value	Label	Unweighted Frequency	%
0	Not at all	745	55.0 %
1	A little bit	249	18.4 %
2	Moderately	95	7.0 %
3	Quite a bit	100	7.4 %
4	Extremely	42	3.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,231 valid cases out of 1,354 total cases.

Location: 1957-1960 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5BSI07: S5 BSI: q7 pains

Value	Label	Unweighted Frequency	%
0	Not at all	1085	80.1 %
1	A little bit	84	6.2 %
2	Moderately	27	2.0 %
3	Quite a bit	25	1.8 %
4	Extremely	10	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,231 valid cases out of 1,354 total cases.

Location: 1961-1964 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5BSI08: S5 BSI: q8 afraid

Value	Label	Unweighted Frequency	%
0	Not at all	1140	84.2 %
1	A little bit	55	4.1 %
2	Moderately	27	2.0 %
3	Quite a bit	5	0.4 %
4	Extremely	3	0.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 1965-1968 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5BSI09: S5 BSI: q9 ending life

Value	Label	Unweighted Frequency	%
0	Not at all	1203	88.8 %
1	A little bit	19	1.4 %
2	Moderately	6	0.4 %
3	Quite a bit	2	0.1 %
4	Extremely	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,231 valid cases out of 1,354 total cases.

Location: 1969-1972 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5BSI10: S5 BSI: q10 trusted

Value	Label	Unweighted Frequency	%
0	Not at all	751	55.5 %
1	A little bit	227	16.8 %
2	Moderately	83	6.1 %
3	Quite a bit	97	7.2 %
4	Extremely	73	5.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,231 valid cases out of 1,354 total cases.

Location: 1973-1976 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5BSI11: S5 BSI: q11 poor appetite

Value	Label	Unweighted Frequency	%
0	Not at all	980	72.4 %
1	A little bit	129	9.5 %
2	Moderately	55	4.1 %
3	Quite a bit	41	3.0 %
4	Extremely	26	1.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,231 valid cases out of 1,354 total cases.

Location: 1977-1980 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5BSI12: S5 BSI: q12 scared

Value	Label	Unweighted Frequency	%
0	Not at all	1150	84.9 %
1	A little bit	49	3.6 %
2	Moderately	12	0.9 %
3	Quite a bit	11	0.8 %

Value	Label	Unweighted Frequency	%
4	Extremely	9	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,231 valid cases out of 1,354 total cases.

Location: 1981-1984 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5BSI13: S5 BSI: q13 outbursts

Value	Label	Unweighted Frequency	%
0	Not at all	1030	76.1 %
1	A little bit	103	7.6 %
2	Moderately	45	3.3 %
3	Quite a bit	34	2.5 %
4	Extremely	19	1.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,231 valid cases out of 1,354 total cases.

Location: 1985-1988 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5BSI14: S5 BSI: q14 lonely1

Value	Label	Unweighted Frequency	%
0	Not at all	964	71.2 %
1	A little bit	140	10.3 %
2	Moderately	41	3.0 %
3	Quite a bit	51	3.8 %
4	Extremely	35	2.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %

Value	Label	Unweighted Frequency	%
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,231 valid cases out of 1,354 total cases.

Location: 1989-1992 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5BSI15: S5 BSI: q15 blocked

Value	Label	Unweighted Frequency	%
0	Not at all	965	71.3 %
1	A little bit	139	10.3 %
2	Moderately	57	4.2 %
3	Quite a bit	49	3.6 %
4	Extremely	21	1.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,231 valid cases out of 1,354 total cases.

Location: 1993-1996 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5BSI16: S5 BSI: q16 lonely2

Value	Label	Unweighted Frequency	%
0	Not at all	936	69.1 %
1	A little bit	158	11.7 %
2	Moderately	40	3.0 %
3	Quite a bit	49	3.6 %
4	Extremely	47	3.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 1997-2000 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5BSI17: S5 BSI: q17 blue

Value	Label	Unweighted Frequency	%
0	Not at all	983	72.6 %
1	A little bit	131	9.7 %
2	Moderately	50	3.7 %
3	Quite a bit	35	2.6 %
4	Extremely	32	2.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,231 valid cases out of 1,354 total cases.

Location: 2001-2004 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5BSI18: S5 BSI: q18 interest

Value	Label	Unweighted Frequency	%
0	Not at all	918	67.8 %
1	A little bit	182	13.4 %
2	Moderately	56	4.1 %
3	Quite a bit	49	3.6 %
4	Extremely	26	1.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,231 valid cases out of 1,354 total cases.

Location: 2005-2008 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5BSI19: S5 BSI: q19 fearful

Value	Label	Unweighted Frequency	%
0	Not at all	1105	81.6 %
1	A little bit	70	5.2 %
2	Moderately	27	2.0 %
3	Quite a bit	16	1.2 %
4	Extremely	13	1.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,231 valid cases out of 1,354 total cases.

Location: 2009-2012 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5BSI20: S5 BSI: q20 feelings hurt

Value	Label	Unweighted Frequency	%
0	Not at all	1064	78.6 %
1	A little bit	94	6.9 %
2	Moderately	32	2.4 %
3	Quite a bit	21	1.6 %
4	Extremely	20	1.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,231 valid cases out of 1,354 total cases.

Location: 2013-2016 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5BSI21: S5 BSI: q21 disliked

Value	Label	Unweighted Frequency	%
0	Not at all	996	73.6 %
1	A little bit	144	10.6 %
2	Moderately	49	3.6 %
3	Quite a bit	29	2.1 %

Value	Label	Unweighted Frequency	%
4	Extremely	13	1.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,231 valid cases out of 1,354 total cases.

Location: 2017-2020 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5BSI22: S5 BSI: q22 inferior

Value	Label	Unweighted Frequency	%
0	Not at all	1118	82.6 %
1	A little bit	67	4.9 %
2	Moderately	26	1.9 %
3	Quite a bit	14	1.0 %
4	Extremely	5	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 2021-2024 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5BSI23: S5 BSI: q23 nausea

Value	Label	Unweighted Frequency	%
0	Not at all	1045	77.2 %
1	A little bit	119	8.8 %
2	Moderately	28	2.1 %
3	Quite a bit	25	1.8 %
4	Extremely	14	1.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %

Value	Label	Unweighted Frequency	%
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,231 valid cases out of 1,354 total cases.

Location: 2025-2028 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5BSI24: S5 BSI: q24 watched

Value	Label	Unweighted Frequency	%
0	Not at all	951	70.2 %
1	A little bit	151	11.2 %
2	Moderately	57	4.2 %
3	Quite a bit	44	3.2 %
4	Extremely	28	2.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,231 valid cases out of 1,354 total cases.

Location: 2029-2032 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5BSI25: S5 BSI: q25 asleep

Value	Label	Unweighted Frequency	%
0	Not at all	899	66.4 %
1	A little bit	166	12.3 %
2	Moderately	61	4.5 %
3	Quite a bit	63	4.7 %
4	Extremely	42	3.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,231 valid cases out of 1,354 total cases.

Location: 2033-2036 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5BSI26: S5 BSI: q26 double-check

Value	Label	Unweighted Frequency	%
0	Not at all	898	66.3 %
1	A little bit	185	13.7 %
2	Moderately	59	4.4 %
3	Quite a bit	60	4.4 %
4	Extremely	29	2.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,231 valid cases out of 1,354 total cases.

Location: 2037-2040 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5BSI27: S5 BSI: q27 decisions

Value	Label	Unweighted Frequency	%
0	Not at all	896	66.2 %
1	A little bit	189	14.0 %
2	Moderately	71	5.2 %
3	Quite a bit	53	3.9 %
4	Extremely	22	1.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,231 valid cases out of 1,354 total cases.

Location: 2041-2044 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5BSI28: S5 BSI: q28 travel

Value	Label	Unweighted Frequency	%
0	Not at all	1153	85.2 %
1	A little bit	46	3.4 %
2	Moderately	14	1.0 %
3	Quite a bit	12	0.9 %
4	Extremely	6	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,231 valid cases out of 1,354 total cases.

Location: 2045-2048 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5BSI29: S5 BSI: q29 breath

Value	Label	Unweighted Frequency	%
0	Not at all	1116	82.4 %
1	A little bit	74	5.5 %
2	Moderately	18	1.3 %
3	Quite a bit	20	1.5 %
4	Extremely	3	0.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,231 valid cases out of 1,354 total cases.

Location: 2049-2052 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5BSI30: S5 BSI: q30 spells

Value	Label	Unweighted Frequency	%
0	Not at all	1150	84.9 %
1	A little bit	42	3.1 %
2	Moderately	21	1.6 %
3	Quite a bit	12	0.9 %

Value	Label	Unweighted Frequency	%
4	Extremely	6	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,231 valid cases out of 1,354 total cases.

Location: 2053-2056 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5BSI31: S5 BSI: q31 frighten

Value	Label	Unweighted Frequency	%
0	Not at all	1169	86.3 %
1	A little bit	38	2.8 %
2	Moderately	13	1.0 %
3	Quite a bit	7	0.5 %
4	Extremely	5	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 2057-2060 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5BSI32: S5 BSI: q32 blank

Value	Label	Unweighted Frequency	%
0	Not at all	1046	77.3 %
1	A little bit	111	8.2 %
2	Moderately	29	2.1 %
3	Quite a bit	35	2.6 %
4	Extremely	11	0.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %

Value	Label	Unweighted Frequency	%
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 2061-2064 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5BSI33: S5 BSI: q33 tingling

Value	Label	Unweighted Frequency	%
0	Not at all	1126	83.2 %
1	A little bit	62	4.6 %
2	Moderately	18	1.3 %
3	Quite a bit	17	1.3 %
4	Extremely	9	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 2065-2068 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5BSI34: S5 BSI: q34 punished

Value	Label	Unweighted Frequency	%
0	Not at all	1045	77.2 %
1	A little bit	104	7.7 %
2	Moderately	31	2.3 %
3	Quite a bit	32	2.4 %
4	Extremely	19	1.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,231 valid cases out of 1,354 total cases.

Location: 2069-2072 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5BSI35: S5 BSI: q35 hopeless

Value	Label	Unweighted Frequency	%
0	Not at all	1058	78.1 %
1	A little bit	105	7.8 %
2	Moderately	38	2.8 %
3	Quite a bit	18	1.3 %
4	Extremely	13	1.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 2073-2076 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5BSI36: S5 BSI: q36 concentrating

Value	Label	Unweighted Frequency	%
0	Not at all	918	67.8 %
1	A little bit	188	13.9 %
2	Moderately	60	4.4 %
3	Quite a bit	44	3.2 %
4	Extremely	22	1.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 2077-2080 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5BSI37: S5 BSI: q37 weak

Value	Label	Unweighted Frequency	%
0	Not at all	1060	78.3 %
1	A little bit	102	7.5 %
2	Moderately	34	2.5 %
3	Quite a bit	22	1.6 %
4	Extremely	14	1.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 2081-2084 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5BSI38: S5 BSI: q38 tense

Value	Label	Unweighted Frequency	%
0	Not at all	997	73.6 %
1	A little bit	126	9.3 %
2	Moderately	47	3.5 %
3	Quite a bit	49	3.6 %
4	Extremely	13	1.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 2085-2088 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5BSI39: S5 BSI: q39 dying

Value	Label	Unweighted Frequency	%
0	Not at all	1134	83.8 %
1	A little bit	54	4.0 %
2	Moderately	24	1.8 %
3	Quite a bit	14	1.0 %

Value	Label	Unweighted Frequency	%
4	Extremely	6	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 2089-2092 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5BSI40: S5 BSI: q40 beat

Value	Label	Unweighted Frequency	%
0	Not at all	1076	79.5 %
1	A little bit	83	6.1 %
2	Moderately	37	2.7 %
3	Quite a bit	18	1.3 %
4	Extremely	18	1.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 2093-2096 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5BSI41: S5 BSI: q41 smash

Value	Label	Unweighted Frequency	%
0	Not at all	1113	82.2 %
1	A little bit	65	4.8 %
2	Moderately	23	1.7 %
3	Quite a bit	20	1.5 %
4	Extremely	11	0.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %

Value	Label	Unweighted Frequency	%
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 2097-2100 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5BSI42: S5 BSI: q42 self-conscious

Value	Label	Unweighted Frequency	%
0	Not at all	1075	79.4 %
1	A little bit	84	6.2 %
2	Moderately	36	2.7 %
3	Quite a bit	28	2.1 %
4	Extremely	9	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 2101-2104 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5BSI43: S5 BSI: q43 uneasy

Value	Label	Unweighted Frequency	%
0	Not at all	1090	80.5 %
1	A little bit	77	5.7 %
2	Moderately	25	1.8 %
3	Quite a bit	21	1.6 %
4	Extremely	19	1.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 2105-2108 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5BSI44: S5 BSI: q44 close

Value	Label	Unweighted Frequency	%
0	Not at all	1030	76.1 %
1	A little bit	117	8.6 %
2	Moderately	30	2.2 %
3	Quite a bit	37	2.7 %
4	Extremely	18	1.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 2109-2112 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5BSI45: S5 BSI: q45 terror

Value	Label	Unweighted Frequency	%
0	Not at all	1181	87.2 %
1	A little bit	31	2.3 %
2	Moderately	8	0.6 %
3	Quite a bit	8	0.6 %
4	Extremely	4	0.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 2113-2116 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5BSI46: S5 BSI: q46 arguments

Value	Label	Unweighted Frequency	%
0	Not at all	956	70.6 %
1	A little bit	173	12.8 %
2	Moderately	51	3.8 %
3	Quite a bit	40	3.0 %
4	Extremely	12	0.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 2117-2120 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5BSI47: S5 BSI: q47 nervous2

Value	Label	Unweighted Frequency	%
0	Not at all	1133	83.7 %
1	A little bit	65	4.8 %
2	Moderately	13	1.0 %
3	Quite a bit	17	1.3 %
4	Extremely	4	0.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 2121-2124 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5BSI48: S5 BSI: q48 credit

Value	Label	Unweighted Frequency	%
0	Not at all	1015	75.0 %
1	A little bit	131	9.7 %
2	Moderately	39	2.9 %
3	Quite a bit	37	2.7 %

Value	Label	Unweighted Frequency	%
4	Extremely	10	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 2125-2128 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5BSI49: S5 BSI: q49 restless

Value	Label	Unweighted Frequency	%
0	Not at all	996	73.6 %
1	A little bit	140	10.3 %
2	Moderately	37	2.7 %
3	Quite a bit	41	3.0 %
4	Extremely	18	1.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 2129-2132 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5BSI50: S5 BSI: q50 worthlessness

Value	Label	Unweighted Frequency	%
0	Not at all	1123	82.9 %
1	A little bit	64	4.7 %
2	Moderately	22	1.6 %
3	Quite a bit	17	1.3 %
4	Extremely	6	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %

Value	Label	Unweighted Frequency	%
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 2133-2136 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5BSI51: S5 BSI: q51 advantage

Value	Label	Unweighted Frequency	%
0	Not at all	886	65.4 %
1	A little bit	156	11.5 %
2	Moderately	56	4.1 %
3	Quite a bit	70	5.2 %
4	Extremely	64	4.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 2137-2140 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5BSI52: S5 BSI: q52 guilt

Value	Label	Unweighted Frequency	%
0	Not at all	1064	78.6 %
1	A little bit	92	6.8 %
2	Moderately	39	2.9 %
3	Quite a bit	20	1.5 %
4	Extremely	17	1.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 2141-2144 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5BSI53: S5 BSI: q53 wrong

Value	Label	Unweighted Frequency	%
0	Not at all	1110	82.0 %
1	A little bit	65	4.8 %
2	Moderately	22	1.6 %
3	Quite a bit	15	1.1 %
4	Extremely	20	1.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 2145-2148 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S5BSIXX: s5 BSI: Indicator of valid administration per BSI codebook

Value	Label	Unweighted Frequency	%
0	Valid administration	856	63.2 %
1	Invalid test administration	376	27.8 %
2	All missing answers	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 2149-2149 (width: 1; decimal: 0)
Variable Type: numeric

S5BSISOM: S5 BSI: Somatization

Based upon 856 valid cases out of 1,354 total cases.

- Mean: 0.2595126836
- Median: 0.0000000000
- Mode: 0.0000000000
- Minimum: 0.0000000000
- Maximum: 3.7142857143
- Standard Deviation: 0.4893959547

Location: 2150-2164 (width: 15; decimal: 10)
Variable Type: numeric

(Range of) Missing Values: -700.0000000000 , -202.0000000000 , -201.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

S5BSIOC: S5 BSI: Obsessive-Compulsive

Based upon 856 valid cases out of 1,354 total cases.

- Mean: 0.5981308411
- Median: 0.3333333333
- Mode: 0.0000000000
- Minimum: 0.0000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.7229472819

Location: 2165-2179 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -202.0000000000 , -201.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

S5BSIIS: S5 BSI: Interpersonal Sensitivity

Based upon 856 valid cases out of 1,354 total cases.

- Mean: 0.3316783489
- Median: 0.0000000000
- Mode: 0.0000000000
- Minimum: 0.0000000000
- Maximum: 3.7500000000
- Standard Deviation: 0.5884326158

Location: 2180-2194 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -202.0000000000 , -201.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

S5BSIDEP: S5 BSI: Depression

Based upon 856 valid cases out of 1,354 total cases.

- Mean: 0.4059579439
- Median: 0.1666666667
- Mode: 0.0000000000
- Minimum: 0.0000000000
- Maximum: 3.6666666667
- Standard Deviation: 0.6252346180

Location: 2195-2209 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -202.0000000000 , -201.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

S5BSIANX: S5 BSI: Anxiety

Based upon 856 valid cases out of 1,354 total cases.

- Mean: 0.3263239875
- Median: 0.1666666667

- Mode: 0.0000000000
- Minimum: 0.0000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.5220444509

Location: 2210-2224 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -202.0000000000 , -201.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

S5BSIHOS: S5 BSI: Hostility

Based upon 856 valid cases out of 1,354 total cases.

- Mean: 0.52
- Median: 0.20
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.80
- Standard Deviation: 0.66

Location: 2225-2230 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -700.0 , -202.0 , -201.0 , -98.0 , -97.0 , -9.0 , -8.0

S5BSIPHB: S5 BSI: Phobic Anxiety

Based upon 856 valid cases out of 1,354 total cases.

- Mean: 0.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.80
- Standard Deviation: 0.39

Location: 2231-2236 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -700.0 , -202.0 , -201.0 , -98.0 , -97.0 , -9.0 , -8.0

S5BSIPAR: S5 BSI: Paranoid Ideation

Based upon 856 valid cases out of 1,354 total cases.

- Mean: 0.63
- Median: 0.40
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.69

Location: 2237-2242 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -700.0 , -202.0 , -201.0 , -98.0 , -97.0 , -9.0 , -8.0

S5BSIPSY: S5 BSI: Psychoticism

Based upon 856 valid cases out of 1,354 total cases.

- Mean: 0.36
- Median: 0.20
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.20
- Standard Deviation: 0.55

Location: 2243-2249 (width: 7; decimal: 2)
Variable Type: numeric
(Range of) Missing Values: -700.00 , -202.00 , -201.00 , -98.00 , -97.00 , -9.00 , -8.00

S5BSIGSI: S5 BSI: Global Severity Index

Based upon 856 valid cases out of 1,354 total cases.

- Mean: 0.4042000970
- Median: 0.2264150943
- Mode: 0.0754716981
- Minimum: 0.0188679245
- Maximum: 3.3396226415
- Standard Deviation: 0.4636868315

Location: 2250-2264 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -202.0000000000 , -201.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

S5BSIPST: S5 BSI: Positive Symptom Total

Based upon 856 valid cases out of 1,354 total cases.

- Mean: 11.97
- Median: 8.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 51.00
- Standard Deviation: 10.97

Location: 2265-2268 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S5BSIPSD: S5 BSI: Positive Symptom Distress Index

Based upon 856 valid cases out of 1,354 total cases.

- Mean: 1.6782169594
- Median: 1.4721362229
- Mode: 1.0000000000
- Minimum: 1.0000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.7252722247

Location: 2269-2283 (width: 15; decimal: 10)
Variable Type: numeric

(Range of) Missing Values: -700.0000000000 , -202.0000000000 , -201.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

S5SOM_T: S5 BSI: Somatization Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	827	61.1 %
1	clinical range	29	2.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-97	Invalid Test	376	27.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 856 valid cases out of 1,354 total cases.

Location: 2284-2287 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S5OC_T: S5 BSI: Obsessive-Compulsive Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	794	58.6 %
1	clinical range	62	4.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-97	Invalid Test	376	27.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 856 valid cases out of 1,354 total cases.

Location: 2288-2291 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S5IS_T: S5 BSI: Interpersonal Sensitivity Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	836	61.7 %
1	clinical range	20	1.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	120	8.9 %
-97	Invalid Test	376	27.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 856 valid cases out of 1,354 total cases.

Location: 2292-2295 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S5DEP_T: S5 BSI: Depression Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	820	60.6 %
1	clinical range	36	2.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-97	Invalid Test	376	27.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 856 valid cases out of 1,354 total cases.

Location: 2296-2299 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S5ANX_T: S5 BSI: Anxiety Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	831	61.4 %
1	clinical range	25	1.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-97	Invalid Test	376	27.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 856 valid cases out of 1,354 total cases.

Location: 2300-2303 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S5HOS_T: S5 BSI: Hostility Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	829	61.2 %
1	clinical range	27	2.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-97	Invalid Test	376	27.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 856 valid cases out of 1,354 total cases.

Location: 2304-2307 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S5PHB_T: S5 BSI: Phobic Anxiety Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	838	61.9 %
1	clinical range	18	1.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-97	Invalid Test	376	27.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 856 valid cases out of 1,354 total cases.

Location: 2308-2311 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S5PAR_T: S5 BSI: Paranoid Ideation Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	828	61.2 %
1	clinical range	28	2.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-97	Invalid Test	376	27.8 %

Value	Label	Unweighted Frequency	%
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 856 valid cases out of 1,354 total cases.

Location: 2312-2315 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S5PSY_T: S5 BSI: Psychoticism Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	823	60.8 %
1	clinical range	33	2.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-97	Invalid Test	376	27.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 856 valid cases out of 1,354 total cases.

Location: 2316-2319 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S5GSI_T: S5 BSI: GSI Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	830	61.3 %
1	clinical range	26	1.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-97	Invalid Test	376	27.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 856 valid cases out of 1,354 total cases.

Location: 2320-2323 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S5BSIDX1: S5 BSI: Subscale Diagnosis Significant

Value	Label	Unweighted Frequency	%
0	-	741	54.7 %
1	-	59	4.4 %
2	-	21	1.6 %
3	-	13	1.0 %
4	-	1	0.1 %
5	-	6	0.4 %
6	-	8	0.6 %
7	-	2	0.1 %
8	-	3	0.2 %
9	-	2	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-97	Invalid Test	376	27.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 856 valid cases out of 1,354 total cases.

Location: 2324-2327 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S5BSIDX: S5 BSI: Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	800	59.1 %
1	clinical range	56	4.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-97	Invalid Test	376	27.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 856 valid cases out of 1,354 total cases.

Location: 2328-2331 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S6BSI01: S6 BSI: q1 nervousness

Value	Label	Unweighted Frequency	%
0	Not at all	1001	73.9 %
1	A little bit	138	10.2 %
2	Moderately	41	3.0 %
3	Quite a bit	39	2.9 %
4	Extremely	11	0.8 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 2332-2335 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6BSI02: S6 BSI: q2 faintness

Value	Label	Unweighted Frequency	%
0	Not at all	1097	81.0 %
1	A little bit	90	6.6 %
2	Moderately	26	1.9 %
3	Quite a bit	14	1.0 %
4	Extremely	3	0.2 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 2336-2339 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6BSI03: S6 BSI: q3 control thoughts

Value	Label	Unweighted Frequency	%
0	Not at all	1187	87.7 %
1	A little bit	23	1.7 %
2	Moderately	9	0.7 %
3	Quite a bit	5	0.4 %

Value	Label	Unweighted Frequency	%
4	Extremely	6	0.4 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 2340-2343 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6BSI04: S6 BSI: q4 blame

Value	Label	Unweighted Frequency	%
0	Not at all	1141	84.3 %
1	A little bit	59	4.4 %
2	Moderately	11	0.8 %
3	Quite a bit	14	1.0 %
4	Extremely	5	0.4 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 2344-2347 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6BSI05: S6 BSI: q5 remembering

Value	Label	Unweighted Frequency	%
0	Not at all	905	66.8 %
1	A little bit	190	14.0 %
2	Moderately	59	4.4 %
3	Quite a bit	56	4.1 %
4	Extremely	20	1.5 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 2348-2351 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6BSI06: S6 BSI: q6 irritated

Value	Label	Unweighted Frequency	%
0	Not at all	756	55.8 %
1	A little bit	220	16.2 %
2	Moderately	103	7.6 %
3	Quite a bit	99	7.3 %
4	Extremely	52	3.8 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 2352-2355 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6BSI07: S6 BSI: q7 pains

Value	Label	Unweighted Frequency	%
0	Not at all	1079	79.7 %
1	A little bit	80	5.9 %
2	Moderately	32	2.4 %
3	Quite a bit	33	2.4 %
4	Extremely	6	0.4 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 2356-2359 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6BSI08: S6 BSI: q8 afraid

Value	Label	Unweighted Frequency	%
0	Not at all	1151	85.0 %
1	A little bit	39	2.9 %
2	Moderately	23	1.7 %
3	Quite a bit	13	1.0 %
4	Extremely	4	0.3 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 2360-2363 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6BSI09: S6 BSI: q9 ending life

Value	Label	Unweighted Frequency	%
0	Not at all	1201	88.7 %
1	A little bit	16	1.2 %
2	Moderately	6	0.4 %
3	Quite a bit	5	0.4 %
4	Extremely	2	0.1 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 2364-2367 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6BSI10: S6 BSI: q10 trusted

Value	Label	Unweighted Frequency	%
0	Not at all	766	56.6 %
1	A little bit	203	15.0 %
2	Moderately	65	4.8 %
3	Quite a bit	107	7.9 %
4	Extremely	89	6.6 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 2368-2371 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6BSI11: S6 BSI: q11 poor appetite

Value	Label	Unweighted Frequency	%
0	Not at all	972	71.8 %
1	A little bit	137	10.1 %
2	Moderately	57	4.2 %
3	Quite a bit	44	3.2 %
4	Extremely	20	1.5 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 2372-2375 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6BSI12: S6 BSI: q12 scared

Value	Label	Unweighted Frequency	%
0	Not at all	1145	84.6 %
1	A little bit	50	3.7 %
2	Moderately	9	0.7 %
3	Quite a bit	17	1.3 %

Value	Label	Unweighted Frequency	%
4	Extremely	9	0.7 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 2376-2379 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6BSI13: S6 BSI: q13 outbursts

Value	Label	Unweighted Frequency	%
0	Not at all	1040	76.8 %
1	A little bit	89	6.6 %
2	Moderately	42	3.1 %
3	Quite a bit	35	2.6 %
4	Extremely	24	1.8 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 2380-2383 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6BSI14: S6 BSI: q14 lonely1

Value	Label	Unweighted Frequency	%
0	Not at all	975	72.0 %
1	A little bit	131	9.7 %
2	Moderately	37	2.7 %
3	Quite a bit	60	4.4 %
4	Extremely	27	2.0 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 2384-2387 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6BSI15: S6 BSI: q15 blocked

Value	Label	Unweighted Frequency	%
0	Not at all	988	73.0 %
1	A little bit	128	9.5 %
2	Moderately	48	3.5 %
3	Quite a bit	41	3.0 %
4	Extremely	25	1.8 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 2388-2391 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6BSI16: S6 BSI: q16 lonely2

Value	Label	Unweighted Frequency	%
0	Not at all	933	68.9 %
1	A little bit	153	11.3 %
2	Moderately	47	3.5 %
3	Quite a bit	61	4.5 %
4	Extremely	36	2.7 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 2392-2395 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6BSI17: S6 BSI: q17 blue

Value	Label	Unweighted Frequency	%
0	Not at all	973	71.9 %
1	A little bit	137	10.1 %
2	Moderately	54	4.0 %
3	Quite a bit	36	2.7 %
4	Extremely	30	2.2 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 2396-2399 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6BSI18: S6 BSI: q18 interest

Value	Label	Unweighted Frequency	%
0	Not at all	932	68.8 %
1	A little bit	164	12.1 %
2	Moderately	52	3.8 %
3	Quite a bit	61	4.5 %
4	Extremely	21	1.6 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 2400-2403 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6BSI19: S6 BSI: q19 fearful

Value	Label	Unweighted Frequency	%
0	Not at all	1122	82.9 %
1	A little bit	70	5.2 %
2	Moderately	17	1.3 %
3	Quite a bit	15	1.1 %
4	Extremely	6	0.4 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 2404-2407 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6BSI20: S6 BSI: q20 feelings hurt

Value	Label	Unweighted Frequency	%
0	Not at all	1069	79.0 %
1	A little bit	102	7.5 %
2	Moderately	26	1.9 %
3	Quite a bit	22	1.6 %
4	Extremely	11	0.8 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 2408-2411 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6BSI21: S6 BSI: q21 disliked

Value	Label	Unweighted Frequency	%
0	Not at all	1023	75.6 %
1	A little bit	114	8.4 %
2	Moderately	47	3.5 %
3	Quite a bit	31	2.3 %

Value	Label	Unweighted Frequency	%
4	Extremely	15	1.1 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 2412-2415 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6BSI22: S6 BSI: q22 inferior

Value	Label	Unweighted Frequency	%
0	Not at all	1137	84.0 %
1	A little bit	50	3.7 %
2	Moderately	25	1.8 %
3	Quite a bit	14	1.0 %
4	Extremely	4	0.3 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 2416-2419 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6BSI23: S6 BSI: q23 nausea

Value	Label	Unweighted Frequency	%
0	Not at all	1046	77.3 %
1	A little bit	110	8.1 %
2	Moderately	33	2.4 %
3	Quite a bit	27	2.0 %
4	Extremely	14	1.0 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 2420-2423 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6BSI24: S6 BSI: q24 watched

Value	Label	Unweighted Frequency	%
0	Not at all	975	72.0 %
1	A little bit	148	10.9 %
2	Moderately	36	2.7 %
3	Quite a bit	43	3.2 %
4	Extremely	28	2.1 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 2424-2427 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6BSI25: S6 BSI: q25 asleep

Value	Label	Unweighted Frequency	%
0	Not at all	917	67.7 %
1	A little bit	161	11.9 %
2	Moderately	52	3.8 %
3	Quite a bit	59	4.4 %
4	Extremely	41	3.0 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 2428-2431 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6BSI26: S6 BSI: q26 double-check

Value	Label	Unweighted Frequency	%
0	Not at all	884	65.3 %
1	A little bit	204	15.1 %
2	Moderately	63	4.7 %
3	Quite a bit	49	3.6 %
4	Extremely	30	2.2 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 2432-2435 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6BSI27: S6 BSI: q27 decisions

Value	Label	Unweighted Frequency	%
0	Not at all	916	67.7 %
1	A little bit	205	15.1 %
2	Moderately	55	4.1 %
3	Quite a bit	37	2.7 %
4	Extremely	17	1.3 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 2436-2439 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6BSI28: S6 BSI: q28 travel

Value	Label	Unweighted Frequency	%
0	Not at all	1175	86.8 %
1	A little bit	35	2.6 %
2	Moderately	8	0.6 %
3	Quite a bit	6	0.4 %
4	Extremely	6	0.4 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 2440-2443 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6BSI29: S6 BSI: q29 breath

Value	Label	Unweighted Frequency	%
0	Not at all	1135	83.8 %
1	A little bit	59	4.4 %
2	Moderately	15	1.1 %
3	Quite a bit	14	1.0 %
4	Extremely	7	0.5 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 2444-2447 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6BSI30: S6 BSI: q30 spells

Value	Label	Unweighted Frequency	%
0	Not at all	1161	85.7 %
1	A little bit	41	3.0 %
2	Moderately	11	0.8 %
3	Quite a bit	10	0.7 %

Value	Label	Unweighted Frequency	%
4	Extremely	7	0.5 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 2448-2451 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6BSI31: S6 BSI: q31 frighten

Value	Label	Unweighted Frequency	%
0	Not at all	1184	87.4 %
1	A little bit	24	1.8 %
2	Moderately	9	0.7 %
3	Quite a bit	6	0.4 %
4	Extremely	7	0.5 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 2452-2455 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6BSI32: S6 BSI: q32 blank

Value	Label	Unweighted Frequency	%
0	Not at all	1065	78.7 %
1	A little bit	100	7.4 %
2	Moderately	30	2.2 %
3	Quite a bit	30	2.2 %
4	Extremely	5	0.4 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 2456-2459 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6BSI33: S6 BSI: q33 tingling

Value	Label	Unweighted Frequency	%
0	Not at all	1142	84.3 %
1	A little bit	54	4.0 %
2	Moderately	16	1.2 %
3	Quite a bit	14	1.0 %
4	Extremely	4	0.3 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 2460-2463 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6BSI34: S6 BSI: q34 punished

Value	Label	Unweighted Frequency	%
0	Not at all	1050	77.5 %
1	A little bit	99	7.3 %
2	Moderately	37	2.7 %
3	Quite a bit	27	2.0 %
4	Extremely	17	1.3 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 2464-2467 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6BSI35: S6 BSI: q35 hopeless

Value	Label	Unweighted Frequency	%
0	Not at all	1071	79.1 %
1	A little bit	89	6.6 %
2	Moderately	31	2.3 %
3	Quite a bit	20	1.5 %
4	Extremely	19	1.4 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 2468-2471 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6BSI36: S6 BSI: q36 concentrating

Value	Label	Unweighted Frequency	%
0	Not at all	918	67.8 %
1	A little bit	188	13.9 %
2	Moderately	57	4.2 %
3	Quite a bit	48	3.5 %
4	Extremely	19	1.4 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 2472-2475 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6BSI37: S6 BSI: q37 weak

Value	Label	Unweighted Frequency	%
0	Not at all	1061	78.4 %
1	A little bit	107	7.9 %
2	Moderately	28	2.1 %
3	Quite a bit	28	2.1 %
4	Extremely	6	0.4 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 2476-2479 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6BSI38: S6 BSI: q38 tense

Value	Label	Unweighted Frequency	%
0	Not at all	1003	74.1 %
1	A little bit	122	9.0 %
2	Moderately	44	3.2 %
3	Quite a bit	45	3.3 %
4	Extremely	16	1.2 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 2480-2483 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6BSI39: S6 BSI: q39 dying

Value	Label	Unweighted Frequency	%
0	Not at all	1149	84.9 %
1	A little bit	36	2.7 %
2	Moderately	24	1.8 %
3	Quite a bit	10	0.7 %

Value	Label	Unweighted Frequency	%
4	Extremely	11	0.8 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 2484-2487 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6BSI40: S6 BSI: q40 beat

Value	Label	Unweighted Frequency	%
0	Not at all	1073	79.2 %
1	A little bit	79	5.8 %
2	Moderately	31	2.3 %
3	Quite a bit	31	2.3 %
4	Extremely	16	1.2 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 2488-2491 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6BSI41: S6 BSI: q41 smash

Value	Label	Unweighted Frequency	%
0	Not at all	1103	81.5 %
1	A little bit	66	4.9 %
2	Moderately	23	1.7 %
3	Quite a bit	23	1.7 %
4	Extremely	15	1.1 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 2492-2495 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6BSI42: S6 BSI: q42 self-conscious

Value	Label	Unweighted Frequency	%
0	Not at all	1080	79.8 %
1	A little bit	83	6.1 %
2	Moderately	22	1.6 %
3	Quite a bit	26	1.9 %
4	Extremely	19	1.4 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 2496-2499 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6BSI43: S6 BSI: q43 uneasy

Value	Label	Unweighted Frequency	%
0	Not at all	1112	82.1 %
1	A little bit	60	4.4 %
2	Moderately	18	1.3 %
3	Quite a bit	25	1.8 %
4	Extremely	15	1.1 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 2500-2503 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6BSI44: S6 BSI: q44 close

Value	Label	Unweighted Frequency	%
0	Not at all	1066	78.7 %
1	A little bit	92	6.8 %
2	Moderately	21	1.6 %
3	Quite a bit	32	2.4 %
4	Extremely	18	1.3 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 2504-2507 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6BSI45: S6 BSI: q45 terror

Value	Label	Unweighted Frequency	%
0	Not at all	1186	87.6 %
1	A little bit	22	1.6 %
2	Moderately	13	1.0 %
3	Quite a bit	7	0.5 %
4	Extremely	2	0.1 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 2508-2511 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6BSI46: S6 BSI: q46 arguments

Value	Label	Unweighted Frequency	%
0	Not at all	974	71.9 %
1	A little bit	162	12.0 %
2	Moderately	40	3.0 %
3	Quite a bit	32	2.4 %
4	Extremely	22	1.6 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 2512-2515 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6BSI47: S6 BSI: q47 nervous2

Value	Label	Unweighted Frequency	%
0	Not at all	1125	83.1 %
1	A little bit	61	4.5 %
2	Moderately	18	1.3 %
3	Quite a bit	15	1.1 %
4	Extremely	11	0.8 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 2516-2519 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6BSI48: S6 BSI: q48 credit

Value	Label	Unweighted Frequency	%
0	Not at all	1021	75.4 %
1	A little bit	119	8.8 %
2	Moderately	29	2.1 %
3	Quite a bit	46	3.4 %

Value	Label	Unweighted Frequency	%
4	Extremely	15	1.1 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 2520-2523 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6BSI49: S6 BSI: q49 restless

Value	Label	Unweighted Frequency	%
0	Not at all	978	72.2 %
1	A little bit	143	10.6 %
2	Moderately	54	4.0 %
3	Quite a bit	33	2.4 %
4	Extremely	22	1.6 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 2524-2527 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6BSI50: S6 BSI: q50 worthlessness

Value	Label	Unweighted Frequency	%
0	Not at all	1137	84.0 %
1	A little bit	56	4.1 %
2	Moderately	17	1.3 %
3	Quite a bit	12	0.9 %
4	Extremely	8	0.6 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 2528-2531 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6BSI51: S6 BSI: q51 advantage

Value	Label	Unweighted Frequency	%
0	Not at all	860	63.5 %
1	A little bit	171	12.6 %
2	Moderately	50	3.7 %
3	Quite a bit	78	5.8 %
4	Extremely	71	5.2 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 2532-2535 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6BSI52: S6 BSI: q52 guilt

Value	Label	Unweighted Frequency	%
0	Not at all	1071	79.1 %
1	A little bit	91	6.7 %
2	Moderately	27	2.0 %
3	Quite a bit	31	2.3 %
4	Extremely	10	0.7 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 2536-2539 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6BSI53: S6 BSI: q53 wrong

Value	Label	Unweighted Frequency	%
0	Not at all	1102	81.4 %
1	A little bit	72	5.3 %
2	Moderately	20	1.5 %
3	Quite a bit	19	1.4 %
4	Extremely	17	1.3 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 2540-2543 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S6BSIXX: s6 BSI: Indicator of valid administration per BSI codebook

Value	Label	Unweighted Frequency	%
0	Valid administration	856	63.2 %
1	Invalid test administration	374	27.6 %
2	All missing answers	124	9.2 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 2544-2544 (width: 1; decimal: 0)
Variable Type: numeric

S6BSISOM: S6 BSI: Somatization

Based upon 856 valid cases out of 1,354 total cases.

- Mean: 0.2454939920
- Median: 0.0000000000
- Mode: 0.0000000000
- Minimum: 0.0000000000
- Maximum: 3.2857142857
- Standard Deviation: 0.4526288297

Location: 2545-2559 (width: 15; decimal: 10)
Variable Type: numeric

(Range of) Missing Values: -700.0000000000 , -202.0000000000 , -201.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

S6BSIOC: S6 BSI: Obsessive-Compulsive

Based upon 856 valid cases out of 1,354 total cases.

- Mean: 0.5619158879
- Median: 0.3333333333
- Mode: 0.0000000000
- Minimum: 0.0000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.6962692862

Location: 2560-2574 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -202.0000000000 , -201.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

S6BSIIS: S6 BSI: Interpersonal Sensitivity

Based upon 856 valid cases out of 1,354 total cases.

- Mean: 0.31
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.57

Location: 2575-2581 (width: 7; decimal: 2)
Variable Type: numeric
(Range of) Missing Values: -700.00 , -202.00 , -201.00 , -98.00 , -97.00 , -9.00 , -8.00

S6BSIDEP: S6 BSI: Depression

Based upon 856 valid cases out of 1,354 total cases.

- Mean: 0.4045950156
- Median: 0.1666666667
- Mode: 0.0000000000
- Minimum: 0.0000000000
- Maximum: 3.6666666667
- Standard Deviation: 0.6227104743

Location: 2582-2596 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -202.0000000000 , -201.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

S6BSIANX: S6 BSI: Anxiety

Based upon 856 valid cases out of 1,354 total cases.

- Mean: 0.3179517134
- Median: 0.1666666667
- Mode: 0.0000000000

- Minimum: 0.0000000000
- Maximum: 3.0000000000
- Standard Deviation: 0.5106948824

Location: 2597-2611 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -202.0000000000 , -201.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

S6BSIHOS: S6 BSI: Hostility

Based upon 856 valid cases out of 1,354 total cases.

- Mean: 0.53
- Median: 0.20
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.71

Location: 2612-2617 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -700.0 , -202.0 , -201.0 , -98.0 , -97.0 , -9.0 , -8.0

S6BSIPHB: S6 BSI: Phobic Anxiety

Based upon 856 valid cases out of 1,354 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.40
- Standard Deviation: 0.42

Location: 2618-2623 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -700.0 , -202.0 , -201.0 , -98.0 , -97.0 , -9.0 , -8.0

S6BSIPAR: S6 BSI: Paranoid Ideation

Based upon 856 valid cases out of 1,354 total cases.

- Mean: 0.65
- Median: 0.40
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.80
- Standard Deviation: 0.74

Location: 2624-2629 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -700.0 , -202.0 , -201.0 , -98.0 , -97.0 , -9.0 , -8.0

S6BSIPSY: S6 BSI: Psychoticism

Based upon 856 valid cases out of 1,354 total cases.

- Mean: 0.34
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.60
- Standard Deviation: 0.55

Location: 2630-2635 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -700.0 , -202.0 , -201.0 , -98.0 , -97.0 , -9.0 , -8.0

S6BSIGSI: S6 BSI: Global Severity Index

Based upon 856 valid cases out of 1,354 total cases.

- Mean: 0.3936135941
- Median: 0.2264150943
- Mode: 0.0188679245
- Minimum: 0.0188679245
- Maximum: 3.0566037736
- Standard Deviation: 0.4691758970

Location: 2636-2650 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -202.0000000000 , -201.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

S6BSIPST: S6 BSI: Positive Symptom Total

Based upon 856 valid cases out of 1,354 total cases.

- Mean: 11.51
- Median: 8.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 53.00
- Standard Deviation: 10.59

Location: 2651-2654 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S6BSIPSD: S6 BSI: Positive Symptom Distress Index

Based upon 856 valid cases out of 1,354 total cases.

- Mean: 1.6777884920
- Median: 1.4919354838
- Mode: 1.0000000000
- Minimum: 1.0000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.7295598729

Location: 2655-2669 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -202.0000000000 , -201.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

S6SOM_T: S6 BSI: Somatization Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	835	61.7 %
1	clinical range	21	1.6 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-97	Invalid Test	374	27.6 %
	Total	**1,354**	**100%**

Based upon 856 valid cases out of 1,354 total cases.

Location: 2670-2673 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S6OC_T: S6 BSI: Obsessive-Compulsive Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	806	59.5 %
1	clinical range	50	3.7 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-97	Invalid Test	374	27.6 %
	Total	**1,354**	**100%**

Based upon 856 valid cases out of 1,354 total cases.

Location: 2674-2677 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S6IS_T: S6 BSI: Interpersonal Sensitivity Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	835	61.7 %
1	clinical range	21	1.6 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %

Value	Label	Unweighted Frequency	%
-97	Invalid Test	374	27.6 %
	Total	**1,354**	**100%**

Based upon 856 valid cases out of 1,354 total cases.

Location: 2678-2681 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S6DEP_T: S6 BSI: Depression Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	817	60.3 %
1	clinical range	39	2.9 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-97	Invalid Test	374	27.6 %
	Total	**1,354**	**100%**

Based upon 856 valid cases out of 1,354 total cases.

Location: 2682-2685 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S6ANX_T: S6 BSI: Anxiety Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	829	61.2 %
1	clinical range	27	2.0 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-97	Invalid Test	374	27.6 %
	Total	**1,354**	**100%**

Based upon 856 valid cases out of 1,354 total cases.

Location: 2686-2689 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S6HOS_T: S6 BSI: Hostility Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	817	60.3 %
1	clinical range	39	2.9 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-97	Invalid Test	374	27.6 %
	Total	**1,354**	**100%**

Based upon 856 valid cases out of 1,354 total cases.

Location: 2690-2693 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S6PHB_T: S6 BSI: Phobic Anxiety Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	836	61.7 %
1	clinical range	20	1.5 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-97	Invalid Test	374	27.6 %
	Total	**1,354**	**100%**

Based upon 856 valid cases out of 1,354 total cases.

Location: 2694-2697 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S6PAR_T: S6 BSI: Paranoid Ideation Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	813	60.0 %
1	clinical range	43	3.2 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-97	Invalid Test	374	27.6 %
	Total	**1,354**	**100%**

Based upon 856 valid cases out of 1,354 total cases.

Location: 2698-2701 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S6PSY_T: S6 BSI: Psychoticism Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	828	61.2 %
1	clinical range	28	2.1 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-97	Invalid Test	374	27.6 %
	Total	**1,354**	**100%**

Based upon 856 valid cases out of 1,354 total cases.

Location: 2702-2705 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S6GSI_T: S6 BSI: GSI Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	828	61.2 %
1	clinical range	28	2.1 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-97	Invalid Test	374	27.6 %
	Total	**1,354**	**100%**

Based upon 856 valid cases out of 1,354 total cases.

Location: 2706-2709 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S6BSIDX1: S6 BSI: Subscale Diagnosis Significant

Value	Label	Unweighted Frequency	%
0	-	743	54.9 %
1	-	57	4.2 %

Value	Label	Unweighted Frequency	%
2	-	17	1.3 %
3	-	12	0.9 %
4	-	8	0.6 %
5	-	5	0.4 %
6	-	3	0.2 %
7	-	4	0.3 %
8	-	5	0.4 %
9	-	2	0.1 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-97	Invalid Test	374	27.6 %
	Total	**1,354**	**100%**

Based upon 856 valid cases out of 1,354 total cases.

Location: 2710-2713 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S6BSIDX: S6 BSI: Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	800	59.1 %
1	clinical range	56	4.1 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-97	Invalid Test	374	27.6 %
	Total	**1,354**	**100%**

Based upon 856 valid cases out of 1,354 total cases.

Location: 2714-2717 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S7BSI01: S7 BSI: q1 nervousness

Value	Label	Unweighted Frequency	%
0	Not at all	993	73.3 %
1	A little bit	132	9.7 %

Value	Label	Unweighted Frequency	%
2	Moderately	40	3.0 %
3	Quite a bit	31	2.3 %
4	Extremely	17	1.3 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 2718-2721 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7BSI02: S7 BSI: q2 faintness

Value	Label	Unweighted Frequency	%
0	Not at all	1097	81.0 %
1	A little bit	74	5.5 %
2	Moderately	19	1.4 %
3	Quite a bit	16	1.2 %
4	Extremely	7	0.5 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 2722-2725 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7BSI03: S7 BSI: q3 control thoughts

Value	Label	Unweighted Frequency	%
0	Not at all	1186	87.6 %
1	A little bit	14	1.0 %
2	Moderately	5	0.4 %
3	Quite a bit	5	0.4 %
4	Extremely	3	0.2 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 2726-2729 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7BSI04: S7 BSI: q4 blame

Value	Label	Unweighted Frequency	%
0	Not at all	1127	83.2 %
1	A little bit	50	3.7 %
2	Moderately	21	1.6 %
3	Quite a bit	10	0.7 %
4	Extremely	5	0.4 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 2730-2733 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7BSI05: S7 BSI: q5 remembering

Value	Label	Unweighted Frequency	%
0	Not at all	867	64.0 %
1	A little bit	195	14.4 %
2	Moderately	74	5.5 %
3	Quite a bit	53	3.9 %
4	Extremely	24	1.8 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 2734-2737 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7BSI06: S7 BSI: q6 irritated

Value	Label	Unweighted Frequency	%
0	Not at all	716	52.9 %
1	A little bit	247	18.2 %
2	Moderately	103	7.6 %
3	Quite a bit	96	7.1 %
4	Extremely	51	3.8 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 2738-2741 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7BSI07: S7 BSI: q7 pains

Value	Label	Unweighted Frequency	%
0	Not at all	1073	79.2 %
1	A little bit	81	6.0 %
2	Moderately	25	1.8 %
3	Quite a bit	24	1.8 %
4	Extremely	10	0.7 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 2742-2745 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7BSI08: S7 BSI: q8 afraid

Value	Label	Unweighted Frequency	%
0	Not at all	1142	84.3 %
1	A little bit	43	3.2 %
2	Moderately	14	1.0 %
3	Quite a bit	10	0.7 %
4	Extremely	4	0.3 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 2746-2749 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7BSI09: S7 BSI: q9 ending life

Value	Label	Unweighted Frequency	%
0	Not at all	1184	87.4 %
1	A little bit	18	1.3 %
2	Moderately	7	0.5 %
3	Quite a bit	3	0.2 %
4	Extremely	1	0.1 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 2750-2753 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7BSI10: S7 BSI: q10 trusted

Value	Label	Unweighted Frequency	%
0	Not at all	784	57.9 %
1	A little bit	182	13.4 %
2	Moderately	68	5.0 %
3	Quite a bit	98	7.2 %

Value	Label	Unweighted Frequency	%
4	Extremely	81	6.0 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 2754-2757 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7BSI11: S7 BSI: q11 poor appetite

Value	Label	Unweighted Frequency	%
0	Not at all	960	70.9 %
1	A little bit	135	10.0 %
2	Moderately	49	3.6 %
3	Quite a bit	43	3.2 %
4	Extremely	26	1.9 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 2758-2761 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7BSI12: S7 BSI: q12 scared

Value	Label	Unweighted Frequency	%
0	Not at all	1137	84.0 %
1	A little bit	39	2.9 %
2	Moderately	19	1.4 %
3	Quite a bit	12	0.9 %
4	Extremely	6	0.4 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 2762-2765 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7BSI13: S7 BSI: q13 outbursts

Value	Label	Unweighted Frequency	%
0	Not at all	1054	77.8 %
1	A little bit	99	7.3 %
2	Moderately	30	2.2 %
3	Quite a bit	15	1.1 %
4	Extremely	15	1.1 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 2766-2769 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7BSI14: S7 BSI: q14 lonely1

Value	Label	Unweighted Frequency	%
0	Not at all	962	71.0 %
1	A little bit	115	8.5 %
2	Moderately	47	3.5 %
3	Quite a bit	47	3.5 %
4	Extremely	42	3.1 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 2770-2773 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7BSI15: S7 BSI: q15 blocked

Value	Label	Unweighted Frequency	%
0	Not at all	986	72.8 %
1	A little bit	116	8.6 %
2	Moderately	46	3.4 %
3	Quite a bit	42	3.1 %
4	Extremely	23	1.7 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 2774-2777 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7BSI16: S7 BSI: q16 lonely2

Value	Label	Unweighted Frequency	%
0	Not at all	926	68.4 %
1	A little bit	126	9.3 %
2	Moderately	56	4.1 %
3	Quite a bit	58	4.3 %
4	Extremely	47	3.5 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 2778-2781 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7BSI17: S7 BSI: q17 blue

Value	Label	Unweighted Frequency	%
0	Not at all	960	70.9 %
1	A little bit	133	9.8 %
2	Moderately	47	3.5 %
3	Quite a bit	43	3.2 %
4	Extremely	30	2.2 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 2782-2785 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7BSI18: S7 BSI: q18 interest

Value	Label	Unweighted Frequency	%
0	Not at all	907	67.0 %
1	A little bit	180	13.3 %
2	Moderately	48	3.5 %
3	Quite a bit	50	3.7 %
4	Extremely	28	2.1 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 2786-2789 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7BSI19: S7 BSI: q19 fearful

Value	Label	Unweighted Frequency	%
0	Not at all	1118	82.6 %
1	A little bit	54	4.0 %
2	Moderately	16	1.2 %
3	Quite a bit	18	1.3 %

Value	Label	Unweighted Frequency	%
4	Extremely	7	0.5 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 2790-2793 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7BSI20: S7 BSI: q20 feelings hurt

Value	Label	Unweighted Frequency	%
0	Not at all	1054	77.8 %
1	A little bit	93	6.9 %
2	Moderately	24	1.8 %
3	Quite a bit	26	1.9 %
4	Extremely	16	1.2 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 2794-2797 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7BSI21: S7 BSI: q21 disliked

Value	Label	Unweighted Frequency	%
0	Not at all	1012	74.7 %
1	A little bit	122	9.0 %
2	Moderately	39	2.9 %
3	Quite a bit	28	2.1 %
4	Extremely	12	0.9 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 2798-2801 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7BSI22: S7 BSI: q22 inferior

Value	Label	Unweighted Frequency	%
0	Not at all	1119	82.6 %
1	A little bit	54	4.0 %
2	Moderately	19	1.4 %
3	Quite a bit	16	1.2 %
4	Extremely	3	0.2 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,211 valid cases out of 1,354 total cases.

Location: 2802-2805 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7BSI23: S7 BSI: q23 nausea

Value	Label	Unweighted Frequency	%
0	Not at all	1037	76.6 %
1	A little bit	111	8.2 %
2	Moderately	32	2.4 %
3	Quite a bit	19	1.4 %
4	Extremely	14	1.0 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 2806-2809 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7BSI24: S7 BSI: q24 watched

Value	Label	Unweighted Frequency	%
0	Not at all	956	70.6 %
1	A little bit	139	10.3 %
2	Moderately	43	3.2 %
3	Quite a bit	43	3.2 %
4	Extremely	32	2.4 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 2810-2813 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7BSI25: S7 BSI: q25 asleep

Value	Label	Unweighted Frequency	%
0	Not at all	876	64.7 %
1	A little bit	166	12.3 %
2	Moderately	52	3.8 %
3	Quite a bit	69	5.1 %
4	Extremely	50	3.7 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 2814-2817 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7BSI26: S7 BSI: q26 double-check

Value	Label	Unweighted Frequency	%
0	Not at all	884	65.3 %
1	A little bit	182	13.4 %
2	Moderately	50	3.7 %
3	Quite a bit	52	3.8 %
4	Extremely	45	3.3 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 2818-2821 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7BSI27: S7 BSI: q27 decisions

Value	Label	Unweighted Frequency	%
0	Not at all	909	67.1 %
1	A little bit	186	13.7 %
2	Moderately	52	3.8 %
3	Quite a bit	50	3.7 %
4	Extremely	16	1.2 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 2822-2825 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7BSI28: S7 BSI: q28 travel

Value	Label	Unweighted Frequency	%
0	Not at all	1151	85.0 %
1	A little bit	33	2.4 %
2	Moderately	12	0.9 %
3	Quite a bit	8	0.6 %

Value	Label	Unweighted Frequency	%
4	Extremely	9	0.7 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 2826-2829 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7BSI29: S7 BSI: q29 breath

Value	Label	Unweighted Frequency	%
0	Not at all	1112	82.1 %
1	A little bit	56	4.1 %
2	Moderately	20	1.5 %
3	Quite a bit	16	1.2 %
4	Extremely	9	0.7 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 2830-2833 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7BSI30: S7 BSI: q30 spells

Value	Label	Unweighted Frequency	%
0	Not at all	1134	83.8 %
1	A little bit	46	3.4 %
2	Moderately	16	1.2 %
3	Quite a bit	10	0.7 %
4	Extremely	7	0.5 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 2834-2837 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7BSI31: S7 BSI: q31 frighten

Value	Label	Unweighted Frequency	%
0	Not at all	1162	85.8 %
1	A little bit	30	2.2 %
2	Moderately	11	0.8 %
3	Quite a bit	8	0.6 %
4	Extremely	2	0.1 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 2838-2841 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7BSI32: S7 BSI: q32 blank

Value	Label	Unweighted Frequency	%
0	Not at all	1045	77.2 %
1	A little bit	107	7.9 %
2	Moderately	28	2.1 %
3	Quite a bit	24	1.8 %
4	Extremely	9	0.7 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 2842-2845 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7BSI33: S7 BSI: q33 tingling

Value	Label	Unweighted Frequency	%
0	Not at all	1126	83.2 %
1	A little bit	51	3.8 %
2	Moderately	16	1.2 %
3	Quite a bit	12	0.9 %
4	Extremely	8	0.6 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 2846-2849 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7BSI34: S7 BSI: q34 punished

Value	Label	Unweighted Frequency	%
0	Not at all	1060	78.3 %
1	A little bit	77	5.7 %
2	Moderately	31	2.3 %
3	Quite a bit	27	2.0 %
4	Extremely	18	1.3 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 2850-2853 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7BSI35: S7 BSI: q35 hopeless

Value	Label	Unweighted Frequency	%
0	Not at all	1076	79.5 %
1	A little bit	73	5.4 %
2	Moderately	28	2.1 %
3	Quite a bit	20	1.5 %
4	Extremely	16	1.2 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 2854-2857 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7BSI36: S7 BSI: q36 concentrating

Value	Label	Unweighted Frequency	%
0	Not at all	919	67.9 %
1	A little bit	179	13.2 %
2	Moderately	55	4.1 %
3	Quite a bit	41	3.0 %
4	Extremely	19	1.4 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 2858-2861 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7BSI37: S7 BSI: q37 weak

Value	Label	Unweighted Frequency	%
0	Not at all	1053	77.8 %
1	A little bit	94	6.9 %
2	Moderately	32	2.4 %
3	Quite a bit	21	1.6 %

Value	Label	Unweighted Frequency	%
4	Extremely	13	1.0 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 2862-2865 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7BSI38: S7 BSI: q38 tense

Value	Label	Unweighted Frequency	%
0	Not at all	971	71.7 %
1	A little bit	127	9.4 %
2	Moderately	54	4.0 %
3	Quite a bit	41	3.0 %
4	Extremely	20	1.5 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 2866-2869 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7BSI39: S7 BSI: q39 dying

Value	Label	Unweighted Frequency	%
0	Not at all	1135	83.8 %
1	A little bit	45	3.3 %
2	Moderately	10	0.7 %
3	Quite a bit	11	0.8 %
4	Extremely	12	0.9 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 2870-2873 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7BSI40: S7 BSI: q40 beat

Value	Label	Unweighted Frequency	%
0	Not at all	1082	79.9 %
1	A little bit	80	5.9 %
2	Moderately	20	1.5 %
3	Quite a bit	18	1.3 %
4	Extremely	13	1.0 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 2874-2877 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7BSI41: S7 BSI: q41 smash

Value	Label	Unweighted Frequency	%
0	Not at all	1124	83.0 %
1	A little bit	53	3.9 %
2	Moderately	11	0.8 %
3	Quite a bit	11	0.8 %
4	Extremely	14	1.0 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 2878-2881 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7BSI42: S7 BSI: q42 self-conscious

Value	Label	Unweighted Frequency	%
0	Not at all	1085	80.1 %
1	A little bit	74	5.5 %
2	Moderately	19	1.4 %
3	Quite a bit	15	1.1 %
4	Extremely	20	1.5 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 2882-2885 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7BSI43: S7 BSI: q43 uneasy

Value	Label	Unweighted Frequency	%
0	Not at all	1069	79.0 %
1	A little bit	88	6.5 %
2	Moderately	22	1.6 %
3	Quite a bit	20	1.5 %
4	Extremely	14	1.0 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 2886-2889 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7BSI44: S7 BSI: q44 close

Value	Label	Unweighted Frequency	%
0	Not at all	1046	77.3 %
1	A little bit	90	6.6 %
2	Moderately	31	2.3 %
3	Quite a bit	27	2.0 %
4	Extremely	18	1.3 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,212 valid cases out of 1,354 total cases.

Location: 2890-2893 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7BSI45: S7 BSI: q45 terror

Value	Label	Unweighted Frequency	%
0	Not at all	1173	86.6 %
1	A little bit	20	1.5 %
2	Moderately	8	0.6 %
3	Quite a bit	11	0.8 %
4	Extremely	1	0.1 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 2894-2897 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7BSI46: S7 BSI: q46 arguments

Value	Label	Unweighted Frequency	%
0	Not at all	991	73.2 %
1	A little bit	129	9.5 %
2	Moderately	42	3.1 %

Value	Label	Unweighted Frequency	%
3	Quite a bit	32	2.4 %
4	Extremely	19	1.4 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 2898-2901 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7BSI47: S7 BSI: q47 nervous2

Value	Label	Unweighted Frequency	%
0	Not at all	1125	83.1 %
1	A little bit	62	4.6 %
2	Moderately	9	0.7 %
3	Quite a bit	8	0.6 %
4	Extremely	9	0.7 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 2902-2905 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7BSI48: S7 BSI: q48 credit

Value	Label	Unweighted Frequency	%
0	Not at all	1032	76.2 %
1	A little bit	111	8.2 %
2	Moderately	31	2.3 %
3	Quite a bit	24	1.8 %
4	Extremely	15	1.1 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 2906-2909 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7BSI49: S7 BSI: q49 restless

Value	Label	Unweighted Frequency	%
0	Not at all	954	70.5 %
1	A little bit	152	11.2 %
2	Moderately	39	2.9 %
3	Quite a bit	46	3.4 %
4	Extremely	22	1.6 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 2910-2913 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7BSI50: S7 BSI: q50 worthlessness

Value	Label	Unweighted Frequency	%
0	Not at all	1131	83.5 %
1	A little bit	49	3.6 %
2	Moderately	18	1.3 %
3	Quite a bit	9	0.7 %
4	Extremely	6	0.4 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 2914-2917 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7BSI51: S7 BSI: q51 advantage

Value	Label	Unweighted Frequency	%
0	Not at all	860	63.5 %
1	A little bit	164	12.1 %
2	Moderately	55	4.1 %
3	Quite a bit	77	5.7 %
4	Extremely	57	4.2 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 2918-2921 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7BSI52: S7 BSI: q52 guilt

Value	Label	Unweighted Frequency	%
0	Not at all	1057	78.1 %
1	A little bit	86	6.4 %
2	Moderately	32	2.4 %
3	Quite a bit	24	1.8 %
4	Extremely	14	1.0 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 2922-2925 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7BSI53: S7 BSI: q53 wrong

Value	Label	Unweighted Frequency	%
0	Not at all	1104	81.5 %
1	A little bit	59	4.4 %
2	Moderately	21	1.6 %
3	Quite a bit	11	0.8 %
4	Extremely	18	1.3 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 2926-2929 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S7BSIXX: s7 BSI: Indicator of valid administration per BSI codebook

Value	Label	Unweighted Frequency	%
0	Valid administration	846	62.5 %
1	Invalid test administration	367	27.1 %
2	All missing answers	141	10.4 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 2930-2930 (width: 1; decimal: 0)
Variable Type: numeric

S7BSISOM: S7 BSI: Somatization

Based upon 846 valid cases out of 1,354 total cases.

- Mean: 0.2451874367
- Median: 0.0000000000
- Mode: 0.0000000000
- Minimum: 0.0000000000
- Maximum: 3.7142857143
- Standard Deviation: 0.4807090045

Location: 2931-2945 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -202.0000000000 , -201.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

S7BSIOC: S7 BSI: Obsessive-Compulsive

Based upon 846 valid cases out of 1,354 total cases.

- Mean: 0.5711189913
- Median: 0.3333333333
- Mode: 0.0000000000
- Minimum: 0.0000000000
- Maximum: 3.8333333333
- Standard Deviation: 0.6927101457

Location: 2946-2960 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -202.0000000000 , -201.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

S7BSIIS: S7 BSI: Interpersonal Sensitivity

Based upon 846 valid cases out of 1,354 total cases.

- Mean: 0.2959022853
- Median: 0.0000000000
- Mode: 0.0000000000
- Minimum: 0.0000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.5507250796

Location: 2961-2975 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -202.0000000000 , -201.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

S7BSIDEP: S7 BSI: Depression

Based upon 846 valid cases out of 1,354 total cases.

- Mean: 0.4022852640
- Median: 0.1666666667
- Mode: 0.0000000000
- Minimum: 0.0000000000
- Maximum: 3.6666666667
- Standard Deviation: 0.6197813273

Location: 2976-2990 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -202.0000000000 , -201.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

S7BSIANX: S7 BSI: Anxiety

Based upon 846 valid cases out of 1,354 total cases.

- Mean: 0.3228920410
- Median: 0.1666666667
- Mode: 0.0000000000
- Minimum: 0.0000000000
- Maximum: 3.8333333333
- Standard Deviation: 0.5009419027

Location: 2991-3005 (width: 15; decimal: 10)
Variable Type: numeric

(Range of) Missing Values: -700.0000000000 , -202.0000000000 , -201.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

S7BSIHOS: S7 BSI: Hostility

Based upon 846 valid cases out of 1,354 total cases.

- Mean: 0.47
- Median: 0.20
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.61

Location: 3006-3011 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -700.0 , -202.0 , -201.0 , -98.0 , -97.0 , -9.0 , -8.0

S7BSIPHB: S7 BSI: Phobic Anxiety

Based upon 846 valid cases out of 1,354 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.40
- Standard Deviation: 0.39

Location: 3012-3017 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -700.0 , -202.0 , -201.0 , -98.0 , -97.0 , -9.0 , -8.0

S7BSIPAR: S7 BSI: Paranoid Ideation

Based upon 846 valid cases out of 1,354 total cases.

- Mean: 0.61
- Median: 0.40
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.70

Location: 3018-3023 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -700.0 , -202.0 , -201.0 , -98.0 , -97.0 , -9.0 , -8.0

S7BSIPSY: S7 BSI: Psychoticism

Based upon 846 valid cases out of 1,354 total cases.

- Mean: 0.32
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.40

- Standard Deviation: 0.55

Location: 3024-3029 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -700.0 , -202.0 , -201.0 , -98.0 , -97.0 , -9.0 , -8.0

S7BSIGSI: S7 BSI: Global Severity Index

Based upon 846 valid cases out of 1,354 total cases.

- Mean: 0.3844275288
- Median: 0.2075471698
- Mode: 0.0188679245
- Minimum: 0.0188679245
- Maximum: 2.9245283019
- Standard Deviation: 0.4511235354

Location: 3030-3044 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -202.0000000000 , -201.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

S7BSIPST: S7 BSI: Positive Symptom Total

Based upon 846 valid cases out of 1,354 total cases.

- Mean: 11.15
- Median: 8.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 50.00
- Standard Deviation: 10.25

Location: 3045-3048 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S7BSIPSD: S7 BSI: Positive Symptom Distress Index

Based upon 846 valid cases out of 1,354 total cases.

- Mean: 1.6853299549
- Median: 1.5000000000
- Mode: 1.0000000000
- Minimum: 1.0000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.7315201333

Location: 3049-3063 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -202.0000000000 , -201.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

S7SOM_T: S7 BSI: Somatization Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	815	60.2 %
1	clinical range	31	2.3 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-97	Invalid Test	367	27.1 %
	Total	**1,354**	**100%**

Based upon 846 valid cases out of 1,354 total cases.

Location: 3064-3067 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S7OC_T: S7 BSI: Obsessive-Compulsive Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	798	58.9 %
1	clinical range	48	3.5 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-97	Invalid Test	367	27.1 %
	Total	**1,354**	**100%**

Based upon 846 valid cases out of 1,354 total cases.

Location: 3068-3071 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S7IS_T: S7 BSI: Interpersonal Sensitivity Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	828	61.2 %
1	clinical range	18	1.3 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-97	Invalid Test	367	27.1 %
	Total	**1,354**	**100%**

Based upon 846 valid cases out of 1,354 total cases.

Location: 3072-3075 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S7DEP_T: S7 BSI: Depression Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	808	59.7 %
1	clinical range	38	2.8 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-97	Invalid Test	367	27.1 %
	Total	**1,354**	**100%**

Based upon 846 valid cases out of 1,354 total cases.

Location: 3076-3079 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S7ANX_T: S7 BSI: Anxiety Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	825	60.9 %
1	clinical range	21	1.6 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-97	Invalid Test	367	27.1 %
	Total	**1,354**	**100%**

Based upon 846 valid cases out of 1,354 total cases.

Location: 3080-3083 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S7HOS_T: S7 BSI: Hostility Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	824	60.9 %
1	clinical range	22	1.6 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-97	Invalid Test	367	27.1 %
	Total	**1,354**	**100%**

Based upon 846 valid cases out of 1,354 total cases.

Location: 3084-3087 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S7PHB_T: S7 BSI: Phobic Anxiety Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	829	61.2 %
1	clinical range	17	1.3 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-97	Invalid Test	367	27.1 %
	Total	**1,354**	**100%**

Based upon 846 valid cases out of 1,354 total cases.

Location: 3088-3091 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S7PAR_T: S7 BSI: Paranoid Ideation Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	814	60.1 %
1	clinical range	32	2.4 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-97	Invalid Test	367	27.1 %
	Total	**1,354**	**100%**

Based upon 846 valid cases out of 1,354 total cases.

Location: 3092-3095 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S7PSY_T: S7 BSI: Psychoticism Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	810	59.8 %
1	clinical range	36	2.7 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-97	Invalid Test	367	27.1 %
	Total	**1,354**	**100%**

Based upon 846 valid cases out of 1,354 total cases.

Location: 3096-3099 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S7GSI_T: S7 BSI: GSI Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	824	60.9 %
1	clinical range	22	1.6 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-97	Invalid Test	367	27.1 %
	Total	**1,354**	**100%**

Based upon 846 valid cases out of 1,354 total cases.

Location: 3100-3103 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S7BSIDX1: S7 BSI: Subscale Diagnosis Significant

Value	Label	Unweighted Frequency	%
0	-	740	54.7 %
1	-	48	3.5 %
2	-	21	1.6 %

Value	Label	Unweighted Frequency	%
3	-	13	1.0 %
4	-	8	0.6 %
5	-	4	0.3 %
6	-	8	0.6 %
8	-	2	0.1 %
9	-	2	0.1 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-97	Invalid Test	367	27.1 %
	Total	**1,354**	**100%**

Based upon 846 valid cases out of 1,354 total cases.

Location: 3104-3107 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S7BSIDX: S7 BSI: Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	788	58.2 %
1	clinical range	58	4.3 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-97	Invalid Test	367	27.1 %
	Total	**1,354**	**100%**

Based upon 846 valid cases out of 1,354 total cases.

Location: 3108-3111 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S8BSI01: S8 BSI: q1 nervousness

Value	Label	Unweighted Frequency	%
0	Not at all	970	71.6 %
1	A little bit	138	10.2 %
2	Moderately	40	3.0 %
3	Quite a bit	37	2.7 %

Value	Label	Unweighted Frequency	%
4	Extremely	18	1.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,203 valid cases out of 1,354 total cases.

Location: 3112-3115 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8BSI02: S8 BSI: q2 faintness

Value	Label	Unweighted Frequency	%
0	Not at all	1064	78.6 %
1	A little bit	88	6.5 %
2	Moderately	30	2.2 %
3	Quite a bit	14	1.0 %
4	Extremely	7	0.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,203 valid cases out of 1,354 total cases.

Location: 3116-3119 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8BSI03: S8 BSI: q3 control thoughts

Value	Label	Unweighted Frequency	%
0	Not at all	1162	85.8 %
1	A little bit	30	2.2 %
2	Moderately	4	0.3 %
3	Quite a bit	5	0.4 %
4	Extremely	2	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,203 valid cases out of 1,354 total cases.

Location: 3120-3123 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8BSI04: S8 BSI: q4 blame

Value	Label	Unweighted Frequency	%
0	Not at all	1127	83.2 %
1	A little bit	42	3.1 %
2	Moderately	12	0.9 %
3	Quite a bit	15	1.1 %
4	Extremely	7	0.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,203 valid cases out of 1,354 total cases.

Location: 3124-3127 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8BSI05: S8 BSI: q5 remembering

Value	Label	Unweighted Frequency	%
0	Not at all	879	64.9 %
1	A little bit	182	13.4 %
2	Moderately	53	3.9 %
3	Quite a bit	60	4.4 %
4	Extremely	29	2.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,203 valid cases out of 1,354 total cases.

Location: 3128-3131 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8BSI06: S8 BSI: q6 irritated

Value	Label	Unweighted Frequency	%
0	Not at all	700	51.7 %
1	A little bit	271	20.0 %
2	Moderately	81	6.0 %
3	Quite a bit	101	7.5 %
4	Extremely	50	3.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,203 valid cases out of 1,354 total cases.

Location: 3132-3135 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8BSI07: S8 BSI: q7 pains

Value	Label	Unweighted Frequency	%
0	Not at all	1058	78.1 %
1	A little bit	88	6.5 %
2	Moderately	24	1.8 %
3	Quite a bit	25	1.8 %
4	Extremely	8	0.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,203 valid cases out of 1,354 total cases.

Location: 3136-3139 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8BSI08: S8 BSI: q8 afraid

Value	Label	Unweighted Frequency	%
0	Not at all	1132	83.6 %
1	A little bit	36	2.7 %
2	Moderately	9	0.7 %
3	Quite a bit	14	1.0 %
4	Extremely	12	0.9 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,203 valid cases out of 1,354 total cases.

Location: 3140-3143 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8BSI09: S8 BSI: q9 ending life

Value	Label	Unweighted Frequency	%
0	Not at all	1182	87.3 %
1	A little bit	19	1.4 %
2	Moderately	2	0.1 %
3	Quite a bit	0	0.0 %
4	Extremely	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,203 valid cases out of 1,354 total cases.

Location: 3144-3147 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8BSI10: S8 BSI: q10 trusted

Value	Label	Unweighted Frequency	%
0	Not at all	744	54.9 %
1	A little bit	193	14.3 %
2	Moderately	73	5.4 %
3	Quite a bit	103	7.6 %
4	Extremely	90	6.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,203 valid cases out of 1,354 total cases.

Location: 3148-3151 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8BSI11: S8 BSI: q11 poor appetite

Value	Label	Unweighted Frequency	%
0	Not at all	931	68.8 %
1	A little bit	141	10.4 %
2	Moderately	45	3.3 %
3	Quite a bit	51	3.8 %
4	Extremely	35	2.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,203 valid cases out of 1,354 total cases.

Location: 3152-3155 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8BSI12: S8 BSI: q12 scared

Value	Label	Unweighted Frequency	%
0	Not at all	1122	82.9 %
1	A little bit	41	3.0 %
2	Moderately	20	1.5 %
3	Quite a bit	14	1.0 %
4	Extremely	6	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,203 valid cases out of 1,354 total cases.

Location: 3156-3159 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8BSI13: S8 BSI: q13 outbursts

Value	Label	Unweighted Frequency	%
0	Not at all	1029	76.0 %
1	A little bit	98	7.2 %
2	Moderately	31	2.3 %

Value	Label	Unweighted Frequency	%
3	Quite a bit	28	2.1 %
4	Extremely	17	1.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,203 valid cases out of 1,354 total cases.

Location: 3160-3163 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8BSI14: S8 BSI: q14 lonely1

Value	Label	Unweighted Frequency	%
0	Not at all	943	69.6 %
1	A little bit	119	8.8 %
2	Moderately	52	3.8 %
3	Quite a bit	56	4.1 %
4	Extremely	33	2.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,203 valid cases out of 1,354 total cases.

Location: 3164-3167 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8BSI15: S8 BSI: q15 blocked

Value	Label	Unweighted Frequency	%
0	Not at all	956	70.6 %
1	A little bit	130	9.6 %
2	Moderately	52	3.8 %
3	Quite a bit	37	2.7 %
4	Extremely	28	2.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,203 valid cases out of 1,354 total cases.

Location: 3168-3171 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8BSI16: S8 BSI: q16 lonely2

Value	Label	Unweighted Frequency	%
0	Not at all	922	68.1 %
1	A little bit	138	10.2 %
2	Moderately	48	3.5 %
3	Quite a bit	58	4.3 %
4	Extremely	37	2.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,203 valid cases out of 1,354 total cases.

Location: 3172-3175 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8BSI17: S8 BSI: q17 blue

Value	Label	Unweighted Frequency	%
0	Not at all	951	70.2 %
1	A little bit	136	10.0 %
2	Moderately	37	2.7 %
3	Quite a bit	44	3.2 %
4	Extremely	35	2.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,203 valid cases out of 1,354 total cases.

Location: 3176-3179 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8BSI18: S8 BSI: q18 interest

Value	Label	Unweighted Frequency	%
0	Not at all	895	66.1 %
1	A little bit	183	13.5 %
2	Moderately	49	3.6 %
3	Quite a bit	46	3.4 %
4	Extremely	30	2.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,203 valid cases out of 1,354 total cases.

Location: 3180-3183 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8BSI19: S8 BSI: q19 fearful

Value	Label	Unweighted Frequency	%
0	Not at all	1078	79.6 %
1	A little bit	84	6.2 %
2	Moderately	21	1.6 %
3	Quite a bit	13	1.0 %
4	Extremely	7	0.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,203 valid cases out of 1,354 total cases.

Location: 3184-3187 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8BSI20: S8 BSI: q20 feelings hurt

Value	Label	Unweighted Frequency	%
0	Not at all	1041	76.9 %
1	A little bit	99	7.3 %
2	Moderately	22	1.6 %
3	Quite a bit	24	1.8 %
4	Extremely	17	1.3 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,203 valid cases out of 1,354 total cases.

Location: 3188-3191 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8BSI21: S8 BSI: q21 disliked

Value	Label	Unweighted Frequency	%
0	Not at all	989	73.0 %
1	A little bit	132	9.7 %
2	Moderately	34	2.5 %
3	Quite a bit	30	2.2 %
4	Extremely	18	1.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,203 valid cases out of 1,354 total cases.

Location: 3192-3195 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8BSI22: S8 BSI: q22 inferior

Value	Label	Unweighted Frequency	%
0	Not at all	1111	82.1 %
1	A little bit	61	4.5 %
2	Moderately	14	1.0 %
3	Quite a bit	11	0.8 %
4	Extremely	6	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,203 valid cases out of 1,354 total cases.

Location: 3196-3199 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8BSI23: S8 BSI: q23 nausea

Value	Label	Unweighted Frequency	%
0	Not at all	1020	75.3 %
1	A little bit	119	8.8 %
2	Moderately	28	2.1 %
3	Quite a bit	22	1.6 %
4	Extremely	14	1.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,203 valid cases out of 1,354 total cases.

Location: 3200-3203 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8BSI24: S8 BSI: q24 watched

Value	Label	Unweighted Frequency	%
0	Not at all	953	70.4 %
1	A little bit	125	9.2 %
2	Moderately	42	3.1 %
3	Quite a bit	55	4.1 %
4	Extremely	28	2.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,203 valid cases out of 1,354 total cases.

Location: 3204-3207 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8BSI25: S8 BSI: q25 asleep

Value	Label	Unweighted Frequency	%
0	Not at all	874	64.5 %
1	A little bit	140	10.3 %
2	Moderately	63	4.7 %

Value	Label	Unweighted Frequency	%
3	Quite a bit	69	5.1 %
4	Extremely	57	4.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,203 valid cases out of 1,354 total cases.

Location: 3208-3211 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8BSI26: S8 BSI: q26 double-check

Value	Label	Unweighted Frequency	%
0	Not at all	853	63.0 %
1	A little bit	191	14.1 %
2	Moderately	52	3.8 %
3	Quite a bit	67	4.9 %
4	Extremely	40	3.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,203 valid cases out of 1,354 total cases.

Location: 3212-3215 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8BSI27: S8 BSI: q27 decisions

Value	Label	Unweighted Frequency	%
0	Not at all	898	66.3 %
1	A little bit	176	13.0 %
2	Moderately	67	4.9 %
3	Quite a bit	40	3.0 %
4	Extremely	22	1.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,203 valid cases out of 1,354 total cases.

Location: 3216-3219 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8BSI28: S8 BSI: q28 travel

Value	Label	Unweighted Frequency	%
0	Not at all	1140	84.2 %
1	A little bit	39	2.9 %
2	Moderately	9	0.7 %
3	Quite a bit	10	0.7 %
4	Extremely	5	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,203 valid cases out of 1,354 total cases.

Location: 3220-3223 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8BSI29: S8 BSI: q29 breath

Value	Label	Unweighted Frequency	%
0	Not at all	1112	82.1 %
1	A little bit	55	4.1 %
2	Moderately	19	1.4 %
3	Quite a bit	9	0.7 %
4	Extremely	8	0.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,203 valid cases out of 1,354 total cases.

Location: 3224-3227 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8BSI30: S8 BSI: q30 spells

Value	Label	Unweighted Frequency	%
0	Not at all	1137	84.0 %
1	A little bit	35	2.6 %
2	Moderately	15	1.1 %
3	Quite a bit	9	0.7 %
4	Extremely	7	0.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,203 valid cases out of 1,354 total cases.

Location: 3228-3231 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8BSI31: S8 BSI: q31 frighten

Value	Label	Unweighted Frequency	%
0	Not at all	1144	84.5 %
1	A little bit	35	2.6 %
2	Moderately	12	0.9 %
3	Quite a bit	7	0.5 %
4	Extremely	5	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,203 valid cases out of 1,354 total cases.

Location: 3232-3235 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8BSI32: S8 BSI: q32 blank

Value	Label	Unweighted Frequency	%
0	Not at all	1028	75.9 %
1	A little bit	110	8.1 %
2	Moderately	32	2.4 %
3	Quite a bit	22	1.6 %
4	Extremely	11	0.8 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,203 valid cases out of 1,354 total cases.

Location: 3236-3239 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8BSI33: S8 BSI: q33 tingling

Value	Label	Unweighted Frequency	%
0	Not at all	1099	81.2 %
1	A little bit	60	4.4 %
2	Moderately	15	1.1 %
3	Quite a bit	22	1.6 %
4	Extremely	7	0.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,203 valid cases out of 1,354 total cases.

Location: 3240-3243 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8BSI34: S8 BSI: q34 punished

Value	Label	Unweighted Frequency	%
0	Not at all	1035	76.4 %
1	A little bit	87	6.4 %
2	Moderately	30	2.2 %
3	Quite a bit	26	1.9 %
4	Extremely	25	1.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,203 valid cases out of 1,354 total cases.

Location: 3244-3247 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8BSI35: S8 BSI: q35 hopeless

Value	Label	Unweighted Frequency	%
0	Not at all	1063	78.5 %
1	A little bit	81	6.0 %
2	Moderately	33	2.4 %
3	Quite a bit	16	1.2 %
4	Extremely	10	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,203 valid cases out of 1,354 total cases.

Location: 3248-3251 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8BSI36: S8 BSI: q36 concentrating

Value	Label	Unweighted Frequency	%
0	Not at all	900	66.5 %
1	A little bit	182	13.4 %
2	Moderately	63	4.7 %
3	Quite a bit	45	3.3 %
4	Extremely	13	1.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,203 valid cases out of 1,354 total cases.

Location: 3252-3255 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8BSI37: S8 BSI: q37 weak

Value	Label	Unweighted Frequency	%
0	Not at all	1040	76.8 %
1	A little bit	97	7.2 %
2	Moderately	30	2.2 %

Value	Label	Unweighted Frequency	%
3	Quite a bit	22	1.6 %
4	Extremely	14	1.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,203 valid cases out of 1,354 total cases.

Location: 3256-3259 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8BSI38: S8 BSI: q38 tense

Value	Label	Unweighted Frequency	%
0	Not at all	965	71.3 %
1	A little bit	129	9.5 %
2	Moderately	51	3.8 %
3	Quite a bit	39	2.9 %
4	Extremely	19	1.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,203 valid cases out of 1,354 total cases.

Location: 3260-3263 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8BSI39: S8 BSI: q39 dying

Value	Label	Unweighted Frequency	%
0	Not at all	1136	83.9 %
1	A little bit	35	2.6 %
2	Moderately	14	1.0 %
3	Quite a bit	9	0.7 %
4	Extremely	9	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,203 valid cases out of 1,354 total cases.

Location: 3264-3267 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8BSI40: S8 BSI: q40 beat

Value	Label	Unweighted Frequency	%
0	Not at all	1081	79.8 %
1	A little bit	68	5.0 %
2	Moderately	21	1.6 %
3	Quite a bit	16	1.2 %
4	Extremely	17	1.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,203 valid cases out of 1,354 total cases.

Location: 3268-3271 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8BSI41: S8 BSI: q41 smash

Value	Label	Unweighted Frequency	%
0	Not at all	1093	80.7 %
1	A little bit	57	4.2 %
2	Moderately	27	2.0 %
3	Quite a bit	16	1.2 %
4	Extremely	10	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,203 valid cases out of 1,354 total cases.

Location: 3272-3275 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8BSI42: S8 BSI: q42 self-conscious

Value	Label	Unweighted Frequency	%
0	Not at all	1066	78.7 %
1	A little bit	85	6.3 %
2	Moderately	24	1.8 %
3	Quite a bit	16	1.2 %
4	Extremely	12	0.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,203 valid cases out of 1,354 total cases.

Location: 3276-3279 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8BSI43: S8 BSI: q43 uneasy

Value	Label	Unweighted Frequency	%
0	Not at all	1046	77.3 %
1	A little bit	86	6.4 %
2	Moderately	21	1.6 %
3	Quite a bit	33	2.4 %
4	Extremely	17	1.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,203 valid cases out of 1,354 total cases.

Location: 3280-3283 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8BSI44: S8 BSI: q44 close

Value	Label	Unweighted Frequency	%
0	Not at all	1036	76.5 %
1	A little bit	86	6.4 %
2	Moderately	29	2.1 %
3	Quite a bit	23	1.7 %
4	Extremely	28	2.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,202 valid cases out of 1,354 total cases.

Location: 3284-3287 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8BSI45: S8 BSI: q45 terror

Value	Label	Unweighted Frequency	%
0	Not at all	1155	85.3 %
1	A little bit	27	2.0 %
2	Moderately	9	0.7 %
3	Quite a bit	8	0.6 %
4	Extremely	4	0.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,203 valid cases out of 1,354 total cases.

Location: 3288-3291 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8BSI46: S8 BSI: q46 arguments

Value	Label	Unweighted Frequency	%
0	Not at all	971	71.7 %
1	A little bit	129	9.5 %
2	Moderately	47	3.5 %
3	Quite a bit	38	2.8 %
4	Extremely	18	1.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,203 valid cases out of 1,354 total cases.

Location: 3292-3295 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8BSI47: S8 BSI: q47 nervous2

Value	Label	Unweighted Frequency	%
0	Not at all	1124	83.0 %
1	A little bit	55	4.1 %
2	Moderately	4	0.3 %
3	Quite a bit	11	0.8 %
4	Extremely	9	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,203 valid cases out of 1,354 total cases.

Location: 3296-3299 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8BSI48: S8 BSI: q48 credit

Value	Label	Unweighted Frequency	%
0	Not at all	1020	75.3 %
1	A little bit	100	7.4 %
2	Moderately	39	2.9 %
3	Quite a bit	27	2.0 %
4	Extremely	17	1.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,203 valid cases out of 1,354 total cases.

Location: 3300-3303 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8BSI49: S8 BSI: q49 restless

Value	Label	Unweighted Frequency	%
0	Not at all	962	71.0 %

Value	Label	Unweighted Frequency	%
1	A little bit	143	10.6 %
2	Moderately	42	3.1 %
3	Quite a bit	31	2.3 %
4	Extremely	25	1.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,203 valid cases out of 1,354 total cases.

Location: 3304-3307 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8BSI50: S8 BSI: q50 worthlessness

Value	Label	Unweighted Frequency	%
0	Not at all	1131	83.5 %
1	A little bit	45	3.3 %
2	Moderately	13	1.0 %
3	Quite a bit	6	0.4 %
4	Extremely	8	0.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,203 valid cases out of 1,354 total cases.

Location: 3308-3311 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8BSI51: S8 BSI: q51 advantage

Value	Label	Unweighted Frequency	%
0	Not at all	865	63.9 %
1	A little bit	141	10.4 %
2	Moderately	54	4.0 %
3	Quite a bit	78	5.8 %
4	Extremely	65	4.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,203 valid cases out of 1,354 total cases.

Location: 3312-3315 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8BSI52: S8 BSI: q52 guilt

Value	Label	Unweighted Frequency	%
0	Not at all	1043	77.0 %
1	A little bit	89	6.6 %
2	Moderately	42	3.1 %
3	Quite a bit	17	1.3 %
4	Extremely	12	0.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,203 valid cases out of 1,354 total cases.

Location: 3316-3319 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8BSI53: S8 BSI: q53 wrong

Value	Label	Unweighted Frequency	%
0	Not at all	1089	80.4 %
1	A little bit	64	4.7 %
2	Moderately	19	1.4 %
3	Quite a bit	19	1.4 %
4	Extremely	12	0.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,203 valid cases out of 1,354 total cases.

Location: 3320-3323 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S8BSIXX: s8 BSI: Indicator of valid administration per BSI codebook

Value	Label	Unweighted Frequency	%
0	Valid administration	878	64.8 %
1	Invalid test administration	325	24.0 %
2	All missing answers	151	11.2 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 3324-3324 (width: 1; decimal: 0)
Variable Type: numeric

S8BSISOM: S8 BSI: Somatization

Based upon 878 valid cases out of 1,354 total cases.

- Mean: 0.2429222258
- Median: 0.0000000000
- Mode: 0.0000000000
- Minimum: 0.0000000000
- Maximum: 3.7142857143
- Standard Deviation: 0.4823995972

Location: 3325-3339 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -202.0000000000 , -201.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

S8BSIOC: S8 BSI: Obsessive-Compulsive

Based upon 878 valid cases out of 1,354 total cases.

- Mean: 0.5683371298
- Median: 0.3333333333
- Mode: 0.0000000000
- Minimum: 0.0000000000
- Maximum: 3.6666666667
- Standard Deviation: 0.7126926536

Location: 3340-3354 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -202.0000000000 , -201.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

S8BSIIS: S8 BSI: Interpersonal Sensitivity

Based upon 878 valid cases out of 1,354 total cases.

- Mean: 0.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00

- Standard Deviation: 0.54

Location: 3355-3361 (width: 7; decimal: 2)
Variable Type: numeric
(Range of) Missing Values: -700.00 , -202.00 , -201.00 , -98.00 , -97.00 , -9.00 , -8.00

S8BSIDEP: S8 BSI: Depression

Based upon 878 valid cases out of 1,354 total cases.

- Mean: 0.3712984055
- Median: 0.1666666667
- Mode: 0.0000000000
- Minimum: 0.0000000000
- Maximum: 3.6666666667
- Standard Deviation: 0.6107913461

Location: 3362-3376 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -202.0000000000 , -201.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

S8BSIANX: S8 BSI: Anxiety

Based upon 878 valid cases out of 1,354 total cases.

- Mean: 0.3170083523
- Median: 0.1666666667
- Mode: 0.0000000000
- Minimum: 0.0000000000
- Maximum: 3.5000000000
- Standard Deviation: 0.5142581369

Location: 3377-3391 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -202.0000000000 , -201.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

S8BSIHOS: S8 BSI: Hostility

Based upon 878 valid cases out of 1,354 total cases.

- Mean: 0.47
- Median: 0.20
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.64

Location: 3392-3397 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -700.0 , -202.0 , -201.0 , -98.0 , -97.0 , -9.0 , -8.0

S8BSIPHB: S8 BSI: Phobic Anxiety

Based upon 878 valid cases out of 1,354 total cases.

- Mean: 0.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.80
- Standard Deviation: 0.45

Location: 3398-3403 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -700.0 , -202.0 , -201.0 , -98.0 , -97.0 , -9.0 , -8.0

S8BSIPAR: S8 BSI: Paranoid Ideation

Based upon 878 valid cases out of 1,354 total cases.

- Mean: 0.62
- Median: 0.40
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.80
- Standard Deviation: 0.73

Location: 3404-3409 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -700.0 , -202.0 , -201.0 , -98.0 , -97.0 , -9.0 , -8.0

S8BSIPSY: S8 BSI: Psychoticism

Based upon 878 valid cases out of 1,354 total cases.

- Mean: 0.33
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.20
- Standard Deviation: 0.55

Location: 3410-3415 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -700.0 , -202.0 , -201.0 , -98.0 , -97.0 , -9.0 , -8.0

S8BSIGSI: S8 BSI: Global Severity Index

Based upon 878 valid cases out of 1,354 total cases.

- Mean: 0.3816613824
- Median: 0.2169811320
- Mode: 0.0188679245
- Minimum: 0.0188679245
- Maximum: 3.1320754717
- Standard Deviation: 0.4665225400

Location: 3416-3430 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -202.0000000000 , -201.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

S8BSIPST: S8 BSI: Positive Symptom Total

Based upon 878 valid cases out of 1,354 total cases.

- Mean: 11.04
- Median: 8.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 53.00
- Standard Deviation: 10.47

Location: 3431-3434 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S8BSIPSD: S8 BSI: Positive Symptom Distress Index

Based upon 878 valid cases out of 1,354 total cases.

- Mean: 1.7007706365
- Median: 1.5000000000
- Mode: 1.0000000000
- Minimum: 1.0000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.7320314926

Location: 3435-3449 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -202.0000000000 , -201.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

S8SOM_T: S8 BSI: Somatization Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	848	62.6 %
1	clinical range	30	2.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-97	Invalid Test	325	24.0 %
	Total	**1,354**	**100%**

Based upon 878 valid cases out of 1,354 total cases.

Location: 3450-3453 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S8OC_T: S8 BSI: Obsessive-Compulsive Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	818	60.4 %

Value	Label	Unweighted Frequency	%
1	clinical range	60	4.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-97	Invalid Test	325	24.0 %
	Total	**1,354**	**100%**

Based upon 878 valid cases out of 1,354 total cases.

Location: 3454-3457 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S8IS_T: S8 BSI: Interpersonal Sensitivity Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	861	63.6 %
1	clinical range	17	1.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-97	Invalid Test	325	24.0 %
	Total	**1,354**	**100%**

Based upon 878 valid cases out of 1,354 total cases.

Location: 3458-3461 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S8DEP_T: S8 BSI: Depression Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	840	62.0 %
1	clinical range	38	2.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-97	Invalid Test	325	24.0 %
	Total	**1,354**	**100%**

Based upon 878 valid cases out of 1,354 total cases.

Location: 3462-3465 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S8ANX_T: S8 BSI: Anxiety Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	851	62.9 %
1	clinical range	27	2.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-97	Invalid Test	325	24.0 %
	Total	**1,354**	**100%**

Based upon 878 valid cases out of 1,354 total cases.

Location: 3466-3469 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S8HOS_T: S8 BSI: Hostility Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	847	62.6 %
1	clinical range	31	2.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-97	Invalid Test	325	24.0 %
	Total	**1,354**	**100%**

Based upon 878 valid cases out of 1,354 total cases.

Location: 3470-3473 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S8PHB_T: S8 BSI: Phobic Anxiety Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	855	63.1 %
1	clinical range	23	1.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-97	Invalid Test	325	24.0 %
	Total	**1,354**	**100%**

Based upon 878 valid cases out of 1,354 total cases.

Location: 3474-3477 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S8PAR_T: S8 BSI: Paranoid Ideation Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	835	61.7 %
1	clinical range	43	3.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-97	Invalid Test	325	24.0 %
	Total	**1,354**	**100%**

Based upon 878 valid cases out of 1,354 total cases.

Location: 3478-3481 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S8PSY_T: S8 BSI: Psychoticism Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	846	62.5 %
1	clinical range	32	2.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-97	Invalid Test	325	24.0 %
	Total	**1,354**	**100%**

Based upon 878 valid cases out of 1,354 total cases.

Location: 3482-3485 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S8GSI_T: S8 BSI: GSI Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	849	62.7 %
1	clinical range	29	2.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	147	10.9 %
-97	Invalid Test	325	24.0 %
	Total	**1,354**	**100%**

Based upon 878 valid cases out of 1,354 total cases.

Location: 3486-3489 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S8BSIDX1: S8 BSI: Subscale Diagnosis Significant

Value	Label	Unweighted Frequency	%
0	-	759	56.1 %
1	-	56	4.1 %
2	-	21	1.6 %
3	-	14	1.0 %
4	-	10	0.7 %
5	-	6	0.4 %
6	-	3	0.2 %
7	-	1	0.1 %
8	-	6	0.4 %
9	-	2	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-97	Invalid Test	325	24.0 %
	Total	**1,354**	**100%**

Based upon 878 valid cases out of 1,354 total cases.

Location: 3490-3493 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S8BSIDX: S8 BSI: Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	815	60.2 %
1	clinical range	63	4.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-97	Invalid Test	325	24.0 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 878 valid cases out of 1,354 total cases.

Location: 3494-3497 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S9BSI01: S9 BSI: q1 nervousness

Value	Label	Unweighted Frequency	%
0	Not at all	936	69.1 %
1	A little bit	140	10.3 %
2	Moderately	44	3.2 %
3	Quite a bit	38	2.8 %
4	Extremely	18	1.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,176 valid cases out of 1,354 total cases.

Location: 3498-3501 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9BSI02: S9 BSI: q2 faintness

Value	Label	Unweighted Frequency	%
0	Not at all	1054	77.8 %
1	A little bit	86	6.4 %
2	Moderately	21	1.6 %
3	Quite a bit	9	0.7 %
4	Extremely	6	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,176 valid cases out of 1,354 total cases.

Location: 3502-3505 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9BSI03: S9 BSI: q3 control thoughts

Value	Label	Unweighted Frequency	%
0	Not at all	1148	84.8 %
1	A little bit	17	1.3 %
2	Moderately	4	0.3 %
3	Quite a bit	4	0.3 %
4	Extremely	3	0.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,176 valid cases out of 1,354 total cases.

Location: 3506-3509 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9BSI04: S9 BSI: q4 blame

Value	Label	Unweighted Frequency	%
0	Not at all	1105	81.6 %
1	A little bit	45	3.3 %
2	Moderately	11	0.8 %
3	Quite a bit	6	0.4 %
4	Extremely	9	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,176 valid cases out of 1,354 total cases.

Location: 3510-3513 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9BSI05: S9 BSI: q5 remembering

Value	Label	Unweighted Frequency	%
0	Not at all	862	63.7 %
1	A little bit	194	14.3 %
2	Moderately	54	4.0 %
3	Quite a bit	43	3.2 %

Value	Label	Unweighted Frequency	%
4	Extremely	23	1.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,176 valid cases out of 1,354 total cases.

Location: 3514-3517 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9BSI06: S9 BSI: q6 irritated

Value	Label	Unweighted Frequency	%
0	Not at all	681	50.3 %
1	A little bit	239	17.7 %
2	Moderately	92	6.8 %
3	Quite a bit	108	8.0 %
4	Extremely	56	4.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,176 valid cases out of 1,354 total cases.

Location: 3518-3521 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9BSI07: S9 BSI: q7 pains

Value	Label	Unweighted Frequency	%
0	Not at all	1007	74.4 %
1	A little bit	99	7.3 %
2	Moderately	35	2.6 %
3	Quite a bit	28	2.1 %
4	Extremely	7	0.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,176 valid cases out of 1,354 total cases.

Location: 3522-3525 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9BSI08: S9 BSI: q8 afraid

Value	Label	Unweighted Frequency	%
0	Not at all	1104	81.5 %
1	A little bit	43	3.2 %
2	Moderately	7	0.5 %
3	Quite a bit	13	1.0 %
4	Extremely	9	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,176 valid cases out of 1,354 total cases.

Location: 3526-3529 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9BSI09: S9 BSI: q9 ending life

Value	Label	Unweighted Frequency	%
0	Not at all	1158	85.5 %
1	A little bit	11	0.8 %
2	Moderately	4	0.3 %
3	Quite a bit	2	0.1 %
4	Extremely	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,176 valid cases out of 1,354 total cases.

Location: 3530-3533 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9BSI10: S9 BSI: q10 trusted

Value	Label	Unweighted Frequency	%
0	Not at all	766	56.6 %
1	A little bit	172	12.7 %
2	Moderately	65	4.8 %
3	Quite a bit	102	7.5 %
4	Extremely	71	5.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,176 valid cases out of 1,354 total cases.

Location: 3534-3537 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9BSI11: S9 BSI: q11 poor appetite

Value	Label	Unweighted Frequency	%
0	Not at all	937	69.2 %
1	A little bit	140	10.3 %
2	Moderately	41	3.0 %
3	Quite a bit	39	2.9 %
4	Extremely	19	1.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,176 valid cases out of 1,354 total cases.

Location: 3538-3541 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9BSI12: S9 BSI: q12 scared

Value	Label	Unweighted Frequency	%
0	Not at all	1115	82.3 %
1	A little bit	43	3.2 %
2	Moderately	7	0.5 %
3	Quite a bit	8	0.6 %
4	Extremely	3	0.2 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,176 valid cases out of 1,354 total cases.

Location: 3542-3545 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9BSI13: S9 BSI: q13 outbursts

Value	Label	Unweighted Frequency	%
0	Not at all	1025	75.7 %
1	A little bit	85	6.3 %
2	Moderately	30	2.2 %
3	Quite a bit	20	1.5 %
4	Extremely	16	1.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,176 valid cases out of 1,354 total cases.

Location: 3546-3549 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9BSI14: S9 BSI: q14 lonely1

Value	Label	Unweighted Frequency	%
0	Not at all	904	66.8 %
1	A little bit	131	9.7 %
2	Moderately	49	3.6 %
3	Quite a bit	61	4.5 %
4	Extremely	31	2.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,176 valid cases out of 1,354 total cases.

Location: 3550-3553 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9BSI15: S9 BSI: q15 blocked

Value	Label	Unweighted Frequency	%
0	Not at all	927	68.5 %
1	A little bit	126	9.3 %
2	Moderately	45	3.3 %
3	Quite a bit	53	3.9 %
4	Extremely	25	1.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,176 valid cases out of 1,354 total cases.

Location: 3554-3557 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9BSI16: S9 BSI: q16 lonely2

Value	Label	Unweighted Frequency	%
0	Not at all	867	64.0 %
1	A little bit	144	10.6 %
2	Moderately	56	4.1 %
3	Quite a bit	63	4.7 %
4	Extremely	46	3.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,176 valid cases out of 1,354 total cases.

Location: 3558-3561 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9BSI17: S9 BSI: q17 blue

Value	Label	Unweighted Frequency	%
0	Not at all	900	66.5 %
1	A little bit	142	10.5 %
2	Moderately	50	3.7 %

Value	Label	Unweighted Frequency	%
3	Quite a bit	51	3.8 %
4	Extremely	33	2.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,176 valid cases out of 1,354 total cases.

Location: 3562-3565 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9BSI18: S9 BSI: q18 interest

Value	Label	Unweighted Frequency	%
0	Not at all	875	64.6 %
1	A little bit	189	14.0 %
2	Moderately	50	3.7 %
3	Quite a bit	43	3.2 %
4	Extremely	19	1.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,176 valid cases out of 1,354 total cases.

Location: 3566-3569 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9BSI19: S9 BSI: q19 fearful

Value	Label	Unweighted Frequency	%
0	Not at all	1070	79.0 %
1	A little bit	61	4.5 %
2	Moderately	25	1.8 %
3	Quite a bit	12	0.9 %
4	Extremely	8	0.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,176 valid cases out of 1,354 total cases.

Location: 3570-3573 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9BSI20: S9 BSI: q20 feelings hurt

Value	Label	Unweighted Frequency	%
0	Not at all	1025	75.7 %
1	A little bit	88	6.5 %
2	Moderately	31	2.3 %
3	Quite a bit	24	1.8 %
4	Extremely	8	0.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,176 valid cases out of 1,354 total cases.

Location: 3574-3577 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9BSI21: S9 BSI: q21 disliked

Value	Label	Unweighted Frequency	%
0	Not at all	983	72.6 %
1	A little bit	123	9.1 %
2	Moderately	36	2.7 %
3	Quite a bit	27	2.0 %
4	Extremely	6	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,175 valid cases out of 1,354 total cases.

Location: 3578-3581 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9BSI22: S9 BSI: q22 inferior

Value	Label	Unweighted Frequency	%
0	Not at all	1094	80.8 %
1	A little bit	59	4.4 %
2	Moderately	12	0.9 %
3	Quite a bit	8	0.6 %
4	Extremely	3	0.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,176 valid cases out of 1,354 total cases.

Location: 3582-3585 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9BSI23: S9 BSI: q23 nausea

Value	Label	Unweighted Frequency	%
0	Not at all	979	72.3 %
1	A little bit	121	8.9 %
2	Moderately	36	2.7 %
3	Quite a bit	27	2.0 %
4	Extremely	13	1.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,176 valid cases out of 1,354 total cases.

Location: 3586-3589 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9BSI24: S9 BSI: q24 watched

Value	Label	Unweighted Frequency	%
0	Not at all	928	68.5 %
1	A little bit	121	8.9 %
2	Moderately	45	3.3 %
3	Quite a bit	52	3.8 %
4	Extremely	30	2.2 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,176 valid cases out of 1,354 total cases.

Location: 3590-3593 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9BSI25: S9 BSI: q25 asleep

Value	Label	Unweighted Frequency	%
0	Not at all	837	61.8 %
1	A little bit	159	11.7 %
2	Moderately	54	4.0 %
3	Quite a bit	78	5.8 %
4	Extremely	48	3.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,176 valid cases out of 1,354 total cases.

Location: 3594-3597 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9BSI26: S9 BSI: q26 double-check

Value	Label	Unweighted Frequency	%
0	Not at all	839	62.0 %
1	A little bit	177	13.1 %
2	Moderately	61	4.5 %
3	Quite a bit	66	4.9 %
4	Extremely	33	2.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,176 valid cases out of 1,354 total cases.

Location: 3598-3601 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9BSI27: S9 BSI: q27 decisions

Value	Label	Unweighted Frequency	%
0	Not at all	911	67.3 %
1	A little bit	155	11.4 %
2	Moderately	51	3.8 %
3	Quite a bit	43	3.2 %
4	Extremely	15	1.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,175 valid cases out of 1,354 total cases.

Location: 3602-3605 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9BSI28: S9 BSI: q28 travel

Value	Label	Unweighted Frequency	%
0	Not at all	1121	82.8 %
1	A little bit	31	2.3 %
2	Moderately	7	0.5 %
3	Quite a bit	8	0.6 %
4	Extremely	8	0.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,175 valid cases out of 1,354 total cases.

Location: 3606-3609 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9BSI29: S9 BSI: q29 breath

Value	Label	Unweighted Frequency	%
0	Not at all	1075	79.4 %
1	A little bit	69	5.1 %
2	Moderately	14	1.0 %

Value	Label	Unweighted Frequency	%
3	Quite a bit	12	0.9 %
4	Extremely	5	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,175 valid cases out of 1,354 total cases.

Location: 3610-3613 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9BSI30: S9 BSI: q30 spells

Value	Label	Unweighted Frequency	%
0	Not at all	1107	81.8 %
1	A little bit	34	2.5 %
2	Moderately	16	1.2 %
3	Quite a bit	14	1.0 %
4	Extremely	4	0.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,175 valid cases out of 1,354 total cases.

Location: 3614-3617 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9BSI31: S9 BSI: q31 frighten

Value	Label	Unweighted Frequency	%
0	Not at all	1119	82.6 %
1	A little bit	33	2.4 %
2	Moderately	11	0.8 %
3	Quite a bit	7	0.5 %
4	Extremely	5	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,175 valid cases out of 1,354 total cases.

Location: 3618-3621 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9BSI32: S9 BSI: q32 blank

Value	Label	Unweighted Frequency	%
0	Not at all	997	73.6 %
1	A little bit	114	8.4 %
2	Moderately	34	2.5 %
3	Quite a bit	21	1.6 %
4	Extremely	9	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,175 valid cases out of 1,354 total cases.

Location: 3622-3625 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9BSI33: S9 BSI: q33 tingling

Value	Label	Unweighted Frequency	%
0	Not at all	1066	78.7 %
1	A little bit	68	5.0 %
2	Moderately	17	1.3 %
3	Quite a bit	18	1.3 %
4	Extremely	6	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,175 valid cases out of 1,354 total cases.

Location: 3626-3629 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9BSI34: S9 BSI: q34 punished

Value	Label	Unweighted Frequency	%
0	Not at all	1030	76.1 %
1	A little bit	75	5.5 %
2	Moderately	29	2.1 %
3	Quite a bit	22	1.6 %
4	Extremely	19	1.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,175 valid cases out of 1,354 total cases.

Location: 3630-3633 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9BSI35: S9 BSI: q35 hopeless

Value	Label	Unweighted Frequency	%
0	Not at all	1038	76.7 %
1	A little bit	79	5.8 %
2	Moderately	31	2.3 %
3	Quite a bit	17	1.3 %
4	Extremely	10	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,175 valid cases out of 1,354 total cases.

Location: 3634-3637 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9BSI36: S9 BSI: q36 concentrating

Value	Label	Unweighted Frequency	%
0	Not at all	885	65.4 %
1	A little bit	177	13.1 %
2	Moderately	53	3.9 %
3	Quite a bit	39	2.9 %
4	Extremely	21	1.6 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,175 valid cases out of 1,354 total cases.

Location: 3638-3641 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9BSI37: S9 BSI: q37 weak

Value	Label	Unweighted Frequency	%
0	Not at all	1010	74.6 %
1	A little bit	109	8.1 %
2	Moderately	26	1.9 %
3	Quite a bit	19	1.4 %
4	Extremely	11	0.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,175 valid cases out of 1,354 total cases.

Location: 3642-3645 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9BSI38: S9 BSI: q38 tense

Value	Label	Unweighted Frequency	%
0	Not at all	938	69.3 %
1	A little bit	131	9.7 %
2	Moderately	50	3.7 %
3	Quite a bit	42	3.1 %
4	Extremely	14	1.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,175 valid cases out of 1,354 total cases.

Location: 3646-3649 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9BSI39: S9 BSI: q39 dying

Value	Label	Unweighted Frequency	%
0	Not at all	1111	82.1 %
1	A little bit	35	2.6 %
2	Moderately	10	0.7 %
3	Quite a bit	13	1.0 %
4	Extremely	6	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,175 valid cases out of 1,354 total cases.

Location: 3650-3653 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9BSI40: S9 BSI: q40 beat

Value	Label	Unweighted Frequency	%
0	Not at all	1059	78.2 %
1	A little bit	72	5.3 %
2	Moderately	13	1.0 %
3	Quite a bit	17	1.3 %
4	Extremely	14	1.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,175 valid cases out of 1,354 total cases.

Location: 3654-3657 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9BSI41: S9 BSI: q41 smash

Value	Label	Unweighted Frequency	%
0	Not at all	1069	79.0 %
1	A little bit	66	4.9 %
2	Moderately	13	1.0 %

Value	Label	Unweighted Frequency	%
3	Quite a bit	19	1.4 %
4	Extremely	8	0.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,175 valid cases out of 1,354 total cases.

Location: 3658-3661 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9BSI42: S9 BSI: q42 self-conscious

Value	Label	Unweighted Frequency	%
0	Not at all	1040	76.8 %
1	A little bit	86	6.4 %
2	Moderately	20	1.5 %
3	Quite a bit	21	1.6 %
4	Extremely	8	0.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,175 valid cases out of 1,354 total cases.

Location: 3662-3665 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9BSI43: S9 BSI: q43 uneasy

Value	Label	Unweighted Frequency	%
0	Not at all	1013	74.8 %
1	A little bit	101	7.5 %
2	Moderately	23	1.7 %
3	Quite a bit	24	1.8 %
4	Extremely	14	1.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,175 valid cases out of 1,354 total cases.

Location: 3666-3669 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9BSI44: S9 BSI: q44 close

Value	Label	Unweighted Frequency	%
0	Not at all	1025	75.7 %
1	A little bit	81	6.0 %
2	Moderately	30	2.2 %
3	Quite a bit	25	1.8 %
4	Extremely	14	1.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,175 valid cases out of 1,354 total cases.

Location: 3670-3673 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9BSI45: S9 BSI: q45 terror

Value	Label	Unweighted Frequency	%
0	Not at all	1119	82.6 %
1	A little bit	34	2.5 %
2	Moderately	6	0.4 %
3	Quite a bit	12	0.9 %
4	Extremely	4	0.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,175 valid cases out of 1,354 total cases.

Location: 3674-3677 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9BSI46: S9 BSI: q46 arguments

Value	Label	Unweighted Frequency	%
0	Not at all	957	70.7 %
1	A little bit	137	10.1 %
2	Moderately	38	2.8 %
3	Quite a bit	31	2.3 %
4	Extremely	12	0.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,175 valid cases out of 1,354 total cases.

Location: 3678-3681 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9BSI47: S9 BSI: q47 nervous2

Value	Label	Unweighted Frequency	%
0	Not at all	1103	81.5 %
1	A little bit	43	3.2 %
2	Moderately	15	1.1 %
3	Quite a bit	10	0.7 %
4	Extremely	4	0.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,175 valid cases out of 1,354 total cases.

Location: 3682-3685 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9BSI48: S9 BSI: q48 credit

Value	Label	Unweighted Frequency	%
0	Not at all	1031	76.1 %
1	A little bit	81	6.0 %
2	Moderately	19	1.4 %
3	Quite a bit	26	1.9 %
4	Extremely	18	1.3 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,175 valid cases out of 1,354 total cases.

Location: 3686-3689 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9BSI49: S9 BSI: q49 restless

Value	Label	Unweighted Frequency	%
0	Not at all	913	67.4 %
1	A little bit	153	11.3 %
2	Moderately	42	3.1 %
3	Quite a bit	38	2.8 %
4	Extremely	29	2.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,175 valid cases out of 1,354 total cases.

Location: 3690-3693 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9BSI50: S9 BSI: q50 worthlessness

Value	Label	Unweighted Frequency	%
0	Not at all	1096	80.9 %
1	A little bit	47	3.5 %
2	Moderately	13	1.0 %
3	Quite a bit	13	1.0 %
4	Extremely	6	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,175 valid cases out of 1,354 total cases.

Location: 3694-3697 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9BSI51: S9 BSI: q51 advantage

Value	Label	Unweighted Frequency	%
0	Not at all	811	59.9 %
1	A little bit	151	11.2 %
2	Moderately	57	4.2 %
3	Quite a bit	87	6.4 %
4	Extremely	69	5.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,175 valid cases out of 1,354 total cases.

Location: 3698-3701 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9BSI52: S9 BSI: q52 guilt

Value	Label	Unweighted Frequency	%
0	Not at all	1017	75.1 %
1	A little bit	87	6.4 %
2	Moderately	35	2.6 %
3	Quite a bit	22	1.6 %
4	Extremely	14	1.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,175 valid cases out of 1,354 total cases.

Location: 3702-3705 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9BSI53: S9 BSI: q53 wrong

Value	Label	Unweighted Frequency	%
0	Not at all	1063	78.5 %
1	A little bit	67	4.9 %
2	Moderately	16	1.2 %

Value	Label	Unweighted Frequency	%
3	Quite a bit	17	1.3 %
4	Extremely	12	0.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,175 valid cases out of 1,354 total cases.

Location: 3706-3709 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

S9BSIXX: s9 BSI: Indicator of valid administration per BSI codebook

Value	Label	Unweighted Frequency	%
0	Valid administration	816	60.3 %
1	Invalid test administration	360	26.6 %
2	All missing answers	178	13.1 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 3710-3710 (width: 1; decimal: 0)
Variable Type: numeric

S9BSISOM: S9 BSI: Somatization

Based upon 815 valid cases out of 1,354 total cases.

- Mean: 0.2624014023
- Median: 0.0000000000
- Mode: 0.0000000000
- Minimum: 0.0000000000
- Maximum: 3.0000000000
- Standard Deviation: 0.4599841422

Location: 3711-3725 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -202.0000000000 , -201.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

S9BSIOC: S9 BSI: Obsessive-Compulsive

Based upon 815 valid cases out of 1,354 total cases.

- Mean: 0.5783231084
- Median: 0.3333333333
- Mode: 0.0000000000
- Minimum: 0.0000000000

- Maximum: 4.0000000000
- Standard Deviation: 0.7207536716

Location: 3726-3740 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -202.0000000000 , -201.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

S9BSIIS: S9 BSI: Interpersonal Sensitivity

Based upon 816 valid cases out of 1,354 total cases.

- Mean: 0.2733864379
- Median: 0.0000000000
- Mode: 0.0000000000
- Minimum: 0.0000000000
- Maximum: 3.0000000000
- Standard Deviation: 0.5147346130

Location: 3741-3755 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -202.0000000000 , -201.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

S9BSIDEP: S9 BSI: Depression

Based upon 816 valid cases out of 1,354 total cases.

- Mean: 0.4168709150
- Median: 0.1666666667
- Mode: 0.0000000000
- Minimum: 0.0000000000
- Maximum: 3.8333333333
- Standard Deviation: 0.6160763431

Location: 3756-3770 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -202.0000000000 , -201.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

S9BSIANX: S9 BSI: Anxiety

Based upon 815 valid cases out of 1,354 total cases.

- Mean: 0.3386503068
- Median: 0.1666666667
- Mode: 0.0000000000
- Minimum: 0.0000000000
- Maximum: 3.8333333333
- Standard Deviation: 0.5469110935

Location: 3771-3785 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -202.0000000000 , -201.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

S9BSIHOS: S9 BSI: Hostility

Based upon 815 valid cases out of 1,354 total cases.

- Mean: 0.48
- Median: 0.20
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.63

Location: 3786-3791 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -700.0 , -202.0 , -201.0 , -98.0 , -97.0 , -9.0 , -8.0

S9BSIPHB: S9 BSI: Phobic Anxiety

Based upon 815 valid cases out of 1,354 total cases.

- Mean: 0.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.42

Location: 3792-3797 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -700.0 , -202.0 , -201.0 , -98.0 , -97.0 , -9.0 , -8.0

S9BSIPAR: S9 BSI: Paranoid Ideation

Based upon 816 valid cases out of 1,354 total cases.

- Mean: 0.6295751634
- Median: 0.4000000000
- Mode: 0.0000000000
- Minimum: 0.0000000000
- Maximum: 3.6000000000
- Standard Deviation: 0.7230677916

Location: 3798-3812 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -202.0000000000 , -201.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

S9BSIPSY: S9 BSI: Psychoticism

Based upon 815 valid cases out of 1,354 total cases.

- Mean: 0.33
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.52

Location: 3813-3818 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -700.0 , -202.0 , -201.0 , -98.0 , -97.0 , -9.0 , -8.0

S9BSIGSI: S9 BSI: Global Severity Index

Based upon 816 valid cases out of 1,354 total cases.

- Mean: 0.3937945552
- Median: 0.2264150943
- Mode: 0.0188679245
- Minimum: 0.0188679245
- Maximum: 3.1320754717
- Standard Deviation: 0.4609226103

Location: 3819-3833 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -202.0000000000 , -201.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

S9BSIPST: S9 BSI: Positive Symptom Total

Based upon 816 valid cases out of 1,354 total cases.

- Mean: 11.52
- Median: 7.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 51.00
- Standard Deviation: 10.84

Location: 3834-3837 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S9BSIPSD: S9 BSI: Positive Symptom Distress Index

Based upon 816 valid cases out of 1,354 total cases.

- Mean: 1.7068856054
- Median: 1.5714285714
- Mode: 1.0000000000
- Minimum: 1.0000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.7212721572

Location: 3838-3852 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -202.0000000000 , -201.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

S9SOM_T: S9 BSI: Somatization Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	788	58.2 %
1	clinical range	27	2.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	175	12.9 %
-98	Disqualified, too few answers	1	0.1 %
-97	Invalid Test	360	26.6 %
	Total	**1,354**	**100%**

Based upon 815 valid cases out of 1,354 total cases.

Location: 3853-3856 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S9OC_T: S9 BSI: Obsessive-Compulsive Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	759	56.1 %
1	clinical range	56	4.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-98	Disqualified, too few answers	1	0.1 %
-97	Invalid Test	360	26.6 %
	Total	**1,354**	**100%**

Based upon 815 valid cases out of 1,354 total cases.

Location: 3857-3860 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S9IS_T: S9 BSI: Interpersonal Sensitivity Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	802	59.2 %
1	clinical range	14	1.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-97	Invalid Test	360	26.6 %
	Total	**1,354**	**100%**

Based upon 816 valid cases out of 1,354 total cases.

Location: 3861-3864 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S9DEP_T: S9 BSI: Depression Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	785	58.0 %
1	clinical range	31	2.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-97	Invalid Test	360	26.6 %
	Total	**1,354**	**100%**

Based upon 816 valid cases out of 1,354 total cases.

Location: 3865-3868 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S9ANX_T: S9 BSI: Anxiety Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	784	57.9 %
1	clinical range	31	2.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-98	Disqualified, too few answers	1	0.1 %
-97	Invalid Test	360	26.6 %
	Total	**1,354**	**100%**

Based upon 815 valid cases out of 1,354 total cases.

Location: 3869-3872 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S9HOS_T: S9 BSI: Hostility Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	791	58.4 %
1	clinical range	24	1.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-98	Disqualified, too few answers	1	0.1 %
-97	Invalid Test	360	26.6 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 815 valid cases out of 1,354 total cases.

Location: 3873-3876 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S9PHB_T: S9 BSI: Phobic Anxiety Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	793	58.6 %
1	clinical range	22	1.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-98	Disqualified, too few answers	1	0.1 %
-97	Invalid Test	360	26.6 %
	Total	**1,354**	**100%**

Based upon 815 valid cases out of 1,354 total cases.

Location: 3877-3880 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S9PAR_T: S9 BSI: Paranoid Ideation Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	784	57.9 %
1	clinical range	32	2.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-97	Invalid Test	360	26.6 %
	Total	**1,354**	**100%**

Based upon 816 valid cases out of 1,354 total cases.

Location: 3881-3884 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S9PSY_T: S9 BSI: Psychoticism Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	790	58.3 %
1	clinical range	25	1.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-98	Disqualified, too few answers	1	0.1 %
-97	Invalid Test	360	26.6 %
	Total	**1,354**	**100%**

Based upon 815 valid cases out of 1,354 total cases.

Location: 3885-3888 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S9GSI_T: S9 BSI: GSI Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	793	58.6 %
1	clinical range	23	1.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-97	Invalid Test	360	26.6 %
	Total	**1,354**	**100%**

Based upon 816 valid cases out of 1,354 total cases.

Location: 3889-3892 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S9BSIDX1: S9 BSI: Subscale Diagnosis Significant

Value	Label	Unweighted Frequency	%
0	-	710	52.4 %
1	-	50	3.7 %
2	-	23	1.7 %
3	-	8	0.6 %
4	-	6	0.4 %
5	-	8	0.6 %
6	-	4	0.3 %
7	-	4	0.3 %
8	-	1	0.1 %

Value	Label	Unweighted Frequency	%
9	-	2	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-97	Invalid Test	360	26.6 %
	Total	**1,354**	**100%**

Based upon 816 valid cases out of 1,354 total cases.

Location: 3893-3896 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

S9BSIDX: S9 BSI: Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	760	56.1 %
1	clinical range	56	4.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-97	Invalid Test	360	26.6 %
	Total	**1,354**	**100%**

Based upon 816 valid cases out of 1,354 total cases.

Location: 3897-3900 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

SABSI01: SA BSI: q1 nervousness

Value	Label	Unweighted Frequency	%
0	Not at all	949	70.1 %
1	A little bit	116	8.6 %
2	Moderately	30	2.2 %
3	Quite a bit	25	1.8 %
4	Extremely	11	0.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 3901-3904 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SABSI02: SA BSI: q2 faintness

Value	Label	Unweighted Frequency	%
0	Not at all	1031	76.1 %
1	A little bit	60	4.4 %
2	Moderately	21	1.6 %
3	Quite a bit	14	1.0 %
4	Extremely	5	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 3905-3908 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SABSI03: SA BSI: q3 control thoughts

Value	Label	Unweighted Frequency	%
0	Not at all	1111	82.1 %
1	A little bit	15	1.1 %
2	Moderately	3	0.2 %
3	Quite a bit	1	0.1 %
4	Extremely	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 3909-3912 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SABSI04: SA BSI: q4 blame

Value	Label	Unweighted Frequency	%
0	Not at all	1062	78.4 %

Value	Label	Unweighted Frequency	%
1	A little bit	41	3.0 %
2	Moderately	11	0.8 %
3	Quite a bit	11	0.8 %
4	Extremely	6	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 3913-3916 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SABSI05: SA BSI: q5 remembering

Value	Label	Unweighted Frequency	%
0	Not at all	867	64.0 %
1	A little bit	160	11.8 %
2	Moderately	52	3.8 %
3	Quite a bit	34	2.5 %
4	Extremely	18	1.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 3917-3920 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SABSI06: SA BSI: q6 irritated

Value	Label	Unweighted Frequency	%
0	Not at all	720	53.2 %
1	A little bit	209	15.4 %
2	Moderately	71	5.2 %
3	Quite a bit	94	6.9 %
4	Extremely	37	2.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 3921-3924 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SABSI07: SA BSI: q7 pains

Value	Label	Unweighted Frequency	%
0	Not at all	1026	75.8 %
1	A little bit	63	4.7 %
2	Moderately	18	1.3 %
3	Quite a bit	16	1.2 %
4	Extremely	8	0.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 3925-3928 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SABSI08: SA BSI: q8 afraid

Value	Label	Unweighted Frequency	%
0	Not at all	1082	79.9 %
1	A little bit	26	1.9 %
2	Moderately	9	0.7 %
3	Quite a bit	11	0.8 %
4	Extremely	3	0.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 3929-3932 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SABSI09: SA BSI: q9 ending life

Value	Label	Unweighted Frequency	%
0	Not at all	1112	82.1 %
1	A little bit	11	0.8 %
2	Moderately	2	0.1 %
3	Quite a bit	3	0.2 %
4	Extremely	3	0.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 3933-3936 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SABSI10: SA BSI: q10 trusted

Value	Label	Unweighted Frequency	%
0	Not at all	785	58.0 %
1	A little bit	152	11.2 %
2	Moderately	62	4.6 %
3	Quite a bit	73	5.4 %
4	Extremely	59	4.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 3937-3940 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SABSI11: SA BSI: q11 poor appetite

Value	Label	Unweighted Frequency	%
0	Not at all	929	68.6 %
1	A little bit	110	8.1 %
2	Moderately	38	2.8 %
3	Quite a bit	30	2.2 %

Value	Label	Unweighted Frequency	%
4	Extremely	24	1.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 3941-3944 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SABSI12: SA BSI: q12 scared

Value	Label	Unweighted Frequency	%
0	Not at all	1075	79.4 %
1	A little bit	31	2.3 %
2	Moderately	8	0.6 %
3	Quite a bit	11	0.8 %
4	Extremely	6	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 3945-3948 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SABSI13: SA BSI: q13 outbursts

Value	Label	Unweighted Frequency	%
0	Not at all	1019	75.3 %
1	A little bit	60	4.4 %
2	Moderately	34	2.5 %
3	Quite a bit	8	0.6 %
4	Extremely	10	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 3949-3952 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SABSI14: SA BSI: q14 lonely1

Value	Label	Unweighted Frequency	%
0	Not at all	930	68.7 %
1	A little bit	98	7.2 %
2	Moderately	39	2.9 %
3	Quite a bit	36	2.7 %
4	Extremely	28	2.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 3953-3956 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SABSI15: SA BSI: q15 blocked

Value	Label	Unweighted Frequency	%
0	Not at all	942	69.6 %
1	A little bit	90	6.6 %
2	Moderately	40	3.0 %
3	Quite a bit	40	3.0 %
4	Extremely	19	1.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 3957-3960 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SABSI16: SA BSI: q16 lonely2

Value	Label	Unweighted Frequency	%
0	Not at all	902	66.6 %
1	A little bit	113	8.3 %
2	Moderately	38	2.8 %
3	Quite a bit	44	3.2 %
4	Extremely	34	2.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 3961-3964 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SABSI17: SA BSI: q17 blue

Value	Label	Unweighted Frequency	%
0	Not at all	928	68.5 %
1	A little bit	112	8.3 %
2	Moderately	39	2.9 %
3	Quite a bit	34	2.5 %
4	Extremely	18	1.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 3965-3968 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SABSI18: SA BSI: q18 interest

Value	Label	Unweighted Frequency	%
0	Not at all	919	67.9 %
1	A little bit	129	9.5 %
2	Moderately	30	2.2 %
3	Quite a bit	34	2.5 %
4	Extremely	19	1.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 3969-3972 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SABSI19: SA BSI: q19 fearful

Value	Label	Unweighted Frequency	%
0	Not at all	1052	77.7 %
1	A little bit	41	3.0 %
2	Moderately	17	1.3 %
3	Quite a bit	15	1.1 %
4	Extremely	6	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 3973-3976 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SABSI20: SA BSI: q20 feelings hurt

Value	Label	Unweighted Frequency	%
0	Not at all	1000	73.9 %
1	A little bit	84	6.2 %
2	Moderately	16	1.2 %
3	Quite a bit	20	1.5 %
4	Extremely	11	0.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 3977-3980 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SABSI21: SA BSI: q21 disliked

Value	Label	Unweighted Frequency	%
0	Not at all	984	72.7 %
1	A little bit	88	6.5 %
2	Moderately	28	2.1 %
3	Quite a bit	18	1.3 %
4	Extremely	13	1.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 3981-3984 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SABSI22: SA BSI: q22 inferior

Value	Label	Unweighted Frequency	%
0	Not at all	1071	79.1 %
1	A little bit	36	2.7 %
2	Moderately	11	0.8 %
3	Quite a bit	8	0.6 %
4	Extremely	4	0.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,130 valid cases out of 1,354 total cases.

Location: 3985-3988 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SABSI23: SA BSI: q23 nausea

Value	Label	Unweighted Frequency	%
0	Not at all	993	73.3 %
1	A little bit	87	6.4 %

Value	Label	Unweighted Frequency	%
2	Moderately	22	1.6 %
3	Quite a bit	23	1.7 %
4	Extremely	6	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 3989-3992 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SABSI24: SA BSI: q24 watched

Value	Label	Unweighted Frequency	%
0	Not at all	931	68.8 %
1	A little bit	97	7.2 %
2	Moderately	37	2.7 %
3	Quite a bit	41	3.0 %
4	Extremely	25	1.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 3993-3996 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SABSI25: SA BSI: q25 asleep

Value	Label	Unweighted Frequency	%
0	Not at all	868	64.1 %
1	A little bit	123	9.1 %
2	Moderately	42	3.1 %
3	Quite a bit	55	4.1 %
4	Extremely	43	3.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 3997-4000 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SABSI26: SA BSI: q26 double-check

Value	Label	Unweighted Frequency	%
0	Not at all	868	64.1 %
1	A little bit	133	9.8 %
2	Moderately	51	3.8 %
3	Quite a bit	58	4.3 %
4	Extremely	21	1.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 4001-4004 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SABSI27: SA BSI: q27 decisions

Value	Label	Unweighted Frequency	%
0	Not at all	931	68.8 %
1	A little bit	115	8.5 %
2	Moderately	41	3.0 %
3	Quite a bit	30	2.2 %
4	Extremely	14	1.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 4005-4008 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SABSI28: SA BSI: q28 travel

Value	Label	Unweighted Frequency	%
0	Not at all	1092	80.6 %
1	A little bit	17	1.3 %
2	Moderately	5	0.4 %
3	Quite a bit	13	1.0 %
4	Extremely	4	0.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 4009-4012 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SABSI29: SA BSI: q29 breath

Value	Label	Unweighted Frequency	%
0	Not at all	1066	78.7 %
1	A little bit	45	3.3 %
2	Moderately	9	0.7 %
3	Quite a bit	6	0.4 %
4	Extremely	5	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 4013-4016 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SABSI30: SA BSI: q30 spells

Value	Label	Unweighted Frequency	%
0	Not at all	1081	79.8 %
1	A little bit	29	2.1 %
2	Moderately	9	0.7 %
3	Quite a bit	5	0.4 %

Value	Label	Unweighted Frequency	%
4	Extremely	7	0.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 4017-4020 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SABSI31: SA BSI: q31 frighten

Value	Label	Unweighted Frequency	%
0	Not at all	1095	80.9 %
1	A little bit	23	1.7 %
2	Moderately	7	0.5 %
3	Quite a bit	4	0.3 %
4	Extremely	2	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 4021-4024 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SABSI32: SA BSI: q32 blank

Value	Label	Unweighted Frequency	%
0	Not at all	991	73.2 %
1	A little bit	89	6.6 %
2	Moderately	24	1.8 %
3	Quite a bit	16	1.2 %
4	Extremely	11	0.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 4025-4028 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SABSI33: SA BSI: q33 tingling

Value	Label	Unweighted Frequency	%
0	Not at all	1076	79.5 %
1	A little bit	30	2.2 %
2	Moderately	15	1.1 %
3	Quite a bit	8	0.6 %
4	Extremely	2	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 4029-4032 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SABSI34: SA BSI: q34 punished

Value	Label	Unweighted Frequency	%
0	Not at all	1007	74.4 %
1	A little bit	65	4.8 %
2	Moderately	20	1.5 %
3	Quite a bit	16	1.2 %
4	Extremely	23	1.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 4033-4036 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SABSI35: SA BSI: q35 hopeless

Value	Label	Unweighted Frequency	%
0	Not at all	1029	76.0 %
1	A little bit	49	3.6 %
2	Moderately	28	2.1 %
3	Quite a bit	15	1.1 %
4	Extremely	10	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 4037-4040 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SABSI36: SA BSI: q36 concentrating

Value	Label	Unweighted Frequency	%
0	Not at all	887	65.5 %
1	A little bit	158	11.7 %
2	Moderately	37	2.7 %
3	Quite a bit	32	2.4 %
4	Extremely	17	1.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 4041-4044 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SABSI37: SA BSI: q37 weak

Value	Label	Unweighted Frequency	%
0	Not at all	1011	74.7 %
1	A little bit	78	5.8 %
2	Moderately	27	2.0 %
3	Quite a bit	9	0.7 %
4	Extremely	6	0.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 4045-4048 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SABSI38: SA BSI: q38 tense

Value	Label	Unweighted Frequency	%
0	Not at all	932	68.8 %
1	A little bit	117	8.6 %
2	Moderately	39	2.9 %
3	Quite a bit	28	2.1 %
4	Extremely	15	1.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 4049-4052 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SABSI39: SA BSI: q39 dying

Value	Label	Unweighted Frequency	%
0	Not at all	1071	79.1 %
1	A little bit	31	2.3 %
2	Moderately	12	0.9 %
3	Quite a bit	10	0.7 %
4	Extremely	7	0.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 4053-4056 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SABSI40: SA BSI: q40 beat

Value	Label	Unweighted Frequency	%
0	Not at all	1056	78.0 %
1	A little bit	47	3.5 %
2	Moderately	10	0.7 %
3	Quite a bit	13	1.0 %
4	Extremely	5	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 4057-4060 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SABSI41: SA BSI: q41 smash

Value	Label	Unweighted Frequency	%
0	Not at all	1067	78.8 %
1	A little bit	38	2.8 %
2	Moderately	9	0.7 %
3	Quite a bit	13	1.0 %
4	Extremely	4	0.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 4061-4064 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SABSI42: SA BSI: q42 self-conscious

Value	Label	Unweighted Frequency	%
0	Not at all	1034	76.4 %
1	A little bit	55	4.1 %
2	Moderately	19	1.4 %

Value	Label	Unweighted Frequency	%
3	Quite a bit	17	1.3 %
4	Extremely	6	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 4065-4068 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SABSI43: SA BSI: q43 uneasy

Value	Label	Unweighted Frequency	%
0	Not at all	1010	74.6 %
1	A little bit	76	5.6 %
2	Moderately	15	1.1 %
3	Quite a bit	22	1.6 %
4	Extremely	8	0.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 4069-4072 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SABSI44: SA BSI: q44 close

Value	Label	Unweighted Frequency	%
0	Not at all	1016	75.0 %
1	A little bit	62	4.6 %
2	Moderately	19	1.4 %
3	Quite a bit	17	1.3 %
4	Extremely	17	1.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 4073-4076 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SABSI45: SA BSI: q45 terror

Value	Label	Unweighted Frequency	%
0	Not at all	1088	80.4 %
1	A little bit	26	1.9 %
2	Moderately	6	0.4 %
3	Quite a bit	4	0.3 %
4	Extremely	7	0.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 4077-4080 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SABSI46: SA BSI: q46 arguments

Value	Label	Unweighted Frequency	%
0	Not at all	958	70.8 %
1	A little bit	118	8.7 %
2	Moderately	20	1.5 %
3	Quite a bit	25	1.8 %
4	Extremely	10	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 4081-4084 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SABSI47: SA BSI: q47 nervous2

Value	Label	Unweighted Frequency	%
0	Not at all	1078	79.6 %
1	A little bit	32	2.4 %
2	Moderately	5	0.4 %
3	Quite a bit	11	0.8 %
4	Extremely	5	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 4085-4088 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SABSI48: SA BSI: q48 credit

Value	Label	Unweighted Frequency	%
0	Not at all	969	71.6 %
1	A little bit	86	6.4 %
2	Moderately	31	2.3 %
3	Quite a bit	31	2.3 %
4	Extremely	13	1.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,130 valid cases out of 1,354 total cases.

Location: 4089-4092 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SABSI49: SA BSI: q49 restless

Value	Label	Unweighted Frequency	%
0	Not at all	914	67.5 %
1	A little bit	123	9.1 %
2	Moderately	38	2.8 %
3	Quite a bit	37	2.7 %
4	Extremely	19	1.4 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 4093-4096 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SABSI50: SA BSI: q50 worthlessness

Value	Label	Unweighted Frequency	%
0	Not at all	1062	78.4 %
1	A little bit	43	3.2 %
2	Moderately	12	0.9 %
3	Quite a bit	8	0.6 %
4	Extremely	6	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 4097-4100 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SABSI51: SA BSI: q51 advantage

Value	Label	Unweighted Frequency	%
0	Not at all	829	61.2 %
1	A little bit	145	10.7 %
2	Moderately	44	3.2 %
3	Quite a bit	58	4.3 %
4	Extremely	55	4.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 4101-4104 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SABSI52: SA BSI: q52 guilt

Value	Label	Unweighted Frequency	%
0	Not at all	1008	74.4 %
1	A little bit	78	5.8 %
2	Moderately	17	1.3 %
3	Quite a bit	19	1.4 %
4	Extremely	9	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 4105-4108 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SABSI53: SA BSI: q53 wrong

Value	Label	Unweighted Frequency	%
0	Not at all	1030	76.1 %
1	A little bit	59	4.4 %
2	Moderately	17	1.3 %
3	Quite a bit	11	0.8 %
4	Extremely	14	1.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 4109-4112 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -9 , -8

SABSIXX: sA BSI: Indicator of valid administration per BSI codebook

Value	Label	Unweighted Frequency	%
0	Valid administration	709	52.4 %

Value	Label	Unweighted Frequency	%
1	Invalid test administration	422	31.2 %
2	All missing answers	223	16.5 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 4113-4113 (width: 1; decimal: 0)
Variable Type: numeric

SABSISOM: SA BSI: Somatization

Based upon 709 valid cases out of 1,354 total cases.

- Mean: 0.2081402378
- Median: 0.0000000000
- Mode: 0.0000000000
- Minimum: 0.0000000000
- Maximum: 2.8571428571
- Standard Deviation: 0.4249896717

Location: 4114-4128 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -202.0000000000 , -201.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

SABSIOC: SA BSI: Obsessive-Compulsive

Based upon 709 valid cases out of 1,354 total cases.

- Mean: 0.5324400564
- Median: 0.3333333333
- Mode: 0.0000000000
- Minimum: 0.0000000000
- Maximum: 3.5000000000
- Standard Deviation: 0.6960660812

Location: 4129-4143 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -202.0000000000 , -201.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

SABSIIS: SA BSI: Interpersonal Sensitivity

Based upon 709 valid cases out of 1,354 total cases.

- Mean: 0.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.54

Location: 4144-4150 (width: 7; decimal: 2)
Variable Type: numeric
(Range of) Missing Values: -700.00 , -202.00 , -201.00 , -98.00 , -97.00 , -9.00 , -8.00

SABSIDEP: SA BSI: Depression

Based upon 709 valid cases out of 1,354 total cases.

- Mean: 0.3594264222
- Median: 0.0000000000
- Mode: 0.0000000000
- Minimum: 0.0000000000
- Maximum: 3.8333333333
- Standard Deviation: 0.6160015119

Location: 4151-4165 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -202.0000000000 , -201.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

SABSIANX: SA BSI: Anxiety

Based upon 709 valid cases out of 1,354 total cases.

- Mean: 0.3164080865
- Median: 0.1666666667
- Mode: 0.0000000000
- Minimum: 0.0000000000
- Maximum: 3.5000000000
- Standard Deviation: 0.5347574080

Location: 4166-4180 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -202.0000000000 , -201.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

SABSIHOS: SA BSI: Hostility

Based upon 709 valid cases out of 1,354 total cases.

- Mean: 0.42
- Median: 0.20
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.54

Location: 4181-4186 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -700.0 , -202.0 , -201.0 , -98.0 , -97.0 , -9.0 , -8.0

SABSIPHB: SA BSI: Phobic Anxiety

Based upon 709 valid cases out of 1,354 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.20

- Standard Deviation: 0.38

Location: 4187-4192 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -700.0 , -202.0 , -201.0 , -98.0 , -97.0 , -9.0 , -8.0

SABSIPAR: SA BSI: Paranoid Ideation

Based upon 709 valid cases out of 1,354 total cases.

- Mean: 0.61
- Median: 0.40
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.40
- Standard Deviation: 0.72

Location: 4193-4198 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -700.0 , -202.0 , -201.0 , -98.0 , -97.0 , -9.0 , -8.0

SABSIPSY: SA BSI: Psychoticism

Based upon 709 valid cases out of 1,354 total cases.

- Mean: 0.30
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.20
- Standard Deviation: 0.53

Location: 4199-4204 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -700.0 , -202.0 , -201.0 , -98.0 , -97.0 , -9.0 , -8.0

SABSIGSI: SA BSI: Global Severity Index

Based upon 709 valid cases out of 1,354 total cases.

- Mean: 0.3563247568
- Median: 0.1886792453
- Mode: 0.0566037736
- Minimum: 0.0188679245
- Maximum: 2.9056603774
- Standard Deviation: 0.4494862557

Location: 4205-4219 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -202.0000000000 , -201.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

SABSIPST: SA BSI: Positive Symptom Total

Based upon 709 valid cases out of 1,354 total cases.

- Mean: 10.43

- Median: 7.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 53.00
- Standard Deviation: 10.25

Location: 4220-4223 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

SABSIPSD: SA BSI: Positive Symptom Distress Index

Based upon 709 valid cases out of 1,354 total cases.

- Mean: 1.6721639939
- Median: 1.4166666667
- Mode: 1.0000000000
- Minimum: 1.0000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.7524960387

Location: 4224-4238 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -202.0000000000 , -201.0000000000 , -98.0000000000 , -97.0000000000 , -9.0000000000 , -8.0000000000

SASOM_T: SA BSI: Somatization Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	693	51.2 %
1	clinical range	16	1.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-97	Invalid Test	422	31.2 %
	Total	**1,354**	**100%**

Based upon 709 valid cases out of 1,354 total cases.

Location: 4239-4242 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

SAOC_T: SA BSI: Obsessive-Compulsive Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	667	49.3 %
1	clinical range	42	3.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	220	16.2 %
-97	Invalid Test	422	31.2 %
	Total	**1,354**	**100%**

Based upon 709 valid cases out of 1,354 total cases.

Location: 4243-4246 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

SAIS_T: SA BSI: Interpersonal Sensitivity Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	696	51.4 %
1	clinical range	13	1.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-97	Invalid Test	422	31.2 %
	Total	**1,354**	**100%**

Based upon 709 valid cases out of 1,354 total cases.

Location: 4247-4250 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

SADEP_T: SA BSI: Depression Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	679	50.1 %
1	clinical range	30	2.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-97	Invalid Test	422	31.2 %
	Total	**1,354**	**100%**

Based upon 709 valid cases out of 1,354 total cases.

Location: 4251-4254 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

SAANX_T: SA BSI: Anxiety Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	682	50.4 %
1	clinical range	27	2.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-97	Invalid Test	422	31.2 %
	Total	**1,354**	**100%**

Based upon 709 valid cases out of 1,354 total cases.

Location: 4255-4258 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

SAHOS_T: SA BSI: Hostility Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	694	51.3 %
1	clinical range	15	1.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-97	Invalid Test	422	31.2 %
	Total	**1,354**	**100%**

Based upon 709 valid cases out of 1,354 total cases.

Location: 4259-4262 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

SAPHB_T: SA BSI: Phobic Anxiety Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	694	51.3 %
1	clinical range	15	1.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-97	Invalid Test	422	31.2 %
	Total	**1,354**	**100%**

Based upon 709 valid cases out of 1,354 total cases.

Location: 4263-4266 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

SAPAR_T: SA BSI: Paranoid Ideation Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	679	50.1 %
1	clinical range	30	2.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-97	Invalid Test	422	31.2 %
	Total	**1,354**	**100%**

Based upon 709 valid cases out of 1,354 total cases.

Location: 4267-4270 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

SAPSY_T: SA BSI: Psychoticism Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	686	50.7 %
1	clinical range	23	1.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-97	Invalid Test	422	31.2 %
	Total	**1,354**	**100%**

Based upon 709 valid cases out of 1,354 total cases.

Location: 4271-4274 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

SAGSI_T: SA BSI: GSI Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	688	50.8 %
1	clinical range	21	1.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-97	Invalid Test	422	31.2 %
	Total	**1,354**	**100%**

Based upon 709 valid cases out of 1,354 total cases.

Location: 4275-4278 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

SABSIDX1: SA BSI: Subscale Diagnosis Significant

Value	Label	Unweighted Frequency	%
0	-	628	46.4 %
1	-	44	3.2 %
2	-	8	0.6 %
3	-	5	0.4 %
4	-	8	0.6 %
5	-	4	0.3 %
6	-	4	0.3 %
7	-	5	0.4 %
8	-	2	0.1 %
9	-	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-97	Invalid Test	422	31.2 %
	Total	**1,354**	**100%**

Based upon 709 valid cases out of 1,354 total cases.

Location: 4279-4282 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8

SABSIDX: SA BSI: Clinically Significant

Value	Label	Unweighted Frequency	%
0	not clinically significant	672	49.6 %
1	clinical range	37	2.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-97	Invalid Test	422	31.2 %
	Total	**1,354**	**100%**

Based upon 709 valid cases out of 1,354 total cases.

Location: 4283-4286 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -98 , -97 , -9 , -8