ICPSR | INTER-UNIVERSITY CONSORTIUM FOR POLITICAL AND SOCIAL RESEARCH

ICPSR 36800

Research on Pathways to Desistance [Maricopa County, AZ and Philadelphia County, PA]: Subject Measures - Scales, 2000-2010

Edward P. Mulvey
University of Pittsburgh

Codebook for Exposure to Violence
[RESTRICTED]

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/36800/terms

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE
WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 36800

Research on Pathways to Desistance [Maricopa County, AZ and Philadelphia County, PA]: Subject Measures - Scales, 2000-2010

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Exposure to Violence [RESTRICTED]

CASEID: S0 IntInfo: Subject ID

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1-5 (width: 5; decimal: 0)
Variable Type: numeric

S0EXPV01: S0 ExpV: Ever see anyone chased thought could be hurt

Value	Label	Unweighted Frequency	%
1	Yes	1003	74.1 %
5	No	351	25.9 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 6-9 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -200 , -104 , -9 , -8

S0EXPV02: S0 ExpV: You ever chased thought could be hurt

Value	Label	Unweighted Frequency	%
1	Yes	591	43.6 %
5	No	763	56.4 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 10-13 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -200 , -104 , -9 , -8

S0EXPV03: S0 ExpV: Ever see someone else get beaten up

Value	Label	Unweighted Frequency	%
1	Yes	1159	85.6 %
5	No	195	14.4 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 14-17 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -200 , -104 , -9 , -8

S0EXPV04: S0 ExpV: You ever been beaten up by another

Value	Label	Unweighted Frequency	%
1	Yes	439	32.4 %
5	No	915	67.6 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 18-21 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -200 , -104 , -9 , -8

S0EXPV05: S0 ExpV: Ever see someone else being raped

Value	Label	Unweighted Frequency	%
1	Yes	82	6.1 %
5	No	1272	93.9 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 22-25 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -200 , -104 , -9 , -8

S0EXPV06: S0 ExpV: You ever been raped or sexually attacked

Value	Label	Unweighted Frequency	%
1	Yes	76	5.6 %
5	No	1278	94.4 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 26-29 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -200 , -104 , -9 , -8

S0EXPV07: S0 ExpV: Ever see someone attacked with a weapon

Value	Label	Unweighted Frequency	%
1	Yes	890	65.7 %
5	No	464	34.3 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 30-33 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -200 , -104 , -9 , -8

S0EXPV08: S0 ExpV: You ever been attacked with a weapon

Value	Label	Unweighted Frequency	%
1	Yes	417	30.8 %
5	No	937	69.2 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 34-37 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -200 , -104 , -9 , -8

S0EXPV09: S0 ExpV: Ever see someone else shot at

Value	Label	Unweighted Frequency	%
1	Yes	885	65.4 %
5	No	469	34.6 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 38-41 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -200 , -104 , -9 , -8

S0EXPV10: S0 ExpV: You ever been shot at

Value	Label	Unweighted Frequency	%
1	Yes	518	38.3 %
5	No	836	61.7 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 42-45 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -200 , -104 , -9 , -8

S0EXPV11: S0 ExpV: Ever see someone else get shot and hit

Value	Label	Unweighted Frequency	%
1	Yes	665	49.1 %
5	No	689	50.9 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 46-49 (width: 4; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -400 , -200 , -104 , -9 , -8

S0EXPV12: S0 ExpV: You ever been shot and hit

Value	Label	Unweighted Frequency	%
1	Yes	87	6.4 %
5	No	1267	93.6 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 50-53 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -200 , -104 , -9 , -8

S0EXPV13: S0 ExpV: Ever see someone killed from violence

Value	Label	Unweighted Frequency	%
1	Yes	407	30.1 %
5	No	947	69.9 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 54-57 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -200 , -104 , -9 , -8

S0EXPV14: S0 ExpV: Anyone close to you ever try kill self

Value	Label	Unweighted Frequency	%
1	Yes	350	25.8 %
5	No	1001	73.9 %
	Missing Data		
-200	Data missing	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,351 valid cases out of 1,354 total cases.

Location: 58-61 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -200 , -104 , -9 , -8

S0EXPV17: S0 ExpV: Past 6 months anyone close to you died

Value	Label	Unweighted Frequency	%
1	Yes	451	33.3 %

Value	Label	Unweighted Frequency	%
5	No	829	61.2 %
	Missing Data		
-400	Not asked in this version	70	5.2 %
-200	Data missing	3	0.2 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,280 valid cases out of 1,354 total cases.

Location: 62-65 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -200 , -104 , -9 , -8

S0EXPV18: S0 ExpV: How many have died in past 6 months

Based upon 451 valid cases out of 1,354 total cases.

- Mean: 1.65
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 1.31

Location: 66-69 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -400 , -200 , -101

S0EXPV19: S0 ExpV: Num close to you died/truncated to 4

Value	Label	Unweighted Frequency	%
1	-	304	22.5 %
2	-	81	6.0 %
3	-	32	2.4 %
4	-	34	2.5 %
	Missing Data		
-400	Not asked in this version	71	5.2 %
-200	Data missing	3	0.2 %
-101	Skipped: No one close to subject died last 6 months	829	61.2 %
	Total	**1,354**	**100%**

Based upon 451 valid cases out of 1,354 total cases.

Location: 70-73 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -200 , -101 , -99 , -98

S0EXPV15: S0 ExpV: Someone close died relationship to you 1

Value	Label	Unweighted Frequency	%
11	Biological Father	6	0.4 %
12	Biological Mother	8	0.6 %
13	Biological Sister	1	0.1 %
14	Biological Brother	7	0.5 %
15	Biological Grandmother	45	3.3 %
16	Biological Grandfather	41	3.0 %
17	Stepfather	7	0.5 %
18	Stepmother	1	0.1 %
19	Stepsister	0	0.0 %
20	Stepbrother	0	0.0 %
21	Adoptive Father	0	0.0 %
22	Adoptive Mother	0	0.0 %
23	Adoptive Sister	0	0.0 %
24	Adoptive Brother	0	0.0 %
25	Wife	0	0.0 %
26	Husband	0	0.0 %
27	Son	0	0.0 %
28	Daughter	2	0.1 %
29	Aunt	45	3.3 %
30	Uncle	40	3.0 %
31	Female Cousin	7	0.5 %
32	Male Cousin	54	4.0 %
33	Nephew	1	0.1 %
34	Niece	2	0.1 %
35	Live-in Boyfriend/Girlfriend	0	0.0 %
36	Female Friend	14	1.0 %
37	Male Friend	139	10.3 %
38	Boyfriend (not live-in)	0	0.0 %
39	Girlfriend (not live-in)	3	0.2 %
40	Male Roommate	0	0.0 %
41	Female Roommate	0	0.0 %
42	Professional Relationship	0	0.0 %
43	Foster Mother	0	0.0 %
44	Foster Father	0	0.0 %
45	Foster Brother	0	0.0 %
46	Foster Sister	0	0.0 %
95	Other Relative	13	1.0 %
96	Other (not biologically related)	15	1.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-400	Variable did not exist for this version	71	5.2 %
-200	Data missing	3	0.2 %
-101	Skipped: No one close to subject died last 6 months	829	61.2 %
	Total	**1,354**	**100%**

Based upon 451 valid cases out of 1,354 total cases.

Location: 74-77 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -200 , -105 , -103 , -101 , -99 , -98

S0EXPV16: S0 ExpV: Someone close died relationship to you 2

Value	Label	Unweighted Frequency	%
11	Biological Father	0	0.0 %
12	Biological Mother	0	0.0 %
13	Biological Sister	1	0.1 %
14	Biological Brother	1	0.1 %
15	Biological Grandmother	5	0.4 %
16	Biological Grandfather	4	0.3 %
17	Stepfather	1	0.1 %
18	Stepmother	0	0.0 %
19	Stepsister	0	0.0 %
20	Stepbrother	0	0.0 %
21	Adoptive Father	0	0.0 %
22	Adoptive Mother	0	0.0 %
23	Adoptive Sister	0	0.0 %
24	Adoptive Brother	0	0.0 %
25	Wife	0	0.0 %
26	Husband	0	0.0 %
27	Son	1	0.1 %
28	Daughter	0	0.0 %
29	Aunt	9	0.7 %
30	Uncle	13	1.0 %
31	Female Cousin	3	0.2 %
32	Male Cousin	7	0.5 %
33	Nephew	2	0.1 %
34	Niece	1	0.1 %
35	Live-in Boyfriend/Girlfriend	0	0.0 %
36	Female Friend	9	0.7 %
37	Male Friend	30	2.2 %

Value	Label	Unweighted Frequency	%
38	Boyfriend (not live-in)	0	0.0 %
39	Girlfriend (not live-in)	1	0.1 %
40	Male Roommate	1	0.1 %
41	Female Roommate	0	0.0 %
42	Professional Relationship	0	0.0 %
43	Foster Mother	0	0.0 %
44	Foster Father	0	0.0 %
45	Foster Brother	0	0.0 %
46	Foster Sister	0	0.0 %
95	Other Relative	5	0.4 %
96	Other (not biologically related)	11	0.8 %
	Missing Data		
-400	Variable did not exist for this version	71	5.2 %
-200	Data missing	3	0.2 %
-103	Less than 4 people died last 6 months	346	25.6 %
-101	Skipped: No one close to subject died last 6 months	829	61.2 %
	Total	**1,354**	**100%**

Based upon 105 valid cases out of 1,354 total cases.

Location: 78-81 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -200 , -105 , -103 , -101 , -99 , -98

S0EXPV20: S0 ExpV: Someone close died relationship to you 3

Value	Label	Unweighted Frequency	%
11	Biological Father	0	0.0 %
12	Biological Mother	0	0.0 %
13	Biological Sister	0	0.0 %
14	Biological Brother	1	0.1 %
15	Biological Grandmother	0	0.0 %
16	Biological Grandfather	1	0.1 %
17	Stepfather	0	0.0 %
18	Stepmother	0	0.0 %
19	Stepsister	0	0.0 %
20	Stepbrother	0	0.0 %
21	Adoptive Father	0	0.0 %
22	Adoptive Mother	0	0.0 %
23	Adoptive Sister	0	0.0 %
24	Adoptive Brother	0	0.0 %

Value	Label	Unweighted Frequency	%
25	Wife	0	0.0 %
26	Husband	0	0.0 %
27	Son	0	0.0 %
28	Daughter	0	0.0 %
29	Aunt	0	0.0 %
30	Uncle	3	0.2 %
31	Female Cousin	0	0.0 %
32	Male Cousin	3	0.2 %
33	Nephew	0	0.0 %
34	Niece	0	0.0 %
35	Live-in Boyfriend/Girlfriend	0	0.0 %
36	Female Friend	1	0.1 %
37	Male Friend	7	0.5 %
38	Boyfriend (not live-in)	0	0.0 %
39	Girlfriend (not live-in)	1	0.1 %
40	Male Roommate	0	0.0 %
41	Female Roommate	0	0.0 %
42	Professional Relationship	0	0.0 %
43	Foster Mother	0	0.0 %
44	Foster Father	0	0.0 %
45	Foster Brother	0	0.0 %
46	Foster Sister	0	0.0 %
95	Other Relative	2	0.1 %
96	Other (not biologically related)	2	0.1 %
	Missing Data		
-400	Variable did not exist for this version	71	5.2 %
-200	Data missing	3	0.2 %
-103	Less than 4 people died last 6 months	430	31.8 %
-101	Skipped: No one close to subject died last 6 months	829	61.2 %
	Total	**1,354**	**100%**

Based upon 21 valid cases out of 1,354 total cases.

Location: 82-85 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -200 , -105 , -103 , -101 , -99 , -98

S0EXPV21: S0 ExpV: Someone close died relationship to you 4

Value	Label	Unweighted Frequency	%
11	Biological Father	0	0.0 %

Value	Label	Unweighted Frequency	%
12	Biological Mother	0	0.0 %
13	Biological Sister	0	0.0 %
14	Biological Brother	0	0.0 %
15	Biological Grandmother	0	0.0 %
16	Biological Grandfather	0	0.0 %
17	Stepfather	0	0.0 %
18	Stepmother	0	0.0 %
19	Stepsister	0	0.0 %
20	Stepbrother	0	0.0 %
21	Adoptive Father	0	0.0 %
22	Adoptive Mother	0	0.0 %
23	Adoptive Sister	0	0.0 %
24	Adoptive Brother	0	0.0 %
25	Wife	0	0.0 %
26	Husband	0	0.0 %
27	Son	0	0.0 %
28	Daughter	0	0.0 %
29	Aunt	0	0.0 %
30	Uncle	0	0.0 %
31	Female Cousin	0	0.0 %
32	Male Cousin	0	0.0 %
33	Nephew	0	0.0 %
34	Niece	0	0.0 %
35	Live-in Boyfriend/Girlfriend	0	0.0 %
36	Female Friend	1	0.1 %
37	Male Friend	0	0.0 %
38	Boyfriend (not live-in)	1	0.1 %
39	Girlfriend (not live-in)	0	0.0 %
40	Male Roommate	0	0.0 %
41	Female Roommate	0	0.0 %
42	Professional Relationship	0	0.0 %
43	Foster Mother	0	0.0 %
44	Foster Father	0	0.0 %
45	Foster Brother	0	0.0 %
46	Foster Sister	0	0.0 %
95	Other Relative	0	0.0 %
96	Other (not biologically related)	1	0.1 %
	Missing Data		
-400	Variable did not exist for this version	71	5.2 %

Value	Label	Unweighted Frequency	%
-200	Data missing	3	0.2 %
-103	Less than 4 people died last 6 months	448	33.1 %
-101	Skipped: No one close to subject died last 6 months	829	61.2 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 86-89 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -200 , -105 , -103 , -101 , -99 , -98

S0EXPV22: S0 ExpV: Ever found a dead body

Value	Label	Unweighted Frequency	%
1	Yes	172	12.7 %
5	No	1179	87.1 %
	Missing Data		
-200	Data missing	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,351 valid cases out of 1,354 total cases.

Location: 90-93 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -200 , -104 , -9 , -8

S0EXPV23: S0 ExpV: Ever in other situation where frightened

Value	Label	Unweighted Frequency	%
1	Yes	283	20.9 %
5	No	1068	78.9 %
	Missing Data		
-200	Data missing	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,351 valid cases out of 1,354 total cases.

Location: 94-97 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -200 , -104 , -9 , -8

S0EXPVB: S0 ExpV: Saw someone chased - number times

Based upon 996 valid cases out of 1,354 total cases.

- Mean: 14.74
- Median: 3.00

- Mode: 2.00
- Minimum: 1.00
- Maximum: 900.00
- Standard Deviation: 66.84

Location: 98-101 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -200 , -106 , -104

S0EXPVC: S0 ExpV: Saw someone chased - when was last time

Value	Label	Unweighted Frequency	%
1	Within the past 30 days	86	6.4 %
2	1-3 months ago	170	12.6 %
3	4-6 months ago	209	15.4 %
4	More than 6 months ago	537	39.7 %
	Missing Data		
-200	Data missing	3	0.2 %
-104	Skipped: Gate question is NO	348	25.7 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,002 valid cases out of 1,354 total cases.

Location: 102-105 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -106 , -105 , -104 , -9 , -8

S0EXPVB2: S0 ExpV: You were chased - number times

Based upon 590 valid cases out of 1,354 total cases.

- Mean: 5.13
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 200.00
- Standard Deviation: 12.48

Location: 106-109 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -200 , -106 , -104

S0EXPVC2: S0 ExpV: You were chased - when was last time

Value	Label	Unweighted Frequency	%
1	Within the past 30 days	23	1.7 %
2	1-3 months ago	91	6.7 %
3	4-6 months ago	110	8.1 %
4	More than 6 months ago	365	27.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-200	Data missing	3	0.2 %
-104	Skipped: Gate question is NO	760	56.1 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 589 valid cases out of 1,354 total cases.

Location: 110-113 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -106 , -105 , -104 , -9 , -8

S0EXPVB3: S0 ExpV: Saw someone beaten - number times

Based upon 1,145 valid cases out of 1,354 total cases.

- Mean: 21.48
- Median: 5.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 900.00
- Standard Deviation: 88.73

Location: 114-117 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -200 , -106 , -104

S0EXPVC3: S0 ExpV: Saw someone beaten - when was last time

Value	Label	Unweighted Frequency	%
1	Within the past 30 days	180	13.3 %
2	1-3 months ago	236	17.4 %
3	4-6 months ago	249	18.4 %
4	More than 6 months ago	493	36.4 %
	Missing Data		
-200	Data missing	3	0.2 %
-104	Skipped: Gate question is NO	192	14.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,158 valid cases out of 1,354 total cases.

Location: 118-121 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -106 , -105 , -104 , -9 , -8

S0EXPVB4: S0 ExpV: You were beat - number times

Based upon 438 valid cases out of 1,354 total cases.

- Mean: 6.47
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 900.00
- Standard Deviation: 44.09

Location: 122-125 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -200 , -106 , -104

S0EXPVC4: S0 ExpV: You were beat - when was last time

Value	Label	Unweighted Frequency	%
1	Within the past 30 days	30	2.2 %
2	1-3 months ago	56	4.1 %
3	4-6 months ago	67	4.9 %
4	More than 6 months ago	286	21.1 %
	Missing Data		
-200	Data missing	3	0.2 %
-104	Skipped: Gate question is NO	912	67.4 %
	Total	**1,354**	**100%**

Based upon 439 valid cases out of 1,354 total cases.

Location: 126-129 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -106 , -105 , -104 , -9 , -8

S0EXPVB5: S0 ExpV: Saw someone raped - number times

Based upon 82 valid cases out of 1,354 total cases.

- Mean: 2.68
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 50.00
- Standard Deviation: 5.63

Location: 130-133 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -200 , -106 , -104

S0EXPVC5: S0 ExpV: Saw someone raped - when was last time

Value	Label	Unweighted Frequency	%
1	Within the past 30 days	5	0.4 %
2	1-3 months ago	9	0.7 %
3	4-6 months ago	13	1.0 %

Value	Label	Unweighted Frequency	%
4	More than 6 months ago	55	4.1 %
	Missing Data		
-200	Data missing	3	0.2 %
-104	Skipped: Gate question is NO	1269	93.7 %
	Total	**1,354**	**100%**

Based upon 82 valid cases out of 1,354 total cases.

Location: 134-137 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -106 , -105 , -104 , -9 , -8

S0EXPVB6: S0 ExpV: You were raped - number times

Value	Label	Unweighted Frequency	%
	Missing Data		
-200	Data missing	3	0.2 %
-106	Question unanswerable	76	5.6 %
-104	Skipped: Gate question is NO	1275	94.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 138-141 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -200 , -106 , -104

S0EXPVC6: S0 ExpV: You were raped - when was last time

Value	Label	Unweighted Frequency	%
1	Within the past 30 days	0	0.0 %
2	1-3 months ago	0	0.0 %
3	4-6 months ago	0	0.0 %
4	More than 6 months ago	0	0.0 %
	Missing Data		
-200	Data missing	3	0.2 %
-106	Question unanswerable	76	5.6 %
-104	Skipped: Gate question is NO	1275	94.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 142-145 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -106 , -105 , -104 , -9 , -8

S0EXPVD6: S0 ExpV: You were raped - has it happened more than once

Value	Label	Unweighted Frequency	%
1	Yes	40	3.0 %
5	No	36	2.7 %
	Missing Data		
-200	Data missing	3	0.2 %
-104	Skipped: Gate question is NO	1275	94.2 %
	Total	**1,354**	**100%**

Based upon 76 valid cases out of 1,354 total cases.

Location: 146-149 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -105 , -104 , -9 , -8

S0EXPVE6: S0 ExpV: You were raped - when was last time

Value	Label	Unweighted Frequency	%
1	Within the past 6 months	10	0.7 %
2	Within the past year (7-12 months)	7	0.5 %
3	More than 1 year ago	59	4.4 %
	Missing Data		
-200	Data missing	3	0.2 %
-104	Skipped: Gate question is NO	1275	94.2 %
	Total	**1,354**	**100%**

Based upon 76 valid cases out of 1,354 total cases.

Location: 150-153 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -105 , -104 , -9 , -8

S0EXPVF6: S0 ExpV: You were raped - perpetrator relation to subject

Value	Label	Unweighted Frequency	%
1	Family member	27	2.0 %
2	Friend/acquaintance	32	2.4 %
3	Stranger	16	1.2 %
	Missing Data		
-200	Data missing	3	0.2 %
-104	Skipped: Gate question is NO	1275	94.2 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 75 valid cases out of 1,354 total cases.

Location: 154-157 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -105 , -104 , -9 , -8

S0EXPVG6: S0 ExpV: You were raped - where did this happen

Value	Label	Unweighted Frequency	%
1	At home	25	1.8 %
2	At school	1	0.1 %
3	In his/her neighborhood	15	1.1 %
4	Other (specify)	32	2.4 %
	Missing Data		
-200	Data missing	3	0.2 %
-104	Skipped: Gate question is NO	1275	94.2 %
-9	Dont know	2	0.1 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 73 valid cases out of 1,354 total cases.

Location: 158-161 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -105 , -104 , -9 , -8

S0EXPVI6: S0 ExpV: You were raped - age 1st time happened

Based upon 74 valid cases out of 1,354 total cases.

- Mean: 9.91
- Median: 10.50
- Minimum: 1.00
- Maximum: 17.00
- Standard Deviation: 4.29

Location: 162-165 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -105 , -104 , -99 , -98

S0EXPVB7: S0 ExpV: Saw someone attacked w/weapon - number times

Based upon 884 valid cases out of 1,354 total cases.

- Mean: 13.46
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 900.00
- Standard Deviation: 66.06

Location: 166-169 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -999 , -998 , -200 , -106 , -104

S0EXPVC7: S0 ExpV: Saw someone attacked w/weapon - when was last time

Value	Label	Unweighted Frequency	%
1	Within the past 30 days	71	5.2 %
2	1-3 months ago	158	11.7 %
3	4-6 months ago	193	14.3 %
4	More than 6 months ago	466	34.4 %
	Missing Data		
-200	Data missing	3	0.2 %
-104	Skipped: Gate question is NO	461	34.0 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 888 valid cases out of 1,354 total cases.

Location: 170-173 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -106 , -105 , -104 , -9 , -8

S0EXPVB8: S0 ExpV: You were attacked w/weapon - number times

Based upon 416 valid cases out of 1,354 total cases.

- Mean: 3.42
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 50.00
- Standard Deviation: 5.79

Location: 174-177 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -200 , -106 , -104

S0EXPVC8: S0 ExpV: You were attacked w/weapon - when was last time

Value	Label	Unweighted Frequency	%
1	Within the past 30 days	19	1.4 %
2	1-3 months ago	47	3.5 %
3	4-6 months ago	80	5.9 %
4	More than 6 months ago	271	20.0 %
	Missing Data		
-200	Data missing	3	0.2 %
-104	Skipped: Gate question is NO	934	69.0 %
	Total	**1,354**	**100%**

Based upon 417 valid cases out of 1,354 total cases.

Location: 178-181 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -106 , -105 , -104 , -9 , -8

S0EXPVB9: S0 ExpV: Saw someone shot at - number times

Based upon 879 valid cases out of 1,354 total cases.

- Mean: 10.67
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 900.00
- Standard Deviation: 55.34

Location: 182-185 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -200 , -106 , -104

S0EXPVC9: S0 ExpV: Saw someone shot at - when was last time

Value	Label	Unweighted Frequency	%
1	Within the past 30 days	34	2.5 %
2	1-3 months ago	118	8.7 %
3	4-6 months ago	202	14.9 %
4	More than 6 months ago	531	39.2 %
	Missing Data		
-200	Data missing	3	0.2 %
-104	Skipped: Gate question is NO	466	34.4 %
	Total	**1,354**	**100%**

Based upon 885 valid cases out of 1,354 total cases.

Location: 186-189 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -106 , -105 , -104 , -9 , -8

S0EXPV25: S0 ExpV: You were shot at - number times

Based upon 518 valid cases out of 1,354 total cases.

- Mean: 4.44
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 100.00
- Standard Deviation: 9.41

Location: 190-193 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -200 , -106 , -104

S0EXPV26: S0 ExpV: You were shot at - when was last time

Value	Label	Unweighted Frequency	%
1	Within the past 30 days	11	0.8 %
2	1-3 months ago	55	4.1 %
3	4-6 months ago	107	7.9 %
4	More than 6 months ago	345	25.5 %
	Missing Data		
-200	Data missing	3	0.2 %
-104	Skipped: Gate question is NO	833	61.5 %
	Total	**1,354**	**100%**

Based upon 518 valid cases out of 1,354 total cases.

Location: 194-197 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -106 , -105 , -104 , -9 , -8

S0EXPV34: S0 ExpV: Saw someone shot and hit - number times

Based upon 664 valid cases out of 1,354 total cases.

- Mean: 6.31
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 900.00
- Standard Deviation: 38.71

Location: 198-201 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -200 , -106 , -104

S0EXPV35: S0 ExpV: Saw someone shot and hit - when was last time

Value	Label	Unweighted Frequency	%
1	Within the past 30 days	21	1.6 %
2	1-3 months ago	63	4.7 %
3	4-6 months ago	113	8.3 %
4	More than 6 months ago	468	34.6 %
	Missing Data		
-200	Data missing	3	0.2 %
-104	Skipped: Gate question is NO	686	50.7 %
	Total	**1,354**	**100%**

Based upon 665 valid cases out of 1,354 total cases.

Location: 202-205 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -200 , -106 , -105 , -104 , -9 , -8

S0EXPV43: S0 ExpV: You were shot and hit - number times

Based upon 87 valid cases out of 1,354 total cases.

- Mean: 1.37
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 0.88

Location: 206-209 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -200 , -106 , -104

S0EXPV44: S0 ExpV: You were shot and hit - when was last time

Value	Label	Unweighted Frequency	%
1	Within the past 30 days	1	0.1 %
2	1-3 months ago	6	0.4 %
3	4-6 months ago	11	0.8 %
4	More than 6 months ago	69	5.1 %
	Missing Data		
-200	Data missing	3	0.2 %
-104	Skipped: Gate question is NO	1264	93.4 %
	Total	**1,354**	**100%**

Based upon 87 valid cases out of 1,354 total cases.

Location: 210-213 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -106 , -105 , -104 , -9 , -8

S0EXPV52: S0 ExpV: Saw someone killed - number times

Based upon 407 valid cases out of 1,354 total cases.

- Mean: 4.92
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 300.00
- Standard Deviation: 24.09

Location: 214-217 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -200 , -106 , -104

S0EXPV53: S0 ExpV: Saw someone killed - when was last time

Value	Label	Unweighted Frequency	%
1	Within the past 30 days	7	0.5 %
2	1-3 months ago	31	2.3 %
3	4-6 months ago	54	4.0 %
4	More than 6 months ago	315	23.3 %
	Missing Data		
-200	Data missing	3	0.2 %
-104	Skipped: Gate question is NO	944	69.7 %
	Total	**1,354**	**100%**

Based upon 407 valid cases out of 1,354 total cases.

Location: 218-221 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -106 , -105 , -104 , -9 , -8

S0EXPV60: S0 ExpV: Number people close to you that tried to kill self

Based upon 350 valid cases out of 1,354 total cases.

- Mean: 1.75
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 20.00
- Standard Deviation: 1.78

Location: 222-225 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -102 , -99 , -98

S0EXPV61: S0 ExpV: Number of suicides truncated to 11

Value	Label	Unweighted Frequency	%
1	-	235	17.4 %
2	-	58	4.3 %
3	-	26	1.9 %
4	-	16	1.2 %
5	-	5	0.4 %
6	-	4	0.3 %
7	-	1	0.1 %
8	-	2	0.1 %
11	-	3	0.2 %
	Missing Data		
-200	Data missing	3	0.2 %
-102	Skipped: No one close to subject attempted suicide past 6 months	1001	73.9 %
	Total	**1,354**	**100%**

Based upon 350 valid cases out of 1,354 total cases.

Location: 226-229 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -102 , -99 , -98

S0EXPV62: S0 ExpV: Someone attempted suicide - when was last time

Value	Label	Unweighted Frequency	%
1	Within the past 30 days	10	0.7 %
2	1-3 months ago (31-90 days)	45	3.3 %
3	4-6 months ago	60	4.4 %
4	More than 6 months ago	235	17.4 %
	Missing Data		
-200	Data missing	3	0.2 %
-102	Skipped: No one close to subject attempted suicide past 6 months	1001	73.9 %
	Total	**1,354**	**100%**

Based upon 350 valid cases out of 1,354 total cases.

Location: 230-233 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -102 , -9 , -8

S0EXPWIT: S0 ExpV: Witnessed Score (7)

Value	Label	Unweighted Frequency	%
0	-	93	6.9 %
1	-	131	9.7 %
2	-	157	11.6 %
3	-	176	13.0 %
4	-	220	16.2 %
5	-	250	18.5 %
6	-	280	20.7 %
7	-	44	3.2 %
	Missing Data		
-200	Data missing	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,351 valid cases out of 1,354 total cases.

Location: 234-237 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200

S0EXPVIC: S0 ExpV: Victim Score (6)

Value	Label	Unweighted Frequency	%
0	-	442	32.6 %
1	-	275	20.3 %
2	-	258	19.1 %
3	-	197	14.5 %
4	-	151	11.2 %
5	-	26	1.9 %
6	-	2	0.1 %
	Missing Data		
-200	Data missing	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,351 valid cases out of 1,354 total cases.

Location: 238-241 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200

S0EXPTOT: S0 ExpV: Total Score - witnessed plus victim (13)

Value	Label	Unweighted Frequency	%
0	-	70	5.2 %
1	-	100	7.4 %
2	-	120	8.9 %
3	-	120	8.9 %
4	-	126	9.3 %
5	-	137	10.1 %
6	-	176	13.0 %
7	-	144	10.6 %
8	-	118	8.7 %
9	-	123	9.1 %
10	-	81	6.0 %
11	-	29	2.1 %
12	-	5	0.4 %
13	-	2	0.1 %
	Missing Data		
-200	Data missing	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,351 valid cases out of 1,354 total cases.

Location: 242-245 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200

S1EXPV01: S1 ExpV: See anyone chased thought could be hurt

Value	Label	Unweighted Frequency	%
1	Yes	345	25.5 %
5	No	916	67.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 246-249 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S1EXPV02: S1 ExpV: You chased thought could be hurt

Value	Label	Unweighted Frequency	%
1	Yes	82	6.1 %
5	No	1178	87.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 250-253 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S1EXPV03: S1 ExpV: Ever seen someone else get beaten up

Value	Label	Unweighted Frequency	%
1	Yes	549	40.5 %
5	No	711	52.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 254-257 (width: 4; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S1EXPV04: S1 ExpV: You beaten up

Value	Label	Unweighted Frequency	%
1	Yes	95	7.0 %
5	No	1165	86.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 258-261 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S1EXPV05: S1 ExpV: Saw someone raped

Value	Label	Unweighted Frequency	%
1	Yes	33	2.4 %
5	No	1227	90.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 262-265 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S1EXPV06: S1 ExpV: You raped

Value	Label	Unweighted Frequency	%
1	Yes	7	0.5 %
5	No	1253	92.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-8	Refused	1	0.1 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 266-269 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S1EXPV07: S1 ExpV: Saw someone attacked w/weapon

Value	Label	Unweighted Frequency	%
1	Yes	230	17.0 %
5	No	1030	76.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 270-273 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S1EXPV08: S1 ExpV: You attacked w/weapon

Value	Label	Unweighted Frequency	%
1	Yes	71	5.2 %
5	No	1189	87.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 274-277 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S1EXPV09: S1 ExpV: Saw someone shot AT but missed

Value	Label	Unweighted Frequency	%
1	Yes	169	12.5 %

Value	Label	Unweighted Frequency	%
5	No	1091	80.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 278-281 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S1EXPV10: S1 ExpV: You shot AT missed

Value	Label	Unweighted Frequency	%
1	Yes	82	6.1 %
5	No	1178	87.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 282-285 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S1EXPV11: S1 ExpV: Saw someone shot

Value	Label	Unweighted Frequency	%
1	Yes	103	7.6 %
5	No	1157	85.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 286-289 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S1EXPV12: S1 ExpV: You shot

Value	Label	Unweighted Frequency	%
1	Yes	6	0.4 %
5	No	1254	92.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 290-293 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S1EXPV13: S1 ExpV: Saw someone killed from violence

Value	Label	Unweighted Frequency	%
1	Yes	54	4.0 %
5	No	1207	89.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 294-297 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S1EXPV14: S1 ExpV: Anyone close to you ever try kill self

Value	Label	Unweighted Frequency	%
1	Yes	79	5.8 %
5	No	1181	87.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 298-301 (width: 4; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S1EXPV18: S1 ExpV: You tried to kill self

Value	Label	Unweighted Frequency	%
1	Yes	24	1.8 %
5	No	1237	91.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 302-305 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S1EXPV17: S1 ExpV: Anyone close to you died

Value	Label	Unweighted Frequency	%
1	Yes	308	22.7 %
5	No	953	70.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 306-309 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S1EXPV17A: S1 ExpV: Num close to you died

Value	Label	Unweighted Frequency	%
1	-	231	17.1 %
2	-	55	4.1 %
3	-	10	0.7 %
4	-	5	0.4 %
5	-	4	0.3 %
6	-	2	0.1 %
8	-	1	0.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	Skipped if s1expv17 isnt Yes	953	70.4 %
	Total	**1,354**	**100%**

Based upon 308 valid cases out of 1,354 total cases.

Location: 310-313 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -101

S1EXPV17B: S1 ExpV: Num close to you died/truncated to 4

Value	Label	Unweighted Frequency	%
1	-	231	17.1 %
2	-	55	4.1 %
3	-	10	0.7 %
4	-	12	0.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	Skipped if s1expv17 isnt Yes	953	70.4 %
	Total	**1,354**	**100%**

Based upon 308 valid cases out of 1,354 total cases.

Location: 314-317 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -99 , -98

S1EXPVIO_DIEDBIOFATHER: S1 ExpV_Died: Biofather during recall period

Value	Label	Unweighted Frequency	%
1	Yes	3	0.2 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-103	Less than 4 people died last 6 months	305	22.5 %
-101	Skipped if s1expv17 isnt Yes	953	70.4 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 318-321 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S1EXPVIO_DIEDBIOMOTHER: S1 ExpV_Died: Biomother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	3	0.2 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-103	Less than 4 people died last 6 months	305	22.5 %
-101	Skipped if s1expv17 isnt Yes	953	70.4 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 322-325 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S1EXPVIO_DIEDBIOSISTER: S1 ExpV_Died: Biosister during recall period

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-103	Less than 4 people died last 6 months	307	22.7 %
-101	Skipped if s1expv17 isnt Yes	953	70.4 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 326-329 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S1EXPVIO_DIEDBIOBROTHER: S1 ExpV_Died: Biobrother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	3	0.2 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %

Value	Label	Unweighted Frequency	%
-103	Less than 4 people died last 6 months	305	22.5 %
-101	Skipped if s1expv17 isnt Yes	953	70.4 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 330-333 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S1EXPVIO_DIEDBIOGRANDMOTHER: S1 ExpV_Died: Biograndmother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	39	2.9 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-103	Less than 4 people died last 6 months	269	19.9 %
-101	Skipped if s1expv17 isnt Yes	953	70.4 %
	Total	**1,354**	**100%**

Based upon 39 valid cases out of 1,354 total cases.

Location: 334-337 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S1EXPVIO_DIEDBIOGRANDFATHER: S1 ExpV_Died: Biograndfather during recall period

Value	Label	Unweighted Frequency	%
1	Yes	24	1.8 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-103	Less than 4 people died last 6 months	284	21.0 %
-101	Skipped if s1expv17 isnt Yes	953	70.4 %
	Total	**1,354**	**100%**

Based upon 24 valid cases out of 1,354 total cases.

Location: 338-341 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S1EXPVIO_DIEDSTEPFATHER: S1 ExpV_Died: Stepfather during recall period

Value	Label	Unweighted Frequency	%
1	Yes	3	0.2 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-103	Less than 4 people died last 6 months	305	22.5 %
-101	Skipped if s1expv17 isnt Yes	953	70.4 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 342-345 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S1EXPVIO_DIEDSTEPMOTHER: S1 ExpV_Died: Stepmother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-103	Less than 4 people died last 6 months	308	22.7 %
-101	Skipped if s1expv17 isnt Yes	953	70.4 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 346-349 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S1EXPVIO_DIEDSTEPSISTER: S1 ExpV_Died: Stepsister during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-103	Less than 4 people died last 6 months	308	22.7 %

Value	Label	Unweighted Frequency	%
-101	Skipped if s1expv17 isnt Yes	953	70.4 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 350-353 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S1EXPVIO_DIEDSTEPBROTHER: S1 ExpV_Died: Stepbrother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-103	Less than 4 people died last 6 months	308	22.7 %
-101	Skipped if s1expv17 isnt Yes	953	70.4 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 354-357 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S1EXPVIO_DIEDADOPTIVEFATHER: S1 ExpV_Died: Adoptivefather during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-103	Less than 4 people died last 6 months	308	22.7 %
-101	Skipped if s1expv17 isnt Yes	953	70.4 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 358-361 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S1EXPVIO_DIEDADOPTIVEMOTHER: S1 ExpV_Died: Adoptivemother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-103	Less than 4 people died last 6 months	307	22.7 %
-101	Skipped if s1expv17 isnt Yes	953	70.4 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 362-365 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S1EXPVIO_DIEDADOPTIVESISTER: S1 ExpV_Died: Adoptivesister during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-103	Less than 4 people died last 6 months	308	22.7 %
-101	Skipped if s1expv17 isnt Yes	953	70.4 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 366-369 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S1EXPVIO_DIEDADOPTIVEBROTHER: S1 ExpV_Died: Adoptivebrother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-103	Less than 4 people died last 6 months	308	22.7 %
-101	Skipped if s1expv17 isnt Yes	953	70.4 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 370-373 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S1EXPVIO_DIEDWIFE: S1 ExpV_Died: Wife during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-103	Less than 4 people died last 6 months	308	22.7 %
-101	Skipped if s1expv17 isnt Yes	953	70.4 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 374-377 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S1EXPVIO_DIEDHUSBAND: S1 ExpV_Died: Husband during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-103	Less than 4 people died last 6 months	308	22.7 %
-101	Skipped if s1expv17 isnt Yes	953	70.4 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 378-381 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S1EXPVIO_DIEDSON: S1 ExpV_Died: Son during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-103	Less than 4 people died last 6 months	308	22.7 %
-101	Skipped if s1expv17 isnt Yes	953	70.4 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 382-385 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S1EXPVIO_DIEDDAUGHTER: S1 ExpV_Died: Daughter during recall period

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-103	Less than 4 people died last 6 months	306	22.6 %
-101	Skipped if s1expv17 isnt Yes	953	70.4 %
	Total	**1,354**	**100%**

Based upon 2 valid cases out of 1,354 total cases.

Location: 386-389 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S1EXPVIO_DIEDAUNT: S1 ExpV_Died: Aunt during recall period

Value	Label	Unweighted Frequency	%
1	Yes	29	2.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-103	Less than 4 people died last 6 months	279	20.6 %
-101	Skipped if s1expv17 isnt Yes	953	70.4 %
	Total	**1,354**	**100%**

Based upon 29 valid cases out of 1,354 total cases.

Location: 390-393 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S1EXPVIO_DIEDUNCLE: S1 ExpV_Died: Uncle during recall period

Value	Label	Unweighted Frequency	%
1	Yes	38	2.8 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-103	Less than 4 people died last 6 months	270	19.9 %
-101	Skipped if s1expv17 isnt Yes	953	70.4 %
	Total	**1,354**	**100%**

Based upon 38 valid cases out of 1,354 total cases.

Location: 394-397 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S1EXPVIO_DIEDFEMALECOUSIN: S1 ExpV_Died: Femalecousin during recall period

Value	Label	Unweighted Frequency	%
1	Yes	7	0.5 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-103	Less than 4 people died last 6 months	301	22.2 %
-101	Skipped if s1expv17 isnt Yes	953	70.4 %
	Total	**1,354**	**100%**

Based upon 7 valid cases out of 1,354 total cases.

Location: 398-401 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S1EXPVIO_DIEDMALECOUSIN: S1 ExpV_Died: Malecousin during recall period

Value	Label	Unweighted Frequency	%
1	Yes	35	2.6 %
5	No	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-103	Less than 4 people died last 6 months	273	20.2 %
-101	Skipped if s1expv17 isnt Yes	953	70.4 %
	Total	**1,354**	**100%**

Based upon 35 valid cases out of 1,354 total cases.

Location: 402-405 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S1EXPVIO_DIEDNEPHEW: S1 ExpV_Died: Nephew during recall period

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-103	Less than 4 people died last 6 months	306	22.6 %
-101	Skipped if s1expv17 isnt Yes	953	70.4 %
	Total	**1,354**	**100%**

Based upon 2 valid cases out of 1,354 total cases.

Location: 406-409 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S1EXPVIO_DIEDNIECE: S1 ExpV_Died: Niece during recall period

Value	Label	Unweighted Frequency	%
1	Yes	4	0.3 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-103	Less than 4 people died last 6 months	304	22.5 %
-101	Skipped if s1expv17 isnt Yes	953	70.4 %
	Total	**1,354**	**100%**

Based upon 4 valid cases out of 1,354 total cases.

Location: 410-413 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S1EXPVIO_DIEDLIVEINBFGF: S1 ExpV_Died: LiveinBFGF during recall period

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-103	Less than 4 people died last 6 months	307	22.7 %
-101	Skipped if s1expv17 isnt Yes	953	70.4 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 414-417 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S1EXPVIO_DIEDFEMALEFRIEND: S1 ExpV_Died: Femalefriend during recall period

Value	Label	Unweighted Frequency	%
1	Yes	8	0.6 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-103	Less than 4 people died last 6 months	300	22.2 %
-101	Skipped if s1expv17 isnt Yes	953	70.4 %
	Total	**1,354**	**100%**

Based upon 8 valid cases out of 1,354 total cases.

Location: 418-421 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S1EXPVIO_DIEDMALEFRIEND: S1 ExpV_Died: Malefriend during recall period

Value	Label	Unweighted Frequency	%
1	Yes	129	9.5 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %

Value	Label	Unweighted Frequency	%
-103	Less than 4 people died last 6 months	179	13.2 %
-101	Skipped if s1expv17 isnt Yes	953	70.4 %
	Total	**1,354**	**100%**

Based upon 129 valid cases out of 1,354 total cases.

Location: 422-425 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S1EXPVIO_DIEDBOYFRIEND: S1 ExpV_Died: Boyfriend during recall period

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-103	Less than 4 people died last 6 months	307	22.7 %
-101	Skipped if s1expv17 isnt Yes	953	70.4 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 426-429 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S1EXPVIO_DIEDGIRLFRIEND: S1 ExpV_Died: Girlfriend during recall period

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-103	Less than 4 people died last 6 months	307	22.7 %
-101	Skipped if s1expv17 isnt Yes	953	70.4 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 430-433 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S1EXPVIO_DIEDMALEROOMMATE: S1 ExpV_Died: Maleroommate during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-103	Less than 4 people died last 6 months	308	22.7 %
-101	Skipped if s1expv17 isnt Yes	953	70.4 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 434-437 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S1EXPVIO_DIEDFEMALEROOMMATE: S1 ExpV_Died: Femaleroommate during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-103	Less than 4 people died last 6 months	308	22.7 %
-101	Skipped if s1expv17 isnt Yes	953	70.4 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 438-441 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S1EXPVIO_DIEDPROFRELATIONSHIP: S1 ExpV_Died: Profrelationship during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-103	Less than 4 people died last 6 months	308	22.7 %

Value	Label	Unweighted Frequency	%
-101	Skipped if s1expv17 isnt Yes	953	70.4 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 442-445 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S1EXPVIO_DIEDFOSTERMOTHER: S1 ExpV_Died: Fostermother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-103	Less than 4 people died last 6 months	308	22.7 %
-101	Skipped if s1expv17 isnt Yes	953	70.4 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 446-449 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S1EXPVIO_DIEDFOSTERFATHER: S1 ExpV_Died: Fosterfather during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-103	Less than 4 people died last 6 months	308	22.7 %
-101	Skipped if s1expv17 isnt Yes	953	70.4 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 450-453 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S1EXPVIO_DIEDFOSTERBROTHER: S1 ExpV_Died: Fosterbrother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-103	Less than 4 people died last 6 months	308	22.7 %
-101	Skipped if s1expv17 isnt Yes	953	70.4 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 454-457 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S1EXPVIO_DIEDFOSTERSISTER: S1 ExpV_Died: Fostersister during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-103	Less than 4 people died last 6 months	308	22.7 %
-101	Skipped if s1expv17 isnt Yes	953	70.4 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 458-461 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S1EXPVIO_DIEDMOTHEROFCHILD: S1 ExpV_Died: MotherOfchild during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-103	Less than 4 people died last 6 months	308	22.7 %
-101	Skipped if s1expv17 isnt Yes	953	70.4 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 462-465 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S1EXPVIO_DIEDFATHEROFCHILD: S1 ExpV_Died: FatherOfchild during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-103	Less than 4 people died last 6 months	308	22.7 %
-101	Skipped if s1expv17 isnt Yes	953	70.4 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 466-469 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S1EXPVIO_DIEDSTEPSON: S1 ExpV_Died: Stepson during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-103	Less than 4 people died last 6 months	308	22.7 %
-101	Skipped if s1expv17 isnt Yes	953	70.4 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 470-473 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S1EXPVIO_DIEDSTEPDAUGHTER: S1 ExpV_Died: Stepdaughter during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-103	Less than 4 people died last 6 months	308	22.7 %
-101	Skipped if s1expv17 isnt Yes	953	70.4 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 474-477 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S1EXPVIO_DIEDFIANCE: S1 ExpV_Died: Fiance during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-103	Less than 4 people died last 6 months	308	22.7 %
-101	Skipped if s1expv17 isnt Yes	953	70.4 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 478-481 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S1EXPVIO_DIEDOTHERRELATIVE: S1 ExpV_Died: OtherRelative during recall period

Value	Label	Unweighted Frequency	%
1	Yes	18	1.3 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-103	Less than 4 people died last 6 months	290	21.4 %
-101	Skipped if s1expv17 isnt Yes	953	70.4 %
	Total	**1,354**	**100%**

Based upon 18 valid cases out of 1,354 total cases.

Location: 482-485 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S1EXPVIO_DIEDOTHER: S1 ExpV_Died: Other during recall period

Value	Label	Unweighted Frequency	%
1	Yes	16	1.2 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-103	Less than 4 people died last 6 months	292	21.6 %
-101	Skipped if s1expv17 isnt Yes	953	70.4 %
	Total	**1,354**	**100%**

Based upon 16 valid cases out of 1,354 total cases.

Location: 486-489 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S1EXPV15: S1 ExpV: Found dead body

Value	Label	Unweighted Frequency	%
1	Yes	14	1.0 %
5	No	1247	92.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 490-493 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S1EXPV16: S1 ExpV: Other situation frightened

Value	Label	Unweighted Frequency	%
1	Yes	62	4.6 %
5	No	1199	88.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 494-497 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S1EXPV01A_EXPVA: S1 ExpV: Saw another chased

Value	Label	Unweighted Frequency	%
1	Yes	345	25.5 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-104	Followup questions arent asked if the gate isnt yes	916	67.7 %
	Total	**1,354**	**100%**

Based upon 345 valid cases out of 1,354 total cases.

Location: 498-501 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S1EXPV01A_EXPVB: S1 ExpV: How many times seen chased

Value	Label	Unweighted Frequency	%
1	-	151	11.2 %
2	-	79	5.8 %
3	-	34	2.5 %
4	-	21	1.6 %
5	-	23	1.7 %
6	-	3	0.2 %
7	-	2	0.1 %
8	-	1	0.1 %
10	-	8	0.6 %
11	-	1	0.1 %
12	-	1	0.1 %
15	-	3	0.2 %
16	-	1	0.1 %
20	-	4	0.3 %
25	-	1	0.1 %
30	-	2	0.1 %

Value	Label	Unweighted Frequency	%
40	-	1	0.1 %
50	-	1	0.1 %
51	-	1	0.1 %
60	-	1	0.1 %
100	-	2	0.1 %
150	-	1	0.1 %
200	-	1	0.1 %
	Missing Data		
-999	Dont know	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-104	Followup questions arent asked if the gate isnt yes	916	67.7 %
	Total	**1,354**	**100%**

Based upon 343 valid cases out of 1,354 total cases.

Location: 502-505 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S1EXPV02A_EXPVA: S1 ExpV: You chased

Value	Label	Unweighted Frequency	%
1	Yes	82	6.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-104	Followup questions arent asked if the gate isnt yes	1179	87.1 %
	Total	**1,354**	**100%**

Based upon 82 valid cases out of 1,354 total cases.

Location: 506-509 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S1EXPV02A_EXPVB: S1 ExpV: Num times you chased

Value	Label	Unweighted Frequency	%
1	-	50	3.7 %
2	-	11	0.8 %
3	-	5	0.4 %
4	-	4	0.3 %

Value	Label	Unweighted Frequency	%
5	-	6	0.4 %
6	-	2	0.1 %
7	-	1	0.1 %
8	-	1	0.1 %
10	-	1	0.1 %
20	-	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-104	Followup questions arent asked if the gate isnt yes	1179	87.1 %
	Total	**1,354**	**100%**

Based upon 82 valid cases out of 1,354 total cases.

Location: 510-513 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S1EXPV03A_EXPVA: S1 ExpV: Saw someone beaten

Value	Label	Unweighted Frequency	%
1	Yes	549	40.5 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-104	Followup questions arent asked if the gate isnt yes	712	52.6 %
	Total	**1,354**	**100%**

Based upon 549 valid cases out of 1,354 total cases.

Location: 514-517 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S1EXPV03A_EXPVB: S1 ExpV: Num times saw someone beaten

Value	Label	Unweighted Frequency	%
1	-	144	10.6 %
2	-	114	8.4 %
3	-	65	4.8 %
4	-	47	3.5 %
5	-	54	4.0 %
6	-	17	1.3 %

Value	Label	Unweighted Frequency	%
7	-	4	0.3 %
8	-	8	0.6 %
9	-	4	0.3 %
10	-	28	2.1 %
12	-	3	0.2 %
15	-	12	0.9 %
16	-	4	0.3 %
17	-	1	0.1 %
20	-	11	0.8 %
24	-	1	0.1 %
25	-	4	0.3 %
30	-	7	0.5 %
40	-	2	0.1 %
50	-	4	0.3 %
56	-	1	0.1 %
72	-	1	0.1 %
75	-	1	0.1 %
100	-	4	0.3 %
150	-	4	0.3 %
200	-	1	0.1 %
	Missing Data		
-999	Dont know	3	0.2 %
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-104	Followup questions arent asked if the gate isnt yes	712	52.6 %
	Total	**1,354**	**100%**

Based upon 546 valid cases out of 1,354 total cases.

Location: 518-521 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S1EXPV04A_EXPVA: S1 ExpV: You beaten up

Value	Label	Unweighted Frequency	%
1	Yes	95	7.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %

Value	Label	Unweighted Frequency	%
-104	Followup questions arent asked if the gate isnt yes	1166	86.1 %
	Total	**1,354**	**100%**

Based upon 95 valid cases out of 1,354 total cases.

Location: 522-525 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S1EXPV04A_EXPVB: S1 ExpV: Num times you beaten up

Value	Label	Unweighted Frequency	%
1	-	62	4.6 %
2	-	13	1.0 %
3	-	6	0.4 %
4	-	5	0.4 %
5	-	1	0.1 %
6	-	1	0.1 %
8	-	1	0.1 %
10	-	2	0.1 %
25	-	1	0.1 %
30	-	1	0.1 %
100	-	1	0.1 %
900	-	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-104	Followup questions arent asked if the gate isnt yes	1166	86.1 %
	Total	**1,354**	**100%**

Based upon 95 valid cases out of 1,354 total cases.

Location: 526-529 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S1EXPV05A_EXPVA: S1 ExpV: Saw someone raped

Value	Label	Unweighted Frequency	%
1	Yes	33	2.4 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %

Value	Label	Unweighted Frequency	%
-104	Followup questions arent asked if the gate isnt yes	1228	90.7 %
	Total	**1,354**	**100%**

Based upon 33 valid cases out of 1,354 total cases.

Location: 530-533 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S1EXPV05A_EXPVB: S1 ExpV: Num times saw someone raped

Value	Label	Unweighted Frequency	%
1	-	21	1.6 %
2	-	8	0.6 %
3	-	1	0.1 %
5	-	2	0.1 %
30	-	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-104	Followup questions arent asked if the gate isnt yes	1228	90.7 %
	Total	**1,354**	**100%**

Based upon 33 valid cases out of 1,354 total cases.

Location: 534-537 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S1EXPV06A_EXPVA: S1 ExpV: You were raped

Value	Label	Unweighted Frequency	%
1	Yes	7	0.5 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-104	Followup questions arent asked if the gate isnt yes	1254	92.6 %
	Total	**1,354**	**100%**

Based upon 7 valid cases out of 1,354 total cases.

Location: 538-541 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S1EXPV06A_EXPVD: S1 ExpV: Did it happen more than once

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
5	No	5	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-104	Followup questions arent asked if the gate isnt yes	1254	92.6 %
	Total	**1,354**	**100%**

Based upon 7 valid cases out of 1,354 total cases.

Location: 542-545 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -107 , -106 , -105 , -104 , -9 , -8

S1EXPV06A_EXPVF: S1 ExpV: Relation of person that did this

Value	Label	Unweighted Frequency	%
1	Family member	0	0.0 %
2	Friend/acquaintance	1	0.1 %
3	Stranger	6	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-104	Followup questions arent asked if the gate isnt yes	1254	92.6 %
	Total	**1,354**	**100%**

Based upon 7 valid cases out of 1,354 total cases.

Location: 546-549 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -107 , -106 , -105 , -104 , -9 , -8

S1EXPV06A_EXPVG: S1 ExpV: Where did this happen

Value	Label	Unweighted Frequency	%
1	At home	4	0.3 %
2	At school	0	0.0 %
3	In his/her neighborhood	2	0.1 %
4	Other (specify)	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %

Value	Label	Unweighted Frequency	%
-104	Followup questions arent asked if the gate isnt yes	1254	92.6 %
	Total	**1,354**	**100%**

Based upon 7 valid cases out of 1,354 total cases.

Location: 550-553 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -107 , -106 , -105 , -104 , -9 , -8

S1EXPV07A_EXPVA: S1 ExpV: Saw someone attacked w/weapon

Value	Label	Unweighted Frequency	%
1	Yes	230	17.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-104	Followup questions arent asked if the gate isnt yes	1031	76.1 %
	Total	**1,354**	**100%**

Based upon 230 valid cases out of 1,354 total cases.

Location: 554-557 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S1EXPV07A_EXPVB: S1 ExpV: Num times saw someone attacked w/weapon

Value	Label	Unweighted Frequency	%
1	-	95	7.0 %
2	-	60	4.4 %
3	-	31	2.3 %
4	-	10	0.7 %
5	-	8	0.6 %
6	-	4	0.3 %
7	-	3	0.2 %
8	-	1	0.1 %
10	-	8	0.6 %
12	-	1	0.1 %
15	-	1	0.1 %
16	-	1	0.1 %
20	-	1	0.1 %
25	-	2	0.1 %
30	-	1	0.1 %

Value	Label	Unweighted Frequency	%
100	-	1	0.1 %
240	-	1	0.1 %
	Missing Data		
-999	Dont know	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-104	Followup questions arent asked if the gate isnt yes	1031	76.1 %
	Total	**1,354**	**100%**

Based upon 229 valid cases out of 1,354 total cases.

Location: 558-561 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S1EXPV08A_EXPVA: S1 ExpV: You attacked w/weapon

Value	Label	Unweighted Frequency	%
1	Yes	71	5.2 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-104	Followup questions arent asked if the gate isnt yes	1190	87.9 %
	Total	**1,354**	**100%**

Based upon 71 valid cases out of 1,354 total cases.

Location: 562-565 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S1EXPV08A_EXPVB: S1 ExpV: Num times you attacked w/ weapon

Value	Label	Unweighted Frequency	%
1	-	52	3.8 %
2	-	14	1.0 %
3	-	1	0.1 %
4	-	2	0.1 %
5	-	1	0.1 %
6	-	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %

Value	Label	Unweighted Frequency	%
-104	Followup questions arent asked if the gate isnt yes	1190	87.9 %
	Total	**1,354**	**100%**

Based upon 71 valid cases out of 1,354 total cases.

Location: 566-569 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S1EXPV09A_EXPVA: S1 ExpV: Saw someone shot at

Value	Label	Unweighted Frequency	%
1	Yes	169	12.5 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-104	Followup questions arent asked if the gate isnt yes	1092	80.6 %
	Total	**1,354**	**100%**

Based upon 169 valid cases out of 1,354 total cases.

Location: 570-573 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S1EXPV09A_EXPVB: S1 ExpV: Num times saw someone shot at

Value	Label	Unweighted Frequency	%
1	-	82	6.1 %
2	-	49	3.6 %
3	-	11	0.8 %
4	-	2	0.1 %
5	-	7	0.5 %
6	-	7	0.5 %
7	-	4	0.3 %
10	-	3	0.2 %
15	-	1	0.1 %
20	-	1	0.1 %
30	-	1	0.1 %
	Missing Data		
-999	Dont know	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %

Value	Label	Unweighted Frequency	%
-104	Followup questions arent asked if the gate isnt yes	1092	80.6 %
	Total	**1,354**	**100%**

Based upon 168 valid cases out of 1,354 total cases.

Location: 574-577 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S1EXPV10A_EXPVA: S1 ExpV: You shot at

Value	Label	Unweighted Frequency	%
1	Yes	82	6.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-104	Followup questions arent asked if the gate isnt yes	1179	87.1 %
	Total	**1,354**	**100%**

Based upon 82 valid cases out of 1,354 total cases.

Location: 578-581 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S1EXPV10A_EXPVB: S1 ExpV: Num times you shot at

Value	Label	Unweighted Frequency	%
1	-	49	3.6 %
2	-	12	0.9 %
3	-	9	0.7 %
4	-	3	0.2 %
5	-	3	0.2 %
6	-	3	0.2 %
9	-	2	0.1 %
12	-	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-104	Followup questions arent asked if the gate isnt yes	1179	87.1 %
	Total	**1,354**	**100%**

Based upon 82 valid cases out of 1,354 total cases.

Location: 582-585 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S1EXPV11A_EXPVA: S1 ExpV: Saw someone shot

Value	Label	Unweighted Frequency	%
1	Yes	103	7.6 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-104	Followup questions arent asked if the gate isnt yes	1158	85.5 %
	Total	**1,354**	**100%**

Based upon 103 valid cases out of 1,354 total cases.

Location: 586-589 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S1EXPV11A_EXPVB: S1 ExpV: Num times saw someone shot

Value	Label	Unweighted Frequency	%
1	-	64	4.7 %
2	-	19	1.4 %
3	-	9	0.7 %
4	-	4	0.3 %
5	-	2	0.1 %
6	-	1	0.1 %
7	-	1	0.1 %
8	-	1	0.1 %
10	-	1	0.1 %
20	-	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-104	Followup questions arent asked if the gate isnt yes	1158	85.5 %
	Total	**1,354**	**100%**

Based upon 103 valid cases out of 1,354 total cases.

Location: 590-593 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S1EXPV12A_EXPVA: S1 ExpV: You shot

Value	Label	Unweighted Frequency	%
1	Yes	6	0.4 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-104	Followup questions arent asked if the gate isnt yes	1255	92.7 %
	Total	**1,354**	**100%**

Based upon 6 valid cases out of 1,354 total cases.

Location: 594-597 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S1EXPV12A_EXPVB: S1 ExpV: Num times you shot

Value	Label	Unweighted Frequency	%
1	-	6	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-104	Followup questions arent asked if the gate isnt yes	1255	92.7 %
	Total	**1,354**	**100%**

Based upon 6 valid cases out of 1,354 total cases.

Location: 598-601 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S1EXPV13A_EXPVA: S1 ExpV: Saw someone killed from violence

Value	Label	Unweighted Frequency	%
1	Yes	54	4.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-104	Followup questions arent asked if the gate isnt yes	1207	89.1 %
	Total	**1,354**	**100%**

Based upon 54 valid cases out of 1,354 total cases.

Location: 602-605 (width: 4; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S1EXPV13A_EXPVB: S1 ExpV: Num times saw one killed from violence

Value	Label	Unweighted Frequency	%
1	-	42	3.1 %
2	-	8	0.6 %
3	-	3	0.2 %
4	-	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-104	Followup questions arent asked if the gate isnt yes	1207	89.1 %
	Total	**1,354**	**100%**

Based upon 54 valid cases out of 1,354 total cases.

Location: 606-609 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S1EXPV14A: S1 ExpV: Num close to you tried to kill self

Value	Label	Unweighted Frequency	%
1	-	62	4.6 %
2	-	12	0.9 %
3	-	3	0.2 %
4	-	1	0.1 %
5	-	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-104	Followup questions arent asked if the gate isnt yes	1182	87.3 %
	Total	**1,354**	**100%**

Based upon 79 valid cases out of 1,354 total cases.

Location: 610-613 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -104 , -99 , -98

S1EXPV18A_EXPVA: S1 ExpV: You tried kill self

Value	Label	Unweighted Frequency	%
1	Yes	24	1.8 %

Value	Label	Unweighted Frequency	%
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-104	Followup questions arent asked if the gate isnt yes	1237	91.4 %
	Total	**1,354**	**100%**

Based upon 24 valid cases out of 1,354 total cases.

Location: 614-617 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S1EXPV18A_EXPVB: S1 ExpV: Num times you tried kill self

Value	Label	Unweighted Frequency	%
1	-	12	0.9 %
2	-	7	0.5 %
3	-	4	0.3 %
4	-	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-104	Followup questions arent asked if the gate isnt yes	1237	91.4 %
	Total	**1,354**	**100%**

Based upon 24 valid cases out of 1,354 total cases.

Location: 618-621 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S1EXPWIT: S1 ExpV: Witnessed score

Value	Label	Unweighted Frequency	%
0	-	583	43.1 %
1	-	279	20.6 %
2	-	179	13.2 %
3	-	110	8.1 %
4	-	55	4.1 %
5	-	34	2.5 %
6	-	21	1.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 622-625 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -100

S1EXPVIC: S1 ExpV: Victim score

Value	Label	Unweighted Frequency	%
0	-	1041	76.9 %
1	-	138	10.2 %
2	-	49	3.6 %
3	-	25	1.8 %
4	-	8	0.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 626-629 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -100

S1EXPTOT: S1 ExpV: Total score - witnessed plus victim

Value	Label	Unweighted Frequency	%
0	-	550	40.6 %
1	-	273	20.2 %
2	-	158	11.7 %
3	-	114	8.4 %
4	-	64	4.7 %
5	-	43	3.2 %
6	-	23	1.7 %
7	-	16	1.2 %
8	-	9	0.7 %
9	-	8	0.6 %
10	-	3	0.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 630-633 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -100

S1EXPVIO_SUICAL_M01: S1 SuiCal: Attempt suicide M01

Value	Label	Unweighted Frequency	%
1	Yes	5	0.4 %
5	No	19	1.4 %
	Missing Data		
.	-	1330	98.2 %
	Total	**1,354**	**100%**

Based upon 24 valid cases out of 1,354 total cases.

Location: 634-634 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S1EXPVIO_SUICAL_M02: S1 SuiCal: Attempt suicide M02

Value	Label	Unweighted Frequency	%
1	Yes	3	0.2 %
5	No	21	1.6 %
	Missing Data		
.	-	1330	98.2 %
	Total	**1,354**	**100%**

Based upon 24 valid cases out of 1,354 total cases.

Location: 635-635 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S1EXPVIO_SUICAL_M03: S1 SuiCal: Attempt suicide M03

Value	Label	Unweighted Frequency	%
1	Yes	5	0.4 %
5	No	19	1.4 %
	Missing Data		
.	-	1330	98.2 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 24 valid cases out of 1,354 total cases.

Location: 636-636 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S1EXPVIO_SUICAL_M04: S1 SuiCal: Attempt suicide M04

Value	Label	Unweighted Frequency	%
1	Yes	5	0.4 %
5	No	19	1.4 %
	Missing Data		
.	-	1330	98.2 %
	Total	**1,354**	**100%**

Based upon 24 valid cases out of 1,354 total cases.

Location: 637-637 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S1EXPVIO_SUICAL_M05: S1 SuiCal: Attempt suicide M05

Value	Label	Unweighted Frequency	%
1	Yes	7	0.5 %
5	No	17	1.3 %
	Missing Data		
.	-	1330	98.2 %
	Total	**1,354**	**100%**

Based upon 24 valid cases out of 1,354 total cases.

Location: 638-638 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S1EXPVIO_SUICAL_M06: S1 SuiCal: Attempt suicide M06

Value	Label	Unweighted Frequency	%
1	Yes	6	0.4 %
5	No	15	1.1 %
	Missing Data		
.	-	1333	98.4 %
	Total	**1,354**	**100%**

Based upon 21 valid cases out of 1,354 total cases.

Location: 639-639 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S1EXPVIO_SUICAL_M07: S1 SuiCal: Attempt suicide M07

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
5	No	7	0.5 %
	Missing Data		
.	-	1345	99.3 %
	Total	**1,354**	**100%**

Based upon 9 valid cases out of 1,354 total cases.

Location: 640-640 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S1EXPVIO_SUICAL_M08: S1 SuiCal: Attempt suicide M08

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	1	0.1 %
	Missing Data		
.	-	1352	99.9 %
	Total	**1,354**	**100%**

Based upon 2 valid cases out of 1,354 total cases.

Location: 641-641 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S1EXPVIO_SUICAL_M09: S1 SuiCal: Attempt suicide M09

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
.	-	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 642-642 (width: 1; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

S1EXPVIO_SUICAL_M10: S1 SuiCal: Attempt suicide M10

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
.	-	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 643-643 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S1EXPVIO_SUICAL_M11: S1 SuiCal: Attempt suicide M11

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
.	-	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 644-644 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S1EXPVIO_SUICAL_M12: S1 SuiCal: Attempt suicide M12

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
.	-	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 645-645 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S1EXPVIO_SUICAL_M13: S1 SuiCal: Attempt suicide M13

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
.	-	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 646-646 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S1EXPVIO_SUICAL_M14: S1 SuiCal: Attempt suicide M14

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
.	-	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 647-647 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S1EXPVIO_SUICAL_NATTEMPTMOS: S1 ExpV: Number of months with a suicide attempt

Value	Label	Unweighted Frequency	%
1	-	16	1.2 %
2	-	6	0.4 %
3	-	2	0.1 %
	Missing Data		
.	-	1330	98.2 %
	Total	**1,354**	**100%**

Based upon 24 valid cases out of 1,354 total cases.

Location: 648-649 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 98 , 99 , .

S2EXPV01: S2 ExpV: See anyone chased thought could be hurt

Value	Label	Unweighted Frequency	%
1	Yes	315	23.3 %
5	No	945	69.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 650-653 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S2EXPV02: S2 ExpV: You chased thought could be hurt

Value	Label	Unweighted Frequency	%
1	Yes	65	4.8 %
5	No	1195	88.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 654-657 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S2EXPV03: S2 ExpV: Ever seen someone else get beaten up

Value	Label	Unweighted Frequency	%
1	Yes	483	35.7 %
5	No	777	57.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 658-661 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S2EXPV04: S2 ExpV: You beaten up

Value	Label	Unweighted Frequency	%
1	Yes	63	4.7 %
5	No	1197	88.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 662-665 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S2EXPV05: S2 ExpV: Saw someone raped

Value	Label	Unweighted Frequency	%
1	Yes	17	1.3 %
5	No	1243	91.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 666-669 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S2EXPV06: S2 ExpV: You raped

Value	Label	Unweighted Frequency	%
1	Yes	5	0.4 %
5	No	1255	92.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 670-673 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S2EXPV07: S2 ExpV: Saw someone attacked w/weapon

Value	Label	Unweighted Frequency	%
1	Yes	207	15.3 %
5	No	1053	77.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 674-677 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S2EXPV08: S2 ExpV: You attacked w/weapon

Value	Label	Unweighted Frequency	%
1	Yes	57	4.2 %
5	No	1203	88.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 678-681 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S2EXPV09: S2 ExpV: Saw someone shot AT but missed

Value	Label	Unweighted Frequency	%
1	Yes	183	13.5 %
5	No	1077	79.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 682-685 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S2EXPV10: S2 ExpV: You shot AT missed

Value	Label	Unweighted Frequency	%
1	Yes	67	4.9 %
5	No	1192	88.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 686-689 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S2EXPV11: S2 ExpV: Saw someone shot

Value	Label	Unweighted Frequency	%
1	Yes	106	7.8 %
5	No	1154	85.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 690-693 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S2EXPV12: S2 ExpV: You shot

Value	Label	Unweighted Frequency	%
1	Yes	10	0.7 %
5	No	1250	92.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 694-697 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S2EXPV13: S2 ExpV: Saw someone killed from violence

Value	Label	Unweighted Frequency	%
1	Yes	74	5.5 %
5	No	1186	87.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 698-701 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S2EXPV14: S2 ExpV: Anyone close to you ever try kill self

Value	Label	Unweighted Frequency	%
1	Yes	64	4.7 %
5	No	1195	88.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 702-705 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S2EXPV18: S2 ExpV: You tried to kill self

Value	Label	Unweighted Frequency	%
1	Yes	19	1.4 %
5	No	1241	91.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 706-709 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S2EXPV17: S2 ExpV: Anyone close to you died

Value	Label	Unweighted Frequency	%
1	Yes	249	18.4 %
5	No	1011	74.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 710-713 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S2EXPV17A: S2 ExpV: Num close to you died

Based upon 249 valid cases out of 1,354 total cases.

- Mean: 1.33
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 0.90

Location: 714-717 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -101

S2EXPV17B: S2 ExpV: Num close to you died/truncated to 4

Value	Label	Unweighted Frequency	%
1	-	201	14.8 %
2	-	34	2.5 %
3	-	6	0.4 %
4	-	8	0.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	Skipped if s2expv17 isnt Yes	1011	74.7 %
	Total	**1,354**	**100%**

Based upon 249 valid cases out of 1,354 total cases.

Location: 718-721 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -101 , -99 , -98

S2EXPVIO_DIEDBIOFATHER: S2 ExpV_Died: Biofather during recall period

Value	Label	Unweighted Frequency	%
1	Yes	3	0.2 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-103	Less than 4 people died last 6 months	246	18.2 %
-101	Skipped if s2expv17 isnt Yes	1011	74.7 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 722-725 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S2EXPVIO_DIEDBIOMOTHER: S2 ExpV_Died: Biomother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-103	Less than 4 people died last 6 months	248	18.3 %
-101	Skipped if s2expv17 isnt Yes	1011	74.7 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 726-729 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S2EXPVIO_DIEDBIOSISTER: S2 ExpV_Died: Biosister during recall period

Value	Label	Unweighted Frequency	%
1	Yes	4	0.3 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %

Value	Label	Unweighted Frequency	%
-103	Less than 4 people died last 6 months	245	18.1 %
-101	Skipped if s2expv17 isnt Yes	1011	74.7 %
	Total	**1,354**	**100%**

Based upon 4 valid cases out of 1,354 total cases.

Location: 730-733 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S2EXPVIO_DIEDBIOBROTHER: S2 ExpV_Died: Biobrother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	4	0.3 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-103	Less than 4 people died last 6 months	245	18.1 %
-101	Skipped if s2expv17 isnt Yes	1011	74.7 %
	Total	**1,354**	**100%**

Based upon 4 valid cases out of 1,354 total cases.

Location: 734-737 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S2EXPVIO_DIEDBIOGRANDMOTHER: S2 ExpV_Died: Biograndmother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	19	1.4 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-103	Less than 4 people died last 6 months	230	17.0 %
-101	Skipped if s2expv17 isnt Yes	1011	74.7 %
	Total	**1,354**	**100%**

Based upon 19 valid cases out of 1,354 total cases.

Location: 738-741 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S2EXPVIO_DIEDBIOGRANDFATHER: S2 ExpV_Died: Biograndfather during recall period

Value	Label	Unweighted Frequency	%
1	Yes	25	1.8 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-103	Less than 4 people died last 6 months	224	16.5 %
-101	Skipped if s2expv17 isnt Yes	1011	74.7 %
	Total	**1,354**	**100%**

Based upon 25 valid cases out of 1,354 total cases.

Location: 742-745 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S2EXPVIO_DIEDSTEPFATHER: S2 ExpV_Died: Stepfather during recall period

Value	Label	Unweighted Frequency	%
1	Yes	3	0.2 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-103	Less than 4 people died last 6 months	246	18.2 %
-101	Skipped if s2expv17 isnt Yes	1011	74.7 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 746-749 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S2EXPVIO_DIEDSTEPMOTHER: S2 ExpV_Died: Stepmother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-103	Less than 4 people died last 6 months	249	18.4 %

Value	Label	Unweighted Frequency	%
-101	Skipped if s2expv17 isnt Yes	1011	74.7 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 750-753 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S2EXPVIO_DIEDSTEPSISTER: S2 ExpV_Died: Stepsister during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-103	Less than 4 people died last 6 months	249	18.4 %
-101	Skipped if s2expv17 isnt Yes	1011	74.7 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 754-757 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S2EXPVIO_DIEDSTEPBROTHER: S2 ExpV_Died: Stepbrother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-103	Less than 4 people died last 6 months	249	18.4 %
-101	Skipped if s2expv17 isnt Yes	1011	74.7 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 758-761 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S2EXPVIO_DIEDADOPTIVEFATHER: S2 ExpV_Died: Adoptivefather during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-103	Less than 4 people died last 6 months	249	18.4 %
-101	Skipped if s2expv17 isnt Yes	1011	74.7 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 762-765 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S2EXPVIO_DIEDADOPTIVEMOTHER: S2 ExpV_Died: Adoptivemother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-103	Less than 4 people died last 6 months	249	18.4 %
-101	Skipped if s2expv17 isnt Yes	1011	74.7 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 766-769 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S2EXPVIO_DIEDADOPTIVESISTER: S2 ExpV_Died: Adoptivesister during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-103	Less than 4 people died last 6 months	249	18.4 %
-101	Skipped if s2expv17 isnt Yes	1011	74.7 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 770-773 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S2EXPVIO_DIEDADOPTIVEBROTHER: S2 ExpV_Died: Adoptivebrother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-103	Less than 4 people died last 6 months	248	18.3 %
-101	Skipped if s2expv17 isnt Yes	1011	74.7 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 774-777 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S2EXPVIO_DIEDWIFE: S2 ExpV_Died: Wife during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-103	Less than 4 people died last 6 months	249	18.4 %
-101	Skipped if s2expv17 isnt Yes	1011	74.7 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 778-781 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S2EXPVIO_DIEDHUSBAND: S2 ExpV_Died: Husband during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-103	Less than 4 people died last 6 months	249	18.4 %
-101	Skipped if s2expv17 isnt Yes	1011	74.7 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 782-785 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S2EXPVIO_DIEDSON: S2 ExpV_Died: Son during recall period

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-103	Less than 4 people died last 6 months	247	18.2 %
-101	Skipped if s2expv17 isnt Yes	1011	74.7 %
	Total	**1,354**	**100%**

Based upon 2 valid cases out of 1,354 total cases.

Location: 786-789 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S2EXPVIO_DIEDDAUGHTER: S2 ExpV_Died: Daughter during recall period

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-103	Less than 4 people died last 6 months	248	18.3 %
-101	Skipped if s2expv17 isnt Yes	1011	74.7 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 790-793 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S2EXPVIO_DIEDAUNT: S2 ExpV_Died: Aunt during recall period

Value	Label	Unweighted Frequency	%
1	Yes	22	1.6 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-103	Less than 4 people died last 6 months	227	16.8 %
-101	Skipped if s2expv17 isnt Yes	1011	74.7 %
	Total	**1,354**	**100%**

Based upon 22 valid cases out of 1,354 total cases.

Location: 794-797 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S2EXPVIO_DIEDUNCLE: S2 ExpV_Died: Uncle during recall period

Value	Label	Unweighted Frequency	%
1	Yes	35	2.6 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-103	Less than 4 people died last 6 months	214	15.8 %
-101	Skipped if s2expv17 isnt Yes	1011	74.7 %
	Total	**1,354**	**100%**

Based upon 35 valid cases out of 1,354 total cases.

Location: 798-801 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S2EXPVIO_DIEDFEMALECOUSIN: S2 ExpV_Died: Femalecousin during recall period

Value	Label	Unweighted Frequency	%
1	Yes	11	0.8 %
5	No	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-103	Less than 4 people died last 6 months	238	17.6 %
-101	Skipped if s2expv17 isnt Yes	1011	74.7 %
	Total	**1,354**	**100%**

Based upon 11 valid cases out of 1,354 total cases.

Location: 802-805 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S2EXPVIO_DIEDMALECOUSIN: S2 ExpV_Died: Malecousin during recall period

Value	Label	Unweighted Frequency	%
1	Yes	28	2.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-103	Less than 4 people died last 6 months	221	16.3 %
-101	Skipped if s2expv17 isnt Yes	1011	74.7 %
	Total	**1,354**	**100%**

Based upon 28 valid cases out of 1,354 total cases.

Location: 806-809 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S2EXPVIO_DIEDNEPHEW: S2 ExpV_Died: Nephew during recall period

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-103	Less than 4 people died last 6 months	248	18.3 %
-101	Skipped if s2expv17 isnt Yes	1011	74.7 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 810-813 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S2EXPVIO_DIEDNIECE: S2 ExpV_Died: Niece during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-103	Less than 4 people died last 6 months	249	18.4 %
-101	Skipped if s2expv17 isnt Yes	1011	74.7 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 814-817 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S2EXPVIO_DIEDLIVEINBFGF: S2 ExpV_Died: LiveinBFGF during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-103	Less than 4 people died last 6 months	249	18.4 %
-101	Skipped if s2expv17 isnt Yes	1011	74.7 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 818-821 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S2EXPVIO_DIEDFEMALEFRIEND: S2 ExpV_Died: Femalefriend during recall period

Value	Label	Unweighted Frequency	%
1	Yes	11	0.8 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %

Value	Label	Unweighted Frequency	%
-103	Less than 4 people died last 6 months	238	17.6 %
-101	Skipped if s2expv17 isnt Yes	1011	74.7 %
	Total	**1,354**	**100%**

Based upon 11 valid cases out of 1,354 total cases.

Location: 822-825 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S2EXPVIO_DIEDMALEFRIEND: S2 ExpV_Died: Malefriend during recall period

Value	Label	Unweighted Frequency	%
1	Yes	98	7.2 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-103	Less than 4 people died last 6 months	151	11.2 %
-101	Skipped if s2expv17 isnt Yes	1011	74.7 %
	Total	**1,354**	**100%**

Based upon 98 valid cases out of 1,354 total cases.

Location: 826-829 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S2EXPVIO_DIEDBOYFRIEND: S2 ExpV_Died: Boyfriend during recall period

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-103	Less than 4 people died last 6 months	248	18.3 %
-101	Skipped if s2expv17 isnt Yes	1011	74.7 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 830-833 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S2EXPVIO_DIEDGIRLFRIEND: S2 ExpV_Died: Girlfriend during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-103	Less than 4 people died last 6 months	249	18.4 %
-101	Skipped if s2expv17 isnt Yes	1011	74.7 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 834-837 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S2EXPVIO_DIEDMALEROOMMATE: S2 ExpV_Died: Maleroommate during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-103	Less than 4 people died last 6 months	249	18.4 %
-101	Skipped if s2expv17 isnt Yes	1011	74.7 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 838-841 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S2EXPVIO_DIEDFEMALEROOMMATE: S2 ExpV_Died: Femaleroommate during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-103	Less than 4 people died last 6 months	249	18.4 %

Value	Label	Unweighted Frequency	%
-101	Skipped if s2expv17 isnt Yes	1011	74.7 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 842-845 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S2EXPVIO_DIEDPROFRELATIONSHIP: S2 ExpV_Died: Profrelationship during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-103	Less than 4 people died last 6 months	249	18.4 %
-101	Skipped if s2expv17 isnt Yes	1011	74.7 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 846-849 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S2EXPVIO_DIEDFOSTERMOTHER: S2 ExpV_Died: Fostermother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-103	Less than 4 people died last 6 months	249	18.4 %
-101	Skipped if s2expv17 isnt Yes	1011	74.7 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 850-853 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S2EXPVIO_DIEDFOSTERFATHER: S2 ExpV_Died: Fosterfather during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-103	Less than 4 people died last 6 months	249	18.4 %
-101	Skipped if s2expv17 isnt Yes	1011	74.7 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 854-857 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S2EXPVIO_DIEDFOSTERBROTHER: S2 ExpV_Died: Fosterbrother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-103	Less than 4 people died last 6 months	249	18.4 %
-101	Skipped if s2expv17 isnt Yes	1011	74.7 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 858-861 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S2EXPVIO_DIEDFOSTERSISTER: S2 ExpV_Died: Fostersister during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-103	Less than 4 people died last 6 months	249	18.4 %
-101	Skipped if s2expv17 isnt Yes	1011	74.7 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 862-865 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S2EXPVIO_DIEDMOTHEROFCHILD: S2 ExpV_Died: MotherOfchild during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-103	Less than 4 people died last 6 months	249	18.4 %
-101	Skipped if s2expv17 isnt Yes	1011	74.7 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 866-869 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S2EXPVIO_DIEDFATHEROFCHILD: S2 ExpV_Died: FatherOfchild during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-103	Less than 4 people died last 6 months	249	18.4 %
-101	Skipped if s2expv17 isnt Yes	1011	74.7 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 870-873 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S2EXPVIO_DIEDSTEPSON: S2 ExpV_Died: Stepson during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-103	Less than 4 people died last 6 months	249	18.4 %
-101	Skipped if s2expv17 isnt Yes	1011	74.7 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 874-877 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S2EXPVIO_DIEDSTEPDAUGHTER: S2 ExpV_Died: Stepdaughter during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-103	Less than 4 people died last 6 months	249	18.4 %
-101	Skipped if s2expv17 isnt Yes	1011	74.7 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 878-881 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S2EXPVIO_DIEDFIANCE: S2 ExpV_Died: Fiance during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-103	Less than 4 people died last 6 months	249	18.4 %
-101	Skipped if s2expv17 isnt Yes	1011	74.7 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 882-885 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S2EXPVIO_DIEDOTHERRELATIVE: S2 ExpV_Died: OtherRelative during recall period

Value	Label	Unweighted Frequency	%
1	Yes	14	1.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-103	Less than 4 people died last 6 months	235	17.4 %
-101	Skipped if s2expv17 isnt Yes	1011	74.7 %
	Total	**1,354**	**100%**

Based upon 14 valid cases out of 1,354 total cases.

Location: 886-889 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S2EXPVIO_DIEDOTHER: S2 ExpV_Died: Other during recall period

Value	Label	Unweighted Frequency	%
1	Yes	6	0.4 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-103	Less than 4 people died last 6 months	243	17.9 %
-101	Skipped if s2expv17 isnt Yes	1011	74.7 %
	Total	**1,354**	**100%**

Based upon 6 valid cases out of 1,354 total cases.

Location: 890-893 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S2EXPV15: S2 ExpV: Found dead body

Value	Label	Unweighted Frequency	%
1	Yes	10	0.7 %
5	No	1250	92.3 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 894-897 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S2EXPV16: S2 ExpV: Other situation frightened

Value	Label	Unweighted Frequency	%
1	Yes	62	4.6 %
5	No	1198	88.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 898-901 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S2EXPV01A_EXPVA: S2 ExpV: Saw another chased

Based upon 315 valid cases out of 1,354 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 902-905 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S2EXPV01A_EXPVB: S2 ExpV: How many times seen chased

Value	Label	Unweighted Frequency	%
1	-	132	9.7 %
2	-	71	5.2 %
3	-	37	2.7 %
4	-	18	1.3 %
5	-	20	1.5 %
6	-	4	0.3 %
9	-	2	0.1 %

Value	Label	Unweighted Frequency	%
10	-	10	0.7 %
12	-	2	0.1 %
14	-	1	0.1 %
15	-	2	0.1 %
20	-	2	0.1 %
26	-	1	0.1 %
30	-	1	0.1 %
50	-	1	0.1 %
80	-	1	0.1 %
100	-	3	0.2 %
120	-	2	0.1 %
240	-	2	0.1 %
300	-	1	0.1 %
900	-	1	0.1 %
	Missing Data		
-999	Dont know	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-104	Followup questions arent asked if the gate isnt yes	945	69.8 %
	Total	**1,354**	**100%**

Based upon 314 valid cases out of 1,354 total cases.

Location: 906-909 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S2EXPV02A_EXPVA: S2 ExpV: You chased

Value	Label	Unweighted Frequency	%
1	Yes	65	4.8 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-104	Followup questions arent asked if the gate isnt yes	1195	88.3 %
	Total	**1,354**	**100%**

Based upon 65 valid cases out of 1,354 total cases.

Location: 910-913 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S2EXPV02A_EXPVB: S2 ExpV: Num times you chased

Based upon 65 valid cases out of 1,354 total cases.

- Mean: 4.11
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 100.00
- Standard Deviation: 12.50

Location: 914-917 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S2EXPV03A_EXPVA: S2 ExpV: Saw someone beaten

Value	Label	Unweighted Frequency	%
1	Yes	483	35.7 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-104	Followup questions arent asked if the gate isnt yes	777	57.4 %
	Total	**1,354**	**100%**

Based upon 483 valid cases out of 1,354 total cases.

Location: 918-921 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S2EXPV03A_EXPVB: S2 ExpV: Num times saw someone beaten

Based upon 482 valid cases out of 1,354 total cases.

- Mean: 7.53
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 300.00
- Standard Deviation: 21.48

Location: 922-925 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S2EXPV04A_EXPVA: S2 ExpV: You beaten up

Value	Label	Unweighted Frequency	%
1	Yes	63	4.7 %

Value	Label	Unweighted Frequency	%
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-104	Followup questions arent asked if the gate isnt yes	1197	88.4 %
	Total	**1,354**	**100%**

Based upon 63 valid cases out of 1,354 total cases.

Location: 926-929 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S2EXPV04A_EXPVB: S2 ExpV: Num times you beaten up

Based upon 63 valid cases out of 1,354 total cases.

- Mean: 2.25
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 20.00
- Standard Deviation: 2.77

Location: 930-933 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S2EXPV05A_EXPVA: S2 ExpV: Saw someone raped

Value	Label	Unweighted Frequency	%
1	Yes	17	1.3 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-104	Followup questions arent asked if the gate isnt yes	1243	91.8 %
	Total	**1,354**	**100%**

Based upon 17 valid cases out of 1,354 total cases.

Location: 934-937 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S2EXPV05A_EXPVB: S2 ExpV: Num times saw someone raped

Based upon 17 valid cases out of 1,354 total cases.

- Mean: 3.35
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 32.00
- Standard Deviation: 7.44

Location: 938-941 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S2EXPV06A_EXPVA: S2 ExpV: You were raped

Value	Label	Unweighted Frequency	%
1	Yes	5	0.4 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-104	Followup questions arent asked if the gate isnt yes	1255	92.7 %
	Total	**1,354**	**100%**

Based upon 5 valid cases out of 1,354 total cases.

Location: 942-945 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S2EXPV06A_EXPVD: S2 ExpV: Did it happen more than once

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	4	0.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-104	Followup questions arent asked if the gate isnt yes	1255	92.7 %
	Total	**1,354**	**100%**

Based upon 5 valid cases out of 1,354 total cases.

Location: 946-949 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -107 , -106 , -105 , -104 , -9 , -8

S2EXPV06A_EXPVF: S2 ExpV: Relation of person that did this

Value	Label	Unweighted Frequency	%
1	Family member	0	0.0 %
2	Friend/acquaintance	3	0.2 %
3	Stranger	2	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-104	Followup questions arent asked if the gate isnt yes	1255	92.7 %
	Total	**1,354**	**100%**

Based upon 5 valid cases out of 1,354 total cases.

Location: 950-953 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -107 , -106 , -105 , -104 , -9 , -8

S2EXPV06A_EXPVG: S2 ExpV: Where did this happen

Value	Label	Unweighted Frequency	%
1	At home	0	0.0 %
2	At school	0	0.0 %
3	In his/her neighborhood	2	0.1 %
4	Other (specify)	3	0.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-104	Followup questions arent asked if the gate isnt yes	1255	92.7 %
	Total	**1,354**	**100%**

Based upon 5 valid cases out of 1,354 total cases.

Location: 954-957 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -107 , -106 , -105 , -104 , -9 , -8

S2EXPV07A_EXPVA: S2 ExpV: Saw someone attacked w/weapon

Value	Label	Unweighted Frequency	%
1	Yes	207	15.3 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-104	Followup questions arent asked if the gate isnt yes	1053	77.8 %
	Total	**1,354**	**100%**

Based upon 207 valid cases out of 1,354 total cases.

Location: 958-961 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S2EXPV07A_EXPVB: S2 ExpV: Num times saw someone attacked w/weapon

Based upon 207 valid cases out of 1,354 total cases.

- Mean: 3.13
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 100.00
- Standard Deviation: 7.41

Location: 962-965 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S2EXPV08A_EXPVA: S2 ExpV: You attacked w/weapon

Value	Label	Unweighted Frequency	%
1	Yes	57	4.2 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-104	Followup questions arent asked if the gate isnt yes	1203	88.8 %
	Total	**1,354**	**100%**

Based upon 57 valid cases out of 1,354 total cases.

Location: 966-969 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S2EXPV08A_EXPVB: S2 ExpV: Num times you attacked w/ weapon

Based upon 57 valid cases out of 1,354 total cases.

- Mean: 2.14
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 25.00
- Standard Deviation: 3.43

Location: 970-973 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S2EXPV09A_EXPVA: S2 ExpV: Saw someone shot at

Value	Label	Unweighted Frequency	%
1	Yes	183	13.5 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-104	Followup questions arent asked if the gate isnt yes	1077	79.5 %
	Total	**1,354**	**100%**

Based upon 183 valid cases out of 1,354 total cases.

Location: 974-977 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S2EXPV09A_EXPVB: S2 ExpV: Num times saw someone shot at

Based upon 183 valid cases out of 1,354 total cases.

- Mean: 2.70
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 20.00
- Standard Deviation: 2.64

Location: 978-981 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S2EXPV10A_EXPVA: S2 ExpV: You shot at

Value	Label	Unweighted Frequency	%
1	Yes	67	4.9 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-104	Followup questions arent asked if the gate isnt yes	1193	88.1 %
	Total	**1,354**	**100%**

Based upon 67 valid cases out of 1,354 total cases.

Location: 982-985 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S2EXPV10A_EXPVB: S2 ExpV: Num times you shot at

Based upon 67 valid cases out of 1,354 total cases.

- Mean: 2.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 9.00
- Standard Deviation: 1.58

Location: 986-989 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S2EXPV11A_EXPVA: S2 ExpV: Saw someone shot

Value	Label	Unweighted Frequency	%
1	Yes	106	7.8 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-104	Followup questions arent asked if the gate isnt yes	1154	85.2 %
	Total	**1,354**	**100%**

Based upon 106 valid cases out of 1,354 total cases.

Location: 990-993 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S2EXPV11A_EXPVB: S2 ExpV: Num times saw someone shot

Based upon 106 valid cases out of 1,354 total cases.

- Mean: 1.98
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 1.98

Location: 994-997 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S2EXPV12A_EXPVA: S2 ExpV: You shot

Value	Label	Unweighted Frequency	%
1	Yes	10	0.7 %

Value	Label	Unweighted Frequency	%
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-104	Followup questions arent asked if the gate isnt yes	1250	92.3 %
	Total	**1,354**	**100%**

Based upon 10 valid cases out of 1,354 total cases.

Location: 998-1001 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S2EXPV12A_EXPVB: S2 ExpV: Num times you shot

Value	Label	Unweighted Frequency	%
1	-	10	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-104	Followup questions arent asked if the gate isnt yes	1250	92.3 %
	Total	**1,354**	**100%**

Based upon 10 valid cases out of 1,354 total cases.

Location: 1002-1005 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S2EXPV13A_EXPVA: S2 ExpV: Saw someone killed from violence

Value	Label	Unweighted Frequency	%
1	Yes	74	5.5 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-104	Followup questions arent asked if the gate isnt yes	1186	87.6 %
	Total	**1,354**	**100%**

Based upon 74 valid cases out of 1,354 total cases.

Location: 1006-1009 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S2EXPV13A_EXPVB: S2 ExpV: Num times saw one killed from violence

Based upon 74 valid cases out of 1,354 total cases.

- Mean: 1.58
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 1.43

Location: 1010-1013 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S2EXPV14A: S2 ExpV: Num close to you tried to kill self

Based upon 64 valid cases out of 1,354 total cases.

- Mean: 1.16
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.44

Location: 1014-1017 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -104 , -99 , -98

S2EXPV18A_EXPVA: S2 ExpV: You tried kill self

Value	Label	Unweighted Frequency	%
1	Yes	19	1.4 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-104	Followup questions arent asked if the gate isnt yes	1241	91.7 %
	Total	**1,354**	**100%**

Based upon 19 valid cases out of 1,354 total cases.

Location: 1018-1021 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S2EXPV18A_EXPVB: S2 ExpV: Num times you tried kill self

Based upon 19 valid cases out of 1,354 total cases.

- Mean: 1.95
- Median: 2.00

- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.22

Location: 1022-1025 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S2EXPWIT: S2 ExpV: Witnessed score

Value	Label	Unweighted Frequency	%
0	-	649	47.9 %
1	-	226	16.7 %
2	-	177	13.1 %
3	-	97	7.2 %
4	-	53	3.9 %
5	-	46	3.4 %
6	-	12	0.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 1026-1029 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -100

S2EXPVIC: S2 ExpV: Victim score

Value	Label	Unweighted Frequency	%
0	-	1084	80.1 %
1	-	111	8.2 %
2	-	45	3.3 %
3	-	15	1.1 %
4	-	4	0.3 %
5	-	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 1030-1033 (width: 4; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -100

S2EXPTOT: S2 ExpV: Total score - witnessed plus victim

Value	Label	Unweighted Frequency	%
0	-	620	45.8 %
1	-	224	16.5 %
2	-	172	12.7 %
3	-	94	6.9 %
4	-	49	3.6 %
5	-	43	3.2 %
6	-	31	2.3 %
7	-	15	1.1 %
8	-	10	0.7 %
9	-	1	0.1 %
11	-	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 1034-1037 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -100

S2EXPVIO_SUICAL_M01: S2 SuiCal: Attempt suicide M01

Value	Label	Unweighted Frequency	%
1	Yes	6	0.4 %
5	No	13	1.0 %
	Missing Data		
.	-	1335	98.6 %
	Total	**1,354**	**100%**

Based upon 19 valid cases out of 1,354 total cases.

Location: 1038-1038 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S2EXPVIO_SUICAL_M02: S2 SuiCal: Attempt suicide M02

Value	Label	Unweighted Frequency	%
1	Yes	5	0.4 %
5	No	14	1.0 %
	Missing Data		
.	-	1335	98.6 %
	Total	**1,354**	**100%**

Based upon 19 valid cases out of 1,354 total cases.

Location: 1039-1039 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S2EXPVIO_SUICAL_M03: S2 SuiCal: Attempt suicide M03

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
5	No	17	1.3 %
	Missing Data		
.	-	1335	98.6 %
	Total	**1,354**	**100%**

Based upon 19 valid cases out of 1,354 total cases.

Location: 1040-1040 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S2EXPVIO_SUICAL_M04: S2 SuiCal: Attempt suicide M04

Value	Label	Unweighted Frequency	%
1	Yes	3	0.2 %
5	No	16	1.2 %
	Missing Data		
.	-	1335	98.6 %
	Total	**1,354**	**100%**

Based upon 19 valid cases out of 1,354 total cases.

Location: 1041-1041 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S2EXPVIO_SUICAL_M05: S2 SuiCal: Attempt suicide M05

Value	Label	Unweighted Frequency	%
1	Yes	7	0.5 %

Value	Label	Unweighted Frequency	%
5	No	10	0.7 %
	Missing Data		
.	-	1337	98.7 %
	Total	**1,354**	**100%**

Based upon 17 valid cases out of 1,354 total cases.

Location: 1042-1042 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S2EXPVIO_SUICAL_M06: S2 SuiCal: Attempt suicide M06

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
5	No	9	0.7 %
	Missing Data		
.	-	1343	99.2 %
	Total	**1,354**	**100%**

Based upon 11 valid cases out of 1,354 total cases.

Location: 1043-1043 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S2EXPVIO_SUICAL_M07: S2 SuiCal: Attempt suicide M07

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	5	0.4 %
	Missing Data		
.	-	1348	99.6 %
	Total	**1,354**	**100%**

Based upon 6 valid cases out of 1,354 total cases.

Location: 1044-1044 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S2EXPVIO_SUICAL_M08: S2 SuiCal: Attempt suicide M08

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	2	0.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	1352	99.9 %
	Total	**1,354**	**100%**

Based upon 2 valid cases out of 1,354 total cases.

Location: 1045-1045 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S2EXPVIO_SUICAL_M09: S2 SuiCal: Attempt suicide M09

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
.	-	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1046-1046 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S2EXPVIO_SUICAL_M10: S2 SuiCal: Attempt suicide M10

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
.	-	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1047-1047 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S2EXPVIO_SUICAL_M11: S2 SuiCal: Attempt suicide M11

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1048-1048 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S2EXPVIO_SUICAL_M12: S2 SuiCal: Attempt suicide M12

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
.	-	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1049-1049 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S2EXPVIO_SUICAL_M13: S2 SuiCal: Attempt suicide M13

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
.	-	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1050-1050 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S2EXPVIO_SUICAL_M14: S2 SuiCal: Attempt suicide M14

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
.	-	1354	100.0 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1051-1051 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S2EXPVIO_SUICAL_NATTEMPTMOS: S2 ExpV: Number of months with a suicide attempt

Value	Label	Unweighted Frequency	%
1	-	13	1.0 %
2	-	5	0.4 %
3	-	1	0.1 %
	Missing Data		
.	-	1335	98.6 %
	Total	**1,354**	**100%**

Based upon 19 valid cases out of 1,354 total cases.

Location: 1052-1053 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 98 , 99 , .

S3EXPV01: S3 ExpV: See anyone chased thought could be hurt

Value	Label	Unweighted Frequency	%
1	Yes	282	20.8 %
5	No	946	69.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 1054-1057 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S3EXPV02: S3 ExpV: You chased thought could be hurt

Value	Label	Unweighted Frequency	%
1	Yes	62	4.6 %
5	No	1166	86.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 1058-1061 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S3EXPV03: S3 ExpV: Ever seen someone else get beaten up

Value	Label	Unweighted Frequency	%
1	Yes	429	31.7 %
5	No	799	59.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 1062-1065 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S3EXPV04: S3 ExpV: You beaten up

Value	Label	Unweighted Frequency	%
1	Yes	66	4.9 %
5	No	1162	85.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 1066-1069 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S3EXPV05: S3 ExpV: Saw someone raped

Value	Label	Unweighted Frequency	%
1	Yes	14	1.0 %

Value	Label	Unweighted Frequency	%
5	No	1214	89.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 1070-1073 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S3EXPV06: S3 ExpV: You raped

Value	Label	Unweighted Frequency	%
1	Yes	5	0.4 %
5	No	1223	90.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 1074-1077 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S3EXPV07: S3 ExpV: Saw someone attacked w/weapon

Value	Label	Unweighted Frequency	%
1	Yes	186	13.7 %
5	No	1042	77.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 1078-1081 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S3EXPV08: S3 ExpV: You attacked w/weapon

Value	Label	Unweighted Frequency	%
1	Yes	47	3.5 %
5	No	1181	87.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 1082-1085 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S3EXPV09: S3 ExpV: Saw someone shot AT but missed

Value	Label	Unweighted Frequency	%
1	Yes	150	11.1 %
5	No	1078	79.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 1086-1089 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S3EXPV10: S3 ExpV: You shot AT missed

Value	Label	Unweighted Frequency	%
1	Yes	67	4.9 %
5	No	1161	85.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 1090-1093 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S3EXPV11: S3 ExpV: Saw someone shot

Value	Label	Unweighted Frequency	%
1	Yes	100	7.4 %
5	No	1128	83.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 1094-1097 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S3EXPV12: S3 ExpV: You shot

Value	Label	Unweighted Frequency	%
1	Yes	11	0.8 %
5	No	1217	89.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 1098-1101 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S3EXPV13: S3 ExpV: Saw someone killed from violence

Value	Label	Unweighted Frequency	%
1	Yes	59	4.4 %
5	No	1168	86.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,227 valid cases out of 1,354 total cases.

Location: 1102-1105 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S3EXPV14: S3 ExpV: Anyone close to you ever try kill self

Value	Label	Unweighted Frequency	%
1	Yes	47	3.5 %
5	No	1181	87.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 1106-1109 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S3EXPV18: S3 ExpV: You tried to kill self

Value	Label	Unweighted Frequency	%
1	Yes	13	1.0 %
5	No	1215	89.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 1110-1113 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S3EXPV17: S3 ExpV: Anyone close to you died

Value	Label	Unweighted Frequency	%
1	Yes	253	18.7 %
5	No	974	71.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,227 valid cases out of 1,354 total cases.

Location: 1114-1117 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S3EXPV17A: S3 ExpV: Num close to you died

Based upon 253 valid cases out of 1,354 total cases.

- Mean: 1.43
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 20.00
- Standard Deviation: 1.46

Location: 1118-1121 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -101

S3EXPV17B: S3 ExpV: Num close to you died/truncated to 4

Value	Label	Unweighted Frequency	%
1	-	201	14.8 %
2	-	29	2.1 %
3	-	13	1.0 %
4	-	10	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	Skipped if s3expv17 isnt Yes	975	72.0 %
	Total	**1,354**	**100%**

Based upon 253 valid cases out of 1,354 total cases.

Location: 1122-1125 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -99 , -98

S3EXPVIO_DIEDBIOFATHER: S3 ExpV_Died: Biofather during recall period

Value	Label	Unweighted Frequency	%
1	Yes	5	0.4 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-103	Less than 4 people died last 6 months	248	18.3 %
-101	Skipped if s3expv17 isnt Yes	975	72.0 %
	Total	**1,354**	**100%**

Based upon 5 valid cases out of 1,354 total cases.

Location: 1126-1129 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S3EXPVIO_DIEDBIOMOTHER: S3 ExpV_Died: Biomother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	4	0.3 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-103	Less than 4 people died last 6 months	249	18.4 %
-101	Skipped if s3expv17 isnt Yes	975	72.0 %
	Total	**1,354**	**100%**

Based upon 4 valid cases out of 1,354 total cases.

Location: 1130-1133 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S3EXPVIO_DIEDBIOSISTER: S3 ExpV_Died: Biosister during recall period

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-103	Less than 4 people died last 6 months	252	18.6 %
-101	Skipped if s3expv17 isnt Yes	975	72.0 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 1134-1137 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S3EXPVIO_DIEDBIOBROTHER: S3 ExpV_Died: Biobrother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	5	0.4 %
5	No	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-103	Less than 4 people died last 6 months	248	18.3 %
-101	Skipped if s3expv17 isnt Yes	975	72.0 %
	Total	**1,354**	**100%**

Based upon 5 valid cases out of 1,354 total cases.

Location: 1138-1141 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S3EXPVIO_DIEDBIOGRANDMOTHER: S3 ExpV_Died: Biograndmother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	22	1.6 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-103	Less than 4 people died last 6 months	231	17.1 %
-101	Skipped if s3expv17 isnt Yes	975	72.0 %
	Total	**1,354**	**100%**

Based upon 22 valid cases out of 1,354 total cases.

Location: 1142-1145 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S3EXPVIO_DIEDBIOGRANDFATHER: S3 ExpV_Died: Biograndfather during recall period

Value	Label	Unweighted Frequency	%
1	Yes	19	1.4 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-103	Less than 4 people died last 6 months	234	17.3 %
-101	Skipped if s3expv17 isnt Yes	975	72.0 %
	Total	**1,354**	**100%**

Based upon 19 valid cases out of 1,354 total cases.

Location: 1146-1149 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S3EXPVIO_DIEDSTEPFATHER: S3 ExpV_Died: Stepfather during recall period

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-103	Less than 4 people died last 6 months	251	18.5 %
-101	Skipped if s3expv17 isnt Yes	975	72.0 %
	Total	**1,354**	**100%**

Based upon 2 valid cases out of 1,354 total cases.

Location: 1150-1153 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S3EXPVIO_DIEDSTEPMOTHER: S3 ExpV_Died: Stepmother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-103	Less than 4 people died last 6 months	253	18.7 %
-101	Skipped if s3expv17 isnt Yes	975	72.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1154-1157 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S3EXPVIO_DIEDSTEPSISTER: S3 ExpV_Died: Stepsister during recall period

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-103	Less than 4 people died last 6 months	252	18.6 %
-101	Skipped if s3expv17 isnt Yes	975	72.0 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 1158-1161 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S3EXPVIO_DIEDSTEPBROTHER: S3 ExpV_Died: Stepbrother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-103	Less than 4 people died last 6 months	253	18.7 %
-101	Skipped if s3expv17 isnt Yes	975	72.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1162-1165 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S3EXPVIO_DIEDADOPTIVEFATHER: S3 ExpV_Died: Adoptivefather during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-103	Less than 4 people died last 6 months	253	18.7 %
-101	Skipped if s3expv17 isnt Yes	975	72.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1166-1169 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S3EXPVIO_DIEDADOPTIVEMOTHER: S3 ExpV_Died: Adoptivemother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-103	Less than 4 people died last 6 months	253	18.7 %
-101	Skipped if s3expv17 isnt Yes	975	72.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1170-1173 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S3EXPVIO_DIEDADOPTIVESISTER: S3 ExpV_Died: Adoptivesister during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-103	Less than 4 people died last 6 months	253	18.7 %
-101	Skipped if s3expv17 isnt Yes	975	72.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1174-1177 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S3EXPVIO_DIEDADOPTIVEBROTHER: S3 ExpV_Died: Adoptivebrother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %

Value	Label	Unweighted Frequency	%
-103	Less than 4 people died last 6 months	253	18.7 %
-101	Skipped if s3expv17 isnt Yes	975	72.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1178-1181 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S3EXPVIO_DIEDWIFE: S3 ExpV_Died: Wife during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-103	Less than 4 people died last 6 months	253	18.7 %
-101	Skipped if s3expv17 isnt Yes	975	72.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1182-1185 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S3EXPVIO_DIEDHUSBAND: S3 ExpV_Died: Husband during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-103	Less than 4 people died last 6 months	253	18.7 %
-101	Skipped if s3expv17 isnt Yes	975	72.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1186-1189 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S3EXPVIO_DIEDSON: S3 ExpV_Died: Son during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-103	Less than 4 people died last 6 months	253	18.7 %
-101	Skipped if s3expv17 isnt Yes	975	72.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1190-1193 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S3EXPVIO_DIEDDAUGHTER: S3 ExpV_Died: Daughter during recall period

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-103	Less than 4 people died last 6 months	251	18.5 %
-101	Skipped if s3expv17 isnt Yes	975	72.0 %
	Total	**1,354**	**100%**

Based upon 2 valid cases out of 1,354 total cases.

Location: 1194-1197 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S3EXPVIO_DIEDAUNT: S3 ExpV_Died: Aunt during recall period

Value	Label	Unweighted Frequency	%
1	Yes	30	2.2 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-103	Less than 4 people died last 6 months	223	16.5 %

Value	Label	Unweighted Frequency	%
-101	Skipped if s3expv17 isnt Yes	975	72.0 %
	Total	**1,354**	**100%**

Based upon 30 valid cases out of 1,354 total cases.

Location: 1198-1201 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S3EXPVIO_DIEDUNCLE: S3 ExpV_Died: Uncle during recall period

Value	Label	Unweighted Frequency	%
1	Yes	28	2.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-103	Less than 4 people died last 6 months	225	16.6 %
-101	Skipped if s3expv17 isnt Yes	975	72.0 %
	Total	**1,354**	**100%**

Based upon 28 valid cases out of 1,354 total cases.

Location: 1202-1205 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S3EXPVIO_DIEDFEMALECOUSIN: S3 ExpV_Died: Femalecousin during recall period

Value	Label	Unweighted Frequency	%
1	Yes	7	0.5 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-103	Less than 4 people died last 6 months	246	18.2 %
-101	Skipped if s3expv17 isnt Yes	975	72.0 %
	Total	**1,354**	**100%**

Based upon 7 valid cases out of 1,354 total cases.

Location: 1206-1209 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S3EXPVIO_DIEDMALECOUSIN: S3 ExpV_Died: Malecousin during recall period

Value	Label	Unweighted Frequency	%
1	Yes	33	2.4 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-103	Less than 4 people died last 6 months	220	16.2 %
-101	Skipped if s3expv17 isnt Yes	975	72.0 %
	Total	**1,354**	**100%**

Based upon 33 valid cases out of 1,354 total cases.

Location: 1210-1213 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S3EXPVIO_DIEDNEPHEW: S3 ExpV_Died: Nephew during recall period

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-103	Less than 4 people died last 6 months	252	18.6 %
-101	Skipped if s3expv17 isnt Yes	975	72.0 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 1214-1217 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S3EXPVIO_DIEDNIECE: S3 ExpV_Died: Niece during recall period

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-103	Less than 4 people died last 6 months	252	18.6 %
-101	Skipped if s3expv17 isnt Yes	975	72.0 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 1218-1221 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S3EXPVIO_DIEDLIVEINBFGF: S3 ExpV_Died: LiveinBFGF during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-103	Less than 4 people died last 6 months	253	18.7 %
-101	Skipped if s3expv17 isnt Yes	975	72.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1222-1225 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S3EXPVIO_DIEDFEMALEFRIEND: S3 ExpV_Died: Femalefriend during recall period

Value	Label	Unweighted Frequency	%
1	Yes	15	1.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-103	Less than 4 people died last 6 months	238	17.6 %
-101	Skipped if s3expv17 isnt Yes	975	72.0 %
	Total	**1,354**	**100%**

Based upon 15 valid cases out of 1,354 total cases.

Location: 1226-1229 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S3EXPVIO_DIEDMALEFRIEND: S3 ExpV_Died: Malefriend during recall period

Value	Label	Unweighted Frequency	%
1	Yes	102	7.5 %
5	No	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-103	Less than 4 people died last 6 months	151	11.2 %
-101	Skipped if s3expv17 isnt Yes	975	72.0 %
	Total	**1,354**	**100%**

Based upon 102 valid cases out of 1,354 total cases.

Location: 1230-1233 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S3EXPVIO_DIEDBOYFRIEND: S3 ExpV_Died: Boyfriend during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-103	Less than 4 people died last 6 months	253	18.7 %
-101	Skipped if s3expv17 isnt Yes	975	72.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1234-1237 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S3EXPVIO_DIEDGIRLFRIEND: S3 ExpV_Died: Girlfriend during recall period

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-103	Less than 4 people died last 6 months	252	18.6 %
-101	Skipped if s3expv17 isnt Yes	975	72.0 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 1238-1241 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S3EXPVIO_DIEDMALEROOMMATE: S3 ExpV_Died: Maleroommate during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-103	Less than 4 people died last 6 months	253	18.7 %
-101	Skipped if s3expv17 isnt Yes	975	72.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1242-1245 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S3EXPVIO_DIEDFEMALEROOMMATE: S3 ExpV_Died: Femaleroommate during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-103	Less than 4 people died last 6 months	253	18.7 %
-101	Skipped if s3expv17 isnt Yes	975	72.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1246-1249 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S3EXPVIO_DIEDPROFRELATIONSHIP: S3 ExpV_Died: Profrelationship during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-103	Less than 4 people died last 6 months	253	18.7 %
-101	Skipped if s3expv17 isnt Yes	975	72.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1250-1253 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S3EXPVIO_DIEDFOSTERMOTHER: S3 ExpV_Died: Fostermother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-103	Less than 4 people died last 6 months	253	18.7 %
-101	Skipped if s3expv17 isnt Yes	975	72.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1254-1257 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S3EXPVIO_DIEDFOSTERFATHER: S3 ExpV_Died: Fosterfather during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-103	Less than 4 people died last 6 months	253	18.7 %
-101	Skipped if s3expv17 isnt Yes	975	72.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1258-1261 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S3EXPVIO_DIEDFOSTERBROTHER: S3 ExpV_Died: Fosterbrother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-103	Less than 4 people died last 6 months	253	18.7 %
-101	Skipped if s3expv17 isnt Yes	975	72.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1262-1265 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S3EXPVIO_DIEDFOSTERSISTER: S3 ExpV_Died: Fostersister during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-103	Less than 4 people died last 6 months	253	18.7 %
-101	Skipped if s3expv17 isnt Yes	975	72.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1266-1269 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S3EXPVIO_DIEDMOTHEROFCHILD: S3 ExpV_Died: MotherOfchild during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %

Value	Label	Unweighted Frequency	%
-103	Less than 4 people died last 6 months	253	18.7 %
-101	Skipped if s3expv17 isnt Yes	975	72.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1270-1273 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S3EXPVIO_DIEDFATHEROFCHILD: S3 ExpV_Died: FatherOfchild during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-103	Less than 4 people died last 6 months	253	18.7 %
-101	Skipped if s3expv17 isnt Yes	975	72.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1274-1277 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S3EXPVIO_DIEDSTEPSON: S3 ExpV_Died: Stepson during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-103	Less than 4 people died last 6 months	253	18.7 %
-101	Skipped if s3expv17 isnt Yes	975	72.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1278-1281 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S3EXPVIO_DIEDSTEPDAUGHTER: S3 ExpV_Died: Stepdaughter during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-103	Less than 4 people died last 6 months	253	18.7 %
-101	Skipped if s3expv17 isnt Yes	975	72.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1282-1285 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S3EXPVIO_DIEDFIANCE: S3 ExpV_Died: Fiance during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-103	Less than 4 people died last 6 months	253	18.7 %
-101	Skipped if s3expv17 isnt Yes	975	72.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1286-1289 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S3EXPVIO_DIEDOTHERRELATIVE: S3 ExpV_Died: OtherRelative during recall period

Value	Label	Unweighted Frequency	%
1	Yes	8	0.6 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-103	Less than 4 people died last 6 months	245	18.1 %

Value	Label	Unweighted Frequency	%
-101	Skipped if s3expv17 isnt Yes	975	72.0 %
	Total	**1,354**	**100%**

Based upon 8 valid cases out of 1,354 total cases.

Location: 1290-1293 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S3EXPVIO_DIEDOTHER: S3 ExpV_Died: Other during recall period

Value	Label	Unweighted Frequency	%
1	Yes	16	1.2 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-103	Less than 4 people died last 6 months	237	17.5 %
-101	Skipped if s3expv17 isnt Yes	975	72.0 %
	Total	**1,354**	**100%**

Based upon 16 valid cases out of 1,354 total cases.

Location: 1294-1297 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S3EXPV15: S3 ExpV: Found dead body

Value	Label	Unweighted Frequency	%
1	Yes	10	0.7 %
5	No	1217	89.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,227 valid cases out of 1,354 total cases.

Location: 1298-1301 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S3EXPV16: S3 ExpV: Other situation frightened

Value	Label	Unweighted Frequency	%
1	Yes	56	4.1 %
5	No	1172	86.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 1302-1305 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S3EXPV01A_EXPVA: S3 ExpV: Saw another chased

Based upon 282 valid cases out of 1,354 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1306-1309 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S3EXPV01A_EXPVB: S3 ExpV: How many times seen chased

Value	Label	Unweighted Frequency	%
1	-	93	6.9 %
2	-	79	5.8 %
3	-	30	2.2 %
4	-	32	2.4 %
5	-	21	1.6 %
6	-	5	0.4 %
7	-	1	0.1 %
8	-	1	0.1 %
9	-	1	0.1 %
10	-	6	0.4 %
11	-	1	0.1 %
15	-	2	0.1 %
17	-	1	0.1 %
20	-	2	0.1 %
30	-	1	0.1 %
50	-	1	0.1 %
72	-	1	0.1 %
89	-	1	0.1 %

Value	Label	Unweighted Frequency	%
100	-	1	0.1 %
180	-	1	0.1 %
	Missing Data		
-999	Dont know	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-104	Followup questions arent asked if the gate isnt yes	946	69.9 %
	Total	**1,354**	**100%**

Based upon 281 valid cases out of 1,354 total cases.

Location: 1310-1313 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S3EXPV02A_EXPVA: S3 ExpV: You chased

Value	Label	Unweighted Frequency	%
1	Yes	62	4.6 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-104	Followup questions arent asked if the gate isnt yes	1166	86.1 %
	Total	**1,354**	**100%**

Based upon 62 valid cases out of 1,354 total cases.

Location: 1314-1317 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S3EXPV02A_EXPVB: S3 ExpV: Num times you chased

Based upon 62 valid cases out of 1,354 total cases.

- Mean: 1.89
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 1.77

Location: 1318-1321 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S3EXPV03A_EXPVA: S3 ExpV: Saw someone beaten

Value	Label	Unweighted Frequency	%
1	Yes	429	31.7 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-104	Followup questions arent asked if the gate isnt yes	799	59.0 %
	Total	**1,354**	**100%**

Based upon 429 valid cases out of 1,354 total cases.

Location: 1322-1325 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S3EXPV03A_EXPVB: S3 ExpV: Num times saw someone beaten

Based upon 426 valid cases out of 1,354 total cases.

- Mean: 8.18
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 900.00
- Standard Deviation: 45.67

Location: 1326-1329 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S3EXPV04A_EXPVA: S3 ExpV: You beaten up

Value	Label	Unweighted Frequency	%
1	Yes	66	4.9 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-104	Followup questions arent asked if the gate isnt yes	1162	85.8 %
	Total	**1,354**	**100%**

Based upon 66 valid cases out of 1,354 total cases.

Location: 1330-1333 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S3EXPV04A_EXPVB: S3 ExpV: Num times you beaten up

Based upon 66 valid cases out of 1,354 total cases.

- Mean: 3.12
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 50.00
- Standard Deviation: 6.56

Location: 1334-1337 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S3EXPV05A_EXPVA: S3 ExpV: Saw someone raped

Value	Label	Unweighted Frequency	%
1	Yes	14	1.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-104	Followup questions arent asked if the gate isnt yes	1214	89.7 %
	Total	**1,354**	**100%**

Based upon 14 valid cases out of 1,354 total cases.

Location: 1338-1341 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S3EXPV05A_EXPVB: S3 ExpV: Num times saw someone raped

Based upon 14 valid cases out of 1,354 total cases.

- Mean: 2.57
- Median: 1.50
- Mode: 1.00
- Minimum: 1.00
- Maximum: 15.00
- Standard Deviation: 3.65

Location: 1342-1345 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S3EXPV06A_EXPVA: S3 ExpV: You were raped

Value	Label	Unweighted Frequency	%
1	Yes	5	0.4 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	125	9.2 %
-104	Followup questions arent asked if the gate isnt yes	1223	90.3 %
	Total	**1,354**	**100%**

Based upon 5 valid cases out of 1,354 total cases.

Location: 1346-1349 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S3EXPV06A_EXPVD: S3 ExpV: Did it happen more than once

Value	Label	Unweighted Frequency	%
1	Yes	4	0.3 %
5	No	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-104	Followup questions arent asked if the gate isnt yes	1223	90.3 %
	Total	**1,354**	**100%**

Based upon 5 valid cases out of 1,354 total cases.

Location: 1350-1353 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -107 , -106 , -105 , -104 , -9 , -8

S3EXPV06A_EXPVF: S3 ExpV: Relation of person that did this

Value	Label	Unweighted Frequency	%
1	Family member	0	0.0 %
2	Friend/acquaintance	2	0.1 %
3	Stranger	3	0.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-104	Followup questions arent asked if the gate isnt yes	1223	90.3 %
	Total	**1,354**	**100%**

Based upon 5 valid cases out of 1,354 total cases.

Location: 1354-1357 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -107 , -106 , -105 , -104 , -9 , -8

S3EXPV06A_EXPVG: S3 ExpV: Where did this happen

Value	Label	Unweighted Frequency	%
1	At home	0	0.0 %
2	At school	0	0.0 %
3	In his/her neighborhood	0	0.0 %
4	Other (specify)	5	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-104	Followup questions arent asked if the gate isnt yes	1223	90.3 %
	Total	**1,354**	**100%**

Based upon 5 valid cases out of 1,354 total cases.

Location: 1358-1361 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -107 , -106 , -105 , -104 , -9 , -8

S3EXPV07A_EXPVA: S3 ExpV: Saw someone attacked w/weapon

Value	Label	Unweighted Frequency	%
1	Yes	186	13.7 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-104	Followup questions arent asked if the gate isnt yes	1042	77.0 %
	Total	**1,354**	**100%**

Based upon 186 valid cases out of 1,354 total cases.

Location: 1362-1365 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S3EXPV07A_EXPVB: S3 ExpV: Num times saw someone attacked w/weapon

Based upon 185 valid cases out of 1,354 total cases.

- Mean: 5.96
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 600.00
- Standard Deviation: 44.01

Location: 1366-1369 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S3EXPV08A_EXPVA: S3 ExpV: You attacked w/weapon

Value	Label	Unweighted Frequency	%
1	Yes	47	3.5 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-104	Followup questions arent asked if the gate isnt yes	1181	87.2 %
	Total	**1,354**	**100%**

Based upon 47 valid cases out of 1,354 total cases.

Location: 1370-1373 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S3EXPV08A_EXPVB: S3 ExpV: Num times you attacked w/ weapon

Based upon 47 valid cases out of 1,354 total cases.

- Mean: 1.98
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 20.00
- Standard Deviation: 2.87

Location: 1374-1377 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S3EXPV09A_EXPVA: S3 ExpV: Saw someone shot at

Value	Label	Unweighted Frequency	%
1	Yes	150	11.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-104	Followup questions arent asked if the gate isnt yes	1078	79.6 %
	Total	**1,354**	**100%**

Based upon 150 valid cases out of 1,354 total cases.

Location: 1378-1381 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S3EXPV09A_EXPVB: S3 ExpV: Num times saw someone shot at

Based upon 150 valid cases out of 1,354 total cases.

- Mean: 4.47
- Median: 1.50
- Mode: 1.00
- Minimum: 1.00
- Maximum: 200.00
- Standard Deviation: 17.10

Location: 1382-1385 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S3EXPV10A_EXPVA: S3 ExpV: You shot at

Value	Label	Unweighted Frequency	%
1	Yes	67	4.9 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-104	Followup questions arent asked if the gate isnt yes	1161	85.7 %
	Total	**1,354**	**100%**

Based upon 67 valid cases out of 1,354 total cases.

Location: 1386-1389 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S3EXPV10A_EXPVB: S3 ExpV: Num times you shot at

Based upon 67 valid cases out of 1,354 total cases.

- Mean: 2.12
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 1.90

Location: 1390-1393 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S3EXPV11A_EXPVA: S3 ExpV: Saw someone shot

Value	Label	Unweighted Frequency	%
1	Yes	100	7.4 %

Value	Label	Unweighted Frequency	%
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-104	Followup questions arent asked if the gate isnt yes	1128	83.3 %
	Total	**1,354**	**100%**

Based upon 100 valid cases out of 1,354 total cases.

Location: 1394-1397 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S3EXPV11A_EXPVB: S3 ExpV: Num times saw someone shot

Based upon 100 valid cases out of 1,354 total cases.

- Mean: 2.04
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 3.23

Location: 1398-1401 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S3EXPV12A_EXPVA: S3 ExpV: You shot

Value	Label	Unweighted Frequency	%
1	Yes	11	0.8 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-104	Followup questions arent asked if the gate isnt yes	1217	89.9 %
	Total	**1,354**	**100%**

Based upon 11 valid cases out of 1,354 total cases.

Location: 1402-1405 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S3EXPV12A_EXPVB: S3 ExpV: Num times you shot

Value	Label	Unweighted Frequency	%
1	-	10	0.7 %
2	-	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-104	Followup questions arent asked if the gate isnt yes	1217	89.9 %
	Total	**1,354**	**100%**

Based upon 11 valid cases out of 1,354 total cases.

Location: 1406-1409 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S3EXPV13A_EXPVA: S3 ExpV: Saw someone killed from violence

Value	Label	Unweighted Frequency	%
1	Yes	59	4.4 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-104	Followup questions arent asked if the gate isnt yes	1169	86.3 %
	Total	**1,354**	**100%**

Based upon 59 valid cases out of 1,354 total cases.

Location: 1410-1413 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S3EXPV13A_EXPVB: S3 ExpV: Num times saw one killed from violence

Based upon 59 valid cases out of 1,354 total cases.

- Mean: 1.29
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.74

Location: 1414-1417 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S3EXPV14A: S3 ExpV: Num close to you tried to kill self

Based upon 47 valid cases out of 1,354 total cases.

- Mean: 1.06
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.25

Location: 1418-1421 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -104 , -99 , -98

S3EXPV18A_EXPVA: S3 ExpV: You tried kill self

Value	Label	Unweighted Frequency	%
1	Yes	13	1.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-104	Followup questions arent asked if the gate isnt yes	1215	89.7 %
	Total	**1,354**	**100%**

Based upon 13 valid cases out of 1,354 total cases.

Location: 1422-1425 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S3EXPV18A_EXPVB: S3 ExpV: Num times you tried kill self

Based upon 13 valid cases out of 1,354 total cases.

- Mean: 1.38
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.87

Location: 1426-1429 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S3EXPWIT: S3 ExpV: Witnessed score

Value	Label	Unweighted Frequency	%
0	-	673	49.7 %
1	-	229	16.9 %
2	-	148	10.9 %
3	-	79	5.8 %

Value	Label	Unweighted Frequency	%
4	-	52	3.8 %
5	-	32	2.4 %
6	-	15	1.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 1430-1433 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -100

S3EXPVIC: S3 ExpV: Victim score

Value	Label	Unweighted Frequency	%
0	-	1057	78.1 %
1	-	112	8.3 %
2	-	37	2.7 %
3	-	17	1.3 %
4	-	4	0.3 %
5	-	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 1434-1437 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -100

S3EXPTOT: S3 ExpV: Total score - witnessed plus victim

Value	Label	Unweighted Frequency	%
0	-	645	47.6 %
1	-	224	16.5 %
2	-	139	10.3 %
3	-	82	6.1 %
4	-	55	4.1 %
5	-	31	2.3 %
6	-	27	2.0 %

Value	Label	Unweighted Frequency	%
7	-	12	0.9 %
8	-	10	0.7 %
9	-	2	0.1 %
11	-	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 1438-1441 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -100

S3EXPVIO_SUICAL_M01: S3 SuiCal: Attempt suicide M01

Value	Label	Unweighted Frequency	%
1	Yes	4	0.3 %
5	No	8	0.6 %
	Missing Data		
.	-	1342	99.1 %
	Total	**1,354**	**100%**

Based upon 12 valid cases out of 1,354 total cases.

Location: 1442-1442 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S3EXPVIO_SUICAL_M02: S3 SuiCal: Attempt suicide M02

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	12	0.9 %
	Missing Data		
.	-	1342	99.1 %
	Total	**1,354**	**100%**

Based upon 12 valid cases out of 1,354 total cases.

Location: 1443-1443 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S3EXPVIO_SUICAL_M03: S3 SuiCal: Attempt suicide M03

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
5	No	9	0.7 %
	Missing Data		
.	-	1343	99.2 %
	Total	**1,354**	**100%**

Based upon 11 valid cases out of 1,354 total cases.

Location: 1444-1444 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S3EXPVIO_SUICAL_M04: S3 SuiCal: Attempt suicide M04

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
5	No	6	0.4 %
	Missing Data		
.	-	1346	99.4 %
	Total	**1,354**	**100%**

Based upon 8 valid cases out of 1,354 total cases.

Location: 1445-1445 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S3EXPVIO_SUICAL_M05: S3 SuiCal: Attempt suicide M05

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	3	0.2 %
	Missing Data		
.	-	1351	99.8 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 1446-1446 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S3EXPVIO_SUICAL_M06: S3 SuiCal: Attempt suicide M06

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %

Value	Label	Unweighted Frequency	%
5	No	0	0.0 %
	Missing Data		
.	-	1353	99.9 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 1447-1447 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S3EXPVIO_SUICAL_M07: S3 SuiCal: Attempt suicide M07

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
.	-	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1448-1448 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S3EXPVIO_SUICAL_M08: S3 SuiCal: Attempt suicide M08

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
.	-	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1449-1449 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S3EXPVIO_SUICAL_M09: S3 SuiCal: Attempt suicide M09

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1450-1450 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S3EXPVIO_SUICAL_M10: S3 SuiCal: Attempt suicide M10

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
.	-	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1451-1451 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S3EXPVIO_SUICAL_M11: S3 SuiCal: Attempt suicide M11

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
.	-	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1452-1452 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S3EXPVIO_SUICAL_M12: S3 SuiCal: Attempt suicide M12

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1453-1453 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S3EXPVIO_SUICAL_M13: S3 SuiCal: Attempt suicide M13

Value	Label	Unweighted Frequency	%
1	Yes	12	0.9 %
5	No	0	0.0 %
	Missing Data		
.	-	1342	99.1 %
	Total	**1,354**	**100%**

Based upon 12 valid cases out of 1,354 total cases.

Location: 1454-1454 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S3EXPVIO_SUICAL_M14: S3 SuiCal: Attempt suicide M14

Value	Label	Unweighted Frequency	%
1	Yes	4	0.3 %
5	No	4	0.3 %
	Missing Data		
.	-	1346	99.4 %
	Total	**1,354**	**100%**

Based upon 8 valid cases out of 1,354 total cases.

Location: 1455-1455 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S3EXPVIO_SUICAL_NATTEMPTMOS: S3 ExpV: Number of months with a suicide attempt

Value	Label	Unweighted Frequency	%
1	-	1	0.1 %
5	-	7	0.5 %
	Missing Data		
.	-	1346	99.4 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 8 valid cases out of 1,354 total cases.

Location: 1456-1457 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 98 , 99 , .

S4EXPV01: S4 ExpV: See anyone chased thought could be hurt

Value	Label	Unweighted Frequency	%
1	Yes	225	16.6 %
5	No	1004	74.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 1458-1461 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S4EXPV02: S4 ExpV: You chased thought could be hurt

Value	Label	Unweighted Frequency	%
1	Yes	47	3.5 %
5	No	1182	87.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 1462-1465 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S4EXPV03: S4 ExpV: Ever seen someone else get beaten up

Value	Label	Unweighted Frequency	%
1	Yes	367	27.1 %
5	No	862	63.7 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 1466-1469 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S4EXPV04: S4 ExpV: You beaten up

Value	Label	Unweighted Frequency	%
1	Yes	41	3.0 %
5	No	1188	87.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 1470-1473 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S4EXPV05: S4 ExpV: Saw someone raped

Value	Label	Unweighted Frequency	%
1	Yes	16	1.2 %
5	No	1213	89.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 1474-1477 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S4EXPV06: S4 ExpV: You raped

Value	Label	Unweighted Frequency	%
1	Yes	3	0.2 %

Value	Label	Unweighted Frequency	%
5	No	1225	90.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 1478-1481 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S4EXPV07: S4 ExpV: Saw someone attacked w/weapon

Value	Label	Unweighted Frequency	%
1	Yes	165	12.2 %
5	No	1064	78.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 1482-1485 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S4EXPV08: S4 ExpV: You attacked w/weapon

Value	Label	Unweighted Frequency	%
1	Yes	44	3.2 %
5	No	1185	87.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 1486-1489 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S4EXPV09: S4 ExpV: Saw someone shot AT but missed

Value	Label	Unweighted Frequency	%
1	Yes	123	9.1 %
5	No	1106	81.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 1490-1493 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S4EXPV10: S4 ExpV: You shot AT missed

Value	Label	Unweighted Frequency	%
1	Yes	48	3.5 %
5	No	1181	87.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 1494-1497 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S4EXPV11: S4 ExpV: Saw someone shot

Value	Label	Unweighted Frequency	%
1	Yes	79	5.8 %
5	No	1150	84.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 1498-1501 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S4EXPV12: S4 ExpV: You shot

Value	Label	Unweighted Frequency	%
1	Yes	12	0.9 %
5	No	1217	89.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 1502-1505 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S4EXPV13: S4 ExpV: Saw someone killed from violence

Value	Label	Unweighted Frequency	%
1	Yes	43	3.2 %
5	No	1185	87.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 1506-1509 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S4EXPV14: S4 ExpV: Anyone close to you ever try kill self

Value	Label	Unweighted Frequency	%
1	Yes	40	3.0 %
5	No	1187	87.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-9	Dont know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,227 valid cases out of 1,354 total cases.

Location: 1510-1513 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S4EXPV18: S4 ExpV: You tried to kill self

Value	Label	Unweighted Frequency	%
1	Yes	12	0.9 %
5	No	1217	89.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 1514-1517 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S4EXPV17: S4 ExpV: Anyone close to you died

Value	Label	Unweighted Frequency	%
1	Yes	235	17.4 %
5	No	994	73.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 1518-1521 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S4EXPV17A: S4 ExpV: Num close to you died

Based upon 235 valid cases out of 1,354 total cases.

- Mean: 1.39
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 1.00

Location: 1522-1525 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -101

S4EXPV17B: S4 ExpV: Num close to you died/truncated to 4

Value	Label	Unweighted Frequency	%
1	-	184	13.6 %
2	-	30	2.2 %
3	-	12	0.9 %
4	-	9	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Skipped if s4expv17 isnt Yes	994	73.4 %
	Total	**1,354**	**100%**

Based upon 235 valid cases out of 1,354 total cases.

Location: 1526-1529 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -99 , -98

S4EXPVIO_DIEDBIOFATHER: S4 ExpV_Died: Biofather during recall period

Value	Label	Unweighted Frequency	%
1	Yes	3	0.2 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-103	Less than 4 people died last 6 months	232	17.1 %
-101	Skipped if s4expv17 isnt Yes	994	73.4 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 1530-1533 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S4EXPVIO_DIEDBIOMOTHER: S4 ExpV_Died: Biomother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-103	Less than 4 people died last 6 months	233	17.2 %
-101	Skipped if s4expv17 isnt Yes	994	73.4 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 2 valid cases out of 1,354 total cases.

Location: 1534-1537 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S4EXPVIO_DIEDBIOSISTER: S4 ExpV_Died: Biosister during recall period

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-103	Less than 4 people died last 6 months	234	17.3 %
-101	Skipped if s4expv17 isnt Yes	994	73.4 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 1538-1541 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S4EXPVIO_DIEDBIOBROTHER: S4 ExpV_Died: Biobrother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	3	0.2 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-103	Less than 4 people died last 6 months	232	17.1 %
-101	Skipped if s4expv17 isnt Yes	994	73.4 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 1542-1545 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S4EXPVIO_DIEDBIOGRANDMOTHER: S4 ExpV_Died: Biograndmother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	19	1.4 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-103	Less than 4 people died last 6 months	216	16.0 %
-101	Skipped if s4expv17 isnt Yes	994	73.4 %
	Total	**1,354**	**100%**

Based upon 19 valid cases out of 1,354 total cases.

Location: 1546-1549 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S4EXPVIO_DIEDBIOGRANDFATHER: S4 ExpV_Died: Biograndfather during recall period

Value	Label	Unweighted Frequency	%
1	Yes	20	1.5 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-103	Less than 4 people died last 6 months	215	15.9 %
-101	Skipped if s4expv17 isnt Yes	994	73.4 %
	Total	**1,354**	**100%**

Based upon 20 valid cases out of 1,354 total cases.

Location: 1550-1553 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S4EXPVIO_DIEDSTEPFATHER: S4 ExpV_Died: Stepfather during recall period

Value	Label	Unweighted Frequency	%
1	Yes	3	0.2 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-103	Less than 4 people died last 6 months	232	17.1 %
-101	Skipped if s4expv17 isnt Yes	994	73.4 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 1554-1557 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S4EXPVIO_DIEDSTEPMOTHER: S4 ExpV_Died: Stepmother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-103	Less than 4 people died last 6 months	235	17.4 %
-101	Skipped if s4expv17 isnt Yes	994	73.4 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1558-1561 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S4EXPVIO_DIEDSTEPSISTER: S4 ExpV_Died: Stepsister during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-103	Less than 4 people died last 6 months	235	17.4 %
-101	Skipped if s4expv17 isnt Yes	994	73.4 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1562-1565 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S4EXPVIO_DIEDSTEPBROTHER: S4 ExpV_Died: Stepbrother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-103	Less than 4 people died last 6 months	235	17.4 %
-101	Skipped if s4expv17 isnt Yes	994	73.4 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1566-1569 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S4EXPVIO_DIEDADOPTIVEFATHER: S4 ExpV_Died: Adoptivefather during recall period

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-103	Less than 4 people died last 6 months	234	17.3 %
-101	Skipped if s4expv17 isnt Yes	994	73.4 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 1570-1573 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S4EXPVIO_DIEDADOPTIVEMOTHER: S4 ExpV_Died: Adoptivemother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-103	Less than 4 people died last 6 months	235	17.4 %
-101	Skipped if s4expv17 isnt Yes	994	73.4 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1574-1577 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S4EXPVIO_DIEDADOPTIVESISTER: S4 ExpV_Died: Adoptivesister during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-103	Less than 4 people died last 6 months	235	17.4 %
-101	Skipped if s4expv17 isnt Yes	994	73.4 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1578-1581 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S4EXPVIO_DIEDADOPTIVEBROTHER: S4 ExpV_Died: Adoptivebrother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-103	Less than 4 people died last 6 months	235	17.4 %
-101	Skipped if s4expv17 isnt Yes	994	73.4 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1582-1585 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S4EXPVIO_DIEDWIFE: S4 ExpV_Died: Wife during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-103	Less than 4 people died last 6 months	235	17.4 %
-101	Skipped if s4expv17 isnt Yes	994	73.4 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1586-1589 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S4EXPVIO_DIEDHUSBAND: S4 ExpV_Died: Husband during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-103	Less than 4 people died last 6 months	235	17.4 %
-101	Skipped if s4expv17 isnt Yes	994	73.4 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1590-1593 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S4EXPVIO_DIEDSON: S4 ExpV_Died: Son during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-103	Less than 4 people died last 6 months	235	17.4 %
-101	Skipped if s4expv17 isnt Yes	994	73.4 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1594-1597 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S4EXPVIO_DIEDDAUGHTER: S4 ExpV_Died: Daughter during recall period

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-103	Less than 4 people died last 6 months	234	17.3 %
-101	Skipped if s4expv17 isnt Yes	994	73.4 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 1598-1601 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S4EXPVIO_DIEDAUNT: S4 ExpV_Died: Aunt during recall period

Value	Label	Unweighted Frequency	%
1	Yes	18	1.3 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-103	Less than 4 people died last 6 months	217	16.0 %
-101	Skipped if s4expv17 isnt Yes	994	73.4 %
	Total	**1,354**	**100%**

Based upon 18 valid cases out of 1,354 total cases.

Location: 1602-1605 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S4EXPVIO_DIEDUNCLE: S4 ExpV_Died: Uncle during recall period

Value	Label	Unweighted Frequency	%
1	Yes	24	1.8 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %

Value	Label	Unweighted Frequency	%
-103	Less than 4 people died last 6 months	211	15.6 %
-101	Skipped if s4expv17 isnt Yes	994	73.4 %
	Total	**1,354**	**100%**

Based upon 24 valid cases out of 1,354 total cases.

Location: 1606-1609 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S4EXPVIO_DIEDFEMALECOUSIN: S4 ExpV_Died: Femalecousin during recall period

Value	Label	Unweighted Frequency	%
1	Yes	10	0.7 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-103	Less than 4 people died last 6 months	225	16.6 %
-101	Skipped if s4expv17 isnt Yes	994	73.4 %
	Total	**1,354**	**100%**

Based upon 10 valid cases out of 1,354 total cases.

Location: 1610-1613 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S4EXPVIO_DIEDMALECOUSIN: S4 ExpV_Died: Malecousin during recall period

Value	Label	Unweighted Frequency	%
1	Yes	33	2.4 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-103	Less than 4 people died last 6 months	202	14.9 %
-101	Skipped if s4expv17 isnt Yes	994	73.4 %
	Total	**1,354**	**100%**

Based upon 33 valid cases out of 1,354 total cases.

Location: 1614-1617 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S4EXPVIO_DIEDNEPHEW: S4 ExpV_Died: Nephew during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-103	Less than 4 people died last 6 months	235	17.4 %
-101	Skipped if s4expv17 isnt Yes	994	73.4 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1618-1621 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S4EXPVIO_DIEDNIECE: S4 ExpV_Died: Niece during recall period

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-103	Less than 4 people died last 6 months	234	17.3 %
-101	Skipped if s4expv17 isnt Yes	994	73.4 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 1622-1625 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S4EXPVIO_DIEDLIVEINBFGF: S4 ExpV_Died: LiveinBFGF during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-103	Less than 4 people died last 6 months	235	17.4 %

Value	Label	Unweighted Frequency	%
-101	Skipped if s4expv17 isnt Yes	994	73.4 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1626-1629 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S4EXPVIO_DIEDFEMALEFRIEND: S4 ExpV_Died: Femalefriend during recall period

Value	Label	Unweighted Frequency	%
1	Yes	13	1.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-103	Less than 4 people died last 6 months	222	16.4 %
-101	Skipped if s4expv17 isnt Yes	994	73.4 %
	Total	**1,354**	**100%**

Based upon 13 valid cases out of 1,354 total cases.

Location: 1630-1633 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S4EXPVIO_DIEDMALEFRIEND: S4 ExpV_Died: Malefriend during recall period

Value	Label	Unweighted Frequency	%
1	Yes	90	6.6 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-103	Less than 4 people died last 6 months	145	10.7 %
-101	Skipped if s4expv17 isnt Yes	994	73.4 %
	Total	**1,354**	**100%**

Based upon 90 valid cases out of 1,354 total cases.

Location: 1634-1637 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S4EXPVIO_DIEDBOYFRIEND: S4 ExpV_Died: Boyfriend during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-103	Less than 4 people died last 6 months	235	17.4 %
-101	Skipped if s4expv17 isnt Yes	994	73.4 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1638-1641 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S4EXPVIO_DIEDGIRLFRIEND: S4 ExpV_Died: Girlfriend during recall period

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-103	Less than 4 people died last 6 months	233	17.2 %
-101	Skipped if s4expv17 isnt Yes	994	73.4 %
	Total	**1,354**	**100%**

Based upon 2 valid cases out of 1,354 total cases.

Location: 1642-1645 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S4EXPVIO_DIEDMALEROOMMATE: S4 ExpV_Died: Maleroommate during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-103	Less than 4 people died last 6 months	235	17.4 %
-101	Skipped if s4expv17 isnt Yes	994	73.4 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1646-1649 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S4EXPVIO_DIEDFEMALEROOMMATE: S4 ExpV_Died: Femaleroommate during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-103	Less than 4 people died last 6 months	235	17.4 %
-101	Skipped if s4expv17 isnt Yes	994	73.4 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1650-1653 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S4EXPVIO_DIEDPROFRELATIONSHIP: S4 ExpV_Died: Profrelationship during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-103	Less than 4 people died last 6 months	235	17.4 %
-101	Skipped if s4expv17 isnt Yes	994	73.4 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1654-1657 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S4EXPVIO_DIEDFOSTERMOTHER: S4 ExpV_Died: Fostermother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-103	Less than 4 people died last 6 months	235	17.4 %
-101	Skipped if s4expv17 isnt Yes	994	73.4 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1658-1661 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S4EXPVIO_DIEDFOSTERFATHER: S4 ExpV_Died: Fosterfather during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-103	Less than 4 people died last 6 months	235	17.4 %
-101	Skipped if s4expv17 isnt Yes	994	73.4 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1662-1665 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S4EXPVIO_DIEDFOSTERBROTHER: S4 ExpV_Died: Fosterbrother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-103	Less than 4 people died last 6 months	235	17.4 %
-101	Skipped if s4expv17 isnt Yes	994	73.4 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1666-1669 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S4EXPVIO_DIEDFOSTERSISTER: S4 ExpV_Died: Fostersister during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-103	Less than 4 people died last 6 months	235	17.4 %
-101	Skipped if s4expv17 isnt Yes	994	73.4 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1670-1673 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S4EXPVIO_DIEDMOTHEROFCHILD: S4 ExpV_Died: MotherOfchild during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-103	Less than 4 people died last 6 months	235	17.4 %
-101	Skipped if s4expv17 isnt Yes	994	73.4 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1674-1677 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S4EXPVIO_DIEDFATHEROFCHILD: S4 ExpV_Died: FatherOfchild during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-103	Less than 4 people died last 6 months	235	17.4 %
-101	Skipped if s4expv17 isnt Yes	994	73.4 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1678-1681 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S4EXPVIO_DIEDSTEPSON: S4 ExpV_Died: Stepson during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-103	Less than 4 people died last 6 months	235	17.4 %
-101	Skipped if s4expv17 isnt Yes	994	73.4 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1682-1685 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S4EXPVIO_DIEDSTEPDAUGHTER: S4 ExpV_Died: Stepdaughter during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-103	Less than 4 people died last 6 months	235	17.4 %
-101	Skipped if s4expv17 isnt Yes	994	73.4 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1686-1689 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S4EXPVIO_DIEDFIANCE: S4 ExpV_Died: Fiance during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-103	Less than 4 people died last 6 months	235	17.4 %
-101	Skipped if s4expv17 isnt Yes	994	73.4 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1690-1693 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S4EXPVIO_DIEDOTHERRELATIVE: S4 ExpV_Died: OtherRelative during recall period

Value	Label	Unweighted Frequency	%
1	Yes	12	0.9 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-103	Less than 4 people died last 6 months	223	16.5 %
-101	Skipped if s4expv17 isnt Yes	994	73.4 %
	Total	**1,354**	**100%**

Based upon 12 valid cases out of 1,354 total cases.

Location: 1694-1697 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S4EXPVIO_DIEDOTHER: S4 ExpV_Died: Other during recall period

Value	Label	Unweighted Frequency	%
1	Yes	14	1.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %

Value	Label	Unweighted Frequency	%
-103	Less than 4 people died last 6 months	221	16.3 %
-101	Skipped if s4expv17 isnt Yes	994	73.4 %
	Total	**1,354**	**100%**

Based upon 14 valid cases out of 1,354 total cases.

Location: 1698-1701 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S4EXPV15: S4 ExpV: Found dead body

Value	Label	Unweighted Frequency	%
1	Yes	9	0.7 %
5	No	1220	90.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 1702-1705 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S4EXPV16: S4 ExpV: Other situation frightened

Value	Label	Unweighted Frequency	%
1	Yes	50	3.7 %
5	No	1179	87.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 1706-1709 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S4EXPV01A_EXPVA: S4 ExpV: Saw another chased

Based upon 225 valid cases out of 1,354 total cases.

- Minimum: 1.00

- Maximum: 1.00

Location: 1710-1713 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S4EXPV01A_EXPVB: S4 ExpV: How many times seen chased

Value	Label	Unweighted Frequency	%
1	-	90	6.6 %
2	-	64	4.7 %
3	-	22	1.6 %
4	-	16	1.2 %
5	-	13	1.0 %
6	-	4	0.3 %
7	-	1	0.1 %
8	-	2	0.1 %
10	-	3	0.2 %
11	-	1	0.1 %
15	-	2	0.1 %
19	-	1	0.1 %
20	-	1	0.1 %
25	-	1	0.1 %
50	-	1	0.1 %
90	-	1	0.1 %
100	-	1	0.1 %
	Missing Data		
-999	Dont know	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-104	Followup questions arent asked if the gate isnt yes	1004	74.2 %
	Total	**1,354**	**100%**

Based upon 224 valid cases out of 1,354 total cases.

Location: 1714-1717 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S4EXPV02A_EXPVA: S4 ExpV: You chased

Value	Label	Unweighted Frequency	%
1	Yes	47	3.5 %
5	No	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-104	Followup questions arent asked if the gate isnt yes	1182	87.3 %
	Total	**1,354**	**100%**

Based upon 47 valid cases out of 1,354 total cases.

Location: 1718-1721 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S4EXPV02A_EXPVB: S4 ExpV: Num times you chased

Based upon 46 valid cases out of 1,354 total cases.

- Mean: 5.43
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 100.00
- Standard Deviation: 16.07

Location: 1722-1725 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S4EXPV03A_EXPVA: S4 ExpV: Saw someone beaten

Value	Label	Unweighted Frequency	%
1	Yes	367	27.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-104	Followup questions arent asked if the gate isnt yes	862	63.7 %
	Total	**1,354**	**100%**

Based upon 367 valid cases out of 1,354 total cases.

Location: 1726-1729 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S4EXPV03A_EXPVB: S4 ExpV: Num times saw someone beaten

Based upon 366 valid cases out of 1,354 total cases.

- Mean: 7.43
- Median: 2.00

- Mode: 1.00
- Minimum: 1.00
- Maximum: 300.00
- Standard Deviation: 22.33

Location: 1730-1733 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S4EXPV04A_EXPVA: S4 ExpV: You beaten up

Value	Label	Unweighted Frequency	%
1	Yes	41	3.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-104	Followup questions arent asked if the gate isnt yes	1188	87.7 %
	Total	**1,354**	**100%**

Based upon 41 valid cases out of 1,354 total cases.

Location: 1734-1737 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S4EXPV04A_EXPVB: S4 ExpV: Num times you beaten up

Based upon 41 valid cases out of 1,354 total cases.

- Mean: 3.39
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 5.54

Location: 1738-1741 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S4EXPV05A_EXPVA: S4 ExpV: Saw someone raped

Value	Label	Unweighted Frequency	%
1	Yes	16	1.2 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-104	Followup questions arent asked if the gate isnt yes	1213	89.6 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 16 valid cases out of 1,354 total cases.

Location: 1742-1745 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S4EXPV05A_EXPVB: S4 ExpV: Num times saw someone raped

Based upon 16 valid cases out of 1,354 total cases.

- Mean: 1.56
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.96

Location: 1746-1749 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S4EXPV06A_EXPVA: S4 ExpV: You were raped

Value	Label	Unweighted Frequency	%
1	Yes	3	0.2 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-104	Followup questions arent asked if the gate isnt yes	1226	90.5 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 1750-1753 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S4EXPV06A_EXPVD: S4 ExpV: Did it happen more than once

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	2	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %

Value	Label	Unweighted Frequency	%
-104	Followup questions arent asked if the gate isnt yes	1226	90.5 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 1754-1757 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -107 , -106 , -105 , -104 , -9 , -8

S4EXPV06A_EXPVF: S4 ExpV: Relation of person that did this

Value	Label	Unweighted Frequency	%
1	Family member	0	0.0 %
2	Friend/acquaintance	1	0.1 %
3	Stranger	2	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-104	Followup questions arent asked if the gate isnt yes	1226	90.5 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 1758-1761 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -107 , -106 , -105 , -104 , -9 , -8

S4EXPV06A_EXPVG: S4 ExpV: Where did this happen

Value	Label	Unweighted Frequency	%
1	At home	0	0.0 %
2	At school	0	0.0 %
3	In his/her neighborhood	1	0.1 %
4	Other (specify)	2	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-104	Followup questions arent asked if the gate isnt yes	1226	90.5 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 1762-1765 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -107 , -106 , -105 , -104 , -9 , -8

S4EXPV07A_EXPVA: S4 ExpV: Saw someone attacked w/weapon

Value	Label	Unweighted Frequency	%
1	Yes	165	12.2 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-104	Followup questions arent asked if the gate isnt yes	1064	78.6 %
	Total	**1,354**	**100%**

Based upon 165 valid cases out of 1,354 total cases.

Location: 1766-1769 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S4EXPV07A_EXPVB: S4 ExpV: Num times saw someone attacked w/weapon

Based upon 164 valid cases out of 1,354 total cases.

- Mean: 3.93
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 100.00
- Standard Deviation: 11.21

Location: 1770-1773 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S4EXPV08A_EXPVA: S4 ExpV: You attacked w/weapon

Value	Label	Unweighted Frequency	%
1	Yes	44	3.2 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-104	Followup questions arent asked if the gate isnt yes	1185	87.5 %
	Total	**1,354**	**100%**

Based upon 44 valid cases out of 1,354 total cases.

Location: 1774-1777 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S4EXPV08A_EXPVB: S4 ExpV: Num times you attacked w/ weapon

Based upon 44 valid cases out of 1,354 total cases.

- Mean: 4.05
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 100.00
- Standard Deviation: 15.03

Location: 1778-1781 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S4EXPV09A_EXPVA: S4 ExpV: Saw someone shot at

Value	Label	Unweighted Frequency	%
1	Yes	123	9.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-104	Followup questions arent asked if the gate isnt yes	1106	81.7 %
	Total	**1,354**	**100%**

Based upon 123 valid cases out of 1,354 total cases.

Location: 1782-1785 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S4EXPV09A_EXPVB: S4 ExpV: Num times saw someone shot at

Based upon 123 valid cases out of 1,354 total cases.

- Mean: 3.80
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 60.00
- Standard Deviation: 7.60

Location: 1786-1789 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S4EXPV10A_EXPVA: S4 ExpV: You shot at

Value	Label	Unweighted Frequency	%
1	Yes	48	3.5 %

Value	Label	Unweighted Frequency	%
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-104	Followup questions arent asked if the gate isnt yes	1181	87.2 %
	Total	**1,354**	**100%**

Based upon 48 valid cases out of 1,354 total cases.

Location: 1790-1793 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S4EXPV10A_EXPVB: S4 ExpV: Num times you shot at

Based upon 48 valid cases out of 1,354 total cases.

- Mean: 3.17
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 50.00
- Standard Deviation: 7.13

Location: 1794-1797 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S4EXPV11A_EXPVA: S4 ExpV: Saw someone shot

Value	Label	Unweighted Frequency	%
1	Yes	79	5.8 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-104	Followup questions arent asked if the gate isnt yes	1150	84.9 %
	Total	**1,354**	**100%**

Based upon 79 valid cases out of 1,354 total cases.

Location: 1798-1801 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S4EXPV11A_EXPVB: S4 ExpV: Num times saw someone shot

Based upon 79 valid cases out of 1,354 total cases.

- Mean: 2.58
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 50.00
- Standard Deviation: 5.95

Location: 1802-1805 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S4EXPV12A_EXPVA: S4 ExpV: You shot

Value	Label	Unweighted Frequency	%
1	Yes	12	0.9 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-104	Followup questions arent asked if the gate isnt yes	1217	89.9 %
	Total	**1,354**	**100%**

Based upon 12 valid cases out of 1,354 total cases.

Location: 1806-1809 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S4EXPV12A_EXPVB: S4 ExpV: Num times you shot

Value	Label	Unweighted Frequency	%
1	-	10	0.7 %
2	-	2	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-104	Followup questions arent asked if the gate isnt yes	1217	89.9 %
	Total	**1,354**	**100%**

Based upon 12 valid cases out of 1,354 total cases.

Location: 1810-1813 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S4EXPV13A_EXPVA: S4 ExpV: Saw someone killed from violence

Value	Label	Unweighted Frequency	%
1	Yes	43	3.2 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-104	Followup questions arent asked if the gate isnt yes	1186	87.6 %
	Total	**1,354**	**100%**

Based upon 43 valid cases out of 1,354 total cases.

Location: 1814-1817 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S4EXPV13A_EXPVB: S4 ExpV: Num times saw one killed from violence

Based upon 43 valid cases out of 1,354 total cases.

- Mean: 1.53
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.08

Location: 1818-1821 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S4EXPV14A: S4 ExpV: Num close to you tried to kill self

Based upon 40 valid cases out of 1,354 total cases.

- Mean: 1.12
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.40

Location: 1822-1825 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -104 , -99 , -98

S4EXPV18A_EXPVA: S4 ExpV: You tried kill self

Value	Label	Unweighted Frequency	%
1	Yes	12	0.9 %
5	No	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-104	Followup questions arent asked if the gate isnt yes	1217	89.9 %
	Total	**1,354**	**100%**

Based upon 12 valid cases out of 1,354 total cases.

Location: 1826-1829 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S4EXPV18A_EXPVB: S4 ExpV: Num times you tried kill self

Based upon 12 valid cases out of 1,354 total cases.

- Mean: 2.75
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 20.00
- Standard Deviation: 5.45

Location: 1830-1833 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S4EXPWIT: S4 ExpV: Witnessed score

Value	Label	Unweighted Frequency	%
0	-	758	56.0 %
1	-	197	14.5 %
2	-	128	9.5 %
3	-	66	4.9 %
4	-	45	3.3 %
5	-	25	1.8 %
6	-	8	0.6 %
7	-	2	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 1834-1837 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -100

S4EXPVIC: S4 ExpV: Victim score

Value	Label	Unweighted Frequency	%
0	-	1095	80.9 %
1	-	90	6.6 %
2	-	30	2.2 %
3	-	11	0.8 %
4	-	3	0.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 1838-1841 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -100

S4EXPTOT: S4 ExpV: Total score - witnessed plus victim

Value	Label	Unweighted Frequency	%
0	-	731	54.0 %
1	-	202	14.9 %
2	-	123	9.1 %
3	-	65	4.8 %
4	-	43	3.2 %
5	-	29	2.1 %
6	-	14	1.0 %
7	-	12	0.9 %
8	-	6	0.4 %
9	-	3	0.2 %
10	-	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 1842-1845 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -100

S4EXPVIO_SUICAL_M01: S4 SuiCal: Attempt suicide M01

Value	Label	Unweighted Frequency	%
1	Yes	3	0.2 %
5	No	10	0.7 %
	Missing Data		
.	-	1341	99.0 %
	Total	**1,354**	**100%**

Based upon 13 valid cases out of 1,354 total cases.

Location: 1846-1846 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S4EXPVIO_SUICAL_M02: S4 SuiCal: Attempt suicide M02

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	12	0.9 %
	Missing Data		
.	-	1341	99.0 %
	Total	**1,354**	**100%**

Based upon 13 valid cases out of 1,354 total cases.

Location: 1847-1847 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S4EXPVIO_SUICAL_M03: S4 SuiCal: Attempt suicide M03

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	13	1.0 %
	Missing Data		
.	-	1341	99.0 %
	Total	**1,354**	**100%**

Based upon 13 valid cases out of 1,354 total cases.

Location: 1848-1848 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S4EXPVIO_SUICAL_M04: S4 SuiCal: Attempt suicide M04

Value	Label	Unweighted Frequency	%
1	Yes	3	0.2 %

Value	Label	Unweighted Frequency	%
5	No	10	0.7 %
	Missing Data		
.	-	1341	99.0 %
	Total	**1,354**	**100%**

Based upon 13 valid cases out of 1,354 total cases.

Location: 1849-1849 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S4EXPVIO_SUICAL_M05: S4 SuiCal: Attempt suicide M05

Value	Label	Unweighted Frequency	%
1	Yes	4	0.3 %
5	No	8	0.6 %
	Missing Data		
.	-	1342	99.1 %
	Total	**1,354**	**100%**

Based upon 12 valid cases out of 1,354 total cases.

Location: 1850-1850 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S4EXPVIO_SUICAL_M06: S4 SuiCal: Attempt suicide M06

Value	Label	Unweighted Frequency	%
1	Yes	4	0.3 %
5	No	5	0.4 %
	Missing Data		
.	-	1345	99.3 %
	Total	**1,354**	**100%**

Based upon 9 valid cases out of 1,354 total cases.

Location: 1851-1851 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S4EXPVIO_SUICAL_M07: S4 SuiCal: Attempt suicide M07

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	3	0.2 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	1351	99.8 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 1852-1852 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S4EXPVIO_SUICAL_M08: S4 SuiCal: Attempt suicide M08

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
.	-	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1853-1853 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S4EXPVIO_SUICAL_M09: S4 SuiCal: Attempt suicide M09

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
.	-	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1854-1854 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S4EXPVIO_SUICAL_M10: S4 SuiCal: Attempt suicide M10

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1855-1855 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S4EXPVIO_SUICAL_M11: S4 SuiCal: Attempt suicide M11

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
.	-	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1856-1856 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S4EXPVIO_SUICAL_M12: S4 SuiCal: Attempt suicide M12

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
.	-	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1857-1857 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S4EXPVIO_SUICAL_M13: S4 SuiCal: Attempt suicide M13

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
.	-	1354	100.0 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1858-1858 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S4EXPVIO_SUICAL_M14: S4 SuiCal: Attempt suicide M14

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
.	-	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1859-1859 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S4EXPVIO_SUICAL_NATTEMPTMOS: S4 ExpV: Number of months with a suicide attempt

Value	Label	Unweighted Frequency	%
1	-	11	0.8 %
2	-	2	0.1 %
	Missing Data		
.	-	1341	99.0 %
	Total	**1,354**	**100%**

Based upon 13 valid cases out of 1,354 total cases.

Location: 1860-1861 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 98 , 99 , .

S5EXPV01: S5 ExpV: See anyone chased thought could be hurt

Value	Label	Unweighted Frequency	%
1	Yes	249	18.4 %
5	No	984	72.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 1862-1865 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S5EXPV02: S5 ExpV: You chased thought could be hurt

Value	Label	Unweighted Frequency	%
1	Yes	45	3.3 %
5	No	1188	87.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 1866-1869 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S5EXPV03: S5 ExpV: Ever seen someone else get beaten up

Value	Label	Unweighted Frequency	%
1	Yes	370	27.3 %
5	No	863	63.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 1870-1873 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S5EXPV04: S5 ExpV: You beaten up

Value	Label	Unweighted Frequency	%
1	Yes	50	3.7 %
5	No	1183	87.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 1874-1877 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S5EXPV05: S5 ExpV: Saw someone raped

Value	Label	Unweighted Frequency	%
1	Yes	8	0.6 %
5	No	1224	90.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 1878-1881 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S5EXPV06: S5 ExpV: You raped

Value	Label	Unweighted Frequency	%
1	Yes	6	0.4 %
5	No	1227	90.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 1882-1885 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S5EXPV07: S5 ExpV: Saw someone attacked w/weapon

Value	Label	Unweighted Frequency	%
1	Yes	165	12.2 %
5	No	1068	78.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 1886-1889 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S5EXPV08: S5 ExpV: You attacked w/weapon

Value	Label	Unweighted Frequency	%
1	Yes	36	2.7 %
5	No	1197	88.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 1890-1893 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S5EXPV09: S5 ExpV: Saw someone shot AT but missed

Value	Label	Unweighted Frequency	%
1	Yes	124	9.2 %
5	No	1109	81.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 1894-1897 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S5EXPV10: S5 ExpV: You shot AT missed

Value	Label	Unweighted Frequency	%
1	Yes	50	3.7 %
5	No	1183	87.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 1898-1901 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S5EXPV11: S5 ExpV: Saw someone shot

Value	Label	Unweighted Frequency	%
1	Yes	66	4.9 %
5	No	1167	86.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 1902-1905 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S5EXPV12: S5 ExpV: You shot

Value	Label	Unweighted Frequency	%
1	Yes	7	0.5 %
5	No	1226	90.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 1906-1909 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S5EXPV13: S5 ExpV: Saw someone killed from violence

Value	Label	Unweighted Frequency	%
1	Yes	39	2.9 %
5	No	1192	88.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,231 valid cases out of 1,354 total cases.

Location: 1910-1913 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S5EXPV14: S5 ExpV: Anyone close to you ever try kill self

Value	Label	Unweighted Frequency	%
1	Yes	35	2.6 %
5	No	1197	88.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 1914-1917 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S5EXPV18: S5 ExpV: You tried to kill self

Value	Label	Unweighted Frequency	%
1	Yes	8	0.6 %
5	No	1225	90.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 1918-1921 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S5EXPV17: S5 ExpV: Anyone close to you died

Value	Label	Unweighted Frequency	%
1	Yes	209	15.4 %
5	No	1024	75.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 1922-1925 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S5EXPV17A: S5 ExpV: Num close to you died

Based upon 209 valid cases out of 1,354 total cases.

- Mean: 1.22
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 0.57

Location: 1926-1929 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -101

S5EXPV17B: S5 ExpV: Num close to you died/truncated to 4

Value	Label	Unweighted Frequency	%
1	-	171	12.6 %
2	-	32	2.4 %
3	-	5	0.4 %
4	-	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Skipped if s5expv17 isnt Yes	1024	75.6 %
	Total	**1,354**	**100%**

Based upon 209 valid cases out of 1,354 total cases.

Location: 1930-1933 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -99 , -98

S5EXPVIO_DIEDBIOFATHER: S5 ExpV_Died: Biofather during recall period

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-103	Less than 4 people died last 6 months	207	15.3 %
-101	Skipped if s5expv17 isnt Yes	1024	75.6 %
	Total	**1,354**	**100%**

Based upon 2 valid cases out of 1,354 total cases.

Location: 1934-1937 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S5EXPVIO_DIEDBIOMOTHER: S5 ExpV_Died: Biomother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-103	Less than 4 people died last 6 months	208	15.4 %
-101	Skipped if s5expv17 isnt Yes	1024	75.6 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 1938-1941 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S5EXPVIO_DIEDBIOSISTER: S5 ExpV_Died: Biosister during recall period

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-103	Less than 4 people died last 6 months	208	15.4 %

Value	Label	Unweighted Frequency	%
-101	Skipped if s5expv17 isnt Yes	1024	75.6 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 1942-1945 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S5EXPVIO_DIEDBIOBROTHER: S5 ExpV_Died: Biobrother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	3	0.2 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-103	Less than 4 people died last 6 months	206	15.2 %
-101	Skipped if s5expv17 isnt Yes	1024	75.6 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 1946-1949 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S5EXPVIO_DIEDBIOGRANDMOTHER: S5 ExpV_Died: Biograndmother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	28	2.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-103	Less than 4 people died last 6 months	181	13.4 %
-101	Skipped if s5expv17 isnt Yes	1024	75.6 %
	Total	**1,354**	**100%**

Based upon 28 valid cases out of 1,354 total cases.

Location: 1950-1953 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S5EXPVIO_DIEDBIOGRANDFATHER: S5 ExpV_Died: Biograndfather during recall period

Value	Label	Unweighted Frequency	%
1	Yes	16	1.2 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-103	Less than 4 people died last 6 months	193	14.3 %
-101	Skipped if s5expv17 isnt Yes	1024	75.6 %
	Total	**1,354**	**100%**

Based upon 16 valid cases out of 1,354 total cases.

Location: 1954-1957 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S5EXPVIO_DIEDSTEPFATHER: S5 ExpV_Died: Stepfather during recall period

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-103	Less than 4 people died last 6 months	208	15.4 %
-101	Skipped if s5expv17 isnt Yes	1024	75.6 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 1958-1961 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S5EXPVIO_DIEDSTEPMOTHER: S5 ExpV_Died: Stepmother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-103	Less than 4 people died last 6 months	208	15.4 %
-101	Skipped if s5expv17 isnt Yes	1024	75.6 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 1962-1965 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S5EXPVIO_DIEDSTEPSISTER: S5 ExpV_Died: Stepsister during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-103	Less than 4 people died last 6 months	209	15.4 %
-101	Skipped if s5expv17 isnt Yes	1024	75.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1966-1969 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S5EXPVIO_DIEDSTEPBROTHER: S5 ExpV_Died: Stepbrother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-103	Less than 4 people died last 6 months	209	15.4 %
-101	Skipped if s5expv17 isnt Yes	1024	75.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1970-1973 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S5EXPVIO_DIEDADOPTIVEFATHER: S5 ExpV_Died: Adoptivefather during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-103	Less than 4 people died last 6 months	209	15.4 %
-101	Skipped if s5expv17 isnt Yes	1024	75.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1974-1977 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S5EXPVIO_DIEDADOPTIVEMOTHER: S5 ExpV_Died: Adoptivemother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-103	Less than 4 people died last 6 months	209	15.4 %
-101	Skipped if s5expv17 isnt Yes	1024	75.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1978-1981 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S5EXPVIO_DIEDADOPTIVESISTER: S5 ExpV_Died: Adoptivesister during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-103	Less than 4 people died last 6 months	209	15.4 %
-101	Skipped if s5expv17 isnt Yes	1024	75.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1982-1985 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S5EXPVIO_DIEDADOPTIVEBROTHER: S5 ExpV_Died: Adoptivebrother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-103	Less than 4 people died last 6 months	209	15.4 %
-101	Skipped if s5expv17 isnt Yes	1024	75.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1986-1989 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S5EXPVIO_DIEDWIFE: S5 ExpV_Died: Wife during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-103	Less than 4 people died last 6 months	209	15.4 %
-101	Skipped if s5expv17 isnt Yes	1024	75.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1990-1993 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S5EXPVIO_DIEDHUSBAND: S5 ExpV_Died: Husband during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-103	Less than 4 people died last 6 months	209	15.4 %
-101	Skipped if s5expv17 isnt Yes	1024	75.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1994-1997 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S5EXPVIO_DIEDSON: S5 ExpV_Died: Son during recall period

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-103	Less than 4 people died last 6 months	207	15.3 %
-101	Skipped if s5expv17 isnt Yes	1024	75.6 %
	Total	**1,354**	**100%**

Based upon 2 valid cases out of 1,354 total cases.

Location: 1998-2001 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S5EXPVIO_DIEDDAUGHTER: S5 ExpV_Died: Daughter during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-103	Less than 4 people died last 6 months	209	15.4 %
-101	Skipped if s5expv17 isnt Yes	1024	75.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2002-2005 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S5EXPVIO_DIEDAUNT: S5 ExpV_Died: Aunt during recall period

Value	Label	Unweighted Frequency	%
1	Yes	14	1.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-103	Less than 4 people died last 6 months	195	14.4 %
-101	Skipped if s5expv17 isnt Yes	1024	75.6 %
	Total	**1,354**	**100%**

Based upon 14 valid cases out of 1,354 total cases.

Location: 2006-2009 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S5EXPVIO_DIEDUNCLE: S5 ExpV_Died: Uncle during recall period

Value	Label	Unweighted Frequency	%
1	Yes	31	2.3 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-103	Less than 4 people died last 6 months	178	13.1 %
-101	Skipped if s5expv17 isnt Yes	1024	75.6 %
	Total	**1,354**	**100%**

Based upon 31 valid cases out of 1,354 total cases.

Location: 2010-2013 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S5EXPVIO_DIEDFEMALECOUSIN: S5 ExpV_Died: Femalecousin during recall period

Value	Label	Unweighted Frequency	%
1	Yes	8	0.6 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %

Value	Label	Unweighted Frequency	%
-103	Less than 4 people died last 6 months	201	14.8 %
-101	Skipped if s5expv17 isnt Yes	1024	75.6 %
	Total	**1,354**	**100%**

Based upon 8 valid cases out of 1,354 total cases.

Location: 2014-2017 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S5EXPVIO_DIEDMALECOUSIN: S5 ExpV_Died: Malecousin during recall period

Value	Label	Unweighted Frequency	%
1	Yes	17	1.3 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-103	Less than 4 people died last 6 months	192	14.2 %
-101	Skipped if s5expv17 isnt Yes	1024	75.6 %
	Total	**1,354**	**100%**

Based upon 17 valid cases out of 1,354 total cases.

Location: 2018-2021 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S5EXPVIO_DIEDNEPHEW: S5 ExpV_Died: Nephew during recall period

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-103	Less than 4 people died last 6 months	208	15.4 %
-101	Skipped if s5expv17 isnt Yes	1024	75.6 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 2022-2025 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S5EXPVIO_DIEDNIECE: S5 ExpV_Died: Niece during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-103	Less than 4 people died last 6 months	209	15.4 %
-101	Skipped if s5expv17 isnt Yes	1024	75.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2026-2029 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S5EXPVIO_DIEDLIVEINBFGF: S5 ExpV_Died: LiveinBFGF during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-103	Less than 4 people died last 6 months	209	15.4 %
-101	Skipped if s5expv17 isnt Yes	1024	75.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2030-2033 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S5EXPVIO_DIEDFEMALEFRIEND: S5 ExpV_Died: Femalefriend during recall period

Value	Label	Unweighted Frequency	%
1	Yes	11	0.8 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-103	Less than 4 people died last 6 months	198	14.6 %

Value	Label	Unweighted Frequency	%
-101	Skipped if s5expv17 isnt Yes	1024	75.6 %
	Total	**1,354**	**100%**

Based upon 11 valid cases out of 1,354 total cases.

Location: 2034-2037 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S5EXPVIO_DIEDMALEFRIEND: S5 ExpV_Died: Malefriend during recall period

Value	Label	Unweighted Frequency	%
1	Yes	77	5.7 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-103	Less than 4 people died last 6 months	132	9.7 %
-101	Skipped if s5expv17 isnt Yes	1024	75.6 %
	Total	**1,354**	**100%**

Based upon 77 valid cases out of 1,354 total cases.

Location: 2038-2041 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S5EXPVIO_DIEDBOYFRIEND: S5 ExpV_Died: Boyfriend during recall period

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-103	Less than 4 people died last 6 months	208	15.4 %
-101	Skipped if s5expv17 isnt Yes	1024	75.6 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 2042-2045 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S5EXPVIO_DIEDGIRLFRIEND: S5 ExpV_Died: Girlfriend during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-103	Less than 4 people died last 6 months	209	15.4 %
-101	Skipped if s5expv17 isnt Yes	1024	75.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2046-2049 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S5EXPVIO_DIEDMALEROOMMATE: S5 ExpV_Died: Maleroommate during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-103	Less than 4 people died last 6 months	209	15.4 %
-101	Skipped if s5expv17 isnt Yes	1024	75.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2050-2053 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S5EXPVIO_DIEDFEMALEROOMMATE: S5 ExpV_Died: Femaleroommate during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-103	Less than 4 people died last 6 months	209	15.4 %
-101	Skipped if s5expv17 isnt Yes	1024	75.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2054-2057 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S5EXPVIO_DIEDPROFRELATIONSHIP: S5 ExpV_Died: Profrelationship during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-103	Less than 4 people died last 6 months	209	15.4 %
-101	Skipped if s5expv17 isnt Yes	1024	75.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2058-2061 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S5EXPVIO_DIEDFOSTERMOTHER: S5 ExpV_Died: Fostermother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-103	Less than 4 people died last 6 months	209	15.4 %
-101	Skipped if s5expv17 isnt Yes	1024	75.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2062-2065 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S5EXPVIO_DIEDFOSTERFATHER: S5 ExpV_Died: Fosterfather during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-103	Less than 4 people died last 6 months	209	15.4 %
-101	Skipped if s5expv17 isnt Yes	1024	75.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2066-2069 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S5EXPVIO_DIEDFOSTERBROTHER: S5 ExpV_Died: Fosterbrother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-103	Less than 4 people died last 6 months	209	15.4 %
-101	Skipped if s5expv17 isnt Yes	1024	75.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2070-2073 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S5EXPVIO_DIEDFOSTERSISTER: S5 ExpV_Died: Fostersister during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-103	Less than 4 people died last 6 months	209	15.4 %
-101	Skipped if s5expv17 isnt Yes	1024	75.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2074-2077 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S5EXPVIO_DIEDMOTHEROFCHILD: S5 ExpV_Died: MotherOfchild during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-103	Less than 4 people died last 6 months	209	15.4 %
-101	Skipped if s5expv17 isnt Yes	1024	75.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2078-2081 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S5EXPVIO_DIEDFATHEROFCHILD: S5 ExpV_Died: FatherOfchild during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-103	Less than 4 people died last 6 months	209	15.4 %
-101	Skipped if s5expv17 isnt Yes	1024	75.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2082-2085 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S5EXPVIO_DIEDSTEPSON: S5 ExpV_Died: Stepson during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-103	Less than 4 people died last 6 months	209	15.4 %
-101	Skipped if s5expv17 isnt Yes	1024	75.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2086-2089 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S5EXPVIO_DIEDSTEPDAUGHTER: S5 ExpV_Died: Stepdaughter during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-103	Less than 4 people died last 6 months	209	15.4 %
-101	Skipped if s5expv17 isnt Yes	1024	75.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2090-2093 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S5EXPVIO_DIEDFIANCE: S5 ExpV_Died: Fiance during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-103	Less than 4 people died last 6 months	209	15.4 %
-101	Skipped if s5expv17 isnt Yes	1024	75.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2094-2097 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S5EXPVIO_DIEDOTHERRELATIVE: S5 ExpV_Died: OtherRelative during recall period

Value	Label	Unweighted Frequency	%
1	Yes	7	0.5 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-103	Less than 4 people died last 6 months	202	14.9 %
-101	Skipped if s5expv17 isnt Yes	1024	75.6 %
	Total	**1,354**	**100%**

Based upon 7 valid cases out of 1,354 total cases.

Location: 2098-2101 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S5EXPVIO_DIEDOTHER: S5 ExpV_Died: Other during recall period

Value	Label	Unweighted Frequency	%
1	Yes	10	0.7 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-103	Less than 4 people died last 6 months	199	14.7 %
-101	Skipped if s5expv17 isnt Yes	1024	75.6 %
	Total	**1,354**	**100%**

Based upon 10 valid cases out of 1,354 total cases.

Location: 2102-2105 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S5EXPV15: S5 ExpV: Found dead body

Value	Label	Unweighted Frequency	%
1	Yes	8	0.6 %
5	No	1225	90.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 2106-2109 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S5EXPV16: S5 ExpV: Other situation frightened

Value	Label	Unweighted Frequency	%
1	Yes	58	4.3 %
5	No	1175	86.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 2110-2113 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S5EXPV01A_EXPVA: S5 ExpV: Saw another chased

Based upon 249 valid cases out of 1,354 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 2114-2117 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S5EXPV01A_EXPVB: S5 ExpV: How many times seen chased

Value	Label	Unweighted Frequency	%
1	-	81	6.0 %
2	-	70	5.2 %
3	-	36	2.7 %
4	-	17	1.3 %
5	-	4	0.3 %
6	-	3	0.2 %
7	-	2	0.1 %
8	-	3	0.2 %
10	-	10	0.7 %

Value	Label	Unweighted Frequency	%
11	-	1	0.1 %
12	-	1	0.1 %
15	-	3	0.2 %
20	-	6	0.4 %
25	-	1	0.1 %
30	-	1	0.1 %
42	-	1	0.1 %
50	-	3	0.2 %
60	-	1	0.1 %
100	-	1	0.1 %
180	-	2	0.1 %
200	-	1	0.1 %
	Missing Data		
-999	Dont know	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-104	Followup questions arent asked if the gate isnt yes	984	72.7 %
	Total	**1,354**	**100%**

Based upon 248 valid cases out of 1,354 total cases.

Location: 2118-2121 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S5EXPV02A_EXPVA: S5 ExpV: You chased

Value	Label	Unweighted Frequency	%
1	Yes	45	3.3 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-104	Followup questions arent asked if the gate isnt yes	1188	87.7 %
	Total	**1,354**	**100%**

Based upon 45 valid cases out of 1,354 total cases.

Location: 2122-2125 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S5EXPV02A_EXPVB: S5 ExpV: Num times you chased

Based upon 45 valid cases out of 1,354 total cases.

- Mean: 4.20
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 100.00
- Standard Deviation: 14.80

Location: 2126-2129 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S5EXPV03A_EXPVA: S5 ExpV: Saw someone beaten

Value	Label	Unweighted Frequency	%
1	Yes	370	27.3 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-104	Followup questions arent asked if the gate isnt yes	863	63.7 %
	Total	**1,354**	**100%**

Based upon 370 valid cases out of 1,354 total cases.

Location: 2130-2133 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S5EXPV03A_EXPVB: S5 ExpV: Num times saw someone beaten

Based upon 367 valid cases out of 1,354 total cases.

- Mean: 14.23
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 900.00
- Standard Deviation: 71.04

Location: 2134-2137 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S5EXPV04A_EXPVA: S5 ExpV: You beaten up

Value	Label	Unweighted Frequency	%
1	Yes	50	3.7 %
5	No	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-104	Followup questions arent asked if the gate isnt yes	1183	87.4 %
	Total	**1,354**	**100%**

Based upon 50 valid cases out of 1,354 total cases.

Location: 2138-2141 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S5EXPV04A_EXPVB: S5 ExpV: Num times you beaten up

Based upon 50 valid cases out of 1,354 total cases.

- Mean: 3.04
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 50.00
- Standard Deviation: 7.10

Location: 2142-2145 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S5EXPV05A_EXPVA: S5 ExpV: Saw someone raped

Value	Label	Unweighted Frequency	%
1	Yes	8	0.6 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-104	Followup questions arent asked if the gate isnt yes	1225	90.5 %
	Total	**1,354**	**100%**

Based upon 8 valid cases out of 1,354 total cases.

Location: 2146-2149 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S5EXPV05A_EXPVB: S5 ExpV: Num times saw someone raped

Based upon 8 valid cases out of 1,354 total cases.

- Mean: 10.12
- Median: 1.50

- Mode: 1.00
- Minimum: 1.00
- Maximum: 62.00
- Standard Deviation: 21.18

Location: 2150-2153 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S5EXPV06A_EXPVA: S5 ExpV: You were raped

Value	Label	Unweighted Frequency	%
1	Yes	6	0.4 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-104	Followup questions arent asked if the gate isnt yes	1227	90.6 %
	Total	**1,354**	**100%**

Based upon 6 valid cases out of 1,354 total cases.

Location: 2154-2157 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S5EXPV06A_EXPVD: S5 ExpV: Did it happen more than once

Value	Label	Unweighted Frequency	%
1	Yes	4	0.3 %
5	No	2	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-104	Followup questions arent asked if the gate isnt yes	1227	90.6 %
	Total	**1,354**	**100%**

Based upon 6 valid cases out of 1,354 total cases.

Location: 2158-2161 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -107 , -106 , -105 , -104 , -9 , -8

S5EXPV06A_EXPVF: S5 ExpV: Relation of person that did this

Value	Label	Unweighted Frequency	%
1	Family member	1	0.1 %
2	Friend/acquaintance	1	0.1 %

Value	Label	Unweighted Frequency	%
3	Stranger	4	0.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-104	Followup questions arent asked if the gate isnt yes	1227	90.6 %
	Total	**1,354**	**100%**

Based upon 6 valid cases out of 1,354 total cases.

Location: 2162-2165 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -107 , -106 , -105 , -104 , -9 , -8

S5EXPV06A_EXPVG: S5 ExpV: Where did this happen

Value	Label	Unweighted Frequency	%
1	At home	1	0.1 %
2	At school	0	0.0 %
3	In his/her neighborhood	1	0.1 %
4	Other (specify)	4	0.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-104	Followup questions arent asked if the gate isnt yes	1227	90.6 %
	Total	**1,354**	**100%**

Based upon 6 valid cases out of 1,354 total cases.

Location: 2166-2169 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -107 , -106 , -105 , -104 , -9 , -8

S5EXPV07A_EXPVA: S5 ExpV: Saw someone attacked w/weapon

Value	Label	Unweighted Frequency	%
1	Yes	165	12.2 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-104	Followup questions arent asked if the gate isnt yes	1068	78.9 %
	Total	**1,354**	**100%**

Based upon 165 valid cases out of 1,354 total cases.

Location: 2170-2173 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S5EXPV07A_EXPVB: S5 ExpV: Num times saw someone attacked w/weapon

Based upon 164 valid cases out of 1,354 total cases.

- Mean: 4.44
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 180.00
- Standard Deviation: 15.42

Location: 2174-2177 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S5EXPV08A_EXPVA: S5 ExpV: You attacked w/weapon

Value	Label	Unweighted Frequency	%
1	Yes	36	2.7 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-104	Followup questions arent asked if the gate isnt yes	1197	88.4 %
	Total	**1,354**	**100%**

Based upon 36 valid cases out of 1,354 total cases.

Location: 2178-2181 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S5EXPV08A_EXPVB: S5 ExpV: Num times you attacked w/ weapon

Based upon 36 valid cases out of 1,354 total cases.

- Mean: 1.56
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 1.65

Location: 2182-2185 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S5EXPV09A_EXPVA: S5 ExpV: Saw someone shot at

Value	Label	Unweighted Frequency	%
1	Yes	124	9.2 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-104	Followup questions arent asked if the gate isnt yes	1109	81.9 %
	Total	**1,354**	**100%**

Based upon 124 valid cases out of 1,354 total cases.

Location: 2186-2189 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S5EXPV09A_EXPVB: S5 ExpV: Num times saw someone shot at

Based upon 123 valid cases out of 1,354 total cases.

- Mean: 3.48
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 50.00
- Standard Deviation: 7.05

Location: 2190-2193 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S5EXPV10A_EXPVA: S5 ExpV: You shot at

Value	Label	Unweighted Frequency	%
1	Yes	50	3.7 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-104	Followup questions arent asked if the gate isnt yes	1183	87.4 %
	Total	**1,354**	**100%**

Based upon 50 valid cases out of 1,354 total cases.

Location: 2194-2197 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S5EXPV10A_EXPVB: S5 ExpV: Num times you shot at

Based upon 50 valid cases out of 1,354 total cases.

- Mean: 1.98
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 15.00
- Standard Deviation: 2.12

Location: 2198-2201 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S5EXPV11A_EXPVA: S5 ExpV: Saw someone shot

Value	Label	Unweighted Frequency	%
1	Yes	66	4.9 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-104	Followup questions arent asked if the gate isnt yes	1167	86.2 %
	Total	**1,354**	**100%**

Based upon 66 valid cases out of 1,354 total cases.

Location: 2202-2205 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S5EXPV11A_EXPVB: S5 ExpV: Num times saw someone shot

Based upon 65 valid cases out of 1,354 total cases.

- Mean: 2.49
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 4.39

Location: 2206-2209 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S5EXPV12A_EXPVA: S5 ExpV: You shot

Value	Label	Unweighted Frequency	%
1	Yes	7	0.5 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	120	8.9 %
-104	Followup questions arent asked if the gate isnt yes	1226	90.5 %
	Total	**1,354**	**100%**

Based upon 7 valid cases out of 1,354 total cases.

Location: 2210-2213 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S5EXPV12A_EXPVB: S5 ExpV: Num times you shot

Value	Label	Unweighted Frequency	%
1	-	6	0.4 %
2	-	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-104	Followup questions arent asked if the gate isnt yes	1226	90.5 %
	Total	**1,354**	**100%**

Based upon 7 valid cases out of 1,354 total cases.

Location: 2214-2217 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S5EXPV13A_EXPVA: S5 ExpV: Saw someone killed from violence

Value	Label	Unweighted Frequency	%
1	Yes	39	2.9 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-104	Followup questions arent asked if the gate isnt yes	1194	88.2 %
	Total	**1,354**	**100%**

Based upon 39 valid cases out of 1,354 total cases.

Location: 2218-2221 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S5EXPV13A_EXPVB: S5 ExpV: Num times saw one killed from violence

Based upon 39 valid cases out of 1,354 total cases.

- Mean: 2.26
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 20.00
- Standard Deviation: 3.50

Location: 2222-2225 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S5EXPV14A: S5 ExpV: Num close to you tried to kill self

Based upon 35 valid cases out of 1,354 total cases.

- Mean: 1.03
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.17

Location: 2226-2229 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -104 , -99 , -98

S5EXPV18A_EXPVA: S5 ExpV: You tried kill self

Value	Label	Unweighted Frequency	%
1	Yes	8	0.6 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-104	Followup questions arent asked if the gate isnt yes	1225	90.5 %
	Total	**1,354**	**100%**

Based upon 8 valid cases out of 1,354 total cases.

Location: 2230-2233 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S5EXPV18A_EXPVB: S5 ExpV: Num times you tried kill self

Based upon 8 valid cases out of 1,354 total cases.

- Mean: 3.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00

- Maximum: 15.00
- Standard Deviation: 4.90

Location: 2234-2237 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S5EXPWIT: S5 ExpV: Witnessed score

Value	Label	Unweighted Frequency	%
0	-	754	55.7 %
1	-	187	13.8 %
2	-	140	10.3 %
3	-	89	6.6 %
4	-	36	2.7 %
5	-	19	1.4 %
6	-	8	0.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 2238-2241 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -100

S5EXPVIC: S5 ExpV: Victim score

Value	Label	Unweighted Frequency	%
0	-	1093	80.7 %
1	-	99	7.3 %
2	-	29	2.1 %
3	-	11	0.8 %
4	-	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 2242-2245 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -100

S5EXPTOT: S5 ExpV: Total score - witnessed plus victim

Value	Label	Unweighted Frequency	%
0	-	728	53.8 %
1	-	176	13.0 %
2	-	147	10.9 %
3	-	89	6.6 %
4	-	34	2.5 %
5	-	32	2.4 %
6	-	17	1.3 %
7	-	5	0.4 %
8	-	1	0.1 %
9	-	3	0.2 %
10	-	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 2246-2249 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -100

S5EXPVIO_SUICAL_M01: S5 SuiCal: Attempt suicide M01

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	11	0.8 %
	Missing Data		
.	-	1342	99.1 %
	Total	**1,354**	**100%**

Based upon 12 valid cases out of 1,354 total cases.

Location: 2250-2250 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S5EXPVIO_SUICAL_M02: S5 SuiCal: Attempt suicide M02

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
5	No	10	0.7 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	1342	99.1 %
	Total	**1,354**	**100%**

Based upon 12 valid cases out of 1,354 total cases.

Location: 2251-2251 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S5EXPVIO_SUICAL_M03: S5 SuiCal: Attempt suicide M03

Value	Label	Unweighted Frequency	%
1	Yes	3	0.2 %
5	No	5	0.4 %
	Missing Data		
.	-	1346	99.4 %
	Total	**1,354**	**100%**

Based upon 8 valid cases out of 1,354 total cases.

Location: 2252-2252 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S5EXPVIO_SUICAL_M04: S5 SuiCal: Attempt suicide M04

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
5	No	6	0.4 %
	Missing Data		
.	-	1346	99.4 %
	Total	**1,354**	**100%**

Based upon 8 valid cases out of 1,354 total cases.

Location: 2253-2253 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S5EXPVIO_SUICAL_M05: S5 SuiCal: Attempt suicide M05

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	6	0.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	1347	99.5 %
	Total	**1,354**	**100%**

Based upon 7 valid cases out of 1,354 total cases.

Location: 2254-2254 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S5EXPVIO_SUICAL_M06: S5 SuiCal: Attempt suicide M06

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	6	0.4 %
	Missing Data		
.	-	1348	99.6 %
	Total	**1,354**	**100%**

Based upon 6 valid cases out of 1,354 total cases.

Location: 2255-2255 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S5EXPVIO_SUICAL_M07: S5 SuiCal: Attempt suicide M07

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	1	0.1 %
	Missing Data		
.	-	1353	99.9 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 2256-2256 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S5EXPVIO_SUICAL_M08: S5 SuiCal: Attempt suicide M08

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
.	-	1354	100.0 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2257-2257 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S5EXPVIO_SUICAL_M09: S5 SuiCal: Attempt suicide M09

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
.	-	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2258-2258 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S5EXPVIO_SUICAL_M10: S5 SuiCal: Attempt suicide M10

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
.	-	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2259-2259 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S5EXPVIO_SUICAL_M11: S5 SuiCal: Attempt suicide M11

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
.	-	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2260-2260 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S5EXPVIO_SUICAL_M12: S5 SuiCal: Attempt suicide M12

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
.	-	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2261-2261 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S5EXPVIO_SUICAL_M13: S5 SuiCal: Attempt suicide M13

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
.	-	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2262-2262 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S5EXPVIO_SUICAL_M14: S5 SuiCal: Attempt suicide M14

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
.	-	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2263-2263 (width: 1; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

S5EXPVIO_SUICAL_NATTEMPTMOS: S5 ExpV: Number of months with a suicide attempt

Value	Label	Unweighted Frequency	%
1	-	7	0.5 %
4	-	1	0.1 %
	Missing Data		
.	-	1346	99.4 %
	Total	**1,354**	**100%**

Based upon 8 valid cases out of 1,354 total cases.

Location: 2264-2265 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 98 , 99 , .

S6EXPV01: S6 ExpV: See anyone chased thought could be hurt

Value	Label	Unweighted Frequency	%
1	Yes	212	15.7 %
5	No	1020	75.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 2266-2269 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S6EXPV02: S6 ExpV: You chased thought could be hurt

Value	Label	Unweighted Frequency	%
1	Yes	39	2.9 %
5	No	1193	88.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 2270-2273 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S6EXPV03: S6 ExpV: Ever seen someone else get beaten up

Value	Label	Unweighted Frequency	%
1	Yes	335	24.7 %
5	No	897	66.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 2274-2277 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S6EXPV04: S6 ExpV: You beaten up

Value	Label	Unweighted Frequency	%
1	Yes	38	2.8 %
5	No	1194	88.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 2278-2281 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S6EXPV05: S6 ExpV: Saw someone raped

Value	Label	Unweighted Frequency	%
1	Yes	10	0.7 %
5	No	1221	90.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-108	ETV skipped by mistake - sub not in federal facility	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,231 valid cases out of 1,354 total cases.

Location: 2282-2285 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S6EXPV06: S6 ExpV: You raped

Value	Label	Unweighted Frequency	%
1	Yes	3	0.2 %
5	No	1228	90.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-108	ETV skipped by mistake - sub not in federal facility	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,231 valid cases out of 1,354 total cases.

Location: 2286-2289 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S6EXPV07: S6 ExpV: Saw someone attacked w/weapon

Value	Label	Unweighted Frequency	%
1	Yes	149	11.0 %
5	No	1082	79.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-108	ETV skipped by mistake - sub not in federal facility	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,231 valid cases out of 1,354 total cases.

Location: 2290-2293 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S6EXPV08: S6 ExpV: You attacked w/weapon

Value	Label	Unweighted Frequency	%
1	Yes	33	2.4 %
5	No	1197	88.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-108	ETV skipped by mistake - sub not in federal facility	1	0.1 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 2294-2297 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S6EXPV09: S6 ExpV: Saw someone shot AT but missed

Value	Label	Unweighted Frequency	%
1	Yes	114	8.4 %
5	No	1118	82.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 2298-2301 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S6EXPV10: S6 ExpV: You shot AT missed

Value	Label	Unweighted Frequency	%
1	Yes	42	3.1 %
5	No	1190	87.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 2302-2305 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S6EXPV11: S6 ExpV: Saw someone shot

Value	Label	Unweighted Frequency	%
1	Yes	79	5.8 %
5	No	1152	85.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,231 valid cases out of 1,354 total cases.

Location: 2306-2309 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S6EXPV12: S6 ExpV: You shot

Value	Label	Unweighted Frequency	%
1	Yes	7	0.5 %
5	No	1225	90.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 2310-2313 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S6EXPV13: S6 ExpV: Saw someone killed from violence

Value	Label	Unweighted Frequency	%
1	Yes	51	3.8 %
5	No	1178	87.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont know	2	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 2314-2317 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S6EXPV14: S6 ExpV: Anyone close to you ever try kill self

Value	Label	Unweighted Frequency	%
1	Yes	35	2.6 %
5	No	1194	88.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 2318-2321 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S6EXPV18: S6 ExpV: You tried to kill self

Value	Label	Unweighted Frequency	%
1	Yes	12	0.9 %
5	No	1219	90.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-108	ETV skipped by mistake - sub not in federal facility	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,231 valid cases out of 1,354 total cases.

Location: 2322-2325 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S6EXPV17: S6 ExpV: Anyone close to you died

Value	Label	Unweighted Frequency	%
1	Yes	232	17.1 %
5	No	999	73.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,231 valid cases out of 1,354 total cases.

Location: 2326-2329 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S6EXPV17A: S6 ExpV: Num close to you died

Based upon 232 valid cases out of 1,354 total cases.

- Mean: 1.24
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.62

Location: 2330-2333 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -101

S6EXPV17B: S6 ExpV: Num close to you died/truncated to 4

Value	Label	Unweighted Frequency	%
1	-	194	14.3 %

Value	Label	Unweighted Frequency	%
2	-	26	1.9 %
3	-	8	0.6 %
4	-	4	0.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Skipped if s6expv17 isnt Yes	1000	73.9 %
	Total	**1,354**	**100%**

Based upon 232 valid cases out of 1,354 total cases.

Location: 2334-2337 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -99 , -98

S6EXPVIO_DIEDBIOFATHER: S6 ExpV_Died: Biofather during recall period

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-103	Less than 4 people died last 6 months	231	17.1 %
-101	Skipped if s6expv17 isnt Yes	1000	73.9 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 2338-2341 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S6EXPVIO_DIEDBIOMOTHER: S6 ExpV_Died: Biomother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
5	No	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-103	Less than 4 people died last 6 months	230	17.0 %
-101	Skipped if s6expv17 isnt Yes	1000	73.9 %
	Total	**1,354**	**100%**

Based upon 2 valid cases out of 1,354 total cases.

Location: 2342-2345 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S6EXPVIO_DIEDBIOSISTER: S6 ExpV_Died: Biosister during recall period

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-103	Less than 4 people died last 6 months	231	17.1 %
-101	Skipped if s6expv17 isnt Yes	1000	73.9 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 2346-2349 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S6EXPVIO_DIEDBIOBROTHER: S6 ExpV_Died: Biobrother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	4	0.3 %
5	No	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-103	Less than 4 people died last 6 months	228	16.8 %
-101	Skipped if s6expv17 isnt Yes	1000	73.9 %
	Total	**1,354**	**100%**

Based upon 4 valid cases out of 1,354 total cases.

Location: 2350-2353 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S6EXPVIO_DIEDBIOGRANDMOTHER: S6 ExpV_Died: Biograndmother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	24	1.8 %
5	No	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-103	Less than 4 people died last 6 months	208	15.4 %
-101	Skipped if s6expv17 isnt Yes	1000	73.9 %
	Total	**1,354**	**100%**

Based upon 24 valid cases out of 1,354 total cases.

Location: 2354-2357 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S6EXPVIO_DIEDBIOGRANDFATHER: S6 ExpV_Died: Biograndfather during recall period

Value	Label	Unweighted Frequency	%
1	Yes	18	1.3 %
5	No	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-103	Less than 4 people died last 6 months	214	15.8 %
-101	Skipped if s6expv17 isnt Yes	1000	73.9 %
	Total	**1,354**	**100%**

Based upon 18 valid cases out of 1,354 total cases.

Location: 2358-2361 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S6EXPVIO_DIEDSTEPFATHER: S6 ExpV_Died: Stepfather during recall period

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-103	Less than 4 people died last 6 months	231	17.1 %
-101	Skipped if s6expv17 isnt Yes	1000	73.9 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 2362-2365 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S6EXPVIO_DIEDSTEPMOTHER: S6 ExpV_Died: Stepmother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	3	0.2 %
5	No	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %

Value	Label	Unweighted Frequency	%
-103	Less than 4 people died last 6 months	229	16.9 %
-101	Skipped if s6expv17 isnt Yes	1000	73.9 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 2366-2369 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S6EXPVIO_DIEDSTEPSISTER: S6 ExpV_Died: Stepsister during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-103	Less than 4 people died last 6 months	232	17.1 %
-101	Skipped if s6expv17 isnt Yes	1000	73.9 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2370-2373 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S6EXPVIO_DIEDSTEPBROTHER: S6 ExpV_Died: Stepbrother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-103	Less than 4 people died last 6 months	232	17.1 %
-101	Skipped if s6expv17 isnt Yes	1000	73.9 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2374-2377 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S6EXPVIO_DIEDADOPTIVEFATHER: S6 ExpV_Died: Adoptivefather during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-103	Less than 4 people died last 6 months	232	17.1 %
-101	Skipped if s6expv17 isnt Yes	1000	73.9 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2378-2381 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S6EXPVIO_DIEDADOPTIVEMOTHER: S6 ExpV_Died: Adoptivemother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-103	Less than 4 people died last 6 months	232	17.1 %
-101	Skipped if s6expv17 isnt Yes	1000	73.9 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2382-2385 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S6EXPVIO_DIEDADOPTIVESISTER: S6 ExpV_Died: Adoptivesister during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-103	Less than 4 people died last 6 months	232	17.1 %
-101	Skipped if s6expv17 isnt Yes	1000	73.9 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2386-2389 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S6EXPVIO_DIEDADOPTIVEBROTHER: S6 ExpV_Died: Adoptivebrother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-103	Less than 4 people died last 6 months	232	17.1 %
-101	Skipped if s6expv17 isnt Yes	1000	73.9 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2390-2393 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S6EXPVIO_DIEDWIFE: S6 ExpV_Died: Wife during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-103	Less than 4 people died last 6 months	232	17.1 %
-101	Skipped if s6expv17 isnt Yes	1000	73.9 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2394-2397 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S6EXPVIO_DIEDHUSBAND: S6 ExpV_Died: Husband during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-103	Less than 4 people died last 6 months	232	17.1 %
-101	Skipped if s6expv17 isnt Yes	1000	73.9 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2398-2401 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S6EXPVIO_DIEDSON: S6 ExpV_Died: Son during recall period

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-103	Less than 4 people died last 6 months	231	17.1 %
-101	Skipped if s6expv17 isnt Yes	1000	73.9 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 2402-2405 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S6EXPVIO_DIEDDAUGHTER: S6 ExpV_Died: Daughter during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-103	Less than 4 people died last 6 months	232	17.1 %
-101	Skipped if s6expv17 isnt Yes	1000	73.9 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2406-2409 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S6EXPVIO_DIEDAUNT: S6 ExpV_Died: Aunt during recall period

Value	Label	Unweighted Frequency	%
1	Yes	13	1.0 %
5	No	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %

Value	Label	Unweighted Frequency	%
-103	Less than 4 people died last 6 months	219	16.2 %
-101	Skipped if s6expv17 isnt Yes	1000	73.9 %
	Total	**1,354**	**100%**

Based upon 13 valid cases out of 1,354 total cases.

Location: 2410-2413 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S6EXPVIO_DIEDUNCLE: S6 ExpV_Died: Uncle during recall period

Value	Label	Unweighted Frequency	%
1	Yes	29	2.1 %
5	No	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-103	Less than 4 people died last 6 months	203	15.0 %
-101	Skipped if s6expv17 isnt Yes	1000	73.9 %
	Total	**1,354**	**100%**

Based upon 29 valid cases out of 1,354 total cases.

Location: 2414-2417 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S6EXPVIO_DIEDFEMALECOUSIN: S6 ExpV_Died: Femalecousin during recall period

Value	Label	Unweighted Frequency	%
1	Yes	4	0.3 %
5	No	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-103	Less than 4 people died last 6 months	228	16.8 %
-101	Skipped if s6expv17 isnt Yes	1000	73.9 %
	Total	**1,354**	**100%**

Based upon 4 valid cases out of 1,354 total cases.

Location: 2418-2421 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S6EXPVIO_DIEDMALECOUSIN: S6 ExpV_Died: Malecousin during recall period

Value	Label	Unweighted Frequency	%
1	Yes	20	1.5 %
5	No	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-103	Less than 4 people died last 6 months	212	15.7 %
-101	Skipped if s6expv17 isnt Yes	1000	73.9 %
	Total	**1,354**	**100%**

Based upon 20 valid cases out of 1,354 total cases.

Location: 2422-2425 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S6EXPVIO_DIEDNEPHEW: S6 ExpV_Died: Nephew during recall period

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-103	Less than 4 people died last 6 months	231	17.1 %
-101	Skipped if s6expv17 isnt Yes	1000	73.9 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 2426-2429 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S6EXPVIO_DIEDNIECE: S6 ExpV_Died: Niece during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-103	Less than 4 people died last 6 months	232	17.1 %
-101	Skipped if s6expv17 isnt Yes	1000	73.9 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2430-2433 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S6EXPVIO_DIEDLIVEINBFGF: S6 ExpV_Died: LiveinBFGF during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-103	Less than 4 people died last 6 months	232	17.1 %
-101	Skipped if s6expv17 isnt Yes	1000	73.9 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2434-2437 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S6EXPVIO_DIEDFEMALEFRIEND: S6 ExpV_Died: Femalefriend during recall period

Value	Label	Unweighted Frequency	%
1	Yes	12	0.9 %
5	No	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-103	Less than 4 people died last 6 months	220	16.2 %
-101	Skipped if s6expv17 isnt Yes	1000	73.9 %
	Total	**1,354**	**100%**

Based upon 12 valid cases out of 1,354 total cases.

Location: 2438-2441 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S6EXPVIO_DIEDMALEFRIEND: S6 ExpV_Died: Malefriend during recall period

Value	Label	Unweighted Frequency	%
1	Yes	98	7.2 %
5	No	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-103	Less than 4 people died last 6 months	134	9.9 %
-101	Skipped if s6expv17 isnt Yes	1000	73.9 %
	Total	**1,354**	**100%**

Based upon 98 valid cases out of 1,354 total cases.

Location: 2442-2445 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S6EXPVIO_DIEDBOYFRIEND: S6 ExpV_Died: Boyfriend during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-103	Less than 4 people died last 6 months	232	17.1 %
-101	Skipped if s6expv17 isnt Yes	1000	73.9 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2446-2449 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S6EXPVIO_DIEDGIRLFRIEND: S6 ExpV_Died: Girlfriend during recall period

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
5	No	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-103	Less than 4 people died last 6 months	230	17.0 %
-101	Skipped if s6expv17 isnt Yes	1000	73.9 %
	Total	**1,354**	**100%**

Based upon 2 valid cases out of 1,354 total cases.

Location: 2450-2453 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S6EXPVIO_DIEDMALEROOMMATE: S6 ExpV_Died: Maleroommate during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %

Value	Label	Unweighted Frequency	%
-103	Less than 4 people died last 6 months	232	17.1 %
-101	Skipped if s6expv17 isnt Yes	1000	73.9 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2454-2457 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S6EXPVIO_DIEDFEMALEROOMMATE: S6 ExpV_Died: Femaleroommate during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-103	Less than 4 people died last 6 months	232	17.1 %
-101	Skipped if s6expv17 isnt Yes	1000	73.9 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2458-2461 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S6EXPVIO_DIEDPROFRELATIONSHIP: S6 ExpV_Died: Profrelationship during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-103	Less than 4 people died last 6 months	232	17.1 %
-101	Skipped if s6expv17 isnt Yes	1000	73.9 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2462-2465 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S6EXPVIO_DIEDFOSTERMOTHER: S6 ExpV_Died: Fostermother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-103	Less than 4 people died last 6 months	232	17.1 %
-101	Skipped if s6expv17 isnt Yes	1000	73.9 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2466-2469 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S6EXPVIO_DIEDFOSTERFATHER: S6 ExpV_Died: Fosterfather during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-103	Less than 4 people died last 6 months	232	17.1 %
-101	Skipped if s6expv17 isnt Yes	1000	73.9 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2470-2473 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S6EXPVIO_DIEDFOSTERBROTHER: S6 ExpV_Died: Fosterbrother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-103	Less than 4 people died last 6 months	232	17.1 %
-101	Skipped if s6expv17 isnt Yes	1000	73.9 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2474-2477 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S6EXPVIO_DIEDFOSTERSISTER: S6 ExpV_Died: Fostersister during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-103	Less than 4 people died last 6 months	232	17.1 %
-101	Skipped if s6expv17 isnt Yes	1000	73.9 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2478-2481 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S6EXPVIO_DIEDMOTHEROFCHILD: S6 ExpV_Died: MotherOfchild during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-103	Less than 4 people died last 6 months	232	17.1 %
-101	Skipped if s6expv17 isnt Yes	1000	73.9 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2482-2485 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S6EXPVIO_DIEDFATHEROFCHILD: S6 ExpV_Died: FatherOfchild during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-103	Less than 4 people died last 6 months	232	17.1 %
-101	Skipped if s6expv17 isnt Yes	1000	73.9 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2486-2489 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S6EXPVIO_DIEDSTEPSON: S6 ExpV_Died: Stepson during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-103	Less than 4 people died last 6 months	232	17.1 %
-101	Skipped if s6expv17 isnt Yes	1000	73.9 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2490-2493 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S6EXPVIO_DIEDSTEPDAUGHTER: S6 ExpV_Died: Stepdaughter during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-103	Less than 4 people died last 6 months	232	17.1 %
-101	Skipped if s6expv17 isnt Yes	1000	73.9 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2494-2497 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S6EXPVIO_DIEDFIANCE: S6 ExpV_Died: Fiance during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %

Value	Label	Unweighted Frequency	%
-103	Less than 4 people died last 6 months	232	17.1 %
-101	Skipped if s6expv17 isnt Yes	1000	73.9 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2498-2501 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S6EXPVIO_DIEDOTHERRELATIVE: S6 ExpV_Died: OtherRelative during recall period

Value	Label	Unweighted Frequency	%
1	Yes	10	0.7 %
5	No	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-103	Less than 4 people died last 6 months	222	16.4 %
-101	Skipped if s6expv17 isnt Yes	1000	73.9 %
	Total	**1,354**	**100%**

Based upon 10 valid cases out of 1,354 total cases.

Location: 2502-2505 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S6EXPVIO_DIEDOTHER: S6 ExpV_Died: Other during recall period

Value	Label	Unweighted Frequency	%
1	Yes	9	0.7 %
5	No	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-103	Less than 4 people died last 6 months	223	16.5 %
-101	Skipped if s6expv17 isnt Yes	1000	73.9 %
	Total	**1,354**	**100%**

Based upon 9 valid cases out of 1,354 total cases.

Location: 2506-2509 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S6EXPV15: S6 ExpV: Found dead body

Value	Label	Unweighted Frequency	%
1	Yes	5	0.4 %
5	No	1227	90.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 2510-2513 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S6EXPV16: S6 ExpV: Other situation frightened

Value	Label	Unweighted Frequency	%
1	Yes	76	5.6 %
5	No	1156	85.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 2514-2517 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S6EXPV01A_EXPVA: S6 ExpV: Saw another chased

Based upon 212 valid cases out of 1,354 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 2518-2521 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S6EXPV01A_EXPVB: S6 ExpV: How many times seen chased

Value	Label	Unweighted Frequency	%
1	-	76	5.6 %
2	-	59	4.4 %
3	-	28	2.1 %
4	-	8	0.6 %
5	-	10	0.7 %
6	-	3	0.2 %

Value	Label	Unweighted Frequency	%
8	-	1	0.1 %
10	-	8	0.6 %
12	-	2	0.1 %
15	-	3	0.2 %
18	-	1	0.1 %
20	-	5	0.4 %
28	-	1	0.1 %
30	-	2	0.1 %
35	-	1	0.1 %
51	-	1	0.1 %
70	-	1	0.1 %
100	-	2	0.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-104	Followup questions arent asked if the gate isnt yes	1020	75.3 %
	Total	**1,354**	**100%**

Based upon 212 valid cases out of 1,354 total cases.

Location: 2522-2525 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S6EXPV02A_EXPVA: S6 ExpV: You chased

Value	Label	Unweighted Frequency	%
1	Yes	39	2.9 %
5	No	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-104	Followup questions arent asked if the gate isnt yes	1193	88.1 %
	Total	**1,354**	**100%**

Based upon 39 valid cases out of 1,354 total cases.

Location: 2526-2529 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S6EXPV02A_EXPVB: S6 ExpV: Num times you chased

Based upon 39 valid cases out of 1,354 total cases.

- Mean: 2.00
- Median: 1.00

- Mode: 1.00
- Minimum: 1.00
- Maximum: 20.00
- Standard Deviation: 3.39

Location: 2530-2533 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S6EXPV03A_EXPVA: S6 ExpV: Saw someone beaten

Value	Label	Unweighted Frequency	%
1	Yes	335	24.7 %
5	No	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-104	Followup questions arent asked if the gate isnt yes	897	66.2 %
	Total	**1,354**	**100%**

Based upon 335 valid cases out of 1,354 total cases.

Location: 2534-2537 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S6EXPV03A_EXPVB: S6 ExpV: Num times saw someone beaten

Based upon 333 valid cases out of 1,354 total cases.

- Mean: 7.50
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 210.00
- Standard Deviation: 21.29

Location: 2538-2541 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S6EXPV04A_EXPVA: S6 ExpV: You beaten up

Value	Label	Unweighted Frequency	%
1	Yes	38	2.8 %
5	No	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-104	Followup questions arent asked if the gate isnt yes	1194	88.2 %
	Total	**1,354**	**100%**

Based upon 38 valid cases out of 1,354 total cases.

Location: 2542-2545 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S6EXPV04A_EXPVB: S6 ExpV: Num times you beaten up

Based upon 38 valid cases out of 1,354 total cases.

- Mean: 3.21
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 40.00
- Standard Deviation: 7.02

Location: 2546-2549 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S6EXPV05A_EXPVA: S6 ExpV: Saw someone raped

Value	Label	Unweighted Frequency	%
1	Yes	10	0.7 %
5	No	0	0.0 %
	Missing Data		
-999999	-	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-104	Followup questions arent asked if the gate isnt yes	1221	90.2 %
	Total	**1,354**	**100%**

Based upon 10 valid cases out of 1,354 total cases.

Location: 2550-2556 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -202 , -201 , -109 , -108 , -104 , -9 , -8

S6EXPV05A_EXPVB: S6 ExpV: Num times saw someone raped

Based upon 10 valid cases out of 1,354 total cases.

- Mean: 11.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 100.00
- Standard Deviation: 31.27

Location: 2557-2563 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -999 , -998 , -202 , -201 , -105 , -104

S6EXPV06A_EXPVA: S6 ExpV: You were raped

Value	Label	Unweighted Frequency	%
1	Yes	3	0.2 %
5	No	0	0.0 %
	Missing Data		
-999999	-	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-104	Followup questions arent asked if the gate isnt yes	1228	90.7 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 2564-2570 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -202 , -201 , -109 , -108 , -104 , -9 , -8

S6EXPV06A_EXPVD: S6 ExpV: Did it happen more than once

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	2	0.1 %
	Missing Data		
-999999	-	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-104	Followup questions arent asked if the gate isnt yes	1228	90.7 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 2571-2577 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -202 , -201 , -107 , -106 , -105 , -104 , -9 , -8

S6EXPV06A_EXPVF: S6 ExpV: Relation of person that did this

Value	Label	Unweighted Frequency	%
1	Family member	0	0.0 %
2	Friend/acquaintance	3	0.2 %
3	Stranger	0	0.0 %
	Missing Data		
-999999	-	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-104	Followup questions arent asked if the gate isnt yes	1228	90.7 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 2578-2584 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -202 , -201 , -107 , -106 , -105 , -104 , -9 , -8

S6EXPV06A_EXPVG: S6 ExpV: Where did this happen

Value	Label	Unweighted Frequency	%
1	At home	2	0.1 %
2	At school	0	0.0 %
3	In his/her neighborhood	0	0.0 %
4	Other (specify)	1	0.1 %
	Missing Data		
-999999	-	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-104	Followup questions arent asked if the gate isnt yes	1228	90.7 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 2585-2591 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -202 , -201 , -107 , -106 , -105 , -104 , -9 , -8

S6EXPV07A_EXPVA: S6 ExpV: Saw someone attacked w/weapon

Value	Label	Unweighted Frequency	%
1	Yes	149	11.0 %
5	No	0	0.0 %
	Missing Data		
-999999	-	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-104	Followup questions arent asked if the gate isnt yes	1082	79.9 %
	Total	**1,354**	**100%**

Based upon 149 valid cases out of 1,354 total cases.

Location: 2592-2598 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -202 , -201 , -109 , -108 , -104 , -9 , -8

S6EXPV07A_EXPVB: S6 ExpV: Num times saw someone attacked w/weapon

Based upon 148 valid cases out of 1,354 total cases.

- Mean: 4.00
- Median: 2.00
- Mode: 1.00

- Minimum: 1.00
- Maximum: 70.00
- Standard Deviation: 8.31

Location: 2599-2605 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -999 , -998 , -202 , -201 , -105 , -104

S6EXPV08A_EXPVA: S6 ExpV: You attacked w/weapon

Value	Label	Unweighted Frequency	%
1	Yes	33	2.4 %
5	No	0	0.0 %
	Missing Data		
-999999	-	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-104	Followup questions arent asked if the gate isnt yes	1198	88.5 %
	Total	**1,354**	**100%**

Based upon 33 valid cases out of 1,354 total cases.

Location: 2606-2612 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -202 , -201 , -109 , -108 , -104 , -9 , -8

S6EXPV08A_EXPVB: S6 ExpV: Num times you attacked w/ weapon

Based upon 33 valid cases out of 1,354 total cases.

- Mean: 1.58
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.12

Location: 2613-2619 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -999 , -998 , -202 , -201 , -105 , -104

S6EXPV09A_EXPVA: S6 ExpV: Saw someone shot at

Value	Label	Unweighted Frequency	%
1	Yes	114	8.4 %
5	No	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-104	Followup questions arent asked if the gate isnt yes	1118	82.6 %
	Total	**1,354**	**100%**

Based upon 114 valid cases out of 1,354 total cases.

Location: 2620-2623 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S6EXPV09A_EXPVB: S6 ExpV: Num times saw someone shot at

Based upon 114 valid cases out of 1,354 total cases.

- Mean: 3.20
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 32.00
- Standard Deviation: 4.82

Location: 2624-2627 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S6EXPV10A_EXPVA: S6 ExpV: You shot at

Value	Label	Unweighted Frequency	%
1	Yes	42	3.1 %
5	No	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-104	Followup questions arent asked if the gate isnt yes	1190	87.9 %
	Total	**1,354**	**100%**

Based upon 42 valid cases out of 1,354 total cases.

Location: 2628-2631 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S6EXPV10A_EXPVB: S6 ExpV: Num times you shot at

Based upon 42 valid cases out of 1,354 total cases.

- Mean: 1.98
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 15.00
- Standard Deviation: 2.40

Location: 2632-2635 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S6EXPV11A_EXPVA: S6 ExpV: Saw someone shot

Value	Label	Unweighted Frequency	%
1	Yes	79	5.8 %
5	No	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-104	Followup questions arent asked if the gate isnt yes	1153	85.2 %
	Total	**1,354**	**100%**

Based upon 79 valid cases out of 1,354 total cases.

Location: 2636-2639 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S6EXPV11A_EXPVB: S6 ExpV: Num times saw someone shot

Based upon 79 valid cases out of 1,354 total cases.

- Mean: 1.66
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.22

Location: 2640-2643 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S6EXPV12A_EXPVA: S6 ExpV: You shot

Value	Label	Unweighted Frequency	%
1	Yes	7	0.5 %
5	No	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-104	Followup questions arent asked if the gate isnt yes	1225	90.5 %
	Total	**1,354**	**100%**

Based upon 7 valid cases out of 1,354 total cases.

Location: 2644-2647 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S6EXPV12A_EXPVB: S6 ExpV: Num times you shot

Value	Label	Unweighted Frequency	%
1	-	6	0.4 %

Value	Label	Unweighted Frequency	%
2	-	1	0.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-104	Followup questions arent asked if the gate isnt yes	1225	90.5 %
	Total	**1,354**	**100%**

Based upon 7 valid cases out of 1,354 total cases.

Location: 2648-2651 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S6EXPV13A_EXPVA: S6 ExpV: Saw someone killed from violence

Value	Label	Unweighted Frequency	%
1	Yes	51	3.8 %
5	No	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-104	Followup questions arent asked if the gate isnt yes	1181	87.2 %
	Total	**1,354**	**100%**

Based upon 51 valid cases out of 1,354 total cases.

Location: 2652-2655 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S6EXPV13A_EXPVB: S6 ExpV: Num times saw one killed from violence

Based upon 50 valid cases out of 1,354 total cases.

- Mean: 1.48
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.97

Location: 2656-2659 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S6EXPV14A: S6 ExpV: Num close to you tried to kill self

Based upon 35 valid cases out of 1,354 total cases.

- Mean: 1.11
- Median: 1.00

- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.40

Location: 2660-2663 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -104 , -99 , -98

S6EXPV18A_EXPVA: S6 ExpV: You tried kill self

Value	Label	Unweighted Frequency	%
1	Yes	12	0.9 %
5	No	0	0.0 %
	Missing Data		
-999999	-	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-104	Followup questions arent asked if the gate isnt yes	1219	90.0 %
	Total	**1,354**	**100%**

Based upon 12 valid cases out of 1,354 total cases.

Location: 2664-2670 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -202 , -201 , -109 , -108 , -104 , -9 , -8

S6EXPV18A_EXPVB: S6 ExpV: Num times you tried kill self

Based upon 12 valid cases out of 1,354 total cases.

- Mean: 1.92
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 8.00
- Standard Deviation: 2.11

Location: 2671-2677 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -999 , -998 , -202 , -201 , -105 , -104

S6EXPWIT: S6 ExpV: Witnessed score

Value	Label	Unweighted Frequency	%
0	-	803	59.3 %
1	-	177	13.1 %
2	-	94	6.9 %
3	-	91	6.7 %
4	-	39	2.9 %
5	-	14	1.0 %

Value	Label	Unweighted Frequency	%
6	-	12	0.9 %
7	-	2	0.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 2678-2681 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -100

S6EXPVIC: S6 ExpV: Victim score

Value	Label	Unweighted Frequency	%
0	-	1120	82.7 %
1	-	73	5.4 %
2	-	29	2.1 %
3	-	9	0.7 %
4	-	1	0.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 2682-2685 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -100

S6EXPTOT: S6 ExpV: Total score - witnessed plus victim

Value	Label	Unweighted Frequency	%
0	-	765	56.5 %
1	-	186	13.7 %
2	-	109	8.1 %
3	-	78	5.8 %
4	-	41	3.0 %
5	-	28	2.1 %
6	-	14	1.0 %
7	-	6	0.4 %
8	-	2	0.1 %
9	-	2	0.1 %
10	-	1	0.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 2686-2689 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -100

S6EXPVIO_SUICAL_M01: S6 SuiCal: Attempt suicide M01

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	10	0.7 %
	Missing Data		
9	Don't Know	1	0.1 %
.	-	1342	99.1 %
	Total	**1,354**	**100%**

Based upon 11 valid cases out of 1,354 total cases.

Location: 2690-2690 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S6EXPVIO_SUICAL_M02: S6 SuiCal: Attempt suicide M02

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
5	No	10	0.7 %
	Missing Data		
.	-	1342	99.1 %
	Total	**1,354**	**100%**

Based upon 12 valid cases out of 1,354 total cases.

Location: 2691-2691 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S6EXPVIO_SUICAL_M03: S6 SuiCal: Attempt suicide M03

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
5	No	9	0.7 %

Value	Label	Unweighted Frequency	%
	Missing Data		
9	Don't Know	1	0.1 %
.	-	1342	99.1 %
	Total	**1,354**	**100%**

Based upon 11 valid cases out of 1,354 total cases.

Location: 2692-2692 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S6EXPVIO_SUICAL_M04: S6 SuiCal: Attempt suicide M04

Value	Label	Unweighted Frequency	%
1	Yes	5	0.4 %
5	No	6	0.4 %
	Missing Data		
9	Don't Know	1	0.1 %
.	-	1342	99.1 %
	Total	**1,354**	**100%**

Based upon 11 valid cases out of 1,354 total cases.

Location: 2693-2693 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S6EXPVIO_SUICAL_M05: S6 SuiCal: Attempt suicide M05

Value	Label	Unweighted Frequency	%
1	Yes	5	0.4 %
5	No	6	0.4 %
	Missing Data		
9	Don't Know	1	0.1 %
.	-	1342	99.1 %
	Total	**1,354**	**100%**

Based upon 11 valid cases out of 1,354 total cases.

Location: 2694-2694 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S6EXPVIO_SUICAL_M06: S6 SuiCal: Attempt suicide M06

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
5	No	7	0.5 %
	Missing Data		
9	Don't Know	1	0.1 %
.	-	1344	99.3 %
	Total	**1,354**	**100%**

Based upon 9 valid cases out of 1,354 total cases.

Location: 2695-2695 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S6EXPVIO_SUICAL_M07: S6 SuiCal: Attempt suicide M07

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	5	0.4 %
	Missing Data		
.	-	1348	99.6 %
	Total	**1,354**	**100%**

Based upon 6 valid cases out of 1,354 total cases.

Location: 2696-2696 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S6EXPVIO_SUICAL_M08: S6 SuiCal: Attempt suicide M08

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	2	0.1 %
	Missing Data		
.	-	1352	99.9 %
	Total	**1,354**	**100%**

Based upon 2 valid cases out of 1,354 total cases.

Location: 2697-2697 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S6EXPVIO_SUICAL_M09: S6 SuiCal: Attempt suicide M09

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
.	-	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2698-2698 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S6EXPVIO_SUICAL_M10: S6 SuiCal: Attempt suicide M10

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
.	-	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2699-2699 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S6EXPVIO_SUICAL_M11: S6 SuiCal: Attempt suicide M11

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
.	-	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2700-2700 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S6EXPVIO_SUICAL_M12: S6 SuiCal: Attempt suicide M12

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %

Value	Label	Unweighted Frequency	%
5	No	0	0.0 %
	Missing Data		
.	-	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2701-2701 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S6EXPVIO_SUICAL_M13: S6 SuiCal: Attempt suicide M13

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
.	-	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2702-2702 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S6EXPVIO_SUICAL_M14: S6 SuiCal: Attempt suicide M14

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
.	-	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2703-2703 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S6EXPVIO_SUICAL_NATTEMPTMOS: S6 ExpV: Number of months with a suicide attempt

Value	Label	Unweighted Frequency	%
1	-	10	0.7 %
4	-	2	0.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	1342	99.1 %
	Total	**1,354**	**100%**

Based upon 12 valid cases out of 1,354 total cases.

Location: 2704-2705 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 98 , 99 , .

S7EXPV01: S7 ExpV: See anyone chased thought could be hurt

Value	Label	Unweighted Frequency	%
1	Yes	271	20.0 %
5	No	943	69.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,214 valid cases out of 1,354 total cases.

Location: 2706-2709 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S7EXPV02: S7 ExpV: You chased thought could be hurt

Value	Label	Unweighted Frequency	%
1	Yes	53	3.9 %
5	No	1161	85.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,214 valid cases out of 1,354 total cases.

Location: 2710-2713 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S7EXPV03: S7 ExpV: Ever seen someone else get beaten up

Value	Label	Unweighted Frequency	%
1	Yes	408	30.1 %

Value	Label	Unweighted Frequency	%
5	No	806	59.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,214 valid cases out of 1,354 total cases.

Location: 2714-2717 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S7EXPV04: S7 ExpV: You beaten up

Value	Label	Unweighted Frequency	%
1	Yes	69	5.1 %
5	No	1145	84.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,214 valid cases out of 1,354 total cases.

Location: 2718-2721 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S7EXPV05: S7 ExpV: Saw someone raped

Value	Label	Unweighted Frequency	%
1	Yes	8	0.6 %
5	No	1204	88.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-108	ETV skipped by mistake - sub not in federal facility	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,212 valid cases out of 1,354 total cases.

Location: 2722-2725 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S7EXPV06: S7 ExpV: You raped

Value	Label	Unweighted Frequency	%
1	Yes	6	0.4 %
5	No	1206	89.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-108	ETV skipped by mistake - sub not in federal facility	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,212 valid cases out of 1,354 total cases.

Location: 2726-2729 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S7EXPV07: S7 ExpV: Saw someone attacked w/weapon

Value	Label	Unweighted Frequency	%
1	Yes	218	16.1 %
5	No	994	73.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-108	ETV skipped by mistake - sub not in federal facility	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,212 valid cases out of 1,354 total cases.

Location: 2730-2733 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S7EXPV08: S7 ExpV: You attacked w/weapon

Value	Label	Unweighted Frequency	%
1	Yes	67	4.9 %
5	No	1145	84.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-108	ETV skipped by mistake - sub not in federal facility	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,212 valid cases out of 1,354 total cases.

Location: 2734-2737 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S7EXPV09: S7 ExpV: Saw someone shot AT but missed

Value	Label	Unweighted Frequency	%
1	Yes	175	12.9 %
5	No	1039	76.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,214 valid cases out of 1,354 total cases.

Location: 2738-2741 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S7EXPV10: S7 ExpV: You shot AT missed

Value	Label	Unweighted Frequency	%
1	Yes	85	6.3 %
5	No	1129	83.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,214 valid cases out of 1,354 total cases.

Location: 2742-2745 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S7EXPV11: S7 ExpV: Saw someone shot

Value	Label	Unweighted Frequency	%
1	Yes	125	9.2 %
5	No	1087	80.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,212 valid cases out of 1,354 total cases.

Location: 2746-2749 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S7EXPV12: S7 ExpV: You shot

Value	Label	Unweighted Frequency	%
1	Yes	18	1.3 %
5	No	1196	88.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,214 valid cases out of 1,354 total cases.

Location: 2750-2753 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S7EXPV13: S7 ExpV: Saw someone killed from violence

Value	Label	Unweighted Frequency	%
1	Yes	84	6.2 %
5	No	1129	83.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 2754-2757 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S7EXPV14: S7 ExpV: Anyone close to you ever try kill self

Value	Label	Unweighted Frequency	%
1	Yes	41	3.0 %
5	No	1173	86.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 1,214 valid cases out of 1,354 total cases.

Location: 2758-2761 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S7EXPV18: S7 ExpV: You tried to kill self

Value	Label	Unweighted Frequency	%
1	Yes	16	1.2 %
5	No	1194	88.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-108	ETV skipped by mistake - sub not in federal facility	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,210 valid cases out of 1,354 total cases.

Location: 2762-2765 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S7EXPV17: S7 ExpV: Anyone close to you died

Value	Label	Unweighted Frequency	%
1	Yes	311	23.0 %
5	No	903	66.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,214 valid cases out of 1,354 total cases.

Location: 2766-2769 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S7EXPV17A: S7 ExpV: Num close to you died

Based upon 311 valid cases out of 1,354 total cases.

- Mean: 1.53
- Median: 1.00

- Mode: 1.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 0.99

Location: 2770-2773 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -101

S7EXPV17B: S7 ExpV: Num close to you died/truncated to 4

Value	Label	Unweighted Frequency	%
1	-	220	16.2 %
2	-	46	3.4 %
3	-	27	2.0 %
4	-	18	1.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Skipped if s7expv17 isnt Yes	903	66.7 %
	Total	**1,354**	**100%**

Based upon 311 valid cases out of 1,354 total cases.

Location: 2774-2777 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -99 , -98

S7EXPVIO_DIEDBIOFATHER: S7 ExpV_Died: Biofather during recall period

Value	Label	Unweighted Frequency	%
1	Yes	4	0.3 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-103	Less than 4 people died last 6 months	307	22.7 %
-101	Skipped if s7expv17 isnt Yes	903	66.7 %
	Total	**1,354**	**100%**

Based upon 4 valid cases out of 1,354 total cases.

Location: 2778-2781 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S7EXPVIO_DIEDBIOMOTHER: S7 ExpV_Died: Biomother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	9	0.7 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-103	Less than 4 people died last 6 months	302	22.3 %
-101	Skipped if s7expv17 isnt Yes	903	66.7 %
	Total	**1,354**	**100%**

Based upon 9 valid cases out of 1,354 total cases.

Location: 2782-2785 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S7EXPVIO_DIEDBIOSISTER: S7 ExpV_Died: Biosister during recall period

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-103	Less than 4 people died last 6 months	309	22.8 %
-101	Skipped if s7expv17 isnt Yes	903	66.7 %
	Total	**1,354**	**100%**

Based upon 2 valid cases out of 1,354 total cases.

Location: 2786-2789 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S7EXPVIO_DIEDBIOBROTHER: S7 ExpV_Died: Biobrother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	3	0.2 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-103	Less than 4 people died last 6 months	308	22.7 %
-101	Skipped if s7expv17 isnt Yes	903	66.7 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 2790-2793 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S7EXPVIO_DIEDBIOGRANDMOTHER: S7 ExpV_Died: Biograndmother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	31	2.3 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-103	Less than 4 people died last 6 months	280	20.7 %
-101	Skipped if s7expv17 isnt Yes	903	66.7 %
	Total	**1,354**	**100%**

Based upon 31 valid cases out of 1,354 total cases.

Location: 2794-2797 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S7EXPVIO_DIEDBIOGRANDFATHER: S7 ExpV_Died: Biograndfather during recall period

Value	Label	Unweighted Frequency	%
1	Yes	20	1.5 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-103	Less than 4 people died last 6 months	291	21.5 %
-101	Skipped if s7expv17 isnt Yes	903	66.7 %
	Total	**1,354**	**100%**

Based upon 20 valid cases out of 1,354 total cases.

Location: 2798-2801 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S7EXPVIO_DIEDSTEPFATHER: S7 ExpV_Died: Stepfather during recall period

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
5	No	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-103	Less than 4 people died last 6 months	309	22.8 %
-101	Skipped if s7expv17 isnt Yes	903	66.7 %
	Total	**1,354**	**100%**

Based upon 2 valid cases out of 1,354 total cases.

Location: 2802-2805 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S7EXPVIO_DIEDSTEPMOTHER: S7 ExpV_Died: Stepmother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-103	Less than 4 people died last 6 months	311	23.0 %
-101	Skipped if s7expv17 isnt Yes	903	66.7 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2806-2809 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S7EXPVIO_DIEDSTEPSISTER: S7 ExpV_Died: Stepsister during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-103	Less than 4 people died last 6 months	311	23.0 %
-101	Skipped if s7expv17 isnt Yes	903	66.7 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2810-2813 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S7EXPVIO_DIEDSTEPBROTHER: S7 ExpV_Died: Stepbrother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-103	Less than 4 people died last 6 months	311	23.0 %
-101	Skipped if s7expv17 isnt Yes	903	66.7 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2814-2817 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S7EXPVIO_DIEDADOPTIVEFATHER: S7 ExpV_Died: Adoptivefather during recall period

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-103	Less than 4 people died last 6 months	310	22.9 %
-101	Skipped if s7expv17 isnt Yes	903	66.7 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 2818-2821 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S7EXPVIO_DIEDADOPTIVEMOTHER: S7 ExpV_Died: Adoptivemother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-103	Less than 4 people died last 6 months	311	23.0 %
-101	Skipped if s7expv17 isnt Yes	903	66.7 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2822-2825 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S7EXPVIO_DIEDADOPTIVESISTER: S7 ExpV_Died: Adoptivesister during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-103	Less than 4 people died last 6 months	311	23.0 %
-101	Skipped if s7expv17 isnt Yes	903	66.7 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2826-2829 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S7EXPVIO_DIEDADOPTIVEBROTHER: S7 ExpV_Died: Adoptivebrother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-103	Less than 4 people died last 6 months	310	22.9 %
-101	Skipped if s7expv17 isnt Yes	903	66.7 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 2830-2833 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S7EXPVIO_DIEDWIFE: S7 ExpV_Died: Wife during recall period

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-103	Less than 4 people died last 6 months	310	22.9 %
-101	Skipped if s7expv17 isnt Yes	903	66.7 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 2834-2837 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S7EXPVIO_DIEDHUSBAND: S7 ExpV_Died: Husband during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-103	Less than 4 people died last 6 months	311	23.0 %
-101	Skipped if s7expv17 isnt Yes	903	66.7 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2838-2841 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S7EXPVIO_DIEDSON: S7 ExpV_Died: Son during recall period

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %

Value	Label	Unweighted Frequency	%
-103	Less than 4 people died last 6 months	310	22.9 %
-101	Skipped if s7expv17 isnt Yes	903	66.7 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 2842-2845 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S7EXPVIO_DIEDDAUGHTER: S7 ExpV_Died: Daughter during recall period

Value	Label	Unweighted Frequency	%
1	Yes	4	0.3 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-103	Less than 4 people died last 6 months	307	22.7 %
-101	Skipped if s7expv17 isnt Yes	903	66.7 %
	Total	**1,354**	**100%**

Based upon 4 valid cases out of 1,354 total cases.

Location: 2846-2849 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S7EXPVIO_DIEDAUNT: S7 ExpV_Died: Aunt during recall period

Value	Label	Unweighted Frequency	%
1	Yes	30	2.2 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-103	Less than 4 people died last 6 months	281	20.8 %
-101	Skipped if s7expv17 isnt Yes	903	66.7 %
	Total	**1,354**	**100%**

Based upon 30 valid cases out of 1,354 total cases.

Location: 2850-2853 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S7EXPVIO_DIEDUNCLE: S7 ExpV_Died: Uncle during recall period

Value	Label	Unweighted Frequency	%
1	Yes	36	2.7 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-103	Less than 4 people died last 6 months	275	20.3 %
-101	Skipped if s7expv17 isnt Yes	903	66.7 %
	Total	**1,354**	**100%**

Based upon 36 valid cases out of 1,354 total cases.

Location: 2854-2857 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S7EXPVIO_DIEDFEMALECOUSIN: S7 ExpV_Died: Femalecousin during recall period

Value	Label	Unweighted Frequency	%
1	Yes	6	0.4 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-103	Less than 4 people died last 6 months	305	22.5 %
-101	Skipped if s7expv17 isnt Yes	903	66.7 %
	Total	**1,354**	**100%**

Based upon 6 valid cases out of 1,354 total cases.

Location: 2858-2861 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S7EXPVIO_DIEDMALECOUSIN: S7 ExpV_Died: Malecousin during recall period

Value	Label	Unweighted Frequency	%
1	Yes	37	2.7 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-103	Less than 4 people died last 6 months	274	20.2 %

Value	Label	Unweighted Frequency	%
-101	Skipped if s7expv17 isnt Yes	903	66.7 %
	Total	**1,354**	**100%**

Based upon 37 valid cases out of 1,354 total cases.

Location: 2862-2865 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S7EXPVIO_DIEDNEPHEW: S7 ExpV_Died: Nephew during recall period

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-103	Less than 4 people died last 6 months	309	22.8 %
-101	Skipped if s7expv17 isnt Yes	903	66.7 %
	Total	**1,354**	**100%**

Based upon 2 valid cases out of 1,354 total cases.

Location: 2866-2869 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S7EXPVIO_DIEDNIECE: S7 ExpV_Died: Niece during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-103	Less than 4 people died last 6 months	311	23.0 %
-101	Skipped if s7expv17 isnt Yes	903	66.7 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2870-2873 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S7EXPVIO_DIEDLIVEINBFGF: S7 ExpV_Died: LiveinBFGF during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-103	Less than 4 people died last 6 months	311	23.0 %
-101	Skipped if s7expv17 isnt Yes	903	66.7 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2874-2877 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S7EXPVIO_DIEDFEMALEFRIEND: S7 ExpV_Died: Femalefriend during recall period

Value	Label	Unweighted Frequency	%
1	Yes	16	1.2 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-103	Less than 4 people died last 6 months	295	21.8 %
-101	Skipped if s7expv17 isnt Yes	903	66.7 %
	Total	**1,354**	**100%**

Based upon 16 valid cases out of 1,354 total cases.

Location: 2878-2881 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S7EXPVIO_DIEDMALEFRIEND: S7 ExpV_Died: Malefriend during recall period

Value	Label	Unweighted Frequency	%
1	Yes	138	10.2 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-103	Less than 4 people died last 6 months	173	12.8 %
-101	Skipped if s7expv17 isnt Yes	903	66.7 %
	Total	**1,354**	**100%**

Based upon 138 valid cases out of 1,354 total cases.

Location: 2882-2885 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S7EXPVIO_DIEDBOYFRIEND: S7 ExpV_Died: Boyfriend during recall period

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-103	Less than 4 people died last 6 months	310	22.9 %
-101	Skipped if s7expv17 isnt Yes	903	66.7 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 2886-2889 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S7EXPVIO_DIEDGIRLFRIEND: S7 ExpV_Died: Girlfriend during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-103	Less than 4 people died last 6 months	311	23.0 %
-101	Skipped if s7expv17 isnt Yes	903	66.7 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2890-2893 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S7EXPVIO_DIEDMALEROOMMATE: S7 ExpV_Died: Maleroommate during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-103	Less than 4 people died last 6 months	311	23.0 %
-101	Skipped if s7expv17 isnt Yes	903	66.7 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2894-2897 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S7EXPVIO_DIEDFEMALEROOMMATE: S7 ExpV_Died: Femaleroommate during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-103	Less than 4 people died last 6 months	311	23.0 %
-101	Skipped if s7expv17 isnt Yes	903	66.7 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2898-2901 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S7EXPVIO_DIEDPROFRELATIONSHIP: S7 ExpV_Died: Profrelationship during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-103	Less than 4 people died last 6 months	311	23.0 %
-101	Skipped if s7expv17 isnt Yes	903	66.7 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2902-2905 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S7EXPVIO_DIEDFOSTERMOTHER: S7 ExpV_Died: Fostermother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-103	Less than 4 people died last 6 months	311	23.0 %
-101	Skipped if s7expv17 isnt Yes	903	66.7 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2906-2909 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S7EXPVIO_DIEDFOSTERFATHER: S7 ExpV_Died: Fosterfather during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-103	Less than 4 people died last 6 months	311	23.0 %
-101	Skipped if s7expv17 isnt Yes	903	66.7 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2910-2913 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S7EXPVIO_DIEDFOSTERBROTHER: S7 ExpV_Died: Fosterbrother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-103	Less than 4 people died last 6 months	311	23.0 %
-101	Skipped if s7expv17 isnt Yes	903	66.7 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2914-2917 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S7EXPVIO_DIEDFOSTERSISTER: S7 ExpV_Died: Fostersister during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-103	Less than 4 people died last 6 months	311	23.0 %
-101	Skipped if s7expv17 isnt Yes	903	66.7 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2918-2921 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S7EXPVIO_DIEDMOTHEROFCHILD: S7 ExpV_Died: MotherOfchild during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-103	Less than 4 people died last 6 months	311	23.0 %
-101	Skipped if s7expv17 isnt Yes	903	66.7 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2922-2925 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S7EXPVIO_DIEDFATHEROFCHILD: S7 ExpV_Died: FatherOfchild during recall period

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-103	Less than 4 people died last 6 months	310	22.9 %
-101	Skipped if s7expv17 isnt Yes	903	66.7 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 2926-2929 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S7EXPVIO_DIEDSTEPSON: S7 ExpV_Died: Stepson during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-103	Less than 4 people died last 6 months	311	23.0 %
-101	Skipped if s7expv17 isnt Yes	903	66.7 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2930-2933 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S7EXPVIO_DIEDSTEPDAUGHTER: S7 ExpV_Died: Stepdaughter during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %

Value	Label	Unweighted Frequency	%
-103	Less than 4 people died last 6 months	311	23.0 %
-101	Skipped if s7expv17 isnt Yes	903	66.7 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2934-2937 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S7EXPVIO_DIEDFIANCE: S7 ExpV_Died: Fiance during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-103	Less than 4 people died last 6 months	311	23.0 %
-101	Skipped if s7expv17 isnt Yes	903	66.7 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 2938-2941 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S7EXPVIO_DIEDOTHERRELATIVE: S7 ExpV_Died: OtherRelative during recall period

Value	Label	Unweighted Frequency	%
1	Yes	14	1.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-103	Less than 4 people died last 6 months	297	21.9 %
-101	Skipped if s7expv17 isnt Yes	903	66.7 %
	Total	**1,354**	**100%**

Based upon 14 valid cases out of 1,354 total cases.

Location: 2942-2945 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S7EXPVIO_DIEDOTHER: S7 ExpV_Died: Other during recall period

Value	Label	Unweighted Frequency	%
1	Yes	19	1.4 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-103	Less than 4 people died last 6 months	292	21.6 %
-101	Skipped if s7expv17 isnt Yes	903	66.7 %
	Total	**1,354**	**100%**

Based upon 19 valid cases out of 1,354 total cases.

Location: 2946-2949 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S7EXPV15: S7 ExpV: Found dead body

Value	Label	Unweighted Frequency	%
1	Yes	14	1.0 %
5	No	1200	88.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,214 valid cases out of 1,354 total cases.

Location: 2950-2953 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S7EXPV16: S7 ExpV: Other situation frightened

Value	Label	Unweighted Frequency	%
1	Yes	54	4.0 %
5	No	1160	85.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,214 valid cases out of 1,354 total cases.

Location: 2954-2957 (width: 4; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S7EXPV01A_EXPVA: S7 ExpV: Saw another chased

Based upon 271 valid cases out of 1,354 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 2958-2961 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S7EXPV01A_EXPVB: S7 ExpV: How many times seen chased

Value	Label	Unweighted Frequency	%
1	-	74	5.5 %
2	-	78	5.8 %
3	-	28	2.1 %
4	-	28	2.1 %
5	-	18	1.3 %
6	-	3	0.2 %
7	-	4	0.3 %
10	-	19	1.4 %
13	-	1	0.1 %
14	-	1	0.1 %
15	-	3	0.2 %
20	-	3	0.2 %
25	-	2	0.1 %
30	-	1	0.1 %
40	-	1	0.1 %
50	-	4	0.3 %
52	-	1	0.1 %
300	-	1	0.1 %
400	-	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-104	Followup questions arent asked if the gate isnt yes	943	69.6 %
	Total	**1,354**	**100%**

Based upon 271 valid cases out of 1,354 total cases.

Location: 2962-2965 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S7EXPV02A_EXPVA: S7 ExpV: You chased

Value	Label	Unweighted Frequency	%
1	Yes	53	3.9 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-104	Followup questions arent asked if the gate isnt yes	1161	85.7 %
	Total	**1,354**	**100%**

Based upon 53 valid cases out of 1,354 total cases.

Location: 2966-2969 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S7EXPV02A_EXPVB: S7 ExpV: Num times you chased

Based upon 52 valid cases out of 1,354 total cases.

- Mean: 2.46
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 25.00
- Standard Deviation: 4.03

Location: 2970-2973 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S7EXPV03A_EXPVA: S7 ExpV: Saw someone beaten

Value	Label	Unweighted Frequency	%
1	Yes	408	30.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-104	Followup questions arent asked if the gate isnt yes	806	59.5 %
	Total	**1,354**	**100%**

Based upon 408 valid cases out of 1,354 total cases.

Location: 2974-2977 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S7EXPV03A_EXPVB: S7 ExpV: Num times saw someone beaten

Based upon 408 valid cases out of 1,354 total cases.

- Mean: 9.00
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 400.00
- Standard Deviation: 28.08

Location: 2978-2981 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S7EXPV04A_EXPVA: S7 ExpV: You beaten up

Value	Label	Unweighted Frequency	%
1	Yes	69	5.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-104	Followup questions arent asked if the gate isnt yes	1145	84.6 %
	Total	**1,354**	**100%**

Based upon 69 valid cases out of 1,354 total cases.

Location: 2982-2985 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S7EXPV04A_EXPVB: S7 ExpV: Num times you beaten up

Based upon 69 valid cases out of 1,354 total cases.

- Mean: 2.46
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 25.00
- Standard Deviation: 4.28

Location: 2986-2989 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S7EXPV05A_EXPVA: S7 ExpV: Saw someone raped

Value	Label	Unweighted Frequency	%
1	Yes	8	0.6 %

Value	Label	Unweighted Frequency	%
5	No	0	0.0 %
	Missing Data		
-999999	-	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-104	Followup questions arent asked if the gate isnt yes	1204	88.9 %
	Total	**1,354**	**100%**

Based upon 8 valid cases out of 1,354 total cases.

Location: 2990-2996 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -202 , -201 , -109 , -108 , -104 , -9 , -8

S7EXPV05A_EXPVB: S7 ExpV: Num times saw someone raped

Based upon 8 valid cases out of 1,354 total cases.

- Mean: 1.75
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.49

Location: 2997-3003 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -999 , -998 , -202 , -201 , -105 , -104

S7EXPV06A_EXPVA: S7 ExpV: You were raped

Value	Label	Unweighted Frequency	%
1	Yes	6	0.4 %
5	No	0	0.0 %
	Missing Data		
-999999	-	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-104	Followup questions arent asked if the gate isnt yes	1206	89.1 %
	Total	**1,354**	**100%**

Based upon 6 valid cases out of 1,354 total cases.

Location: 3004-3010 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -202 , -201 , -109 , -108 , -104 , -9 , -8

S7EXPV06A_EXPVD: S7 ExpV: Did it happen more than once

Value	Label	Unweighted Frequency	%
1	Yes	5	0.4 %
5	No	1	0.1 %
	Missing Data		
-999999	-	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-104	Followup questions arent asked if the gate isnt yes	1206	89.1 %
	Total	**1,354**	**100%**

Based upon 6 valid cases out of 1,354 total cases.

Location: 3011-3017 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -202 , -201 , -107 , -106 , -105 , -104 , -9 , -8

S7EXPV06A_EXPVF: S7 ExpV: Relation of person that did this

Value	Label	Unweighted Frequency	%
1	Family member	0	0.0 %
2	Friend/acquaintance	4	0.3 %
3	Stranger	2	0.1 %
	Missing Data		
-999999	-	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-104	Followup questions arent asked if the gate isnt yes	1206	89.1 %
	Total	**1,354**	**100%**

Based upon 6 valid cases out of 1,354 total cases.

Location: 3018-3024 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -202 , -201 , -107 , -106 , -105 , -104 , -9 , -8

S7EXPV06A_EXPVG: S7 ExpV: Where did this happen

Value	Label	Unweighted Frequency	%
1	At home	3	0.2 %
2	At school	0	0.0 %
3	In his/her neighborhood	0	0.0 %
4	Other (specify)	3	0.2 %
	Missing Data		
-999999	-	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	139	10.3 %
-104	Followup questions arent asked if the gate isnt yes	1206	89.1 %
	Total	**1,354**	**100%**

Based upon 6 valid cases out of 1,354 total cases.

Location: 3025-3031 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -202 , -201 , -107 , -106 , -105 , -104 , -9 , -8

S7EXPV07A_EXPVA: S7 ExpV: Saw someone attacked w/weapon

Value	Label	Unweighted Frequency	%
1	Yes	218	16.1 %
5	No	0	0.0 %
	Missing Data		
-999999	-	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-104	Followup questions arent asked if the gate isnt yes	994	73.4 %
	Total	**1,354**	**100%**

Based upon 218 valid cases out of 1,354 total cases.

Location: 3032-3038 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -202 , -201 , -109 , -108 , -104 , -9 , -8

S7EXPV07A_EXPVB: S7 ExpV: Num times saw someone attacked w/weapon

Based upon 218 valid cases out of 1,354 total cases.

- Mean: 4.13
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 50.00
- Standard Deviation: 6.93

Location: 3039-3045 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -999 , -998 , -202 , -201 , -105 , -104

S7EXPV08A_EXPVA: S7 ExpV: You attacked w/weapon

Value	Label	Unweighted Frequency	%
1	Yes	67	4.9 %
5	No	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-999999	-	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-104	Followup questions arent asked if the gate isnt yes	1145	84.6 %
	Total	**1,354**	**100%**

Based upon 67 valid cases out of 1,354 total cases.

Location: 3046-3052 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -202 , -201 , -109 , -108 , -104 , -9 , -8

S7EXPV08A_EXPVB: S7 ExpV: Num times you attacked w/ weapon

Based upon 67 valid cases out of 1,354 total cases.

- Mean: 1.84
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 2.14

Location: 3053-3059 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -999 , -998 , -202 , -201 , -105 , -104

S7EXPV09A_EXPVA: S7 ExpV: Saw someone shot at

Value	Label	Unweighted Frequency	%
1	Yes	175	12.9 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-104	Followup questions arent asked if the gate isnt yes	1039	76.7 %
	Total	**1,354**	**100%**

Based upon 175 valid cases out of 1,354 total cases.

Location: 3060-3063 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S7EXPV09A_EXPVB: S7 ExpV: Num times saw someone shot at

Based upon 174 valid cases out of 1,354 total cases.

- Mean: 5.72
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 150.00
- Standard Deviation: 14.32

Location: 3064-3067 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S7EXPV10A_EXPVA: S7 ExpV: You shot at

Value	Label	Unweighted Frequency	%
1	Yes	85	6.3 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-104	Followup questions arent asked if the gate isnt yes	1129	83.4 %
	Total	**1,354**	**100%**

Based upon 85 valid cases out of 1,354 total cases.

Location: 3068-3071 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S7EXPV10A_EXPVB: S7 ExpV: Num times you shot at

Based upon 84 valid cases out of 1,354 total cases.

- Mean: 2.87
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 15.00
- Standard Deviation: 3.04

Location: 3072-3075 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S7EXPV11A_EXPVA: S7 ExpV: Saw someone shot

Value	Label	Unweighted Frequency	%
1	Yes	125	9.2 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	139	10.3 %
-104	Followup questions arent asked if the gate isnt yes	1089	80.4 %
	Total	**1,354**	**100%**

Based upon 125 valid cases out of 1,354 total cases.

Location: 3076-3079 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S7EXPV11A_EXPVB: S7 ExpV: Num times saw someone shot

Based upon 124 valid cases out of 1,354 total cases.

- Mean: 2.43
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 15.00
- Standard Deviation: 2.34

Location: 3080-3083 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S7EXPV12A_EXPVA: S7 ExpV: You shot

Value	Label	Unweighted Frequency	%
1	Yes	18	1.3 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-104	Followup questions arent asked if the gate isnt yes	1196	88.3 %
	Total	**1,354**	**100%**

Based upon 18 valid cases out of 1,354 total cases.

Location: 3084-3087 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S7EXPV12A_EXPVB: S7 ExpV: Num times you shot

Value	Label	Unweighted Frequency	%
1	-	15	1.1 %
2	-	2	0.1 %
3	-	1	0.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-104	Followup questions arent asked if the gate isnt yes	1196	88.3 %
	Total	**1,354**	**100%**

Based upon 18 valid cases out of 1,354 total cases.

Location: 3088-3091 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S7EXPV13A_EXPVA: S7 ExpV: Saw someone killed from violence

Value	Label	Unweighted Frequency	%
1	Yes	84	6.2 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-104	Followup questions arent asked if the gate isnt yes	1130	83.5 %
	Total	**1,354**	**100%**

Based upon 84 valid cases out of 1,354 total cases.

Location: 3092-3095 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S7EXPV13A_EXPVB: S7 ExpV: Num times saw one killed from violence

Based upon 83 valid cases out of 1,354 total cases.

- Mean: 1.98
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 20.00
- Standard Deviation: 2.68

Location: 3096-3099 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S7EXPV14A: S7 ExpV: Num close to you tried to kill self

Based upon 41 valid cases out of 1,354 total cases.

- Mean: 1.20

- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.68

Location: 3100-3103 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -104 , -99 , -98

S7EXPV18A_EXPVA: S7 ExpV: You tried kill self

Value	Label	Unweighted Frequency	%
1	Yes	16	1.2 %
5	No	0	0.0 %
	Missing Data		
-999999	-	4	0.3 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-104	Followup questions arent asked if the gate isnt yes	1194	88.2 %
	Total	**1,354**	**100%**

Based upon 16 valid cases out of 1,354 total cases.

Location: 3104-3110 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -202 , -201 , -109 , -108 , -104 , -9 , -8

S7EXPV18A_EXPVB: S7 ExpV: Num times you tried kill self

Based upon 16 valid cases out of 1,354 total cases.

- Mean: 1.25
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.58

Location: 3111-3117 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -999 , -998 , -202 , -201 , -105 , -104

S7EXPWIT: S7 ExpV: Witnessed score

Value	Label	Unweighted Frequency	%
0	-	694	51.3 %
1	-	191	14.1 %
2	-	114	8.4 %
3	-	88	6.5 %

Value	Label	Unweighted Frequency	%
4	-	55	4.1 %
5	-	49	3.6 %
6	-	20	1.5 %
7	-	3	0.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,214 valid cases out of 1,354 total cases.

Location: 3118-3121 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -100

S7EXPVIC: S7 ExpV: Victim score

Value	Label	Unweighted Frequency	%
0	-	1023	75.6 %
1	-	121	8.9 %
2	-	40	3.0 %
3	-	23	1.7 %
4	-	7	0.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,214 valid cases out of 1,354 total cases.

Location: 3122-3125 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -100

S7EXPTOT: S7 ExpV: Total score - witnessed plus victim

Value	Label	Unweighted Frequency	%
0	-	657	48.5 %
1	-	183	13.5 %
2	-	126	9.3 %
3	-	75	5.5 %
4	-	73	5.4 %
5	-	32	2.4 %
6	-	33	2.4 %

Value	Label	Unweighted Frequency	%
7	-	16	1.2 %
8	-	8	0.6 %
9	-	9	0.7 %
10	-	2	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,214 valid cases out of 1,354 total cases.

Location: 3126-3129 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -100

S7EXPVIO_SUICAL_M01: S7 SuiCal: Attempt suicide M01

Value	Label	Unweighted Frequency	%
1	Yes	3	0.2 %
5	No	13	1.0 %
	Missing Data		
.	-	1338	98.8 %
	Total	**1,354**	**100%**

Based upon 16 valid cases out of 1,354 total cases.

Location: 3130-3130 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S7EXPVIO_SUICAL_M02: S7 SuiCal: Attempt suicide M02

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	15	1.1 %
	Missing Data		
.	-	1338	98.8 %
	Total	**1,354**	**100%**

Based upon 16 valid cases out of 1,354 total cases.

Location: 3131-3131 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S7EXPVIO_SUICAL_M03: S7 SuiCal: Attempt suicide M03

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	15	1.1 %
	Missing Data		
.	-	1338	98.8 %
	Total	**1,354**	**100%**

Based upon 16 valid cases out of 1,354 total cases.

Location: 3132-3132 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S7EXPVIO_SUICAL_M04: S7 SuiCal: Attempt suicide M04

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
5	No	14	1.0 %
	Missing Data		
.	-	1338	98.8 %
	Total	**1,354**	**100%**

Based upon 16 valid cases out of 1,354 total cases.

Location: 3133-3133 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S7EXPVIO_SUICAL_M05: S7 SuiCal: Attempt suicide M05

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
5	No	14	1.0 %
	Missing Data		
.	-	1338	98.8 %
	Total	**1,354**	**100%**

Based upon 16 valid cases out of 1,354 total cases.

Location: 3134-3134 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S7EXPVIO_SUICAL_M06: S7 SuiCal: Attempt suicide M06

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %

Value	Label	Unweighted Frequency	%
5	No	15	1.1 %
	Missing Data		
.	-	1338	98.8 %
	Total	**1,354**	**100%**

Based upon 16 valid cases out of 1,354 total cases.

Location: 3135-3135 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S7EXPVIO_SUICAL_M07: S7 SuiCal: Attempt suicide M07

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
5	No	14	1.0 %
	Missing Data		
.	-	1338	98.8 %
	Total	**1,354**	**100%**

Based upon 16 valid cases out of 1,354 total cases.

Location: 3136-3136 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S7EXPVIO_SUICAL_M08: S7 SuiCal: Attempt suicide M08

Value	Label	Unweighted Frequency	%
1	Yes	3	0.2 %
5	No	13	1.0 %
	Missing Data		
.	-	1338	98.8 %
	Total	**1,354**	**100%**

Based upon 16 valid cases out of 1,354 total cases.

Location: 3137-3137 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S7EXPVIO_SUICAL_M09: S7 SuiCal: Attempt suicide M09

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	15	1.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	1338	98.8 %
	Total	**1,354**	**100%**

Based upon 16 valid cases out of 1,354 total cases.

Location: 3138-3138 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S7EXPVIO_SUICAL_M10: S7 SuiCal: Attempt suicide M10

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	15	1.1 %
	Missing Data		
.	-	1338	98.8 %
	Total	**1,354**	**100%**

Based upon 16 valid cases out of 1,354 total cases.

Location: 3139-3139 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S7EXPVIO_SUICAL_M11: S7 SuiCal: Attempt suicide M11

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	14	1.0 %
	Missing Data		
.	-	1340	99.0 %
	Total	**1,354**	**100%**

Based upon 14 valid cases out of 1,354 total cases.

Location: 3140-3140 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S7EXPVIO_SUICAL_M12: S7 SuiCal: Attempt suicide M12

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	10	0.7 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	1343	99.2 %
	Total	**1,354**	**100%**

Based upon 11 valid cases out of 1,354 total cases.

Location: 3141-3141 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S7EXPVIO_SUICAL_M13: S7 SuiCal: Attempt suicide M13

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	5	0.4 %
	Missing Data		
.	-	1349	99.6 %
	Total	**1,354**	**100%**

Based upon 5 valid cases out of 1,354 total cases.

Location: 3142-3142 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S7EXPVIO_SUICAL_M14: S7 SuiCal: Attempt suicide M14

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
.	-	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 3143-3143 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S7EXPVIO_SUICAL_NATTEMPTMOS: S7 ExpV: Number of months with a suicide attempt

Value	Label	Unweighted Frequency	%
1	-	14	1.0 %
2	-	2	0.1 %
	Missing Data		
.	-	1338	98.8 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 16 valid cases out of 1,354 total cases.

Location: 3144-3145 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 98 , 99 , .

S8EXPV01: S8 ExpV: See anyone chased thought could be hurt

Value	Label	Unweighted Frequency	%
1	Yes	267	19.7 %
5	No	937	69.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 3146-3149 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S8EXPV02: S8 ExpV: You chased thought could be hurt

Value	Label	Unweighted Frequency	%
1	Yes	39	2.9 %
5	No	1165	86.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 3150-3153 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S8EXPV03: S8 ExpV: Ever seen someone else get beaten up

Value	Label	Unweighted Frequency	%
1	Yes	360	26.6 %
5	No	844	62.3 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 3154-3157 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S8EXPV04: S8 ExpV: You beaten up

Value	Label	Unweighted Frequency	%
1	Yes	55	4.1 %
5	No	1149	84.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 3158-3161 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S8EXPV05: S8 ExpV: Saw someone raped

Value	Label	Unweighted Frequency	%
1	Yes	10	0.7 %
5	No	1192	88.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-108	ETV skipped by mistake - sub not in federal facility	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,202 valid cases out of 1,354 total cases.

Location: 3162-3165 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S8EXPV06: S8 ExpV: You raped

Value	Label	Unweighted Frequency	%
1	Yes	8	0.6 %
5	No	1194	88.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-108	ETV skipped by mistake - sub not in federal facility	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,202 valid cases out of 1,354 total cases.

Location: 3166-3169 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S8EXPV07: S8 ExpV: Saw someone attacked w/weapon

Value	Label	Unweighted Frequency	%
1	Yes	201	14.8 %
5	No	1001	73.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-108	ETV skipped by mistake - sub not in federal facility	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,202 valid cases out of 1,354 total cases.

Location: 3170-3173 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S8EXPV08: S8 ExpV: You attacked w/weapon

Value	Label	Unweighted Frequency	%
1	Yes	67	4.9 %
5	No	1135	83.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-108	ETV skipped by mistake - sub not in federal facility	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,202 valid cases out of 1,354 total cases.

Location: 3174-3177 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S8EXPV09: S8 ExpV: Saw someone shot AT but missed

Value	Label	Unweighted Frequency	%
1	Yes	167	12.3 %
5	No	1037	76.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 3178-3181 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S8EXPV10: S8 ExpV: You shot AT missed

Value	Label	Unweighted Frequency	%
1	Yes	74	5.5 %
5	No	1130	83.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 3182-3185 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S8EXPV11: S8 ExpV: Saw someone shot

Value	Label	Unweighted Frequency	%
1	Yes	103	7.6 %
5	No	1101	81.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 3186-3189 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S8EXPV12: S8 ExpV: You shot

Value	Label	Unweighted Frequency	%
1	Yes	24	1.8 %
5	No	1180	87.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 3190-3193 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S8EXPV13: S8 ExpV: Saw someone killed from violence

Value	Label	Unweighted Frequency	%
1	Yes	64	4.7 %
5	No	1140	84.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 3194-3197 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S8EXPV14: S8 ExpV: Anyone close to you ever try kill self

Value	Label	Unweighted Frequency	%
1	Yes	39	2.9 %
5	No	1165	86.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 3198-3201 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S8EXPV18: S8 ExpV: You tried to kill self

Value	Label	Unweighted Frequency	%
1	Yes	12	0.9 %
5	No	1188	87.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-109	Subject is in federal faciilty - question skipped	1	0.1 %
-108	ETV skipped by mistake - sub not in federal facility	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,200 valid cases out of 1,354 total cases.

Location: 3202-3205 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S8EXPV17: S8 ExpV: Anyone close to you died

Value	Label	Unweighted Frequency	%
1	Yes	311	23.0 %
5	No	893	66.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 3206-3209 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S8EXPV17A: S8 ExpV: Num close to you died

Based upon 311 valid cases out of 1,354 total cases.

- Mean: 1.44
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 1.05

Location: 3210-3213 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -101

S8EXPV17B: S8 ExpV: Num close to you died/truncated to 4

Value	Label	Unweighted Frequency	%
1	-	232	17.1 %
2	-	53	3.9 %
3	-	12	0.9 %
4	-	14	1.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Skipped if s8expv17 isnt Yes	893	66.0 %
	Total	**1,354**	**100%**

Based upon 311 valid cases out of 1,354 total cases.

Location: 3214-3217 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -99 , -98

S8EXPVIO_DIEDBIOFATHER: S8 ExpV_Died: Biofather during recall period

Value	Label	Unweighted Frequency	%
1	Yes	10	0.7 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-103	Less than 4 people died last 6 months	301	22.2 %
-101	Skipped if s8expv17 isnt Yes	893	66.0 %
	Total	**1,354**	**100%**

Based upon 10 valid cases out of 1,354 total cases.

Location: 3218-3221 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S8EXPVIO_DIEDBIOMOTHER: S8 ExpV_Died: Biomother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	7	0.5 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %

Value	Label	Unweighted Frequency	%
-103	Less than 4 people died last 6 months	304	22.5 %
-101	Skipped if s8expv17 isnt Yes	893	66.0 %
	Total	**1,354**	**100%**

Based upon 7 valid cases out of 1,354 total cases.

Location: 3222-3225 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S8EXPVIO_DIEDBIOSISTER: S8 ExpV_Died: Biosister during recall period

Value	Label	Unweighted Frequency	%
1	Yes	3	0.2 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-103	Less than 4 people died last 6 months	308	22.7 %
-101	Skipped if s8expv17 isnt Yes	893	66.0 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 3226-3229 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S8EXPVIO_DIEDBIOBROTHER: S8 ExpV_Died: Biobrother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	9	0.7 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-103	Less than 4 people died last 6 months	302	22.3 %
-101	Skipped if s8expv17 isnt Yes	893	66.0 %
	Total	**1,354**	**100%**

Based upon 9 valid cases out of 1,354 total cases.

Location: 3230-3233 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S8EXPVIO_DIEDBIOGRANDMOTHER: S8 ExpV_Died: Biograndmother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	35	2.6 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-103	Less than 4 people died last 6 months	276	20.4 %
-101	Skipped if s8expv17 isnt Yes	893	66.0 %
	Total	**1,354**	**100%**

Based upon 35 valid cases out of 1,354 total cases.

Location: 3234-3237 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S8EXPVIO_DIEDBIOGRANDFATHER: S8 ExpV_Died: Biograndfather during recall period

Value	Label	Unweighted Frequency	%
1	Yes	17	1.3 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-103	Less than 4 people died last 6 months	294	21.7 %
-101	Skipped if s8expv17 isnt Yes	893	66.0 %
	Total	**1,354**	**100%**

Based upon 17 valid cases out of 1,354 total cases.

Location: 3238-3241 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S8EXPVIO_DIEDSTEPFATHER: S8 ExpV_Died: Stepfather during recall period

Value	Label	Unweighted Frequency	%
1	Yes	4	0.3 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-103	Less than 4 people died last 6 months	307	22.7 %

Value	Label	Unweighted Frequency	%
-101	Skipped if s8expv17 isnt Yes	893	66.0 %
	Total	**1,354**	**100%**

Based upon 4 valid cases out of 1,354 total cases.

Location: 3242-3245 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S8EXPVIO_DIEDSTEPMOTHER: S8 ExpV_Died: Stepmother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-103	Less than 4 people died last 6 months	311	23.0 %
-101	Skipped if s8expv17 isnt Yes	893	66.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 3246-3249 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S8EXPVIO_DIEDSTEPSISTER: S8 ExpV_Died: Stepsister during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-103	Less than 4 people died last 6 months	311	23.0 %
-101	Skipped if s8expv17 isnt Yes	893	66.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 3250-3253 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S8EXPVIO_DIEDSTEPBROTHER: S8 ExpV_Died: Stepbrother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-103	Less than 4 people died last 6 months	310	22.9 %
-101	Skipped if s8expv17 isnt Yes	893	66.0 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 3254-3257 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S8EXPVIO_DIEDADOPTIVEFATHER: S8 ExpV_Died: Adoptivefather during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-103	Less than 4 people died last 6 months	311	23.0 %
-101	Skipped if s8expv17 isnt Yes	893	66.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 3258-3261 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S8EXPVIO_DIEDADOPTIVEMOTHER: S8 ExpV_Died: Adoptivemother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-103	Less than 4 people died last 6 months	310	22.9 %
-101	Skipped if s8expv17 isnt Yes	893	66.0 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 3262-3265 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S8EXPVIO_DIEDADOPTIVESISTER: S8 ExpV_Died: Adoptivesister during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-103	Less than 4 people died last 6 months	311	23.0 %
-101	Skipped if s8expv17 isnt Yes	893	66.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 3266-3269 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S8EXPVIO_DIEDADOPTIVEBROTHER: S8 ExpV_Died: Adoptivebrother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-103	Less than 4 people died last 6 months	311	23.0 %
-101	Skipped if s8expv17 isnt Yes	893	66.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 3270-3273 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S8EXPVIO_DIEDWIFE: S8 ExpV_Died: Wife during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-103	Less than 4 people died last 6 months	311	23.0 %
-101	Skipped if s8expv17 isnt Yes	893	66.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 3274-3277 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S8EXPVIO_DIEDHUSBAND: S8 ExpV_Died: Husband during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-103	Less than 4 people died last 6 months	311	23.0 %
-101	Skipped if s8expv17 isnt Yes	893	66.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 3278-3281 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S8EXPVIO_DIEDSON: S8 ExpV_Died: Son during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-103	Less than 4 people died last 6 months	311	23.0 %
-101	Skipped if s8expv17 isnt Yes	893	66.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 3282-3285 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S8EXPVIO_DIEDDAUGHTER: S8 ExpV_Died: Daughter during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-103	Less than 4 people died last 6 months	311	23.0 %
-101	Skipped if s8expv17 isnt Yes	893	66.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 3286-3289 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S8EXPVIO_DIEDAUNT: S8 ExpV_Died: Aunt during recall period

Value	Label	Unweighted Frequency	%
1	Yes	40	3.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-103	Less than 4 people died last 6 months	271	20.0 %
-101	Skipped if s8expv17 isnt Yes	893	66.0 %
	Total	**1,354**	**100%**

Based upon 40 valid cases out of 1,354 total cases.

Location: 3290-3293 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S8EXPVIO_DIEDUNCLE: S8 ExpV_Died: Uncle during recall period

Value	Label	Unweighted Frequency	%
1	Yes	40	3.0 %
5	No	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-103	Less than 4 people died last 6 months	271	20.0 %
-101	Skipped if s8expv17 isnt Yes	893	66.0 %
	Total	**1,354**	**100%**

Based upon 40 valid cases out of 1,354 total cases.

Location: 3294-3297 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S8EXPVIO_DIEDFEMALECOUSIN: S8 ExpV_Died: Femalecousin during recall period

Value	Label	Unweighted Frequency	%
1	Yes	9	0.7 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-103	Less than 4 people died last 6 months	302	22.3 %
-101	Skipped if s8expv17 isnt Yes	893	66.0 %
	Total	**1,354**	**100%**

Based upon 9 valid cases out of 1,354 total cases.

Location: 3298-3301 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S8EXPVIO_DIEDMALECOUSIN: S8 ExpV_Died: Malecousin during recall period

Value	Label	Unweighted Frequency	%
1	Yes	55	4.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-103	Less than 4 people died last 6 months	256	18.9 %
-101	Skipped if s8expv17 isnt Yes	893	66.0 %
	Total	**1,354**	**100%**

Based upon 55 valid cases out of 1,354 total cases.

Location: 3302-3305 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S8EXPVIO_DIEDNEPHEW: S8 ExpV_Died: Nephew during recall period

Value	Label	Unweighted Frequency	%
1	Yes	3	0.2 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-103	Less than 4 people died last 6 months	308	22.7 %
-101	Skipped if s8expv17 isnt Yes	893	66.0 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 3306-3309 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S8EXPVIO_DIEDNIECE: S8 ExpV_Died: Niece during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-103	Less than 4 people died last 6 months	311	23.0 %
-101	Skipped if s8expv17 isnt Yes	893	66.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 3310-3313 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S8EXPVIO_DIEDLIVEINBFGF: S8 ExpV_Died: LiveinBFGF during recall period

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %

Value	Label	Unweighted Frequency	%
-103	Less than 4 people died last 6 months	310	22.9 %
-101	Skipped if s8expv17 isnt Yes	893	66.0 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 3314-3317 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S8EXPVIO_DIEDFEMALEFRIEND: S8 ExpV_Died: Femalefriend during recall period

Value	Label	Unweighted Frequency	%
1	Yes	18	1.3 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-103	Less than 4 people died last 6 months	293	21.6 %
-101	Skipped if s8expv17 isnt Yes	893	66.0 %
	Total	**1,354**	**100%**

Based upon 18 valid cases out of 1,354 total cases.

Location: 3318-3321 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S8EXPVIO_DIEDMALEFRIEND: S8 ExpV_Died: Malefriend during recall period

Value	Label	Unweighted Frequency	%
1	Yes	109	8.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-103	Less than 4 people died last 6 months	202	14.9 %
-101	Skipped if s8expv17 isnt Yes	893	66.0 %
	Total	**1,354**	**100%**

Based upon 109 valid cases out of 1,354 total cases.

Location: 3322-3325 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S8EXPVIO_DIEDBOYFRIEND: S8 ExpV_Died: Boyfriend during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-103	Less than 4 people died last 6 months	311	23.0 %
-101	Skipped if s8expv17 isnt Yes	893	66.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 3326-3329 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S8EXPVIO_DIEDGIRLFRIEND: S8 ExpV_Died: Girlfriend during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-103	Less than 4 people died last 6 months	311	23.0 %
-101	Skipped if s8expv17 isnt Yes	893	66.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 3330-3333 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S8EXPVIO_DIEDMALEROOMMATE: S8 ExpV_Died: Maleroommate during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-103	Less than 4 people died last 6 months	311	23.0 %

Value	Label	Unweighted Frequency	%
-101	Skipped if s8expv17 isnt Yes	893	66.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 3334-3337 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S8EXPVIO_DIEDFEMALEROOMMATE: S8 ExpV_Died: Femaleroommate during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-103	Less than 4 people died last 6 months	311	23.0 %
-101	Skipped if s8expv17 isnt Yes	893	66.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 3338-3341 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S8EXPVIO_DIEDPROFRELATIONSHIP: S8 ExpV_Died: Profrelationship during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-103	Less than 4 people died last 6 months	311	23.0 %
-101	Skipped if s8expv17 isnt Yes	893	66.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 3342-3345 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S8EXPVIO_DIEDFOSTERMOTHER: S8 ExpV_Died: Fostermother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-103	Less than 4 people died last 6 months	311	23.0 %
-101	Skipped if s8expv17 isnt Yes	893	66.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 3346-3349 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S8EXPVIO_DIEDFOSTERFATHER: S8 ExpV_Died: Fosterfather during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-103	Less than 4 people died last 6 months	311	23.0 %
-101	Skipped if s8expv17 isnt Yes	893	66.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 3350-3353 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S8EXPVIO_DIEDFOSTERBROTHER: S8 ExpV_Died: Fosterbrother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-103	Less than 4 people died last 6 months	311	23.0 %
-101	Skipped if s8expv17 isnt Yes	893	66.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 3354-3357 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S8EXPVIO_DIEDFOSTERSISTER: S8 ExpV_Died: Fostersister during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-103	Less than 4 people died last 6 months	311	23.0 %
-101	Skipped if s8expv17 isnt Yes	893	66.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 3358-3361 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S8EXPVIO_DIEDMOTHEROFCHILD: S8 ExpV_Died: MotherOfchild during recall period

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-103	Less than 4 people died last 6 months	310	22.9 %
-101	Skipped if s8expv17 isnt Yes	893	66.0 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 3362-3365 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S8EXPVIO_DIEDFATHEROFCHILD: S8 ExpV_Died: FatherOfchild during recall period

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-103	Less than 4 people died last 6 months	310	22.9 %
-101	Skipped if s8expv17 isnt Yes	893	66.0 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 3366-3369 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S8EXPVIO_DIEDSTEPSON: S8 ExpV_Died: Stepson during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-103	Less than 4 people died last 6 months	311	23.0 %
-101	Skipped if s8expv17 isnt Yes	893	66.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 3370-3373 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S8EXPVIO_DIEDSTEPDAUGHTER: S8 ExpV_Died: Stepdaughter during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-103	Less than 4 people died last 6 months	311	23.0 %
-101	Skipped if s8expv17 isnt Yes	893	66.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 3374-3377 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S8EXPVIO_DIEDFIANCE: S8 ExpV_Died: Fiance during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-103	Less than 4 people died last 6 months	311	23.0 %
-101	Skipped if s8expv17 isnt Yes	893	66.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 3378-3381 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S8EXPVIO_DIEDOTHERRELATIVE: S8 ExpV_Died: OtherRelative during recall period

Value	Label	Unweighted Frequency	%
1	Yes	8	0.6 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-103	Less than 4 people died last 6 months	303	22.4 %
-101	Skipped if s8expv17 isnt Yes	893	66.0 %
	Total	**1,354**	**100%**

Based upon 8 valid cases out of 1,354 total cases.

Location: 3382-3385 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S8EXPVIO_DIEDOTHER: S8 ExpV_Died: Other during recall period

Value	Label	Unweighted Frequency	%
1	Yes	16	1.2 %
5	No	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-103	Less than 4 people died last 6 months	295	21.8 %
-101	Skipped if s8expv17 isnt Yes	893	66.0 %
	Total	**1,354**	**100%**

Based upon 16 valid cases out of 1,354 total cases.

Location: 3386-3389 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S8EXPV15: S8 ExpV: Found dead body

Value	Label	Unweighted Frequency	%
1	Yes	7	0.5 %
5	No	1197	88.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 3390-3393 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S8EXPV16: S8 ExpV: Other situation frightened

Value	Label	Unweighted Frequency	%
1	Yes	46	3.4 %
5	No	1158	85.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 3394-3397 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S8EXPV01A_EXPVA: S8 ExpV: Saw another chased

Based upon 267 valid cases out of 1,354 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 3398-3401 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S8EXPV01A_EXPVB: S8 ExpV: How many times seen chased

Value	Label	Unweighted Frequency	%
1	-	84	6.2 %
2	-	63	4.7 %
3	-	29	2.1 %
4	-	23	1.7 %
5	-	29	2.1 %
6	-	4	0.3 %
7	-	2	0.1 %
9	-	1	0.1 %
10	-	13	1.0 %
14	-	1	0.1 %
15	-	5	0.4 %
20	-	4	0.3 %
24	-	1	0.1 %
25	-	2	0.1 %
30	-	2	0.1 %
60	-	1	0.1 %
100	-	1	0.1 %
300	-	1	0.1 %
365	-	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-104	Followup questions arent asked if the gate isnt yes	937	69.2 %
	Total	**1,354**	**100%**

Based upon 267 valid cases out of 1,354 total cases.

Location: 3402-3405 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S8EXPV02A_EXPVA: S8 ExpV: You chased

Value	Label	Unweighted Frequency	%
1	Yes	39	2.9 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-104	Followup questions arent asked if the gate isnt yes	1165	86.0 %
	Total	**1,354**	**100%**

Based upon 39 valid cases out of 1,354 total cases.

Location: 3406-3409 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S8EXPV02A_EXPVB: S8 ExpV: Num times you chased

Based upon 39 valid cases out of 1,354 total cases.

- Mean: 5.85
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 104.00
- Standard Deviation: 18.03

Location: 3410-3413 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S8EXPV03A_EXPVA: S8 ExpV: Saw someone beaten

Value	Label	Unweighted Frequency	%
1	Yes	360	26.6 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-104	Followup questions arent asked if the gate isnt yes	844	62.3 %
	Total	**1,354**	**100%**

Based upon 360 valid cases out of 1,354 total cases.

Location: 3414-3417 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S8EXPV03A_EXPVB: S8 ExpV: Num times saw someone beaten

Based upon 360 valid cases out of 1,354 total cases.

- Mean: 8.25
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 500.00
- Standard Deviation: 29.15

Location: 3418-3421 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S8EXPV04A_EXPVA: S8 ExpV: You beaten up

Value	Label	Unweighted Frequency	%
1	Yes	55	4.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-104	Followup questions arent asked if the gate isnt yes	1149	84.9 %
	Total	**1,354**	**100%**

Based upon 55 valid cases out of 1,354 total cases.

Location: 3422-3425 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S8EXPV04A_EXPVB: S8 ExpV: Num times you beaten up

Based upon 54 valid cases out of 1,354 total cases.

- Mean: 3.91
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 50.00
- Standard Deviation: 8.82

Location: 3426-3429 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S8EXPV05A_EXPVA: S8 ExpV: Saw someone raped

Value	Label	Unweighted Frequency	%
1	Yes	10	0.7 %
5	No	0	0.0 %
	Missing Data		
-999999	-	2	0.1 %

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-104	Followup questions arent asked if the gate isnt yes	1192	88.0 %
	Total	**1,354**	**100%**

Based upon 10 valid cases out of 1,354 total cases.

Location: 3430-3436 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -202 , -201 , -109 , -108 , -104 , -9 , -8

S8EXPV05A_EXPVB: S8 ExpV: Num times saw someone raped

Based upon 10 valid cases out of 1,354 total cases.

- Mean: 1.40
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.52

Location: 3437-3443 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -999 , -998 , -202 , -201 , -105 , -104

S8EXPV06A_EXPVA: S8 ExpV: You were raped

Value	Label	Unweighted Frequency	%
1	Yes	8	0.6 %
5	No	0	0.0 %
	Missing Data		
-999999	-	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-104	Followup questions arent asked if the gate isnt yes	1194	88.2 %
	Total	**1,354**	**100%**

Based upon 8 valid cases out of 1,354 total cases.

Location: 3444-3450 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -202 , -201 , -109 , -108 , -104 , -9 , -8

S8EXPV06A_EXPVD: S8 ExpV: Did it happen more than once

Value	Label	Unweighted Frequency	%
1	Yes	5	0.4 %

Value	Label	Unweighted Frequency	%
5	No	3	0.2 %
	Missing Data		
-999999	-	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-104	Followup questions arent asked if the gate isnt yes	1194	88.2 %
	Total	**1,354**	**100%**

Based upon 8 valid cases out of 1,354 total cases.

Location: 3451-3457 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -202 , -201 , -107 , -106 , -105 , -104 , -9 , -8

S8EXPV06A_EXPVF: S8 ExpV: Relation of person that did this

Value	Label	Unweighted Frequency	%
1	Family member	0	0.0 %
2	Friend/acquaintance	7	0.5 %
3	Stranger	1	0.1 %
	Missing Data		
-999999	-	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-104	Followup questions arent asked if the gate isnt yes	1194	88.2 %
	Total	**1,354**	**100%**

Based upon 8 valid cases out of 1,354 total cases.

Location: 3458-3464 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -202 , -201 , -107 , -106 , -105 , -104 , -9 , -8

S8EXPV06A_EXPVG: S8 ExpV: Where did this happen

Value	Label	Unweighted Frequency	%
1	At home	3	0.2 %
2	At school	0	0.0 %
3	In his/her neighborhood	1	0.1 %
4	Other (specify)	4	0.3 %
	Missing Data		
-999999	-	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %

Value	Label	Unweighted Frequency	%
-104	Followup questions arent asked if the gate isnt yes	1194	88.2 %
	Total	**1,354**	**100%**

Based upon 8 valid cases out of 1,354 total cases.

Location: 3465-3471 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -202 , -201 , -107 , -106 , -105 , -104 , -9 , -8

S8EXPV07A_EXPVA: S8 ExpV: Saw someone attacked w/weapon

Value	Label	Unweighted Frequency	%
1	Yes	201	14.8 %
5	No	0	0.0 %
	Missing Data		
-999999	-	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-104	Followup questions arent asked if the gate isnt yes	1001	73.9 %
	Total	**1,354**	**100%**

Based upon 201 valid cases out of 1,354 total cases.

Location: 3472-3478 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -202 , -201 , -109 , -108 , -104 , -9 , -8

S8EXPV07A_EXPVB: S8 ExpV: Num times saw someone attacked w/weapon

Based upon 201 valid cases out of 1,354 total cases.

- Mean: 4.51
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 50.00
- Standard Deviation: 7.59

Location: 3479-3485 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -999 , -998 , -202 , -201 , -105 , -104

S8EXPV08A_EXPVA: S8 ExpV: You attacked w/weapon

Value	Label	Unweighted Frequency	%
1	Yes	67	4.9 %
5	No	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-999999	-	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-104	Followup questions arent asked if the gate isnt yes	1135	83.8 %
	Total	**1,354**	**100%**

Based upon 67 valid cases out of 1,354 total cases.

Location: 3486-3492 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -202 , -201 , -109 , -108 , -104 , -9 , -8

S8EXPV08A_EXPVB: S8 ExpV: Num times you attacked w/ weapon

Based upon 67 valid cases out of 1,354 total cases.

- Mean: 3.48
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 100.00
- Standard Deviation: 12.32

Location: 3493-3499 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -999 , -998 , -202 , -201 , -105 , -104

S8EXPV09A_EXPVA: S8 ExpV: Saw someone shot at

Value	Label	Unweighted Frequency	%
1	Yes	167	12.3 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-104	Followup questions arent asked if the gate isnt yes	1037	76.6 %
	Total	**1,354**	**100%**

Based upon 167 valid cases out of 1,354 total cases.

Location: 3500-3503 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S8EXPV09A_EXPVB: S8 ExpV: Num times saw someone shot at

Based upon 167 valid cases out of 1,354 total cases.

- Mean: 4.75

- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 100.00
- Standard Deviation: 12.18

Location: 3504-3507 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S8EXPV10A_EXPVA: S8 ExpV: You shot at

Value	Label	Unweighted Frequency	%
1	Yes	74	5.5 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-104	Followup questions arent asked if the gate isnt yes	1130	83.5 %
	Total	**1,354**	**100%**

Based upon 74 valid cases out of 1,354 total cases.

Location: 3508-3511 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S8EXPV10A_EXPVB: S8 ExpV: Num times you shot at

Based upon 74 valid cases out of 1,354 total cases.

- Mean: 2.73
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 40.00
- Standard Deviation: 4.88

Location: 3512-3515 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S8EXPV11A_EXPVA: S8 ExpV: Saw someone shot

Value	Label	Unweighted Frequency	%
1	Yes	103	7.6 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %

Value	Label	Unweighted Frequency	%
-104	Followup questions arent asked if the gate isnt yes	1101	81.3 %
	Total	**1,354**	**100%**

Based upon 103 valid cases out of 1,354 total cases.

Location: 3516-3519 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S8EXPV11A_EXPVB: S8 ExpV: Num times saw someone shot

Based upon 103 valid cases out of 1,354 total cases.

- Mean: 2.25
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 25.00
- Standard Deviation: 2.84

Location: 3520-3523 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S8EXPV12A_EXPVA: S8 ExpV: You shot

Value	Label	Unweighted Frequency	%
1	Yes	24	1.8 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-104	Followup questions arent asked if the gate isnt yes	1180	87.1 %
	Total	**1,354**	**100%**

Based upon 24 valid cases out of 1,354 total cases.

Location: 3524-3527 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S8EXPV12A_EXPVB: S8 ExpV: Num times you shot

Value	Label	Unweighted Frequency	%
1	-	24	1.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %

Value	Label	Unweighted Frequency	%
-104	Followup questions arent asked if the gate isnt yes	1180	87.1 %
	Total	**1,354**	**100%**

Based upon 24 valid cases out of 1,354 total cases.

Location: 3528-3531 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S8EXPV13A_EXPVA: S8 ExpV: Saw someone killed from violence

Value	Label	Unweighted Frequency	%
1	Yes	64	4.7 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-104	Followup questions arent asked if the gate isnt yes	1140	84.2 %
	Total	**1,354**	**100%**

Based upon 64 valid cases out of 1,354 total cases.

Location: 3532-3535 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S8EXPV13A_EXPVB: S8 ExpV: Num times saw one killed from violence

Based upon 64 valid cases out of 1,354 total cases.

- Mean: 1.73
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 11.00
- Standard Deviation: 1.82

Location: 3536-3539 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S8EXPV14A: S8 ExpV: Num close to you tried to kill self

Based upon 39 valid cases out of 1,354 total cases.

- Mean: 1.13
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00

- Standard Deviation: 0.41

Location: 3540-3543 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -104 , -99 , -98

S8EXPV18A_EXPVA: S8 ExpV: You tried kill self

Value	Label	Unweighted Frequency	%
1	Yes	12	0.9 %
5	No	0	0.0 %
	Missing Data		
-999999	-	4	0.3 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-104	Followup questions arent asked if the gate isnt yes	1188	87.7 %
	Total	**1,354**	**100%**

Based upon 12 valid cases out of 1,354 total cases.

Location: 3544-3550 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -202 , -201 , -109 , -108 , -104 , -9 , -8

S8EXPV18A_EXPVB: S8 ExpV: Num times you tried kill self

Based upon 12 valid cases out of 1,354 total cases.

- Mean: 1.08
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.29

Location: 3551-3557 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -999 , -998 , -202 , -201 , -105 , -104

S8EXPWIT: S8 ExpV: Witnessed score

Value	Label	Unweighted Frequency	%
0	-	728	53.8 %
1	-	158	11.7 %
2	-	122	9.0 %
3	-	91	6.7 %
4	-	49	3.6 %
5	-	35	2.6 %
6	-	21	1.6 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 3558-3561 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -100

S8EXPVIC: S8 ExpV: Victim score

Value	Label	Unweighted Frequency	%
0	-	1037	76.6 %
1	-	102	7.5 %
2	-	40	3.0 %
3	-	15	1.1 %
4	-	10	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 3562-3565 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -100

S8EXPTOT: S8 ExpV: Total score - witnessed plus victim

Value	Label	Unweighted Frequency	%
0	-	686	50.7 %
1	-	164	12.1 %
2	-	124	9.2 %
3	-	92	6.8 %
4	-	48	3.5 %
5	-	30	2.2 %
6	-	32	2.4 %
7	-	15	1.1 %
8	-	6	0.4 %
9	-	6	0.4 %
10	-	1	0.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 3566-3569 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -100

S8EXPVIO_SUICAL_M01: S8 SuiCal: Attempt suicide M01

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	11	0.8 %
	Missing Data		
.	-	1342	99.1 %
	Total	**1,354**	**100%**

Based upon 12 valid cases out of 1,354 total cases.

Location: 3570-3570 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S8EXPVIO_SUICAL_M02: S8 SuiCal: Attempt suicide M02

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	12	0.9 %
	Missing Data		
.	-	1342	99.1 %
	Total	**1,354**	**100%**

Based upon 12 valid cases out of 1,354 total cases.

Location: 3571-3571 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S8EXPVIO_SUICAL_M03: S8 SuiCal: Attempt suicide M03

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	12	0.9 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	1342	99.1 %
	Total	**1,354**	**100%**

Based upon 12 valid cases out of 1,354 total cases.

Location: 3572-3572 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S8EXPVIO_SUICAL_M04: S8 SuiCal: Attempt suicide M04

Value	Label	Unweighted Frequency	%
1	Yes	3	0.2 %
5	No	9	0.7 %
	Missing Data		
.	-	1342	99.1 %
	Total	**1,354**	**100%**

Based upon 12 valid cases out of 1,354 total cases.

Location: 3573-3573 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S8EXPVIO_SUICAL_M05: S8 SuiCal: Attempt suicide M05

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	11	0.8 %
	Missing Data		
.	-	1342	99.1 %
	Total	**1,354**	**100%**

Based upon 12 valid cases out of 1,354 total cases.

Location: 3574-3574 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S8EXPVIO_SUICAL_M06: S8 SuiCal: Attempt suicide M06

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	11	0.8 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	1342	99.1 %
	Total	**1,354**	**100%**

Based upon 12 valid cases out of 1,354 total cases.

Location: 3575-3575 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S8EXPVIO_SUICAL_M07: S8 SuiCal: Attempt suicide M07

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	12	0.9 %
	Missing Data		
.	-	1342	99.1 %
	Total	**1,354**	**100%**

Based upon 12 valid cases out of 1,354 total cases.

Location: 3576-3576 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S8EXPVIO_SUICAL_M08: S8 SuiCal: Attempt suicide M08

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	12	0.9 %
	Missing Data		
.	-	1342	99.1 %
	Total	**1,354**	**100%**

Based upon 12 valid cases out of 1,354 total cases.

Location: 3577-3577 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S8EXPVIO_SUICAL_M09: S8 SuiCal: Attempt suicide M09

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	11	0.8 %
	Missing Data		
.	-	1342	99.1 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 12 valid cases out of 1,354 total cases.

Location: 3578-3578 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S8EXPVIO_SUICAL_M10: S8 SuiCal: Attempt suicide M10

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	11	0.8 %
	Missing Data		
.	-	1342	99.1 %
	Total	**1,354**	**100%**

Based upon 12 valid cases out of 1,354 total cases.

Location: 3579-3579 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S8EXPVIO_SUICAL_M11: S8 SuiCal: Attempt suicide M11

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	12	0.9 %
	Missing Data		
.	-	1342	99.1 %
	Total	**1,354**	**100%**

Based upon 12 valid cases out of 1,354 total cases.

Location: 3580-3580 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S8EXPVIO_SUICAL_M12: S8 SuiCal: Attempt suicide M12

Value	Label	Unweighted Frequency	%
1	Yes	3	0.2 %
5	No	8	0.6 %
	Missing Data		
.	-	1343	99.2 %
	Total	**1,354**	**100%**

Based upon 11 valid cases out of 1,354 total cases.

Location: 3581-3581 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S8EXPVIO_SUICAL_M13: S8 SuiCal: Attempt suicide M13

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	4	0.3 %
	Missing Data		
.	-	1349	99.6 %
	Total	**1,354**	**100%**

Based upon 5 valid cases out of 1,354 total cases.

Location: 3582-3582 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S8EXPVIO_SUICAL_M14: S8 SuiCal: Attempt suicide M14

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	0	0.0 %
	Missing Data		
.	-	1353	99.9 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 3583-3583 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S8EXPVIO_SUICAL_NATTEMPTMOS: S8 ExpV: Number of months with a suicide attempt

Value	Label	Unweighted Frequency	%
1	-	11	0.8 %
2	-	1	0.1 %
	Missing Data		
.	-	1342	99.1 %
	Total	**1,354**	**100%**

Based upon 12 valid cases out of 1,354 total cases.

Location: 3584-3585 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: 98 , 99 , .

S9EXPV01: S9 ExpV: See anyone chased thought could be hurt

Value	Label	Unweighted Frequency	%
1	Yes	250	18.5 %
5	No	928	68.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,178 valid cases out of 1,354 total cases.

Location: 3586-3589 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S9EXPV02: S9 ExpV: You chased thought could be hurt

Value	Label	Unweighted Frequency	%
1	Yes	41	3.0 %
5	No	1137	84.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,178 valid cases out of 1,354 total cases.

Location: 3590-3593 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S9EXPV03: S9 ExpV: Ever seen someone else get beaten up

Value	Label	Unweighted Frequency	%
1	Yes	370	27.3 %
5	No	808	59.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,178 valid cases out of 1,354 total cases.

Location: 3594-3597 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S9EXPV04: S9 ExpV: You beaten up

Value	Label	Unweighted Frequency	%
1	Yes	48	3.5 %
5	No	1130	83.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,178 valid cases out of 1,354 total cases.

Location: 3598-3601 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S9EXPV05: S9 ExpV: Saw someone raped

Value	Label	Unweighted Frequency	%
1	Yes	7	0.5 %
5	No	1166	86.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-109	Subject is in federal faciilty - question skipped	5	0.4 %
	Total	**1,354**	**100%**

Based upon 1,173 valid cases out of 1,354 total cases.

Location: 3602-3605 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S9EXPV06: S9 ExpV: You raped

Value	Label	Unweighted Frequency	%
1	Yes	5	0.4 %
5	No	1168	86.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-109	Subject is in federal faciilty - question skipped	5	0.4 %
	Total	**1,354**	**100%**

Based upon 1,173 valid cases out of 1,354 total cases.

Location: 3606-3609 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S9EXPV07: S9 ExpV: Saw someone attacked w/weapon

Value	Label	Unweighted Frequency	%
1	Yes	191	14.1 %
5	No	982	72.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-109	Subject is in federal faciilty - question skipped	5	0.4 %
	Total	**1,354**	**100%**

Based upon 1,173 valid cases out of 1,354 total cases.

Location: 3610-3613 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S9EXPV08: S9 ExpV: You attacked w/weapon

Value	Label	Unweighted Frequency	%
1	Yes	59	4.4 %
5	No	1114	82.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-109	Subject is in federal faciilty - question skipped	5	0.4 %
	Total	**1,354**	**100%**

Based upon 1,173 valid cases out of 1,354 total cases.

Location: 3614-3617 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S9EXPV09: S9 ExpV: Saw someone shot AT but missed

Value	Label	Unweighted Frequency	%
1	Yes	124	9.2 %
5	No	1054	77.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,178 valid cases out of 1,354 total cases.

Location: 3618-3621 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S9EXPV10: S9 ExpV: You shot AT missed

Value	Label	Unweighted Frequency	%
1	Yes	58	4.3 %
5	No	1120	82.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,178 valid cases out of 1,354 total cases.

Location: 3622-3625 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S9EXPV11: S9 ExpV: Saw someone shot

Value	Label	Unweighted Frequency	%
1	Yes	66	4.9 %
5	No	1112	82.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,178 valid cases out of 1,354 total cases.

Location: 3626-3629 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S9EXPV12: S9 ExpV: You shot

Value	Label	Unweighted Frequency	%
1	Yes	16	1.2 %
5	No	1162	85.8 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,178 valid cases out of 1,354 total cases.

Location: 3630-3633 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S9EXPV13: S9 ExpV: Saw someone killed from violence

Value	Label	Unweighted Frequency	%
1	Yes	48	3.5 %
5	No	1130	83.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,178 valid cases out of 1,354 total cases.

Location: 3634-3637 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S9EXPV14: S9 ExpV: Anyone close to you ever try kill self

Value	Label	Unweighted Frequency	%
1	Yes	39	2.9 %
5	No	1139	84.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,178 valid cases out of 1,354 total cases.

Location: 3638-3641 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S9EXPV18: S9 ExpV: You tried to kill self

Value	Label	Unweighted Frequency	%
1	Yes	8	0.6 %
5	No	1161	85.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-109	Subject is in federal faciilty - question skipped	9	0.7 %
	Total	**1,354**	**100%**

Based upon 1,169 valid cases out of 1,354 total cases.

Location: 3642-3645 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S9EXPV17: S9 ExpV: Anyone close to you died

Value	Label	Unweighted Frequency	%
1	Yes	295	21.8 %
5	No	883	65.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,178 valid cases out of 1,354 total cases.

Location: 3646-3649 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S9EXPV17A: S9 ExpV: Num close to you died

Based upon 295 valid cases out of 1,354 total cases.

- Mean: 1.57
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 36.00
- Standard Deviation: 2.43

Location: 3650-3653 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -101

S9EXPV17B: S9 ExpV: Num close to you died/truncated to 4

Value	Label	Unweighted Frequency	%
1	-	211	15.6 %
2	-	63	4.7 %
3	-	11	0.8 %
4	-	10	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Skipped if s9expv17 isnt Yes	883	65.2 %
	Total	**1,354**	**100%**

Based upon 295 valid cases out of 1,354 total cases.

Location: 3654-3657 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -99 , -98

S9EXPVIO_DIEDBIOFATHER: S9 ExpV_Died: Biofather during recall period

Value	Label	Unweighted Frequency	%
1	Yes	7	0.5 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-103	Less than 4 people died last 6 months	288	21.3 %
-101	Skipped if s9expv17 isnt Yes	883	65.2 %
	Total	**1,354**	**100%**

Based upon 7 valid cases out of 1,354 total cases.

Location: 3658-3661 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S9EXPVIO_DIEDBIOMOTHER: S9 ExpV_Died: Biomother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	7	0.5 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-103	Less than 4 people died last 6 months	288	21.3 %
-101	Skipped if s9expv17 isnt Yes	883	65.2 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 7 valid cases out of 1,354 total cases.

Location: 3662-3665 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S9EXPVIO_DIEDBIOSISTER: S9 ExpV_Died: Biosister during recall period

Value	Label	Unweighted Frequency	%
1	Yes	4	0.3 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-103	Less than 4 people died last 6 months	291	21.5 %
-101	Skipped if s9expv17 isnt Yes	883	65.2 %
	Total	**1,354**	**100%**

Based upon 4 valid cases out of 1,354 total cases.

Location: 3666-3669 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S9EXPVIO_DIEDBIOBROTHER: S9 ExpV_Died: Biobrother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	8	0.6 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-103	Less than 4 people died last 6 months	287	21.2 %
-101	Skipped if s9expv17 isnt Yes	883	65.2 %
	Total	**1,354**	**100%**

Based upon 8 valid cases out of 1,354 total cases.

Location: 3670-3673 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S9EXPVIO_DIEDBIOGRANDMOTHER: S9 ExpV_Died: Biograndmother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	35	2.6 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-103	Less than 4 people died last 6 months	260	19.2 %
-101	Skipped if s9expv17 isnt Yes	883	65.2 %
	Total	**1,354**	**100%**

Based upon 35 valid cases out of 1,354 total cases.

Location: 3674-3677 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S9EXPVIO_DIEDBIOGRANDFATHER: S9 ExpV_Died: Biograndfather during recall period

Value	Label	Unweighted Frequency	%
1	Yes	26	1.9 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-103	Less than 4 people died last 6 months	269	19.9 %
-101	Skipped if s9expv17 isnt Yes	883	65.2 %
	Total	**1,354**	**100%**

Based upon 26 valid cases out of 1,354 total cases.

Location: 3678-3681 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S9EXPVIO_DIEDSTEPFATHER: S9 ExpV_Died: Stepfather during recall period

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-103	Less than 4 people died last 6 months	293	21.6 %
-101	Skipped if s9expv17 isnt Yes	883	65.2 %
	Total	**1,354**	**100%**

Based upon 2 valid cases out of 1,354 total cases.

Location: 3682-3685 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S9EXPVIO_DIEDSTEPMOTHER: S9 ExpV_Died: Stepmother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-103	Less than 4 people died last 6 months	295	21.8 %
-101	Skipped if s9expv17 isnt Yes	883	65.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 3686-3689 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S9EXPVIO_DIEDSTEPSISTER: S9 ExpV_Died: Stepsister during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-103	Less than 4 people died last 6 months	295	21.8 %
-101	Skipped if s9expv17 isnt Yes	883	65.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 3690-3693 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S9EXPVIO_DIEDSTEPBROTHER: S9 ExpV_Died: Stepbrother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
5	No	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-103	Less than 4 people died last 6 months	293	21.6 %
-101	Skipped if s9expv17 isnt Yes	883	65.2 %
	Total	**1,354**	**100%**

Based upon 2 valid cases out of 1,354 total cases.

Location: 3694-3697 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S9EXPVIO_DIEDADOPTIVEFATHER: S9 ExpV_Died: Adoptivefather during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-103	Less than 4 people died last 6 months	295	21.8 %
-101	Skipped if s9expv17 isnt Yes	883	65.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 3698-3701 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S9EXPVIO_DIEDADOPTIVEMOTHER: S9 ExpV_Died: Adoptivemother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-103	Less than 4 people died last 6 months	295	21.8 %
-101	Skipped if s9expv17 isnt Yes	883	65.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 3702-3705 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S9EXPVIO_DIEDADOPTIVESISTER: S9 ExpV_Died: Adoptivesister during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-103	Less than 4 people died last 6 months	295	21.8 %
-101	Skipped if s9expv17 isnt Yes	883	65.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 3706-3709 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S9EXPVIO_DIEDADOPTIVEBROTHER: S9 ExpV_Died: Adoptivebrother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-103	Less than 4 people died last 6 months	295	21.8 %
-101	Skipped if s9expv17 isnt Yes	883	65.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 3710-3713 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S9EXPVIO_DIEDWIFE: S9 ExpV_Died: Wife during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-103	Less than 4 people died last 6 months	295	21.8 %
-101	Skipped if s9expv17 isnt Yes	883	65.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 3714-3717 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S9EXPVIO_DIEDHUSBAND: S9 ExpV_Died: Husband during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-103	Less than 4 people died last 6 months	295	21.8 %
-101	Skipped if s9expv17 isnt Yes	883	65.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 3718-3721 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S9EXPVIO_DIEDSON: S9 ExpV_Died: Son during recall period

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-103	Less than 4 people died last 6 months	294	21.7 %
-101	Skipped if s9expv17 isnt Yes	883	65.2 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 3722-3725 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S9EXPVIO_DIEDDAUGHTER: S9 ExpV_Died: Daughter during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-103	Less than 4 people died last 6 months	295	21.8 %
-101	Skipped if s9expv17 isnt Yes	883	65.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 3726-3729 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S9EXPVIO_DIEDAUNT: S9 ExpV_Died: Aunt during recall period

Value	Label	Unweighted Frequency	%
1	Yes	27	2.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-103	Less than 4 people died last 6 months	268	19.8 %
-101	Skipped if s9expv17 isnt Yes	883	65.2 %
	Total	**1,354**	**100%**

Based upon 27 valid cases out of 1,354 total cases.

Location: 3730-3733 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S9EXPVIO_DIEDUNCLE: S9 ExpV_Died: Uncle during recall period

Value	Label	Unweighted Frequency	%
1	Yes	25	1.8 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %

Value	Label	Unweighted Frequency	%
-103	Less than 4 people died last 6 months	270	19.9 %
-101	Skipped if s9expv17 isnt Yes	883	65.2 %
	Total	**1,354**	**100%**

Based upon 25 valid cases out of 1,354 total cases.

Location: 3734-3737 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S9EXPVIO_DIEDFEMALECOUSIN: S9 ExpV_Died: Femalecousin during recall period

Value	Label	Unweighted Frequency	%
1	Yes	9	0.7 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-103	Less than 4 people died last 6 months	286	21.1 %
-101	Skipped if s9expv17 isnt Yes	883	65.2 %
	Total	**1,354**	**100%**

Based upon 9 valid cases out of 1,354 total cases.

Location: 3738-3741 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S9EXPVIO_DIEDMALECOUSIN: S9 ExpV_Died: Malecousin during recall period

Value	Label	Unweighted Frequency	%
1	Yes	48	3.5 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-103	Less than 4 people died last 6 months	247	18.2 %
-101	Skipped if s9expv17 isnt Yes	883	65.2 %
	Total	**1,354**	**100%**

Based upon 48 valid cases out of 1,354 total cases.

Location: 3742-3745 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S9EXPVIO_DIEDNEPHEW: S9 ExpV_Died: Nephew during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-103	Less than 4 people died last 6 months	295	21.8 %
-101	Skipped if s9expv17 isnt Yes	883	65.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 3746-3749 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S9EXPVIO_DIEDNIECE: S9 ExpV_Died: Niece during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-103	Less than 4 people died last 6 months	295	21.8 %
-101	Skipped if s9expv17 isnt Yes	883	65.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 3750-3753 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S9EXPVIO_DIEDLIVEINBFGF: S9 ExpV_Died: LiveinBFGF during recall period

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-103	Less than 4 people died last 6 months	294	21.7 %

Value	Label	Unweighted Frequency	%
-101	Skipped if s9expv17 isnt Yes	883	65.2 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 3754-3757 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S9EXPVIO_DIEDFEMALEFRIEND: S9 ExpV_Died: Femalefriend during recall period

Value	Label	Unweighted Frequency	%
1	Yes	13	1.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-103	Less than 4 people died last 6 months	282	20.8 %
-101	Skipped if s9expv17 isnt Yes	883	65.2 %
	Total	**1,354**	**100%**

Based upon 13 valid cases out of 1,354 total cases.

Location: 3758-3761 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S9EXPVIO_DIEDMALEFRIEND: S9 ExpV_Died: Malefriend during recall period

Value	Label	Unweighted Frequency	%
1	Yes	110	8.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-103	Less than 4 people died last 6 months	185	13.7 %
-101	Skipped if s9expv17 isnt Yes	883	65.2 %
	Total	**1,354**	**100%**

Based upon 110 valid cases out of 1,354 total cases.

Location: 3762-3765 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S9EXPVIO_DIEDBOYFRIEND: S9 ExpV_Died: Boyfriend during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-103	Less than 4 people died last 6 months	295	21.8 %
-101	Skipped if s9expv17 isnt Yes	883	65.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 3766-3769 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S9EXPVIO_DIEDGIRLFRIEND: S9 ExpV_Died: Girlfriend during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-103	Less than 4 people died last 6 months	295	21.8 %
-101	Skipped if s9expv17 isnt Yes	883	65.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 3770-3773 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S9EXPVIO_DIEDMALEROOMMATE: S9 ExpV_Died: Maleroommate during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-103	Less than 4 people died last 6 months	295	21.8 %
-101	Skipped if s9expv17 isnt Yes	883	65.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 3774-3777 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S9EXPVIO_DIEDFEMALEROOMMATE: S9 ExpV_Died: Femaleroommate during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-103	Less than 4 people died last 6 months	295	21.8 %
-101	Skipped if s9expv17 isnt Yes	883	65.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 3778-3781 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S9EXPVIO_DIEDPROFRELATIONSHIP: S9 ExpV_Died: Profrelationship during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-103	Less than 4 people died last 6 months	295	21.8 %
-101	Skipped if s9expv17 isnt Yes	883	65.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 3782-3785 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S9EXPVIO_DIEDFOSTERMOTHER: S9 ExpV_Died: Fostermother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-103	Less than 4 people died last 6 months	295	21.8 %
-101	Skipped if s9expv17 isnt Yes	883	65.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 3786-3789 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S9EXPVIO_DIEDFOSTERFATHER: S9 ExpV_Died: Fosterfather during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-103	Less than 4 people died last 6 months	295	21.8 %
-101	Skipped if s9expv17 isnt Yes	883	65.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 3790-3793 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S9EXPVIO_DIEDFOSTERBROTHER: S9 ExpV_Died: Fosterbrother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-103	Less than 4 people died last 6 months	295	21.8 %
-101	Skipped if s9expv17 isnt Yes	883	65.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 3794-3797 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S9EXPVIO_DIEDFOSTERSISTER: S9 ExpV_Died: Fostersister during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-103	Less than 4 people died last 6 months	295	21.8 %
-101	Skipped if s9expv17 isnt Yes	883	65.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 3798-3801 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S9EXPVIO_DIEDMOTHEROFCHILD: S9 ExpV_Died: MotherOfchild during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-103	Less than 4 people died last 6 months	295	21.8 %
-101	Skipped if s9expv17 isnt Yes	883	65.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 3802-3805 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S9EXPVIO_DIEDFATHEROFCHILD: S9 ExpV_Died: FatherOfchild during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-103	Less than 4 people died last 6 months	295	21.8 %
-101	Skipped if s9expv17 isnt Yes	883	65.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 3806-3809 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S9EXPVIO_DIEDSTEPSON: S9 ExpV_Died: Stepson during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-103	Less than 4 people died last 6 months	295	21.8 %
-101	Skipped if s9expv17 isnt Yes	883	65.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 3810-3813 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S9EXPVIO_DIEDSTEPDAUGHTER: S9 ExpV_Died: Stepdaughter during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-103	Less than 4 people died last 6 months	295	21.8 %
-101	Skipped if s9expv17 isnt Yes	883	65.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 3814-3817 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S9EXPVIO_DIEDFIANCE: S9 ExpV_Died: Fiance during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-103	Less than 4 people died last 6 months	295	21.8 %
-101	Skipped if s9expv17 isnt Yes	883	65.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 3818-3821 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S9EXPVIO_DIEDOTHERRELATIVE: S9 ExpV_Died: OtherRelative during recall period

Value	Label	Unweighted Frequency	%
1	Yes	10	0.7 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-103	Less than 4 people died last 6 months	285	21.0 %
-101	Skipped if s9expv17 isnt Yes	883	65.2 %
	Total	**1,354**	**100%**

Based upon 10 valid cases out of 1,354 total cases.

Location: 3822-3825 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S9EXPVIO_DIEDOTHER: S9 ExpV_Died: Other during recall period

Value	Label	Unweighted Frequency	%
1	Yes	25	1.8 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %

Value	Label	Unweighted Frequency	%
-103	Less than 4 people died last 6 months	270	19.9 %
-101	Skipped if s9expv17 isnt Yes	883	65.2 %
	Total	**1,354**	**100%**

Based upon 25 valid cases out of 1,354 total cases.

Location: 3826-3829 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

S9EXPV15: S9 ExpV: Found dead body

Value	Label	Unweighted Frequency	%
1	Yes	12	0.9 %
5	No	1166	86.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,178 valid cases out of 1,354 total cases.

Location: 3830-3833 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S9EXPV16: S9 ExpV: Other situation frightened

Value	Label	Unweighted Frequency	%
1	Yes	53	3.9 %
5	No	1125	83.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,178 valid cases out of 1,354 total cases.

Location: 3834-3837 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S9EXPV01A_EXPVA: S9 ExpV: Saw another chased

Based upon 250 valid cases out of 1,354 total cases.

- Minimum: 1.00

- Maximum: 1.00

Location: 3838-3841 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S9EXPV01A_EXPVB: S9 ExpV: How many times seen chased

Value	Label	Unweighted Frequency	%
1	-	89	6.6 %
2	-	68	5.0 %
3	-	16	1.2 %
4	-	16	1.2 %
5	-	16	1.2 %
6	-	2	0.1 %
7	-	2	0.1 %
8	-	2	0.1 %
9	-	1	0.1 %
10	-	21	1.6 %
12	-	5	0.4 %
15	-	4	0.3 %
20	-	3	0.2 %
25	-	1	0.1 %
40	-	1	0.1 %
48	-	1	0.1 %
50	-	2	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-104	Followup questions arent asked if the gate isnt yes	928	68.5 %
	Total	**1,354**	**100%**

Based upon 250 valid cases out of 1,354 total cases.

Location: 3842-3845 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S9EXPV02A_EXPVA: S9 ExpV: You chased

Value	Label	Unweighted Frequency	%
1	Yes	41	3.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	175	12.9 %
-104	Followup questions arent asked if the gate isnt yes	1137	84.0 %
	Total	**1,354**	**100%**

Based upon 41 valid cases out of 1,354 total cases.

Location: 3846-3849 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S9EXPV02A_EXPVB: S9 ExpV: Num times you chased

Based upon 41 valid cases out of 1,354 total cases.

- Mean: 2.71
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 25.00
- Standard Deviation: 4.86

Location: 3850-3853 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S9EXPV03A_EXPVA: S9 ExpV: Saw someone beaten

Value	Label	Unweighted Frequency	%
1	Yes	370	27.3 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-104	Followup questions arent asked if the gate isnt yes	808	59.7 %
	Total	**1,354**	**100%**

Based upon 370 valid cases out of 1,354 total cases.

Location: 3854-3857 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S9EXPV03A_EXPVB: S9 ExpV: Num times saw someone beaten

Based upon 368 valid cases out of 1,354 total cases.

- Mean: 7.83
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00

- Maximum: 365.00
- Standard Deviation: 27.84

Location: 3858-3861 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S9EXPV04A_EXPVA: S9 ExpV: You beaten up

Value	Label	Unweighted Frequency	%
1	Yes	48	3.5 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-104	Followup questions arent asked if the gate isnt yes	1130	83.5 %
	Total	**1,354**	**100%**

Based upon 48 valid cases out of 1,354 total cases.

Location: 3862-3865 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S9EXPV04A_EXPVB: S9 ExpV: Num times you beaten up

Based upon 48 valid cases out of 1,354 total cases.

- Mean: 3.79
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 50.00
- Standard Deviation: 10.05

Location: 3866-3869 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S9EXPV05A_EXPVA: S9 ExpV: Saw someone raped

Value	Label	Unweighted Frequency	%
1	Yes	7	0.5 %
5	No	0	0.0 %
	Missing Data		
-999999	-	5	0.4 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-104	Followup questions arent asked if the gate isnt yes	1166	86.1 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 7 valid cases out of 1,354 total cases.

Location: 3870-3876 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -202 , -201 , -109 , -108 , -104 , -9 , -8

S9EXPV05A_EXPVB: S9 ExpV: Num times saw someone raped

Based upon 7 valid cases out of 1,354 total cases.

- Mean: 3.29
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 3.68

Location: 3877-3883 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -999 , -998 , -202 , -201 , -105 , -104

S9EXPV06A_EXPVA: S9 ExpV: You were raped

Value	Label	Unweighted Frequency	%
1	Yes	5	0.4 %
5	No	0	0.0 %
	Missing Data		
-999999	-	5	0.4 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-104	Followup questions arent asked if the gate isnt yes	1168	86.3 %
	Total	**1,354**	**100%**

Based upon 5 valid cases out of 1,354 total cases.

Location: 3884-3890 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -202 , -201 , -109 , -108 , -104 , -9 , -8

S9EXPV06A_EXPVD: S9 ExpV: Did it happen more than once

Value	Label	Unweighted Frequency	%
1	Yes	3	0.2 %
5	No	2	0.1 %
	Missing Data		
-999999	-	5	0.4 %

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-104	Followup questions arent asked if the gate isnt yes	1168	86.3 %
	Total	**1,354**	**100%**

Based upon 5 valid cases out of 1,354 total cases.

Location: 3891-3897 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -202 , -201 , -107 , -106 , -105 , -104 , -9 , -8

S9EXPV06A_EXPVF: S9 ExpV: Relation of person that did this

Value	Label	Unweighted Frequency	%
1	Family member	0	0.0 %
2	Friend/acquaintance	3	0.2 %
3	Stranger	2	0.1 %
	Missing Data		
-999999	-	5	0.4 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-104	Followup questions arent asked if the gate isnt yes	1168	86.3 %
	Total	**1,354**	**100%**

Based upon 5 valid cases out of 1,354 total cases.

Location: 3898-3904 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -202 , -201 , -107 , -106 , -105 , -104 , -9 , -8

S9EXPV06A_EXPVG: S9 ExpV: Where did this happen

Value	Label	Unweighted Frequency	%
1	At home	2	0.1 %
2	At school	0	0.0 %
3	In his/her neighborhood	1	0.1 %
4	Other (specify)	2	0.1 %
	Missing Data		
-999999	-	5	0.4 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-104	Followup questions arent asked if the gate isnt yes	1168	86.3 %
	Total	**1,354**	**100%**

Based upon 5 valid cases out of 1,354 total cases.

Location: 3905-3911 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -202 , -201 , -107 , -106 , -105 , -104 , -9 , -8

S9EXPV07A_EXPVA: S9 ExpV: Saw someone attacked w/weapon

Value	Label	Unweighted Frequency	%
1	Yes	191	14.1 %
5	No	0	0.0 %
	Missing Data		
-999999	-	5	0.4 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-104	Followup questions arent asked if the gate isnt yes	982	72.5 %
	Total	**1,354**	**100%**

Based upon 191 valid cases out of 1,354 total cases.

Location: 3912-3918 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -202 , -201 , -109 , -108 , -104 , -9 , -8

S9EXPV07A_EXPVB: S9 ExpV: Num times saw someone attacked w/weapon

Based upon 190 valid cases out of 1,354 total cases.

- Mean: 3.55
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 48.00
- Standard Deviation: 5.53

Location: 3919-3925 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -999 , -998 , -202 , -201 , -105 , -104

S9EXPV08A_EXPVA: S9 ExpV: You attacked w/weapon

Value	Label	Unweighted Frequency	%
1	Yes	59	4.4 %
5	No	0	0.0 %
	Missing Data		
-999999	-	5	0.4 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-104	Followup questions arent asked if the gate isnt yes	1114	82.3 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 59 valid cases out of 1,354 total cases.

Location: 3926-3932 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -202 , -201 , -109 , -108 , -104 , -9 , -8

S9EXPV08A_EXPVB: S9 ExpV: Num times you attacked w/ weapon

Based upon 59 valid cases out of 1,354 total cases.

- Mean: 2.73
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 50.00
- Standard Deviation: 6.47

Location: 3933-3939 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -999 , -998 , -202 , -201 , -105 , -104

S9EXPV09A_EXPVA: S9 ExpV: Saw someone shot at

Value	Label	Unweighted Frequency	%
1	Yes	124	9.2 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-104	Followup questions arent asked if the gate isnt yes	1054	77.8 %
	Total	**1,354**	**100%**

Based upon 124 valid cases out of 1,354 total cases.

Location: 3940-3943 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S9EXPV09A_EXPVB: S9 ExpV: Num times saw someone shot at

Based upon 124 valid cases out of 1,354 total cases.

- Mean: 3.21
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 50.00
- Standard Deviation: 4.96

Location: 3944-3947 (width: 4; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S9EXPV10A_EXPVA: S9 ExpV: You shot at

Value	Label	Unweighted Frequency	%
1	Yes	58	4.3 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-104	Followup questions arent asked if the gate isnt yes	1120	82.7 %
	Total	**1,354**	**100%**

Based upon 58 valid cases out of 1,354 total cases.

Location: 3948-3951 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S9EXPV10A_EXPVB: S9 ExpV: Num times you shot at

Based upon 58 valid cases out of 1,354 total cases.

- Mean: 1.95
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 1.69

Location: 3952-3955 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S9EXPV11A_EXPVA: S9 ExpV: Saw someone shot

Value	Label	Unweighted Frequency	%
1	Yes	66	4.9 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-104	Followup questions arent asked if the gate isnt yes	1112	82.1 %
	Total	**1,354**	**100%**

Based upon 66 valid cases out of 1,354 total cases.

Location: 3956-3959 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S9EXPV11A_EXPVB: S9 ExpV: Num times saw someone shot

Based upon 66 valid cases out of 1,354 total cases.

- Mean: 2.41
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 50.00
- Standard Deviation: 6.11

Location: 3960-3963 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S9EXPV12A_EXPVA: S9 ExpV: You shot

Value	Label	Unweighted Frequency	%
1	Yes	16	1.2 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-104	Followup questions arent asked if the gate isnt yes	1162	85.8 %
	Total	**1,354**	**100%**

Based upon 16 valid cases out of 1,354 total cases.

Location: 3964-3967 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S9EXPV12A_EXPVB: S9 ExpV: Num times you shot

Value	Label	Unweighted Frequency	%
1	-	14	1.0 %
2	-	2	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-104	Followup questions arent asked if the gate isnt yes	1162	85.8 %
	Total	**1,354**	**100%**

Based upon 16 valid cases out of 1,354 total cases.

Location: 3968-3971 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S9EXPV13A_EXPVA: S9 ExpV: Saw someone killed from violence

Value	Label	Unweighted Frequency	%
1	Yes	48	3.5 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-104	Followup questions arent asked if the gate isnt yes	1130	83.5 %
	Total	**1,354**	**100%**

Based upon 48 valid cases out of 1,354 total cases.

Location: 3972-3975 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

S9EXPV13A_EXPVB: S9 ExpV: Num times saw one killed from violence

Based upon 48 valid cases out of 1,354 total cases.

- Mean: 1.67
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 1.67

Location: 3976-3979 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

S9EXPV14A: S9 ExpV: Num close to you tried to kill self

Based upon 39 valid cases out of 1,354 total cases.

- Mean: 1.31
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.80

Location: 3980-3983 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -104 , -99 , -98

S9EXPV18A_EXPVA: S9 ExpV: You tried kill self

Value	Label	Unweighted Frequency	%
1	Yes	8	0.6 %

Value	Label	Unweighted Frequency	%
5	No	0	0.0 %
	Missing Data		
-999999	-	9	0.7 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-104	Followup questions arent asked if the gate isnt yes	1161	85.7 %
	Total	**1,354**	**100%**

Based upon 8 valid cases out of 1,354 total cases.

Location: 3984-3990 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -202 , -201 , -109 , -108 , -104 , -9 , -8

S9EXPV18A_EXPVB: S9 ExpV: Num times you tried kill self

Based upon 8 valid cases out of 1,354 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

Location: 3991-3997 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -999 , -998 , -202 , -201 , -105 , -104

S9EXPWIT: S9 ExpV: Witnessed score

Value	Label	Unweighted Frequency	%
0	-	713	52.7 %
1	-	178	13.1 %
2	-	108	8.0 %
3	-	97	7.2 %
4	-	49	3.6 %
5	-	24	1.8 %
6	-	8	0.6 %
7	-	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,178 valid cases out of 1,354 total cases.

Location: 3998-4001 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -100

S9EXPVIC: S9 ExpV: Victim score

Value	Label	Unweighted Frequency	%
0	-	1026	75.8 %
1	-	108	8.0 %
2	-	21	1.6 %
3	-	17	1.3 %
4	-	4	0.3 %
5	-	2	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,178 valid cases out of 1,354 total cases.

Location: 4002-4005 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -100

S9EXPTOT: S9 ExpV: Total score - witnessed plus victim

Value	Label	Unweighted Frequency	%
0	-	676	49.9 %
1	-	182	13.4 %
2	-	109	8.1 %
3	-	93	6.9 %
4	-	53	3.9 %
5	-	28	2.1 %
6	-	22	1.6 %
7	-	7	0.5 %
8	-	3	0.2 %
9	-	4	0.3 %
11	-	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,178 valid cases out of 1,354 total cases.

Location: 4006-4009 (width: 4; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -100

S9EXPVIO_SUICAL_M01: S9 SuiCal: Attempt suicide M01

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	8	0.6 %
	Missing Data		
.	-	1346	99.4 %
	Total	**1,354**	**100%**

Based upon 8 valid cases out of 1,354 total cases.

Location: 4010-4010 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S9EXPVIO_SUICAL_M02: S9 SuiCal: Attempt suicide M02

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	8	0.6 %
	Missing Data		
.	-	1346	99.4 %
	Total	**1,354**	**100%**

Based upon 8 valid cases out of 1,354 total cases.

Location: 4011-4011 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S9EXPVIO_SUICAL_M03: S9 SuiCal: Attempt suicide M03

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	7	0.5 %
	Missing Data		
.	-	1346	99.4 %
	Total	**1,354**	**100%**

Based upon 8 valid cases out of 1,354 total cases.

Location: 4012-4012 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S9EXPVIO_SUICAL_M04: S9 SuiCal: Attempt suicide M04

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	8	0.6 %
	Missing Data		
.	-	1346	99.4 %
	Total	**1,354**	**100%**

Based upon 8 valid cases out of 1,354 total cases.

Location: 4013-4013 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S9EXPVIO_SUICAL_M05: S9 SuiCal: Attempt suicide M05

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	8	0.6 %
	Missing Data		
.	-	1346	99.4 %
	Total	**1,354**	**100%**

Based upon 8 valid cases out of 1,354 total cases.

Location: 4014-4014 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S9EXPVIO_SUICAL_M06: S9 SuiCal: Attempt suicide M06

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	7	0.5 %
	Missing Data		
.	-	1346	99.4 %
	Total	**1,354**	**100%**

Based upon 8 valid cases out of 1,354 total cases.

Location: 4015-4015 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S9EXPVIO_SUICAL_M07: S9 SuiCal: Attempt suicide M07

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	7	0.5 %
	Missing Data		
.	-	1346	99.4 %
	Total	**1,354**	**100%**

Based upon 8 valid cases out of 1,354 total cases.

Location: 4016-4016 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S9EXPVIO_SUICAL_M08: S9 SuiCal: Attempt suicide M08

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	7	0.5 %
	Missing Data		
.	-	1346	99.4 %
	Total	**1,354**	**100%**

Based upon 8 valid cases out of 1,354 total cases.

Location: 4017-4017 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S9EXPVIO_SUICAL_M09: S9 SuiCal: Attempt suicide M09

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
5	No	6	0.4 %
	Missing Data		
.	-	1346	99.4 %
	Total	**1,354**	**100%**

Based upon 8 valid cases out of 1,354 total cases.

Location: 4018-4018 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S9EXPVIO_SUICAL_M10: S9 SuiCal: Attempt suicide M10

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %

Value	Label	Unweighted Frequency	%
5	No	7	0.5 %
	Missing Data		
.	-	1346	99.4 %
	Total	**1,354**	**100%**

Based upon 8 valid cases out of 1,354 total cases.

Location: 4019-4019 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S9EXPVIO_SUICAL_M11: S9 SuiCal: Attempt suicide M11

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	8	0.6 %
	Missing Data		
.	-	1346	99.4 %
	Total	**1,354**	**100%**

Based upon 8 valid cases out of 1,354 total cases.

Location: 4020-4020 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S9EXPVIO_SUICAL_M12: S9 SuiCal: Attempt suicide M12

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	8	0.6 %
	Missing Data		
.	-	1346	99.4 %
	Total	**1,354**	**100%**

Based upon 8 valid cases out of 1,354 total cases.

Location: 4021-4021 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S9EXPVIO_SUICAL_M13: S9 SuiCal: Attempt suicide M13

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	3	0.2 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	1350	99.7 %
	Total	**1,354**	**100%**

Based upon 4 valid cases out of 1,354 total cases.

Location: 4022-4022 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S9EXPVIO_SUICAL_M14: S9 SuiCal: Attempt suicide M14

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
.	-	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 4023-4023 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

S9EXPVIO_SUICAL_NATTEMPTMOS: S9 ExpV: Number of months with a suicide attempt

Value	Label	Unweighted Frequency	%
1	-	8	0.6 %
	Missing Data		
.	-	1346	99.4 %
	Total	**1,354**	**100%**

Based upon 8 valid cases out of 1,354 total cases.

Location: 4024-4025 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 98 , 99 , .

SAEXPV01: SA ExpV: See anyone chased thought could be hurt

Value	Label	Unweighted Frequency	%
1	Yes	262	19.4 %
5	No	869	64.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 4026-4029 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

SAEXPV02: SA ExpV: You chased thought could be hurt

Value	Label	Unweighted Frequency	%
1	Yes	34	2.5 %
5	No	1097	81.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 4030-4033 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

SAEXPV03: SA ExpV: Ever seen someone else get beaten up

Value	Label	Unweighted Frequency	%
1	Yes	359	26.5 %
5	No	772	57.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 4034-4037 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

SAEXPV04: SA ExpV: You beaten up

Value	Label	Unweighted Frequency	%
1	Yes	51	3.8 %
5	No	1080	79.8 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 4038-4041 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

SAEXPV05: SA ExpV: Saw someone raped

Value	Label	Unweighted Frequency	%
1	Yes	8	0.6 %
5	No	1119	82.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-109	Subject is in federal faciilty - question skipped	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,127 valid cases out of 1,354 total cases.

Location: 4042-4045 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

SAEXPV06: SA ExpV: You raped

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
5	No	1125	83.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-109	Subject is in federal faciilty - question skipped	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,127 valid cases out of 1,354 total cases.

Location: 4046-4049 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

SAEXPV07: SA ExpV: Saw someone attacked w/weapon

Value	Label	Unweighted Frequency	%
1	Yes	186	13.7 %
5	No	941	69.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-109	Subject is in federal faciilty - question skipped	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,127 valid cases out of 1,354 total cases.

Location: 4050-4053 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

SAEXPV08: SA ExpV: You attacked w/weapon

Value	Label	Unweighted Frequency	%
1	Yes	48	3.5 %
5	No	1079	79.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-109	Subject is in federal faciilty - question skipped	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,127 valid cases out of 1,354 total cases.

Location: 4054-4057 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

SAEXPV09: SA ExpV: Saw someone shot AT but missed

Value	Label	Unweighted Frequency	%
1	Yes	100	7.4 %
5	No	1031	76.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 4058-4061 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

SAEXPV10: SA ExpV: You shot AT missed

Value	Label	Unweighted Frequency	%
1	Yes	40	3.0 %
5	No	1091	80.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 4062-4065 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

SAEXPV11: SA ExpV: Saw someone shot

Value	Label	Unweighted Frequency	%
1	Yes	66	4.9 %
5	No	1065	78.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 4066-4069 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

SAEXPV12: SA ExpV: You shot

Value	Label	Unweighted Frequency	%
1	Yes	11	0.8 %
5	No	1120	82.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 4070-4073 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

SAEXPV13: SA ExpV: Saw someone killed from violence

Value	Label	Unweighted Frequency	%
1	Yes	64	4.7 %
5	No	1067	78.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 4074-4077 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

SAEXPV14: SA ExpV: Anyone close to you ever try kill self

Value	Label	Unweighted Frequency	%
1	Yes	24	1.8 %
5	No	1107	81.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 4078-4081 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

SAEXPV18: SA ExpV: You tried to kill self

Value	Label	Unweighted Frequency	%
1	Yes	13	1.0 %
5	No	1111	82.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-109	Subject is in federal faciilty - question skipped	7	0.5 %
	Total	**1,354**	**100%**

Based upon 1,124 valid cases out of 1,354 total cases.

Location: 4082-4085 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

SAEXPV17: SA ExpV: Anyone close to you died

Value	Label	Unweighted Frequency	%
1	Yes	251	18.5 %
5	No	880	65.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 4086-4089 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

SAEXPV17A: SA ExpV: Num close to you died

Based upon 251 valid cases out of 1,354 total cases.

- Mean: 1.48
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 0.99

Location: 4090-4093 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -101

SAEXPV17B: SA ExpV: Num close to you died/truncated to 4

Value	Label	Unweighted Frequency	%
1	-	178	13.1 %
2	-	45	3.3 %
3	-	20	1.5 %
4	-	8	0.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Skipped if sAexpv17 isnt Yes	880	65.0 %
	Total	**1,354**	**100%**

Based upon 251 valid cases out of 1,354 total cases.

Location: 4094-4097 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -101 , -99 , -98

SAEXPVIO_DIEDBIOFATHER: SA ExpV_Died: Biofather during recall period

Value	Label	Unweighted Frequency	%
1	Yes	10	0.7 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-103	Less than 4 people died last 6 months	241	17.8 %
-101	Skipped if sAexpv17 isnt Yes	880	65.0 %
	Total	**1,354**	**100%**

Based upon 10 valid cases out of 1,354 total cases.

Location: 4098-4101 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

SAEXPVIO_DIEDBIOMOTHER: SA ExpV_Died: Biomother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	9	0.7 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-103	Less than 4 people died last 6 months	242	17.9 %
-101	Skipped if sAexpv17 isnt Yes	880	65.0 %
	Total	**1,354**	**100%**

Based upon 9 valid cases out of 1,354 total cases.

Location: 4102-4105 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

SAEXPVIO_DIEDBIOSISTER: SA ExpV_Died: Biosister during recall period

Value	Label	Unweighted Frequency	%
1	Yes	3	0.2 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %

Value	Label	Unweighted Frequency	%
-103	Less than 4 people died last 6 months	248	18.3 %
-101	Skipped if sAexpv17 isnt Yes	880	65.0 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 4106-4109 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

SAEXPVIO_DIEDBIOBROTHER: SA ExpV_Died: Biobrother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	12	0.9 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-103	Less than 4 people died last 6 months	239	17.7 %
-101	Skipped if sAexpv17 isnt Yes	880	65.0 %
	Total	**1,354**	**100%**

Based upon 12 valid cases out of 1,354 total cases.

Location: 4110-4113 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

SAEXPVIO_DIEDBIOGRANDMOTHER: SA ExpV_Died: Biograndmother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	32	2.4 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-103	Less than 4 people died last 6 months	219	16.2 %
-101	Skipped if sAexpv17 isnt Yes	880	65.0 %
	Total	**1,354**	**100%**

Based upon 32 valid cases out of 1,354 total cases.

Location: 4114-4117 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

SAEXPVIO_DIEDBIOGRANDFATHER: SA ExpV_Died: Biograndfather during recall period

Value	Label	Unweighted Frequency	%
1	Yes	24	1.8 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-103	Less than 4 people died last 6 months	227	16.8 %
-101	Skipped if sAexpv17 isnt Yes	880	65.0 %
	Total	**1,354**	**100%**

Based upon 24 valid cases out of 1,354 total cases.

Location: 4118-4121 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

SAEXPVIO_DIEDSTEPFATHER: SA ExpV_Died: Stepfather during recall period

Value	Label	Unweighted Frequency	%
1	Yes	3	0.2 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-103	Less than 4 people died last 6 months	248	18.3 %
-101	Skipped if sAexpv17 isnt Yes	880	65.0 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 4122-4125 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

SAEXPVIO_DIEDSTEPMOTHER: SA ExpV_Died: Stepmother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-103	Less than 4 people died last 6 months	250	18.5 %

Value	Label	Unweighted Frequency	%
-101	Skipped if sAexpv17 isnt Yes	880	65.0 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 4126-4129 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

SAEXPVIO_DIEDSTEPSISTER: SA ExpV_Died: Stepsister during recall period

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-103	Less than 4 people died last 6 months	250	18.5 %
-101	Skipped if sAexpv17 isnt Yes	880	65.0 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 4130-4133 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

SAEXPVIO_DIEDSTEPBROTHER: SA ExpV_Died: Stepbrother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-103	Less than 4 people died last 6 months	251	18.5 %
-101	Skipped if sAexpv17 isnt Yes	880	65.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 4134-4137 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

SAEXPVIO_DIEDADOPTIVEFATHER: SA ExpV_Died: Adoptivefather during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-103	Less than 4 people died last 6 months	251	18.5 %
-101	Skipped if sAexpv17 isnt Yes	880	65.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 4138-4141 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

SAEXPVIO_DIEDADOPTIVEMOTHER: SA ExpV_Died: Adoptivemother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-103	Less than 4 people died last 6 months	251	18.5 %
-101	Skipped if sAexpv17 isnt Yes	880	65.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 4142-4145 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

SAEXPVIO_DIEDADOPTIVESISTER: SA ExpV_Died: Adoptivesister during recall period

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-103	Less than 4 people died last 6 months	250	18.5 %
-101	Skipped if sAexpv17 isnt Yes	880	65.0 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 4146-4149 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

SAEXPVIO_DIEDADOPTIVEBROTHER: SA ExpV_Died: Adoptivebrother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-103	Less than 4 people died last 6 months	251	18.5 %
-101	Skipped if sAexpv17 isnt Yes	880	65.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 4150-4153 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

SAEXPVIO_DIEDWIFE: SA ExpV_Died: Wife during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-103	Less than 4 people died last 6 months	251	18.5 %
-101	Skipped if sAexpv17 isnt Yes	880	65.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 4154-4157 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

SAEXPVIO_DIEDHUSBAND: SA ExpV_Died: Husband during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-103	Less than 4 people died last 6 months	251	18.5 %
-101	Skipped if sAexpv17 isnt Yes	880	65.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 4158-4161 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

SAEXPVIO_DIEDSON: SA ExpV_Died: Son during recall period

Value	Label	Unweighted Frequency	%
1	Yes	3	0.2 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-103	Less than 4 people died last 6 months	248	18.3 %
-101	Skipped if sAexpv17 isnt Yes	880	65.0 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 4162-4165 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

SAEXPVIO_DIEDDAUGHTER: SA ExpV_Died: Daughter during recall period

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-103	Less than 4 people died last 6 months	250	18.5 %
-101	Skipped if sAexpv17 isnt Yes	880	65.0 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 4166-4169 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

SAEXPVIO_DIEDAUNT: SA ExpV_Died: Aunt during recall period

Value	Label	Unweighted Frequency	%
1	Yes	19	1.4 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-103	Less than 4 people died last 6 months	232	17.1 %
-101	Skipped if sAexpv17 isnt Yes	880	65.0 %
	Total	**1,354**	**100%**

Based upon 19 valid cases out of 1,354 total cases.

Location: 4170-4173 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

SAEXPVIO_DIEDUNCLE: SA ExpV_Died: Uncle during recall period

Value	Label	Unweighted Frequency	%
1	Yes	28	2.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-103	Less than 4 people died last 6 months	223	16.5 %
-101	Skipped if sAexpv17 isnt Yes	880	65.0 %
	Total	**1,354**	**100%**

Based upon 28 valid cases out of 1,354 total cases.

Location: 4174-4177 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

SAEXPVIO_DIEDFEMALECOUSIN: SA ExpV_Died: Femalecousin during recall period

Value	Label	Unweighted Frequency	%
1	Yes	5	0.4 %
5	No	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-103	Less than 4 people died last 6 months	246	18.2 %
-101	Skipped if sAexpv17 isnt Yes	880	65.0 %
	Total	**1,354**	**100%**

Based upon 5 valid cases out of 1,354 total cases.

Location: 4178-4181 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

SAEXPVIO_DIEDMALECOUSIN: SA ExpV_Died: Malecousin during recall period

Value	Label	Unweighted Frequency	%
1	Yes	34	2.5 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-103	Less than 4 people died last 6 months	217	16.0 %
-101	Skipped if sAexpv17 isnt Yes	880	65.0 %
	Total	**1,354**	**100%**

Based upon 34 valid cases out of 1,354 total cases.

Location: 4182-4185 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

SAEXPVIO_DIEDNEPHEW: SA ExpV_Died: Nephew during recall period

Value	Label	Unweighted Frequency	%
1	Yes	4	0.3 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-103	Less than 4 people died last 6 months	247	18.2 %
-101	Skipped if sAexpv17 isnt Yes	880	65.0 %
	Total	**1,354**	**100%**

Based upon 4 valid cases out of 1,354 total cases.

Location: 4186-4189 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

SAEXPVIO_DIEDNIECE: SA ExpV_Died: Niece during recall period

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-103	Less than 4 people died last 6 months	249	18.4 %
-101	Skipped if sAexpv17 isnt Yes	880	65.0 %
	Total	**1,354**	**100%**

Based upon 2 valid cases out of 1,354 total cases.

Location: 4190-4193 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

SAEXPVIO_DIEDLIVEINBFGF: SA ExpV_Died: LiveinBFGF during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-103	Less than 4 people died last 6 months	251	18.5 %
-101	Skipped if sAexpv17 isnt Yes	880	65.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 4194-4197 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

SAEXPVIO_DIEDFEMALEFRIEND: SA ExpV_Died: Femalefriend during recall period

Value	Label	Unweighted Frequency	%
1	Yes	10	0.7 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %

Value	Label	Unweighted Frequency	%
-103	Less than 4 people died last 6 months	241	17.8 %
-101	Skipped if sAexpv17 isnt Yes	880	65.0 %
	Total	**1,354**	**100%**

Based upon 10 valid cases out of 1,354 total cases.

Location: 4198-4201 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

SAEXPVIO_DIEDMALEFRIEND: SA ExpV_Died: Malefriend during recall period

Value	Label	Unweighted Frequency	%
1	Yes	80	5.9 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-103	Less than 4 people died last 6 months	171	12.6 %
-101	Skipped if sAexpv17 isnt Yes	880	65.0 %
	Total	**1,354**	**100%**

Based upon 80 valid cases out of 1,354 total cases.

Location: 4202-4205 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

SAEXPVIO_DIEDBOYFRIEND: SA ExpV_Died: Boyfriend during recall period

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-103	Less than 4 people died last 6 months	250	18.5 %
-101	Skipped if sAexpv17 isnt Yes	880	65.0 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 4206-4209 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

SAEXPVIO_DIEDGIRLFRIEND: SA ExpV_Died: Girlfriend during recall period

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-103	Less than 4 people died last 6 months	249	18.4 %
-101	Skipped if sAexpv17 isnt Yes	880	65.0 %
	Total	**1,354**	**100%**

Based upon 2 valid cases out of 1,354 total cases.

Location: 4210-4213 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

SAEXPVIO_DIEDMALEROOMMATE: SA ExpV_Died: Maleroommate during recall period

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-103	Less than 4 people died last 6 months	249	18.4 %
-101	Skipped if sAexpv17 isnt Yes	880	65.0 %
	Total	**1,354**	**100%**

Based upon 2 valid cases out of 1,354 total cases.

Location: 4214-4217 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

SAEXPVIO_DIEDFEMALEROOMMATE: SA ExpV_Died: Femaleroommate during recall period

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-103	Less than 4 people died last 6 months	250	18.5 %

Value	Label	Unweighted Frequency	%
-101	Skipped if sAexpv17 isnt Yes	880	65.0 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 4218-4221 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

SAEXPVIO_DIEDPROFRELATIONSHIP: SA ExpV_Died: Profrelationship during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-103	Less than 4 people died last 6 months	251	18.5 %
-101	Skipped if sAexpv17 isnt Yes	880	65.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 4222-4225 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

SAEXPVIO_DIEDFOSTERMOTHER: SA ExpV_Died: Fostermother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-103	Less than 4 people died last 6 months	251	18.5 %
-101	Skipped if sAexpv17 isnt Yes	880	65.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 4226-4229 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

SAEXPVIO_DIEDFOSTERFATHER: SA ExpV_Died: Fosterfather during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-103	Less than 4 people died last 6 months	251	18.5 %
-101	Skipped if sAexpv17 isnt Yes	880	65.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 4230-4233 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

SAEXPVIO_DIEDFOSTERBROTHER: SA ExpV_Died: Fosterbrother during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-103	Less than 4 people died last 6 months	251	18.5 %
-101	Skipped if sAexpv17 isnt Yes	880	65.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 4234-4237 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

SAEXPVIO_DIEDFOSTERSISTER: SA ExpV_Died: Fostersister during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-103	Less than 4 people died last 6 months	251	18.5 %
-101	Skipped if sAexpv17 isnt Yes	880	65.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 4238-4241 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

SAEXPVIO_DIEDMOTHEROFCHILD: SA ExpV_Died: MotherOfchild during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-103	Less than 4 people died last 6 months	251	18.5 %
-101	Skipped if sAexpv17 isnt Yes	880	65.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 4242-4245 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

SAEXPVIO_DIEDFATHEROFCHILD: SA ExpV_Died: FatherOfchild during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-103	Less than 4 people died last 6 months	251	18.5 %
-101	Skipped if sAexpv17 isnt Yes	880	65.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 4246-4249 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

SAEXPVIO_DIEDSTEPSON: SA ExpV_Died: Stepson during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-103	Less than 4 people died last 6 months	251	18.5 %
-101	Skipped if sAexpv17 isnt Yes	880	65.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 4250-4253 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

SAEXPVIO_DIEDSTEPDAUGHTER: SA ExpV_Died: Stepdaughter during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-103	Less than 4 people died last 6 months	251	18.5 %
-101	Skipped if sAexpv17 isnt Yes	880	65.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 4254-4257 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

SAEXPVIO_DIEDFIANCE: SA ExpV_Died: Fiance during recall period

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-103	Less than 4 people died last 6 months	250	18.5 %
-101	Skipped if sAexpv17 isnt Yes	880	65.0 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 4258-4261 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

SAEXPVIO_DIEDOTHERRELATIVE: SA ExpV_Died: OtherRelative during recall period

Value	Label	Unweighted Frequency	%
1	Yes	3	0.2 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-103	Less than 4 people died last 6 months	248	18.3 %
-101	Skipped if sAexpv17 isnt Yes	880	65.0 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 4262-4265 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

SAEXPVIO_DIEDOTHER: SA ExpV_Died: Other during recall period

Value	Label	Unweighted Frequency	%
1	Yes	15	1.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-103	Less than 4 people died last 6 months	236	17.4 %
-101	Skipped if sAexpv17 isnt Yes	880	65.0 %
	Total	**1,354**	**100%**

Based upon 15 valid cases out of 1,354 total cases.

Location: 4266-4269 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -103 , -102 , -101 , -9 , -8

SAEXPV15: SA ExpV: Found dead body

Value	Label	Unweighted Frequency	%
1	Yes	10	0.7 %
5	No	1121	82.8 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 4270-4273 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

SAEXPV16: SA ExpV: Other situation frightened

Value	Label	Unweighted Frequency	%
1	Yes	20	1.5 %
5	No	1111	82.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 4274-4277 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

SAEXPV01A_EXPVA: SA ExpV: Saw another chased

Based upon 262 valid cases out of 1,354 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 4278-4281 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

SAEXPV01A_EXPVB: SA ExpV: How many times seen chased

Value	Label	Unweighted Frequency	%
1	-	81	6.0 %
2	-	74	5.5 %
3	-	22	1.6 %
4	-	15	1.1 %
5	-	20	1.5 %
6	-	6	0.4 %
7	-	2	0.1 %

Value	Label	Unweighted Frequency	%
8	-	1	0.1 %
9	-	1	0.1 %
10	-	19	1.4 %
12	-	1	0.1 %
15	-	1	0.1 %
20	-	11	0.8 %
25	-	1	0.1 %
26	-	1	0.1 %
33	-	1	0.1 %
50	-	1	0.1 %
65	-	1	0.1 %
100	-	1	0.1 %
200	-	1	0.1 %
270	-	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-104	Followup questions arent asked if the gate isnt yes	869	64.2 %
	Total	**1,354**	**100%**

Based upon 262 valid cases out of 1,354 total cases.

Location: 4282-4285 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

SAEXPV02A_EXPVA: SA ExpV: You chased

Value	Label	Unweighted Frequency	%
1	Yes	34	2.5 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-104	Followup questions arent asked if the gate isnt yes	1097	81.0 %
	Total	**1,354**	**100%**

Based upon 34 valid cases out of 1,354 total cases.

Location: 4286-4289 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

SAEXPV02A_EXPVB: SA ExpV: Num times you chased

Based upon 34 valid cases out of 1,354 total cases.

- Mean: 3.21
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 41.00
- Standard Deviation: 7.08

Location: 4290-4293 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

SAEXPV03A_EXPVA: SA ExpV: Saw someone beaten

Value	Label	Unweighted Frequency	%
1	Yes	359	26.5 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-104	Followup questions arent asked if the gate isnt yes	772	57.0 %
	Total	**1,354**	**100%**

Based upon 359 valid cases out of 1,354 total cases.

Location: 4294-4297 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

SAEXPV03A_EXPVB: SA ExpV: Num times saw someone beaten

Based upon 359 valid cases out of 1,354 total cases.

- Mean: 6.62
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 270.00
- Standard Deviation: 18.87

Location: 4298-4301 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

SAEXPV04A_EXPVA: SA ExpV: You beaten up

Value	Label	Unweighted Frequency	%
1	Yes	51	3.8 %

Value	Label	Unweighted Frequency	%
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-104	Followup questions arent asked if the gate isnt yes	1080	79.8 %
	Total	**1,354**	**100%**

Based upon 51 valid cases out of 1,354 total cases.

Location: 4302-4305 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

SAEXPV04A_EXPVB: SA ExpV: Num times you beaten up

Based upon 51 valid cases out of 1,354 total cases.

- Mean: 1.84
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 1.79

Location: 4306-4309 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

SAEXPV05A_EXPVA: SA ExpV: Saw someone raped

Value	Label	Unweighted Frequency	%
1	Yes	8	0.6 %
5	No	0	0.0 %
	Missing Data		
-999999	-	4	0.3 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-104	Followup questions arent asked if the gate isnt yes	1119	82.6 %
	Total	**1,354**	**100%**

Based upon 8 valid cases out of 1,354 total cases.

Location: 4310-4316 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -202 , -201 , -109 , -108 , -104 , -9 , -8

SAEXPV05A_EXPVB: SA ExpV: Num times saw someone raped

Based upon 8 valid cases out of 1,354 total cases.

- Mean: 14.12
- Median: 2.00
- Minimum: 1.00
- Maximum: 100.00
- Standard Deviation: 34.71

Location: 4317-4323 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -999 , -998 , -202 , -201 , -105 , -104

SAEXPV06A_EXPVA: SA ExpV: You were raped

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
5	No	0	0.0 %
	Missing Data		
-999999	-	4	0.3 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-104	Followup questions arent asked if the gate isnt yes	1125	83.1 %
	Total	**1,354**	**100%**

Based upon 2 valid cases out of 1,354 total cases.

Location: 4324-4330 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -202 , -201 , -109 , -108 , -104 , -9 , -8

SAEXPV06A_EXPVD: SA ExpV: Did it happen more than once

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	1	0.1 %
	Missing Data		
-999999	-	4	0.3 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-104	Followup questions arent asked if the gate isnt yes	1125	83.1 %
	Total	**1,354**	**100%**

Based upon 2 valid cases out of 1,354 total cases.

Location: 4331-4337 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -202 , -201 , -107 , -106 , -105 , -104 , -9 , -8

SAEXPV06A_EXPVF: SA ExpV: Relation of person that did this

Value	Label	Unweighted Frequency	%
1	Family member	0	0.0 %
2	Friend/acquaintance	1	0.1 %
3	Stranger	1	0.1 %
	Missing Data		
-999999	-	4	0.3 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-104	Followup questions arent asked if the gate isnt yes	1125	83.1 %
	Total	**1,354**	**100%**

Based upon 2 valid cases out of 1,354 total cases.

Location: 4338-4344 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -202 , -201 , -107 , -106 , -105 , -104 , -9 , -8

SAEXPV06A_EXPVG: SA ExpV: Where did this happen

Value	Label	Unweighted Frequency	%
1	At home	1	0.1 %
2	At school	0	0.0 %
3	In his/her neighborhood	1	0.1 %
4	Other (specify)	0	0.0 %
	Missing Data		
-999999	-	4	0.3 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-104	Followup questions arent asked if the gate isnt yes	1125	83.1 %
	Total	**1,354**	**100%**

Based upon 2 valid cases out of 1,354 total cases.

Location: 4345-4351 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -202 , -201 , -107 , -106 , -105 , -104 , -9 , -8

SAEXPV07A_EXPVA: SA ExpV: Saw someone attacked w/weapon

Value	Label	Unweighted Frequency	%
1	Yes	186	13.7 %
5	No	0	0.0 %
	Missing Data		
-999999	-	4	0.3 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	220	16.2 %
-104	Followup questions arent asked if the gate isnt yes	941	69.5 %
	Total	**1,354**	**100%**

Based upon 186 valid cases out of 1,354 total cases.

Location: 4352-4358 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -202 , -201 , -109 , -108 , -104 , -9 , -8

SAEXPV07A_EXPVB: SA ExpV: Num times saw someone attacked w/weapon

Based upon 186 valid cases out of 1,354 total cases.

- Mean: 5.33
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 270.00
- Standard Deviation: 21.93

Location: 4359-4365 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -999 , -998 , -202 , -201 , -105 , -104

SAEXPV08A_EXPVA: SA ExpV: You attacked w/weapon

Value	Label	Unweighted Frequency	%
1	Yes	48	3.5 %
5	No	0	0.0 %
	Missing Data		
-999999	-	4	0.3 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-104	Followup questions arent asked if the gate isnt yes	1079	79.7 %
	Total	**1,354**	**100%**

Based upon 48 valid cases out of 1,354 total cases.

Location: 4366-4372 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -202 , -201 , -109 , -108 , -104 , -9 , -8

SAEXPV08A_EXPVB: SA ExpV: Num times you attacked w/ weapon

Based upon 48 valid cases out of 1,354 total cases.

- Mean: 2.06
- Median: 1.00

- Mode: 1.00
- Minimum: 1.00
- Maximum: 20.00
- Standard Deviation: 2.94

Location: 4373-4379 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -999 , -998 , -202 , -201 , -105 , -104

SAEXPV09A_EXPVA: SA ExpV: Saw someone shot at

Value	Label	Unweighted Frequency	%
1	Yes	100	7.4 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-104	Followup questions arent asked if the gate isnt yes	1031	76.1 %
	Total	**1,354**	**100%**

Based upon 100 valid cases out of 1,354 total cases.

Location: 4380-4383 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

SAEXPV09A_EXPVB: SA ExpV: Num times saw someone shot at

Based upon 100 valid cases out of 1,354 total cases.

- Mean: 3.29
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 70.00
- Standard Deviation: 7.32

Location: 4384-4387 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

SAEXPV10A_EXPVA: SA ExpV: You shot at

Value	Label	Unweighted Frequency	%
1	Yes	40	3.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-104	Followup questions arent asked if the gate isnt yes	1091	80.6 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 40 valid cases out of 1,354 total cases.

Location: 4388-4391 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

SAEXPV10A_EXPVB: SA ExpV: Num times you shot at

Based upon 40 valid cases out of 1,354 total cases.

- Mean: 2.90
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 4.74

Location: 4392-4395 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

SAEXPV11A_EXPVA: SA ExpV: Saw someone shot

Value	Label	Unweighted Frequency	%
1	Yes	66	4.9 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-104	Followup questions arent asked if the gate isnt yes	1065	78.7 %
	Total	**1,354**	**100%**

Based upon 66 valid cases out of 1,354 total cases.

Location: 4396-4399 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

SAEXPV11A_EXPVB: SA ExpV: Num times saw someone shot

Based upon 66 valid cases out of 1,354 total cases.

- Mean: 1.77
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 8.00
- Standard Deviation: 1.35

Location: 4400-4403 (width: 4; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

SAEXPV12A_EXPVA: SA ExpV: You shot

Value	Label	Unweighted Frequency	%
1	Yes	11	0.8 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-104	Followup questions arent asked if the gate isnt yes	1120	82.7 %
	Total	**1,354**	**100%**

Based upon 11 valid cases out of 1,354 total cases.

Location: 4404-4407 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

SAEXPV12A_EXPVB: SA ExpV: Num times you shot

Value	Label	Unweighted Frequency	%
1	-	11	0.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-104	Followup questions arent asked if the gate isnt yes	1120	82.7 %
	Total	**1,354**	**100%**

Based upon 11 valid cases out of 1,354 total cases.

Location: 4408-4411 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

SAEXPV13A_EXPVA: SA ExpV: Saw someone killed from violence

Value	Label	Unweighted Frequency	%
1	Yes	64	4.7 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-104	Followup questions arent asked if the gate isnt yes	1067	78.8 %
	Total	**1,354**	**100%**

Based upon 64 valid cases out of 1,354 total cases.

Location: 4412-4415 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -104 , -9 , -8

SAEXPV13A_EXPVB: SA ExpV: Num times saw one killed from violence

Based upon 64 valid cases out of 1,354 total cases.

- Mean: 1.36
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.84

Location: 4416-4419 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -105 , -104

SAEXPV14A: SA ExpV: Num close to you tried to kill self

Based upon 24 valid cases out of 1,354 total cases.

- Mean: 1.21
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.66

Location: 4420-4423 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -104 , -99 , -98

SAEXPV18A_EXPVA: SA ExpV: You tried kill self

Value	Label	Unweighted Frequency	%
1	Yes	13	1.0 %
5	No	0	0.0 %
	Missing Data		
-999999	-	7	0.5 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-104	Followup questions arent asked if the gate isnt yes	1111	82.1 %
	Total	**1,354**	**100%**

Based upon 13 valid cases out of 1,354 total cases.

Location: 4424-4430 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -202 , -201 , -109 , -108 , -104 , -9 , -8

SAEXPV18A_EXPVB: SA ExpV: Num times you tried kill self

Based upon 13 valid cases out of 1,354 total cases.

- Mean: 3.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 20.00
- Standard Deviation: 5.20

Location: 4431-4437 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -999 , -998 , -202 , -201 , -105 , -104

SAEXPWIT: SA ExpV: Witnessed score

Value	Label	Unweighted Frequency	%
0	-	673	49.7 %
1	-	166	12.3 %
2	-	120	8.9 %
3	-	100	7.4 %
4	-	36	2.7 %
5	-	21	1.6 %
6	-	15	1.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 4438-4441 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -100

SAEXPVIC: SA ExpV: Victim score

Value	Label	Unweighted Frequency	%
0	-	1014	74.9 %
1	-	73	5.4 %
2	-	29	2.1 %
3	-	7	0.5 %
4	-	6	0.4 %
5	-	2	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 4442-4445 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -100

SAEXPTOT: SA ExpV: Total score - witnessed plus victim

Value	Label	Unweighted Frequency	%
0	-	646	47.7 %
1	-	163	12.0 %
2	-	116	8.6 %
3	-	106	7.8 %
4	-	43	3.2 %
5	-	25	1.8 %
6	-	19	1.4 %
7	-	5	0.4 %
8	-	2	0.1 %
9	-	4	0.3 %
10	-	2	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 4446-4449 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -100

SAEXPVIO_SUICAL_M01: SA SuiCal: Attempt suicide M01

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	12	0.9 %
	Missing Data		
.	-	1341	99.0 %
	Total	**1,354**	**100%**

Based upon 13 valid cases out of 1,354 total cases.

Location: 4450-4450 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

SAEXPVIO_SUICAL_M02: SA SuiCal: Attempt suicide M02

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
5	No	11	0.8 %
	Missing Data		
.	-	1341	99.0 %
	Total	**1,354**	**100%**

Based upon 13 valid cases out of 1,354 total cases.

Location: 4451-4451 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

SAEXPVIO_SUICAL_M03: SA SuiCal: Attempt suicide M03

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	13	1.0 %
	Missing Data		
.	-	1341	99.0 %
	Total	**1,354**	**100%**

Based upon 13 valid cases out of 1,354 total cases.

Location: 4452-4452 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

SAEXPVIO_SUICAL_M04: SA SuiCal: Attempt suicide M04

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
5	No	11	0.8 %
	Missing Data		
.	-	1341	99.0 %
	Total	**1,354**	**100%**

Based upon 13 valid cases out of 1,354 total cases.

Location: 4453-4453 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

SAEXPVIO_SUICAL_M05: SA SuiCal: Attempt suicide M05

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	12	0.9 %
	Missing Data		
.	-	1341	99.0 %
	Total	**1,354**	**100%**

Based upon 13 valid cases out of 1,354 total cases.

Location: 4454-4454 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

SAEXPVIO_SUICAL_M06: SA SuiCal: Attempt suicide M06

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	12	0.9 %
	Missing Data		
.	-	1341	99.0 %
	Total	**1,354**	**100%**

Based upon 13 valid cases out of 1,354 total cases.

Location: 4455-4455 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

SAEXPVIO_SUICAL_M07: SA SuiCal: Attempt suicide M07

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
5	No	11	0.8 %
	Missing Data		
.	-	1341	99.0 %
	Total	**1,354**	**100%**

Based upon 13 valid cases out of 1,354 total cases.

Location: 4456-4456 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

SAEXPVIO_SUICAL_M08: SA SuiCal: Attempt suicide M08

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
5	No	11	0.8 %
	Missing Data		
.	-	1341	99.0 %
	Total	**1,354**	**100%**

Based upon 13 valid cases out of 1,354 total cases.

Location: 4457-4457 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

SAEXPVIO_SUICAL_M09: SA SuiCal: Attempt suicide M09

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
5	No	11	0.8 %
	Missing Data		
.	-	1341	99.0 %
	Total	**1,354**	**100%**

Based upon 13 valid cases out of 1,354 total cases.

Location: 4458-4458 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

SAEXPVIO_SUICAL_M10: SA SuiCal: Attempt suicide M10

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
5	No	11	0.8 %
	Missing Data		
.	-	1341	99.0 %
	Total	**1,354**	**100%**

Based upon 13 valid cases out of 1,354 total cases.

Location: 4459-4459 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

SAEXPVIO_SUICAL_M11: SA SuiCal: Attempt suicide M11

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %

Value	Label	Unweighted Frequency	%
5	No	10	0.7 %
	Missing Data		
.	-	1342	99.1 %
	Total	**1,354**	**100%**

Based upon 12 valid cases out of 1,354 total cases.

Location: 4460-4460 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

SAEXPVIO_SUICAL_M12: SA SuiCal: Attempt suicide M12

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	10	0.7 %
	Missing Data		
.	-	1344	99.3 %
	Total	**1,354**	**100%**

Based upon 10 valid cases out of 1,354 total cases.

Location: 4461-4461 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

SAEXPVIO_SUICAL_M13: SA SuiCal: Attempt suicide M13

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	2	0.1 %
	Missing Data		
.	-	1352	99.9 %
	Total	**1,354**	**100%**

Based upon 2 valid cases out of 1,354 total cases.

Location: 4462-4462 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

SAEXPVIO_SUICAL_M14: SA SuiCal: Attempt suicide M14

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 4463-4463 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

SAEXPVIO_SUICAL_NATTEMPTMOS: SA ExpV: Number of months with a suicide attempt

Value	Label	Unweighted Frequency	%
1	-	9	0.7 %
2	-	4	0.3 %
	Missing Data		
.	-	1341	99.0 %
	Total	**1,354**	**100%**

Based upon 13 valid cases out of 1,354 total cases.

Location: 4464-4465 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 98 , 99 , .