ICPSR | INTER-UNIVERSITY CONSORTIUM FOR POLITICAL AND SOCIAL RESEARCH

ICPSR 36800

Research on Pathways to Desistance [Maricopa County, AZ and Philadelphia County, PA]: Subject Measures - Scales, 2000-2010

Edward P. Mulvey
University of Pittsburgh

Codebook for Gang Involvement
[RESTRICTED]

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/36800/terms

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE
WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

CODEBOOK DISPLAY NOTES

RESEARCH ON PATHWAYS TO DESISTANCE

SUBJECT MEASURES - SCALES

ICPSR #36800-0020

GANG INVOLVEMENT

1. Due to Stata limitations, the variables **S0GANGCODE_GANGEVER** and **S0GANGCODE_GANG6MO** do not contain value labels for non-integer values within the Stata files.

ICPSR 36800

Research on Pathways to Desistance [Maricopa County, AZ and Philadelphia County, PA]: Subject Measures - Scales, 2000-2010

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Gang Involvement [RESTRICTED]

CASEID: S0 IntInfo: Subject ID

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1-5 (width: 5; decimal: 0)
Variable Type: numeric

S0GANG1: S0 Gang: 6mo before JV - member of a gang

Value	Label	Unweighted Frequency	%
1	Yes	228	16.8 %
5	No	1122	82.9 %
	Missing Data		
-200	Data missing	3	0.2 %
-8	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,350 valid cases out of 1,354 total cases.

Location: 6-9 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0GANG4: S0 Gang: 6mo before JV - name of the gang/posse

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 10-34 (width: 25; decimal: 0)
Variable Type: character

S0GANGCODE_GANG6MO: S0 Gang: Gang code - gang subj was involved with in 6mo prior to detention

Based upon 213 valid cases out of 1,354 total cases.

Location: 35-40 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -999.2 , -999.1 , -998.2 , -998.1 , -997.2 , -997.1 , -200.0 , -103.0 , -101.0

S0GANG5: S0 Gang: 6mo before JV - number of members in gang/posse

Based upon 202 valid cases out of 1,354 total cases.

- Mean: 307.35
- Median: 100.00
- Mode: 100.00
- Minimum: 5.00
- Maximum: 9997.00
- Standard Deviation: 793.69

Location: 41-45 (width: 5; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9999 , -9998 , -200 , -101

S0GANG6: S0 Gang: 6mo before JV - age oldest member of gang/posse

Based upon 203 valid cases out of 1,354 total cases.

- Mean: 35.78
- Median: 31.00
- Mode: 30.00
- Minimum: 14.00
- Maximum: 90.00
- Standard Deviation: 15.20

Location: 46-49 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -99 , -98

S0GANG7: S0 Gang: 6mo before JV - does gang/posse have any colors

Value	Label	Unweighted Frequency	%
1	Yes	162	12.0 %
5	No	65	4.8 %
	Missing Data		
-200	Data missing	3	0.2 %
-101	Skipped: Not in gang 6mo before detention	1123	82.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 227 valid cases out of 1,354 total cases.

Location: 50-53 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0GANG8: S0 Gang: 6mo before JV - does gang/posse have any rules

Value	Label	Unweighted Frequency	%
1	Yes	115	8.5 %
5	No	112	8.3 %
	Missing Data		
-200	Data missing	3	0.2 %
-101	Skipped: Not in gang 6mo before detention	1123	82.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 227 valid cases out of 1,354 total cases.

Location: 54-57 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0GANG9: S0 Gang: 6mo before JV - does gang/posse share money

Value	Label	Unweighted Frequency	%
1	Yes	159	11.7 %
5	No	68	5.0 %
	Missing Data		
-200	Data missing	3	0.2 %
-101	Skipped: Not in gang 6mo before detention	1123	82.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 227 valid cases out of 1,354 total cases.

Location: 58-61 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0GANG10: S0 Gang: 6mo before JV - does gang/posse share drugs

Value	Label	Unweighted Frequency	%
1	Yes	181	13.4 %
5	No	45	3.3 %
	Missing Data		
-200	Data missing	3	0.2 %
-101	Skipped: Not in gang 6mo before detention	1123	82.9 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 226 valid cases out of 1,354 total cases.

Location: 62-65 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0GANG11: S0 Gang: 6mo before JV - does gang/posse have punishment if break rules

Value	Label	Unweighted Frequency	%
1	Yes	121	8.9 %
5	No	106	7.8 %
	Missing Data		
-200	Data missing	3	0.2 %
-101	Skipped: Not in gang 6mo before detention	1123	82.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 227 valid cases out of 1,354 total cases.

Location: 66-69 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0GANG12: S0 Gang: 6mo before JV - frequency of contact w/gang

Value	Label	Unweighted Frequency	%
1	Daily	144	10.6 %
2	3-6 times per week	21	1.6 %
3	twice per week	11	0.8 %
4	Once per week	10	0.7 %
5	Less weekly, more than monthly	6	0.4 %
6	Once per month	3	0.2 %
7	Less than monthly	33	2.4 %
	Missing Data		
-200	Data missing	3	0.2 %
-101	Skipped: Not in gang 6mo before detention	1123	82.9 %
	Total	**1,354**	**100%**

Based upon 228 valid cases out of 1,354 total cases.

Location: 70-73 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0GANG13: S0 Gang: 6mo before JV - position in the gang/posse

Value	Label	Unweighted Frequency	%
1	Leader	9	0.7 %
2	Not leader, but one of the top people	52	3.8 %
3	Member	158	11.7 %
4	Something else (other)	8	0.6 %
	Missing Data		
-200	Data missing	3	0.2 %
-101	Skipped: Not in gang 6mo before detention	1123	82.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 227 valid cases out of 1,354 total cases.

Location: 74-77 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0GANG14: S0 Gang: 6mo before JV - position in the gang/posse (specify)

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 78-102 (width: 25; decimal: 0)
Variable Type: character

S0GANG15: S0 Gang: 6mo before JV - still a member of gang/posse

Value	Label	Unweighted Frequency	%
1	Yes	175	12.9 %
5	No	52	3.8 %
	Missing Data		
-200	Data missing	3	0.2 %
-101	Skipped: Not in gang 6mo before detention	1123	82.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 227 valid cases out of 1,354 total cases.

Location: 103-106 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0GANG16: S0 Gang: 6mo before JV - how important is gang/posse to you

Value	Label	Unweighted Frequency	%
0	Not at all	63	4.7 %
1	A little bit	45	3.3 %
2	Moderately	30	2.2 %
3	Quite a bit	48	3.5 %
4	Extremely	42	3.1 %
	Missing Data		
-200	Data missing	3	0.2 %
-101	Skipped: Not in gang 6mo before detention	1123	82.9 %
	Total	**1,354**	**100%**

Based upon 228 valid cases out of 1,354 total cases.

Location: 107-110 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0GANG17: S0 Gang: 6mo before JV - how many friends are NOT in this gang/posse

Value	Label	Unweighted Frequency	%
1	None (all are members)	33	2.4 %
2	A few are not memebers	121	8.9 %
3	Half are not memebers	34	2.5 %

Value	Label	Unweighted Frequency	%
4	Most are not memebers	26	1.9 %
5	All (none are members)	12	0.9 %
	Missing Data		
-200	Data missing	3	0.2 %
-101	Skipped: Not in gang 6mo before detention	1123	82.9 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 226 valid cases out of 1,354 total cases.

Location: 111-114 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0GANG18: S0 Gang: Ever - member of a gang

Value	Label	Unweighted Frequency	%
1	Yes	87	6.4 %
5	No	1035	76.4 %
	Missing Data		
-200	Data missing	3	0.2 %
-102	Skipped: In a gang 6mo before detention	228	16.8 %
-8	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,122 valid cases out of 1,354 total cases.

Location: 115-118 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -102 , -9 , -8

S0GANG19: S0 Gang: Ever - name of last gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 119-143 (width: 25; decimal: 0)
Variable Type: character

S0GANGCODE_GANGEVER: S0 Gang: Gang code - last gang subj was involved with (if not in gang prior to coming to detention)

Based upon 84 valid cases out of 1,354 total cases.

Location: 144-149 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -999.2 , -999.1 , -998.2 , -998.1 , -997.2 , -997.1 , -200.0 , -103.0 , -102.0

S0GANG20: S0 Gang: Ever - number of members in gang/posse

Based upon 80 valid cases out of 1,354 total cases.

- Mean: 156.72
- Median: 40.00
- Minimum: 1.00
- Maximum: 4000.00
- Standard Deviation: 498.25

Location: 150-154 (width: 5; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9999 , -9998 , -200 , -103

S0GANG21: S0 Gang: Ever - position in the gang/posse

Value	Label	Unweighted Frequency	%
1	Leader	8	0.6 %
2	Not leader, but one of the top people	25	1.8 %
3	Member	53	3.9 %
4	Something else (other)	1	0.1 %
	Missing Data		
-200	Data missing	3	0.2 %
-103	Skipped: Never in a gang	1264	93.4 %
	Total	**1,354**	**100%**

Based upon 87 valid cases out of 1,354 total cases.

Location: 155-158 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -103 , -9 , -8

S0GANG22: S0 Gang: Ever - position in the gang/posse (specify)

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 159-181 (width: 23; decimal: 0)
Variable Type: character

S0GANG23: S0 Gang: Subject age when joined this gang/posse

Based upon 314 valid cases out of 1,354 total cases.

- Mean: 12.53
- Median: 13.00
- Mode: 13.00
- Minimum: 1.00
- Maximum: 17.00
- Standard Deviation: 2.27

Location: 182-185 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -103 , -99 , -98

S0GANG24: S0 Gang: How long belonged to this gang/posse (number)

Based upon 314 valid cases out of 1,354 total cases.

Location: 186-189 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -200 , -103

S0GANG25: S0 Gang: How long belonged to this gang/posse (units)

Value	Label	Unweighted Frequency	%
1	Days	3	0.2 %
2	Weeks	1	0.1 %
3	Months	48	3.5 %
4	Years	263	19.4 %
	Missing Data		
-200	Data missing	3	0.2 %
-103	Skipped: Never in a gang	1036	76.5 %
	Total	**1,354**	**100%**

Based upon 315 valid cases out of 1,354 total cases.

Location: 190-193 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -103

S0NDAY9: S0 Gang: How long in the gang/posse - converted to days

Based upon 314 valid cases out of 1,354 total cases.

- Mean: 1138.68
- Median: 1095.00
- Mode: 730.00
- Minimum: 2.00
- Maximum: 6205.00
- Standard Deviation: 890.82

Location: 194-200 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -999998 , -200 , -103

S0GANG27: S0 Gang: Expect to be member when back on street

Value	Label	Unweighted Frequency	%
1	Yes	126	9.3 %
5	No	183	13.5 %
	Missing Data		
-200	Data missing	3	0.2 %
-103	Skipped: Never in a gang	1036	76.5 %
-9	Dont Know	6	0.4 %
	Total	**1,354**	**100%**

Based upon 309 valid cases out of 1,354 total cases.

Location: 201-204 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -103 , -9 , -8

NUM_SM: S0 GANG: number missing

Value	Label	Unweighted Frequency	%
0	-	1122	82.9 %
1	-	228	16.8 %
	Missing Data		
-200	Data missing	3	0.2 %
-8	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,350 valid cases out of 1,354 total cases.

Location: 205-208 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -200 , -100 , -9 , -8

S0GNGINV: S0 GANG: Involved in a gang - ever

Value	Label	Unweighted Frequency	%
0	No	1035	76.4 %
1	Yes	315	23.3 %
	Missing Data		
-200	Data missing	3	0.2 %
-8	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,350 valid cases out of 1,354 total cases.

Location: 209-212 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -200 , -100 , -9 , -8

S1GANGT: S1 Gang: Term for gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 213-216 (width: 4; decimal: 0)
Variable Type: character

S1GANG_OGNG1: S1 Gang: Still a member of gang from the last interview

Value	Label	Unweighted Frequency	%
1	Yes	116	8.6 %

Value	Label	Unweighted Frequency	%
5	No	41	3.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	Skipped: Not in a gang during last interview	1104	81.5 %
	Total	**1,354**	**100%**

Based upon 157 valid cases out of 1,354 total cases.

Location: 217-220 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -101 , -9 , -8

S1GANG_OGNG2: S1 Gang: When leave this gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 221-231 (width: 11; decimal: 0)
Variable Type: character

S1GANG_OGNGN: S1 Gang: Name of gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 232-256 (width: 25; decimal: 0)
Variable Type: character

S1GANG_NGNG1: S1 Gang: Join a gang during this recall period

Value	Label	Unweighted Frequency	%
1	Yes	47	3.5 %
5	No	1098	81.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-102	Skipped: Still in gang from last recall period	116	8.6 %
	Total	**1,354**	**100%**

Based upon 1,145 valid cases out of 1,354 total cases.

Location: 257-260 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -9 , -8

S1GANG_NGANG: S1 Gang: Name of new gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 261-285 (width: 25; decimal: 0)
Variable Type: character

S1GANG_GANG5: S1 Gang: How many members in gang (associated with gang from current_code)

Based upon 41 valid cases out of 1,354 total cases.

- Mean: 418.32
- Median: 70.00
- Mode: 200.00
- Minimum: 10.00
- Maximum: 5000.00
- Standard Deviation: 904.06

Location: 286-290 (width: 5; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9999 , -9998 , -202 , -201 , -109 , -108 , -103 , -102

S1GANG_GANG6: S1 Gang: Age oldest member of gang (associated with gang from current_code)

Based upon 42 valid cases out of 1,354 total cases.

- Mean: 38.83
- Median: 36.00
- Mode: 50.00
- Minimum: 15.00
- Maximum: 80.00
- Standard Deviation: 15.15

Location: 291-294 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -102 , -99 , -98

S1GANG_GANG7: S1 Gang: Have any colors (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Yes	36	2.7 %
5	No	11	0.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-103	Skipped: Not in any gang during recall period	1098	81.1 %
-102	Skipped: Still in gang from last recall period	116	8.6 %
	Total	**1,354**	**100%**

Based upon 47 valid cases out of 1,354 total cases.

Location: 295-298 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -102 , -9 , -8

S1GANG_GANG8: S1 Gang: Have any rules (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Yes	27	2.0 %
5	No	20	1.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-103	Skipped: Not in any gang during recall period	1098	81.1 %
-102	Skipped: Still in gang from last recall period	116	8.6 %
	Total	**1,354**	**100%**

Based upon 47 valid cases out of 1,354 total cases.

Location: 299-302 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -102 , -9 , -8

S1GANG_GANG9: S1 Gang: Share money (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Yes	25	1.8 %
5	No	22	1.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-103	Skipped: Not in any gang during recall period	1098	81.1 %
-102	Skipped: Still in gang from last recall period	116	8.6 %
	Total	**1,354**	**100%**

Based upon 47 valid cases out of 1,354 total cases.

Location: 303-306 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -102 , -9 , -8

S1GANG_GANG10: S1 Gang: Share drugs (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Yes	38	2.8 %
5	No	8	0.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-103	Skipped: Not in any gang during recall period	1098	81.1 %
-102	Skipped: Still in gang from last recall period	116	8.6 %
-9	Dont Know	1	0.1 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 46 valid cases out of 1,354 total cases.

Location: 307-310 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -102 , -9 , -8

S1GANG_GANG11: S1 Gang: Have punishments breaking rules (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Yes	26	1.9 %
5	No	20	1.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-103	Skipped: Not in any gang during recall period	1098	81.1 %
-102	Skipped: Still in gang from last recall period	116	8.6 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 46 valid cases out of 1,354 total cases.

Location: 311-314 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -102 , -9 , -8

S1GANG_GANG12: S1 Gang: How often contact (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Daily	52	3.8 %
2	3-6 times per week	17	1.3 %
3	twice per week	10	0.7 %
4	Once per week	15	1.1 %
5	Less weekly, ore than monthly	5	0.4 %
6	Once per month	15	1.1 %
7	Less than monthly	48	3.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-103	Skipped: Not in any gang during recall period	1098	81.1 %
-8	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 162 valid cases out of 1,354 total cases.

Location: 315-318 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -9 , -8

S1GANG_GNGNOW: S1 Gang: Still member new gang (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Yes	152	11.2 %
5	No	11	0.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-103	Skipped: Not in any gang during recall period	1098	81.1 %
	Total	**1,354**	**100%**

Based upon 163 valid cases out of 1,354 total cases.

Location: 319-322 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -9 , -8

S1GANG_GNGLV: S1 Gang: When leave new gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 323-333 (width: 11; decimal: 0)
Variable Type: character

S1GANG_GANG13: S1 Gang: Position in the gang (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Leader	8	0.6 %
2	Not leader, but one of the top people	29	2.1 %
3	Member	119	8.8 %
4	Something else (other)	5	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-103	Skipped: Not in any gang during recall period	1098	81.1 %
-8	Refuse	2	0.1 %
	Total	**1,354**	**100%**

Based upon 161 valid cases out of 1,354 total cases.

Location: 334-337 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -9 , -8

S1GANG_GANG14: S1 Gang: Position specify

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 338-360 (width: 23; decimal: 0)
Variable Type: character

S1GANG_GANG16: S1 Gang: How important to you (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
0	Not at all	38	2.8 %
1	A little bit	39	2.9 %
2	Moderately	22	1.6 %
3	Quite a bit	38	2.8 %
4	Extremely	26	1.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-103	Skipped: Not in any gang during recall period	1098	81.1 %
	Total	**1,354**	**100%**

Based upon 163 valid cases out of 1,354 total cases.

Location: 361-364 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -9 , -8

S1GANG_GANG17: S1 Gang: How many friend not members (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	None (all are members)	36	2.7 %
2	A few are not	75	5.5 %
3	Half are not	26	1.9 %
4	Most are not	18	1.3 %
5	All (none are members)	8	0.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-103	Skipped: Not in any gang during recall period	1098	81.1 %
	Total	**1,354**	**100%**

Based upon 163 valid cases out of 1,354 total cases.

Location: 365-368 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -9 , -8

S1FP_OLDGANG: S1 FPrevInfo: Name of gang beloged to a previous follow-up

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 369-369 (width: 1; decimal: 0)
Variable Type: character

S1BASEINFO_OLDGANG: S1 BaseInfo: Name of gang belonged-to at baseline (or EMPTY if none)

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 370-394 (width: 25; decimal: 0)
Variable Type: character

S1BASEINFO_GANGT: S1 BaseInfo: Term used for gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 395-398 (width: 4; decimal: 0)
Variable Type: character

S1FP_GANGT: S1 FPrevInfo: Term used for gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 399-399 (width: 1; decimal: 0)
Variable Type: character

S1GANG_LASTGANG_WHENLEFT: S1 Gang: Recall period month (s1m#) subject left the gang from the last interview

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 400-422 (width: 23; decimal: 0)
Variable Type: character

S1GANG_CURRENT_WHENLEFT: S1 Gang: Recall period month (s1m#) subject left the current gang (associated with gang from current_code)

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 423-447 (width: 25; decimal: 0)
Variable Type: character

S1GANG_LASTGANG_CODE: S1 Gang: Unique ID associated with the gang from the last interview

Based upon 36 valid cases out of 1,354 total cases.

Location: 448-452 (width: 5; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9992 , -9991 , -9982 , -9981 , -9972 , -9971 , -202 , -201 , -107 , -106 , -102 , -101

S1GANG_CURRENT_CODE: S1 Gang: Unique ID associcated with the gang that is the focus of all followup items

Based upon 157 valid cases out of 1,354 total cases.

Location: 453-457 (width: 5; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9992 , -9991 , -9982 , -9981 , -9972 , -9971 , -202 , -201 , -109 , -108 , -103

S1NUMMIS: S1 GANG: number missing

Value	Label	Unweighted Frequency	%
0	-	1	0.1 %
1	-	202	14.9 %
2	-	1058	78.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 458-461 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S1GNGINV: S1 GANG: Involved in a gang during the recall period

Value	Label	Unweighted Frequency	%
0	No	1098	81.1 %
1	Yes	163	12.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 462-465 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S2GANGT: S2 Gang: Term for gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 466-469 (width: 4; decimal: 0)
Variable Type: character

S2GANG_OGNG1: S2 Gang: Still a member of gang from the last interview

Value	Label	Unweighted Frequency	%
1	Yes	112	8.3 %
5	No	51	3.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	Skipped: Not in a gang during last interview	1097	81.0 %
	Total	**1,354**	**100%**

Based upon 163 valid cases out of 1,354 total cases.

Location: 470-473 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -101 , -9 , -8

S2GANG_OGNG2: S2 Gang: When leave this gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 474-484 (width: 11; decimal: 0)
Variable Type: character

S2GANG_OGNGN: S2 Gang: Name of gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 485-509 (width: 25; decimal: 0)
Variable Type: character

S2GANG_NGNG1: S2 Gang: Join a gang during this recall period

Value	Label	Unweighted Frequency	%
1	Yes	32	2.4 %
5	No	1116	82.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-102	Skipped: Still in gang from last recall period	112	8.3 %
	Total	**1,354**	**100%**

Based upon 1,148 valid cases out of 1,354 total cases.

Location: 510-513 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -9 , -8

S2GANG_NGANG: S2 Gang: Name of new gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 514-538 (width: 25; decimal: 0)

Variable Type: character

S2GANG_GANG5: S2 Gang: How many members in gang (associated with gang from current_code)

Based upon 27 valid cases out of 1,354 total cases.

- Mean: 441.37
- Median: 100.00
- Mode: 100.00
- Minimum: 4.00
- Maximum: 4000.00
- Standard Deviation: 909.71

Location: 539-543 (width: 5; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9999 , -9998 , -202 , -201 , -109 , -108 , -103 , -102

S2GANG_GANG6: S2 Gang: Age oldest member of gang (associated with gang from current_code)

Based upon 27 valid cases out of 1,354 total cases.

- Mean: 37.00
- Median: 37.00
- Mode: 45.00
- Minimum: 15.00
- Maximum: 86.00
- Standard Deviation: 17.51

Location: 544-547 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -102 , -99 , -98

S2GANG_GANG7: S2 Gang: Have any colors (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Yes	24	1.8 %
5	No	8	0.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-103	Skipped: Not in any gang during recall period	1116	82.4 %
-102	Skipped: Still in gang from last recall period	112	8.3 %
	Total	**1,354**	**100%**

Based upon 32 valid cases out of 1,354 total cases.

Location: 548-551 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -102 , -9 , -8

S2GANG_GANG8: S2 Gang: Have any rules (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Yes	17	1.3 %
5	No	15	1.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-103	Skipped: Not in any gang during recall period	1116	82.4 %
-102	Skipped: Still in gang from last recall period	112	8.3 %
	Total	**1,354**	**100%**

Based upon 32 valid cases out of 1,354 total cases.

Location: 552-555 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -102 , -9 , -8

S2GANG_GANG9: S2 Gang: Share money (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Yes	19	1.4 %
5	No	13	1.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-103	Skipped: Not in any gang during recall period	1116	82.4 %
-102	Skipped: Still in gang from last recall period	112	8.3 %
	Total	**1,354**	**100%**

Based upon 32 valid cases out of 1,354 total cases.

Location: 556-559 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -102 , -9 , -8

S2GANG_GANG10: S2 Gang: Share drugs (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Yes	24	1.8 %
5	No	8	0.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-103	Skipped: Not in any gang during recall period	1116	82.4 %

Value	Label	Unweighted Frequency	%
-102	Skipped: Still in gang from last recall period	112	8.3 %
	Total	**1,354**	**100%**

Based upon 32 valid cases out of 1,354 total cases.

Location: 560-563 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -102 , -9 , -8

S2GANG_GANG11: S2 Gang: Have punishments breaking rules (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Yes	17	1.3 %
5	No	15	1.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-103	Skipped: Not in any gang during recall period	1116	82.4 %
-102	Skipped: Still in gang from last recall period	112	8.3 %
	Total	**1,354**	**100%**

Based upon 32 valid cases out of 1,354 total cases.

Location: 564-567 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -102 , -9 , -8

S2GANG_GANG12: S2 Gang: How often contact (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Daily	59	4.4 %
2	3-6 times per week	6	0.4 %
3	twice per week	9	0.7 %
4	Once per week	19	1.4 %
5	Less weekly, ore than monthly	6	0.4 %
6	Once per month	10	0.7 %
7	Less than monthly	35	2.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-103	Skipped: Not in any gang during recall period	1116	82.4 %
	Total	**1,354**	**100%**

Based upon 144 valid cases out of 1,354 total cases.

Location: 568-571 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -9 , -8

S2GANG_GNGNOW: S2 Gang: Still member new gang (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Yes	139	10.3 %
5	No	5	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-103	Skipped: Not in any gang during recall period	1116	82.4 %
	Total	**1,354**	**100%**

Based upon 144 valid cases out of 1,354 total cases.

Location: 572-575 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -9 , -8

S2GANG_GNGLV: S2 Gang: When leave new gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 576-586 (width: 11; decimal: 0)
Variable Type: character

S2GANG_GANG13: S2 Gang: Position in the gang (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Leader	5	0.4 %
2	Not leader, but one of the top people	24	1.8 %
3	Member	114	8.4 %
4	Something else (other)	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-103	Skipped: Not in any gang during recall period	1116	82.4 %
	Total	**1,354**	**100%**

Based upon 144 valid cases out of 1,354 total cases.

Location: 587-590 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -9 , -8

S2GANG_GANG14: S2 Gang: Position specify

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 591-604 (width: 14; decimal: 0)
Variable Type: character

S2GANG_GANG16: S2 Gang: How important to you (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
0	Not at all	32	2.4 %
1	A little bit	44	3.2 %
2	Moderately	23	1.7 %
3	Quite a bit	27	2.0 %
4	Extremely	18	1.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-103	Skipped: Not in any gang during recall period	1116	82.4 %
	Total	**1,354**	**100%**

Based upon 144 valid cases out of 1,354 total cases.

Location: 605-608 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -9 , -8

S2GANG_GANG17: S2 Gang: How many friend not members (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	None (all are members)	23	1.7 %
2	A few are not	72	5.3 %
3	Half are not	20	1.5 %
4	Most are not	23	1.7 %
5	All (none are members)	5	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-103	Skipped: Not in any gang during recall period	1116	82.4 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 143 valid cases out of 1,354 total cases.

Location: 609-612 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -9 , -8

S2FP_OLDGANG: S2 FPrevInfo: Name of gang beloged to a previous follow-up

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 613-637 (width: 25; decimal: 0)
Variable Type: character

S2BASEINFO_OLDGANG: S2 BaseInfo: Name of gang belonged-to at baseline (or EMPTY if none)

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 638-638 (width: 1; decimal: 0)
Variable Type: character

S2BASEINFO_GANGT: S2 BaseInfo: Term used for gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 639-639 (width: 1; decimal: 0)
Variable Type: character

S2FP_GANGT: S2 FPrevInfo: Term used for gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 640-643 (width: 4; decimal: 0)
Variable Type: character

S2GANG_LASTGANG_WHENLEFT: S2 Gang: Recall period month (s2m#) subject left the gang from the last interview

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 644-666 (width: 23; decimal: 0)
Variable Type: character

S2GANG_CURRENT_WHENLEFT: S2 Gang: Recall period month (s2m#) subject left the current gang (associated with gang from current_code)

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 667-691 (width: 25; decimal: 0)
Variable Type: character

S2GANG_LASTGANG_CODE: S2 Gang: Unique ID associated with the gang from the last interview

Based upon 48 valid cases out of 1,354 total cases.

Location: 692-696 (width: 5; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9992 , -9991 , -9982 , -9981 , -9972 , -9971 , -202 , -201 , -107 , -106 , -102 , -101

S2GANG_CURRENT_CODE: S2 Gang: Unique ID associcated with the gang that is the focus of all followup items

Based upon 140 valid cases out of 1,354 total cases.

Location: 697-701 (width: 5; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9992 , -9991 , -9982 , -9981 , -9972 , -9971 , -202 , -201 , -109 , -108 , -103

S2NUMMIS: S2 GANG: number missing

Value	Label	Unweighted Frequency	%
0	-	2	0.1 %
1	-	191	14.1 %
2	-	1067	78.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 702-705 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S2GNGINV: S2 GANG: Involved in a gang during the recall period

Value	Label	Unweighted Frequency	%
0	No	1116	82.4 %
1	Yes	144	10.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 706-709 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S3GANGT: S3 Gang: Term for gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 710-713 (width: 4; decimal: 0)
Variable Type: character

S3GANG_OGNG1: S3 Gang: Still a member of gang from the last interview

Value	Label	Unweighted Frequency	%
1	Yes	104	7.7 %
5	No	41	3.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	Skipped: Not in a gang during last interview	1082	79.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 145 valid cases out of 1,354 total cases.

Location: 714-717 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -101 , -9 , -8

S3GANG_OGNG2: S3 Gang: When leave this gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 718-728 (width: 11; decimal: 0)
Variable Type: character

S3GANG_OGNGN: S3 Gang: Name of gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 729-753 (width: 25; decimal: 0)
Variable Type: character

S3GANG_NGNG1: S3 Gang: Join a gang during this recall period

Value	Label	Unweighted Frequency	%
1	Yes	23	1.7 %
5	No	1101	81.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-102	Skipped: Still in gang from last recall period	104	7.7 %
	Total	**1,354**	**100%**

Based upon 1,124 valid cases out of 1,354 total cases.

Location: 754-757 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -9 , -8

S3GANG_NGANG: S3 Gang: Name of new gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 758-782 (width: 25; decimal: 0)
Variable Type: character

S3GANG_GANG5: S3 Gang: How many members in gang (associated with gang from current_code)

Based upon 21 valid cases out of 1,354 total cases.

- Mean: 609.76
- Median: 100.00
- Mode: 200.00
- Minimum: 7.00
- Maximum: 9997.00
- Standard Deviation: 2155.16

Location: 783-787 (width: 5; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9999 , -9998 , -202 , -201 , -109 , -108 , -103 , -102

S3GANG_GANG6: S3 Gang: Age oldest member of gang (associated with gang from current_code)

Based upon 20 valid cases out of 1,354 total cases.

- Mean: 37.40
- Median: 35.50
- Minimum: 18.00
- Maximum: 80.00
- Standard Deviation: 16.09

Location: 788-791 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -102 , -99 , -98

S3GANG_GANG7: S3 Gang: Have any colors (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Yes	15	1.1 %
5	No	8	0.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-103	Skipped: Not in any gang during recall period	1101	81.3 %
-102	Skipped: Still in gang from last recall period	104	7.7 %
	Total	**1,354**	**100%**

Based upon 23 valid cases out of 1,354 total cases.

Location: 792-795 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -102 , -9 , -8

S3GANG_GANG8: S3 Gang: Have any rules (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Yes	11	0.8 %
5	No	12	0.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-103	Skipped: Not in any gang during recall period	1101	81.3 %
-102	Skipped: Still in gang from last recall period	104	7.7 %
	Total	**1,354**	**100%**

Based upon 23 valid cases out of 1,354 total cases.

Location: 796-799 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -102 , -9 , -8

S3GANG_GANG9: S3 Gang: Share money (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Yes	17	1.3 %
5	No	6	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-103	Skipped: Not in any gang during recall period	1101	81.3 %
-102	Skipped: Still in gang from last recall period	104	7.7 %
	Total	**1,354**	**100%**

Based upon 23 valid cases out of 1,354 total cases.

Location: 800-803 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -102 , -9 , -8

S3GANG_GANG10: S3 Gang: Share drugs (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Yes	16	1.2 %
5	No	7	0.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-103	Skipped: Not in any gang during recall period	1101	81.3 %

Value	Label	Unweighted Frequency	%
-102	Skipped: Still in gang from last recall period	104	7.7 %
	Total	**1,354**	**100%**

Based upon 23 valid cases out of 1,354 total cases.

Location: 804-807 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -102 , -9 , -8

S3GANG_GANG11: S3 Gang: Have punishments breaking rules (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Yes	11	0.8 %
5	No	12	0.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-103	Skipped: Not in any gang during recall period	1101	81.3 %
-102	Skipped: Still in gang from last recall period	104	7.7 %
	Total	**1,354**	**100%**

Based upon 23 valid cases out of 1,354 total cases.

Location: 808-811 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -102 , -9 , -8

S3GANG_GANG12: S3 Gang: How often contact (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Daily	51	3.8 %
2	3-6 times per week	10	0.7 %
3	twice per week	5	0.4 %
4	Once per week	9	0.7 %
5	Less weekly, ore than monthly	6	0.4 %
6	Once per month	13	1.0 %
7	Less than monthly	32	2.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-103	Skipped: Not in any gang during recall period	1101	81.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 126 valid cases out of 1,354 total cases.

Location: 812-815 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -9 , -8

S3GANG_GNGNOW: S3 Gang: Still member new gang (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Yes	123	9.1 %
5	No	4	0.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-103	Skipped: Not in any gang during recall period	1101	81.3 %
	Total	**1,354**	**100%**

Based upon 127 valid cases out of 1,354 total cases.

Location: 816-819 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -9 , -8

S3GANG_GNGLV: S3 Gang: When leave new gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 820-830 (width: 11; decimal: 0)
Variable Type: character

S3GANG_GANG13: S3 Gang: Position in the gang (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Leader	7	0.5 %
2	Not leader, but one of the top people	18	1.3 %
3	Member	98	7.2 %
4	Something else (other)	3	0.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-103	Skipped: Not in any gang during recall period	1101	81.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 126 valid cases out of 1,354 total cases.

Location: 831-834 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -9 , -8

S3GANG_GANG14: S3 Gang: Position specify

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 835-854 (width: 20; decimal: 0)
Variable Type: character

S3GANG_GANG16: S3 Gang: How important to you (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
0	Not at all	30	2.2 %
1	A little bit	32	2.4 %
2	Moderately	25	1.8 %
3	Quite a bit	22	1.6 %
4	Extremely	18	1.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-103	Skipped: Not in any gang during recall period	1101	81.3 %
	Total	**1,354**	**100%**

Based upon 127 valid cases out of 1,354 total cases.

Location: 855-858 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -9 , -8

S3GANG_GANG17: S3 Gang: How many friend not members (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	None (all are members)	19	1.4 %
2	A few are not	66	4.9 %
3	Half are not	21	1.6 %
4	Most are not	13	1.0 %
5	All (none are members)	8	0.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-103	Skipped: Not in any gang during recall period	1101	81.3 %
	Total	**1,354**	**100%**

Based upon 127 valid cases out of 1,354 total cases.

Location: 859-862 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -9 , -8

S3FP_OLDGANG: S3 FPrevInfo: Name of gang beloged to a previous follow-up

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 863-887 (width: 25; decimal: 0)
Variable Type: character

S3BASEINFO_OLDGANG: S3 BaseInfo: Name of gang belonged-to at baseline (or EMPTY if none)

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 888-888 (width: 1; decimal: 0)
Variable Type: character

S3BASEINFO_GANGT: S3 BaseInfo: Term used for gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 889-889 (width: 1; decimal: 0)
Variable Type: character

S3FP_GANGT: S3 FPrevInfo: Term used for gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 890-893 (width: 4; decimal: 0)
Variable Type: character

S3GANG_LASTGANG_WHENLEFT: S3 Gang: Recall period month (s3m#) subject left the gang from the last interview

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 894-916 (width: 23; decimal: 0)
Variable Type: character

S3GANG_CURRENT_WHENLEFT: S3 Gang: Recall period month (s3m#) subject left the current gang (associated with gang from current_code)

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 917-941 (width: 25; decimal: 0)
Variable Type: character

S3GANG_LASTGANG_CODE: S3 Gang: Unique ID associated with the gang from the last interview

Based upon 39 valid cases out of 1,354 total cases.

Location: 942-946 (width: 5; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9992 , -9991 , -9982 , -9981 , -9972 , -9971 , -202 , -201 , -107 , -106 , -102 , -101

S3GANG_CURRENT_CODE: S3 Gang: Unique ID associcated with the gang that is the focus of all followup items

Based upon 121 valid cases out of 1,354 total cases.

Location: 947-951 (width: 5; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9992 , -9991 , -9982 , -9981 , -9972 , -9971 , -202 , -201 , -109 , -108 , -103

S3NUMMIS: S3 GANG: number missing

Value	Label	Unweighted Frequency	%
0	-	1	0.1 %
1	-	166	12.3 %
2	-	1061	78.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 952-955 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S3GNGINV: S3 GANG: Involved in a gang during the recall period

Value	Label	Unweighted Frequency	%
0	No	1101	81.3 %
1	Yes	127	9.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 956-959 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S4GANGT: S4 Gang: Term for gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 960-963 (width: 4; decimal: 0)
Variable Type: character

S4GANG_OGNG1: S4 Gang: Still a member of gang from the last interview

Value	Label	Unweighted Frequency	%
1	Yes	95	7.0 %
5	No	35	2.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Skipped: Not in a gang during last interview	1096	80.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 130 valid cases out of 1,354 total cases.

Location: 964-967 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -101 , -9 , -8

S4GANG_OGNG2: S4 Gang: When leave this gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 968-978 (width: 11; decimal: 0)
Variable Type: character

S4GANG_OGNGN: S4 Gang: Name of gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 979-1003 (width: 25; decimal: 0)
Variable Type: character

S4GANG_NGNG1: S4 Gang: Join a gang during this recall period

Value	Label	Unweighted Frequency	%
1	Yes	25	1.8 %
5	No	1107	81.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-102	Skipped: Still in gang from last recall period	95	7.0 %
	Total	**1,354**	**100%**

Based upon 1,132 valid cases out of 1,354 total cases.

Location: 1004-1007 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -9 , -8

S4GANG_NGANG: S4 Gang: Name of new gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1008-1032 (width: 25; decimal: 0)
Variable Type: character

S4GANG_GANG5: S4 Gang: How many members in gang (associated with gang from current_code)

Based upon 22 valid cases out of 1,354 total cases.

- Mean: 532.27
- Median: 75.00
- Mode: 200.00
- Minimum: 3.00
- Maximum: 6000.00
- Standard Deviation: 1346.12

Location: 1033-1037 (width: 5; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9999 , -9998 , -202 , -201 , -109 , -108 , -103 , -102

S4GANG_GANG6: S4 Gang: Age oldest member of gang (associated with gang from current_code)

Based upon 23 valid cases out of 1,354 total cases.

- Mean: 36.70
- Median: 38.00
- Mode: 40.00
- Minimum: 19.00
- Maximum: 60.00
- Standard Deviation: 11.19

Location: 1038-1041 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -102 , -99 , -98

S4GANG_GANG7: S4 Gang: Have any colors (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Yes	15	1.1 %
5	No	9	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-103	Skipped: Not in any gang during recall period	1107	81.8 %
-102	Skipped: Still in gang from last recall period	95	7.0 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 24 valid cases out of 1,354 total cases.

Location: 1042-1045 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -102 , -9 , -8

S4GANG_GANG8: S4 Gang: Have any rules (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Yes	13	1.0 %
5	No	11	0.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-103	Skipped: Not in any gang during recall period	1107	81.8 %
-102	Skipped: Still in gang from last recall period	95	7.0 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 24 valid cases out of 1,354 total cases.

Location: 1046-1049 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -102 , -9 , -8

S4GANG_GANG9: S4 Gang: Share money (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Yes	16	1.2 %
5	No	8	0.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-103	Skipped: Not in any gang during recall period	1107	81.8 %
-102	Skipped: Still in gang from last recall period	95	7.0 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 24 valid cases out of 1,354 total cases.

Location: 1050-1053 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -102 , -9 , -8

S4GANG_GANG10: S4 Gang: Share drugs (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Yes	19	1.4 %
5	No	5	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	123	9.1 %
-103	Skipped: Not in any gang during recall period	1107	81.8 %
-102	Skipped: Still in gang from last recall period	95	7.0 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 24 valid cases out of 1,354 total cases.

Location: 1054-1057 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -102 , -9 , -8

S4GANG_GANG11: S4 Gang: Have punishments breaking rules (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Yes	14	1.0 %
5	No	10	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-103	Skipped: Not in any gang during recall period	1107	81.8 %
-102	Skipped: Still in gang from last recall period	95	7.0 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 24 valid cases out of 1,354 total cases.

Location: 1058-1061 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -102 , -9 , -8

S4GANG_GANG12: S4 Gang: How often contact (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Daily	36	2.7 %
2	3-6 times per week	8	0.6 %
3	twice per week	12	0.9 %
4	Once per week	9	0.7 %
5	Less weekly, ore than monthly	5	0.4 %
6	Once per month	11	0.8 %
7	Less than monthly	34	2.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	123	9.1 %
-103	Skipped: Not in any gang during recall period	1107	81.8 %
-9	Dont Know	4	0.3 %
-8	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 115 valid cases out of 1,354 total cases.

Location: 1062-1065 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -9 , -8

S4GANG_GNGNOW: S4 Gang: Still member new gang (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Yes	115	8.5 %
5	No	5	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-103	Skipped: Not in any gang during recall period	1107	81.8 %
	Total	**1,354**	**100%**

Based upon 120 valid cases out of 1,354 total cases.

Location: 1066-1069 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -9 , -8

S4GANG_GNGLV: S4 Gang: When leave new gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1070-1080 (width: 11; decimal: 0)
Variable Type: character

S4GANG_GANG13: S4 Gang: Position in the gang (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Leader	10	0.7 %
2	Not leader, but one of the top people	16	1.2 %
3	Member	91	6.7 %
4	Something else (other)	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	123	9.1 %
-103	Skipped: Not in any gang during recall period	1107	81.8 %
-9	Dont Know	1	0.1 %
-8	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 118 valid cases out of 1,354 total cases.

Location: 1081-1084 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -9 , -8

S4GANG_GANG14: S4 Gang: Position specify

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1085-1109 (width: 25; decimal: 0)
Variable Type: character

S4GANG_GANG16: S4 Gang: How important to you (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
0	Not at all	24	1.8 %
1	A little bit	27	2.0 %
2	Moderately	23	1.7 %
3	Quite a bit	24	1.8 %
4	Extremely	21	1.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-103	Skipped: Not in any gang during recall period	1107	81.8 %
-8	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 119 valid cases out of 1,354 total cases.

Location: 1110-1113 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -9 , -8

S4GANG_GANG17: S4 Gang: How many friend not members (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	None (all are members)	20	1.5 %
2	A few are not	57	4.2 %

Value	Label	Unweighted Frequency	%
3	Half are not	21	1.6 %
4	Most are not	16	1.2 %
5	All (none are members)	4	0.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-103	Skipped: Not in any gang during recall period	1107	81.8 %
-9	Dont Know	1	0.1 %
-8	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 118 valid cases out of 1,354 total cases.

Location: 1114-1117 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -9 , -8

S4FP_OLDGANG: S4 FPrevInfo: Name of gang beloged to a previous follow-up

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1118-1142 (width: 25; decimal: 0)
Variable Type: character

S4BASEINFO_OLDGANG: S4 BaseInfo: Name of gang belonged-to at baseline (or EMPTY if none)

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1143-1143 (width: 1; decimal: 0)
Variable Type: character

S4BASEINFO_GANGT: S4 BaseInfo: Term used for gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1144-1144 (width: 1; decimal: 0)
Variable Type: character

S4FP_GANGT: S4 FPrevInfo: Term used for gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1145-1148 (width: 4; decimal: 0)
Variable Type: character

S4GANG_LASTGANG_WHENLEFT: S4 Gang: Recall period month (s4m#) subject left the gang from the last interview

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1149-1171 (width: 23; decimal: 0)
Variable Type: character

S4GANG_CURRENT_WHENLEFT: S4 Gang: Recall period month (s4m#) subject left the current gang (associated with gang from current_code)

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1172-1196 (width: 25; decimal: 0)
Variable Type: character

S4GANG_LASTGANG_CODE: S4 Gang: Unique ID associated with the gang from the last interview

Based upon 35 valid cases out of 1,354 total cases.

Location: 1197-1203 (width: 7; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -9992.0 , -9991.0 , -9982.0 , -9981.0 , -9972.0 , -9971.0 , -202.0 , -201.0 , -107.0 , -106.0 , -102.0 , -101.0

S4GANG_CURRENT_CODE: S4 Gang: Unique ID associcated with the gang that is the focus of all followup items

Based upon 114 valid cases out of 1,354 total cases.

Location: 1204-1208 (width: 5; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9992 , -9991 , -9982 , -9981 , -9972 , -9971 , -202 , -201 , -109 , -108 , -103

S4NUMMIS: S4 GANG: number missing

Value	Label	Unweighted Frequency	%
0	-	3	0.2 %
1	-	149	11.0 %
2	-	1075	79.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,227 valid cases out of 1,354 total cases.

Location: 1209-1212 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S4GNGINV: S4 GANG: Involved in a gang during the recall period

Value	Label	Unweighted Frequency	%
0	No	1107	81.8 %
1	Yes	120	8.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,227 valid cases out of 1,354 total cases.

Location: 1213-1216 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S5GANGT: S5 Gang: Term for gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1217-1220 (width: 4; decimal: 0)
Variable Type: character

S5GANG_OGNG1: S5 Gang: Still a member of gang from the last interview

Value	Label	Unweighted Frequency	%
1	Yes	95	7.0 %
5	No	21	1.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Skipped: Not in a gang during last interview	1114	82.3 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 116 valid cases out of 1,354 total cases.

Location: 1221-1224 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -101 , -9 , -8

S5GANG_OGNG2: S5 Gang: When leave this gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1225-1235 (width: 11; decimal: 0)
Variable Type: character

S5GANG_OGNGN: S5 Gang: Name of gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1236-1260 (width: 25; decimal: 0)
Variable Type: character

S5GANG_NGNG1: S5 Gang: Join a gang during this recall period

Value	Label	Unweighted Frequency	%
1	Yes	15	1.1 %
5	No	1120	82.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-102	Skipped: Still in gang from last recall period	95	7.0 %
-9	Dont Know	2	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,135 valid cases out of 1,354 total cases.

Location: 1261-1264 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -9 , -8

S5GANG_NGANG: S5 Gang: Name of new gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1265-1289 (width: 25; decimal: 0)
Variable Type: character

S5GANG_GANG5: S5 Gang: How many members in gang (associated with gang from current_code)

Based upon 13 valid cases out of 1,354 total cases.

- Mean: 250.38
- Median: 200.00
- Mode: 80.00
- Minimum: 20.00
- Maximum: 1000.00
- Standard Deviation: 266.92

Location: 1290-1294 (width: 5; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9999 , -9998 , -202 , -201 , -109 , -108 , -103 , -102

S5GANG_GANG6: S5 Gang: Age oldest member of gang (associated with gang from current_code)

Based upon 13 valid cases out of 1,354 total cases.

- Mean: 46.46
- Median: 42.00
- Mode: 40.00
- Minimum: 23.00
- Maximum: 89.00
- Standard Deviation: 16.30

Location: 1295-1298 (width: 4; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -102 , -99 , -98

S5GANG_GANG7: S5 Gang: Have any colors (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Yes	11	0.8 %
5	No	4	0.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-109	Skipped: Subject responded DontKnow to new gang item (ngng1)	2	0.1 %
-108	Skipped: Subject responded Refused to new gang item (ngng1)	1	0.1 %
-103	Skipped: Not in any gang during recall period	1120	82.7 %
-102	Skipped: Still in gang from last recall period	95	7.0 %
	Total	**1,354**	**100%**

Based upon 15 valid cases out of 1,354 total cases.

Location: 1299-1302 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -102 , -9 , -8

S5GANG_GANG8: S5 Gang: Have any rules (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Yes	10	0.7 %
5	No	5	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-109	Skipped: Subject responded DontKnow to new gang item (ngng1)	2	0.1 %
-108	Skipped: Subject responded Refused to new gang item (ngng1)	1	0.1 %
-103	Skipped: Not in any gang during recall period	1120	82.7 %
-102	Skipped: Still in gang from last recall period	95	7.0 %
	Total	**1,354**	**100%**

Based upon 15 valid cases out of 1,354 total cases.

Location: 1303-1306 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -102 , -9 , -8

S5GANG_GANG9: S5 Gang: Share money (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Yes	9	0.7 %
5	No	6	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-109	Skipped: Subject responded DontKnow to new gang item (ngng1)	2	0.1 %
-108	Skipped: Subject responded Refused to new gang item (ngng1)	1	0.1 %
-103	Skipped: Not in any gang during recall period	1120	82.7 %
-102	Skipped: Still in gang from last recall period	95	7.0 %
	Total	**1,354**	**100%**

Based upon 15 valid cases out of 1,354 total cases.

Location: 1307-1310 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -102 , -9 , -8

S5GANG_GANG10: S5 Gang: Share drugs (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Yes	9	0.7 %
5	No	6	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-109	Skipped: Subject responded DontKnow to new gang item (ngng1)	2	0.1 %
-108	Skipped: Subject responded Refused to new gang item (ngng1)	1	0.1 %
-103	Skipped: Not in any gang during recall period	1120	82.7 %
-102	Skipped: Still in gang from last recall period	95	7.0 %
	Total	**1,354**	**100%**

Based upon 15 valid cases out of 1,354 total cases.

Location: 1311-1314 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -102 , -9 , -8

S5GANG_GANG11: S5 Gang: Have punishments breaking rules (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Yes	11	0.8 %
5	No	4	0.3 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-109	Skipped: Subject responded DontKnow to new gang item (ngng1)	2	0.1 %
-108	Skipped: Subject responded Refused to new gang item (ngng1)	1	0.1 %
-103	Skipped: Not in any gang during recall period	1120	82.7 %
-102	Skipped: Still in gang from last recall period	95	7.0 %
	Total	**1,354**	**100%**

Based upon 15 valid cases out of 1,354 total cases.

Location: 1315-1318 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -102 , -9 , -8

S5GANG_GANG12: S5 Gang: How often contact (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Daily	36	2.7 %
2	3-6 times per week	6	0.4 %
3	twice per week	5	0.4 %
4	Once per week	15	1.1 %
5	Less weekly, ore than monthly	6	0.4 %
6	Once per month	13	1.0 %
7	Less than monthly	25	1.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-109	Skipped: Subject responded DontKnow to new gang item (ngng1)	2	0.1 %
-108	Skipped: Subject responded Refused to new gang item (ngng1)	1	0.1 %
-103	Skipped: Not in any gang during recall period	1120	82.7 %
-9	Dont Know	3	0.2 %
-8	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 106 valid cases out of 1,354 total cases.

Location: 1319-1322 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -9 , -8

S5GANG_GNGNOW: S5 Gang: Still member new gang (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Yes	108	8.0 %
5	No	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-109	Skipped: Subject responded DontKnow to new gang item (ngng1)	2	0.1 %
-108	Skipped: Subject responded Refused to new gang item (ngng1)	1	0.1 %
-103	Skipped: Not in any gang during recall period	1120	82.7 %
-8	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 109 valid cases out of 1,354 total cases.

Location: 1323-1326 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -9 , -8

S5GANG_GNGLV: S5 Gang: When leave new gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1327-1337 (width: 11; decimal: 0)
Variable Type: character

S5GANG_GANG13: S5 Gang: Position in the gang (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Leader	3	0.2 %
2	Not leader, but one of the top people	19	1.4 %
3	Member	85	6.3 %
4	Something else (other)	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-109	Skipped: Subject responded DontKnow to new gang item (ngng1)	2	0.1 %
-108	Skipped: Subject responded Refused to new gang item (ngng1)	1	0.1 %
-103	Skipped: Not in any gang during recall period	1120	82.7 %
-9	Dont Know	1	0.1 %
-8	Refuse	2	0.1 %
	Total	**1,354**	**100%**

Based upon 107 valid cases out of 1,354 total cases.

Location: 1338-1341 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -9 , -8

S5GANG_GANG14: S5 Gang: Position specify

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1342-1342 (width: 1; decimal: 0)
Variable Type: character

S5GANG_GANG16: S5 Gang: How important to you (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
0	Not at all	28	2.1 %
1	A little bit	25	1.8 %
2	Moderately	19	1.4 %
3	Quite a bit	23	1.7 %
4	Extremely	15	1.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-109	Skipped: Subject responded DontKnow to new gang item (ngng1)	2	0.1 %
-108	Skipped: Subject responded Refused to new gang item (ngng1)	1	0.1 %
-103	Skipped: Not in any gang during recall period	1120	82.7 %
	Total	**1,354**	**100%**

Based upon 110 valid cases out of 1,354 total cases.

Location: 1343-1346 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -9 , -8

S5GANG_GANG17: S5 Gang: How many friend not members (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	None (all are members)	20	1.5 %
2	A few are not	44	3.2 %
3	Half are not	27	2.0 %
4	Most are not	12	0.9 %
5	All (none are members)	7	0.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-109	Skipped: Subject responded DontKnow to new gang item (ngng1)	2	0.1 %
-108	Skipped: Subject responded Refused to new gang item (ngng1)	1	0.1 %
-103	Skipped: Not in any gang during recall period	1120	82.7 %
	Total	**1,354**	**100%**

Based upon 110 valid cases out of 1,354 total cases.

Location: 1347-1350 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -9 , -8

S5FP_OLDGANG: S5 FPrevInfo: Name of gang beloged to a previous follow-up

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1351-1375 (width: 25; decimal: 0)
Variable Type: character

S5BASEINFO_OLDGANG: S5 BaseInfo: Name of gang belonged-to at baseline (or EMPTY if none)

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1376-1376 (width: 1; decimal: 0)
Variable Type: character

S5BASEINFO_GANGT: S5 BaseInfo: Term used for gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1377-1377 (width: 1; decimal: 0)
Variable Type: character

S5FP_GANGT: S5 FPrevInfo: Term used for gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1378-1381 (width: 4; decimal: 0)
Variable Type: character

S5GANG_LASTGANG_WHENLEFT: S5 Gang: Recall period month (s5m#) subject left the gang from the last interview

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1382-1404 (width: 23; decimal: 0)
Variable Type: character

S5GANG_CURRENT_WHENLEFT: S5 Gang: Recall period month (s5m#) subject left the current gang (associated with gang from current_code)

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1405-1429 (width: 25; decimal: 0)
Variable Type: character

S5GANG_LASTGANG_CODE: S5 Gang: Unique ID associated with the gang from the last interview

Based upon 20 valid cases out of 1,354 total cases.

Location: 1430-1434 (width: 5; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9992 , -9991 , -9982 , -9981 , -9972 , -9971 , -202 , -201 , -107 , -106 , -102 , -101

S5GANG_CURRENT_CODE: S5 Gang: Unique ID associcated with the gang that is the focus of all followup items

Based upon 105 valid cases out of 1,354 total cases.

Location: 1435-1439 (width: 5; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9992 , -9991 , -9982 , -9981 , -9972 , -9971 , -202 , -201 , -109 , -108 , -103

S5NUMMIS: S5 GANG: number missing

Value	Label	Unweighted Frequency	%
0	-	1	0.1 %
1	-	128	9.5 %
2	-	1101	81.3 %
3	-	3	0.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 1440-1443 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S5GNGINV: S5 GANG: Involved in a gang during the recall period

Value	Label	Unweighted Frequency	%
0	No	1120	82.7 %
1	Yes	110	8.1 %
	Missing Data		
-300	Too few answers for computation	3	0.2 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 1444-1447 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S6GANGT: S6 Gang: Term for gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1448-1451 (width: 4; decimal: 0)
Variable Type: character

S6GANG_OGNG1: S6 Gang: Still a member of gang from the last interview

Value	Label	Unweighted Frequency	%
1	Yes	90	6.6 %
5	No	23	1.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Skipped: Not in a gang during last interview	1115	82.3 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 113 valid cases out of 1,354 total cases.

Location: 1452-1455 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -101 , -9 , -8

S6GANG_OGNG2: S6 Gang: When leave this gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1456-1466 (width: 11; decimal: 0)
Variable Type: character

S6GANG_OGNGN: S6 Gang: Name of gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1467-1491 (width: 25; decimal: 0)
Variable Type: character

S6GANG_NGNG1: S6 Gang: Join a gang during this recall period

Value	Label	Unweighted Frequency	%
1	Yes	10	0.7 %
5	No	1129	83.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-102	Skipped: Still in gang from last recall period	90	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,139 valid cases out of 1,354 total cases.

Location: 1492-1495 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -9 , -8

S6GANG_NGANG: S6 Gang: Name of new gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1496-1520 (width: 25; decimal: 0)
Variable Type: character

S6GANG_GANG5: S6 Gang: How many members in gang (associated with gang from current_code)

Based upon 8 valid cases out of 1,354 total cases.

- Mean: 409.12
- Median: 300.00
- Mode: 300.00
- Minimum: 4.00
- Maximum: 1200.00
- Standard Deviation: 451.77

Location: 1521-1525 (width: 5; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9999 , -9998 , -202 , -201 , -109 , -108 , -103 , -102

S6GANG_GANG6: S6 Gang: Age oldest member of gang (associated with gang from current_code)

Based upon 9 valid cases out of 1,354 total cases.

- Mean: 43.33
- Median: 48.00
- Minimum: 17.00
- Maximum: 60.00
- Standard Deviation: 14.84

Location: 1526-1529 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -102 , -99 , -98

S6GANG_GANG7: S6 Gang: Have any colors (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Yes	8	0.6 %
5	No	2	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-109	Skipped: Subject responded DontKnow to new gang item (ngng1)	2	0.1 %
-103	Skipped: Not in any gang during recall period	1129	83.4 %
-102	Skipped: Still in gang from last recall period	90	6.6 %
	Total	**1,354**	**100%**

Based upon 10 valid cases out of 1,354 total cases.

Location: 1530-1533 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -102 , -9 , -8

S6GANG_GANG8: S6 Gang: Have any rules (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Yes	7	0.5 %
5	No	3	0.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-109	Skipped: Subject responded DontKnow to new gang item (ngng1)	2	0.1 %
-103	Skipped: Not in any gang during recall period	1129	83.4 %
-102	Skipped: Still in gang from last recall period	90	6.6 %
	Total	**1,354**	**100%**

Based upon 10 valid cases out of 1,354 total cases.

Location: 1534-1537 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -102 , -9 , -8

S6GANG_GANG9: S6 Gang: Share money (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Yes	6	0.4 %
5	No	4	0.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-109	Skipped: Subject responded DontKnow to new gang item (ngng1)	2	0.1 %
-103	Skipped: Not in any gang during recall period	1129	83.4 %
-102	Skipped: Still in gang from last recall period	90	6.6 %
	Total	**1,354**	**100%**

Based upon 10 valid cases out of 1,354 total cases.

Location: 1538-1541 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -102 , -9 , -8

S6GANG_GANG10: S6 Gang: Share drugs (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Yes	8	0.6 %

Value	Label	Unweighted Frequency	%
5	No	2	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-109	Skipped: Subject responded DontKnow to new gang item (ngng1)	2	0.1 %
-103	Skipped: Not in any gang during recall period	1129	83.4 %
-102	Skipped: Still in gang from last recall period	90	6.6 %
	Total	**1,354**	**100%**

Based upon 10 valid cases out of 1,354 total cases.

Location: 1542-1545 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -102 , -9 , -8

S6GANG_GANG11: S6 Gang: Have punishments breaking rules (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Yes	9	0.7 %
5	No	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-109	Skipped: Subject responded DontKnow to new gang item (ngng1)	2	0.1 %
-103	Skipped: Not in any gang during recall period	1129	83.4 %
-102	Skipped: Still in gang from last recall period	90	6.6 %
	Total	**1,354**	**100%**

Based upon 10 valid cases out of 1,354 total cases.

Location: 1546-1549 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -102 , -9 , -8

S6GANG_GANG12: S6 Gang: How often contact (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Daily	35	2.6 %
2	3-6 times per week	7	0.5 %
3	twice per week	5	0.4 %
4	Once per week	8	0.6 %
5	Less weekly, ore than monthly	2	0.1 %
6	Once per month	11	0.8 %

Value	Label	Unweighted Frequency	%
7	Less than monthly	29	2.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-109	Skipped: Subject responded DontKnow to new gang item (ngng1)	2	0.1 %
-103	Skipped: Not in any gang during recall period	1129	83.4 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 97 valid cases out of 1,354 total cases.

Location: 1550-1553 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -9 , -8

S6GANG_GNGNOW: S6 Gang: Still member new gang (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Yes	99	7.3 %
5	No	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-109	Skipped: Subject responded DontKnow to new gang item (ngng1)	2	0.1 %
-103	Skipped: Not in any gang during recall period	1129	83.4 %
	Total	**1,354**	**100%**

Based upon 100 valid cases out of 1,354 total cases.

Location: 1554-1557 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -9 , -8

S6GANG_GNGLV: S6 Gang: When leave new gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1558-1568 (width: 11; decimal: 0)
Variable Type: character

S6GANG_GANG13: S6 Gang: Position in the gang (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Leader	3	0.2 %
2	Not leader, but one of the top people	20	1.5 %

Value	Label	Unweighted Frequency	%
3	Member	73	5.4 %
4	Something else (other)	4	0.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-109	Skipped: Subject responded DontKnow to new gang item (ngng1)	2	0.1 %
-103	Skipped: Not in any gang during recall period	1129	83.4 %
	Total	**1,354**	**100%**

Based upon 100 valid cases out of 1,354 total cases.

Location: 1569-1572 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -9 , -8

S6GANG_GANG14: S6 Gang: Position specify

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1573-1594 (width: 22; decimal: 0)
Variable Type: character

S6GANG_GANG16: S6 Gang: How important to you (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
0	Not at all	23	1.7 %
1	A little bit	25	1.8 %
2	Moderately	16	1.2 %
3	Quite a bit	24	1.8 %
4	Extremely	12	0.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-109	Skipped: Subject responded DontKnow to new gang item (ngng1)	2	0.1 %
-103	Skipped: Not in any gang during recall period	1129	83.4 %
	Total	**1,354**	**100%**

Based upon 100 valid cases out of 1,354 total cases.

Location: 1595-1598 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -9 , -8

S6GANG_GANG17: S6 Gang: How many friend not members (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	None (all are members)	21	1.6 %
2	A few are not	38	2.8 %
3	Half are not	19	1.4 %
4	Most are not	13	1.0 %
5	All (none are members)	8	0.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-109	Skipped: Subject responded DontKnow to new gang item (ngng1)	2	0.1 %
-103	Skipped: Not in any gang during recall period	1129	83.4 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 99 valid cases out of 1,354 total cases.

Location: 1599-1602 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -9 , -8

S6FP_OLDGANG: S6 FPrevInfo: Name of gang beloged to a previous follow-up

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1603-1627 (width: 25; decimal: 0)
Variable Type: character

S6BASEINFO_OLDGANG: S6 BaseInfo: Name of gang belonged-to at baseline (or EMPTY if none)

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1628-1628 (width: 1; decimal: 0)
Variable Type: character

S6BASEINFO_GANGT: S6 BaseInfo: Term used for gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1629-1629 (width: 1; decimal: 0)
Variable Type: character

S6FP_GANGT: S6 FPrevInfo: Term used for gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1630-1633 (width: 4; decimal: 0)
Variable Type: character

S6GANG_LASTGANG_WHENLEFT: S6 Gang: Recall period month (s6m#) subject left the gang from the last interview

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1634-1656 (width: 23; decimal: 0)
Variable Type: character

S6GANG_CURRENT_WHENLEFT: S6 Gang: Recall period month (s6m#) subject left the current gang (associated with gang from current_code)

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1657-1681 (width: 25; decimal: 0)
Variable Type: character

S6GANG_LASTGANG_CODE: S6 Gang: Unique ID associated with the gang from the last interview

Based upon 21 valid cases out of 1,354 total cases.

Location: 1682-1686 (width: 5; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9992 , -9991 , -9982 , -9981 , -9972 , -9971 , -202 , -201 , -107 , -106 , -102 , -101

S6GANG_CURRENT_CODE: S6 Gang: Unique ID associcated with the gang that is the focus of all followup items

Based upon 97 valid cases out of 1,354 total cases.

Location: 1687-1691 (width: 5; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9992 , -9991 , -9982 , -9981 , -9972 , -9971 , -202 , -201 , -109 , -108 , -103

S6NUMMIS: S6 GANG: number missing

Value	Label	Unweighted Frequency	%
0	-	2	0.1 %
1	-	119	8.8 %
2	-	1108	81.8 %
3	-	2	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,231 valid cases out of 1,354 total cases.

Location: 1692-1695 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S6GNGINV: S6 GANG: Involved in a gang during the recall period

Value	Label	Unweighted Frequency	%
0	No	1129	83.4 %

Value	Label	Unweighted Frequency	%
1	Yes	100	7.4 %
	Missing Data		
-300	Too few answers for computation	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 1696-1699 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S7GANGT: S7 Gang: Term for gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1700-1703 (width: 4; decimal: 0)
Variable Type: character

S7GANG_OGNG1: S7 Gang: Still a member of gang from the last interview

Value	Label	Unweighted Frequency	%
1	Yes	77	5.7 %
5	No	23	1.7 %
	Missing Data		
-700	Missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Skipped: Not in a gang during last interview	1111	82.1 %
-9	Dont Know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 100 valid cases out of 1,354 total cases.

Location: 1704-1707 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -101 , -9 , -8

S7GANG_OGNG2: S7 Gang: When leave this gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1708-1718 (width: 11; decimal: 0)
Variable Type: character

S7GANG_OGNGN: S7 Gang: Name of gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1719-1741 (width: 23; decimal: 0)
Variable Type: character

S7GANG_NGNG1: S7 Gang: Join a gang during this recall period

Value	Label	Unweighted Frequency	%
1	Yes	15	1.1 %
5	No	1121	82.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-102	Skipped: Still in gang from last recall period	77	5.7 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,136 valid cases out of 1,354 total cases.

Location: 1742-1745 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -9 , -8

S7GANG_NGANG: S7 Gang: Name of new gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1746-1770 (width: 25; decimal: 0)
Variable Type: character

S7GANG_GANG5: S7 Gang: How many members in gang (associated with gang from current_code)

Based upon 15 valid cases out of 1,354 total cases.

- Mean: 252.67
- Median: 100.00
- Minimum: 25.00
- Maximum: 1000.00
- Standard Deviation: 323.45

Location: 1771-1775 (width: 5; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9999 , -9998 , -202 , -201 , -109 , -108 , -103 , -102

S7GANG_GANG6: S7 Gang: Age oldest member of gang (associated with gang from current_code)

Based upon 14 valid cases out of 1,354 total cases.

- Mean: 46.93
- Median: 40.00
- Mode: 40.00

- Minimum: 28.00
- Maximum: 78.00
- Standard Deviation: 17.24

Location: 1776-1779 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -102 , -99 , -98

S7GANG_GANG7: S7 Gang: Have any colors (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Yes	13	1.0 %
5	No	2	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-109	Skipped: Subject responded DontKnow to new gang item (ngng1)	1	0.1 %
-103	Skipped: Not in any gang during recall period	1121	82.8 %
-102	Skipped: Still in gang from last recall period	77	5.7 %
	Total	**1,354**	**100%**

Based upon 15 valid cases out of 1,354 total cases.

Location: 1780-1783 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -102 , -9 , -8

S7GANG_GANG8: S7 Gang: Have any rules (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Yes	13	1.0 %
5	No	2	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-109	Skipped: Subject responded DontKnow to new gang item (ngng1)	1	0.1 %
-103	Skipped: Not in any gang during recall period	1121	82.8 %
-102	Skipped: Still in gang from last recall period	77	5.7 %
	Total	**1,354**	**100%**

Based upon 15 valid cases out of 1,354 total cases.

Location: 1784-1787 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -102 , -9 , -8

S7GANG_GANG9: S7 Gang: Share money (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Yes	13	1.0 %
5	No	2	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-109	Skipped: Subject responded DontKnow to new gang item (ngng1)	1	0.1 %
-103	Skipped: Not in any gang during recall period	1121	82.8 %
-102	Skipped: Still in gang from last recall period	77	5.7 %
	Total	**1,354**	**100%**

Based upon 15 valid cases out of 1,354 total cases.

Location: 1788-1791 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -102 , -9 , -8

S7GANG_GANG10: S7 Gang: Share drugs (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Yes	12	0.9 %
5	No	3	0.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-109	Skipped: Subject responded DontKnow to new gang item (ngng1)	1	0.1 %
-103	Skipped: Not in any gang during recall period	1121	82.8 %
-102	Skipped: Still in gang from last recall period	77	5.7 %
	Total	**1,354**	**100%**

Based upon 15 valid cases out of 1,354 total cases.

Location: 1792-1795 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -102 , -9 , -8

S7GANG_GANG11: S7 Gang: Have punishments breaking rules (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Yes	12	0.9 %
5	No	3	0.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %

Value	Label	Unweighted Frequency	%
-109	Skipped: Subject responded DontKnow to new gang item (ngng1)	1	0.1 %
-103	Skipped: Not in any gang during recall period	1121	82.8 %
-102	Skipped: Still in gang from last recall period	77	5.7 %
	Total	**1,354**	**100%**

Based upon 15 valid cases out of 1,354 total cases.

Location: 1796-1799 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -102 , -9 , -8

S7GANG_GANG12: S7 Gang: How often contact (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Daily	31	2.3 %
2	3-6 times per week	9	0.7 %
3	twice per week	5	0.4 %
4	Once per week	5	0.4 %
5	Less weekly, ore than monthly	4	0.3 %
6	Once per month	8	0.6 %
7	Less than monthly	26	1.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-109	Skipped: Subject responded DontKnow to new gang item (ngng1)	1	0.1 %
-103	Skipped: Not in any gang during recall period	1121	82.8 %
-9	Dont Know	4	0.3 %
	Total	**1,354**	**100%**

Based upon 88 valid cases out of 1,354 total cases.

Location: 1800-1803 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -9 , -8

S7GANG_GNGNOW: S7 Gang: Still member new gang (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Yes	90	6.6 %
5	No	2	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %

Value	Label	Unweighted Frequency	%
-109	Skipped: Subject responded DontKnow to new gang item (ngng1)	1	0.1 %
-103	Skipped: Not in any gang during recall period	1121	82.8 %
	Total	**1,354**	**100%**

Based upon 92 valid cases out of 1,354 total cases.

Location: 1804-1807 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -9 , -8

S7GANG_GNGLV: S7 Gang: When leave new gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1808-1818 (width: 11; decimal: 0)
Variable Type: character

S7GANG_GANG13: S7 Gang: Position in the gang (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Leader	4	0.3 %
2	Not leader, but one of the top people	17	1.3 %
3	Member	63	4.7 %
4	Something else (other)	6	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-109	Skipped: Subject responded DontKnow to new gang item (ngng1)	1	0.1 %
-103	Skipped: Not in any gang during recall period	1121	82.8 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 90 valid cases out of 1,354 total cases.

Location: 1819-1822 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -9 , -8

S7GANG_GANG14: S7 Gang: Position specify

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1823-1847 (width: 25; decimal: 0)
Variable Type: character

S7GANG_GANG16: S7 Gang: How important to you (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
0	Not at all	30	2.2 %
1	A little bit	14	1.0 %
2	Moderately	21	1.6 %
3	Quite a bit	16	1.2 %
4	Extremely	10	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-109	Skipped: Subject responded DontKnow to new gang item (ngng1)	1	0.1 %
-103	Skipped: Not in any gang during recall period	1121	82.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 91 valid cases out of 1,354 total cases.

Location: 1848-1851 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -9 , -8

S7GANG_GANG17: S7 Gang: How many friend not members (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	None (all are members)	9	0.7 %
2	A few are not	40	3.0 %
3	Half are not	19	1.4 %
4	Most are not	12	0.9 %
5	All (none are members)	11	0.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-109	Skipped: Subject responded DontKnow to new gang item (ngng1)	1	0.1 %
-103	Skipped: Not in any gang during recall period	1121	82.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 91 valid cases out of 1,354 total cases.

Location: 1852-1855 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -9 , -8

S7FP_OLDGANG: S7 FPrevInfo: Name of gang beloged to a previous follow-up

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1856-1880 (width: 25; decimal: 0)
Variable Type: character

S7BASEINFO_OLDGANG: S7 BaseInfo: Name of gang belonged-to at baseline (or EMPTY if none)

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1881-1881 (width: 1; decimal: 0)
Variable Type: character

S7BASEINFO_GANGT: S7 BaseInfo: Term used for gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1882-1882 (width: 1; decimal: 0)
Variable Type: character

S7FP_GANGT: S7 FPrevInfo: Term used for gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1883-1886 (width: 4; decimal: 0)
Variable Type: character

S7GANG_LASTGANG_WHENLEFT: S7 Gang: Recall period month (s7m#) subject left the gang from the last interview

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1887-1911 (width: 25; decimal: 0)
Variable Type: character

S7GANG_CURRENT_WHENLEFT: S7 Gang: Recall period month (s7m#) subject left the current gang (associated with gang from current_code)

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1912-1936 (width: 25; decimal: 0)
Variable Type: character

S7GANG_LASTGANG_CODE: S7 Gang: Unique ID associated with the gang from the last interview

Based upon 23 valid cases out of 1,354 total cases.

Location: 1937-1941 (width: 5; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9992 , -9991 , -9982 , -9981 , -9972 , -9971 , -202 , -201 , -107 , -106 , -102 , -101

S7GANG_CURRENT_CODE: S7 Gang: Unique ID associcated with the gang that is the focus of all followup items

Based upon 88 valid cases out of 1,354 total cases.

Location: 1942-1946 (width: 5; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9992 , -9991 , -9982 , -9981 , -9972 , -9971 , -202 , -201 , -109 , -108 , -103

S7NUMMIS: S7 GANG: number missing

Value	Label	Unweighted Frequency	%
0	-	1	0.1 %
1	-	113	8.3 %
2	-	1099	81.2 %
3	-	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,214 valid cases out of 1,354 total cases.

Location: 1947-1950 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S7GNGINV: S7 GANG: Involved in a gang during the recall period

Value	Label	Unweighted Frequency	%
0	No	1121	82.8 %
1	Yes	92	6.8 %
	Missing Data		
-300	Too few answers for computation	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 1951-1954 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S8GANGT: S8 Gang: Term for gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1955-1958 (width: 4; decimal: 0)
Variable Type: character

S8GANG_OGNG1: S8 Gang: Still a member of gang from the last interview

Value	Label	Unweighted Frequency	%
1	Yes	67	4.9 %

Value	Label	Unweighted Frequency	%
5	No	22	1.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Skipped: Not in a gang during last interview	1114	82.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 89 valid cases out of 1,354 total cases.

Location: 1959-1962 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -101 , -9 , -8

S8GANG_OGNG2: S8 Gang: When leave this gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1963-1973 (width: 11; decimal: 0)
Variable Type: character

S8GANG_OGNGN: S8 Gang: Name of gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1974-1998 (width: 25; decimal: 0)
Variable Type: character

S8GANG_NGNG1: S8 Gang: Join a gang during this recall period

Value	Label	Unweighted Frequency	%
1	Yes	13	1.0 %
5	No	1124	83.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-102	Skipped: Still in gang from last recall period	67	4.9 %
	Total	**1,354**	**100%**

Based upon 1,137 valid cases out of 1,354 total cases.

Location: 1999-2002 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -9 , -8

S8GANG_NGANG: S8 Gang: Name of new gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 2003-2027 (width: 25; decimal: 0)

Variable Type: character

S8GANG_GANG5: S8 Gang: How many members in gang (associated with gang from current_code)

Based upon 10 valid cases out of 1,354 total cases.

- Mean: 371.50
- Median: 50.00
- Mode: 50.00
- Minimum: 7.00
- Maximum: 1488.00
- Standard Deviation: 510.35

Location: 2028-2032 (width: 5; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9999 , -9998 , -202 , -201 , -109 , -108 , -103 , -102

S8GANG_GANG6: S8 Gang: Age oldest member of gang (associated with gang from current_code)

Based upon 8 valid cases out of 1,354 total cases.

- Mean: 39.62
- Median: 30.00
- Mode: 30.00
- Minimum: 21.00
- Maximum: 88.00
- Standard Deviation: 22.06

Location: 2033-2036 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -102 , -99 , -98

S8GANG_GANG7: S8 Gang: Have any colors (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Yes	10	0.7 %
5	No	3	0.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-103	Skipped: Not in any gang during recall period	1124	83.0 %
-102	Skipped: Still in gang from last recall period	67	4.9 %
	Total	**1,354**	**100%**

Based upon 13 valid cases out of 1,354 total cases.

Location: 2037-2040 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -102 , -9 , -8

S8GANG_GANG8: S8 Gang: Have any rules (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Yes	9	0.7 %
5	No	4	0.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-103	Skipped: Not in any gang during recall period	1124	83.0 %
-102	Skipped: Still in gang from last recall period	67	4.9 %
	Total	**1,354**	**100%**

Based upon 13 valid cases out of 1,354 total cases.

Location: 2041-2044 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -102 , -9 , -8

S8GANG_GANG9: S8 Gang: Share money (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Yes	7	0.5 %
5	No	6	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-103	Skipped: Not in any gang during recall period	1124	83.0 %
-102	Skipped: Still in gang from last recall period	67	4.9 %
	Total	**1,354**	**100%**

Based upon 13 valid cases out of 1,354 total cases.

Location: 2045-2048 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -102 , -9 , -8

S8GANG_GANG10: S8 Gang: Share drugs (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Yes	11	0.8 %
5	No	2	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-103	Skipped: Not in any gang during recall period	1124	83.0 %

Value	Label	Unweighted Frequency	%
-102	Skipped: Still in gang from last recall period	67	4.9 %
	Total	**1,354**	**100%**

Based upon 13 valid cases out of 1,354 total cases.

Location: 2049-2052 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -102 , -9 , -8

S8GANG_GANG11: S8 Gang: Have punishments breaking rules (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Yes	10	0.7 %
5	No	3	0.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-103	Skipped: Not in any gang during recall period	1124	83.0 %
-102	Skipped: Still in gang from last recall period	67	4.9 %
	Total	**1,354**	**100%**

Based upon 13 valid cases out of 1,354 total cases.

Location: 2053-2056 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -102 , -9 , -8

S8GANG_GANG12: S8 Gang: How often contact (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Daily	25	1.8 %
2	3-6 times per week	5	0.4 %
3	twice per week	6	0.4 %
4	Once per week	4	0.3 %
5	Less weekly, ore than monthly	3	0.2 %
6	Once per month	11	0.8 %
7	Less than monthly	26	1.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-103	Skipped: Not in any gang during recall period	1124	83.0 %
	Total	**1,354**	**100%**

Based upon 80 valid cases out of 1,354 total cases.

Location: 2057-2060 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -9 , -8

S8GANG_GNGNOW: S8 Gang: Still member new gang (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Yes	76	5.6 %
5	No	4	0.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-103	Skipped: Not in any gang during recall period	1124	83.0 %
	Total	**1,354**	**100%**

Based upon 80 valid cases out of 1,354 total cases.

Location: 2061-2064 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -9 , -8

S8GANG_GNGLV: S8 Gang: When leave new gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 2065-2075 (width: 11; decimal: 0)
Variable Type: character

S8GANG_GANG13: S8 Gang: Position in the gang (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Leader	3	0.2 %
2	Not leader, but one of the top people	15	1.1 %
3	Member	58	4.3 %
4	Something else (other)	4	0.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-103	Skipped: Not in any gang during recall period	1124	83.0 %
	Total	**1,354**	**100%**

Based upon 80 valid cases out of 1,354 total cases.

Location: 2076-2079 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -9 , -8

S8GANG_GANG14: S8 Gang: Position specify

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 2080-2104 (width: 25; decimal: 0)
Variable Type: character

S8GANG_GANG16: S8 Gang: How important to you (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
0	Not at all	29	2.1 %
1	A little bit	15	1.1 %
2	Moderately	10	0.7 %
3	Quite a bit	19	1.4 %
4	Extremely	7	0.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-103	Skipped: Not in any gang during recall period	1124	83.0 %
	Total	**1,354**	**100%**

Based upon 80 valid cases out of 1,354 total cases.

Location: 2105-2108 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -9 , -8

S8GANG_GANG17: S8 Gang: How many friend not members (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	None (all are members)	9	0.7 %
2	A few are not	34	2.5 %
3	Half are not	14	1.0 %
4	Most are not	12	0.9 %
5	All (none are members)	10	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-103	Skipped: Not in any gang during recall period	1124	83.0 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 79 valid cases out of 1,354 total cases.

Location: 2109-2112 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -9 , -8

S8FP_OLDGANG: S8 FPrevInfo: Name of gang beloged to a previous follow-up

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 2113-2137 (width: 25; decimal: 0)
Variable Type: character

S8BASEINFO_OLDGANG: S8 BaseInfo: Name of gang belonged-to at baseline (or EMPTY if none)

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 2138-2138 (width: 1; decimal: 0)
Variable Type: character

S8BASEINFO_GANGT: S8 BaseInfo: Term used for gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 2139-2139 (width: 1; decimal: 0)
Variable Type: character

S8FP_GANGT: S8 FPrevInfo: Term used for gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 2140-2143 (width: 4; decimal: 0)
Variable Type: character

S8GANG_LASTGANG_WHENLEFT: S8 Gang: Recall period month (s8m#) subject left the gang from the last interview

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 2144-2166 (width: 23; decimal: 0)
Variable Type: character

S8GANG_CURRENT_WHENLEFT: S8 Gang: Recall period month (s8m#) subject left the current gang (associated with gang from current_code)

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 2167-2191 (width: 25; decimal: 0)
Variable Type: character

S8GANG_LASTGANG_CODE: S8 Gang: Unique ID associated with the gang from the last interview

Based upon 22 valid cases out of 1,354 total cases.

Location: 2192-2196 (width: 5; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9992 , -9991 , -9982 , -9981 , -9972 , -9971 , -202 , -201 , -107 , -106 , -102 , -101

S8GANG_CURRENT_CODE: S8 Gang: Unique ID associcated with the gang that is the focus of all followup items

Based upon 75 valid cases out of 1,354 total cases.

Location: 2197-2201 (width: 5; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9992 , -9991 , -9982 , -9981 , -9972 , -9971 , -202 , -201 , -109 , -108 , -103

S8NUMMIS: S8 GANG: number missing

Value	Label	Unweighted Frequency	%
0	-	1	0.1 %
1	-	100	7.4 %
2	-	1103	81.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 2202-2205 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S8GNGINV: S8 GANG: Involved in a gang during the recall period

Value	Label	Unweighted Frequency	%
0	No	1124	83.0 %
1	Yes	80	5.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 2206-2209 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S9GANGT: S9 Gang: Term for gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 2210-2213 (width: 4; decimal: 0)
Variable Type: character

S9GANG_OGNG1: S9 Gang: Still a member of gang from the last interview

Value	Label	Unweighted Frequency	%
1	Yes	61	4.5 %
5	No	18	1.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Skipped: Not in a gang during last interview	1098	81.1 %
	Total	**1,354**	**100%**

Based upon 79 valid cases out of 1,354 total cases.

Location: 2214-2217 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -101 , -9 , -8

S9GANG_OGNG2: S9 Gang: When leave this gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 2218-2228 (width: 11; decimal: 0)
Variable Type: character

S9GANG_OGNGN: S9 Gang: Name of gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 2229-2253 (width: 25; decimal: 0)
Variable Type: character

S9GANG_NGNG1: S9 Gang: Join a gang during this recall period

Value	Label	Unweighted Frequency	%
1	Yes	12	0.9 %
5	No	1104	81.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-102	Skipped: Still in gang from last recall period	61	4.5 %
	Total	**1,354**	**100%**

Based upon 1,116 valid cases out of 1,354 total cases.

Location: 2254-2257 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -9 , -8

S9GANG_NGANG: S9 Gang: Name of new gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 2258-2282 (width: 25; decimal: 0)

Variable Type: character

S9GANG_GANG5: S9 Gang: How many members in gang (associated with gang from current_code)

Based upon 11 valid cases out of 1,354 total cases.

- Mean: 700.09
- Median: 250.00
- Minimum: 1.00
- Maximum: 3000.00
- Standard Deviation: 959.66

Location: 2283-2287 (width: 5; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9999 , -9998 , -202 , -201 , -109 , -108 , -103 , -102

S9GANG_GANG6: S9 Gang: Age oldest member of gang (associated with gang from current_code)

Based upon 8 valid cases out of 1,354 total cases.

- Mean: 48.12
- Median: 45.50
- Mode: 41.00
- Minimum: 25.00
- Maximum: 68.00
- Standard Deviation: 14.50

Location: 2288-2291 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -102 , -99 , -98

S9GANG_GANG7: S9 Gang: Have any colors (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Yes	8	0.6 %
5	No	4	0.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-103	Skipped: Not in any gang during recall period	1104	81.5 %
-102	Skipped: Still in gang from last recall period	61	4.5 %
	Total	**1,354**	**100%**

Based upon 12 valid cases out of 1,354 total cases.

Location: 2292-2295 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -102 , -9 , -8

S9GANG_GANG8: S9 Gang: Have any rules (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Yes	7	0.5 %
5	No	5	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-103	Skipped: Not in any gang during recall period	1104	81.5 %
-102	Skipped: Still in gang from last recall period	61	4.5 %
	Total	**1,354**	**100%**

Based upon 12 valid cases out of 1,354 total cases.

Location: 2296-2299 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -102 , -9 , -8

S9GANG_GANG9: S9 Gang: Share money (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Yes	9	0.7 %
5	No	3	0.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-103	Skipped: Not in any gang during recall period	1104	81.5 %
-102	Skipped: Still in gang from last recall period	61	4.5 %
	Total	**1,354**	**100%**

Based upon 12 valid cases out of 1,354 total cases.

Location: 2300-2303 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -102 , -9 , -8

S9GANG_GANG10: S9 Gang: Share drugs (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Yes	10	0.7 %
5	No	2	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-103	Skipped: Not in any gang during recall period	1104	81.5 %
-102	Skipped: Still in gang from last recall period	61	4.5 %
	Total	**1,354**	**100%**

Based upon 12 valid cases out of 1,354 total cases.

Location: 2304-2307 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -102 , -9 , -8

S9GANG_GANG11: S9 Gang: Have punishments breaking rules (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Yes	11	0.8 %
5	No	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-103	Skipped: Not in any gang during recall period	1104	81.5 %
-102	Skipped: Still in gang from last recall period	61	4.5 %
	Total	**1,354**	**100%**

Based upon 12 valid cases out of 1,354 total cases.

Location: 2308-2311 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -102 , -9 , -8

S9GANG_GANG12: S9 Gang: How often contact (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Daily	25	1.8 %
2	3-6 times per week	7	0.5 %
3	twice per week	7	0.5 %
4	Once per week	9	0.7 %
5	Less weekly, ore than monthly	1	0.1 %
6	Once per month	7	0.5 %
7	Less than monthly	16	1.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-103	Skipped: Not in any gang during recall period	1104	81.5 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 72 valid cases out of 1,354 total cases.

Location: 2312-2315 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -9 , -8

S9GANG_GNGNOW: S9 Gang: Still member new gang (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Yes	71	5.2 %
5	No	2	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-103	Skipped: Not in any gang during recall period	1104	81.5 %
	Total	**1,354**	**100%**

Based upon 73 valid cases out of 1,354 total cases.

Location: 2316-2319 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -9 , -8

S9GANG_GNGLV: S9 Gang: When leave new gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 2320-2330 (width: 11; decimal: 0)
Variable Type: character

S9GANG_GANG13: S9 Gang: Position in the gang (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Leader	6	0.4 %
2	Not leader, but one of the top people	12	0.9 %
3	Member	52	3.8 %
4	Something else (other)	3	0.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-103	Skipped: Not in any gang during recall period	1104	81.5 %
	Total	**1,354**	**100%**

Based upon 73 valid cases out of 1,354 total cases.

Location: 2331-2334 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -9 , -8

S9GANG_GANG14: S9 Gang: Position specify

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 2335-2358 (width: 24; decimal: 0)
Variable Type: character

S9GANG_GANG16: S9 Gang: How important to you (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
0	Not at all	23	1.7 %
1	A little bit	17	1.3 %
2	Moderately	13	1.0 %
3	Quite a bit	11	0.8 %
4	Extremely	9	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-103	Skipped: Not in any gang during recall period	1104	81.5 %
	Total	**1,354**	**100%**

Based upon 73 valid cases out of 1,354 total cases.

Location: 2359-2362 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -9 , -8

S9GANG_GANG17: S9 Gang: How many friend not members (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	None (all are members)	12	0.9 %
2	A few are not	32	2.4 %
3	Half are not	14	1.0 %
4	Most are not	4	0.3 %
5	All (none are members)	11	0.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-103	Skipped: Not in any gang during recall period	1104	81.5 %
	Total	**1,354**	**100%**

Based upon 73 valid cases out of 1,354 total cases.

Location: 2363-2366 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -9 , -8

S9FP_OLDGANG: S9 FPrevInfo: Name of gang beloged to a previous follow-up

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 2367-2391 (width: 25; decimal: 0)
Variable Type: character

S9BASEINFO_OLDGANG: S9 BaseInfo: Name of gang belonged-to at baseline (or EMPTY if none)

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 2392-2392 (width: 1; decimal: 0)
Variable Type: character

S9BASEINFO_GANGT: S9 BaseInfo: Term used for gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 2393-2393 (width: 1; decimal: 0)
Variable Type: character

S9FP_GANGT: S9 FPrevInfo: Term used for gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 2394-2397 (width: 4; decimal: 0)
Variable Type: character

S9GANG_LASTGANG_WHENLEFT: S9 Gang: Recall period month (s9m#) subject left the gang from the last interview

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 2398-2420 (width: 23; decimal: 0)
Variable Type: character

S9GANG_CURRENT_WHENLEFT: S9 Gang: Recall period month (s9m#) subject left the current gang (associated with gang from current_code)

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 2421-2445 (width: 25; decimal: 0)
Variable Type: character

S9GANG_LASTGANG_CODE: S9 Gang: Unique ID associated with the gang from the last interview

Based upon 17 valid cases out of 1,354 total cases.

Location: 2446-2450 (width: 5; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9992 , -9991 , -9982 , -9981 , -9972 , -9971 , -202 , -201 , -107 , -106 , -102 , -101

S9GANG_CURRENT_CODE: S9 Gang: Unique ID associcated with the gang that is the focus of all followup items

Based upon 69 valid cases out of 1,354 total cases.

Location: 2451-2455 (width: 5; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9992 , -9991 , -9982 , -9981 , -9972 , -9971 , -202 , -201 , -109 , -108 , -103

S9NUMMIS: S9 GANG: number missing

Value	Label	Unweighted Frequency	%
0	-	2	0.1 %
1	-	87	6.4 %
2	-	1088	80.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,177 valid cases out of 1,354 total cases.

Location: 2456-2459 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S9GNGINV: S9 GANG: Involved in a gang during the recall period

Value	Label	Unweighted Frequency	%
0	No	1104	81.5 %
1	Yes	73	5.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,177 valid cases out of 1,354 total cases.

Location: 2460-2463 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

SAGANGT: SA Gang: Term for gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 2464-2467 (width: 4; decimal: 0)
Variable Type: character

SAGANG_OGNG1: SA Gang: Still a member of gang from the last interview

Value	Label	Unweighted Frequency	%
1	Yes	50	3.7 %
5	No	16	1.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Skipped: Not in a gang during last interview	1065	78.7 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 66 valid cases out of 1,354 total cases.

Location: 2468-2471 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -202 , -201 , -101 , -9 , -8

SAGANG_OGNG2: SA Gang: When leave this gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 2472-2482 (width: 11; decimal: 0)
Variable Type: character

SAGANG_OGNGN: SA Gang: Name of gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 2483-2507 (width: 25; decimal: 0)
Variable Type: character

SAGANG_NGNG1: SA Gang: Join a gang during this recall period

Value	Label	Unweighted Frequency	%
1	Yes	14	1.0 %
5	No	1067	78.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-102	Skipped: Still in gang from last recall period	50	3.7 %
	Total	**1,354**	**100%**

Based upon 1,081 valid cases out of 1,354 total cases.

Location: 2508-2511 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -9 , -8

SAGANG_NGANG: SA Gang: Name of new gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 2512-2536 (width: 25; decimal: 0)
Variable Type: character

SAGANG_GANG5: SA Gang: How many members in gang (associated with gang from current_code)

Based upon 11 valid cases out of 1,354 total cases.

- Mean: 1138.18

- Median: 500.00
- Mode: 500.00
- Minimum: 20.00
- Maximum: 9000.00
- Standard Deviation: 2623.36

Location: 2537-2541 (width: 5; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9999 , -9998 , -202 , -201 , -109 , -108 , -103 , -102

SAGANG_GANG6: SA Gang: Age oldest member of gang (associated with gang from current_code)

Based upon 11 valid cases out of 1,354 total cases.

- Mean: 52.09
- Median: 48.00
- Mode: 40.00
- Minimum: 32.00
- Maximum: 84.00
- Standard Deviation: 14.90

Location: 2542-2545 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -102 , -99 , -98

SAGANG_GANG7: SA Gang: Have any colors (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Yes	8	0.6 %
5	No	6	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-103	Skipped: Not in any gang during recall period	1067	78.8 %
-102	Skipped: Still in gang from last recall period	50	3.7 %
	Total	**1,354**	**100%**

Based upon 14 valid cases out of 1,354 total cases.

Location: 2546-2549 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -102 , -9 , -8

SAGANG_GANG8: SA Gang: Have any rules (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Yes	11	0.8 %
5	No	3	0.2 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-103	Skipped: Not in any gang during recall period	1067	78.8 %
-102	Skipped: Still in gang from last recall period	50	3.7 %
	Total	**1,354**	**100%**

Based upon 14 valid cases out of 1,354 total cases.

Location: 2550-2553 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -102 , -9 , -8

SAGANG_GANG9: SA Gang: Share money (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Yes	9	0.7 %
5	No	5	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-103	Skipped: Not in any gang during recall period	1067	78.8 %
-102	Skipped: Still in gang from last recall period	50	3.7 %
	Total	**1,354**	**100%**

Based upon 14 valid cases out of 1,354 total cases.

Location: 2554-2557 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -102 , -9 , -8

SAGANG_GANG10: SA Gang: Share drugs (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Yes	10	0.7 %
5	No	4	0.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-103	Skipped: Not in any gang during recall period	1067	78.8 %
-102	Skipped: Still in gang from last recall period	50	3.7 %
	Total	**1,354**	**100%**

Based upon 14 valid cases out of 1,354 total cases.

Location: 2558-2561 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -102 , -9 , -8

SAGANG_GANG11: SA Gang: Have punishments breaking rules (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Yes	12	0.9 %
5	No	2	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-103	Skipped: Not in any gang during recall period	1067	78.8 %
-102	Skipped: Still in gang from last recall period	50	3.7 %
	Total	**1,354**	**100%**

Based upon 14 valid cases out of 1,354 total cases.

Location: 2562-2565 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -102 , -9 , -8

SAGANG_GANG12: SA Gang: How often contact (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Daily	24	1.8 %
2	3-6 times per week	5	0.4 %
3	twice per week	2	0.1 %
4	Once per week	2	0.1 %
5	Less weekly, ore than monthly	4	0.3 %
6	Once per month	5	0.4 %
7	Less than monthly	22	1.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-103	Skipped: Not in any gang during recall period	1067	78.8 %
	Total	**1,354**	**100%**

Based upon 64 valid cases out of 1,354 total cases.

Location: 2566-2569 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -9 , -8

SAGANG_GNGNOW: SA Gang: Still member new gang (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Yes	63	4.7 %
5	No	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-103	Skipped: Not in any gang during recall period	1067	78.8 %
	Total	**1,354**	**100%**

Based upon 64 valid cases out of 1,354 total cases.

Location: 2570-2573 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -9 , -8

SAGANG_GNGLV: SA Gang: When leave new gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 2574-2584 (width: 11; decimal: 0)
Variable Type: character

SAGANG_GANG13: SA Gang: Position in the gang (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	Leader	0	0.0 %
2	Not leader, but one of the top people	16	1.2 %
3	Member	46	3.4 %
4	Something else (other)	2	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-103	Skipped: Not in any gang during recall period	1067	78.8 %
	Total	**1,354**	**100%**

Based upon 64 valid cases out of 1,354 total cases.

Location: 2585-2588 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -9 , -8

SAGANG_GANG14: SA Gang: Position specify

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 2589-2596 (width: 8; decimal: 0)
Variable Type: character

SAGANG_GANG16: SA Gang: How important to you (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
0	Not at all	23	1.7 %
1	A little bit	14	1.0 %
2	Moderately	12	0.9 %
3	Quite a bit	10	0.7 %
4	Extremely	5	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-103	Skipped: Not in any gang during recall period	1067	78.8 %
	Total	**1,354**	**100%**

Based upon 64 valid cases out of 1,354 total cases.

Location: 2597-2600 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -9 , -8

SAGANG_GANG17: SA Gang: How many friend not members (associated with gang from current_code)

Value	Label	Unweighted Frequency	%
1	None (all are members)	11	0.8 %
2	A few are not	26	1.9 %
3	Half are not	11	0.8 %
4	Most are not	9	0.7 %
5	All (none are members)	7	0.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-103	Skipped: Not in any gang during recall period	1067	78.8 %
	Total	**1,354**	**100%**

Based upon 64 valid cases out of 1,354 total cases.

Location: 2601-2604 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -109 , -108 , -103 , -9 , -8

SAFP_OLDGANG: SA FPrevInfo: Name of gang beloged to a previous follow-up

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 2605-2629 (width: 25; decimal: 0)
Variable Type: character

SABASEINFO_OLDGANG: SA BaseInfo: Name of gang belonged-to at baseline (or EMPTY if none)

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 2630-2630 (width: 1; decimal: 0)
Variable Type: character

SABASEINFO_GANGT: SA BaseInfo: Term used for gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 2631-2631 (width: 1; decimal: 0)
Variable Type: character

SAFP_GANGT: SA FPrevInfo: Term used for gang

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 2632-2635 (width: 4; decimal: 0)
Variable Type: character

SAGANG_LASTGANG_WHENLEFT: SA Gang: Recall period month (sAm#) subject left the gang from the last interview

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 2636-2658 (width: 23; decimal: 0)
Variable Type: character

SAGANG_CURRENT_WHENLEFT: SA Gang: Recall period month (sAm#) subject left the current gang (associated with gang from current_code)

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 2659-2683 (width: 25; decimal: 0)
Variable Type: character

SAGANG_LASTGANG_CODE: SA Gang: Unique ID associated with the gang from the last interview

Based upon 13 valid cases out of 1,354 total cases.

Location: 2684-2688 (width: 5; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9992 , -9991 , -9982 , -9981 , -9972 , -9971 , -202 , -201 , -107 , -106 , -102 , -101

SAGANG_CURRENT_CODE: SA Gang: Unique ID associcated with the gang that is the focus of all followup items

Based upon 63 valid cases out of 1,354 total cases.

Location: 2689-2693 (width: 5; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9992 , -9991 , -9982 , -9981 , -9972 , -9971 , -202 , -201 , -109 , -108 , -103

SANUMMIS: SA GANG: number missing

Value	Label	Unweighted Frequency	%
1	-	80	5.9 %
2	-	1051	77.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 2694-2697 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

SAGNGINV: SA GANG: Involved in a gang during the recall period

Value	Label	Unweighted Frequency	%
0	No	1067	78.8 %
1	Yes	64	4.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 2698-2701 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8