ICPSR | INTER-UNIVERSITY CONSORTIUM FOR POLITICAL AND SOCIAL RESEARCH

ICPSR 36800

Research on Pathways to Desistance [Maricopa County, AZ and Philadelphia County, PA]: Subject Measures - Scales, 2000-2010

Edward P. Mulvey
University of Pittsburgh

Codebook for Head Injury

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/36800/terms

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE
WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 36800

Research on Pathways to Desistance [Maricopa County, AZ and Philadelphia County, PA]: Subject Measures - Scales, 2000-2010

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Head Injury

CASEID: S0 IntInfo: Subject ID

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1-5 (width: 5; decimal: 0)
Variable Type: numeric

S0NEU217: S0 HeadInj: Ever had head injury lost consciousness/needed medical tx

Value	Label	Unweighted Frequency	%
1	Yes	411	30.4 %
5	No	943	69.6 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 6-7 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8

S0NEU218: S0 HeadInj: How many had head injury lost consciousness

Based upon 1,354 valid cases out of 1,354 total cases.

- Mean: 68.76
- Median: 98.00
- Mode: 98.00
- Minimum: 0.00
- Maximum: 98.00
- Standard Deviation: 44.34

Location: 8-9 (width: 2; decimal: 0)
Variable Type: numeric

S0NEU219: S0 HeadInj: How many times lost consciousness

Based upon 411 valid cases out of 1,354 total cases.

- Mean: 1.47
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.01

Location: 10-13 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -103 , -9 , -8

S0NEU222: S0 HeadInj: Had seizures resulting from this injury

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	17	1.3 %
	Missing Data		
-104	Skipped: Has had head injury but never lost consciousess	394	29.1 %
-103	Skipped: No head injury with loss of consciousness	943	69.6 %
	Total	**1,354**	**100%**

Based upon 17 valid cases out of 1,354 total cases.

Location: 14-17 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -104 , -103 , -9 , -8

S0AGELC: S0 HeadInj: Injury 1 - age at the time

Based upon 392 valid cases out of 1,354 total cases.

- Mean: 10.96
- Median: 12.00
- Mode: 14.00
- Minimum: 0.00
- Maximum: 17.00
- Standard Deviation: 4.06

Location: 18-21 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -105 , -103 , -99 , -98

S0MEDLC: S0 HeadInj: Injury 1 - required medical treatment

Value	Label	Unweighted Frequency	%
1	Yes	264	19.5 %
5	No	130	9.6 %
	Missing Data		
-105	NA - sub hasnt had this many losses of consciousness	17	1.3 %
-103	Skipped: No head injury with loss of consciousness	943	69.6 %
	Total	**1,354**	**100%**

Based upon 394 valid cases out of 1,354 total cases.

Location: 22-25 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -105 , -103 , -9 , -8

S0SEIZ: S0 HeadInj: Injury 1 - had seizures resulting from the injury

Value	Label	Unweighted Frequency	%
1	Yes	12	0.9 %

Value	Label	Unweighted Frequency	%
5	No	381	28.1 %
	Missing Data		
-105	NA - sub hasnt had this many losses of consciousness	17	1.3 %
-103	Skipped: No head injury with loss of consciousness	943	69.6 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 393 valid cases out of 1,354 total cases.

Location: 26-29 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -105 , -103 , -9 , -8

S0AGELC2: S0 HeadInj: Injury 2 - age at the time

Based upon 124 valid cases out of 1,354 total cases.

- Mean: 12.51
- Median: 13.00
- Mode: 14.00
- Minimum: 1.00
- Maximum: 18.00
- Standard Deviation: 3.49

Location: 30-33 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -105 , -103 , -99 , -98

S0MEDLC2: S0 HeadInj: Injury 2 - required medical treatment

Value	Label	Unweighted Frequency	%
1	Yes	53	3.9 %
5	No	72	5.3 %
	Missing Data		
-105	NA - sub hasnt had this many losses of consciousness	286	21.1 %
-103	Skipped: No head injury with loss of consciousness	943	69.6 %
	Total	**1,354**	**100%**

Based upon 125 valid cases out of 1,354 total cases.

Location: 34-37 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -105 , -103 , -9 , -8

S0SEIZ2: S0 HeadInj: Injury 2 - had seizures resulting from the injury

Value	Label	Unweighted Frequency	%
1	Yes	5	0.4 %

Value	Label	Unweighted Frequency	%
5	No	119	8.8 %
	Missing Data		
-105	NA - sub hasnt had this many losses of consciousness	286	21.1 %
-103	Skipped: No head injury with loss of consciousness	943	69.6 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 124 valid cases out of 1,354 total cases.

Location: 38-41 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -105 , -103 , -9 , -8

S0AGELC3: S0 HeadInj: Injury 3 - age at the time

Based upon 49 valid cases out of 1,354 total cases.

- Mean: 12.55
- Median: 13.00
- Minimum: 7.00
- Maximum: 18.00
- Standard Deviation: 2.89

Location: 42-45 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -105 , -103 , -99 , -98

S0MEDLC3: S0 HeadInj: Injury 3 - required medical treatment

Value	Label	Unweighted Frequency	%
1	Yes	25	1.8 %
5	No	24	1.8 %
	Missing Data		
-105	NA - sub hasnt had this many losses of consciousness	362	26.7 %
-103	Skipped: No head injury with loss of consciousness	943	69.6 %
	Total	**1,354**	**100%**

Based upon 49 valid cases out of 1,354 total cases.

Location: 46-49 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -105 , -103 , -9 , -8

S0SEIZ3: S0 HeadInj: Injury 3 - had seizures resulting from the injury

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
5	No	47	3.5 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-105	NA - sub hasnt had this many losses of consciousness	362	26.7 %
-103	Skipped: No head injury with loss of consciousness	943	69.6 %
	Total	**1,354**	**100%**

Based upon 49 valid cases out of 1,354 total cases.

Location: 50-53 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -105 , -103 , -9 , -8

S0AGELC4: S0 HeadInj: Injury 4 - age at the time

Based upon 20 valid cases out of 1,354 total cases.

- Mean: 13.40
- Median: 14.00
- Mode: 14.00
- Minimum: 9.00
- Maximum: 17.00
- Standard Deviation: 2.11

Location: 54-57 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -105 , -103 , -99 , -98

S0MEDLC4: S0 HeadInj: Injury 4 - required medical treatment

Value	Label	Unweighted Frequency	%
1	Yes	5	0.4 %
5	No	15	1.1 %
	Missing Data		
-105	NA - sub hasnt had this many losses of consciousness	391	28.9 %
-103	Skipped: No head injury with loss of consciousness	943	69.6 %
	Total	**1,354**	**100%**

Based upon 20 valid cases out of 1,354 total cases.

Location: 58-61 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -105 , -103 , -9 , -8

S0SEIZ4: S0 HeadInj: Injury 4 - had seizures resulting from the injury

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	19	1.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-105	NA - sub hasnt had this many losses of consciousness	391	28.9 %
-103	Skipped: No head injury with loss of consciousness	943	69.6 %
	Total	**1,354**	**100%**

Based upon 20 valid cases out of 1,354 total cases.

Location: 62-65 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -105 , -103 , -9 , -8

S0AGELC5: S0 HeadInj: Injury 5 - age at the time

Based upon 8 valid cases out of 1,354 total cases.

- Mean: 13.62
- Median: 14.00
- Mode: 15.00
- Minimum: 10.00
- Maximum: 15.00
- Standard Deviation: 1.69

Location: 66-69 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -105 , -103 , -99 , -98

S0MEDLC5: S0 HeadInj: Injury 5 - required medical treatment

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
5	No	6	0.4 %
	Missing Data		
-105	NA - sub hasnt had this many losses of consciousness	403	29.8 %
-103	Skipped: No head injury with loss of consciousness	943	69.6 %
	Total	**1,354**	**100%**

Based upon 8 valid cases out of 1,354 total cases.

Location: 70-73 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -105 , -103 , -9 , -8

S0SEIZ5: S0 HeadInj: Injury 5 - had seizures resulting from the injury

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	8	0.6 %
	Missing Data		
-105	NA - sub hasnt had this many losses of consciousness	403	29.8 %

Value	Label	Unweighted Frequency	%
-103	Skipped: No head injury with loss of consciousness	943	69.6 %
	Total	**1,354**	**100%**

Based upon 8 valid cases out of 1,354 total cases.

Location: 74-77 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -105 , -103 , -9 , -8

S0AGELC6: S0 HeadInj: Injury 6 - age at the time

Based upon 7 valid cases out of 1,354 total cases.

- Mean: 14.43
- Median: 15.00
- Minimum: 11.00
- Maximum: 16.00
- Standard Deviation: 1.72

Location: 78-81 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -105 , -103 , -99 , -98

S0MEDLC6: S0 HeadInj: Injury 6 - required medical treatment

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	6	0.4 %
	Missing Data		
-105	NA - sub hasnt had this many losses of consciousness	404	29.8 %
-103	Skipped: No head injury with loss of consciousness	943	69.6 %
	Total	**1,354**	**100%**

Based upon 7 valid cases out of 1,354 total cases.

Location: 82-85 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -105 , -103 , -9 , -8

S0SEIZ6: S0 HeadInj: Injury 6 - had seizures resulting from the injury

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	6	0.4 %
	Missing Data		
-105	NA - sub hasnt had this many losses of consciousness	404	29.8 %
-103	Skipped: No head injury with loss of consciousness	943	69.6 %
	Total	**1,354**	**100%**

Based upon 7 valid cases out of 1,354 total cases.

Location: 86-89 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -105 , -103 , -9 , -8

S0HEADIN: S0 HEADINJ: Head injury - ever

Value	Label	Unweighted Frequency	%
0	No	943	69.6 %
1	Yes	411	30.4 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 90-91 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8

S0MALC: S0 HEADINJ: Minimum age at which subject lost consciousness

Based upon 1,354 valid cases out of 1,354 total cases.

- Mean: 72.73
- Median: 98.00
- Mode: 98.00
- Minimum: 0.00
- Maximum: 98.00
- Standard Deviation: 39.59

Location: 92-93 (width: 2; decimal: 0)
Variable Type: numeric

S1HEADINJ_HEAD0: S1 HEADINJ: Had head injury lost consciousness recall period

Value	Label	Unweighted Frequency	%
1	Yes	43	3.2 %
5	No	1218	90.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 94-97 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S1HEADINJ_HEADN: S1 HeadInj: Number of head injuries in recall period where lost consciousness or needed medical treatment

Value	Label	Unweighted Frequency	%
0	-	1218	90.0 %
1	-	41	3.0 %
2	-	2	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 98-101 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S1HEADINJ_LIST1_HEADY: S1 HEADINJ_1: Any other head injuries in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	43	3.2 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	No head injury past N months	1218	90.0 %
	Total	**1,354**	**100%**

Based upon 43 valid cases out of 1,354 total cases.

Location: 102-105 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S1HEADINJ_LIST1_HEADB: S1 HEADINJ_1: Require medical treatment in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	22	1.6 %
5	No	21	1.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	No head injury past N months	1218	90.0 %
	Total	**1,354**	**100%**

Based upon 43 valid cases out of 1,354 total cases.

Location: 106-109 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S1HEADINJ_LIST1_HEADD: S1 HEADINJ_1: Have seizures result of head injury

Value	Label	Unweighted Frequency	%
1	Yes	3	0.2 %
5	No	39	2.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	No head injury past N months	1218	90.0 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 42 valid cases out of 1,354 total cases.

Location: 110-113 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S1HEADINJ_LIST2_HEADY: S1 HEADINJ_2: Any other head injuries in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
5	No	41	3.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	No head injury past N months	1218	90.0 %
	Total	**1,354**	**100%**

Based upon 43 valid cases out of 1,354 total cases.

Location: 114-117 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S1HEADINJ_LIST2_HEADB: S1 HEADINJ_2: Require medical treatment in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	2	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-102	Subject had less than 6 head injuries	41	3.0 %

Value	Label	Unweighted Frequency	%
-101	No head injury past N months	1218	90.0 %
	Total	**1,354**	**100%**

Based upon 2 valid cases out of 1,354 total cases.

Location: 118-121 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S1HEADINJ_LIST2_HEADD: S1 HEADINJ_2: Have seizures result of head injury

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	2	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-102	Subject had less than 6 head injuries	41	3.0 %
-101	No head injury past N months	1218	90.0 %
	Total	**1,354**	**100%**

Based upon 2 valid cases out of 1,354 total cases.

Location: 122-125 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S1HEADINJ_LIST3_HEADY: S1 HEADINJ_3: Any other head injuries in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	2	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-102	Subject had less than 6 head injuries	41	3.0 %
-101	No head injury past N months	1218	90.0 %
	Total	**1,354**	**100%**

Based upon 2 valid cases out of 1,354 total cases.

Location: 126-129 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S1HEADINJ_LIST3_HEADB: S1 HEADINJ_3: Require medical treatment in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-102	Subject had less than 6 head injuries	43	3.2 %
-101	No head injury past N months	1218	90.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 130-133 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S1HEADINJ_LIST3_HEADD: S1 HEADINJ_3: Have seizures result of head injury

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-102	Subject had less than 6 head injuries	43	3.2 %
-101	No head injury past N months	1218	90.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 134-137 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S1HEADINJ_LIST4_HEADY: S1 HEADINJ_4: Any other head injuries in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-102	Subject had less than 6 head injuries	43	3.2 %
-101	No head injury past N months	1218	90.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 138-141 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S1HEADINJ_LIST4_HEADB: S1 HEADINJ_4: Require medical treatment in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-102	Subject had less than 6 head injuries	43	3.2 %
-101	No head injury past N months	1218	90.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 142-145 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S1HEADINJ_LIST4_HEADD: S1 HEADINJ_4: Have seizures result of head injury

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-102	Subject had less than 6 head injuries	43	3.2 %
-101	No head injury past N months	1218	90.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 146-149 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S1HEADINJ_LIST5_HEADY: S1 HEADINJ_5: Any other head injuries in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-102	Subject had less than 6 head injuries	43	3.2 %
-101	No head injury past N months	1218	90.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 150-153 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S1HEADINJ_LIST5_HEADB: S1 HEADINJ_5: Require medical treatment in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-102	Subject had less than 6 head injuries	43	3.2 %
-101	No head injury past N months	1218	90.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 154-157 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S1HEADINJ_LIST5_HEADD: S1 HEADINJ_5: Have seizures result of head injury

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-102	Subject had less than 6 head injuries	43	3.2 %
-101	No head injury past N months	1218	90.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 158-161 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S1HEADINJ_LIST6_HEADY: S1 HEADINJ_6: Any other head injuries in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-102	Subject had less than 6 head injuries	43	3.2 %
-101	No head injury past N months	1218	90.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 162-165 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S1HEADINJ_LIST6_HEADB: S1 HEADINJ_6: Require medical treatment in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-102	Subject had less than 6 head injuries	43	3.2 %
-101	No head injury past N months	1218	90.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 166-169 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S1HEADINJ_LIST6_HEADD: S1 HEADINJ_6: Have seizures result of head injury

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-102	Subject had less than 6 head injuries	43	3.2 %
-101	No head injury past N months	1218	90.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 170-173 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S1HEADIN: S1 HeadInj: Head Injury in the recall period where lost consciousness or needed medical treatment

Value	Label	Unweighted Frequency	%
0	No	1218	90.0 %
1	Yes	43	3.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 174-177 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201

S2HEADINJ_HEAD0: S2 HEADINJ: Had head injury lost consciousness recall period

Value	Label	Unweighted Frequency	%
1	Yes	40	3.0 %
5	No	1220	90.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 178-181 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S2HEADINJ_HEADN: S2 HeadInj: Number of head injuries in recall period where lost consciousness or needed medical treatment

Value	Label	Unweighted Frequency	%
0	-	1220	90.1 %
1	-	39	2.9 %
3	-	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 182-185 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S2HEADINJ_LIST1_HEADY: S2 HEADINJ_1: Any other head injuries in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	40	3.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	No head injury past N months	1220	90.1 %
	Total	**1,354**	**100%**

Based upon 40 valid cases out of 1,354 total cases.

Location: 186-189 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S2HEADINJ_LIST1_HEADB: S2 HEADINJ_1: Require medical treatment in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	23	1.7 %
5	No	17	1.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	No head injury past N months	1220	90.1 %
	Total	**1,354**	**100%**

Based upon 40 valid cases out of 1,354 total cases.

Location: 190-193 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S2HEADINJ_LIST1_HEADD: S2 HEADINJ_1: Have seizures result of head injury

Value	Label	Unweighted Frequency	%
1	Yes	3	0.2 %
5	No	37	2.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	No head injury past N months	1220	90.1 %
	Total	**1,354**	**100%**

Based upon 40 valid cases out of 1,354 total cases.

Location: 194-197 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S2HEADINJ_LIST2_HEADY: S2 HEADINJ_2: Any other head injuries in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	39	2.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	No head injury past N months	1220	90.1 %
	Total	**1,354**	**100%**

Based upon 40 valid cases out of 1,354 total cases.

Location: 198-201 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S2HEADINJ_LIST2_HEADB: S2 HEADINJ_2: Require medical treatment in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	92	6.8 %
-102	Subject had less than 6 head injuries	39	2.9 %
-101	No head injury past N months	1220	90.1 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 202-205 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S2HEADINJ_LIST2_HEADD: S2 HEADINJ_2: Have seizures result of head injury

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-102	Subject had less than 6 head injuries	39	2.9 %
-101	No head injury past N months	1220	90.1 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 206-209 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S2HEADINJ_LIST3_HEADY: S2 HEADINJ_3: Any other head injuries in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-102	Subject had less than 6 head injuries	39	2.9 %
-101	No head injury past N months	1220	90.1 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 210-213 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S2HEADINJ_LIST3_HEADB: S2 HEADINJ_3: Require medical treatment in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-102	Subject had less than 6 head injuries	39	2.9 %
-101	No head injury past N months	1220	90.1 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 214-217 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S2HEADINJ_LIST3_HEADD: S2 HEADINJ_3: Have seizures result of head injury

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-102	Subject had less than 6 head injuries	39	2.9 %
-101	No head injury past N months	1220	90.1 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 218-221 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S2HEADINJ_LIST4_HEADY: S2 HEADINJ_4: Any other head injuries in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-600	Data missing for unknown reason	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %

Value	Label	Unweighted Frequency	%
-102	Subject had less than 6 head injuries	39	2.9 %
-101	No head injury past N months	1220	90.1 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 222-225 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S2HEADINJ_LIST4_HEADB: S2 HEADINJ_4: Require medical treatment in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-600	Data missing for unknown reason	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-102	Subject had less than 6 head injuries	39	2.9 %
-101	No head injury past N months	1220	90.1 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 226-229 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S2HEADINJ_LIST4_HEADD: S2 HEADINJ_4: Have seizures result of head injury

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-600	Data missing for unknown reason	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-102	Subject had less than 6 head injuries	39	2.9 %
-101	No head injury past N months	1220	90.1 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 230-233 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S2HEADINJ_LIST5_HEADY: S2 HEADINJ_5: Any other head injuries in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-600	Data missing for unknown reason	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-102	Subject had less than 6 head injuries	39	2.9 %
-101	No head injury past N months	1220	90.1 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 234-237 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S2HEADINJ_LIST5_HEADB: S2 HEADINJ_5: Require medical treatment in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-600	Data missing for unknown reason	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-102	Subject had less than 6 head injuries	39	2.9 %
-101	No head injury past N months	1220	90.1 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 238-241 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S2HEADINJ_LIST5_HEADD: S2 HEADINJ_5: Have seizures result of head injury

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-600	Data missing for unknown reason	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-102	Subject had less than 6 head injuries	39	2.9 %
-101	No head injury past N months	1220	90.1 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 242-245 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S2HEADINJ_LIST6_HEADY: S2 HEADINJ_6: Any other head injuries in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-600	Data missing for unknown reason	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-102	Subject had less than 6 head injuries	39	2.9 %
-101	No head injury past N months	1220	90.1 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 246-249 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S2HEADINJ_LIST6_HEADB: S2 HEADINJ_6: Require medical treatment in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-600	Data missing for unknown reason	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-102	Subject had less than 6 head injuries	39	2.9 %
-101	No head injury past N months	1220	90.1 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 250-253 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S2HEADINJ_LIST6_HEADD: S2 HEADINJ_6: Have seizures result of head injury

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-600	Data missing for unknown reason	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-102	Subject had less than 6 head injuries	39	2.9 %
-101	No head injury past N months	1220	90.1 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 254-257 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S2HEADIN: S2 HeadInj: Head Injury in the recall period where lost consciousness or needed medical treatment

Value	Label	Unweighted Frequency	%
0	No	1220	90.1 %
1	Yes	40	3.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 258-261 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201

S3HEADINJ_HEAD0: S3 HEADINJ: Had head injury lost consciousness recall period

Value	Label	Unweighted Frequency	%
1	Yes	45	3.3 %
5	No	1183	87.4 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 262-265 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S3HEADINJ_HEADN: S3 HeadInj: Number of head injuries in recall period where lost consciousness or needed medical treatment

Value	Label	Unweighted Frequency	%
0	-	1183	87.4 %
1	-	43	3.2 %
2	-	2	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 266-269 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S3HEADINJ_LIST1_HEADY: S3 HEADINJ_1: Any other head injuries in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	45	3.3 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	No head injury past N months	1183	87.4 %
	Total	**1,354**	**100%**

Based upon 45 valid cases out of 1,354 total cases.

Location: 270-273 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S3HEADINJ_LIST1_HEADB: S3 HEADINJ_1: Require medical treatment in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	18	1.3 %
5	No	27	2.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	No head injury past N months	1183	87.4 %
	Total	**1,354**	**100%**

Based upon 45 valid cases out of 1,354 total cases.

Location: 274-277 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S3HEADINJ_LIST1_HEADD: S3 HEADINJ_1: Have seizures result of head injury

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
5	No	43	3.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	No head injury past N months	1183	87.4 %
	Total	**1,354**	**100%**

Based upon 45 valid cases out of 1,354 total cases.

Location: 278-281 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S3HEADINJ_LIST2_HEADY: S3 HEADINJ_2: Any other head injuries in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
5	No	43	3.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	No head injury past N months	1183	87.4 %
	Total	**1,354**	**100%**

Based upon 45 valid cases out of 1,354 total cases.

Location: 282-285 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S3HEADINJ_LIST2_HEADB: S3 HEADINJ_2: Require medical treatment in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	2	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-102	Subject had less than 6 head injuries	43	3.2 %
-101	No head injury past N months	1183	87.4 %
	Total	**1,354**	**100%**

Based upon 2 valid cases out of 1,354 total cases.

Location: 286-289 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S3HEADINJ_LIST2_HEADD: S3 HEADINJ_2: Have seizures result of head injury

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	2	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-102	Subject had less than 6 head injuries	43	3.2 %
-101	No head injury past N months	1183	87.4 %
	Total	**1,354**	**100%**

Based upon 2 valid cases out of 1,354 total cases.

Location: 290-293 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S3HEADINJ_LIST3_HEADY: S3 HEADINJ_3: Any other head injuries in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	2	0.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-102	Subject had less than 6 head injuries	43	3.2 %
-101	No head injury past N months	1183	87.4 %
	Total	**1,354**	**100%**

Based upon 2 valid cases out of 1,354 total cases.

Location: 294-297 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S3HEADINJ_LIST3_HEADB: S3 HEADINJ_3: Require medical treatment in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-102	Subject had less than 6 head injuries	45	3.3 %
-101	No head injury past N months	1183	87.4 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 298-301 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S3HEADINJ_LIST3_HEADD: S3 HEADINJ_3: Have seizures result of head injury

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-102	Subject had less than 6 head injuries	45	3.3 %
-101	No head injury past N months	1183	87.4 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 302-305 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S3HEADINJ_LIST4_HEADY: S3 HEADINJ_4: Any other head injuries in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-102	Subject had less than 6 head injuries	45	3.3 %
-101	No head injury past N months	1183	87.4 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 306-309 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S3HEADINJ_LIST4_HEADB: S3 HEADINJ_4: Require medical treatment in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-102	Subject had less than 6 head injuries	45	3.3 %
-101	No head injury past N months	1183	87.4 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 310-313 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S3HEADINJ_LIST4_HEADD: S3 HEADINJ_4: Have seizures result of head injury

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-102	Subject had less than 6 head injuries	45	3.3 %
-101	No head injury past N months	1183	87.4 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 314-317 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S3HEADINJ_LIST5_HEADY: S3 HEADINJ_5: Any other head injuries in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-102	Subject had less than 6 head injuries	45	3.3 %
-101	No head injury past N months	1183	87.4 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 318-321 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S3HEADINJ_LIST5_HEADB: S3 HEADINJ_5: Require medical treatment in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-102	Subject had less than 6 head injuries	45	3.3 %
-101	No head injury past N months	1183	87.4 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 322-325 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S3HEADINJ_LIST5_HEADD: S3 HEADINJ_5: Have seizures result of head injury

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-102	Subject had less than 6 head injuries	45	3.3 %
-101	No head injury past N months	1183	87.4 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 326-329 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S3HEADINJ_LIST6_HEADY: S3 HEADINJ_6: Any other head injuries in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-102	Subject had less than 6 head injuries	45	3.3 %
-101	No head injury past N months	1183	87.4 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 330-333 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S3HEADINJ_LIST6_HEADB: S3 HEADINJ_6: Require medical treatment in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %

Value	Label	Unweighted Frequency	%
-102	Subject had less than 6 head injuries	45	3.3 %
-101	No head injury past N months	1183	87.4 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 334-337 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S3HEADINJ_LIST6_HEADD: S3 HEADINJ_6: Have seizures result of head injury

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-102	Subject had less than 6 head injuries	45	3.3 %
-101	No head injury past N months	1183	87.4 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 338-341 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S3HEADIN: S3 HeadInj: Head Injury in the recall period where lost consciousness or needed medical treatment

Value	Label	Unweighted Frequency	%
0	No	1183	87.4 %
1	Yes	45	3.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 342-345 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201

S4HEADINJ_HEAD0: S4 HEADINJ: Had head injury lost consciousness recall period

Value	Label	Unweighted Frequency	%
1	Yes	29	2.1 %
5	No	1200	88.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 346-349 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S4HEADINJ_HEADN: S4 HeadInj: Number of head injuries in recall period where lost consciousness or needed medical treatment

Value	Label	Unweighted Frequency	%
0	-	1200	88.6 %
1	-	26	1.9 %
2	-	3	0.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 350-353 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S4HEADINJ_LIST1_HEADY: S4 HEADINJ_1: Any other head injuries in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	29	2.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	No head injury past N months	1200	88.6 %
	Total	**1,354**	**100%**

Based upon 29 valid cases out of 1,354 total cases.

Location: 354-357 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S4HEADINJ_LIST1_HEADB: S4 HEADINJ_1: Require medical treatment in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	10	0.7 %
5	No	19	1.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	No head injury past N months	1200	88.6 %
	Total	**1,354**	**100%**

Based upon 29 valid cases out of 1,354 total cases.

Location: 358-361 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S4HEADINJ_LIST1_HEADD: S4 HEADINJ_1: Have seizures result of head injury

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	28	2.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	No head injury past N months	1200	88.6 %
	Total	**1,354**	**100%**

Based upon 29 valid cases out of 1,354 total cases.

Location: 362-365 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S4HEADINJ_LIST2_HEADY: S4 HEADINJ_2: Any other head injuries in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	3	0.2 %
5	No	26	1.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	No head injury past N months	1200	88.6 %
	Total	**1,354**	**100%**

Based upon 29 valid cases out of 1,354 total cases.

Location: 366-369 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S4HEADINJ_LIST2_HEADB: S4 HEADINJ_2: Require medical treatment in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	3	0.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-102	Subject had less than 6 head injuries	26	1.9 %
-101	No head injury past N months	1200	88.6 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 370-373 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S4HEADINJ_LIST2_HEADD: S4 HEADINJ_2: Have seizures result of head injury

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	3	0.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-102	Subject had less than 6 head injuries	26	1.9 %
-101	No head injury past N months	1200	88.6 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 374-377 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S4HEADINJ_LIST3_HEADY: S4 HEADINJ_3: Any other head injuries in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	3	0.2 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-102	Subject had less than 6 head injuries	26	1.9 %
-101	No head injury past N months	1200	88.6 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 378-381 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S4HEADINJ_LIST3_HEADB: S4 HEADINJ_3: Require medical treatment in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-102	Subject had less than 6 head injuries	29	2.1 %
-101	No head injury past N months	1200	88.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 382-385 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S4HEADINJ_LIST3_HEADD: S4 HEADINJ_3: Have seizures result of head injury

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-102	Subject had less than 6 head injuries	29	2.1 %
-101	No head injury past N months	1200	88.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 386-389 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S4HEADINJ_LIST4_HEADY: S4 HEADINJ_4: Any other head injuries in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-102	Subject had less than 6 head injuries	29	2.1 %
-101	No head injury past N months	1200	88.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 390-393 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S4HEADINJ_LIST4_HEADB: S4 HEADINJ_4: Require medical treatment in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-102	Subject had less than 6 head injuries	29	2.1 %
-101	No head injury past N months	1200	88.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 394-397 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S4HEADINJ_LIST4_HEADD: S4 HEADINJ_4: Have seizures result of head injury

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-102	Subject had less than 6 head injuries	29	2.1 %
-101	No head injury past N months	1200	88.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 398-401 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S4HEADINJ_LIST5_HEADY: S4 HEADINJ_5: Any other head injuries in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-102	Subject had less than 6 head injuries	29	2.1 %
-101	No head injury past N months	1200	88.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 402-405 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S4HEADINJ_LIST5_HEADB: S4 HEADINJ_5: Require medical treatment in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-102	Subject had less than 6 head injuries	29	2.1 %
-101	No head injury past N months	1200	88.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 406-409 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S4HEADINJ_LIST5_HEADD: S4 HEADINJ_5: Have seizures result of head injury

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-102	Subject had less than 6 head injuries	29	2.1 %
-101	No head injury past N months	1200	88.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 410-413 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S4HEADINJ_LIST6_HEADY: S4 HEADINJ_6: Any other head injuries in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-102	Subject had less than 6 head injuries	29	2.1 %
-101	No head injury past N months	1200	88.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 414-417 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S4HEADINJ_LIST6_HEADB: S4 HEADINJ_6: Require medical treatment in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %

Value	Label	Unweighted Frequency	%
-102	Subject had less than 6 head injuries	29	2.1 %
-101	No head injury past N months	1200	88.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 418-421 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S4HEADINJ_LIST6_HEADD: S4 HEADINJ_6: Have seizures result of head injury

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-102	Subject had less than 6 head injuries	29	2.1 %
-101	No head injury past N months	1200	88.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 422-425 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S4HEADIN: S4 HeadInj: Head Injury in the recall period where lost consciousness or needed medical treatment

Value	Label	Unweighted Frequency	%
0	No	1200	88.6 %
1	Yes	29	2.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 426-429 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201

S5HEADINJ_HEAD0: S5 HEADINJ: Had head injury lost consciousness recall period

Value	Label	Unweighted Frequency	%
1	Yes	44	3.2 %
5	No	1189	87.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 430-433 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S5HEADINJ_HEADN: S5 HeadInj: Number of head injuries in recall period where lost consciousness or needed medical treatment

Value	Label	Unweighted Frequency	%
0	-	1189	87.8 %
1	-	42	3.1 %
2	-	2	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 434-437 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S5HEADINJ_LIST1_HEADY: S5 HEADINJ_1: Any other head injuries in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	44	3.2 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	No head injury past N months	1189	87.8 %
	Total	**1,354**	**100%**

Based upon 44 valid cases out of 1,354 total cases.

Location: 438-441 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S5HEADINJ_LIST1_HEADB: S5 HEADINJ_1: Require medical treatment in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	27	2.0 %
5	No	16	1.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	No head injury past N months	1189	87.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 43 valid cases out of 1,354 total cases.

Location: 442-445 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S5HEADINJ_LIST1_HEADD: S5 HEADINJ_1: Have seizures result of head injury

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
5	No	40	3.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	No head injury past N months	1189	87.8 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 42 valid cases out of 1,354 total cases.

Location: 446-449 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S5HEADINJ_LIST2_HEADY: S5 HEADINJ_2: Any other head injuries in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
5	No	42	3.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %

Value	Label	Unweighted Frequency	%
-101	No head injury past N months	1189	87.8 %
	Total	**1,354**	**100%**

Based upon 44 valid cases out of 1,354 total cases.

Location: 450-453 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S5HEADINJ_LIST2_HEADB: S5 HEADINJ_2: Require medical treatment in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-102	Subject had less than 6 head injuries	42	3.1 %
-101	No head injury past N months	1189	87.8 %
	Total	**1,354**	**100%**

Based upon 2 valid cases out of 1,354 total cases.

Location: 454-457 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S5HEADINJ_LIST2_HEADD: S5 HEADINJ_2: Have seizures result of head injury

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	2	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-102	Subject had less than 6 head injuries	42	3.1 %
-101	No head injury past N months	1189	87.8 %
	Total	**1,354**	**100%**

Based upon 2 valid cases out of 1,354 total cases.

Location: 458-461 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S5HEADINJ_LIST3_HEADY: S5 HEADINJ_3: Any other head injuries in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	2	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-102	Subject had less than 6 head injuries	42	3.1 %
-101	No head injury past N months	1189	87.8 %
	Total	**1,354**	**100%**

Based upon 2 valid cases out of 1,354 total cases.

Location: 462-465 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S5HEADINJ_LIST3_HEADB: S5 HEADINJ_3: Require medical treatment in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-102	Subject had less than 6 head injuries	44	3.2 %
-101	No head injury past N months	1189	87.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 466-469 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S5HEADINJ_LIST3_HEADD: S5 HEADINJ_3: Have seizures result of head injury

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-102	Subject had less than 6 head injuries	44	3.2 %
-101	No head injury past N months	1189	87.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 470-473 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S5HEADINJ_LIST4_HEADY: S5 HEADINJ_4: Any other head injuries in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-102	Subject had less than 6 head injuries	44	3.2 %
-101	No head injury past N months	1189	87.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 474-477 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S5HEADINJ_LIST4_HEADB: S5 HEADINJ_4: Require medical treatment in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-102	Subject had less than 6 head injuries	44	3.2 %
-101	No head injury past N months	1189	87.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 478-481 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S5HEADINJ_LIST4_HEADD: S5 HEADINJ_4: Have seizures result of head injury

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-102	Subject had less than 6 head injuries	44	3.2 %
-101	No head injury past N months	1189	87.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 482-485 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S5HEADINJ_LIST5_HEADY: S5 HEADINJ_5: Any other head injuries in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-102	Subject had less than 6 head injuries	44	3.2 %
-101	No head injury past N months	1189	87.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 486-489 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S5HEADINJ_LIST5_HEADB: S5 HEADINJ_5: Require medical treatment in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-102	Subject had less than 6 head injuries	44	3.2 %
-101	No head injury past N months	1189	87.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 490-493 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S5HEADINJ_LIST5_HEADD: S5 HEADINJ_5: Have seizures result of head injury

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-102	Subject had less than 6 head injuries	44	3.2 %
-101	No head injury past N months	1189	87.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 494-497 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S5HEADINJ_LIST6_HEADY: S5 HEADINJ_6: Any other head injuries in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-102	Subject had less than 6 head injuries	44	3.2 %
-101	No head injury past N months	1189	87.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 498-501 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S5HEADINJ_LIST6_HEADB: S5 HEADINJ_6: Require medical treatment in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-102	Subject had less than 6 head injuries	44	3.2 %
-101	No head injury past N months	1189	87.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 502-505 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S5HEADINJ_LIST6_HEADD: S5 HEADINJ_6: Have seizures result of head injury

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-102	Subject had less than 6 head injuries	44	3.2 %
-101	No head injury past N months	1189	87.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 506-509 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S5HEADIN: S5 HeadInj: Head Injury in the recall period where lost consciousness or needed medical treatment

Value	Label	Unweighted Frequency	%
0	No	1189	87.8 %
1	Yes	44	3.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 510-513 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201

S6HEADINJ_HEAD0: S6 HEADINJ: Had head injury lost consciousness recall period

Value	Label	Unweighted Frequency	%
1	Yes	34	2.5 %
5	No	1198	88.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 514-517 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S6HEADINJ_HEADN: S6 HeadInj: Number of head injuries in recall period where lost consciousness or needed medical treatment

Value	Label	Unweighted Frequency	%
0	-	1198	88.5 %
1	-	32	2.4 %
2	-	1	0.1 %
3	-	1	0.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 518-521 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S6HEADINJ_LIST1_HEADY: S6 HEADINJ_1: Any other head injuries in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	34	2.5 %
5	No	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	No head injury past N months	1198	88.5 %
	Total	**1,354**	**100%**

Based upon 34 valid cases out of 1,354 total cases.

Location: 522-525 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S6HEADINJ_LIST1_HEADB: S6 HEADINJ_1: Require medical treatment in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	17	1.3 %
5	No	17	1.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	No head injury past N months	1198	88.5 %
	Total	**1,354**	**100%**

Based upon 34 valid cases out of 1,354 total cases.

Location: 526-529 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S6HEADINJ_LIST1_HEADD: S6 HEADINJ_1: Have seizures result of head injury

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	34	2.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	No head injury past N months	1198	88.5 %
	Total	**1,354**	**100%**

Based upon 34 valid cases out of 1,354 total cases.

Location: 530-533 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S6HEADINJ_LIST2_HEADY: S6 HEADINJ_2: Any other head injuries in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
5	No	32	2.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	No head injury past N months	1198	88.5 %
	Total	**1,354**	**100%**

Based upon 34 valid cases out of 1,354 total cases.

Location: 534-537 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S6HEADINJ_LIST2_HEADB: S6 HEADINJ_2: Require medical treatment in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	2	0.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-102	Subject had less than 6 head injuries	32	2.4 %
-101	No head injury past N months	1198	88.5 %
	Total	**1,354**	**100%**

Based upon 2 valid cases out of 1,354 total cases.

Location: 538-541 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S6HEADINJ_LIST2_HEADD: S6 HEADINJ_2: Have seizures result of head injury

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	2	0.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-102	Subject had less than 6 head injuries	32	2.4 %
-101	No head injury past N months	1198	88.5 %
	Total	**1,354**	**100%**

Based upon 2 valid cases out of 1,354 total cases.

Location: 542-545 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S6HEADINJ_LIST3_HEADY: S6 HEADINJ_3: Any other head injuries in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	1	0.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-102	Subject had less than 6 head injuries	32	2.4 %
-101	No head injury past N months	1198	88.5 %
	Total	**1,354**	**100%**

Based upon 2 valid cases out of 1,354 total cases.

Location: 546-549 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S6HEADINJ_LIST3_HEADB: S6 HEADINJ_3: Require medical treatment in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	1	0.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-102	Subject had less than 6 head injuries	33	2.4 %
-101	No head injury past N months	1198	88.5 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 550-553 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S6HEADINJ_LIST3_HEADD: S6 HEADINJ_3: Have seizures result of head injury

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	1	0.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-102	Subject had less than 6 head injuries	33	2.4 %
-101	No head injury past N months	1198	88.5 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 554-557 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S6HEADINJ_LIST4_HEADY: S6 HEADINJ_4: Any other head injuries in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	1	0.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %

Value	Label	Unweighted Frequency	%
-102	Subject had less than 6 head injuries	33	2.4 %
-101	No head injury past N months	1198	88.5 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 558-561 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S6HEADINJ_LIST4_HEADB: S6 HEADINJ_4: Require medical treatment in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-102	Subject had less than 6 head injuries	34	2.5 %
-101	No head injury past N months	1198	88.5 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 562-565 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S6HEADINJ_LIST4_HEADD: S6 HEADINJ_4: Have seizures result of head injury

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-102	Subject had less than 6 head injuries	34	2.5 %
-101	No head injury past N months	1198	88.5 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 566-569 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S6HEADINJ_LIST5_HEADY: S6 HEADINJ_5: Any other head injuries in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-102	Subject had less than 6 head injuries	34	2.5 %
-101	No head injury past N months	1198	88.5 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 570-573 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S6HEADINJ_LIST5_HEADB: S6 HEADINJ_5: Require medical treatment in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-102	Subject had less than 6 head injuries	34	2.5 %
-101	No head injury past N months	1198	88.5 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 574-577 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S6HEADINJ_LIST5_HEADD: S6 HEADINJ_5: Have seizures result of head injury

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-102	Subject had less than 6 head injuries	34	2.5 %
-101	No head injury past N months	1198	88.5 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 578-581 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S6HEADINJ_LIST6_HEADY: S6 HEADINJ_6: Any other head injuries in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-102	Subject had less than 6 head injuries	34	2.5 %
-101	No head injury past N months	1198	88.5 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 582-585 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S6HEADINJ_LIST6_HEADB: S6 HEADINJ_6: Require medical treatment in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-102	Subject had less than 6 head injuries	34	2.5 %
-101	No head injury past N months	1198	88.5 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 586-589 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S6HEADINJ_LIST6_HEADD: S6 HEADINJ_6: Have seizures result of head injury

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-102	Subject had less than 6 head injuries	34	2.5 %
-101	No head injury past N months	1198	88.5 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 590-593 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S6HEADIN: S6 HeadInj: Head Injury in the recall period where lost consciousness or needed medical treatment

Value	Label	Unweighted Frequency	%
0	No	1198	88.5 %
1	Yes	34	2.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 594-597 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201

S7HEADINJ_HEAD0: S7 HEADINJ: Had head injury lost consciousness recall period

Value	Label	Unweighted Frequency	%
1	Yes	37	2.7 %
5	No	1177	86.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,214 valid cases out of 1,354 total cases.

Location: 598-601 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S7HEADINJ_HEADN: S7 HeadInj: Number of head injuries in recall period where lost consciousness or needed medical treatment

Value	Label	Unweighted Frequency	%
0	-	1177	86.9 %
1	-	37	2.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,214 valid cases out of 1,354 total cases.

Location: 602-605 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S7HEADINJ_LIST1_HEADY: S7 HEADINJ_1: Any other head injuries in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	37	2.7 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	No head injury past N months	1177	86.9 %
	Total	**1,354**	**100%**

Based upon 37 valid cases out of 1,354 total cases.

Location: 606-609 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S7HEADINJ_LIST1_HEADB: S7 HEADINJ_1: Require medical treatment in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	23	1.7 %
5	No	14	1.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	No head injury past N months	1177	86.9 %
	Total	**1,354**	**100%**

Based upon 37 valid cases out of 1,354 total cases.

Location: 610-613 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S7HEADINJ_LIST1_HEADD: S7 HEADINJ_1: Have seizures result of head injury

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
5	No	35	2.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	No head injury past N months	1177	86.9 %
	Total	**1,354**	**100%**

Based upon 37 valid cases out of 1,354 total cases.

Location: 614-617 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S7HEADINJ_LIST2_HEADY: S7 HEADINJ_2: Any other head injuries in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	37	2.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	No head injury past N months	1177	86.9 %
	Total	**1,354**	**100%**

Based upon 37 valid cases out of 1,354 total cases.

Location: 618-621 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S7HEADINJ_LIST2_HEADB: S7 HEADINJ_2: Require medical treatment in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-102	Subject had less than 6 head injuries	37	2.7 %
-101	No head injury past N months	1177	86.9 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 622-625 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S7HEADINJ_LIST2_HEADD: S7 HEADINJ_2: Have seizures result of head injury

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-102	Subject had less than 6 head injuries	37	2.7 %
-101	No head injury past N months	1177	86.9 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 626-629 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S7HEADINJ_LIST3_HEADY: S7 HEADINJ_3: Any other head injuries in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-102	Subject had less than 6 head injuries	37	2.7 %
-101	No head injury past N months	1177	86.9 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 630-633 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S7HEADINJ_LIST3_HEADB: S7 HEADINJ_3: Require medical treatment in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-102	Subject had less than 6 head injuries	37	2.7 %
-101	No head injury past N months	1177	86.9 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 634-637 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S7HEADINJ_LIST3_HEADD: S7 HEADINJ_3: Have seizures result of head injury

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-102	Subject had less than 6 head injuries	37	2.7 %
-101	No head injury past N months	1177	86.9 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 638-641 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S7HEADINJ_LIST4_HEADY: S7 HEADINJ_4: Any other head injuries in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-102	Subject had less than 6 head injuries	37	2.7 %
-101	No head injury past N months	1177	86.9 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 642-645 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S7HEADINJ_LIST4_HEADB: S7 HEADINJ_4: Require medical treatment in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-102	Subject had less than 6 head injuries	37	2.7 %
-101	No head injury past N months	1177	86.9 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 646-649 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S7HEADINJ_LIST4_HEADD: S7 HEADINJ_4: Have seizures result of head injury

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-102	Subject had less than 6 head injuries	37	2.7 %
-101	No head injury past N months	1177	86.9 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 650-653 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S7HEADINJ_LIST5_HEADY: S7 HEADINJ_5: Any other head injuries in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-102	Subject had less than 6 head injuries	37	2.7 %
-101	No head injury past N months	1177	86.9 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 654-657 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S7HEADINJ_LIST5_HEADB: S7 HEADINJ_5: Require medical treatment in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-102	Subject had less than 6 head injuries	37	2.7 %
-101	No head injury past N months	1177	86.9 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 658-661 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S7HEADINJ_LIST5_HEADD: S7 HEADINJ_5: Have seizures result of head injury

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-102	Subject had less than 6 head injuries	37	2.7 %
-101	No head injury past N months	1177	86.9 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 662-665 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S7HEADINJ_LIST6_HEADY: S7 HEADINJ_6: Any other head injuries in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-102	Subject had less than 6 head injuries	37	2.7 %
-101	No head injury past N months	1177	86.9 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 666-669 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S7HEADINJ_LIST6_HEADB: S7 HEADINJ_6: Require medical treatment in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-102	Subject had less than 6 head injuries	37	2.7 %
-101	No head injury past N months	1177	86.9 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 670-673 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S7HEADINJ_LIST6_HEADD: S7 HEADINJ_6: Have seizures result of head injury

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-102	Subject had less than 6 head injuries	37	2.7 %
-101	No head injury past N months	1177	86.9 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 674-677 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S7HEADIN: S7 HeadInj: Head Injury in the recall period where lost consciousness or needed medical treatment

Value	Label	Unweighted Frequency	%
0	No	1177	86.9 %
1	Yes	37	2.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,214 valid cases out of 1,354 total cases.

Location: 678-681 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201

S8HEADINJ_HEAD0: S8 HEADINJ: Had head injury lost consciousness recall period

Value	Label	Unweighted Frequency	%
1	Yes	41	3.0 %
5	No	1163	85.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 682-685 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S8HEADINJ_HEADN: S8 HeadInj: Number of head injuries in recall period where lost consciousness or needed medical treatment

Value	Label	Unweighted Frequency	%
0	-	1163	85.9 %
1	-	39	2.9 %
2	-	1	0.1 %
3	-	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 686-689 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S8HEADINJ_LIST1_HEADY: S8 HEADINJ_1: Any other head injuries in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	41	3.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	No head injury past N months	1163	85.9 %
	Total	**1,354**	**100%**

Based upon 41 valid cases out of 1,354 total cases.

Location: 690-693 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S8HEADINJ_LIST1_HEADB: S8 HEADINJ_1: Require medical treatment in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	28	2.1 %
5	No	13	1.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	No head injury past N months	1163	85.9 %
	Total	**1,354**	**100%**

Based upon 41 valid cases out of 1,354 total cases.

Location: 694-697 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S8HEADINJ_LIST1_HEADD: S8 HEADINJ_1: Have seizures result of head injury

Value	Label	Unweighted Frequency	%
1	Yes	3	0.2 %

Value	Label	Unweighted Frequency	%
5	No	38	2.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	No head injury past N months	1163	85.9 %
	Total	**1,354**	**100%**

Based upon 41 valid cases out of 1,354 total cases.

Location: 698-701 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S8HEADINJ_LIST2_HEADY: S8 HEADINJ_2: Any other head injuries in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
5	No	39	2.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	No head injury past N months	1163	85.9 %
	Total	**1,354**	**100%**

Based upon 41 valid cases out of 1,354 total cases.

Location: 702-705 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S8HEADINJ_LIST2_HEADB: S8 HEADINJ_2: Require medical treatment in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-102	Subject had less than 6 head injuries	39	2.9 %
-101	No head injury past N months	1163	85.9 %
	Total	**1,354**	**100%**

Based upon 2 valid cases out of 1,354 total cases.

Location: 706-709 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S8HEADINJ_LIST2_HEADD: S8 HEADINJ_2: Have seizures result of head injury

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	2	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-102	Subject had less than 6 head injuries	39	2.9 %
-101	No head injury past N months	1163	85.9 %
	Total	**1,354**	**100%**

Based upon 2 valid cases out of 1,354 total cases.

Location: 710-713 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S8HEADINJ_LIST3_HEADY: S8 HEADINJ_3: Any other head injuries in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-102	Subject had less than 6 head injuries	39	2.9 %
-101	No head injury past N months	1163	85.9 %
	Total	**1,354**	**100%**

Based upon 2 valid cases out of 1,354 total cases.

Location: 714-717 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S8HEADINJ_LIST3_HEADB: S8 HEADINJ_3: Require medical treatment in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %

Value	Label	Unweighted Frequency	%
-102	Subject had less than 6 head injuries	40	3.0 %
-101	No head injury past N months	1163	85.9 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 718-721 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S8HEADINJ_LIST3_HEADD: S8 HEADINJ_3: Have seizures result of head injury

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-102	Subject had less than 6 head injuries	40	3.0 %
-101	No head injury past N months	1163	85.9 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 722-725 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S8HEADINJ_LIST4_HEADY: S8 HEADINJ_4: Any other head injuries in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-102	Subject had less than 6 head injuries	40	3.0 %
-101	No head injury past N months	1163	85.9 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 726-729 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S8HEADINJ_LIST4_HEADB: S8 HEADINJ_4: Require medical treatment in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-102	Subject had less than 6 head injuries	41	3.0 %
-101	No head injury past N months	1163	85.9 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 730-733 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S8HEADINJ_LIST4_HEADD: S8 HEADINJ_4: Have seizures result of head injury

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-102	Subject had less than 6 head injuries	41	3.0 %
-101	No head injury past N months	1163	85.9 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 734-737 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S8HEADINJ_LIST5_HEADY: S8 HEADINJ_5: Any other head injuries in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-102	Subject had less than 6 head injuries	41	3.0 %

Value	Label	Unweighted Frequency	%
-101	No head injury past N months	1163	85.9 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 738-741 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S8HEADINJ_LIST5_HEADB: S8 HEADINJ_5: Require medical treatment in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-102	Subject had less than 6 head injuries	41	3.0 %
-101	No head injury past N months	1163	85.9 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 742-745 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S8HEADINJ_LIST5_HEADD: S8 HEADINJ_5: Have seizures result of head injury

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-102	Subject had less than 6 head injuries	41	3.0 %
-101	No head injury past N months	1163	85.9 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 746-749 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S8HEADINJ_LIST6_HEADY: S8 HEADINJ_6: Any other head injuries in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-102	Subject had less than 6 head injuries	41	3.0 %
-101	No head injury past N months	1163	85.9 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 750-753 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S8HEADINJ_LIST6_HEADB: S8 HEADINJ_6: Require medical treatment in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-102	Subject had less than 6 head injuries	41	3.0 %
-101	No head injury past N months	1163	85.9 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 754-757 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S8HEADINJ_LIST6_HEADD: S8 HEADINJ_6: Have seizures result of head injury

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-102	Subject had less than 6 head injuries	41	3.0 %
-101	No head injury past N months	1163	85.9 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 758-761 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S8HEADIN: S8 HeadInj: Head Injury in the recall period where lost consciousness or needed medical treatment

Value	Label	Unweighted Frequency	%
0	No	1163	85.9 %
1	Yes	41	3.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 762-765 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201

S9HEADINJ_HEAD0: S9 HEADINJ: Had head injury lost consciousness recall period

Value	Label	Unweighted Frequency	%
1	Yes	27	2.0 %
5	No	1151	85.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,178 valid cases out of 1,354 total cases.

Location: 766-769 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S9HEADINJ_HEADN: S9 HeadInj: Number of head injuries in recall period where lost consciousness or needed medical treatment

Value	Label	Unweighted Frequency	%
0	-	1151	85.0 %
1	-	26	1.9 %
2	-	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,178 valid cases out of 1,354 total cases.

Location: 770-773 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S9HEADINJ_LIST1_HEADY: S9 HEADINJ_1: Any other head injuries in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	27	2.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	No head injury past N months	1151	85.0 %
	Total	**1,354**	**100%**

Based upon 27 valid cases out of 1,354 total cases.

Location: 774-777 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S9HEADINJ_LIST1_HEADB: S9 HEADINJ_1: Require medical treatment in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	16	1.2 %
5	No	11	0.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	No head injury past N months	1151	85.0 %
	Total	**1,354**	**100%**

Based upon 27 valid cases out of 1,354 total cases.

Location: 778-781 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S9HEADINJ_LIST1_HEADD: S9 HEADINJ_1: Have seizures result of head injury

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
5	No	25	1.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	No head injury past N months	1151	85.0 %
	Total	**1,354**	**100%**

Based upon 27 valid cases out of 1,354 total cases.

Location: 782-785 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S9HEADINJ_LIST2_HEADY: S9 HEADINJ_2: Any other head injuries in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	26	1.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	No head injury past N months	1151	85.0 %
	Total	**1,354**	**100%**

Based upon 27 valid cases out of 1,354 total cases.

Location: 786-789 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S9HEADINJ_LIST2_HEADB: S9 HEADINJ_2: Require medical treatment in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-102	Subject had less than 6 head injuries	26	1.9 %
-101	No head injury past N months	1151	85.0 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 790-793 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S9HEADINJ_LIST2_HEADD: S9 HEADINJ_2: Have seizures result of head injury

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-102	Subject had less than 6 head injuries	26	1.9 %
-101	No head injury past N months	1151	85.0 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 794-797 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S9HEADINJ_LIST3_HEADY: S9 HEADINJ_3: Any other head injuries in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-102	Subject had less than 6 head injuries	26	1.9 %
-101	No head injury past N months	1151	85.0 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 798-801 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S9HEADINJ_LIST3_HEADB: S9 HEADINJ_3: Require medical treatment in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-102	Subject had less than 6 head injuries	27	2.0 %
-101	No head injury past N months	1151	85.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 802-805 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S9HEADINJ_LIST3_HEADD: S9 HEADINJ_3: Have seizures result of head injury

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-102	Subject had less than 6 head injuries	27	2.0 %
-101	No head injury past N months	1151	85.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 806-809 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S9HEADINJ_LIST4_HEADY: S9 HEADINJ_4: Any other head injuries in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-102	Subject had less than 6 head injuries	27	2.0 %
-101	No head injury past N months	1151	85.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 810-813 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S9HEADINJ_LIST4_HEADB: S9 HEADINJ_4: Require medical treatment in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-102	Subject had less than 6 head injuries	27	2.0 %
-101	No head injury past N months	1151	85.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 814-817 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S9HEADINJ_LIST4_HEADD: S9 HEADINJ_4: Have seizures result of head injury

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-102	Subject had less than 6 head injuries	27	2.0 %
-101	No head injury past N months	1151	85.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 818-821 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S9HEADINJ_LIST5_HEADY: S9 HEADINJ_5: Any other head injuries in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %

Value	Label	Unweighted Frequency	%
-102	Subject had less than 6 head injuries	27	2.0 %
-101	No head injury past N months	1151	85.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 822-825 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S9HEADINJ_LIST5_HEADB: S9 HEADINJ_5: Require medical treatment in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-102	Subject had less than 6 head injuries	27	2.0 %
-101	No head injury past N months	1151	85.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 826-829 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S9HEADINJ_LIST5_HEADD: S9 HEADINJ_5: Have seizures result of head injury

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-102	Subject had less than 6 head injuries	27	2.0 %
-101	No head injury past N months	1151	85.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 830-833 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S9HEADINJ_LIST6_HEADY: S9 HEADINJ_6: Any other head injuries in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-102	Subject had less than 6 head injuries	27	2.0 %
-101	No head injury past N months	1151	85.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 834-837 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S9HEADINJ_LIST6_HEADB: S9 HEADINJ_6: Require medical treatment in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-102	Subject had less than 6 head injuries	27	2.0 %
-101	No head injury past N months	1151	85.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 838-841 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S9HEADINJ_LIST6_HEADD: S9 HEADINJ_6: Have seizures result of head injury

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-102	Subject had less than 6 head injuries	27	2.0 %

Value	Label	Unweighted Frequency	%
-101	No head injury past N months	1151	85.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 842-845 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

S9HEADIN: S9 HeadInj: Head Injury in the recall period where lost consciousness or needed medical treatment

Value	Label	Unweighted Frequency	%
0	No	1151	85.0 %
1	Yes	27	2.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,178 valid cases out of 1,354 total cases.

Location: 846-849 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201

SAHEADINJ_HEAD0: SA HEADINJ: Had head injury lost consciousness recall period

Value	Label	Unweighted Frequency	%
1	Yes	31	2.3 %
5	No	1100	81.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 850-853 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

SAHEADINJ_HEADN: SA HeadInj: Number of head injuries in recall period where lost consciousness or needed medical treatment

Value	Label	Unweighted Frequency	%
0	-	1100	81.2 %
1	-	30	2.2 %
2	-	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 854-857 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

SAHEADINJ_LIST1_HEADY: SA HEADINJ_1: Any other head injuries in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	31	2.3 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	No head injury past N months	1100	81.2 %
	Total	**1,354**	**100%**

Based upon 31 valid cases out of 1,354 total cases.

Location: 858-861 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

SAHEADINJ_LIST1_HEADB: SA HEADINJ_1: Require medical treatment in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	23	1.7 %
5	No	8	0.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	No head injury past N months	1100	81.2 %
	Total	**1,354**	**100%**

Based upon 31 valid cases out of 1,354 total cases.

Location: 862-865 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

SAHEADINJ_LIST1_HEADD: SA HEADINJ_1: Have seizures result of head injury

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
5	No	29	2.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	No head injury past N months	1100	81.2 %
	Total	**1,354**	**100%**

Based upon 31 valid cases out of 1,354 total cases.

Location: 866-869 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

SAHEADINJ_LIST2_HEADY: SA HEADINJ_2: Any other head injuries in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	30	2.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	No head injury past N months	1100	81.2 %
	Total	**1,354**	**100%**

Based upon 31 valid cases out of 1,354 total cases.

Location: 870-873 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

SAHEADINJ_LIST2_HEADB: SA HEADINJ_2: Require medical treatment in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-102	Subject had less than 6 head injuries	30	2.2 %
-101	No head injury past N months	1100	81.2 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 874-877 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

SAHEADINJ_LIST2_HEADD: SA HEADINJ_2: Have seizures result of head injury

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-102	Subject had less than 6 head injuries	30	2.2 %
-101	No head injury past N months	1100	81.2 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 878-881 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

SAHEADINJ_LIST3_HEADY: SA HEADINJ_3: Any other head injuries in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-102	Subject had less than 6 head injuries	30	2.2 %
-101	No head injury past N months	1100	81.2 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 882-885 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

SAHEADINJ_LIST3_HEADB: SA HEADINJ_3: Require medical treatment in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-102	Subject had less than 6 head injuries	31	2.3 %
-101	No head injury past N months	1100	81.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 886-889 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

SAHEADINJ_LIST3_HEADD: SA HEADINJ_3: Have seizures result of head injury

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-102	Subject had less than 6 head injuries	31	2.3 %
-101	No head injury past N months	1100	81.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 890-893 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

SAHEADINJ_LIST4_HEADY: SA HEADINJ_4: Any other head injuries in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-102	Subject had less than 6 head injuries	31	2.3 %
-101	No head injury past N months	1100	81.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 894-897 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

SAHEADINJ_LIST4_HEADB: SA HEADINJ_4: Require medical treatment in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-102	Subject had less than 6 head injuries	31	2.3 %
-101	No head injury past N months	1100	81.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 898-901 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

SAHEADINJ_LIST4_HEADD: SA HEADINJ_4: Have seizures result of head injury

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-102	Subject had less than 6 head injuries	31	2.3 %
-101	No head injury past N months	1100	81.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 902-905 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

SAHEADINJ_LIST5_HEADY: SA HEADINJ_5: Any other head injuries in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-102	Subject had less than 6 head injuries	31	2.3 %
-101	No head injury past N months	1100	81.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 906-909 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

SAHEADINJ_LIST5_HEADB: SA HEADINJ_5: Require medical treatment in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-102	Subject had less than 6 head injuries	31	2.3 %
-101	No head injury past N months	1100	81.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 910-913 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

SAHEADINJ_LIST5_HEADD: SA HEADINJ_5: Have seizures result of head injury

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-102	Subject had less than 6 head injuries	31	2.3 %
-101	No head injury past N months	1100	81.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 914-917 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

SAHEADINJ_LIST6_HEADY: SA HEADINJ_6: Any other head injuries in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-102	Subject had less than 6 head injuries	31	2.3 %
-101	No head injury past N months	1100	81.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 918-921 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

SAHEADINJ_LIST6_HEADB: SA HEADINJ_6: Require medical treatment in the recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-102	Subject had less than 6 head injuries	31	2.3 %
-101	No head injury past N months	1100	81.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 922-925 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

SAHEADINJ_LIST6_HEADD: SA HEADINJ_6: Have seizures result of head injury

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-102	Subject had less than 6 head injuries	31	2.3 %
-101	No head injury past N months	1100	81.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 926-929 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -102 , -101 , -9 , -8

SAHEADIN: SA HeadInj: Head Injury in the recall period where lost consciousness or needed medical treatment

Value	Label	Unweighted Frequency	%
0	No	1100	81.2 %
1	Yes	31	2.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 930-933 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201