ICPSR | INTER-UNIVERSITY CONSORTIUM FOR POLITICAL AND SOCIAL RESEARCH

ICPSR 36800

Research on Pathways to Desistance [Maricopa County, AZ and Philadelphia County, PA]: Subject Measures - Scales, 2000-2010

Edward P. Mulvey
University of Pittsburgh

Codebook for Interview Information

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/36800/terms

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE
WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 36800

Research on Pathways to Desistance [Maricopa County, AZ and Philadelphia County, PA]: Subject Measures - Scales, 2000-2010

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Interview Information

CASEID: S0 IntInfo: Subject ID

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1-5 (width: 5; decimal: 0)
Variable Type: numeric

S0QVERSION: S0 IntInfo: Version number associated with programming changes to the interview

Value	Label	Unweighted Frequency	%
01.01	-	21	1.6 %
01.02	-	50	3.7 %
01.03	-	41	3.0 %
01.04	-	167	12.3 %
01.05	-	253	18.7 %
01.06	-	98	7.2 %
01.07	-	268	19.8 %
01.08	-	193	14.3 %
01.09	-	167	12.3 %
01.10	-	46	3.4 %
01.11	-	35	2.6 %
01.12	-	15	1.1 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 6-10 (width: 5; decimal: 0)
Variable Type: character

S0QSTADAT: S0 IntInfo: Start date of interview

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 11-21 (width: 11; decimal: 0)
Variable Type: character

S0INTLOC: S0 IntInfo: Enter interview location

Value	Label	Unweighted Frequency	%
1	Subject s home	579	42.8 %
2	Detention center, jail, or other locked facility	698	51.6 %
3	Someone else s home	13	1.0 %
4	Study office	17	1.3 %
5	Public place (library, restaurant, etc.)	47	3.5 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 22-22 (width: 1; decimal: 0)
Variable Type: numeric

S0INTLOC_FACCODE: S0 IntInfo: Interview location - facility code

Based upon 698 valid cases out of 1,354 total cases.

Location: 23-26 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97

S0INTLOC_FACTYPE: S0 IntInfo: Interview location - facility type

Value	Label	Unweighted Frequency	%
7	Group home, supervised living in community	3	0.2 %
8	Residential treatment center (centralized staff, institutional setting)	154	11.4 %
9	Medical Hospital	1	0.1 %
10	Psychiatric Hospital	0	0.0 %
11	Shelter/emergency shelter	0	0.0 %
14	Secure	218	16.1 %
15	Jail/Prison	182	13.4 %
16	Detention	137	10.1 %
	Missing Data		
-99	Institution, but type unknown	3	0.2 %
-97	NA: Interview conducted in community	656	48.4 %
	Total	**1,354**	**100%**

Based upon 695 valid cases out of 1,354 total cases.

Location: 27-29 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -99 , -97

S1INTCOMPSTAT: S1 IntInfo: Interview completion status

Value	Label	Unweighted Frequency	%
1	Complete	1253	92.5 %
2	Partial	12	0.9 %
4	Incomplete	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 30-30 (width: 1; decimal: 0)
Variable Type: numeric

S1QVERSION: S1 IntInfo: Version number associated with programming changes to the interview

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 31-35 (width: 5; decimal: 0)
Variable Type: character

S1QSTADAT: S1 IntInfo: Start date of interview

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 36-46 (width: 11; decimal: 0)
Variable Type: character

S1INTLOC: S1 IntInfo: Interview location

Value	Label	Unweighted Frequency	%
1	Subject home	580	42.8 %
2	At the placement	606	44.8 %
3	Someone elses home	19	1.4 %
4	Telephone interview	8	0.6 %
5	Study office	15	1.1 %
6	Public place (restaurant, library, etc.)	37	2.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,265 valid cases out of 1,354 total cases.

Location: 47-50 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201

S1PLCCOD: S1 IntInfo: Interview location - facility code

Based upon 606 valid cases out of 1,354 total cases.

Location: 51-54 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -101

S1PLCTYPE: S1 IntInfo: Interview location - facility type

Value	Label	Unweighted Frequency	%
7	Group home/supervised living in community	8	0.6 %
8	Residential treatment center (centralized staff, institutional setting)	228	16.8 %
9	Medical hospital	0	0.0 %

Value	Label	Unweighted Frequency	%
10	Psychiatric hospital	1	0.1 %
11	Shelter/emergency shelter	1	0.1 %
14	Secure	166	12.3 %
15	Jail/prison	168	12.4 %
16	Detention	34	2.5 %
96	Other	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	NA: Interview not conducted at the placement	659	48.7 %
	Total	**1,354**	**100%**

Based upon 606 valid cases out of 1,354 total cases.

Location: 55-58 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -101

S1DAYSINRP: S1 IntInfo: Number of days covered in the recall period

Based upon 1,265 valid cases out of 1,354 total cases.

- Mean: 183.36
- Median: 181.00
- Mode: 153.00
- Minimum: 92.00
- Maximum: 245.00
- Standard Deviation: 25.88

Location: 59-62 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201

S1NMONTHS: S1 IntInfo: Number of months covered in the recall period

Value	Label	Unweighted Frequency	%
3	-	1	0.1 %
4	-	11	0.8 %
5	-	263	19.4 %
6	-	578	42.7 %
7	-	318	23.5 %
8	-	94	6.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,265 valid cases out of 1,354 total cases.

Location: 63-66 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201

S2INTCOMPSTAT: S2 IntInfo: Interview completion status

Value	Label	Unweighted Frequency	%
1	Complete	1253	92.5 %
2	Partial	9	0.7 %
4	Incomplete	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 67-67 (width: 1; decimal: 0)
Variable Type: numeric

S2QVERSION: S2 IntInfo: Version number associated with programming changes to the interview

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 68-72 (width: 5; decimal: 0)
Variable Type: character

S2QSTADAT: S2 IntInfo: Start date of interview

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 73-83 (width: 11; decimal: 0)
Variable Type: character

S2INTLOC: S2 IntInfo: Interview location

Value	Label	Unweighted Frequency	%
1	Subject home	664	49.0 %
2	At the placement	469	34.6 %
3	Someone elses home	30	2.2 %
4	Telephone interview	21	1.6 %
5	Study office	35	2.6 %
6	Public place (restaurant, library, etc.)	43	3.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,262 valid cases out of 1,354 total cases.

Location: 84-87 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201

S2PLCCOD: S2 IntInfo: Interview location - facility code

Based upon 469 valid cases out of 1,354 total cases.

Location: 88-91 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -101

S2PLCTYPE: S2 IntInfo: Interview location - facility type

Value	Label	Unweighted Frequency	%
7	Group home/supervised living in community	8	0.6 %
8	Residential treatment center (centralized staff, institutional setting)	153	11.3 %
9	Medical hospital	0	0.0 %
10	Psychiatric hospital	2	0.1 %
11	Shelter/emergency shelter	0	0.0 %
14	Secure	110	8.1 %
15	Jail/prison	171	12.6 %
16	Detention	25	1.8 %
96	Other	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	NA: Interview not conducted at the placement	793	58.6 %
	Total	**1,354**	**100%**

Based upon 469 valid cases out of 1,354 total cases.

Location: 92-95 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -101

S2DAYSINRP: S2 IntInfo: Number of days covered in the recall period

Based upon 1,262 valid cases out of 1,354 total cases.

- Mean: 175.59
- Median: 180.00
- Mode: 184.00
- Minimum: 61.00
- Maximum: 245.00
- Standard Deviation: 30.28

Location: 96-99 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201

S2NMONTHS: S2 IntInfo: Number of months covered in the recall period

Value	Label	Unweighted Frequency	%
2	-	1	0.1 %

Value	Label	Unweighted Frequency	%
3	-	11	0.8 %
4	-	84	6.2 %
5	-	302	22.3 %
6	-	532	39.3 %
7	-	260	19.2 %
8	-	72	5.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,262 valid cases out of 1,354 total cases.

Location: 100-103 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201

S3INTCOMPSTAT: S3 IntInfo: Interview completion status

Value	Label	Unweighted Frequency	%
1	Complete	1213	89.6 %
2	Partial	16	1.2 %
4	Incomplete	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 104-104 (width: 1; decimal: 0)
Variable Type: numeric

S3QVERSION: S3 IntInfo: Version number associated with programming changes to the interview

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 105-109 (width: 5; decimal: 0)
Variable Type: character

S3QSTADAT: S3 IntInfo: Start date of interview

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 110-120 (width: 11; decimal: 0)
Variable Type: character

S3INTLOC: S3 IntInfo: Interview location

Value	Label	Unweighted Frequency	%
1	Subject home	670	49.5 %

Value	Label	Unweighted Frequency	%
2	At the placement	393	29.0 %
3	Someone elses home	41	3.0 %
4	Telephone interview	37	2.7 %
5	Study office	42	3.1 %
6	Public place (restaurant, library, etc.)	46	3.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 121-124 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201

S3PLCCOD: S3 IntInfo: Interview location - facility code

Based upon 393 valid cases out of 1,354 total cases.

Location: 125-128 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -101

S3PLCTYPE: S3 IntInfo: Interview location - facility type

Value	Label	Unweighted Frequency	%
7	Group home/supervised living in community	7	0.5 %
8	Residential treatment center (centralized staff, institutional setting)	93	6.9 %
9	Medical hospital	0	0.0 %
10	Psychiatric hospital	0	0.0 %
11	Shelter/emergency shelter	1	0.1 %
14	Secure	85	6.3 %
15	Jail/prison	190	14.0 %
16	Detention	17	1.3 %
96	Other	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	NA: Interview not conducted at the placement	836	61.7 %
	Total	**1,354**	**100%**

Based upon 393 valid cases out of 1,354 total cases.

Location: 129-132 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -101

S3DAYSINRP: S3 IntInfo: Number of days covered in the recall period

Based upon 1,229 valid cases out of 1,354 total cases.

- Mean: 173.73
- Median: 177.00
- Mode: 153.00
- Minimum: 86.00
- Maximum: 245.00
- Standard Deviation: 28.98

Location: 133-136 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201

S3NMONTHS: S3 IntInfo: Number of months covered in the recall period

Value	Label	Unweighted Frequency	%
3	-	8	0.6 %
4	-	78	5.8 %
5	-	344	25.4 %
6	-	510	37.7 %
7	-	227	16.8 %
8	-	62	4.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 137-140 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201

S4INTCOMPSTAT: S4 IntInfo: Interview completion status

Value	Label	Unweighted Frequency	%
1	Complete	1223	90.3 %
2	Partial	8	0.6 %
4	Incomplete	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 141-141 (width: 1; decimal: 0)
Variable Type: numeric

S4QVERSION: S4 IntInfo: Version number associated with programming changes to the interview

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 142-146 (width: 5; decimal: 0)
Variable Type: character

S4QSTADAT: S4 IntInfo: Start date of interview

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 147-157 (width: 11; decimal: 0)
Variable Type: character

S4INTLOC: S4 IntInfo: Interview location

Value	Label	Unweighted Frequency	%
1	Subject home	665	49.1 %
2	At the placement	376	27.8 %
3	Someone elses home	47	3.5 %
4	Telephone interview	44	3.2 %
5	Study office	48	3.5 %
6	Public place (restaurant, library, etc.)	51	3.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,231 valid cases out of 1,354 total cases.

Location: 158-161 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201

S4PLCCOD: S4 IntInfo: Interview location - facility code

Based upon 376 valid cases out of 1,354 total cases.

Location: 162-165 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -101

S4PLCTYPE: S4 IntInfo: Interview location - facility type

Value	Label	Unweighted Frequency	%
7	Group home/supervised living in community	10	0.7 %
8	Residential treatment center (centralized staff, institutional setting)	54	4.0 %
9	Medical hospital	0	0.0 %
10	Psychiatric hospital	1	0.1 %
11	Shelter/emergency shelter	0	0.0 %
14	Secure	52	3.8 %
15	Jail/prison	232	17.1 %

Value	Label	Unweighted Frequency	%
16	Detention	27	2.0 %
96	Other	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	NA: Interview not conducted at the placement	855	63.1 %
	Total	**1,354**	**100%**

Based upon 376 valid cases out of 1,354 total cases.

Location: 166-169 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -101

S4DAYSINRP: S4 IntInfo: Number of days covered in the recall period

Based upon 1,231 valid cases out of 1,354 total cases.

- Mean: 176.37
- Median: 180.00
- Mode: 153.00
- Minimum: 61.00
- Maximum: 245.00
- Standard Deviation: 29.29

Location: 170-173 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201

S4NMONTHS: S4 IntInfo: Number of months covered in the recall period

Value	Label	Unweighted Frequency	%
2	-	2	0.1 %
3	-	9	0.7 %
4	-	70	5.2 %
5	-	283	20.9 %
6	-	566	41.8 %
7	-	223	16.5 %
8	-	78	5.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,231 valid cases out of 1,354 total cases.

Location: 174-177 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201

S5INTCOMPSTAT: S5 IntInfo: Interview completion status

Value	Label	Unweighted Frequency	%
1	Complete	1226	90.5 %
2	Partial	8	0.6 %
4	Incomplete	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 178-178 (width: 1; decimal: 0)
Variable Type: numeric

S5QVERSION: S5 IntInfo: Version number associated with programming changes to the interview

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 179-183 (width: 5; decimal: 0)
Variable Type: character

S5QSTADAT: S5 IntInfo: Start date of interview

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 184-194 (width: 11; decimal: 0)
Variable Type: character

S5INTLOC: S5 IntInfo: Interview location

Value	Label	Unweighted Frequency	%
1	Subject home	699	51.6 %
2	At the placement	347	25.6 %
3	Someone elses home	43	3.2 %
4	Telephone interview	44	3.2 %
5	Study office	55	4.1 %
6	Public place (restaurant, library, etc.)	46	3.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,234 valid cases out of 1,354 total cases.

Location: 195-198 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201

S5PLCCOD: S5 IntInfo: Interview location - facility code

Based upon 347 valid cases out of 1,354 total cases.

Location: 199-202 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -101

S5PLCTYPE: S5 IntInfo: Interview location - facility type

Value	Label	Unweighted Frequency	%
7	Group home/supervised living in community	4	0.3 %
8	Residential treatment center (centralized staff, institutional setting)	42	3.1 %
9	Medical hospital	0	0.0 %
10	Psychiatric hospital	1	0.1 %
11	Shelter/emergency shelter	2	0.1 %
14	Secure	45	3.3 %
15	Jail/prison	237	17.5 %
16	Detention	16	1.2 %
96	Other	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	NA: Interview not conducted at the placement	887	65.5 %
	Total	**1,354**	**100%**

Based upon 347 valid cases out of 1,354 total cases.

Location: 203-206 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -101

S5DAYSINRP: S5 IntInfo: Number of days covered in the recall period

Based upon 1,234 valid cases out of 1,354 total cases.

- Mean: 176.14
- Median: 181.00
- Mode: 184.00
- Minimum: 92.00
- Maximum: 245.00
- Standard Deviation: 26.73

Location: 207-210 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201

S5NMONTHS: S5 IntInfo: Number of months covered in the recall period

Value	Label	Unweighted Frequency	%
3	-	3	0.2 %
4	-	71	5.2 %
5	-	274	20.2 %

Value	Label	Unweighted Frequency	%
6	-	603	44.5 %
7	-	236	17.4 %
8	-	47	3.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,234 valid cases out of 1,354 total cases.

Location: 211-214 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201

S6INTCOMPSTAT: S6 IntInfo: Interview completion status

Value	Label	Unweighted Frequency	%
1	Complete	1229	90.8 %
2	Partial	3	0.2 %
4	Incomplete	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 215-215 (width: 1; decimal: 0)
Variable Type: numeric

S6QVERSION: S6 IntInfo: Version number associated with programming changes to the interview

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 216-220 (width: 5; decimal: 0)
Variable Type: character

S6QSTADAT: S6 IntInfo: Start date of interview

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 221-231 (width: 11; decimal: 0)
Variable Type: character

S6INTLOC: S6 IntInfo: Interview location

Value	Label	Unweighted Frequency	%
1	Subject home	679	50.1 %
2	At the placement	350	25.8 %
3	Someone elses home	48	3.5 %
4	Telephone interview	44	3.2 %

Value	Label	Unweighted Frequency	%
5	Study office	67	4.9 %
6	Public place (restaurant, library, etc.)	44	3.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 232-235 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201

S6PLCCOD: S6 IntInfo: Interview location - facility code

Based upon 350 valid cases out of 1,354 total cases.

Location: 236-239 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -101

S6PLCTYPE: S6 IntInfo: Interview location - facility type

Value	Label	Unweighted Frequency	%
7	Group home/supervised living in community	5	0.4 %
8	Residential treatment center (centralized staff, institutional setting)	31	2.3 %
9	Medical hospital	0	0.0 %
10	Psychiatric hospital	2	0.1 %
11	Shelter/emergency shelter	0	0.0 %
14	Secure	25	1.8 %
15	Jail/prison	278	20.5 %
16	Detention	9	0.7 %
96	Other	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	NA: Interview not conducted at the placement	882	65.1 %
	Total	**1,354**	**100%**

Based upon 350 valid cases out of 1,354 total cases.

Location: 240-243 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -101

S6DAYSINRP: S6 IntInfo: Number of days covered in the recall period

Based upon 1,232 valid cases out of 1,354 total cases.

- Mean: 177.39
- Median: 181.00
- Mode: 182.00
- Minimum: 90.00
- Maximum: 245.00
- Standard Deviation: 25.21

Location: 244-247 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201

S6NMONTHS: S6 IntInfo: Number of months covered in the recall period

Value	Label	Unweighted Frequency	%
3	-	5	0.4 %
4	-	39	2.9 %
5	-	267	19.7 %
6	-	653	48.2 %
7	-	211	15.6 %
8	-	57	4.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 248-251 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201

S7INTCOMPSTAT: S7 IntInfo: Interview completion status

Value	Label	Unweighted Frequency	%
1	Complete	1214	89.7 %
2	Partial	1	0.1 %
4	Incomplete	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 252-252 (width: 1; decimal: 0)
Variable Type: numeric

S7QVERSION: S7 IntInfo: Version number associated with programming changes to the interview

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 253-257 (width: 5; decimal: 0)
Variable Type: character

S7QSTADAT: S7 IntInfo: Start date of interview

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 258-268 (width: 11; decimal: 0)
Variable Type: character

S7INTLOC: S7 IntInfo: Interview location

Value	Label	Unweighted Frequency	%
1	Subject home	605	44.7 %
2	At the placement	349	25.8 %
3	Someone elses home	51	3.8 %
4	Telephone interview	67	4.9 %
5	Study office	95	7.0 %
6	Public place (restaurant, library, etc.)	48	3.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,215 valid cases out of 1,354 total cases.

Location: 269-272 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201

S7PLCCOD: S7 IntInfo: Interview location - facility code

Based upon 349 valid cases out of 1,354 total cases.

Location: 273-276 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -101

S7PLCTYPE: S7 IntInfo: Interview location - facility type

Value	Label	Unweighted Frequency	%
7	Group home/supervised living in community	0	0.0 %
8	Residential treatment center (centralized staff, institutional setting)	6	0.4 %
9	Medical hospital	0	0.0 %
10	Psychiatric hospital	1	0.1 %
11	Shelter/emergency shelter	0	0.0 %
14	Secure	12	0.9 %
15	Jail/prison	312	23.0 %
16	Detention	18	1.3 %
96	Other	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %

Value	Label	Unweighted Frequency	%
-101	NA: Interview not conducted at the placement	866	64.0 %
	Total	**1,354**	**100%**

Based upon 349 valid cases out of 1,354 total cases.

Location: 277-280 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -101

S7DAYSINRP: S7 IntInfo: Number of days covered in the recall period

Based upon 1,215 valid cases out of 1,354 total cases.

- Mean: 360.25
- Median: 364.00
- Mode: 365.00
- Minimum: 171.00
- Maximum: 428.00
- Standard Deviation: 27.67

Location: 281-284 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201

S7NMONTHS: S7 IntInfo: Number of months covered in the recall period

Value	Label	Unweighted Frequency	%
6	-	1	0.1 %
9	-	7	0.5 %
10	-	52	3.8 %
11	-	256	18.9 %
12	-	580	42.8 %
13	-	257	19.0 %
14	-	62	4.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,215 valid cases out of 1,354 total cases.

Location: 285-288 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201

S8INTCOMPSTAT: S8 IntInfo: Interview completion status

Value	Label	Unweighted Frequency	%
1	Complete	1203	88.8 %

Value	Label	Unweighted Frequency	%
2	Partial	4	0.3 %
4	Incomplete	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 289-289 (width: 1; decimal: 0)
Variable Type: numeric

S8QVERSION: S8 IntInfo: Version number associated with programming changes to the interview

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 290-294 (width: 5; decimal: 0)
Variable Type: character

S8QSTADAT: S8 IntInfo: Start date of interview

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 295-305 (width: 11; decimal: 0)
Variable Type: character

S8INTLOC: S8 IntInfo: Interview location

Value	Label	Unweighted Frequency	%
1	Subject home	516	38.1 %
2	At the placement	341	25.2 %
3	Someone elses home	42	3.1 %
4	Telephone interview	93	6.9 %
5	Study office	156	11.5 %
6	Public place (restaurant, library, etc.)	59	4.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,207 valid cases out of 1,354 total cases.

Location: 306-309 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201

S8PLCCOD: S8 IntInfo: Interview location - facility code

Based upon 341 valid cases out of 1,354 total cases.

Location: 310-313 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -101

S8PLCTYPE: S8 IntInfo: Interview location - facility type

Value	Label	Unweighted Frequency	%
7	Group home/supervised living in community	3	0.2 %
8	Residential treatment center (centralized staff, institutional setting)	3	0.2 %
9	Medical hospital	0	0.0 %
10	Psychiatric hospital	1	0.1 %
11	Shelter/emergency shelter	0	0.0 %
14	Secure	2	0.1 %
15	Jail/prison	310	22.9 %
16	Detention	20	1.5 %
96	Other	2	0.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	NA: Interview not conducted at the placement	866	64.0 %
	Total	**1,354**	**100%**

Based upon 341 valid cases out of 1,354 total cases.

Location: 314-317 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -101

S8DAYSINRP: S8 IntInfo: Number of days covered in the recall period

Based upon 1,207 valid cases out of 1,354 total cases.

- Mean: 359.90
- Median: 364.00
- Mode: 365.00
- Minimum: 230.00
- Maximum: 427.00
- Standard Deviation: 29.26

Location: 318-321 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201

S8NMONTHS: S8 IntInfo: Number of months covered in the recall period

Value	Label	Unweighted Frequency	%
8	-	2	0.1 %
9	-	8	0.6 %
10	-	69	5.1 %
11	-	249	18.4 %
12	-	544	40.2 %
13	-	258	19.1 %

Value	Label	Unweighted Frequency	%
14	-	77	5.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,207 valid cases out of 1,354 total cases.

Location: 322-325 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201

S9INTCOMPSTAT: S9 IntInfo: Interview completion status

Value	Label	Unweighted Frequency	%
1	Complete	1175	86.8 %
2	Partial	4	0.3 %
4	Incomplete	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 326-326 (width: 1; decimal: 0)
Variable Type: numeric

S9QVERSION: S9 IntInfo: Version number associated with programming changes to the interview

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 327-331 (width: 5; decimal: 0)
Variable Type: character

S9QSTADAT: S9 IntInfo: Start date of interview

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 332-342 (width: 11; decimal: 0)
Variable Type: character

S9INTLOC: S9 IntInfo: Interview location

Value	Label	Unweighted Frequency	%
1	Subject home	499	36.9 %
2	At the placement	341	25.2 %
3	Someone elses home	40	3.0 %
4	Telephone interview	70	5.2 %
5	Study office	158	11.7 %
6	Public place (restaurant, library, etc.)	71	5.2 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 343-346 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201

S9PLCCOD: S9 IntInfo: Interview location - facility code

Based upon 341 valid cases out of 1,354 total cases.

Location: 347-350 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -101

S9PLCTYPE: S9 IntInfo: Interview location - facility type

Value	Label	Unweighted Frequency	%
7	Group home/supervised living in community	0	0.0 %
8	Residential treatment center (centralized staff, institutional setting)	1	0.1 %
9	Medical hospital	0	0.0 %
10	Psychiatric hospital	1	0.1 %
11	Shelter/emergency shelter	0	0.0 %
14	Secure	1	0.1 %
15	Jail/prison	315	23.3 %
16	Detention	22	1.6 %
96	Other	1	0.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	NA: Interview not conducted at the placement	838	61.9 %
	Total	**1,354**	**100%**

Based upon 341 valid cases out of 1,354 total cases.

Location: 351-354 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -101

S9DAYSINRP: S9 IntInfo: Number of days covered in the recall period

Based upon 1,179 valid cases out of 1,354 total cases.

- Mean: 361.47
- Median: 364.00
- Mode: 365.00

- Minimum: 270.00
- Maximum: 427.00
- Standard Deviation: 30.18

Location: 355-358 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201

S9NMONTHS: S9 IntInfo: Number of months covered in the recall period

Value	Label	Unweighted Frequency	%
9	-	14	1.0 %
10	-	60	4.4 %
11	-	239	17.7 %
12	-	523	38.6 %
13	-	252	18.6 %
14	-	91	6.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 359-362 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201

SAINTCOMPSTAT: SA IntInfo: Interview completion status

Value	Label	Unweighted Frequency	%
1	Complete	1131	83.5 %
2	Partial	3	0.2 %
4	Incomplete	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 363-363 (width: 1; decimal: 0)
Variable Type: numeric

SAQVERSION: SA IntInfo: Version number associated with programming changes to the interview

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 364-368 (width: 5; decimal: 0)
Variable Type: character

SAQSTADAT: SA IntInfo: Start date of interview

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 369-379 (width: 11; decimal: 0)
Variable Type: character

SAINTLOC: SA IntInfo: Interview location

Value	Label	Unweighted Frequency	%
1	Subject home	445	32.9 %
2	At the placement	343	25.3 %
3	Someone elses home	31	2.3 %
4	Telephone interview	89	6.6 %
5	Study office	171	12.6 %
6	Public place (restaurant, library, etc.)	55	4.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,134 valid cases out of 1,354 total cases.

Location: 380-383 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201

SAPLCCOD: SA IntInfo: Interview location - facility code

Based upon 343 valid cases out of 1,354 total cases.

Location: 384-387 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -101

SAPLCTYPE: SA IntInfo: Interview location - facility type

Value	Label	Unweighted Frequency	%
7	Group home/supervised living in community	0	0.0 %
8	Residential treatment center (centralized staff, institutional setting)	4	0.3 %
9	Medical hospital	0	0.0 %
10	Psychiatric hospital	0	0.0 %
11	Shelter/emergency shelter	0	0.0 %
14	Secure	1	0.1 %
15	Jail/prison	321	23.7 %
16	Detention	17	1.3 %
96	Other	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	NA: Interview not conducted at the placement	791	58.4 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 343 valid cases out of 1,354 total cases.

Location: 388-391 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201 , -101

SADAYSINRP: SA IntInfo: Number of days covered in the recall period

Based upon 1,134 valid cases out of 1,354 total cases.

- Mean: 360.78
- Median: 365.00
- Mode: 366.00
- Minimum: 265.00
- Maximum: 428.00
- Standard Deviation: 29.32

Location: 392-395 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201

SANMONTHS: SA IntInfo: Number of months covered in the recall period

Value	Label	Unweighted Frequency	%
9	-	8	0.6 %
10	-	74	5.5 %
11	-	222	16.4 %
12	-	524	38.7 %
13	-	235	17.4 %
14	-	71	5.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,134 valid cases out of 1,354 total cases.

Location: 396-399 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201