ICPSR | INTER-UNIVERSITY CONSORTIUM FOR POLITICAL AND SOCIAL RESEARCH

ICPSR 36800

Research on Pathways to Desistance [Maricopa County, AZ and Philadelphia County, PA]: Subject Measures - Scales, 2000-2010

Edward P. Mulvey
University of Pittsburgh

Codebook for Future Orientation Inventory

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/36800/terms

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE
WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 36800

Research on Pathways to Desistance [Maricopa County, AZ and Philadelphia County, PA]: Subject Measures - Scales, 2000-2010

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Future Orientation Inventory

CASEID: S0 IntInfo: Subject ID

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1-5 (width: 5; decimal: 0)
Variable Type: numeric

S0FOI127: S0 FOI: I keep working at difficult tasks if know they will help get ahead later

Value	Label	Unweighted Frequency	%
1	Never True	105	7.8 %
2	Rarely True	351	25.9 %
3	Often True	536	39.6 %
4	Always True	354	26.1 %
	Missing Data		
-200	Data missing	8	0.6 %
	Total	**1,354**	**100%**

Based upon 1,346 valid cases out of 1,354 total cases.

Location: 6-9 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0FOI128: S0 FOI: I live each day as if its my last

Value	Label	Unweighted Frequency	%
1	Never True	287	21.2 %
2	Rarely True	348	25.7 %
3	Often True	317	23.4 %
4	Always True	394	29.1 %
	Missing Data		
-200	Data missing	8	0.6 %
	Total	**1,354**	**100%**

Based upon 1,346 valid cases out of 1,354 total cases.

Location: 10-13 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0FOI129: S0 FOI: I think about how things might be in the future

Value	Label	Unweighted Frequency	%
1	Never True	127	9.4 %

Value	Label	Unweighted Frequency	%
2	Rarely True	232	17.1 %
3	Often True	445	32.9 %
4	Always True	542	40.0 %
	Missing Data		
-200	Data missing	8	0.6 %
	Total	**1,354**	**100%**

Based upon 1,346 valid cases out of 1,354 total cases.

Location: 14-17 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0FOI130: S0 FOI: I tend to get caught up in the excitement of the moment

Value	Label	Unweighted Frequency	%
1	Never True	121	8.9 %
2	Rarely True	375	27.7 %
3	Often True	587	43.4 %
4	Always True	263	19.4 %
	Missing Data		
-200	Data missing	8	0.6 %
	Total	**1,354**	**100%**

Based upon 1,346 valid cases out of 1,354 total cases.

Location: 18-21 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0FOI131: S0 FOI: I make lists of things to do

Value	Label	Unweighted Frequency	%
1	Never True	713	52.7 %
2	Rarely True	349	25.8 %
3	Often True	190	14.0 %
4	Always True	94	6.9 %
	Missing Data		
-200	Data missing	8	0.6 %
	Total	**1,354**	**100%**

Based upon 1,346 valid cases out of 1,354 total cases.

Location: 22-25 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0FOI132: S0 FOI: Before making a decision, I weigh the good vs the bad

Value	Label	Unweighted Frequency	%
1	Never True	403	29.8 %
2	Rarely True	455	33.6 %
3	Often True	325	24.0 %
4	Always True	163	12.0 %
	Missing Data		
-200	Data missing	8	0.6 %
	Total	**1,354**	**100%**

Based upon 1,346 valid cases out of 1,354 total cases.

Location: 26-29 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0FOI133: S0 FOI: The future is very vague and uncertain to me

Value	Label	Unweighted Frequency	%
1	Never True	276	20.4 %
2	Rarely True	439	32.4 %
3	Often True	411	30.4 %
4	Always True	215	15.9 %
	Missing Data		
-200	Data missing	8	0.6 %
-9	Dont Know	5	0.4 %
	Total	**1,354**	**100%**

Based upon 1,341 valid cases out of 1,354 total cases.

Location: 30-33 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0FOI134: S0 FOI: I will give up my happiness now so that I can get what I want in the future

Value	Label	Unweighted Frequency	%
1	Never True	479	35.4 %
2	Rarely True	370	27.3 %
3	Often True	323	23.9 %
4	Always True	172	12.7 %
	Missing Data		
-200	Data missing	8	0.6 %
-9	Dont Know	2	0.1 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 1,344 valid cases out of 1,354 total cases.

Location: 34-37 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0FOI135: S0 FOI: I make decisions on the spur of the moment

Value	Label	Unweighted Frequency	%
1	Never True	169	12.5 %
2	Rarely True	378	27.9 %
3	Often True	533	39.4 %
4	Always True	264	19.5 %
	Missing Data		
-200	Data missing	8	0.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,344 valid cases out of 1,354 total cases.

Location: 38-41 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0FOI136: S0 FOI: I would rather save money than spend it now on something fun

Value	Label	Unweighted Frequency	%
1	Never True	350	25.8 %
2	Rarely True	415	30.6 %
3	Often True	325	24.0 %
4	Always True	256	18.9 %
	Missing Data		
-200	Data missing	8	0.6 %
	Total	**1,354**	**100%**

Based upon 1,346 valid cases out of 1,354 total cases.

Location: 42-45 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0FOI137: S0 FOI: I cannot really plan for the future because things change so much

Value	Label	Unweighted Frequency	%
1	Never True	155	11.4 %
2	Rarely True	363	26.8 %
3	Often True	483	35.7 %
4	Always True	345	25.5 %
	Missing Data		
-200	Data missing	8	0.6 %
	Total	**1,354**	**100%**

Based upon 1,346 valid cases out of 1,354 total cases.

Location: 46-49 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0FOI138: S0 FOI: I always seem to be doing things at the last minute

Value	Label	Unweighted Frequency	%
1	Never True	162	12.0 %
2	Rarely True	412	30.4 %
3	Often True	518	38.3 %
4	Always True	254	18.8 %
	Missing Data		
-200	Data missing	8	0.6 %
	Total	**1,354**	**100%**

Based upon 1,346 valid cases out of 1,354 total cases.

Location: 50-53 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0FOI139: S0 FOI: I do not plan, I take each day as it is

Value	Label	Unweighted Frequency	%
1	Never True	112	8.3 %
2	Rarely True	304	22.5 %
3	Often True	491	36.3 %
4	Always True	439	32.4 %
	Missing Data		
-200	Data missing	8	0.6 %
	Total	**1,354**	**100%**

Based upon 1,346 valid cases out of 1,354 total cases.

Location: 54-57 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -200 , -9 , -8

S0FOI140: S0 FOI: I can see my life 10 years from now

Value	Label	Unweighted Frequency	%
1	Never True	539	39.8 %
2	Rarely True	420	31.0 %
3	Often True	225	16.6 %
4	Always True	161	11.9 %
	Missing Data		
-200	Data missing	8	0.6 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,345 valid cases out of 1,354 total cases.

Location: 58-61 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0FOI141: S0 FOI: I usually think about the consequences before I do something

Value	Label	Unweighted Frequency	%
1	Never True	330	24.4 %
2	Rarely True	471	34.8 %
3	Often True	345	25.5 %
4	Always True	200	14.8 %
	Missing Data		
-200	Data missing	8	0.6 %
	Total	**1,354**	**100%**

Based upon 1,346 valid cases out of 1,354 total cases.

Location: 62-65 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0FUTURE: S0 FOI: Future Orientation Inventory Scale

Based upon 1,346 valid cases out of 1,354 total cases.

- Mean: 2.3300122055
- Median: 2.2500000000
- Mode: 2.1250000000
- Minimum: 1.0000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.5505504479

Location: 66-80 (width: 15; decimal: 10)
Variable Type: numeric

(Range of) Missing Values: -300.0000000000 , -200.0000000000

S1FOI001: S1 FOI: work boring tasks get ahead

Value	Label	Unweighted Frequency	%
1	Never True	81	6.0 %
2	Rarely True	273	20.2 %
3	Often True	524	38.7 %
4	Always True	379	28.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,257 valid cases out of 1,354 total cases.

Location: 81-84 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S1FOI002: S1 FOI: Live each day as if last

Value	Label	Unweighted Frequency	%
1	Never True	223	16.5 %
2	Rarely True	357	26.4 %
3	Often True	307	22.7 %
4	Always True	371	27.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 85-88 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S1FOI003: S1 FOI: how things be in future

Value	Label	Unweighted Frequency	%
1	Never True	61	4.5 %
2	Rarely True	186	13.7 %
3	Often True	510	37.7 %

Value	Label	Unweighted Frequency	%
4	Always True	501	37.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 89-92 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S1FOI004: S1 FOI: cought up in excite moment

Value	Label	Unweighted Frequency	%
1	Never True	115	8.5 %
2	Rarely True	322	23.8 %
3	Often True	585	43.2 %
4	Always True	236	17.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 93-96 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S1FOI005: S1 FOI: make lists of things to do

Value	Label	Unweighted Frequency	%
1	Never True	524	38.7 %
2	Rarely True	379	28.0 %
3	Often True	214	15.8 %
4	Always True	141	10.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 97-100 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S1FOI006: S1 FOI: Before making a decision I weigh good vs bad

Value	Label	Unweighted Frequency	%
1	Never True	321	23.7 %
2	Rarely True	409	30.2 %
3	Often True	317	23.4 %
4	Always True	211	15.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 101-104 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S1FOI007: S1 FOI: Future very vague

Value	Label	Unweighted Frequency	%
1	Never True	231	17.1 %
2	Rarely True	426	31.5 %
3	Often True	398	29.4 %
4	Always True	200	14.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,255 valid cases out of 1,354 total cases.

Location: 105-108 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S1FOI008: S1 FOI: Give up happiness now to get what want in future

Value	Label	Unweighted Frequency	%
1	Never True	372	27.5 %
2	Rarely True	367	27.1 %
3	Often True	333	24.6 %
4	Always True	184	13.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,256 valid cases out of 1,354 total cases.

Location: 109-112 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S1FOI009: S1 FOI: decisions spur moment

Value	Label	Unweighted Frequency	%
1	Never True	195	14.4 %
2	Rarely True	364	26.9 %
3	Often True	490	36.2 %
4	Always True	208	15.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,257 valid cases out of 1,354 total cases.

Location: 113-116 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S1FOI010: S1 FOI: save money than spend on fun

Value	Label	Unweighted Frequency	%
1	Never True	241	17.8 %
2	Rarely True	397	29.3 %
3	Often True	367	27.1 %
4	Always True	249	18.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	5	0.4 %
	Total	**1,354**	**100%**

Based upon 1,254 valid cases out of 1,354 total cases.

Location: 117-120 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S1FOI011: S1 FOI: No plan for future

Value	Label	Unweighted Frequency	%
1	Never True	149	11.0 %
2	Rarely True	340	25.1 %
3	Often True	494	36.5 %
4	Always True	275	20.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 121-124 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S1FOI012: S1 FOI: do things last minute

Value	Label	Unweighted Frequency	%
1	Never True	162	12.0 %
2	Rarely True	391	28.9 %
3	Often True	475	35.1 %
4	Always True	230	17.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 125-128 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S1FOI013: S1 FOI: No plan each day as is

Value	Label	Unweighted Frequency	%
1	Never True	104	7.7 %
2	Rarely True	342	25.3 %
3	Often True	453	33.5 %
4	Always True	358	26.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,257 valid cases out of 1,354 total cases.

Location: 129-132 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S1FOI014: S1 FOI: see life 10 years from now

Value	Label	Unweighted Frequency	%
1	Never True	389	28.7 %
2	Rarely True	438	32.3 %
3	Often True	260	19.2 %
4	Always True	171	12.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 133-136 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S1FOI015: S1 FOI: Think consequence before doing

Value	Label	Unweighted Frequency	%
1	Never True	266	19.6 %
2	Rarely True	383	28.3 %
3	Often True	356	26.3 %

Value	Label	Unweighted Frequency	%
4	Always True	253	18.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	6	0.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 137-140 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S1FUTURE: S1 FOI: Future Orientation Inventory Scale

Based upon 1,258 valid cases out of 1,354 total cases.

- Mean: 2.4773923083
- Median: 2.4017857143
- Minimum: 1.0000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.5841218394

Location: 141-155 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -9.0000000000 , -8.0000000000

S2FOI001: S2 FOI: work boring tasks get ahead

Value	Label	Unweighted Frequency	%
1	Never True	104	7.7 %
2	Rarely True	273	20.2 %
3	Often True	513	37.9 %
4	Always True	370	27.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 156-159 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S2FOI002: S2 FOI: Live each day as if last

Value	Label	Unweighted Frequency	%
1	Never True	222	16.4 %
2	Rarely True	357	26.4 %
3	Often True	287	21.2 %
4	Always True	394	29.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 160-163 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S2FOI003: S2 FOI: how things be in future

Value	Label	Unweighted Frequency	%
1	Never True	55	4.1 %
2	Rarely True	181	13.4 %
3	Often True	449	33.2 %
4	Always True	575	42.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 164-167 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S2FOI004: S2 FOI: cought up in excite moment

Value	Label	Unweighted Frequency	%
1	Never True	109	8.1 %
2	Rarely True	375	27.7 %
3	Often True	525	38.8 %
4	Always True	251	18.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 168-171 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S2FOI005: S2 FOI: make lists of things to do

Value	Label	Unweighted Frequency	%
1	Never True	529	39.1 %
2	Rarely True	360	26.6 %
3	Often True	214	15.8 %
4	Always True	157	11.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 172-175 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S2FOI006: S2 FOI: Before making a decision I weigh good vs bad

Value	Label	Unweighted Frequency	%
1	Never True	279	20.6 %
2	Rarely True	407	30.1 %
3	Often True	353	26.1 %
4	Always True	221	16.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 176-179 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S2FOI007: S2 FOI: Future very vague

Value	Label	Unweighted Frequency	%
1	Never True	278	20.5 %
2	Rarely True	467	34.5 %

Value	Label	Unweighted Frequency	%
3	Often True	358	26.4 %
4	Always True	157	11.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 180-183 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S2FOI008: S2 FOI: Give up happiness now to get what want in future

Value	Label	Unweighted Frequency	%
1	Never True	353	26.1 %
2	Rarely True	415	30.6 %
3	Often True	299	22.1 %
4	Always True	191	14.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 184-187 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S2FOI009: S2 FOI: decisions spur moment

Value	Label	Unweighted Frequency	%
1	Never True	203	15.0 %
2	Rarely True	408	30.1 %
3	Often True	452	33.4 %
4	Always True	197	14.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 188-191 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S2FOI010: S2 FOI: save money than spend on fun

Value	Label	Unweighted Frequency	%
1	Never True	239	17.7 %
2	Rarely True	395	29.2 %
3	Often True	340	25.1 %
4	Always True	286	21.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 192-195 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S2FOI011: S2 FOI: No plan for future

Value	Label	Unweighted Frequency	%
1	Never True	180	13.3 %
2	Rarely True	370	27.3 %
3	Often True	439	32.4 %
4	Always True	270	19.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 196-199 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S2FOI012: S2 FOI: do things last minute

Value	Label	Unweighted Frequency	%
1	Never True	188	13.9 %

Value	Label	Unweighted Frequency	%
2	Rarely True	420	31.0 %
3	Often True	425	31.4 %
4	Always True	227	16.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 200-203 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S2FOI013: S2 FOI: No plan each day as is

Value	Label	Unweighted Frequency	%
1	Never True	150	11.1 %
2	Rarely True	356	26.3 %
3	Often True	424	31.3 %
4	Always True	330	24.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 204-207 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S2FOI014: S2 FOI: see life 10 years from now

Value	Label	Unweighted Frequency	%
1	Never True	364	26.9 %
2	Rarely True	422	31.2 %
3	Often True	303	22.4 %
4	Always True	171	12.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 208-211 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S2FOI015: S2 FOI: Think consequence before doing

Value	Label	Unweighted Frequency	%
1	Never True	205	15.1 %
2	Rarely True	389	28.7 %
3	Often True	375	27.7 %
4	Always True	291	21.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 212-215 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S2FUTURE: S2 FOI: Future Orientation Inventory Scale

Based upon 1,260 valid cases out of 1,354 total cases.

- Mean: 2.5202806122
- Median: 2.5000000000
- Mode: 2.3750000000
- Minimum: 1.0000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.5645815964

Location: 216-230 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -9.0000000000 , -8.0000000000

S3FOI001: S3 FOI: work boring tasks get ahead

Value	Label	Unweighted Frequency	%
1	Never True	78	5.8 %
2	Rarely True	266	19.6 %
3	Often True	506	37.4 %
4	Always True	374	27.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	125	9.2 %

Value	Label	Unweighted Frequency	%
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,224 valid cases out of 1,354 total cases.

Location: 231-234 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S3FOI002: S3 FOI: Live each day as if last

Value	Label	Unweighted Frequency	%
1	Never True	205	15.1 %
2	Rarely True	307	22.7 %
3	Often True	338	25.0 %
4	Always True	373	27.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-9	Dont Know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,223 valid cases out of 1,354 total cases.

Location: 235-238 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S3FOI003: S3 FOI: how things be in future

Value	Label	Unweighted Frequency	%
1	Never True	50	3.7 %
2	Rarely True	148	10.9 %
3	Often True	492	36.3 %
4	Always True	534	39.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,224 valid cases out of 1,354 total cases.

Location: 239-242 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S3FOI004: S3 FOI: cought up in excite moment

Value	Label	Unweighted Frequency	%
1	Never True	119	8.8 %
2	Rarely True	337	24.9 %
3	Often True	512	37.8 %
4	Always True	256	18.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,224 valid cases out of 1,354 total cases.

Location: 243-246 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S3FOI005: S3 FOI: make lists of things to do

Value	Label	Unweighted Frequency	%
1	Never True	470	34.7 %
2	Rarely True	374	27.6 %
3	Often True	223	16.5 %
4	Always True	157	11.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,224 valid cases out of 1,354 total cases.

Location: 247-250 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S3FOI006: S3 FOI: Before making a decision I weigh good vs bad

Value	Label	Unweighted Frequency	%
1	Never True	245	18.1 %
2	Rarely True	389	28.7 %
3	Often True	372	27.5 %

Value	Label	Unweighted Frequency	%
4	Always True	218	16.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,224 valid cases out of 1,354 total cases.

Location: 251-254 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S3FOI007: S3 FOI: Future very vague

Value	Label	Unweighted Frequency	%
1	Never True	234	17.3 %
2	Rarely True	468	34.6 %
3	Often True	343	25.3 %
4	Always True	179	13.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,224 valid cases out of 1,354 total cases.

Location: 255-258 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S3FOI008: S3 FOI: Give up happiness now to get what want in future

Value	Label	Unweighted Frequency	%
1	Never True	303	22.4 %
2	Rarely True	369	27.3 %
3	Often True	351	25.9 %
4	Always True	200	14.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-9	Dont Know	1	0.1 %
-8	Refused	1	0.1 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 1,223 valid cases out of 1,354 total cases.

Location: 259-262 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S3FOI009: S3 FOI: decisions spur moment

Value	Label	Unweighted Frequency	%
1	Never True	209	15.4 %
2	Rarely True	378	27.9 %
3	Often True	469	34.6 %
4	Always True	168	12.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,224 valid cases out of 1,354 total cases.

Location: 263-266 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S3FOI010: S3 FOI: save money than spend on fun

Value	Label	Unweighted Frequency	%
1	Never True	194	14.3 %
2	Rarely True	418	30.9 %
3	Often True	329	24.3 %
4	Always True	282	20.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-9	Dont Know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,223 valid cases out of 1,354 total cases.

Location: 267-270 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S3FOI011: S3 FOI: No plan for future

Value	Label	Unweighted Frequency	%
1	Never True	181	13.4 %
2	Rarely True	391	28.9 %
3	Often True	417	30.8 %
4	Always True	233	17.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-9	Dont Know	2	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,222 valid cases out of 1,354 total cases.

Location: 271-274 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S3FOI012: S3 FOI: do things last minute

Value	Label	Unweighted Frequency	%
1	Never True	189	14.0 %
2	Rarely True	420	31.0 %
3	Often True	419	30.9 %
4	Always True	195	14.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-9	Dont Know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,223 valid cases out of 1,354 total cases.

Location: 275-278 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S3FOI013: S3 FOI: No plan each day as is

Value	Label	Unweighted Frequency	%
1	Never True	162	12.0 %
2	Rarely True	344	25.4 %

Value	Label	Unweighted Frequency	%
3	Often True	425	31.4 %
4	Always True	291	21.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-9	Dont Know	2	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,222 valid cases out of 1,354 total cases.

Location: 279-282 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S3FOI014: S3 FOI: see life 10 years from now

Value	Label	Unweighted Frequency	%
1	Never True	346	25.6 %
2	Rarely True	402	29.7 %
3	Often True	297	21.9 %
4	Always True	177	13.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-9	Dont Know	2	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,222 valid cases out of 1,354 total cases.

Location: 283-286 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S3FOI015: S3 FOI: Think consequence before doing

Value	Label	Unweighted Frequency	%
1	Never True	186	13.7 %
2	Rarely True	355	26.2 %
3	Often True	396	29.2 %
4	Always True	286	21.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	125	9.2 %
-9	Dont Know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,223 valid cases out of 1,354 total cases.

Location: 287-290 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S3FUTURE: S3 FOI: Future Orientation Inventory Scale

Based upon 1,224 valid cases out of 1,354 total cases.

- Mean: 2.5672171646
- Median: 2.5000000000
- Mode: 2.2500000000
- Minimum: 1.0000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.5679503080

Location: 291-305 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -9.0000000000 , -8.0000000000

S4FOI001: S4 FOI: work boring tasks get ahead

Value	Label	Unweighted Frequency	%
1	Never True	71	5.2 %
2	Rarely True	241	17.8 %
3	Often True	528	39.0 %
4	Always True	386	28.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 306-309 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S4FOI002: S4 FOI: Live each day as if last

Value	Label	Unweighted Frequency	%
1	Never True	173	12.8 %
2	Rarely True	355	26.2 %
3	Often True	340	25.1 %
4	Always True	358	26.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 310-313 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S4FOI003: S4 FOI: how things be in future

Value	Label	Unweighted Frequency	%
1	Never True	40	3.0 %
2	Rarely True	171	12.6 %
3	Often True	479	35.4 %
4	Always True	536	39.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 314-317 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S4FOI004: S4 FOI: cought up in excite moment

Value	Label	Unweighted Frequency	%
1	Never True	100	7.4 %
2	Rarely True	347	25.6 %
3	Often True	526	38.8 %
4	Always True	253	18.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 318-321 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S4FOI005: S4 FOI: make lists of things to do

Value	Label	Unweighted Frequency	%
1	Never True	457	33.8 %
2	Rarely True	352	26.0 %
3	Often True	242	17.9 %
4	Always True	175	12.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 322-325 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S4FOI006: S4 FOI: Before making a decision I weigh good vs bad

Value	Label	Unweighted Frequency	%
1	Never True	224	16.5 %
2	Rarely True	370	27.3 %
3	Often True	387	28.6 %
4	Always True	245	18.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 326-329 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S4FOI007: S4 FOI: Future very vague

Value	Label	Unweighted Frequency	%
1	Never True	251	18.5 %
2	Rarely True	421	31.1 %

Value	Label	Unweighted Frequency	%
3	Often True	376	27.8 %
4	Always True	176	13.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,224 valid cases out of 1,354 total cases.

Location: 330-333 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S4FOI008: S4 FOI: Give up happiness now to get what want in future

Value	Label	Unweighted Frequency	%
1	Never True	290	21.4 %
2	Rarely True	349	25.8 %
3	Often True	368	27.2 %
4	Always True	219	16.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 334-337 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S4FOI009: S4 FOI: decisions spur moment

Value	Label	Unweighted Frequency	%
1	Never True	201	14.8 %
2	Rarely True	371	27.4 %
3	Often True	469	34.6 %
4	Always True	185	13.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 338-341 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S4FOI010: S4 FOI: save money than spend on fun

Value	Label	Unweighted Frequency	%
1	Never True	193	14.3 %
2	Rarely True	416	30.7 %
3	Often True	335	24.7 %
4	Always True	282	20.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 342-345 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S4FOI011: S4 FOI: No plan for future

Value	Label	Unweighted Frequency	%
1	Never True	184	13.6 %
2	Rarely True	378	27.9 %
3	Often True	429	31.7 %
4	Always True	234	17.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,225 valid cases out of 1,354 total cases.

Location: 346-349 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S4FOI012: S4 FOI: do things last minute

Value	Label	Unweighted Frequency	%
1	Never True	199	14.7 %

Value	Label	Unweighted Frequency	%
2	Rarely True	425	31.4 %
3	Often True	422	31.2 %
4	Always True	180	13.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 350-353 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S4FOI013: S4 FOI: No plan each day as is

Value	Label	Unweighted Frequency	%
1	Never True	159	11.7 %
2	Rarely True	324	23.9 %
3	Often True	446	32.9 %
4	Always True	296	21.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,225 valid cases out of 1,354 total cases.

Location: 354-357 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S4FOI014: S4 FOI: see life 10 years from now

Value	Label	Unweighted Frequency	%
1	Never True	327	24.2 %
2	Rarely True	393	29.0 %
3	Often True	318	23.5 %
4	Always True	188	13.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 358-361 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S4FOI015: S4 FOI: Think consequence before doing

Value	Label	Unweighted Frequency	%
1	Never True	163	12.0 %
2	Rarely True	367	27.1 %
3	Often True	426	31.5 %
4	Always True	270	19.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	5	0.4 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 362-365 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S4FUTURE: S4 FOI: Future Orientation Inventory Scale

Based upon 1,226 valid cases out of 1,354 total cases.

- Mean: 2.604
- Median: 2.625
- Mode: 2.500
- Minimum: 1.000
- Maximum: 4.000
- Standard Deviation: 0.547

Location: 366-373 (width: 8; decimal: 3)
Variable Type: numeric
(Range of) Missing Values: -700.000 , -300.000 , -202.000 , -201.000 , -9.000 , -8.000

S5FOI001: S5 FOI: work boring tasks get ahead

Value	Label	Unweighted Frequency	%
1	Never True	87	6.4 %
2	Rarely True	249	18.4 %
3	Often True	521	38.5 %
4	Always True	373	27.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %

Value	Label	Unweighted Frequency	%
-9	Dont Know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 374-377 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S5FOI002: S5 FOI: Live each day as if last

Value	Label	Unweighted Frequency	%
1	Never True	206	15.2 %
2	Rarely True	330	24.4 %
3	Often True	345	25.5 %
4	Always True	349	25.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 378-381 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S5FOI003: S5 FOI: how things be in future

Value	Label	Unweighted Frequency	%
1	Never True	40	3.0 %
2	Rarely True	144	10.6 %
3	Often True	510	37.7 %
4	Always True	536	39.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 382-385 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S5FOI004: S5 FOI: cought up in excite moment

Value	Label	Unweighted Frequency	%
1	Never True	114	8.4 %
2	Rarely True	352	26.0 %
3	Often True	543	40.1 %
4	Always True	221	16.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 386-389 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S5FOI005: S5 FOI: make lists of things to do

Value	Label	Unweighted Frequency	%
1	Never True	437	32.3 %
2	Rarely True	379	28.0 %
3	Often True	276	20.4 %
4	Always True	138	10.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 390-393 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S5FOI006: S5 FOI: Before making a decision I weigh good vs bad

Value	Label	Unweighted Frequency	%
1	Never True	188	13.9 %
2	Rarely True	377	27.8 %
3	Often True	425	31.4 %
4	Always True	240	17.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 394-397 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S5FOI007: S5 FOI: Future very vague

Value	Label	Unweighted Frequency	%
1	Never True	251	18.5 %
2	Rarely True	448	33.1 %
3	Often True	370	27.3 %
4	Always True	161	11.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 398-401 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S5FOI008: S5 FOI: Give up happiness now to get what want in future

Value	Label	Unweighted Frequency	%
1	Never True	249	18.4 %
2	Rarely True	342	25.3 %
3	Often True	393	29.0 %
4	Always True	246	18.2 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 402-405 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S5FOI009: S5 FOI: decisions spur moment

Value	Label	Unweighted Frequency	%
1	Never True	176	13.0 %
2	Rarely True	398	29.4 %
3	Often True	494	36.5 %
4	Always True	162	12.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 406-409 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S5FOI010: S5 FOI: save money than spend on fun

Value	Label	Unweighted Frequency	%
1	Never True	180	13.3 %
2	Rarely True	377	27.8 %
3	Often True	384	28.4 %
4	Always True	288	21.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	2	0.1 %

Value	Label	Unweighted Frequency	%
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 410-413 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S5FOI011: S5 FOI: No plan for future

Value	Label	Unweighted Frequency	%
1	Never True	190	14.0 %
2	Rarely True	411	30.4 %
3	Often True	427	31.5 %
4	Always True	201	14.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	2	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 414-417 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S5FOI012: S5 FOI: do things last minute

Value	Label	Unweighted Frequency	%
1	Never True	189	14.0 %
2	Rarely True	433	32.0 %
3	Often True	430	31.8 %
4	Always True	178	13.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 418-421 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S5FOI013: S5 FOI: No plan each day as is

Value	Label	Unweighted Frequency	%
1	Never True	164	12.1 %
2	Rarely True	363	26.8 %
3	Often True	429	31.7 %
4	Always True	274	20.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 422-425 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S5FOI014: S5 FOI: see life 10 years from now

Value	Label	Unweighted Frequency	%
1	Never True	305	22.5 %
2	Rarely True	390	28.8 %
3	Often True	341	25.2 %
4	Always True	193	14.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	2	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 426-429 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S5FOI015: S5 FOI: Think consequence before doing

Value	Label	Unweighted Frequency	%
1	Never True	153	11.3 %
2	Rarely True	350	25.8 %
3	Often True	435	32.1 %
4	Always True	292	21.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 430-433 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S5FUTURE: S5 FOI: Future Orientation Inventory Scale

Based upon 1,230 valid cases out of 1,354 total cases.

- Mean: 2.6362078978
- Median: 2.6250000000
- Mode: 2.5000000000
- Minimum: 1.0000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.5585511447

Location: 434-448 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -9.0000000000 , -8.0000000000

S6FOI001: S6 FOI: work boring tasks get ahead

Value	Label	Unweighted Frequency	%
1	Never True	87	6.4 %
2	Rarely True	227	16.8 %
3	Often True	509	37.6 %
4	Always True	404	29.8 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,227 valid cases out of 1,354 total cases.

Location: 449-452 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S6FOI002: S6 FOI: Live each day as if last

Value	Label	Unweighted Frequency	%
1	Never True	195	14.4 %
2	Rarely True	343	25.3 %
3	Often True	354	26.1 %
4	Always True	334	24.7 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 453-456 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S6FOI003: S6 FOI: how things be in future

Value	Label	Unweighted Frequency	%
1	Never True	54	4.0 %
2	Rarely True	125	9.2 %
3	Often True	489	36.1 %
4	Always True	559	41.3 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,227 valid cases out of 1,354 total cases.

Location: 457-460 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S6FOI004: S6 FOI: cought up in excite moment

Value	Label	Unweighted Frequency	%
1	Never True	110	8.1 %
2	Rarely True	379	28.0 %
3	Often True	495	36.6 %
4	Always True	243	17.9 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,227 valid cases out of 1,354 total cases.

Location: 461-464 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S6FOI005: S6 FOI: make lists of things to do

Value	Label	Unweighted Frequency	%
1	Never True	452	33.4 %
2	Rarely True	373	27.5 %
3	Often True	250	18.5 %
4	Always True	152	11.2 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,227 valid cases out of 1,354 total cases.

Location: 465-468 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S6FOI006: S6 FOI: Before making a decision I weigh good vs bad

Value	Label	Unweighted Frequency	%
1	Never True	169	12.5 %
2	Rarely True	371	27.4 %
3	Often True	428	31.6 %
4	Always True	259	19.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,227 valid cases out of 1,354 total cases.

Location: 469-472 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S6FOI007: S6 FOI: Future very vague

Value	Label	Unweighted Frequency	%
1	Never True	268	19.8 %
2	Rarely True	427	31.5 %
3	Often True	371	27.4 %
4	Always True	160	11.8 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 473-476 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S6FOI008: S6 FOI: Give up happiness now to get what want in future

Value	Label	Unweighted Frequency	%
1	Never True	277	20.5 %
2	Rarely True	327	24.2 %
3	Often True	360	26.6 %
4	Always True	263	19.4 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %

Value	Label	Unweighted Frequency	%
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,227 valid cases out of 1,354 total cases.

Location: 477-480 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S6FOI009: S6 FOI: decisions spur moment

Value	Label	Unweighted Frequency	%
1	Never True	215	15.9 %
2	Rarely True	395	29.2 %
3	Often True	463	34.2 %
4	Always True	154	11.4 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,227 valid cases out of 1,354 total cases.

Location: 481-484 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S6FOI010: S6 FOI: save money than spend on fun

Value	Label	Unweighted Frequency	%
1	Never True	185	13.7 %
2	Rarely True	368	27.2 %
3	Often True	402	29.7 %
4	Always True	270	19.9 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont Know	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,225 valid cases out of 1,354 total cases.

Location: 485-488 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S6FOI011: S6 FOI: No plan for future

Value	Label	Unweighted Frequency	%
1	Never True	209	15.4 %
2	Rarely True	424	31.3 %
3	Often True	376	27.8 %
4	Always True	217	16.0 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 489-492 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S6FOI012: S6 FOI: do things last minute

Value	Label	Unweighted Frequency	%
1	Never True	210	15.5 %
2	Rarely True	416	30.7 %
3	Often True	415	30.6 %
4	Always True	186	13.7 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,227 valid cases out of 1,354 total cases.

Location: 493-496 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S6FOI013: S6 FOI: No plan each day as is

Value	Label	Unweighted Frequency	%
1	Never True	201	14.8 %
2	Rarely True	349	25.8 %
3	Often True	406	30.0 %
4	Always True	271	20.0 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,227 valid cases out of 1,354 total cases.

Location: 497-500 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S6FOI014: S6 FOI: see life 10 years from now

Value	Label	Unweighted Frequency	%
1	Never True	291	21.5 %
2	Rarely True	405	29.9 %
3	Often True	328	24.2 %
4	Always True	202	14.9 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 501-504 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S6FOI015: S6 FOI: Think consequence before doing

Value	Label	Unweighted Frequency	%
1	Never True	140	10.3 %
2	Rarely True	319	23.6 %
3	Often True	448	33.1 %
4	Always True	320	23.6 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,227 valid cases out of 1,354 total cases.

Location: 505-508 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S6FUTURE: S6 FOI: Future Orientation Inventory Scale

Based upon 1,227 valid cases out of 1,354 total cases.

- Mean: 2.6539032483
- Median: 2.6250000000
- Mode: 2.5000000000
- Minimum: 1.0000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.5776765254

Location: 509-523 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -9.0000000000 , -8.0000000000

S7FOI001: S7 FOI: work boring tasks get ahead

Value	Label	Unweighted Frequency	%
1	Never True	84	6.2 %
2	Rarely True	208	15.4 %
3	Often True	535	39.5 %
4	Always True	384	28.4 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,211 valid cases out of 1,354 total cases.

Location: 524-527 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S7FOI002: S7 FOI: Live each day as if last

Value	Label	Unweighted Frequency	%
1	Never True	186	13.7 %
2	Rarely True	319	23.6 %
3	Often True	349	25.8 %
4	Always True	357	26.4 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,211 valid cases out of 1,354 total cases.

Location: 528-531 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S7FOI003: S7 FOI: how things be in future

Value	Label	Unweighted Frequency	%
1	Never True	47	3.5 %
2	Rarely True	133	9.8 %
3	Often True	484	35.7 %
4	Always True	547	40.4 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,211 valid cases out of 1,354 total cases.

Location: 532-535 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S7FOI004: S7 FOI: cought up in excite moment

Value	Label	Unweighted Frequency	%
1	Never True	120	8.9 %
2	Rarely True	388	28.7 %

Value	Label	Unweighted Frequency	%
3	Often True	493	36.4 %
4	Always True	210	15.5 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,211 valid cases out of 1,354 total cases.

Location: 536-539 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S7FOI005: S7 FOI: make lists of things to do

Value	Label	Unweighted Frequency	%
1	Never True	426	31.5 %
2	Rarely True	349	25.8 %
3	Often True	284	21.0 %
4	Always True	151	11.2 %
	Missing Data		
-700	Data missing due to bug in interview	3	0.2 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,210 valid cases out of 1,354 total cases.

Location: 540-543 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S7FOI006: S7 FOI: Before making a decision I weigh good vs bad

Value	Label	Unweighted Frequency	%
1	Never True	155	11.4 %
2	Rarely True	345	25.5 %
3	Often True	475	35.1 %
4	Always True	235	17.4 %
	Missing Data		
-700	Data missing due to bug in interview	3	0.2 %

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,210 valid cases out of 1,354 total cases.

Location: 544-547 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S7FOI007: S7 FOI: Future very vague

Value	Label	Unweighted Frequency	%
1	Never True	256	18.9 %
2	Rarely True	471	34.8 %
3	Often True	360	26.6 %
4	Always True	122	9.0 %
	Missing Data		
-700	Data missing due to bug in interview	3	0.2 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,209 valid cases out of 1,354 total cases.

Location: 548-551 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S7FOI008: S7 FOI: Give up happiness now to get what want in future

Value	Label	Unweighted Frequency	%
1	Never True	240	17.7 %
2	Rarely True	359	26.5 %
3	Often True	390	28.8 %
4	Always True	217	16.0 %
	Missing Data		
-700	Data missing due to bug in interview	3	0.2 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont Know	5	0.4 %
	Total	**1,354**	**100%**

Based upon 1,206 valid cases out of 1,354 total cases.

Location: 552-555 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S7FOI009: S7 FOI: decisions spur moment

Value	Label	Unweighted Frequency	%
1	Never True	204	15.1 %
2	Rarely True	412	30.4 %
3	Often True	450	33.2 %
4	Always True	143	10.6 %
	Missing Data		
-700	Data missing due to bug in interview	3	0.2 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,209 valid cases out of 1,354 total cases.

Location: 556-559 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S7FOI010: S7 FOI: save money than spend on fun

Value	Label	Unweighted Frequency	%
1	Never True	197	14.5 %
2	Rarely True	367	27.1 %
3	Often True	399	29.5 %
4	Always True	246	18.2 %
	Missing Data		
-700	Data missing due to bug in interview	3	0.2 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,209 valid cases out of 1,354 total cases.

Location: 560-563 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S7FOI011: S7 FOI: No plan for future

Value	Label	Unweighted Frequency	%
1	Never True	214	15.8 %
2	Rarely True	418	30.9 %
3	Often True	394	29.1 %
4	Always True	183	13.5 %
	Missing Data		
-700	Data missing due to bug in interview	3	0.2 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,209 valid cases out of 1,354 total cases.

Location: 564-567 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S7FOI012: S7 FOI: do things last minute

Value	Label	Unweighted Frequency	%
1	Never True	227	16.8 %
2	Rarely True	430	31.8 %
3	Often True	388	28.7 %
4	Always True	164	12.1 %
	Missing Data		
-700	Data missing due to bug in interview	3	0.2 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,209 valid cases out of 1,354 total cases.

Location: 568-571 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S7FOI013: S7 FOI: No plan each day as is

Value	Label	Unweighted Frequency	%
1	Never True	192	14.2 %
2	Rarely True	339	25.0 %
3	Often True	443	32.7 %
4	Always True	235	17.4 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-700	Data missing due to bug in interview	3	0.2 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,209 valid cases out of 1,354 total cases.

Location: 572-575 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S7FOI014: S7 FOI: see life 10 years from now

Value	Label	Unweighted Frequency	%
1	Never True	276	20.4 %
2	Rarely True	382	28.2 %
3	Often True	357	26.4 %
4	Always True	194	14.3 %
	Missing Data		
-700	Data missing due to bug in interview	3	0.2 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,209 valid cases out of 1,354 total cases.

Location: 576-579 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S7FOI015: S7 FOI: Think consequence before doing

Value	Label	Unweighted Frequency	%
1	Never True	129	9.5 %
2	Rarely True	305	22.5 %
3	Often True	462	34.1 %
4	Always True	314	23.2 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %

Value	Label	Unweighted Frequency	%
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,210 valid cases out of 1,354 total cases.

Location: 580-583 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S7FUTURE: S7 FOI: Future Orientation Inventory Scale

Based upon 1,209 valid cases out of 1,354 total cases.

- Mean: 2.6623685454
- Median: 2.6250000000
- Mode: 2.5000000000
- Minimum: 1.0000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.5506793081

Location: 584-598 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -9.0000000000 , -8.0000000000

S8FOI001: S8 FOI: work boring tasks get ahead

Value	Label	Unweighted Frequency	%
1	Never True	60	4.4 %
2	Rarely True	221	16.3 %
3	Often True	516	38.1 %
4	Always True	405	29.9 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,202 valid cases out of 1,354 total cases.

Location: 599-602 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S8FOI002: S8 FOI: Live each day as if last

Value	Label	Unweighted Frequency	%
1	Never True	192	14.2 %

Value	Label	Unweighted Frequency	%
2	Rarely True	325	24.0 %
3	Often True	369	27.3 %
4	Always True	316	23.3 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,202 valid cases out of 1,354 total cases.

Location: 603-606 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S8FOI003: S8 FOI: how things be in future

Value	Label	Unweighted Frequency	%
1	Never True	28	2.1 %
2	Rarely True	119	8.8 %
3	Often True	500	36.9 %
4	Always True	555	41.0 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,202 valid cases out of 1,354 total cases.

Location: 607-610 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S8FOI004: S8 FOI: cought up in excite moment

Value	Label	Unweighted Frequency	%
1	Never True	126	9.3 %
2	Rarely True	411	30.4 %
3	Often True	467	34.5 %
4	Always True	198	14.6 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,202 valid cases out of 1,354 total cases.

Location: 611-614 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S8FOI005: S8 FOI: make lists of things to do

Value	Label	Unweighted Frequency	%
1	Never True	415	30.6 %
2	Rarely True	371	27.4 %
3	Often True	267	19.7 %
4	Always True	149	11.0 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,202 valid cases out of 1,354 total cases.

Location: 615-618 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S8FOI006: S8 FOI: Before making a decision I weigh good vs bad

Value	Label	Unweighted Frequency	%
1	Never True	144	10.6 %
2	Rarely True	346	25.6 %
3	Often True	446	32.9 %
4	Always True	265	19.6 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,201 valid cases out of 1,354 total cases.

Location: 619-622 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S8FOI007: S8 FOI: Future very vague

Value	Label	Unweighted Frequency	%
1	Never True	269	19.9 %
2	Rarely True	452	33.4 %
3	Often True	371	27.4 %
4	Always True	109	8.1 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,201 valid cases out of 1,354 total cases.

Location: 623-626 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S8FOI008: S8 FOI: Give up happiness now to get what want in future

Value	Label	Unweighted Frequency	%
1	Never True	266	19.6 %
2	Rarely True	331	24.4 %
3	Often True	370	27.3 %
4	Always True	234	17.3 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,201 valid cases out of 1,354 total cases.

Location: 627-630 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S8FOI009: S8 FOI: decisions spur moment

Value	Label	Unweighted Frequency	%
1	Never True	227	16.8 %

Value	Label	Unweighted Frequency	%
2	Rarely True	440	32.5 %
3	Often True	399	29.5 %
4	Always True	136	10.0 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,202 valid cases out of 1,354 total cases.

Location: 631-634 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S8FOI010: S8 FOI: save money than spend on fun

Value	Label	Unweighted Frequency	%
1	Never True	177	13.1 %
2	Rarely True	368	27.2 %
3	Often True	387	28.6 %
4	Always True	268	19.8 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,200 valid cases out of 1,354 total cases.

Location: 635-638 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S8FOI011: S8 FOI: No plan for future

Value	Label	Unweighted Frequency	%
1	Never True	220	16.2 %
2	Rarely True	421	31.1 %
3	Often True	385	28.4 %
4	Always True	174	12.9 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,200 valid cases out of 1,354 total cases.

Location: 639-642 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S8FOI012: S8 FOI: do things last minute

Value	Label	Unweighted Frequency	%
1	Never True	229	16.9 %
2	Rarely True	429	31.7 %
3	Often True	395	29.2 %
4	Always True	149	11.0 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,202 valid cases out of 1,354 total cases.

Location: 643-646 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S8FOI013: S8 FOI: No plan each day as is

Value	Label	Unweighted Frequency	%
1	Never True	174	12.9 %
2	Rarely True	364	26.9 %
3	Often True	431	31.8 %
4	Always True	233	17.2 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,202 valid cases out of 1,354 total cases.

Location: 647-650 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S8FOI014: S8 FOI: see life 10 years from now

Value	Label	Unweighted Frequency	%
1	Never True	260	19.2 %
2	Rarely True	390	28.8 %
3	Often True	357	26.4 %
4	Always True	195	14.4 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,202 valid cases out of 1,354 total cases.

Location: 651-654 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S8FOI015: S8 FOI: Think consequence before doing

Value	Label	Unweighted Frequency	%
1	Never True	123	9.1 %
2	Rarely True	286	21.1 %
3	Often True	473	34.9 %
4	Always True	320	23.6 %
	Missing Data		
-700	Data missing due to bug in interview	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,202 valid cases out of 1,354 total cases.

Location: 655-658 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S8FUTURE: S8 FOI: Future Orientation Inventory Scale

Based upon 1,201 valid cases out of 1,354 total cases.

- Mean: 2.689
- Median: 2.750

- Mode: 2.750
- Minimum: 1.000
- Maximum: 4.000
- Standard Deviation: 0.545

Location: 659-666 (width: 8; decimal: 3)
Variable Type: numeric
(Range of) Missing Values: -700.000 , -300.000 , -202.000 , -201.000 , -9.000 , -8.000

S9FOI001: S9 FOI: work boring tasks get ahead

Value	Label	Unweighted Frequency	%
1	Never True	54	4.0 %
2	Rarely True	187	13.8 %
3	Often True	524	38.7 %
4	Always True	410	30.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,175 valid cases out of 1,354 total cases.

Location: 667-670 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S9FOI002: S9 FOI: Live each day as if last

Value	Label	Unweighted Frequency	%
1	Never True	191	14.1 %
2	Rarely True	320	23.6 %
3	Often True	355	26.2 %
4	Always True	308	22.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,174 valid cases out of 1,354 total cases.

Location: 671-674 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S9FOI003: S9 FOI: how things be in future

Value	Label	Unweighted Frequency	%
1	Never True	31	2.3 %
2	Rarely True	94	6.9 %
3	Often True	521	38.5 %
4	Always True	529	39.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,175 valid cases out of 1,354 total cases.

Location: 675-678 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S9FOI004: S9 FOI: cought up in excite moment

Value	Label	Unweighted Frequency	%
1	Never True	130	9.6 %
2	Rarely True	400	29.5 %
3	Often True	468	34.6 %
4	Always True	177	13.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,175 valid cases out of 1,354 total cases.

Location: 679-682 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S9FOI005: S9 FOI: make lists of things to do

Value	Label	Unweighted Frequency	%
1	Never True	390	28.8 %
2	Rarely True	332	24.5 %
3	Often True	284	21.0 %
4	Always True	169	12.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,175 valid cases out of 1,354 total cases.

Location: 683-686 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S9FOI006: S9 FOI: Before making a decision I weigh good vs bad

Value	Label	Unweighted Frequency	%
1	Never True	154	11.4 %
2	Rarely True	305	22.5 %
3	Often True	450	33.2 %
4	Always True	266	19.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,175 valid cases out of 1,354 total cases.

Location: 687-690 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S9FOI007: S9 FOI: Future very vague

Value	Label	Unweighted Frequency	%
1	Never True	279	20.6 %
2	Rarely True	445	32.9 %
3	Often True	334	24.7 %
4	Always True	116	8.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,174 valid cases out of 1,354 total cases.

Location: 691-694 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S9FOI008: S9 FOI: Give up happiness now to get what want in future

Value	Label	Unweighted Frequency	%
1	Never True	248	18.3 %

Value	Label	Unweighted Frequency	%
2	Rarely True	331	24.4 %
3	Often True	378	27.9 %
4	Always True	218	16.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,175 valid cases out of 1,354 total cases.

Location: 695-698 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S9FOI009: S9 FOI: decisions spur moment

Value	Label	Unweighted Frequency	%
1	Never True	217	16.0 %
2	Rarely True	439	32.4 %
3	Often True	377	27.8 %
4	Always True	142	10.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,175 valid cases out of 1,354 total cases.

Location: 699-702 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S9FOI010: S9 FOI: save money than spend on fun

Value	Label	Unweighted Frequency	%
1	Never True	181	13.4 %
2	Rarely True	352	26.0 %
3	Often True	361	26.7 %
4	Always True	280	20.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,174 valid cases out of 1,354 total cases.

Location: 703-706 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S9FOI011: S9 FOI: No plan for future

Value	Label	Unweighted Frequency	%
1	Never True	229	16.9 %
2	Rarely True	432	31.9 %
3	Often True	357	26.4 %
4	Always True	157	11.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,175 valid cases out of 1,354 total cases.

Location: 707-710 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S9FOI012: S9 FOI: do things last minute

Value	Label	Unweighted Frequency	%
1	Never True	238	17.6 %
2	Rarely True	412	30.4 %
3	Often True	387	28.6 %
4	Always True	138	10.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,175 valid cases out of 1,354 total cases.

Location: 711-714 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S9FOI013: S9 FOI: No plan each day as is

Value	Label	Unweighted Frequency	%
1	Never True	205	15.1 %
2	Rarely True	358	26.4 %

Value	Label	Unweighted Frequency	%
3	Often True	410	30.3 %
4	Always True	201	14.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,174 valid cases out of 1,354 total cases.

Location: 715-718 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S9FOI014: S9 FOI: see life 10 years from now

Value	Label	Unweighted Frequency	%
1	Never True	283	20.9 %
2	Rarely True	365	27.0 %
3	Often True	341	25.2 %
4	Always True	185	13.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,174 valid cases out of 1,354 total cases.

Location: 719-722 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S9FOI015: S9 FOI: Think consequence before doing

Value	Label	Unweighted Frequency	%
1	Never True	101	7.5 %
2	Rarely True	292	21.6 %
3	Often True	451	33.3 %
4	Always True	331	24.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,175 valid cases out of 1,354 total cases.

Location: 723-726 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

S9FUTURE: S9 FOI: Future Orientation Inventory Scale

Based upon 1,175 valid cases out of 1,354 total cases.

- Mean: 2.7070921986
- Median: 2.6250000000
- Mode: 2.6250000000
- Minimum: 1.0000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.5444387491

Location: 727-741 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -9.0000000000 , -8.0000000000

SAFOI001: SA FOI: work boring tasks get ahead

Value	Label	Unweighted Frequency	%
1	Never True	59	4.4 %
2	Rarely True	178	13.1 %
3	Often True	513	37.9 %
4	Always True	379	28.0 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,129 valid cases out of 1,354 total cases.

Location: 742-745 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

SAFOI002: SA FOI: Live each day as if last

Value	Label	Unweighted Frequency	%
1	Never True	194	14.3 %
2	Rarely True	286	21.1 %
3	Often True	342	25.3 %
4	Always True	307	22.7 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,129 valid cases out of 1,354 total cases.

Location: 746-749 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

SAFOI003: SA FOI: how things be in future

Value	Label	Unweighted Frequency	%
1	Never True	34	2.5 %
2	Rarely True	87	6.4 %
3	Often True	478	35.3 %
4	Always True	530	39.1 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,129 valid cases out of 1,354 total cases.

Location: 750-753 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

SAFOI004: SA FOI: cought up in excite moment

Value	Label	Unweighted Frequency	%
1	Never True	128	9.5 %
2	Rarely True	384	28.4 %
3	Often True	432	31.9 %
4	Always True	185	13.7 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,129 valid cases out of 1,354 total cases.

Location: 754-757 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

SAFOI005: SA FOI: make lists of things to do

Value	Label	Unweighted Frequency	%
1	Never True	361	26.7 %
2	Rarely True	383	28.3 %
3	Often True	244	18.0 %
4	Always True	141	10.4 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,129 valid cases out of 1,354 total cases.

Location: 758-761 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

SAFOI006: SA FOI: Before making a decision I weigh good vs bad

Value	Label	Unweighted Frequency	%
1	Never True	127	9.4 %
2	Rarely True	264	19.5 %
3	Often True	496	36.6 %
4	Always True	242	17.9 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,129 valid cases out of 1,354 total cases.

Location: 762-765 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

SAFOI007: SA FOI: Future very vague

Value	Label	Unweighted Frequency	%
1	Never True	270	19.9 %
2	Rarely True	418	30.9 %
3	Often True	338	25.0 %

Value	Label	Unweighted Frequency	%
4	Always True	103	7.6 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,129 valid cases out of 1,354 total cases.

Location: 766-769 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

SAFOI008: SA FOI: Give up happiness now to get what want in future

Value	Label	Unweighted Frequency	%
1	Never True	238	17.6 %
2	Rarely True	308	22.7 %
3	Often True	366	27.0 %
4	Always True	216	16.0 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,128 valid cases out of 1,354 total cases.

Location: 770-773 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

SAFOI009: SA FOI: decisions spur moment

Value	Label	Unweighted Frequency	%
1	Never True	194	14.3 %
2	Rarely True	438	32.3 %
3	Often True	383	28.3 %
4	Always True	114	8.4 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 1,129 valid cases out of 1,354 total cases.

Location: 774-777 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

SAFOI010: SA FOI: save money than spend on fun

Value	Label	Unweighted Frequency	%
1	Never True	178	13.1 %
2	Rarely True	368	27.2 %
3	Often True	334	24.7 %
4	Always True	249	18.4 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,129 valid cases out of 1,354 total cases.

Location: 778-781 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

SAFOI011: SA FOI: No plan for future

Value	Label	Unweighted Frequency	%
1	Never True	218	16.1 %
2	Rarely True	449	33.2 %
3	Often True	330	24.4 %
4	Always True	132	9.7 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,129 valid cases out of 1,354 total cases.

Location: 782-785 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

SAFOI012: SA FOI: do things last minute

Value	Label	Unweighted Frequency	%
1	Never True	208	15.4 %
2	Rarely True	434	32.1 %
3	Often True	378	27.9 %
4	Always True	109	8.1 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,129 valid cases out of 1,354 total cases.

Location: 786-789 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

SAFOI013: SA FOI: No plan each day as is

Value	Label	Unweighted Frequency	%
1	Never True	172	12.7 %
2	Rarely True	341	25.2 %
3	Often True	413	30.5 %
4	Always True	203	15.0 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,129 valid cases out of 1,354 total cases.

Location: 790-793 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

SAFOI014: SA FOI: see life 10 years from now

Value	Label	Unweighted Frequency	%
1	Never True	242	17.9 %
2	Rarely True	352	26.0 %
3	Often True	372	27.5 %
4	Always True	163	12.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,129 valid cases out of 1,354 total cases.

Location: 794-797 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

SAFOI015: SA FOI: Think consequence before doing

Value	Label	Unweighted Frequency	%
1	Never True	117	8.6 %
2	Rarely True	247	18.2 %
3	Often True	485	35.8 %
4	Always True	280	20.7 %
	Missing Data		
-700	Data missing due to bug in interview	2	0.1 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,129 valid cases out of 1,354 total cases.

Location: 798-801 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -600 , -202 , -201 , -9 , -8

SAFUTURE: SA FOI: Future Orientation Inventory Scale

Based upon 1,129 valid cases out of 1,354 total cases.

- Mean: 2.7011261546
- Median: 2.7500000000
- Mode: 2.6250000000
- Minimum: 1.0000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.5585143261

Location: 802-816 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -700.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -9.0000000000 , -8.0000000000