ICPSR | INTER-UNIVERSITY CONSORTIUM FOR POLITICAL AND SOCIAL RESEARCH

ICPSR 36800

Research on Pathways to Desistance [Maricopa County, AZ and Philadelphia County, PA]: Subject Measures - Scales, 2000-2010

Edward P. Mulvey
University of Pittsburgh

Codebook for Health Care

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/36800/terms

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE
WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 36800

Research on Pathways to Desistance [Maricopa County, AZ and Philadelphia County, PA]: Subject Measures - Scales, 2000-2010

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Health Care

CASEID: S4 IntInfo: Subject ID

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1-5 (width: 5; decimal: 0)
Variable Type: numeric

S4HC1: S4 HC: Have health insurance

Value	Label	Unweighted Frequency	%
1	Yes, on my own	0	0.0 %
2	Yes, through college	0	0.0 %
3	Yes, through my job	0	0.0 %
4	Yes, through my parents plan	2	0.1 %
5	Yes, through my spouses plan	0	0.0 %
6	Yes, qualified for medical assistance	1	0.1 %
7	No	2	0.1 %
	Missing Data		
-400	Measure not asked in this version	1226	90.5 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 5 valid cases out of 1,354 total cases.

Location: 6-9 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -9 , -8

S4HC2: S4 HC: When need to see doctor for checkup/sick, where do you go

Value	Label	Unweighted Frequency	%
1	Hospital Emergency Room	1	0.1 %
2	Private Doctors office	1	0.1 %
3	Student Health Center (if youth is in school)	0	0.0 %
4	Hospital Clinic	1	0.1 %
5	Another clinic (not a hospital)	2	0.1 %
6	I dont have any place to go	0	0.0 %
97	NA - in secure setting entire recall period	0	0.0 %
	Missing Data		
-400	Measure not asked in this version	1226	90.5 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 5 valid cases out of 1,354 total cases.

Location: 10-13 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -99 , -98

S4HC3: S4 HC: Rate overall health

Value	Label	Unweighted Frequency	%
1	Execellent	2	0.1 %
2	Good	2	0.1 %
3	Fair	1	0.1 %
4	Poor	0	0.0 %
	Missing Data		
-400	Measure not asked in this version	1226	90.5 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 5 valid cases out of 1,354 total cases.

Location: 14-17 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -9 , -8

S5HC1: S5 HC: Have health insurance

Value	Label	Unweighted Frequency	%
1	Yes, on my own	4	0.3 %
2	Yes, through college	0	0.0 %
3	Yes, through my job	11	0.8 %
4	Yes, through my parents plan	39	2.9 %
5	Yes, through my spouses plan	3	0.2 %
6	Yes, qualified for medical assistance	39	2.9 %
7	No	83	6.1 %
	Missing Data		
-400	Measure not asked in this version	1046	77.3 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	9	0.7 %
	Total	**1,354**	**100%**

Based upon 179 valid cases out of 1,354 total cases.

Location: 18-21 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -9 , -8

S5HC2: S5 HC: When need to see doctor for checkup/sick, where do you go

Value	Label	Unweighted Frequency	%
1	Hospital Emergency Room	32	2.4 %
2	Private Doctors office	41	3.0 %
3	Student Health Center (if youth is in school)	0	0.0 %
4	Hospital Clinic	25	1.8 %
5	Another clinic (not a hospital)	34	2.5 %
6	I dont have any place to go	40	3.0 %
97	NA - in secure setting entire recall period	9	0.7 %
	Missing Data		
-400	Measure not asked in this version	1046	77.3 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-99	Dont Know	7	0.5 %
	Total	**1,354**	**100%**

Based upon 181 valid cases out of 1,354 total cases.

Location: 22-25 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -99 , -98

S5HC3: S5 HC: Rate overall health

Value	Label	Unweighted Frequency	%
1	Execellent	65	4.8 %
2	Good	106	7.8 %
3	Fair	15	1.1 %
4	Poor	2	0.1 %
	Missing Data		
-400	Measure not asked in this version	1046	77.3 %
-201	IntCompStat = 4 missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 188 valid cases out of 1,354 total cases.

Location: 26-29 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -9 , -8

S6HC1: S6 HC: Have health insurance

Value	Label	Unweighted Frequency	%
1	Yes, on my own	20	1.5 %
2	Yes, through college	1	0.1 %
3	Yes, through my job	41	3.0 %
4	Yes, through my parents plan	118	8.7 %

Value	Label	Unweighted Frequency	%
5	Yes, through my spouses plan	1	0.1 %
6	Yes, qualified for medical assistance	144	10.6 %
7	No	253	18.7 %
	Missing Data		
-400	Measure not asked in this version	627	46.3 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont Know	27	2.0 %
	Total	**1,354**	**100%**

Based upon 578 valid cases out of 1,354 total cases.

Location: 30-33 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -9 , -8

S6HC2: S6 HC: When need to see doctor for checkup/sick, where do you go

Value	Label	Unweighted Frequency	%
1	Hospital Emergency Room	86	6.4 %
2	Private Doctors office	154	11.4 %
3	Student Health Center (if youth is in school)	2	0.1 %
4	Hospital Clinic	88	6.5 %
5	Another clinic (not a hospital)	120	8.9 %
6	I dont have any place to go	77	5.7 %
97	NA - in secure setting entire recall period	68	5.0 %
	Missing Data		
-400	Measure not asked in this version	627	46.3 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-99	Dont Know	10	0.7 %
	Total	**1,354**	**100%**

Based upon 595 valid cases out of 1,354 total cases.

Location: 34-37 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -99 , -98

S6HC3: S6 HC: Rate overall health

Value	Label	Unweighted Frequency	%
1	Execellent	205	15.1 %
2	Good	317	23.4 %
3	Fair	76	5.6 %
4	Poor	6	0.4 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-400	Measure not asked in this version	627	46.3 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 604 valid cases out of 1,354 total cases.

Location: 38-41 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -9 , -8

S7HC1: S7 HC: Have health insurance

Value	Label	Unweighted Frequency	%
1	Yes, on my own	38	2.8 %
2	Yes, through college	4	0.3 %
3	Yes, through my job	107	7.9 %
4	Yes, through my parents plan	148	10.9 %
5	Yes, through my spouses plan	10	0.7 %
6	Yes, qualified for medical assistance	337	24.9 %
7	No	552	40.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont Know	19	1.4 %
	Total	**1,354**	**100%**

Based upon 1,196 valid cases out of 1,354 total cases.

Location: 42-45 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -9 , -8

S7HC2: S7 HC: When need to see doctor for checkup/sick, where do you go

Value	Label	Unweighted Frequency	%
1	Hospital Emergency Room	209	15.4 %
2	Private Doctors office	316	23.3 %
3	Student Health Center (if youth is in school)	6	0.4 %
4	Hospital Clinic	155	11.4 %
5	Another clinic (not a hospital)	166	12.3 %
6	I dont have any place to go	168	12.4 %
97	NA - in secure setting entire recall period	182	13.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	139	10.3 %
-99	Dont Know	13	1.0 %
	Total	**1,354**	**100%**

Based upon 1,202 valid cases out of 1,354 total cases.

Location: 46-49 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -99 , -98

S7HC3: S7 HC: Rate overall health

Value	Label	Unweighted Frequency	%
1	Execellent	409	30.2 %
2	Good	615	45.4 %
3	Fair	173	12.8 %
4	Poor	16	1.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 50-53 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -9 , -8

S8HC1: S8 HC: Have health insurance

Value	Label	Unweighted Frequency	%
1	Yes, on my own	41	3.0 %
2	Yes, through college	2	0.1 %
3	Yes, through my job	133	9.8 %
4	Yes, through my parents plan	81	6.0 %
5	Yes, through my spouses plan	9	0.7 %
6	Yes, qualified for medical assistance	325	24.0 %
7	No	605	44.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-9	Dont Know	10	0.7 %
	Total	**1,354**	**100%**

Based upon 1,196 valid cases out of 1,354 total cases.

Location: 54-57 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -9 , -8

S8HC2: S8 HC: When need to see doctor for checkup/sick, where do you go

Value	Label	Unweighted Frequency	%
1	Hospital Emergency Room	281	20.8 %
2	Private Doctors office	323	23.9 %
3	Student Health Center (if youth is in school)	3	0.2 %
4	Hospital Clinic	122	9.0 %
5	Another clinic (not a hospital)	140	10.3 %
6	I dont have any place to go	129	9.5 %
97	NA - in secure setting entire recall period	205	15.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-99	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,203 valid cases out of 1,354 total cases.

Location: 58-61 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -99 , -98

S8HC3: S8 HC: Rate overall health

Value	Label	Unweighted Frequency	%
1	Execellent	415	30.6 %
2	Good	619	45.7 %
3	Fair	160	11.8 %
4	Poor	12	0.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,206 valid cases out of 1,354 total cases.

Location: 62-65 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -9 , -8

S9HC1: S9 HC: Have health insurance

Value	Label	Unweighted Frequency	%
1	Yes, on my own	38	2.8 %
2	Yes, through college	2	0.1 %
3	Yes, through my job	133	9.8 %
4	Yes, through my parents plan	63	4.7 %
5	Yes, through my spouses plan	14	1.0 %
6	Yes, qualified for medical assistance	308	22.7 %
7	No	620	45.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,178 valid cases out of 1,354 total cases.

Location: 66-69 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -9 , -8

S9HC2: S9 HC: When need to see doctor for checkup/sick, where do you go

Value	Label	Unweighted Frequency	%
1	Hospital Emergency Room	297	21.9 %
2	Private Doctors office	300	22.2 %
3	Student Health Center (if youth is in school)	3	0.2 %
4	Hospital Clinic	116	8.6 %
5	Another clinic (not a hospital)	129	9.5 %
6	I dont have any place to go	111	8.2 %
97	NA - in secure setting entire recall period	221	16.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-99	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,177 valid cases out of 1,354 total cases.

Location: 70-73 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -99 , -98

S9HC3: S9 HC: Rate overall health

Value	Label	Unweighted Frequency	%
1	Execellent	417	30.8 %
2	Good	590	43.6 %

Value	Label	Unweighted Frequency	%
3	Fair	152	11.2 %
4	Poor	17	1.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,176 valid cases out of 1,354 total cases.

Location: 74-77 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -9 , -8

SAHC1: SA HC: Have health insurance

Value	Label	Unweighted Frequency	%
1	Yes, on my own	25	1.8 %
2	Yes, through college	1	0.1 %
3	Yes, through my job	133	9.8 %
4	Yes, through my parents plan	29	2.1 %
5	Yes, through my spouses plan	15	1.1 %
6	Yes, qualified for medical assistance	325	24.0 %
7	No	602	44.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,130 valid cases out of 1,354 total cases.

Location: 78-81 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -9 , -8

SAHC2: SA HC: When need to see doctor for checkup/sick, where do you go

Value	Label	Unweighted Frequency	%
1	Hospital Emergency Room	313	23.1 %
2	Private Doctors office	274	20.2 %
3	Student Health Center (if youth is in school)	2	0.1 %
4	Hospital Clinic	112	8.3 %
5	Another clinic (not a hospital)	119	8.8 %
6	I dont have any place to go	72	5.3 %

Value	Label	Unweighted Frequency	%
97	NA - in secure setting entire recall period	241	17.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,133 valid cases out of 1,354 total cases.

Location: 82-85 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -99 , -98

SAHC3: SA HC: Rate overall health

Value	Label	Unweighted Frequency	%
1	Execellent	383	28.3 %
2	Good	575	42.5 %
3	Fair	158	11.7 %
4	Poor	16	1.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,132 valid cases out of 1,354 total cases.

Location: 86-89 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -9 , -8