ICPSR | INTER-UNIVERSITY CONSORTIUM FOR POLITICAL AND SOCIAL RESEARCH

ICPSR 36800

Research on Pathways to Desistance [Maricopa County, AZ and Philadelphia County, PA]: Subject Measures - Scales, 2000-2010

Edward P. Mulvey
University of Pittsburgh

Codebook for Indices of Personal and Social Costs and Rewards

Inter-university Consortium for Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/36800/terms

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE
WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 36800

Research on Pathways to Desistance [Maricopa County, AZ and Philadelphia County, PA]: Subject Measures - Scales, 2000-2010

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Indices of Personal and Social Costs and Rewards

CASEID: S0 IntInfo: Subject ID

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1-5 (width: 5; decimal: 0)
Variable Type: numeric

S0PROJ56: S0 PainCost: Likelihood of neighborhood kid caught/arrested for fighting (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	478	35.3 %
1	-	123	9.1 %
2	-	139	10.3 %
3	-	99	7.3 %
4	-	73	5.4 %
5	-	198	14.6 %
6	-	42	3.1 %
7	-	36	2.7 %
8	-	51	3.8 %
9	-	22	1.6 %
10	-	91	6.7 %
	Missing Data		
-200	Data missing	1	0.1 %
-99	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,352 valid cases out of 1,354 total cases.

Location: 6-9 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -99 , -98

S0PROJ57: S0 PainCost: Likelihood of neighborhood kid caught/arrested for robbery with a gun (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	93	6.9 %
1	-	33	2.4 %
2	-	45	3.3 %
3	-	61	4.5 %
4	-	65	4.8 %
5	-	209	15.4 %

Value	Label	Unweighted Frequency	%
6	-	55	4.1 %
7	-	86	6.4 %
8	-	150	11.1 %
9	-	101	7.5 %
10	-	452	33.4 %
	Missing Data		
-200	Data missing	1	0.1 %
-99	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,350 valid cases out of 1,354 total cases.

Location: 10-13 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -99 , -98

S0PROJ58: S0 PainCost: Likelihood of neighborhood kid caught/arrested for stabbing someone (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	95	7.0 %
1	-	35	2.6 %
2	-	50	3.7 %
3	-	45	3.3 %
4	-	54	4.0 %
5	-	149	11.0 %
6	-	73	5.4 %
7	-	104	7.7 %
8	-	143	10.6 %
9	-	103	7.6 %
10	-	501	37.0 %
	Missing Data		
-200	Data missing	1	0.1 %
-99	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,352 valid cases out of 1,354 total cases.

Location: 14-17 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -99 , -98

S0PROJ59: S0 PainCost: Likelihood of neighborhood kid caught/arrested for breaking into store (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	90	6.6 %
1	-	48	3.5 %
2	-	49	3.6 %
3	-	73	5.4 %
4	-	75	5.5 %
5	-	228	16.8 %
6	-	82	6.1 %
7	-	105	7.8 %
8	-	120	8.9 %
9	-	92	6.8 %
10	-	390	28.8 %
	Missing Data		
-200	Data missing	1	0.1 %
-99	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,352 valid cases out of 1,354 total cases.

Location: 18-21 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -99 , -98

S0PROJ60: S0 PainCost: Likelihood of neighborhood kid caught/arrested for stealing clothes (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	155	11.4 %
1	-	71	5.2 %
2	-	97	7.2 %
3	-	98	7.2 %
4	-	86	6.4 %
5	-	247	18.2 %
6	-	98	7.2 %
7	-	79	5.8 %
8	-	88	6.5 %
9	-	74	5.5 %
10	-	257	19.0 %
	Missing Data		
-200	Data missing	1	0.1 %
-99	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,350 valid cases out of 1,354 total cases.

Location: 22-25 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -99 , -98

S0PROJ61: S0 PainCost: Likelihood of neighborhood kid caught/arrested for vandalism (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	288	21.3 %
1	-	118	8.7 %
2	-	124	9.2 %
3	-	112	8.3 %
4	-	88	6.5 %
5	-	198	14.6 %
6	-	71	5.2 %
7	-	62	4.6 %
8	-	70	5.2 %
9	-	31	2.3 %
10	-	190	14.0 %
	Missing Data		
-200	Data missing	1	0.1 %
-99	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,352 valid cases out of 1,354 total cases.

Location: 26-29 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -99 , -98

S0PROJ62: S0 PainCost: Likelihood of neighborhood kid caught/arrested for auto theft (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	123	9.1 %
1	-	52	3.8 %
2	-	60	4.4 %
3	-	92	6.8 %
4	-	88	6.5 %
5	-	202	14.9 %
6	-	79	5.8 %
7	-	93	6.9 %
8	-	115	8.5 %

Value	Label	Unweighted Frequency	%
9	-	107	7.9 %
10	-	341	25.2 %
	Missing Data		
-200	Data missing	1	0.1 %
-99	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,352 valid cases out of 1,354 total cases.

Location: 30-33 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -99 , -98

S0PROJ63: S0 PainCost: Likelihood of you caught/arrested for fighting (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	554	40.9 %
1	-	138	10.2 %
2	-	103	7.6 %
3	-	97	7.2 %
4	-	59	4.4 %
5	-	140	10.3 %
6	-	25	1.8 %
7	-	38	2.8 %
8	-	28	2.1 %
9	-	30	2.2 %
10	-	140	10.3 %
	Missing Data		
-200	Data missing	1	0.1 %
-99	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,352 valid cases out of 1,354 total cases.

Location: 34-37 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -99 , -98

S0PROJ64: S0 PainCost: Likelihood of you caught/arrested for robbery with a gun (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	218	16.1 %

Value	Label	Unweighted Frequency	%
1	-	41	3.0 %
2	-	46	3.4 %
3	-	43	3.2 %
4	-	41	3.0 %
5	-	151	11.2 %
6	-	56	4.1 %
7	-	55	4.1 %
8	-	92	6.8 %
9	-	87	6.4 %
10	-	521	38.5 %
	Missing Data		
-200	Data missing	1	0.1 %
-99	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,351 valid cases out of 1,354 total cases.

Location: 38-41 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -99 , -98

S0PROJ65: S0 PainCost: Likelihood of you caught/arrested for stabbing someone (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	211	15.6 %
1	-	28	2.1 %
2	-	43	3.2 %
3	-	46	3.4 %
4	-	41	3.0 %
5	-	150	11.1 %
6	-	56	4.1 %
7	-	65	4.8 %
8	-	105	7.8 %
9	-	97	7.2 %
10	-	509	37.6 %
	Missing Data		
-200	Data missing	1	0.1 %
-99	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,351 valid cases out of 1,354 total cases.

Location: 42-45 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -99 , -98

S0PROJ66: S0 PainCost: Likelihood of you caught/arrested for breaking into store (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	221	16.3 %
1	-	41	3.0 %
2	-	48	3.5 %
3	-	57	4.2 %
4	-	56	4.1 %
5	-	181	13.4 %
6	-	72	5.3 %
7	-	75	5.5 %
8	-	107	7.9 %
9	-	82	6.1 %
10	-	412	30.4 %
	Missing Data		
-200	Data missing	1	0.1 %
-99	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,352 valid cases out of 1,354 total cases.

Location: 46-49 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -99 , -98

S0PROJ67: S0 PainCost: Likelihood of you caught/arrested for stealing clothes (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	266	19.6 %
1	-	63	4.7 %
2	-	68	5.0 %
3	-	67	4.9 %
4	-	58	4.3 %
5	-	211	15.6 %
6	-	63	4.7 %
7	-	82	6.1 %
8	-	80	5.9 %
9	-	50	3.7 %

Value	Label	Unweighted Frequency	%
10	-	342	25.3 %
	Missing Data		
-200	Data missing	1	0.1 %
-99	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,350 valid cases out of 1,354 total cases.

Location: 50-53 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -99 , -98

S0PROJ68: S0 PainCost: Likelihood of you caught/arrested for vandalism (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	407	30.1 %
1	-	111	8.2 %
2	-	88	6.5 %
3	-	85	6.3 %
4	-	55	4.1 %
5	-	150	11.1 %
6	-	61	4.5 %
7	-	50	3.7 %
8	-	55	4.1 %
9	-	35	2.6 %
10	-	255	18.8 %
	Missing Data		
-200	Data missing	1	0.1 %
-99	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,352 valid cases out of 1,354 total cases.

Location: 54-57 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -99 , -98

S0PROJ69: S0 PainCost: Likelihood of you caught/arrested for auto theft (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	219	16.2 %
1	-	65	4.8 %

Value	Label	Unweighted Frequency	%
2	-	59	4.4 %
3	-	68	5.0 %
4	-	51	3.8 %
5	-	185	13.7 %
6	-	64	4.7 %
7	-	63	4.7 %
8	-	78	5.8 %
9	-	69	5.1 %
10	-	431	31.8 %
	Missing Data		
-200	Data missing	1	0.1 %
-99	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,352 valid cases out of 1,354 total cases.

Location: 58-61 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -99 , -98

S0PROJ70: S0 PainCost: If broke law likelihood of being suspended from school

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	595	43.9 %
2	Somewhat Unlikely It Would Happen	134	9.9 %
3	Could go Either Way	273	20.2 %
4	Somewhat Likely It Would Happen	127	9.4 %
5	Very Likely It Would Happen	216	16.0 %
	Missing Data		
-200	Data missing	1	0.1 %
-9	Dont Know	8	0.6 %
	Total	**1,354**	**100%**

Based upon 1,345 valid cases out of 1,354 total cases.

Location: 62-65 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PROJ71: S0 PainCost: If broke law likelihood of losing friends respect

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	797	58.9 %
2	Somewhat Unlikely It Would Happen	169	12.5 %

Value	Label	Unweighted Frequency	%
3	Could go Either Way	173	12.8 %
4	Somewhat Likely It Would Happen	131	9.7 %
5	Very Likely It Would Happen	82	6.1 %
	Missing Data		
-200	Data missing	1	0.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,352 valid cases out of 1,354 total cases.

Location: 66-69 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PROJ72: S0 PainCost: If broke law likelihood of losing family respect

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	451	33.3 %
2	Somewhat Unlikely It Would Happen	198	14.6 %
3	Could go Either Way	250	18.5 %
4	Somewhat Likely It Would Happen	249	18.4 %
5	Very Likely It Would Happen	203	15.0 %
	Missing Data		
-200	Data missing	1	0.1 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,351 valid cases out of 1,354 total cases.

Location: 70-73 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PROJ73: S0 PainCost: If broke law likelihood of losing neighbors respect

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	288	21.3 %
2	Somewhat Unlikely It Would Happen	189	14.0 %
3	Could go Either Way	332	24.5 %
4	Somewhat Likely It Would Happen	293	21.6 %
5	Very Likely It Would Happen	248	18.3 %
	Missing Data		
-200	Data missing	1	0.1 %
-9	Dont Know	3	0.2 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 1,350 valid cases out of 1,354 total cases.

Location: 74-77 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PROJ74: S0 PainCost: If broke law likelihood of losing boyfriend/girlfriend respect

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	357	26.4 %
2	Somewhat Unlikely It Would Happen	111	8.2 %
3	Could go Either Way	157	11.6 %
4	Somewhat Likely It Would Happen	120	8.9 %
5	Very Likely It Would Happen	83	6.1 %
	Missing Data		
-200	Data missing	1	0.1 %
-103	No other involvement - question skipped	525	38.8 %
	Total	**1,354**	**100%**

Based upon 828 valid cases out of 1,354 total cases.

Location: 78-81 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -103 , -9 , -8

S0PROJ75: S0 PainCost: If broke law likelihood of making it harder to find job

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	128	9.5 %
2	Somewhat Unlikely It Would Happen	94	6.9 %
3	Could go Either Way	228	16.8 %
4	Somewhat Likely It Would Happen	346	25.6 %
5	Very Likely It Would Happen	553	40.8 %
	Missing Data		
-200	Data missing	1	0.1 %
-9	Dont Know	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,349 valid cases out of 1,354 total cases.

Location: 82-85 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PROJ76: S0 PainCost: How much thrill/rush from fighting (0=no thrill - 10 great thrill)

Value	Label	Unweighted Frequency	%
0	-	458	33.8 %
1	-	58	4.3 %
2	-	77	5.7 %
3	-	73	5.4 %
4	-	53	3.9 %
5	-	220	16.2 %
6	-	60	4.4 %
7	-	70	5.2 %
8	-	81	6.0 %
9	-	30	2.2 %
10	-	173	12.8 %
	Missing Data		
-200	Data missing	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,353 valid cases out of 1,354 total cases.

Location: 86-89 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -99 , -98

S0PROJ77: S0 PainCost: How much thrill/rush from robbery with a gun (0=no thrill - 10 great thrill)

Value	Label	Unweighted Frequency	%
0	-	798	58.9 %
1	-	80	5.9 %
2	-	83	6.1 %
3	-	65	4.8 %
4	-	38	2.8 %
5	-	93	6.9 %
6	-	35	2.6 %
7	-	35	2.6 %
8	-	36	2.7 %
9	-	13	1.0 %
10	-	77	5.7 %
	Missing Data		
-200	Data missing	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,353 valid cases out of 1,354 total cases.

Location: 90-93 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -99 , -98

S0PROJ78: S0 PainCost: How much thrill/rush from stabbing someone (0=no thrill - 10 great thrill)

Value	Label	Unweighted Frequency	%
0	-	938	69.3 %
1	-	84	6.2 %
2	-	64	4.7 %
3	-	60	4.4 %
4	-	35	2.6 %
5	-	64	4.7 %
6	-	21	1.6 %
7	-	13	1.0 %
8	-	11	0.8 %
9	-	14	1.0 %
10	-	49	3.6 %
	Missing Data		
-200	Data missing	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,353 valid cases out of 1,354 total cases.

Location: 94-97 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -99 , -98

S0PROJ79: S0 PainCost: How much thrill/rush from breaking into store (0=no thrill - 10 great thrill)

Value	Label	Unweighted Frequency	%
0	-	763	56.4 %
1	-	68	5.0 %
2	-	75	5.5 %
3	-	60	4.4 %
4	-	47	3.5 %
5	-	114	8.4 %
6	-	50	3.7 %
7	-	39	2.9 %
8	-	46	3.4 %
9	-	20	1.5 %

Value	Label	Unweighted Frequency	%
10	-	71	5.2 %
	Missing Data		
-200	Data missing	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,353 valid cases out of 1,354 total cases.

Location: 98-101 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -99 , -98

S0PROJ80: S0 PainCost: How much thrill/rush from stealing clothes (0=no thrill - 10 great thrill)

Value	Label	Unweighted Frequency	%
0	-	780	57.6 %
1	-	94	6.9 %
2	-	83	6.1 %
3	-	58	4.3 %
4	-	43	3.2 %
5	-	115	8.5 %
6	-	39	2.9 %
7	-	26	1.9 %
8	-	36	2.7 %
9	-	16	1.2 %
10	-	63	4.7 %
	Missing Data		
-200	Data missing	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,353 valid cases out of 1,354 total cases.

Location: 102-105 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -99 , -98

S0PROJ81: S0 PainCost: How much thrill/rush from vandalism (0=no thrill - 10 great thrill)

Value	Label	Unweighted Frequency	%
0	-	776	57.3 %
1	-	89	6.6 %
2	-	79	5.8 %
3	-	56	4.1 %
4	-	44	3.2 %

Value	Label	Unweighted Frequency	%
5	-	110	8.1 %
6	-	28	2.1 %
7	-	36	2.7 %
8	-	35	2.6 %
9	-	27	2.0 %
10	-	73	5.4 %
	Missing Data		
-200	Data missing	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,353 valid cases out of 1,354 total cases.

Location: 106-109 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -99 , -98

S0PROJ82: S0 PainCost: How much thrill/rush from auto theft (0=no thrill - 10 great thrill)

Value	Label	Unweighted Frequency	%
0	-	682	50.4 %
1	-	70	5.2 %
2	-	47	3.5 %
3	-	45	3.3 %
4	-	35	2.6 %
5	-	92	6.8 %
6	-	43	3.2 %
7	-	54	4.0 %
8	-	69	5.1 %
9	-	41	3.0 %
10	-	175	12.9 %
	Missing Data		
-200	Data missing	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,353 valid cases out of 1,354 total cases.

Location: 110-113 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -99 , -98

S0PAY01: S0 PainCost: Steal - peers respect more

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	316	23.3 %

Value	Label	Unweighted Frequency	%
2	Disagree	842	62.2 %
3	Neither Agree or Disagree	162	12.0 %
4	Agree	33	2.4 %
5	Strongly Agree	0	0.0 %
	Missing Data		
-200	Data missing	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,353 valid cases out of 1,354 total cases.

Location: 114-117 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PAY02: S0 PainCost: Steal - more respect from adults

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	508	37.5 %
2	Disagree	783	57.8 %
3	Neither Agree or Disagree	48	3.5 %
4	Agree	13	1.0 %
5	Strongly Agree	0	0.0 %
	Missing Data		
-200	Data missing	1	0.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,352 valid cases out of 1,354 total cases.

Location: 118-121 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PAY03: S0 PainCost: Steal - friends like more

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	313	23.1 %
2	Disagree	738	54.5 %
3	Neither Agree or Disagree	243	17.9 %
4	Agree	57	4.2 %
5	Strongly Agree	0	0.0 %
	Missing Data		
-200	Data missing	1	0.1 %
-9	Dont Know	2	0.1 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 1,351 valid cases out of 1,354 total cases.

Location: 122-125 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PAY04: S0 PainCost: Steal - impress bf/gf

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	491	36.3 %
2	Disagree	805	59.5 %
3	Neither Agree or Disagree	50	3.7 %
4	Agree	7	0.5 %
5	Strongly Agree	0	0.0 %
	Missing Data		
-200	Data missing	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,353 valid cases out of 1,354 total cases.

Location: 126-129 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PAY05: S0 PainCost: Steal - get back at people

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	253	18.7 %
2	Disagree	577	42.6 %
3	Neither Agree or Disagree	421	31.1 %
4	Agree	102	7.5 %
5	Strongly Agree	0	0.0 %
	Missing Data		
-200	Data missing	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,353 valid cases out of 1,354 total cases.

Location: 130-133 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PAY06: S0 PainCost: Fight - peers respect more

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	168	12.4 %
2	Disagree	530	39.1 %
3	Neither Agree or Disagree	539	39.8 %
4	Agree	115	8.5 %
5	Strongly Agree	0	0.0 %
	Missing Data		
-200	Data missing	1	0.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,352 valid cases out of 1,354 total cases.

Location: 134-137 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PAY07: S0 PainCost: Fight - more respect from adults

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	326	24.1 %
2	Disagree	797	58.9 %
3	Neither Agree or Disagree	201	14.8 %
4	Agree	27	2.0 %
5	Strongly Agree	0	0.0 %
	Missing Data		
-200	Data missing	1	0.1 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,351 valid cases out of 1,354 total cases.

Location: 138-141 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PAY08: S0 PainCost: Fight - peers afraid

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	132	9.7 %
2	Disagree	544	40.2 %
3	Neither Agree or Disagree	568	41.9 %
4	Agree	107	7.9 %
5	Strongly Agree	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-200	Data missing	1	0.1 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,351 valid cases out of 1,354 total cases.

Location: 142-145 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PAY09: S0 PainCost: Fight - impress bf/gf

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	364	26.9 %
2	Disagree	839	62.0 %
3	Neither Agree or Disagree	133	9.8 %
4	Agree	14	1.0 %
5	Strongly Agree	0	0.0 %
	Missing Data		
-200	Data missing	1	0.1 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,350 valid cases out of 1,354 total cases.

Location: 146-149 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PAY10: S0 PainCost: Fight - get back at people

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	207	15.3 %
2	Disagree	605	44.7 %
3	Neither Agree or Disagree	450	33.2 %
4	Agree	91	6.7 %
5	Strongly Agree	0	0.0 %
	Missing Data		
-200	Data missing	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,353 valid cases out of 1,354 total cases.

Location: 150-153 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PAY11: S0 PainCost: Rob - peers respect more

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	307	22.7 %
2	Disagree	852	62.9 %
3	Neither Agree or Disagree	168	12.4 %
4	Agree	26	1.9 %
5	Strongly Agree	0	0.0 %
	Missing Data		
-200	Data missing	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,353 valid cases out of 1,354 total cases.

Location: 154-157 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PAY12: S0 PainCost: Rob - more respect from adults

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	458	33.8 %
2	Disagree	834	61.6 %
3	Neither Agree or Disagree	57	4.2 %
4	Agree	4	0.3 %
5	Strongly Agree	0	0.0 %
	Missing Data		
-200	Data missing	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,353 valid cases out of 1,354 total cases.

Location: 158-161 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PAY13: S0 PainCost: Rob - peers afraid

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	298	22.0 %
2	Disagree	726	53.6 %
3	Neither Agree or Disagree	291	21.5 %
4	Agree	37	2.7 %
5	Strongly Agree	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-200	Data missing	1	0.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,352 valid cases out of 1,354 total cases.

Location: 162-165 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PAY14: S0 PainCost: Rob - impress bf/gf

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	489	36.1 %
2	Disagree	841	62.1 %
3	Neither Agree or Disagree	18	1.3 %
4	Agree	4	0.3 %
5	Strongly Agree	0	0.0 %
	Missing Data		
-200	Data missing	1	0.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,352 valid cases out of 1,354 total cases.

Location: 166-169 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PAY15: S0 PainCost: Rob - get back at people

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	322	23.8 %
2	Disagree	685	50.6 %
3	Neither Agree or Disagree	291	21.5 %
4	Agree	55	4.1 %
5	Strongly Agree	0	0.0 %
	Missing Data		
-200	Data missing	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,353 valid cases out of 1,354 total cases.

Location: 170-173 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PCPUN0: S0 PainCost: Sentence kept from hang w/friends

Value	Label	Unweighted Frequency	%
1	Yes	994	73.4 %
5	No	352	26.0 %
	Missing Data		
-200	Data missing	8	0.6 %
	Total	**1,354**	**100%**

Based upon 1,346 valid cases out of 1,354 total cases.

Location: 174-177 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PCPUN1: S0 PainCost: Kept from hang w/friends - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	83	6.1 %
2	A little	224	16.5 %
3	Quite a bit	194	14.3 %
4	Very much	493	36.4 %
	Missing Data		
-200	Data missing	8	0.6 %
-101	Currently involved in crt ordered program - question skipped	352	26.0 %
	Total	**1,354**	**100%**

Based upon 994 valid cases out of 1,354 total cases.

Location: 178-181 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0PCPUN2: S0 PainCost: Sentence kept from choose how spend time

Value	Label	Unweighted Frequency	%
1	Yes	1039	76.7 %
5	No	307	22.7 %
	Missing Data		
-200	Data missing	8	0.6 %
	Total	**1,354**	**100%**

Based upon 1,346 valid cases out of 1,354 total cases.

Location: 182-185 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PCPUN3: S0 PainCost: Kept from choose how spend time - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	44	3.2 %
2	A little	156	11.5 %
3	Quite a bit	202	14.9 %
4	Very much	637	47.0 %
	Missing Data		
-200	Data missing	8	0.6 %
-101	Currently involved in crt ordered program - question skipped	307	22.7 %
	Total	**1,354**	**100%**

Based upon 1,039 valid cases out of 1,354 total cases.

Location: 186-189 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0PCPUN4: S0 PainCost: Sentence kept from decide what eat

Value	Label	Unweighted Frequency	%
1	Yes	615	45.4 %
5	No	731	54.0 %
	Missing Data		
-200	Data missing	8	0.6 %
	Total	**1,354**	**100%**

Based upon 1,346 valid cases out of 1,354 total cases.

Location: 190-193 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PCPUN5: S0 PainCost: Kept from decide what to eat - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	15	1.1 %
2	A little	50	3.7 %
3	Quite a bit	90	6.6 %
4	Very much	460	34.0 %
	Missing Data		
-200	Data missing	8	0.6 %
-101	Currently involved in crt ordered program - question skipped	731	54.0 %
	Total	**1,354**	**100%**

Based upon 615 valid cases out of 1,354 total cases.

Location: 194-197 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0PCPUN6: S0 PainCost: Sentence kept from able to leave

Value	Label	Unweighted Frequency	%
1	Yes	1021	75.4 %
5	No	325	24.0 %
	Missing Data		
-200	Data missing	8	0.6 %
	Total	**1,354**	**100%**

Based upon 1,346 valid cases out of 1,354 total cases.

Location: 198-201 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PCPUN7: S0 PainCost: Kept from able to leave - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	14	1.0 %
2	A little	116	8.6 %
3	Quite a bit	136	10.0 %
4	Very much	755	55.8 %
	Missing Data		
-200	Data missing	8	0.6 %
-101	Currently involved in crt ordered program - question skipped	325	24.0 %
	Total	**1,354**	**100%**

Based upon 1,021 valid cases out of 1,354 total cases.

Location: 202-205 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0PCPUN8: S0 PainCost: Court sentence kept from sleeping late

Value	Label	Unweighted Frequency	%
1	Yes	672	49.6 %
5	No	674	49.8 %
	Missing Data		
-200	Data missing	8	0.6 %
	Total	**1,354**	**100%**

Based upon 1,346 valid cases out of 1,354 total cases.

Location: 206-209 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PCPUN9: S0 PainCost: Kept from sleeping late - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	46	3.4 %
2	A little	107	7.9 %
3	Quite a bit	107	7.9 %
4	Very much	412	30.4 %
	Missing Data		
-200	Data missing	8	0.6 %
-101	Currently involved in crt ordered program - question skipped	674	49.8 %
	Total	**1,354**	**100%**

Based upon 672 valid cases out of 1,354 total cases.

Location: 210-213 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0PCPU10: S0 PainCost: Court sentence kept from go out w/bfgf

Value	Label	Unweighted Frequency	%
1	Yes	908	67.1 %
5	No	438	32.3 %
	Missing Data		
-200	Data missing	8	0.6 %
	Total	**1,354**	**100%**

Based upon 1,346 valid cases out of 1,354 total cases.

Location: 214-217 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PCPU11: S0 PainCost: Kept from go out w/bfgf - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	24	1.8 %
2	A little	59	4.4 %
3	Quite a bit	121	8.9 %
4	Very much	704	52.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-200	Data missing	8	0.6 %
-101	Currently involved in crt ordered program - question skipped	438	32.3 %
	Total	**1,354**	**100%**

Based upon 908 valid cases out of 1,354 total cases.

Location: 218-221 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0PCPU12: S0 PainCost: Sentence kept from watching TV

Value	Label	Unweighted Frequency	%
1	Yes	648	47.9 %
5	No	698	51.6 %
	Missing Data		
-200	Data missing	8	0.6 %
	Total	**1,354**	**100%**

Based upon 1,346 valid cases out of 1,354 total cases.

Location: 222-225 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PCPU13: S0 PainCost: Kept from watching TV - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	37	2.7 %
2	A little	118	8.7 %
3	Quite a bit	113	8.3 %
4	Very much	380	28.1 %
	Missing Data		
-200	Data missing	8	0.6 %
-101	Currently involved in crt ordered program - question skipped	698	51.6 %
	Total	**1,354**	**100%**

Based upon 648 valid cases out of 1,354 total cases.

Location: 226-229 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0PCPU14: S0 PainCost: Sentence kept from dressing way want

Value	Label	Unweighted Frequency	%
1	Yes	668	49.3 %
5	No	678	50.1 %
	Missing Data		
-200	Data missing	8	0.6 %
	Total	**1,354**	**100%**

Based upon 1,346 valid cases out of 1,354 total cases.

Location: 230-233 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PCPU15: S0 PainCost: Kept from dress the way want - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	15	1.1 %
2	A little	54	4.0 %
3	Quite a bit	78	5.8 %
4	Very much	521	38.5 %
	Missing Data		
-200	Data missing	8	0.6 %
-101	Currently involved in crt ordered program - question skipped	678	50.1 %
	Total	**1,354**	**100%**

Based upon 668 valid cases out of 1,354 total cases.

Location: 234-237 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0PCPU16: S0 PainCost: Sentence kept from listen to music

Value	Label	Unweighted Frequency	%
1	Yes	575	42.5 %
5	No	771	56.9 %
	Missing Data		
-200	Data missing	8	0.6 %
	Total	**1,354**	**100%**

Based upon 1,346 valid cases out of 1,354 total cases.

Location: 238-241 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PCPU17: S0 PainCost: Kept from listen to music - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	12	0.9 %
2	A little	43	3.2 %
3	Quite a bit	97	7.2 %
4	Very much	423	31.2 %
	Missing Data		
-200	Data missing	8	0.6 %
-101	Currently involved in crt ordered program - question skipped	771	56.9 %
	Total	**1,354**	**100%**

Based upon 575 valid cases out of 1,354 total cases.

Location: 242-245 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0PCPU18: S0 PainCost: Sentence kept from seeing movies

Value	Label	Unweighted Frequency	%
1	Yes	688	50.8 %
5	No	658	48.6 %
	Missing Data		
-200	Data missing	8	0.6 %
	Total	**1,354**	**100%**

Based upon 1,346 valid cases out of 1,354 total cases.

Location: 246-249 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PCPU19: S0 PainCost: Kept from seeing movies - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	27	2.0 %
2	A little	108	8.0 %
3	Quite a bit	125	9.2 %
4	Very much	428	31.6 %
	Missing Data		
-200	Data missing	8	0.6 %
-101	Currently involved in crt ordered program - question skipped	658	48.6 %
	Total	**1,354**	**100%**

Based upon 688 valid cases out of 1,354 total cases.

Location: 250-253 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -200 , -101 , -9 , -8

S0PCPU20: S0 PainCost: Sentence kept from warm place

Value	Label	Unweighted Frequency	%
1	Yes	612	45.2 %
5	No	734	54.2 %
	Missing Data		
-200	Data missing	8	0.6 %
	Total	**1,354**	**100%**

Based upon 1,346 valid cases out of 1,354 total cases.

Location: 254-257 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PCPU21: S0 PainCost: Kept from warm place - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	19	1.4 %
2	A little	48	3.5 %
3	Quite a bit	75	5.5 %
4	Very much	470	34.7 %
	Missing Data		
-200	Data missing	8	0.6 %
-101	Currently involved in crt ordered program - question skipped	734	54.2 %
	Total	**1,354**	**100%**

Based upon 612 valid cases out of 1,354 total cases.

Location: 258-261 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0PCPU22: S0 PainCost: Sentence kept from place that looks good

Value	Label	Unweighted Frequency	%
1	Yes	629	46.5 %
5	No	717	53.0 %
	Missing Data		
-200	Data missing	8	0.6 %
	Total	**1,354**	**100%**

Based upon 1,346 valid cases out of 1,354 total cases.

Location: 262-265 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -200 , -9 , -8

S0PCPU23: S0 PainCost: Kept from place that looks good - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	26	1.9 %
2	A little	58	4.3 %
3	Quite a bit	83	6.1 %
4	Very much	462	34.1 %
	Missing Data		
-200	Data missing	8	0.6 %
-101	Currently involved in crt ordered program - question skipped	717	53.0 %
	Total	**1,354**	**100%**

Based upon 629 valid cases out of 1,354 total cases.

Location: 266-269 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0PCPU24: S0 PainCost: Sentence kept from choosing what to wear

Value	Label	Unweighted Frequency	%
1	Yes	645	47.6 %
5	No	701	51.8 %
	Missing Data		
-200	Data missing	8	0.6 %
	Total	**1,354**	**100%**

Based upon 1,346 valid cases out of 1,354 total cases.

Location: 270-273 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PCPU25: S0 PainCost: Kept from choosing what to wear - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	16	1.2 %
2	A little	40	3.0 %
3	Quite a bit	69	5.1 %
4	Very much	520	38.4 %
	Missing Data		
-200	Data missing	8	0.6 %
-101	Currently involved in crt ordered program - question skipped	701	51.8 %
	Total	**1,354**	**100%**

Based upon 645 valid cases out of 1,354 total cases.

Location: 274-277 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0PCPU26: S0 PainCost: Sentence kept from talking on the phone

Value	Label	Unweighted Frequency	%
1	Yes	712	52.6 %
5	No	634	46.8 %
	Missing Data		
-200	Data missing	8	0.6 %
	Total	**1,354**	**100%**

Based upon 1,346 valid cases out of 1,354 total cases.

Location: 278-281 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PCPU27: S0 PainCost: Kept from talk on the phone - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	14	1.0 %
2	A little	77	5.7 %
3	Quite a bit	87	6.4 %
4	Very much	534	39.4 %
	Missing Data		
-200	Data missing	8	0.6 %
-101	Currently involved in crt ordered program - question skipped	634	46.8 %
	Total	**1,354**	**100%**

Based upon 712 valid cases out of 1,354 total cases.

Location: 282-285 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0PCPU28: S0 PainCost: Sentence kept from reading what want

Value	Label	Unweighted Frequency	%
1	Yes	438	32.3 %
5	No	908	67.1 %
	Missing Data		
-200	Data missing	8	0.6 %
	Total	**1,354**	**100%**

Based upon 1,346 valid cases out of 1,354 total cases.

Location: 286-289 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PCPU29: S0 PainCost: Kept from read what want - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	34	2.5 %
2	A little	62	4.6 %
3	Quite a bit	68	5.0 %
4	Very much	274	20.2 %
	Missing Data		
-200	Data missing	8	0.6 %
-101	Currently involved in crt ordered program - question skipped	908	67.1 %
	Total	**1,354**	**100%**

Based upon 438 valid cases out of 1,354 total cases.

Location: 290-293 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0PCPU30: S0 PainCost: Sentence kept from being by self

Value	Label	Unweighted Frequency	%
1	Yes	577	42.6 %
5	No	769	56.8 %
	Missing Data		
-200	Data missing	8	0.6 %
	Total	**1,354**	**100%**

Based upon 1,346 valid cases out of 1,354 total cases.

Location: 294-297 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PCPU31: S0 PainCost: Kept from being by self - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	18	1.3 %
2	A little	56	4.1 %
3	Quite a bit	101	7.5 %
4	Very much	402	29.7 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-200	Data missing	8	0.6 %
-101	Currently involved in crt ordered program - question skipped	769	56.8 %
	Total	**1,354**	**100%**

Based upon 577 valid cases out of 1,354 total cases.

Location: 298-301 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0PCPU32: S0 PainCost: Sentence kept from drinking, get high

Value	Label	Unweighted Frequency	%
1	Yes	867	64.0 %
5	No	473	34.9 %
	Missing Data		
-200	Data missing	8	0.6 %
-9	Dont Know	6	0.4 %
	Total	**1,354**	**100%**

Based upon 1,340 valid cases out of 1,354 total cases.

Location: 302-305 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PCPU33: S0 PainCost: Kept from drink or get high - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	297	21.9 %
2	A little	195	14.4 %
3	Quite a bit	94	6.9 %
4	Very much	281	20.8 %
	Missing Data		
-200	Data missing	8	0.6 %
-101	Currently involved in crt ordered program - question skipped	479	35.4 %
	Total	**1,354**	**100%**

Based upon 867 valid cases out of 1,354 total cases.

Location: 306-309 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0PCPU34: S0 PainCost: Sentence kept from buying things

Value	Label	Unweighted Frequency	%
1	Yes	780	57.6 %
5	No	565	41.7 %
	Missing Data		
-200	Data missing	8	0.6 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,345 valid cases out of 1,354 total cases.

Location: 310-313 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -9 , -8

S0PCPU35: S0 PainCost: Kept from buy things - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	32	2.4 %
2	A little	101	7.5 %
3	Quite a bit	150	11.1 %
4	Very much	497	36.7 %
	Missing Data		
-200	Data missing	8	0.6 %
-101	Currently involved in crt ordered program - question skipped	566	41.8 %
	Total	**1,354**	**100%**

Based upon 780 valid cases out of 1,354 total cases.

Location: 314-317 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -101 , -9 , -8

S0PUNOTH: S0 PainCost: Certainty of Punishment - Other

Based upon 1,352 valid cases out of 1,354 total cases.

- Mean: 5.5448541843
- Median: 5.5714285714
- Mode: 8.5714285714
- Minimum: 0.0000000000
- Maximum: 10.0000000000
- Standard Deviation: 2.2708799936

Location: 318-332 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -200.0000000000 , -99.0000000000 , -98.0000000000

S0PUNYOU: S0 PainCost: Certainty of Punishment - You

Based upon 1,352 valid cases out of 1,354 total cases.

- Mean: 5.2794273035
- Median: 5.4285714286
- Mode: 10.0000000000
- Minimum: 0.0000000000
- Maximum: 10.0000000000
- Standard Deviation: 2.9027465310

Location: 333-347 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -200.0000000000 , -99.0000000000 , -98.0000000000

S0SOCCST: S0 PainCost: Social Costs of Punishment

Based upon 1,353 valid cases out of 1,354 total cases.

- Mean: 2.7287755605
- Median: 2.6666666667
- Mode: 3.0000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.8606399869

Location: 348-362 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -200.0000000000 , -99.0000000000 , -98.0000000000

S0WGTCST: S0 PainCost: Punishment Costs - Weight

Based upon 1,233 valid cases out of 1,354 total cases.

- Mean: 3.1396091131
- Median: 3.3750000000
- Mode: 4.0000000000
- Minimum: 1.0000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.8297622909

Location: 363-377 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -200.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S0VARCST: S0 PainCost: Punishment Costs - Variety

Based upon 1,346 valid cases out of 1,354 total cases.

- Mean: 9.72
- Median: 10.00
- Mode: 18.00
- Minimum: 0.00
- Maximum: 18.00
- Standard Deviation: 6.67

Location: 378-381 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -200 , -9 , -8

S0MATCST: S0 PainCost: Punishment Costs (13) - Material Issues

Based upon 1,346 valid cases out of 1,354 total cases.

- Mean: 6.14
- Median: 5.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 13.00
- Standard Deviation: 5.43

Location: 382-385 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -200 , -9 , -8

S0FRECST: S0 PainCost: Punishment Costs (5) - Freedom Issues

Based upon 1,346 valid cases out of 1,354 total cases.

- Mean: 3.59
- Median: 4.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 1.70

Location: 386-389 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -200 , -9 , -8

S0STLRWD: S0 PainCost: Social Rewards of Crime - Stealing

Based upon 1,353 valid cases out of 1,354 total cases.

- Mean: 1.92
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.60
- Standard Deviation: 0.49

Location: 390-396 (width: 7; decimal: 2)
Variable Type: numeric
(Range of) Missing Values: -300.00 , -200.00 , -8.00

S0FGTRWD: S0 PainCost: Social Rewards of Crime - Fighting

Based upon 1,353 valid cases out of 1,354 total cases.

- Mean: 2.21
- Median: 2.20
- Mode: 2.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.53

Location: 397-403 (width: 7; decimal: 2)
Variable Type: numeric
(Range of) Missing Values: -300.00 , -200.00 , -9.00 , -8.00

S0ROBRWD: S0 PainCost: Social Rewards of Crime - Robbery

Based upon 1,353 valid cases out of 1,354 total cases.

- Mean: 1.88
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.60
- Standard Deviation: 0.50

Location: 404-410 (width: 7; decimal: 2)
Variable Type: numeric
(Range of) Missing Values: -300.00 , -200.00 , -9.00 , -8.00

S0PERRWD: S0 PainCost: Personal Rewards of Crime

Based upon 1,353 valid cases out of 1,354 total cases.

- Mean: 2.3617358252
- Median: 1.4285714286
- Mode: 0.0000000000
- Minimum: 0.0000000000
- Maximum: 10.0000000000
- Standard Deviation: 2.4178785141

Location: 411-425 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -200.0000000000 , -99.0000000000 , -98.0000000000

S1PAINCOST_CRTINV: S1 PainCost: Involved ongoing programs court

Value	Label	Unweighted Frequency	%
1	Yes	1098	81.1 %
5	No	163	12.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 426-429 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S1PAINCOST_CRTIN6: S1 PainCost: Involved court ordered program

Value	Label	Unweighted Frequency	%
1	Yes	1195	88.3 %
5	No	66	4.9 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 430-433 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S1PAINCOST_CRTTYP: S1 PainCost: Describe court involvement

Value	Label	Unweighted Frequency	%
1	Incarceration	562	41.5 %
2	Court ordered community program	28	2.1 %
3	Probation/Parole	553	40.8 %
6	Other	49	3.6 %
7	None	2	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-102	Not involved currently or w/in p6mo - question skipped	66	4.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,194 valid cases out of 1,354 total cases.

Location: 434-437 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -104 , -102 , -9 , -8

S1PAINCOST_CRTNOW: S1 PainCost: Still involved in program

Value	Label	Unweighted Frequency	%
1	Yes	1046	77.3 %
5	No	145	10.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-104	Not involved currently or w/in p6mo - interview bug	3	0.2 %
-102	Not involved currently or w/in p6mo - question skipped	66	4.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,191 valid cases out of 1,354 total cases.

Location: 438-441 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S1PAINCOST01A: S1 PainCost: Sentence kept from hang w/friends

Value	Label	Unweighted Frequency	%
1	Yes	832	61.4 %
5	No	360	26.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-104	Not involved currently or w/in p6mo - interview bug	3	0.2 %
-102	Not involved currently or w/in p6mo - question skipped	66	4.9 %
	Total	**1,354**	**100%**

Based upon 1,192 valid cases out of 1,354 total cases.

Location: 442-445 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S1PAINCOST01B: S1 PainCost: Kept from hang w/friends - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	76	5.6 %
2	A little	180	13.3 %
3	Quite a bit	181	13.4 %
4	Very much	395	29.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-105	Court didnt keep from doing something - question skipped	41	3.0 %
-104	Not involved currently or w/in p6mo - interview bug	322	23.8 %
-102	Not involved currently or w/in p6mo - question skipped	66	4.9 %
	Total	**1,354**	**100%**

Based upon 832 valid cases out of 1,354 total cases.

Location: 446-449 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S1PAINCOST02A: S1 PainCost: Sentence kept from choose how spend time

Value	Label	Unweighted Frequency	%
1	Yes	864	63.8 %
5	No	328	24.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-104	Not involved currently or w/in p6mo - interview bug	3	0.2 %
-102	Not involved currently or w/in p6mo - question skipped	66	4.9 %
	Total	**1,354**	**100%**

Based upon 1,192 valid cases out of 1,354 total cases.

Location: 450-453 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S1PAINCOST02B: S1 PainCost: Kept from choose how spend time - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	32	2.4 %
2	A little	138	10.2 %
3	Quite a bit	206	15.2 %
4	Very much	488	36.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-105	Court didnt keep from doing something - question skipped	38	2.8 %
-104	Not involved currently or w/in p6mo - interview bug	293	21.6 %
-102	Not involved currently or w/in p6mo - question skipped	66	4.9 %
	Total	**1,354**	**100%**

Based upon 864 valid cases out of 1,354 total cases.

Location: 454-457 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S1PAINCOST03A: S1 PainCost: Sentence kept from decide what eat

Value	Label	Unweighted Frequency	%
1	Yes	580	42.8 %
5	No	612	45.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %

Value	Label	Unweighted Frequency	%
-104	Not involved currently or w/in p6mo - interview bug	3	0.2 %
-102	Not involved currently or w/in p6mo - question skipped	66	4.9 %
	Total	**1,354**	**100%**

Based upon 1,192 valid cases out of 1,354 total cases.

Location: 458-461 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S1PAINCOST03B: S1 PainCost: Kept from decide what to eat - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	16	1.2 %
2	A little	69	5.1 %
3	Quite a bit	90	6.6 %
4	Very much	405	29.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-105	Court didnt keep from doing something - question skipped	76	5.6 %
-104	Not involved currently or w/in p6mo - interview bug	539	39.8 %
-102	Not involved currently or w/in p6mo - question skipped	66	4.9 %
	Total	**1,354**	**100%**

Based upon 580 valid cases out of 1,354 total cases.

Location: 462-465 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S1PAINCOST04A: S1 PainCost: Sentence kept from able to leave

Value	Label	Unweighted Frequency	%
1	Yes	856	63.2 %
5	No	336	24.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-104	Not involved currently or w/in p6mo - interview bug	3	0.2 %
-102	Not involved currently or w/in p6mo - question skipped	66	4.9 %
	Total	**1,354**	**100%**

Based upon 1,192 valid cases out of 1,354 total cases.

Location: 466-469 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S1PAINCOST04B: S1 PainCost: Kept from able to leave - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	27	2.0 %
2	A little	82	6.1 %
3	Quite a bit	151	11.2 %
4	Very much	596	44.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-105	Court didnt keep from doing something - question skipped	43	3.2 %
-104	Not involved currently or w/in p6mo - interview bug	296	21.9 %
-102	Not involved currently or w/in p6mo - question skipped	66	4.9 %
	Total	**1,354**	**100%**

Based upon 856 valid cases out of 1,354 total cases.

Location: 470-473 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S1PAINCOST05A: S1 PainCost: Court sentence kept from sleeping late

Value	Label	Unweighted Frequency	%
1	Yes	567	41.9 %
5	No	625	46.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-104	Not involved currently or w/in p6mo - interview bug	3	0.2 %
-102	Not involved currently or w/in p6mo - question skipped	66	4.9 %
	Total	**1,354**	**100%**

Based upon 1,192 valid cases out of 1,354 total cases.

Location: 474-477 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S1PAINCOST05B: S1 PainCost: Kept from sleeping late - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	33	2.4 %
2	A little	85	6.3 %
3	Quite a bit	111	8.2 %
4	Very much	338	25.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-105	Court didnt keep from doing something - question skipped	66	4.9 %
-104	Not involved currently or w/in p6mo - interview bug	562	41.5 %
-102	Not involved currently or w/in p6mo - question skipped	66	4.9 %
	Total	**1,354**	**100%**

Based upon 567 valid cases out of 1,354 total cases.

Location: 478-481 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S1PAINCOST06A: S1 PainCost: Court sentence kept from go out w/bfgf

Value	Label	Unweighted Frequency	%
1	Yes	728	53.8 %
5	No	464	34.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-104	Not involved currently or w/in p6mo - interview bug	3	0.2 %
-102	Not involved currently or w/in p6mo - question skipped	66	4.9 %
	Total	**1,354**	**100%**

Based upon 1,192 valid cases out of 1,354 total cases.

Location: 482-485 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S1PAINCOST06B: S1 PainCost: Kept from go out w/bfgf - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	26	1.9 %
2	A little	48	3.5 %
3	Quite a bit	112	8.3 %
4	Very much	542	40.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-105	Court didnt keep from doing something - question skipped	55	4.1 %
-104	Not involved currently or w/in p6mo - interview bug	412	30.4 %
-102	Not involved currently or w/in p6mo - question skipped	66	4.9 %
	Total	**1,354**	**100%**

Based upon 728 valid cases out of 1,354 total cases.

Location: 486-489 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S1PAINCOST07A: S1 PainCost: Sentence kept from watching TV

Value	Label	Unweighted Frequency	%
1	Yes	565	41.7 %
5	No	627	46.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-104	Not involved currently or w/in p6mo - interview bug	3	0.2 %
-102	Not involved currently or w/in p6mo - question skipped	66	4.9 %
	Total	**1,354**	**100%**

Based upon 1,192 valid cases out of 1,354 total cases.

Location: 490-493 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S1PAINCOST07B: S1 PainCost: Kept from watching TV - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	32	2.4 %
2	A little	98	7.2 %
3	Quite a bit	127	9.4 %
4	Very much	308	22.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-105	Court didnt keep from doing something - question skipped	74	5.5 %
-104	Not involved currently or w/in p6mo - interview bug	556	41.1 %
-102	Not involved currently or w/in p6mo - question skipped	66	4.9 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 565 valid cases out of 1,354 total cases.

Location: 494-497 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S1PAINCOST08A: S1 PainCost: Sentence kept from dressing way want

Value	Label	Unweighted Frequency	%
1	Yes	574	42.4 %
5	No	618	45.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-104	Not involved currently or w/in p6mo - interview bug	3	0.2 %
-102	Not involved currently or w/in p6mo - question skipped	66	4.9 %
	Total	**1,354**	**100%**

Based upon 1,192 valid cases out of 1,354 total cases.

Location: 498-501 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S1PAINCOST08B: S1 PainCost: Kept from dress the way want - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	13	1.0 %
2	A little	64	4.7 %
3	Quite a bit	101	7.5 %
4	Very much	396	29.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-105	Court didnt keep from doing something - question skipped	71	5.2 %
-104	Not involved currently or w/in p6mo - interview bug	550	40.6 %
-102	Not involved currently or w/in p6mo - question skipped	66	4.9 %
	Total	**1,354**	**100%**

Based upon 574 valid cases out of 1,354 total cases.

Location: 502-505 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S1PAINCOST09A: S1 PainCost: Sentence kept from listen to music

Value	Label	Unweighted Frequency	%
1	Yes	444	32.8 %
5	No	748	55.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-104	Not involved currently or w/in p6mo - interview bug	3	0.2 %
-102	Not involved currently or w/in p6mo - question skipped	66	4.9 %
	Total	**1,354**	**100%**

Based upon 1,192 valid cases out of 1,354 total cases.

Location: 506-509 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S1PAINCOST09B: S1 PainCost: Kept from listen to music - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	13	1.0 %
2	A little	48	3.5 %
3	Quite a bit	84	6.2 %
4	Very much	299	22.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-105	Court didnt keep from doing something - question skipped	76	5.6 %
-104	Not involved currently or w/in p6mo - interview bug	675	49.9 %
-102	Not involved currently or w/in p6mo - question skipped	66	4.9 %
	Total	**1,354**	**100%**

Based upon 444 valid cases out of 1,354 total cases.

Location: 510-513 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S1PAINCOST10A: S1 PainCost: Sentence kept from seeing movies

Value	Label	Unweighted Frequency	%
1	Yes	585	43.2 %
5	No	607	44.8 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-104	Not involved currently or w/in p6mo - interview bug	3	0.2 %
-102	Not involved currently or w/in p6mo - question skipped	66	4.9 %
	Total	**1,354**	**100%**

Based upon 1,192 valid cases out of 1,354 total cases.

Location: 514-517 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S1PAINCOST10B: S1 PainCost: Kept from seeing movies - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	22	1.6 %
2	A little	104	7.7 %
3	Quite a bit	133	9.8 %
4	Very much	326	24.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-105	Court didnt keep from doing something - question skipped	71	5.2 %
-104	Not involved currently or w/in p6mo - interview bug	539	39.8 %
-102	Not involved currently or w/in p6mo - question skipped	66	4.9 %
	Total	**1,354**	**100%**

Based upon 585 valid cases out of 1,354 total cases.

Location: 518-521 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S1PAINCOST11A: S1 PainCost: Sentence kept from warm place

Value	Label	Unweighted Frequency	%
1	Yes	514	38.0 %
5	No	678	50.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-104	Not involved currently or w/in p6mo - interview bug	3	0.2 %
-102	Not involved currently or w/in p6mo - question skipped	66	4.9 %
	Total	**1,354**	**100%**

Based upon 1,192 valid cases out of 1,354 total cases.

Location: 522-525 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S1PAINCOST11B: S1 PainCost: Kept from warm place - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	12	0.9 %
2	A little	52	3.8 %
3	Quite a bit	82	6.1 %
4	Very much	368	27.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-105	Court didnt keep from doing something - question skipped	75	5.5 %
-104	Not involved currently or w/in p6mo - interview bug	606	44.8 %
-102	Not involved currently or w/in p6mo - question skipped	66	4.9 %
	Total	**1,354**	**100%**

Based upon 514 valid cases out of 1,354 total cases.

Location: 526-529 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S1PAINCOST12A: S1 PainCost: Sentence kept from place that looks good

Value	Label	Unweighted Frequency	%
1	Yes	526	38.8 %
5	No	666	49.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-104	Not involved currently or w/in p6mo - interview bug	3	0.2 %
-102	Not involved currently or w/in p6mo - question skipped	66	4.9 %
	Total	**1,354**	**100%**

Based upon 1,192 valid cases out of 1,354 total cases.

Location: 530-533 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S1PAINCOST12B: S1 PainCost: Kept from place that looks good - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	16	1.2 %
2	A little	62	4.6 %
3	Quite a bit	106	7.8 %
4	Very much	342	25.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-105	Court didnt keep from doing something - question skipped	76	5.6 %
-104	Not involved currently or w/in p6mo - interview bug	593	43.8 %
-102	Not involved currently or w/in p6mo - question skipped	66	4.9 %
	Total	**1,354**	**100%**

Based upon 526 valid cases out of 1,354 total cases.

Location: 534-537 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S1PAINCOST13A: S1 PainCost: Sentence kept from choosing what to wear

Value	Label	Unweighted Frequency	%
1	Yes	551	40.7 %
5	No	641	47.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-104	Not involved currently or w/in p6mo - interview bug	3	0.2 %
-102	Not involved currently or w/in p6mo - question skipped	66	4.9 %
	Total	**1,354**	**100%**

Based upon 1,192 valid cases out of 1,354 total cases.

Location: 538-541 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S1PAINCOST13B: S1 PainCost: Kept from choosing what to wear - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	13	1.0 %
2	A little	56	4.1 %
3	Quite a bit	97	7.2 %
4	Very much	385	28.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-105	Court didnt keep from doing something - question skipped	72	5.3 %
-104	Not involved currently or w/in p6mo - interview bug	572	42.2 %
-102	Not involved currently or w/in p6mo - question skipped	66	4.9 %
	Total	**1,354**	**100%**

Based upon 551 valid cases out of 1,354 total cases.

Location: 542-545 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S1PAINCOST14A: S1 PainCost: Sentence kept from talking on the phone

Value	Label	Unweighted Frequency	%
1	Yes	614	45.3 %
5	No	578	42.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-104	Not involved currently or w/in p6mo - interview bug	3	0.2 %
-102	Not involved currently or w/in p6mo - question skipped	66	4.9 %
	Total	**1,354**	**100%**

Based upon 1,192 valid cases out of 1,354 total cases.

Location: 546-549 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S1PAINCOST14B: S1 PainCost: Kept from talk on the phone - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	15	1.1 %
2	A little	72	5.3 %
3	Quite a bit	107	7.9 %
4	Very much	420	31.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-105	Court didnt keep from doing something - question skipped	70	5.2 %
-104	Not involved currently or w/in p6mo - interview bug	511	37.7 %
-102	Not involved currently or w/in p6mo - question skipped	66	4.9 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 614 valid cases out of 1,354 total cases.

Location: 550-553 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S1PAINCOST15A: S1 PainCost: Sentence kept from reading what want

Value	Label	Unweighted Frequency	%
1	Yes	343	25.3 %
5	No	849	62.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-104	Not involved currently or w/in p6mo - interview bug	3	0.2 %
-102	Not involved currently or w/in p6mo - question skipped	66	4.9 %
	Total	**1,354**	**100%**

Based upon 1,192 valid cases out of 1,354 total cases.

Location: 554-557 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S1PAINCOST15B: S1 PainCost: Kept from read what want - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	39	2.9 %
2	A little	60	4.4 %
3	Quite a bit	66	4.9 %
4	Very much	178	13.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-105	Court didnt keep from doing something - question skipped	83	6.1 %
-104	Not involved currently or w/in p6mo - interview bug	769	56.8 %
-102	Not involved currently or w/in p6mo - question skipped	66	4.9 %
	Total	**1,354**	**100%**

Based upon 343 valid cases out of 1,354 total cases.

Location: 558-561 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S1PAINCOST16A: S1 PainCost: Sentence kept from being by self

Value	Label	Unweighted Frequency	%
1	Yes	494	36.5 %
5	No	698	51.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-104	Not involved currently or w/in p6mo - interview bug	3	0.2 %
-102	Not involved currently or w/in p6mo - question skipped	66	4.9 %
	Total	**1,354**	**100%**

Based upon 1,192 valid cases out of 1,354 total cases.

Location: 562-565 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S1PAINCOST16B: S1 PainCost: Kept from being by self - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	10	0.7 %
2	A little	62	4.6 %
3	Quite a bit	110	8.1 %
4	Very much	312	23.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-105	Court didnt keep from doing something - question skipped	77	5.7 %
-104	Not involved currently or w/in p6mo - interview bug	624	46.1 %
-102	Not involved currently or w/in p6mo - question skipped	66	4.9 %
	Total	**1,354**	**100%**

Based upon 494 valid cases out of 1,354 total cases.

Location: 566-569 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S1PAINCOST17A: S1 PainCost: Sentence kept from drinking, get high

Value	Label	Unweighted Frequency	%
1	Yes	846	62.5 %
5	No	346	25.6 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-104	Not involved currently or w/in p6mo - interview bug	3	0.2 %
-102	Not involved currently or w/in p6mo - question skipped	66	4.9 %
	Total	**1,354**	**100%**

Based upon 1,192 valid cases out of 1,354 total cases.

Location: 570-573 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S1PAINCOST17B: S1 PainCost: Kept from drink or get high - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	326	24.1 %
2	A little	188	13.9 %
3	Quite a bit	95	7.0 %
4	Very much	237	17.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-105	Court didnt keep from doing something - question skipped	39	2.9 %
-104	Not involved currently or w/in p6mo - interview bug	310	22.9 %
-102	Not involved currently or w/in p6mo - question skipped	66	4.9 %
	Total	**1,354**	**100%**

Based upon 846 valid cases out of 1,354 total cases.

Location: 574-577 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S1PAINCOST18A: S1 PainCost: Sentence kept from buying things

Value	Label	Unweighted Frequency	%
1	Yes	629	46.5 %
5	No	563	41.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-104	Not involved currently or w/in p6mo - interview bug	3	0.2 %
-102	Not involved currently or w/in p6mo - question skipped	66	4.9 %
	Total	**1,354**	**100%**

Based upon 1,192 valid cases out of 1,354 total cases.

Location: 578-581 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S1PAINCOST18B: S1 PainCost: Kept from buy things - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	33	2.4 %
2	A little	97	7.2 %
3	Quite a bit	117	8.6 %
4	Very much	382	28.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-105	Court didnt keep from doing something - question skipped	72	5.3 %
-104	Not involved currently or w/in p6mo - interview bug	494	36.5 %
-102	Not involved currently or w/in p6mo - question skipped	66	4.9 %
	Total	**1,354**	**100%**

Based upon 629 valid cases out of 1,354 total cases.

Location: 582-585 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S1PAINCOST19A: S1 PainCost: Kept from providing for family

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Blasie version - question not yet added	1265	93.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 586-589 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S1PAINCOST19B: S1 PainCost: Kept from providing for family - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %

Value	Label	Unweighted Frequency	%
2	A little	0	0.0 %
3	Quite a bit	0	0.0 %
4	Very much	0	0.0 %
	Missing Data		
-400	Blasie version - question not yet added	1265	93.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 590-593 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S1PROJUS55: S1 ProJus: Kid caught/arrested for fighting

Value	Label	Unweighted Frequency	%
0	-	417	30.8 %
1	-	117	8.6 %
2	-	127	9.4 %
3	-	108	8.0 %
4	-	63	4.7 %
5	-	191	14.1 %
6	-	38	2.8 %
7	-	43	3.2 %
8	-	43	3.2 %
9	-	11	0.8 %
10	-	83	6.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-99	Dont Know	17	1.3 %
-98	Refuse	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,241 valid cases out of 1,354 total cases.

Location: 594-597 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S1PROJUS56: S1 ProJus: Kid caught/arrested robbery w/ gun (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	81	6.0 %
1	-	28	2.1 %
2	-	50	3.7 %
3	-	69	5.1 %
4	-	60	4.4 %
5	-	216	16.0 %
6	-	72	5.3 %
7	-	107	7.9 %
8	-	117	8.6 %
9	-	89	6.6 %
10	-	353	26.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-99	Dont Know	16	1.2 %
-98	Refuse	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,242 valid cases out of 1,354 total cases.

Location: 598-601 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S1PROJUS57: S1 ProJus: Kid caught/arrested stabbing someone (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	83	6.1 %
1	-	37	2.7 %
2	-	45	3.3 %
3	-	57	4.2 %
4	-	64	4.7 %
5	-	156	11.5 %
6	-	76	5.6 %
7	-	107	7.9 %
8	-	123	9.1 %
9	-	106	7.8 %
10	-	388	28.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %

Value	Label	Unweighted Frequency	%
-99	Dont Know	16	1.2 %
-98	Refuse	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,242 valid cases out of 1,354 total cases.

Location: 602-605 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S1PROJUS58: S1 ProJus: Kid caught/arrested breaking into store (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	84	6.2 %
1	-	42	3.1 %
2	-	45	3.3 %
3	-	75	5.5 %
4	-	74	5.5 %
5	-	210	15.5 %
6	-	77	5.7 %
7	-	114	8.4 %
8	-	124	9.2 %
9	-	74	5.5 %
10	-	322	23.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-99	Dont Know	17	1.3 %
-98	Refuse	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,241 valid cases out of 1,354 total cases.

Location: 606-609 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S1PROJUS59: S1 ProJus: Kid caught/arrested stealing clothes (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	124	9.2 %
1	-	63	4.7 %
2	-	87	6.4 %
3	-	112	8.3 %

Value	Label	Unweighted Frequency	%
4	-	79	5.8 %
5	-	239	17.7 %
6	-	84	6.2 %
7	-	78	5.8 %
8	-	72	5.3 %
9	-	55	4.1 %
10	-	245	18.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-99	Dont Know	20	1.5 %
-98	Refuse	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,238 valid cases out of 1,354 total cases.

Location: 610-613 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S1PROJUS60: S1 ProJus: Kid caught/arrested vandalism (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	236	17.4 %
1	-	115	8.5 %
2	-	121	8.9 %
3	-	124	9.2 %
4	-	87	6.4 %
5	-	197	14.5 %
6	-	57	4.2 %
7	-	53	3.9 %
8	-	51	3.8 %
9	-	32	2.4 %
10	-	168	12.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-99	Dont Know	17	1.3 %
-98	Refuse	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,241 valid cases out of 1,354 total cases.

Location: 614-617 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S1PROJUS61: S1 ProJus: Kid caught/arrested auto theft (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	84	6.2 %
1	-	53	3.9 %
2	-	60	4.4 %
3	-	78	5.8 %
4	-	85	6.3 %
5	-	236	17.4 %
6	-	88	6.5 %
7	-	107	7.9 %
8	-	87	6.4 %
9	-	64	4.7 %
10	-	298	22.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-99	Dont Know	18	1.3 %
-98	Refuse	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,240 valid cases out of 1,354 total cases.

Location: 618-621 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S1PROJUS62: S1 ProJus: You caught/arrested fighting (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	489	36.1 %
1	-	129	9.5 %
2	-	105	7.8 %
3	-	73	5.4 %
4	-	48	3.5 %
5	-	143	10.6 %
6	-	25	1.8 %
7	-	30	2.2 %
8	-	38	2.8 %
9	-	19	1.4 %

Value	Label	Unweighted Frequency	%
10	-	147	10.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-99	Dont Know	14	1.0 %
-98	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,246 valid cases out of 1,354 total cases.

Location: 622-625 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S1PROJUS63: S1 ProJus: You caught/arrested robbery w/ gun (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	195	14.4 %
1	-	42	3.1 %
2	-	57	4.2 %
3	-	46	3.4 %
4	-	37	2.7 %
5	-	155	11.4 %
6	-	62	4.6 %
7	-	59	4.4 %
8	-	89	6.6 %
9	-	78	5.8 %
10	-	424	31.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-99	Dont Know	16	1.2 %
-98	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,244 valid cases out of 1,354 total cases.

Location: 626-629 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S1PROJUS64: S1 ProJus: You caught/arrested stabbing someone (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	189	14.0 %
1	-	38	2.8 %
2	-	39	2.9 %
3	-	47	3.5 %
4	-	47	3.5 %
5	-	138	10.2 %
6	-	59	4.4 %
7	-	77	5.7 %
8	-	94	6.9 %
9	-	74	5.5 %
10	-	444	32.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-99	Dont Know	14	1.0 %
-98	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,246 valid cases out of 1,354 total cases.

Location: 630-633 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S1PROJUS65: S1 ProJus: You caught/arrested breaking into store (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	204	15.1 %
1	-	51	3.8 %
2	-	57	4.2 %
3	-	56	4.1 %
4	-	51	3.8 %
5	-	173	12.8 %
6	-	45	3.3 %
7	-	76	5.6 %
8	-	82	6.1 %
9	-	66	4.9 %
10	-	385	28.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %

Value	Label	Unweighted Frequency	%
-99	Dont Know	14	1.0 %
-98	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,246 valid cases out of 1,354 total cases.

Location: 634-637 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S1PROJUS66: S1 ProJus: You caught/arrested stealing clothes (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	266	19.6 %
1	-	64	4.7 %
2	-	61	4.5 %
3	-	77	5.7 %
4	-	55	4.1 %
5	-	182	13.4 %
6	-	51	3.8 %
7	-	51	3.8 %
8	-	69	5.1 %
9	-	46	3.4 %
10	-	320	23.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-99	Dont Know	18	1.3 %
-98	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,242 valid cases out of 1,354 total cases.

Location: 638-641 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S1PROJUS67: S1 ProJus: You caught/arrested vandalism (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	366	27.0 %
1	-	92	6.8 %
2	-	81	6.0 %
3	-	94	6.9 %

Value	Label	Unweighted Frequency	%
4	-	56	4.1 %
5	-	165	12.2 %
6	-	33	2.4 %
7	-	45	3.3 %
8	-	38	2.8 %
9	-	35	2.6 %
10	-	241	17.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-99	Dont Know	14	1.0 %
-98	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,246 valid cases out of 1,354 total cases.

Location: 642-645 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S1PROJUS68: S1 ProJus: You caught/arrested auto theft (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	220	16.2 %
1	-	48	3.5 %
2	-	52	3.8 %
3	-	66	4.9 %
4	-	47	3.5 %
5	-	167	12.3 %
6	-	57	4.2 %
7	-	69	5.1 %
8	-	80	5.9 %
9	-	56	4.1 %
10	-	384	28.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-99	Dont Know	14	1.0 %
-98	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,246 valid cases out of 1,354 total cases.

Location: 646-649 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S1PROJUS69: S1 ProJus: Break law suspend from school

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	430	31.8 %
2	Somewhat Unlikely It Would Happen	117	8.6 %
3	Could go Either Way	266	19.6 %
4	Somewhat Likely It Would Happen	204	15.1 %
5	Very Likely It Would Happen	232	17.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	11	0.8 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,249 valid cases out of 1,354 total cases.

Location: 650-653 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -97 , -9 , -8

S1PROJUS70: S1 ProJus: Break law lose friends respect

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	616	45.5 %
2	Somewhat Unlikely It Would Happen	150	11.1 %
3	Could go Either Way	270	19.9 %
4	Somewhat Likely It Would Happen	156	11.5 %
5	Very Likely It Would Happen	66	4.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 654-657 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -97 , -9 , -8

S1PROJUS71: S1 ProJus: Break law lose family respect

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	292	21.6 %
2	Somewhat Unlikely It Would Happen	186	13.7 %
3	Could go Either Way	177	13.1 %
4	Somewhat Likely It Would Happen	380	28.1 %
5	Very Likely It Would Happen	221	16.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	5	0.4 %
	Total	**1,354**	**100%**

Based upon 1,256 valid cases out of 1,354 total cases.

Location: 658-661 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -97 , -9 , -8

S1PROJUS72: S1 ProJus: Break law lose neighbors respect

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	247	18.2 %
2	Somewhat Unlikely It Would Happen	131	9.7 %
3	Could go Either Way	249	18.4 %
4	Somewhat Likely It Would Happen	413	30.5 %
5	Very Likely It Would Happen	216	16.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	5	0.4 %
	Total	**1,354**	**100%**

Based upon 1,256 valid cases out of 1,354 total cases.

Location: 662-665 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -97 , -9 , -8

S1PROJUS73: S1 ProJus: Break law lose bf/gf respect

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	376	27.8 %
2	Somewhat Unlikely It Would Happen	141	10.4 %
3	Could go Either Way	319	23.6 %
4	Somewhat Likely It Would Happen	286	21.1 %

Value	Label	Unweighted Frequency	%
5	Very Likely It Would Happen	135	10.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,257 valid cases out of 1,354 total cases.

Location: 666-669 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -97 , -9 , -8

S1PROJUS74: S1 ProJus: Break law harder to find job

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	91	6.7 %
2	Somewhat Unlikely It Would Happen	77	5.7 %
3	Could go Either Way	111	8.2 %
4	Somewhat Likely It Would Happen	458	33.8 %
5	Very Likely It Would Happen	521	38.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 670-673 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -97 , -9 , -8

S1PROJUS76: S1 ProJus: Thrill/rush fighting (0=no thrill - 10 great thrill)

Value	Label	Unweighted Frequency	%
0	-	424	31.3 %
1	-	45	3.3 %
2	-	64	4.7 %
3	-	66	4.9 %
4	-	49	3.6 %
5	-	211	15.6 %
6	-	46	3.4 %
7	-	69	5.1 %

Value	Label	Unweighted Frequency	%
8	-	90	6.6 %
9	-	26	1.9 %
10	-	171	12.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 674-677 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S1PROJUS77: S1 ProJus: Thrill/rush robbery w/gun (0=no thrill - 10 great thrill)

Value	Label	Unweighted Frequency	%
0	-	749	55.3 %
1	-	59	4.4 %
2	-	70	5.2 %
3	-	51	3.8 %
4	-	47	3.5 %
5	-	86	6.4 %
6	-	24	1.8 %
7	-	33	2.4 %
8	-	32	2.4 %
9	-	21	1.6 %
10	-	89	6.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 678-681 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S1PROJUS78: S1 ProJus: Thrill/rush stabbing someone (0=no thrill - 10 great thrill)

Value	Label	Unweighted Frequency	%
0	-	856	63.2 %
1	-	75	5.5 %

Value	Label	Unweighted Frequency	%
2	-	72	5.3 %
3	-	42	3.1 %
4	-	32	2.4 %
5	-	61	4.5 %
6	-	15	1.1 %
7	-	12	0.9 %
8	-	22	1.6 %
9	-	15	1.1 %
10	-	59	4.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 682-685 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S1PROJUS79: S1 ProJus: Thrill/rush break into store/home (0=no thrill - 10 great thrill)

Value	Label	Unweighted Frequency	%
0	-	759	56.1 %
1	-	47	3.5 %
2	-	63	4.7 %
3	-	57	4.2 %
4	-	54	4.0 %
5	-	92	6.8 %
6	-	40	3.0 %
7	-	31	2.3 %
8	-	25	1.8 %
9	-	23	1.7 %
10	-	70	5.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 686-689 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -99 , -98

S1PROJUS80: S1 ProJus: Thrill/rush stealing clothes (0=no thrill - 10 great thrill)

Value	Label	Unweighted Frequency	%
0	-	781	57.7 %
1	-	67	4.9 %
2	-	81	6.0 %
3	-	65	4.8 %
4	-	39	2.9 %
5	-	93	6.9 %
6	-	21	1.6 %
7	-	34	2.5 %
8	-	27	2.0 %
9	-	8	0.6 %
10	-	44	3.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-99	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 690-693 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S1PROJUS81: S1 ProJus: Thrill/rush vandalism (0=no thrill - 10 great thrill)

Value	Label	Unweighted Frequency	%
0	-	769	56.8 %
1	-	70	5.2 %
2	-	72	5.3 %
3	-	69	5.1 %
4	-	39	2.9 %
5	-	97	7.2 %
6	-	30	2.2 %
7	-	22	1.6 %
8	-	31	2.3 %
9	-	15	1.1 %
10	-	47	3.5 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 694-697 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S1PROJUS82: S1 ProJus: Thrill/rush auto theft (0=no thrill - 10 great thrill)

Value	Label	Unweighted Frequency	%
0	-	682	50.4 %
1	-	58	4.3 %
2	-	49	3.6 %
3	-	36	2.7 %
4	-	36	2.7 %
5	-	100	7.4 %
6	-	42	3.1 %
7	-	33	2.4 %
8	-	46	3.4 %
9	-	30	2.2 %
10	-	149	11.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 698-701 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S1PAY01: S1 PainCost: Steal-peers respect more

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	354	26.1 %
2	Disagree	727	53.7 %
3	Agree	157	11.6 %
4	Strongly Agree	20	1.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 702-705 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S1PAY02: S1 PainCost: Steal-more respect from adults

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	477	35.2 %
2	Disagree	733	54.1 %
3	Agree	43	3.2 %
4	Strongly Agree	6	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 706-709 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S1PAY03: S1 PainCost: Steal-friends like more

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	342	25.3 %
2	Disagree	667	49.3 %
3	Agree	216	16.0 %
4	Strongly Agree	34	2.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 710-713 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S1PAY04: S1 PainCost: Steal-impress bf/gf

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	473	34.9 %
2	Disagree	740	54.7 %
3	Agree	38	2.8 %
4	Strongly Agree	7	0.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 714-717 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S1PAY05: S1 PainCost: Steal-get back at people

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	286	21.1 %
2	Disagree	537	39.7 %
3	Agree	355	26.2 %
4	Strongly Agree	81	6.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 718-721 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S1PAY06: S1 PainCost: Fight-peers respect more

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	215	15.9 %
2	Disagree	487	36.0 %
3	Agree	481	35.5 %

Value	Label	Unweighted Frequency	%
4	Strongly Agree	77	5.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 722-725 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S1PAY07: S1 PainCost: Fight-more respect from adults

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	343	25.3 %
2	Disagree	727	53.7 %
3	Agree	164	12.1 %
4	Strongly Agree	26	1.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-8	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 726-729 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S1PAY08: S1 PainCost: Fight-peers afraid

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	210	15.5 %
2	Disagree	529	39.1 %
3	Agree	459	33.9 %
4	Strongly Agree	62	4.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-8	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 730-733 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S1PAY09: S1 PainCost: Fight-impress bf/gf

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	355	26.2 %
2	Disagree	767	56.6 %
3	Agree	120	8.9 %
4	Strongly Agree	15	1.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	3	0.2 %
-8	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,257 valid cases out of 1,354 total cases.

Location: 734-737 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S1PAY10: S1 PainCost: Fight-get back at people

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	244	18.0 %
2	Disagree	544	40.2 %
3	Agree	406	30.0 %
4	Strongly Agree	67	4.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 738-741 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S1PAY11: S1 PainCost: Rob-peers respect more

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	338	25.0 %
2	Disagree	762	56.3 %
3	Agree	146	10.8 %
4	Strongly Agree	15	1.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 742-745 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S1PAY12: S1 PainCost: Rob-more respect from adults

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	448	33.1 %
2	Disagree	748	55.2 %
3	Agree	59	4.4 %
4	Strongly Agree	6	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 746-749 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S1PAY13: S1 PainCost: Rob-peers afraid

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	337	24.9 %
2	Disagree	684	50.5 %
3	Agree	210	15.5 %
4	Strongly Agree	29	2.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-8	Refuse	1	0.1 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 750-753 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S1PAY14: S1 PainCost: Rob-impress bf/gf

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	466	34.4 %
2	Disagree	764	56.4 %
3	Agree	24	1.8 %
4	Strongly Agree	6	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-8	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 754-757 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S1PAY15: S1 PainCost: Rob-get back at people

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	330	24.4 %
2	Disagree	628	46.4 %
3	Agree	262	19.4 %
4	Strongly Agree	41	3.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 758-761 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S1PUNOTH: S1 PainCost: Certainty of Punishment - Other

Based upon 1,242 valid cases out of 1,354 total cases.

- Mean: 5.4421056667
- Median: 5.4285714286
- Minimum: 0.0000000000
- Maximum: 10.0000000000
- Standard Deviation: 2.3091214356

Location: 762-776 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -99.0000000000 , -98.0000000000

S1PUNYOU: S1 PainCost: Certainty of Punishment - You

Based upon 1,247 valid cases out of 1,354 total cases.

- Mean: 5.1938939168
- Median: 5.0000000000
- Mode: 10.0000000000
- Minimum: 0.0000000000
- Maximum: 10.0000000000
- Standard Deviation: 2.9887252133

Location: 777-791 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -99.0000000000 , -98.0000000000

S1SOCCST: S1 PainCost: Social Costs of Punishment

Based upon 1,260 valid cases out of 1,354 total cases.

- Mean: 2.9690740741
- Median: 3.0000000000
- Mode: 3.5000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.9082209807

Location: 792-806 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -9.0000000000 , -8.0000000000

S1WGTCST: S1 PainCost: Punishment Costs - Variety

Based upon 1,059 valid cases out of 1,354 total cases.

- Mean: 2.9924678394
- Median: 3.1818181818
- Mode: 4.0000000000
- Minimum: 1.0000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.9135297588

Location: 807-821 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -400.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S1VARCST: S1 PainCost: Punishment Costs (13) - Material Issues

Based upon 1,192 valid cases out of 1,354 total cases.

- Mean: 9.32
- Median: 10.00
- Mode: 18.00
- Minimum: 0.00
- Maximum: 18.00
- Standard Deviation: 6.85

Location: 822-825 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S1MATCST: S1 PainCost: Punishment Costs (5) - Freedom Issues

Based upon 1,192 valid cases out of 1,354 total cases.

- Mean: 5.86
- Median: 6.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 13.00
- Standard Deviation: 5.40

Location: 826-829 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S1FRECST: S1 PainCost: Punishment Costs - Weight

Based upon 1,192 valid cases out of 1,354 total cases.

- Mean: 3.46
- Median: 4.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 1.82

Location: 830-833 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S1STLRWD: S1 PainCost: Social Rewards of Crime - Stealing

Based upon 1,261 valid cases out of 1,354 total cases.

- Mean: 1.8687285223
- Median: 2.0000000000
- Mode: 2.0000000000
- Minimum: 1.0000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.5126647154

Location: 834-848 (width: 15; decimal: 10)

Variable Type: numeric
(Range of) Missing Values: -600.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -9.0000000000 , -8.0000000000

S1FGTRWD: S1 PainCost: Social Rewards of Crime - Fighting

Based upon 1,261 valid cases out of 1,354 total cases.

- Mean: 2.1207507269
- Median: 2.2000000000
- Mode: 2.0000000000
- Minimum: 1.0000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.5831925910

Location: 849-863 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -600.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -9.0000000000 , -8.0000000000

S1ROBRWD: S1 PainCost: Social Rewards of Crime - Robbery

Based upon 1,261 valid cases out of 1,354 total cases.

- Mean: 1.8376949511
- Median: 2.0000000000
- Mode: 2.0000000000
- Minimum: 1.0000000000
- Maximum: 3.6000000000
- Standard Deviation: 0.5289497514

Location: 864-878 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -600.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -9.0000000000 , -8.0000000000

S1PERRWD: S1 PainCost: Personal Rewards of Crime

Based upon 1,261 valid cases out of 1,354 total cases.

- Mean: 2.2736679128
- Median: 1.4285714286
- Mode: 0.0000000000
- Minimum: 0.0000000000
- Maximum: 10.0000000000
- Standard Deviation: 2.4903869100

Location: 879-893 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -99.0000000000 , -98.0000000000

S2PAINCOST_CRTINV: S2 PainCost: Involved ongoing programs court

Value	Label	Unweighted Frequency	%
1	Yes	935	69.1 %
5	No	324	23.9 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 894-897 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S2PAINCOST_CRTIN6: S2 PainCost: Involved court ordered program

Value	Label	Unweighted Frequency	%
1	Yes	1086	80.2 %
5	No	173	12.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 898-901 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S2PAINCOST_CRTTYP: S2 PainCost: Describe court involvement

Value	Label	Unweighted Frequency	%
1	Incarceration	492	36.3 %
2	Court ordered community program	39	2.9 %
3	Probation/Parole	503	37.1 %
6	Other	47	3.5 %
7	None	5	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-102	Not involved currently or w/in p6mo - question skipped	174	12.9 %
	Total	**1,354**	**100%**

Based upon 1,086 valid cases out of 1,354 total cases.

Location: 902-905 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -104 , -102 , -9 , -8

S2PAINCOST_CRTNOW: S2 PainCost: Still involved in program

Value	Label	Unweighted Frequency	%
1	Yes	839	62.0 %
5	No	242	17.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-104	Not involved currently or w/in p6mo - interview bug	5	0.4 %
-102	Not involved currently or w/in p6mo - question skipped	174	12.9 %
	Total	**1,354**	**100%**

Based upon 1,081 valid cases out of 1,354 total cases.

Location: 906-909 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S2PAINCOST01A: S2 PainCost: Sentence kept from hang w/friends

Value	Label	Unweighted Frequency	%
1	Yes	703	51.9 %
5	No	378	27.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-104	Not involved currently or w/in p6mo - interview bug	5	0.4 %
-102	Not involved currently or w/in p6mo - question skipped	174	12.9 %
	Total	**1,354**	**100%**

Based upon 1,081 valid cases out of 1,354 total cases.

Location: 910-913 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S2PAINCOST01B: S2 PainCost: Kept from hang w/friends - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	72	5.3 %
2	A little	156	11.5 %
3	Quite a bit	181	13.4 %

Value	Label	Unweighted Frequency	%
4	Very much	294	21.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-105	Court didnt keep from doing something - question skipped	70	5.2 %
-104	Not involved currently or w/in p6mo - interview bug	313	23.1 %
-102	Not involved currently or w/in p6mo - question skipped	174	12.9 %
	Total	**1,354**	**100%**

Based upon 703 valid cases out of 1,354 total cases.

Location: 914-917 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S2PAINCOST02A: S2 PainCost: Sentence kept from choose how spend time

Value	Label	Unweighted Frequency	%
1	Yes	744	54.9 %
5	No	337	24.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-104	Not involved currently or w/in p6mo - interview bug	5	0.4 %
-102	Not involved currently or w/in p6mo - question skipped	174	12.9 %
	Total	**1,354**	**100%**

Based upon 1,081 valid cases out of 1,354 total cases.

Location: 918-921 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S2PAINCOST02B: S2 PainCost: Kept from choose how spend time - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	38	2.8 %
2	A little	111	8.2 %
3	Quite a bit	201	14.8 %
4	Very much	394	29.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-105	Court didnt keep from doing something - question skipped	62	4.6 %

Value	Label	Unweighted Frequency	%
-104	Not involved currently or w/in p6mo - interview bug	280	20.7 %
-102	Not involved currently or w/in p6mo - question skipped	174	12.9 %
	Total	**1,354**	**100%**

Based upon 744 valid cases out of 1,354 total cases.

Location: 922-925 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S2PAINCOST03A: S2 PainCost: Sentence kept from decide what eat

Value	Label	Unweighted Frequency	%
1	Yes	513	37.9 %
5	No	568	41.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-104	Not involved currently or w/in p6mo - interview bug	5	0.4 %
-102	Not involved currently or w/in p6mo - question skipped	174	12.9 %
	Total	**1,354**	**100%**

Based upon 1,081 valid cases out of 1,354 total cases.

Location: 926-929 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S2PAINCOST03B: S2 PainCost: Kept from decide what to eat - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	14	1.0 %
2	A little	50	3.7 %
3	Quite a bit	118	8.7 %
4	Very much	331	24.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-105	Court didnt keep from doing something - question skipped	108	8.0 %
-104	Not involved currently or w/in p6mo - interview bug	465	34.3 %
-102	Not involved currently or w/in p6mo - question skipped	174	12.9 %
	Total	**1,354**	**100%**

Based upon 513 valid cases out of 1,354 total cases.

Location: 930-933 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S2PAINCOST04A: S2 PainCost: Sentence kept from able to leave

Value	Label	Unweighted Frequency	%
1	Yes	762	56.3 %
5	No	319	23.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-104	Not involved currently or w/in p6mo - interview bug	5	0.4 %
-102	Not involved currently or w/in p6mo - question skipped	174	12.9 %
	Total	**1,354**	**100%**

Based upon 1,081 valid cases out of 1,354 total cases.

Location: 934-937 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S2PAINCOST04B: S2 PainCost: Kept from able to leave - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	28	2.1 %
2	A little	84	6.2 %
3	Quite a bit	148	10.9 %
4	Very much	502	37.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-105	Court didnt keep from doing something - question skipped	57	4.2 %
-104	Not involved currently or w/in p6mo - interview bug	267	19.7 %
-102	Not involved currently or w/in p6mo - question skipped	174	12.9 %
	Total	**1,354**	**100%**

Based upon 762 valid cases out of 1,354 total cases.

Location: 938-941 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S2PAINCOST05A: S2 PainCost: Court sentence kept from sleeping late

Value	Label	Unweighted Frequency	%
1	Yes	495	36.6 %
5	No	586	43.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-104	Not involved currently or w/in p6mo - interview bug	5	0.4 %
-102	Not involved currently or w/in p6mo - question skipped	174	12.9 %
	Total	**1,354**	**100%**

Based upon 1,081 valid cases out of 1,354 total cases.

Location: 942-945 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S2PAINCOST05B: S2 PainCost: Kept from sleeping late - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	31	2.3 %
2	A little	80	5.9 %
3	Quite a bit	104	7.7 %
4	Very much	280	20.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-105	Court didnt keep from doing something - question skipped	98	7.2 %
-104	Not involved currently or w/in p6mo - interview bug	493	36.4 %
-102	Not involved currently or w/in p6mo - question skipped	174	12.9 %
	Total	**1,354**	**100%**

Based upon 495 valid cases out of 1,354 total cases.

Location: 946-949 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S2PAINCOST06A: S2 PainCost: Court sentence kept from go out w/bfgf

Value	Label	Unweighted Frequency	%
1	Yes	642	47.4 %
5	No	439	32.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %

Value	Label	Unweighted Frequency	%
-104	Not involved currently or w/in p6mo - interview bug	5	0.4 %
-102	Not involved currently or w/in p6mo - question skipped	174	12.9 %
	Total	**1,354**	**100%**

Based upon 1,081 valid cases out of 1,354 total cases.

Location: 950-953 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S2PAINCOST06B: S2 PainCost: Kept from go out w/bfgf - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	17	1.3 %
2	A little	49	3.6 %
3	Quite a bit	113	8.3 %
4	Very much	463	34.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-105	Court didnt keep from doing something - question skipped	81	6.0 %
-104	Not involved currently or w/in p6mo - interview bug	363	26.8 %
-102	Not involved currently or w/in p6mo - question skipped	174	12.9 %
	Total	**1,354**	**100%**

Based upon 642 valid cases out of 1,354 total cases.

Location: 954-957 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S2PAINCOST07A: S2 PainCost: Sentence kept from watching TV

Value	Label	Unweighted Frequency	%
1	Yes	477	35.2 %
5	No	604	44.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-104	Not involved currently or w/in p6mo - interview bug	5	0.4 %
-102	Not involved currently or w/in p6mo - question skipped	174	12.9 %
	Total	**1,354**	**100%**

Based upon 1,081 valid cases out of 1,354 total cases.

Location: 958-961 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S2PAINCOST07B: S2 PainCost: Kept from watching TV - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	33	2.4 %
2	A little	89	6.6 %
3	Quite a bit	126	9.3 %
4	Very much	229	16.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-105	Court didnt keep from doing something - question skipped	104	7.7 %
-104	Not involved currently or w/in p6mo - interview bug	505	37.3 %
-102	Not involved currently or w/in p6mo - question skipped	174	12.9 %
	Total	**1,354**	**100%**

Based upon 477 valid cases out of 1,354 total cases.

Location: 962-965 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S2PAINCOST08A: S2 PainCost: Sentence kept from dressing way want

Value	Label	Unweighted Frequency	%
1	Yes	489	36.1 %
5	No	592	43.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-104	Not involved currently or w/in p6mo - interview bug	5	0.4 %
-102	Not involved currently or w/in p6mo - question skipped	174	12.9 %
	Total	**1,354**	**100%**

Based upon 1,081 valid cases out of 1,354 total cases.

Location: 966-969 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S2PAINCOST08B: S2 PainCost: Kept from dress the way want - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	15	1.1 %
2	A little	46	3.4 %
3	Quite a bit	99	7.3 %
4	Very much	329	24.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-105	Court didnt keep from doing something - question skipped	105	7.8 %
-104	Not involved currently or w/in p6mo - interview bug	492	36.3 %
-102	Not involved currently or w/in p6mo - question skipped	174	12.9 %
	Total	**1,354**	**100%**

Based upon 489 valid cases out of 1,354 total cases.

Location: 970-973 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S2PAINCOST09A: S2 PainCost: Sentence kept from listen to music

Value	Label	Unweighted Frequency	%
1	Yes	387	28.6 %
5	No	694	51.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-104	Not involved currently or w/in p6mo - interview bug	5	0.4 %
-102	Not involved currently or w/in p6mo - question skipped	174	12.9 %
	Total	**1,354**	**100%**

Based upon 1,081 valid cases out of 1,354 total cases.

Location: 974-977 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S2PAINCOST09B: S2 PainCost: Kept from listen to music - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	15	1.1 %
2	A little	47	3.5 %
3	Quite a bit	87	6.4 %
4	Very much	238	17.6 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-105	Court didnt keep from doing something - question skipped	112	8.3 %
-104	Not involved currently or w/in p6mo - interview bug	587	43.4 %
-102	Not involved currently or w/in p6mo - question skipped	174	12.9 %
	Total	**1,354**	**100%**

Based upon 387 valid cases out of 1,354 total cases.

Location: 978-981 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S2PAINCOST10A: S2 PainCost: Sentence kept from seeing movies

Value	Label	Unweighted Frequency	%
1	Yes	498	36.8 %
5	No	583	43.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-104	Not involved currently or w/in p6mo - interview bug	5	0.4 %
-102	Not involved currently or w/in p6mo - question skipped	174	12.9 %
	Total	**1,354**	**100%**

Based upon 1,081 valid cases out of 1,354 total cases.

Location: 982-985 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S2PAINCOST10B: S2 PainCost: Kept from seeing movies - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	26	1.9 %
2	A little	100	7.4 %
3	Quite a bit	105	7.8 %
4	Very much	267	19.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-105	Court didnt keep from doing something - question skipped	105	7.8 %
-104	Not involved currently or w/in p6mo - interview bug	483	35.7 %
-102	Not involved currently or w/in p6mo - question skipped	174	12.9 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 498 valid cases out of 1,354 total cases.

Location: 986-989 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S2PAINCOST11A: S2 PainCost: Sentence kept from warm place

Value	Label	Unweighted Frequency	%
1	Yes	453	33.5 %
5	No	628	46.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-104	Not involved currently or w/in p6mo - interview bug	5	0.4 %
-102	Not involved currently or w/in p6mo - question skipped	174	12.9 %
	Total	**1,354**	**100%**

Based upon 1,081 valid cases out of 1,354 total cases.

Location: 990-993 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S2PAINCOST11B: S2 PainCost: Kept from warm place - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	12	0.9 %
2	A little	46	3.4 %
3	Quite a bit	90	6.6 %
4	Very much	305	22.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-105	Court didnt keep from doing something - question skipped	107	7.9 %
-104	Not involved currently or w/in p6mo - interview bug	526	38.8 %
-102	Not involved currently or w/in p6mo - question skipped	174	12.9 %
	Total	**1,354**	**100%**

Based upon 453 valid cases out of 1,354 total cases.

Location: 994-997 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S2PAINCOST12A: S2 PainCost: Sentence kept from place that looks good

Value	Label	Unweighted Frequency	%
1	Yes	462	34.1 %
5	No	619	45.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-104	Not involved currently or w/in p6mo - interview bug	5	0.4 %
-102	Not involved currently or w/in p6mo - question skipped	174	12.9 %
	Total	**1,354**	**100%**

Based upon 1,081 valid cases out of 1,354 total cases.

Location: 998-1001 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S2PAINCOST12B: S2 PainCost: Kept from place that looks good - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	17	1.3 %
2	A little	66	4.9 %
3	Quite a bit	84	6.2 %
4	Very much	295	21.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-105	Court didnt keep from doing something - question skipped	111	8.2 %
-104	Not involved currently or w/in p6mo - interview bug	513	37.9 %
-102	Not involved currently or w/in p6mo - question skipped	174	12.9 %
	Total	**1,354**	**100%**

Based upon 462 valid cases out of 1,354 total cases.

Location: 1002-1005 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S2PAINCOST13A: S2 PainCost: Sentence kept from choosing what to wear

Value	Label	Unweighted Frequency	%
1	Yes	475	35.1 %
5	No	606	44.8 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-104	Not involved currently or w/in p6mo - interview bug	5	0.4 %
-102	Not involved currently or w/in p6mo - question skipped	174	12.9 %
	Total	**1,354**	**100%**

Based upon 1,081 valid cases out of 1,354 total cases.

Location: 1006-1009 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S2PAINCOST13B: S2 PainCost: Kept from choosing what to wear - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	18	1.3 %
2	A little	45	3.3 %
3	Quite a bit	95	7.0 %
4	Very much	317	23.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-105	Court didnt keep from doing something - question skipped	106	7.8 %
-104	Not involved currently or w/in p6mo - interview bug	505	37.3 %
-102	Not involved currently or w/in p6mo - question skipped	174	12.9 %
	Total	**1,354**	**100%**

Based upon 475 valid cases out of 1,354 total cases.

Location: 1010-1013 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S2PAINCOST14A: S2 PainCost: Sentence kept from talking on the phone

Value	Label	Unweighted Frequency	%
1	Yes	530	39.1 %
5	No	551	40.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-104	Not involved currently or w/in p6mo - interview bug	5	0.4 %
-102	Not involved currently or w/in p6mo - question skipped	174	12.9 %
	Total	**1,354**	**100%**

Based upon 1,081 valid cases out of 1,354 total cases.

Location: 1014-1017 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S2PAINCOST14B: S2 PainCost: Kept from talk on the phone - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	16	1.2 %
2	A little	64	4.7 %
3	Quite a bit	103	7.6 %
4	Very much	347	25.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-105	Court didnt keep from doing something - question skipped	104	7.7 %
-104	Not involved currently or w/in p6mo - interview bug	452	33.4 %
-102	Not involved currently or w/in p6mo - question skipped	174	12.9 %
	Total	**1,354**	**100%**

Based upon 530 valid cases out of 1,354 total cases.

Location: 1018-1021 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S2PAINCOST15A: S2 PainCost: Sentence kept from reading what want

Value	Label	Unweighted Frequency	%
1	Yes	285	21.0 %
5	No	796	58.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-104	Not involved currently or w/in p6mo - interview bug	5	0.4 %
-102	Not involved currently or w/in p6mo - question skipped	174	12.9 %
	Total	**1,354**	**100%**

Based upon 1,081 valid cases out of 1,354 total cases.

Location: 1022-1025 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S2PAINCOST15B: S2 PainCost: Kept from read what want - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	23	1.7 %
2	A little	61	4.5 %
3	Quite a bit	60	4.4 %
4	Very much	141	10.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-105	Court didnt keep from doing something - question skipped	125	9.2 %
-104	Not involved currently or w/in p6mo - interview bug	676	49.9 %
-102	Not involved currently or w/in p6mo - question skipped	174	12.9 %
	Total	**1,354**	**100%**

Based upon 285 valid cases out of 1,354 total cases.

Location: 1026-1029 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S2PAINCOST16A: S2 PainCost: Sentence kept from being by self

Value	Label	Unweighted Frequency	%
1	Yes	422	31.2 %
5	No	659	48.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-104	Not involved currently or w/in p6mo - interview bug	5	0.4 %
-102	Not involved currently or w/in p6mo - question skipped	174	12.9 %
	Total	**1,354**	**100%**

Based upon 1,081 valid cases out of 1,354 total cases.

Location: 1030-1033 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S2PAINCOST16B: S2 PainCost: Kept from being by self - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	13	1.0 %
2	A little	49	3.6 %
3	Quite a bit	110	8.1 %
4	Very much	250	18.5 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-105	Court didnt keep from doing something - question skipped	112	8.3 %
-104	Not involved currently or w/in p6mo - interview bug	552	40.8 %
-102	Not involved currently or w/in p6mo - question skipped	174	12.9 %
	Total	**1,354**	**100%**

Based upon 422 valid cases out of 1,354 total cases.

Location: 1034-1037 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S2PAINCOST17A: S2 PainCost: Sentence kept from drinking, get high

Value	Label	Unweighted Frequency	%
1	Yes	793	58.6 %
5	No	287	21.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-104	Not involved currently or w/in p6mo - interview bug	5	0.4 %
-102	Not involved currently or w/in p6mo - question skipped	174	12.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,080 valid cases out of 1,354 total cases.

Location: 1038-1041 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S2PAINCOST17B: S2 PainCost: Kept from drink or get high - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	338	25.0 %
2	A little	193	14.3 %
3	Quite a bit	85	6.3 %
4	Very much	177	13.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-105	Court didnt keep from doing something - question skipped	50	3.7 %
-104	Not involved currently or w/in p6mo - interview bug	243	17.9 %

Value	Label	Unweighted Frequency	%
-102	Not involved currently or w/in p6mo - question skipped	174	12.9 %
	Total	**1,354**	**100%**

Based upon 793 valid cases out of 1,354 total cases.

Location: 1042-1045 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S2PAINCOST18A: S2 PainCost: Sentence kept from buying things

Value	Label	Unweighted Frequency	%
1	Yes	539	39.8 %
5	No	542	40.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-104	Not involved currently or w/in p6mo - interview bug	5	0.4 %
-102	Not involved currently or w/in p6mo - question skipped	174	12.9 %
	Total	**1,354**	**100%**

Based upon 1,081 valid cases out of 1,354 total cases.

Location: 1046-1049 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S2PAINCOST18B: S2 PainCost: Kept from buy things - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	27	2.0 %
2	A little	87	6.4 %
3	Quite a bit	122	9.0 %
4	Very much	303	22.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-105	Court didnt keep from doing something - question skipped	98	7.2 %
-104	Not involved currently or w/in p6mo - interview bug	449	33.2 %
-102	Not involved currently or w/in p6mo - question skipped	174	12.9 %
	Total	**1,354**	**100%**

Based upon 539 valid cases out of 1,354 total cases.

Location: 1050-1053 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S2PAINCOST19A: S2 PainCost: Kept from providing for family

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Blasie version - question not yet added	1262	93.2 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1054-1057 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S2PAINCOST19B: S2 PainCost: Kept from providing for family - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	A little	0	0.0 %
3	Quite a bit	0	0.0 %
4	Very much	0	0.0 %
	Missing Data		
-400	Blasie version - question not yet added	1262	93.2 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1058-1061 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S2PROJUS55: S2 ProJus: Kid caught/arrested for fighting (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	391	28.9 %
1	-	109	8.1 %
2	-	127	9.4 %
3	-	119	8.8 %
4	-	77	5.7 %
5	-	216	16.0 %
6	-	33	2.4 %

Value	Label	Unweighted Frequency	%
7	-	38	2.8 %
8	-	42	3.1 %
9	-	18	1.3 %
10	-	74	5.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-99	Dont Know	14	1.0 %
-98	Refuse	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,244 valid cases out of 1,354 total cases.

Location: 1062-1065 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S2PROJUS56: S2 ProJus: Kid caught/arrested robbery w/ gun (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	72	5.3 %
1	-	17	1.3 %
2	-	36	2.7 %
3	-	51	3.8 %
4	-	82	6.1 %
5	-	233	17.2 %
6	-	70	5.2 %
7	-	113	8.3 %
8	-	140	10.3 %
9	-	89	6.6 %
10	-	340	25.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-99	Dont Know	15	1.1 %
-98	Refuse	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,243 valid cases out of 1,354 total cases.

Location: 1066-1069 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S2PROJUS57: S2 ProJus: Kid caught/arrested stabbing someone (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	76	5.6 %
1	-	21	1.6 %
2	-	32	2.4 %
3	-	53	3.9 %
4	-	59	4.4 %
5	-	203	15.0 %
6	-	81	6.0 %
7	-	114	8.4 %
8	-	143	10.6 %
9	-	101	7.5 %
10	-	359	26.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-99	Dont Know	16	1.2 %
-98	Refuse	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,242 valid cases out of 1,354 total cases.

Location: 1070-1073 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S2PROJUS58: S2 ProJus: Kid caught/arrested breaking into store (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	80	5.9 %
1	-	25	1.8 %
2	-	51	3.8 %
3	-	70	5.2 %
4	-	76	5.6 %
5	-	245	18.1 %
6	-	89	6.6 %
7	-	111	8.2 %
8	-	121	8.9 %
9	-	82	6.1 %
10	-	292	21.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	92	6.8 %
-99	Dont Know	16	1.2 %
-98	Refuse	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,242 valid cases out of 1,354 total cases.

Location: 1074-1077 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S2PROJUS59: S2 ProJus: Kid caught/arrested stealing clothes (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	103	7.6 %
1	-	47	3.5 %
2	-	93	6.9 %
3	-	103	7.6 %
4	-	107	7.9 %
5	-	292	21.6 %
6	-	77	5.7 %
7	-	88	6.5 %
8	-	77	5.7 %
9	-	57	4.2 %
10	-	200	14.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-99	Dont Know	14	1.0 %
-98	Refuse	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,244 valid cases out of 1,354 total cases.

Location: 1078-1081 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S2PROJUS60: S2 ProJus: Kid caught/arrested vandalism (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	223	16.5 %
1	-	99	7.3 %
2	-	144	10.6 %

Value	Label	Unweighted Frequency	%
3	-	129	9.5 %
4	-	86	6.4 %
5	-	217	16.0 %
6	-	64	4.7 %
7	-	64	4.7 %
8	-	36	2.7 %
9	-	34	2.5 %
10	-	148	10.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-99	Dont Know	14	1.0 %
-98	Refuse	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,244 valid cases out of 1,354 total cases.

Location: 1082-1085 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S2PROJUS61: S2 ProJus: Kid caught/arrested auto theft (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	99	7.3 %
1	-	46	3.4 %
2	-	74	5.5 %
3	-	64	4.7 %
4	-	91	6.7 %
5	-	235	17.4 %
6	-	100	7.4 %
7	-	94	6.9 %
8	-	112	8.3 %
9	-	82	6.1 %
10	-	246	18.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-99	Dont Know	15	1.1 %
-98	Refuse	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,243 valid cases out of 1,354 total cases.

Location: 1086-1089 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S2PROJUS62: S2 ProJus: You caught/arrested fighting (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	453	33.5 %
1	-	134	9.9 %
2	-	119	8.8 %
3	-	78	5.8 %
4	-	48	3.5 %
5	-	141	10.4 %
6	-	25	1.8 %
7	-	37	2.7 %
8	-	36	2.7 %
9	-	26	1.9 %
10	-	149	11.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-99	Dont Know	13	1.0 %
-98	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,246 valid cases out of 1,354 total cases.

Location: 1090-1093 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S2PROJUS63: S2 ProJus: You caught/arrested robbery w/ gun (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	164	12.1 %
1	-	39	2.9 %
2	-	51	3.8 %
3	-	48	3.5 %
4	-	40	3.0 %
5	-	183	13.5 %
6	-	52	3.8 %
7	-	78	5.8 %
8	-	81	6.0 %

Value	Label	Unweighted Frequency	%
9	-	92	6.8 %
10	-	416	30.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-99	Dont Know	15	1.1 %
-98	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,244 valid cases out of 1,354 total cases.

Location: 1094-1097 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S2PROJUS64: S2 ProJus: You caught/arrested stabbing someone (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	178	13.1 %
1	-	38	2.8 %
2	-	32	2.4 %
3	-	41	3.0 %
4	-	37	2.7 %
5	-	170	12.6 %
6	-	59	4.4 %
7	-	81	6.0 %
8	-	96	7.1 %
9	-	88	6.5 %
10	-	424	31.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-99	Dont Know	15	1.1 %
-98	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,244 valid cases out of 1,354 total cases.

Location: 1098-1101 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S2PROJUS65: S2 ProJus: You caught/arrested breaking into store (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	173	12.8 %
1	-	39	2.9 %
2	-	53	3.9 %
3	-	69	5.1 %
4	-	73	5.4 %
5	-	184	13.6 %
6	-	64	4.7 %
7	-	74	5.5 %
8	-	90	6.6 %
9	-	66	4.9 %
10	-	360	26.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-99	Dont Know	14	1.0 %
-98	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,245 valid cases out of 1,354 total cases.

Location: 1102-1105 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S2PROJUS66: S2 ProJus: You caught/arrested stealing clothes (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	212	15.7 %
1	-	67	4.9 %
2	-	80	5.9 %
3	-	67	4.9 %
4	-	71	5.2 %
5	-	187	13.8 %
6	-	59	4.4 %
7	-	65	4.8 %
8	-	69	5.1 %
9	-	62	4.6 %
10	-	306	22.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %

Value	Label	Unweighted Frequency	%
-99	Dont Know	14	1.0 %
-98	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,245 valid cases out of 1,354 total cases.

Location: 1106-1109 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S2PROJUS67: S2 ProJus: You caught/arrested vandalism (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	339	25.0 %
1	-	89	6.6 %
2	-	113	8.3 %
3	-	75	5.5 %
4	-	59	4.4 %
5	-	168	12.4 %
6	-	40	3.0 %
7	-	37	2.7 %
8	-	35	2.6 %
9	-	43	3.2 %
10	-	247	18.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-99	Dont Know	14	1.0 %
-98	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,245 valid cases out of 1,354 total cases.

Location: 1110-1113 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S2PROJUS68: S2 ProJus: You caught/arrested auto theft (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	181	13.4 %
1	-	55	4.1 %
2	-	62	4.6 %
3	-	53	3.9 %

Value	Label	Unweighted Frequency	%
4	-	52	3.8 %
5	-	197	14.5 %
6	-	54	4.0 %
7	-	61	4.5 %
8	-	77	5.7 %
9	-	73	5.4 %
10	-	379	28.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-99	Dont Know	15	1.1 %
-98	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,244 valid cases out of 1,354 total cases.

Location: 1114-1117 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S2PROJUS69: S2 ProJus: Break law suspend from school

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	386	28.5 %
2	Somewhat Unlikely It Would Happen	86	6.4 %
3	Could go Either Way	362	26.7 %
4	Somewhat Likely It Would Happen	185	13.7 %
5	Very Likely It Would Happen	231	17.1 %
	Missing Data		
-202	IntCompStat=2 (parital)	2	0.1 %
-201	IntCompStat=4 (missing int)	92	6.8 %
-9	Dont Know	10	0.7 %
	Total	**1,354**	**100%**

Based upon 1,250 valid cases out of 1,354 total cases.

Location: 1118-1121 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -97 , -9 , -8

S2PROJUS70: S2 ProJus: Break law lose friends respect

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	559	41.3 %

Value	Label	Unweighted Frequency	%
2	Somewhat Unlikely It Would Happen	145	10.7 %
3	Could go Either Way	319	23.6 %
4	Somewhat Likely It Would Happen	156	11.5 %
5	Very Likely It Would Happen	80	5.9 %
	Missing Data		
-202	IntCompStat=2 (parital)	2	0.1 %
-201	IntCompStat=4 (missing int)	92	6.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 1122-1125 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -97 , -9 , -8

S2PROJUS71: S2 ProJus: Break law lose family respect

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	308	22.7 %
2	Somewhat Unlikely It Would Happen	135	10.0 %
3	Could go Either Way	197	14.5 %
4	Somewhat Likely It Would Happen	388	28.7 %
5	Very Likely It Would Happen	231	17.1 %
	Missing Data		
-202	IntCompStat=2 (parital)	2	0.1 %
-201	IntCompStat=4 (missing int)	92	6.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 1126-1129 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -97 , -9 , -8

S2PROJUS72: S2 ProJus: Break law lose neighbors respect

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	217	16.0 %
2	Somewhat Unlikely It Would Happen	148	10.9 %
3	Could go Either Way	244	18.0 %
4	Somewhat Likely It Would Happen	443	32.7 %
5	Very Likely It Would Happen	206	15.2 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat=2 (parital)	2	0.1 %
-201	IntCompStat=4 (missing int)	92	6.8 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 1130-1133 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -97 , -9 , -8

S2PROJUS73: S2 ProJus: Break law lose bf/gf respect

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	313	23.1 %
2	Somewhat Unlikely It Would Happen	146	10.8 %
3	Could go Either Way	348	25.7 %
4	Somewhat Likely It Would Happen	276	20.4 %
5	Very Likely It Would Happen	174	12.9 %
	Missing Data		
-202	IntCompStat=2 (parital)	2	0.1 %
-201	IntCompStat=4 (missing int)	92	6.8 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,257 valid cases out of 1,354 total cases.

Location: 1134-1137 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -97 , -9 , -8

S2PROJUS74: S2 ProJus: Break law harder to find job

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	73	5.4 %
2	Somewhat Unlikely It Would Happen	72	5.3 %
3	Could go Either Way	105	7.8 %
4	Somewhat Likely It Would Happen	437	32.3 %
5	Very Likely It Would Happen	571	42.2 %
	Missing Data		
-202	IntCompStat=2 (parital)	2	0.1 %
-201	IntCompStat=4 (missing int)	92	6.8 %
-9	Dont Know	2	0.1 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 1138-1141 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -97 , -9 , -8

S2PROJUS76: S2 ProJus: Thrill/rush fighting (0=no thrill - 10 great thrill)

Value	Label	Unweighted Frequency	%
0	-	455	33.6 %
1	-	46	3.4 %
2	-	54	4.0 %
3	-	62	4.6 %
4	-	51	3.8 %
5	-	190	14.0 %
6	-	70	5.2 %
7	-	63	4.7 %
8	-	77	5.7 %
9	-	33	2.4 %
10	-	159	11.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 1142-1145 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S2PROJUS77: S2 ProJus: Thrill/rush robbery w/gun (0=no thrill - 10 great thrill)

Value	Label	Unweighted Frequency	%
0	-	733	54.1 %
1	-	63	4.7 %
2	-	75	5.5 %
3	-	54	4.0 %
4	-	43	3.2 %
5	-	98	7.2 %
6	-	37	2.7 %
7	-	28	2.1 %

Value	Label	Unweighted Frequency	%
8	-	38	2.8 %
9	-	14	1.0 %
10	-	77	5.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 1146-1149 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S2PROJUS78: S2 ProJus: Thrill/rush stabbing someone (0=no thrill - 10 great thrill)

Value	Label	Unweighted Frequency	%
0	-	829	61.2 %
1	-	79	5.8 %
2	-	72	5.3 %
3	-	41	3.0 %
4	-	39	2.9 %
5	-	68	5.0 %
6	-	18	1.3 %
7	-	23	1.7 %
8	-	20	1.5 %
9	-	8	0.6 %
10	-	63	4.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 1150-1153 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S2PROJUS79: S2 ProJus: Thrill/rush break into store/home (0=no thrill - 10 great thrill)

Value	Label	Unweighted Frequency	%
0	-	760	56.1 %
1	-	61	4.5 %

Value	Label	Unweighted Frequency	%
2	-	68	5.0 %
3	-	68	5.0 %
4	-	43	3.2 %
5	-	104	7.7 %
6	-	26	1.9 %
7	-	33	2.4 %
8	-	26	1.9 %
9	-	14	1.0 %
10	-	57	4.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 1154-1157 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S2PROJUS80: S2 ProJus: Thrill/rush stealing clothes (0=no thrill - 10 great thrill)

Value	Label	Unweighted Frequency	%
0	-	807	59.6 %
1	-	86	6.4 %
2	-	79	5.8 %
3	-	51	3.8 %
4	-	46	3.4 %
5	-	92	6.8 %
6	-	26	1.9 %
7	-	18	1.3 %
8	-	11	0.8 %
9	-	7	0.5 %
10	-	37	2.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 1158-1161 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -99 , -98

S2PROJUS81: S2 ProJus: Thrill/rush vandalism (0=no thrill - 10 great thrill)

Value	Label	Unweighted Frequency	%
0	-	791	58.4 %
1	-	83	6.1 %
2	-	85	6.3 %
3	-	50	3.7 %
4	-	47	3.5 %
5	-	86	6.4 %
6	-	25	1.8 %
7	-	19	1.4 %
8	-	14	1.0 %
9	-	8	0.6 %
10	-	52	3.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 1162-1165 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S2PROJUS82: S2 ProJus: Thrill/rush auto theft (0=no thrill - 10=great thrill)

Value	Label	Unweighted Frequency	%
0	-	707	52.2 %
1	-	65	4.8 %
2	-	49	3.6 %
3	-	30	2.2 %
4	-	29	2.1 %
5	-	103	7.6 %
6	-	35	2.6 %
7	-	42	3.1 %
8	-	48	3.5 %
9	-	26	1.9 %
10	-	126	9.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 1166-1169 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S2PAY01: S2 PainCost: Steal-peers respect more

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	377	27.8 %
2	Disagree	710	52.4 %
3	Agree	148	10.9 %
4	Strongly Agree	21	1.6 %
	Missing Data		
-600	Data missing - unknown reason	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,256 valid cases out of 1,354 total cases.

Location: 1170-1173 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S2PAY02: S2 PainCost: Steal-more respect from adults

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	467	34.5 %
2	Disagree	748	55.2 %
3	Agree	40	3.0 %
4	Strongly Agree	4	0.3 %
	Missing Data		
-600	Data missing - unknown reason	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 1174-1177 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S2PAY03: S2 PainCost: Steal-friends like more

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	383	28.3 %
2	Disagree	677	50.0 %
3	Agree	175	12.9 %
4	Strongly Agree	24	1.8 %
	Missing Data		
-600	Data missing - unknown reason	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 1178-1181 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S2PAY04: S2 PainCost: Steal-impress bf/gf

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	486	35.9 %
2	Disagree	741	54.7 %
3	Agree	27	2.0 %
4	Strongly Agree	5	0.4 %
	Missing Data		
-600	Data missing - unknown reason	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 1182-1185 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S2PAY05: S2 PainCost: Steal-get back at people

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	319	23.6 %
2	Disagree	542	40.0 %
3	Agree	327	24.2 %

Value	Label	Unweighted Frequency	%
4	Strongly Agree	71	5.2 %
	Missing Data		
-600	Data missing - unknown reason	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 1186-1189 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S2PAY06: S2 PainCost: Fight-peers respect more

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	273	20.2 %
2	Disagree	521	38.5 %
3	Agree	399	29.5 %
4	Strongly Agree	63	4.7 %
	Missing Data		
-600	Data missing - unknown reason	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,256 valid cases out of 1,354 total cases.

Location: 1190-1193 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S2PAY07: S2 PainCost: Fight-more respect from adults

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	350	25.8 %
2	Disagree	721	53.2 %
3	Agree	164	12.1 %
4	Strongly Agree	22	1.6 %
	Missing Data		
-600	Data missing - unknown reason	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %

Value	Label	Unweighted Frequency	%
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,257 valid cases out of 1,354 total cases.

Location: 1194-1197 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S2PAY08: S2 PainCost: Fight-peers afraid

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	251	18.5 %
2	Disagree	532	39.3 %
3	Agree	419	30.9 %
4	Strongly Agree	56	4.1 %
	Missing Data		
-600	Data missing - unknown reason	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 1198-1201 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S2PAY09: S2 PainCost: Fight-impress bf/gf

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	398	29.4 %
2	Disagree	766	56.6 %
3	Agree	82	6.1 %
4	Strongly Agree	13	1.0 %
	Missing Data		
-600	Data missing - unknown reason	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 1202-1205 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S2PAY10: S2 PainCost: Fight-get back at people

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	286	21.1 %
2	Disagree	555	41.0 %
3	Agree	344	25.4 %
4	Strongly Agree	74	5.5 %
	Missing Data		
-600	Data missing - unknown reason	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 1206-1209 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S2PAY11: S2 PainCost: Rob-peers respect more

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	379	28.0 %
2	Disagree	727	53.7 %
3	Agree	137	10.1 %
4	Strongly Agree	15	1.1 %
	Missing Data		
-600	Data missing - unknown reason	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 1210-1213 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S2PAY12: S2 PainCost: Rob-more respect from adults

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	447	33.0 %
2	Disagree	756	55.8 %

Value	Label	Unweighted Frequency	%
3	Agree	50	3.7 %
4	Strongly Agree	6	0.4 %
	Missing Data		
-600	Data missing - unknown reason	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 1214-1217 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S2PAY13: S2 PainCost: Rob-peers afraid

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	340	25.1 %
2	Disagree	662	48.9 %
3	Agree	229	16.9 %
4	Strongly Agree	28	2.1 %
	Missing Data		
-600	Data missing - unknown reason	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 1218-1221 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S2PAY14: S2 PainCost: Rob-impress bf/gf

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	475	35.1 %
2	Disagree	759	56.1 %
3	Agree	24	1.8 %
4	Strongly Agree	1	0.1 %
	Missing Data		
-600	Data missing - unknown reason	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 1222-1225 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S2PAY15: S2 PainCost: Rob-get back at people

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	357	26.4 %
2	Disagree	627	46.3 %
3	Agree	236	17.4 %
4	Strongly Agree	39	2.9 %
	Missing Data		
-600	Data missing - unknown reason	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 1226-1229 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S2PUNOTH: S2 PainCost: Certainty of Punishment - Other

Based upon 1,244 valid cases out of 1,354 total cases.

- Mean: 5.4371172102
- Median: 5.2857142857
- Mode: 4.2857142857
- Minimum: 0.0000000000
- Maximum: 10.0000000000
- Standard Deviation: 2.2640836384

Location: 1230-1244 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -99.0000000000 , -98.0000000000

S2PUNYOU: S2 PainCost: Certainty of Punishment - You

Based upon 1,246 valid cases out of 1,354 total cases.

- Mean: 5.3128487350
- Median: 5.1428571429
- Mode: 10.0000000000
- Minimum: 0.0000000000

- Maximum: 10.0000000000
- Standard Deviation: 2.9208681711

Location: 1245-1259 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -99.0000000000 , -98.0000000000

S2SOCCST: S2 PainCost: Social Costs of Punishment

Based upon 1,260 valid cases out of 1,354 total cases.

- Mean: 3.0558465608
- Median: 3.1666666667
- Mode: 3.6666666667
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.9098371177

Location: 1260-1274 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -9.0000000000 , -8.0000000000

S2WGTCST: S2 PainCost: Punishment Costs - Variety

Based upon 950 valid cases out of 1,354 total cases.

- Mean: 2.9036861108
- Median: 3.0972222222
- Mode: 4.0000000000
- Minimum: 1.0000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.9627974973

Location: 1275-1289 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -400.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S2VARCST: S2 PainCost: Punishment Costs (13) - Material Issues

Based upon 1,081 valid cases out of 1,354 total cases.

- Mean: 8.94
- Median: 9.00
- Mode: 18.00
- Minimum: 0.00
- Maximum: 18.00
- Standard Deviation: 6.93

Location: 1290-1293 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S2MATCST: S2 PainCost: Punishment Costs (5) - Freedom Issues

Based upon 1,081 valid cases out of 1,354 total cases.

- Mean: 5.57
- Median: 4.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 13.00
- Standard Deviation: 5.42

Location: 1294-1297 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S2FRECST: S2 PainCost: Punishment Costs - Weight

Based upon 1,081 valid cases out of 1,354 total cases.

- Mean: 3.37
- Median: 4.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 1.88

Location: 1298-1301 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S2STLRWD: S2 PainCost: Social Rewards of Crime - Stealing

Based upon 1,259 valid cases out of 1,354 total cases.

- Mean: 1.83
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.53

Location: 1302-1308 (width: 7; decimal: 2)
Variable Type: numeric
(Range of) Missing Values: -600.00 , -300.00 , -202.00 , -201.00 , -9.00 , -8.00

S2FGTRWD: S2 PainCost: Social Rewards of Crime - Fighting

Based upon 1,259 valid cases out of 1,354 total cases.

- Mean: 2.05
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.61

Location: 1309-1315 (width: 7; decimal: 2)
Variable Type: numeric
(Range of) Missing Values: -600.00 , -300.00 , -202.00 , -201.00 , -9.00 , -8.00

S2ROBRWD: S2 PainCost: Social Rewards of Crime - Robbery

Based upon 1,259 valid cases out of 1,354 total cases.

- Mean: 1.82
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.40
- Standard Deviation: 0.54

Location: 1316-1321 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -600.0 , -300.0 , -202.0 , -201.0 , -9.0 , -8.0

S2PERRWD: S2 PainCost: Personal Rewards of Crime

Based upon 1,260 valid cases out of 1,354 total cases.

- Mean: 2.1528344671
- Median: 1.2857142857
- Mode: 0.0000000000
- Minimum: 0.0000000000
- Maximum: 10.0000000000
- Standard Deviation: 2.4042637650

Location: 1322-1336 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -99.0000000000 , -98.0000000000

S3PAINCOST_CRTINV: S3 PainCost: Involved ongoing programs court

Value	Label	Unweighted Frequency	%
1	Yes	761	56.2 %
5	No	467	34.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 1337-1340 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S3PAINCOST_CRTIN6: S3 PainCost: Involved court ordered program

Value	Label	Unweighted Frequency	%
1	Yes	876	64.7 %
5	No	352	26.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 1341-1344 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S3PAINCOST_CRTTYP: S3 PainCost: Describe court involvement

Value	Label	Unweighted Frequency	%
1	Incarceration	401	29.6 %
2	Court ordered community program	27	2.0 %
3	Probation/Parole	412	30.4 %
6	Other	32	2.4 %
7	None	4	0.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-102	Not involved currently or w/in p6mo - question skipped	352	26.0 %
	Total	**1,354**	**100%**

Based upon 876 valid cases out of 1,354 total cases.

Location: 1345-1348 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -104 , -102 , -9 , -8

S3PAINCOST_CRTNOW: S3 PainCost: Still involved in program

Value	Label	Unweighted Frequency	%
1	Yes	702	51.8 %
5	No	169	12.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-104	Not involved currently or w/in p6mo - interview bug	4	0.3 %
-102	Not involved currently or w/in p6mo - question skipped	352	26.0 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 871 valid cases out of 1,354 total cases.

Location: 1349-1352 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S3PAINCOST01A: S3 PainCost: Sentence kept from hang w/friends

Value	Label	Unweighted Frequency	%
1	Yes	558	41.2 %
5	No	314	23.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-104	Not involved currently or w/in p6mo - interview bug	4	0.3 %
-102	Not involved currently or w/in p6mo - question skipped	352	26.0 %
	Total	**1,354**	**100%**

Based upon 872 valid cases out of 1,354 total cases.

Location: 1353-1356 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S3PAINCOST01B: S3 PainCost: Kept from hang w/friends - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	55	4.1 %
2	A little	128	9.5 %
3	Quite a bit	135	10.0 %
4	Very much	240	17.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-105	Court didnt keep from doing something - question skipped	44	3.2 %
-104	Not involved currently or w/in p6mo - interview bug	274	20.2 %
-102	Not involved currently or w/in p6mo - question skipped	352	26.0 %
	Total	**1,354**	**100%**

Based upon 558 valid cases out of 1,354 total cases.

Location: 1357-1360 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S3PAINCOST02A: S3 PainCost: Sentence kept from choose how spend time

Value	Label	Unweighted Frequency	%
1	Yes	582	43.0 %
5	No	290	21.4 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-104	Not involved currently or w/in p6mo - interview bug	4	0.3 %
-102	Not involved currently or w/in p6mo - question skipped	352	26.0 %
	Total	**1,354**	**100%**

Based upon 872 valid cases out of 1,354 total cases.

Location: 1361-1364 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S3PAINCOST02B: S3 PainCost: Kept from choose how spend time - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	23	1.7 %
2	A little	100	7.4 %
3	Quite a bit	134	9.9 %
4	Very much	325	24.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-105	Court didnt keep from doing something - question skipped	42	3.1 %
-104	Not involved currently or w/in p6mo - interview bug	252	18.6 %
-102	Not involved currently or w/in p6mo - question skipped	352	26.0 %
	Total	**1,354**	**100%**

Based upon 582 valid cases out of 1,354 total cases.

Location: 1365-1368 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S3PAINCOST03A: S3 PainCost: Sentence kept from decide what eat

Value	Label	Unweighted Frequency	%
1	Yes	421	31.1 %
5	No	451	33.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-104	Not involved currently or w/in p6mo - interview bug	4	0.3 %
-102	Not involved currently or w/in p6mo - question skipped	352	26.0 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 872 valid cases out of 1,354 total cases.

Location: 1369-1372 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S3PAINCOST03B: S3 PainCost: Kept from decide what to eat - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	9	0.7 %
2	A little	54	4.0 %
3	Quite a bit	76	5.6 %
4	Very much	282	20.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-105	Court didnt keep from doing something - question skipped	80	5.9 %
-104	Not involved currently or w/in p6mo - interview bug	375	27.7 %
-102	Not involved currently or w/in p6mo - question skipped	352	26.0 %
	Total	**1,354**	**100%**

Based upon 421 valid cases out of 1,354 total cases.

Location: 1373-1376 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S3PAINCOST04A: S3 PainCost: Sentence kept from able to leave

Value	Label	Unweighted Frequency	%
1	Yes	570	42.1 %
5	No	302	22.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-104	Not involved currently or w/in p6mo - interview bug	4	0.3 %
-102	Not involved currently or w/in p6mo - question skipped	352	26.0 %
	Total	**1,354**	**100%**

Based upon 872 valid cases out of 1,354 total cases.

Location: 1377-1380 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S3PAINCOST04B: S3 PainCost: Kept from able to leave - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	15	1.1 %
2	A little	49	3.6 %
3	Quite a bit	102	7.5 %
4	Very much	404	29.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-105	Court didnt keep from doing something - question skipped	48	3.5 %
-104	Not involved currently or w/in p6mo - interview bug	258	19.1 %
-102	Not involved currently or w/in p6mo - question skipped	352	26.0 %
	Total	**1,354**	**100%**

Based upon 570 valid cases out of 1,354 total cases.

Location: 1381-1384 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S3PAINCOST05A: S3 PainCost: Court sentence kept from sleeping late

Value	Label	Unweighted Frequency	%
1	Yes	364	26.9 %
5	No	508	37.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-104	Not involved currently or w/in p6mo - interview bug	4	0.3 %
-102	Not involved currently or w/in p6mo - question skipped	352	26.0 %
	Total	**1,354**	**100%**

Based upon 872 valid cases out of 1,354 total cases.

Location: 1385-1388 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S3PAINCOST05B: S3 PainCost: Kept from sleeping late - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	25	1.8 %
2	A little	59	4.4 %
3	Quite a bit	69	5.1 %

Value	Label	Unweighted Frequency	%
4	Very much	211	15.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-105	Court didnt keep from doing something - question skipped	73	5.4 %
-104	Not involved currently or w/in p6mo - interview bug	439	32.4 %
-102	Not involved currently or w/in p6mo - question skipped	352	26.0 %
	Total	**1,354**	**100%**

Based upon 364 valid cases out of 1,354 total cases.

Location: 1389-1392 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S3PAINCOST06A: S3 PainCost: Court sentence kept from go out w/bfgf

Value	Label	Unweighted Frequency	%
1	Yes	506	37.4 %
5	No	366	27.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-104	Not involved currently or w/in p6mo - interview bug	4	0.3 %
-102	Not involved currently or w/in p6mo - question skipped	352	26.0 %
	Total	**1,354**	**100%**

Based upon 872 valid cases out of 1,354 total cases.

Location: 1393-1396 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S3PAINCOST06B: S3 PainCost: Kept from go out w/bfgf - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	26	1.9 %
2	A little	29	2.1 %
3	Quite a bit	77	5.7 %
4	Very much	374	27.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-105	Court didnt keep from doing something - question skipped	64	4.7 %

Value	Label	Unweighted Frequency	%
-104	Not involved currently or w/in p6mo - interview bug	306	22.6 %
-102	Not involved currently or w/in p6mo - question skipped	352	26.0 %
	Total	**1,354**	**100%**

Based upon 506 valid cases out of 1,354 total cases.

Location: 1397-1400 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S3PAINCOST07A: S3 PainCost: Sentence kept from watching TV

Value	Label	Unweighted Frequency	%
1	Yes	357	26.4 %
5	No	515	38.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-104	Not involved currently or w/in p6mo - interview bug	4	0.3 %
-102	Not involved currently or w/in p6mo - question skipped	352	26.0 %
	Total	**1,354**	**100%**

Based upon 872 valid cases out of 1,354 total cases.

Location: 1401-1404 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S3PAINCOST07B: S3 PainCost: Kept from watching TV - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	23	1.7 %
2	A little	61	4.5 %
3	Quite a bit	73	5.4 %
4	Very much	200	14.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-105	Court didnt keep from doing something - question skipped	76	5.6 %
-104	Not involved currently or w/in p6mo - interview bug	443	32.7 %
-102	Not involved currently or w/in p6mo - question skipped	352	26.0 %
	Total	**1,354**	**100%**

Based upon 357 valid cases out of 1,354 total cases.

Location: 1405-1408 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S3PAINCOST08A: S3 PainCost: Sentence kept from dressing way want

Value	Label	Unweighted Frequency	%
1	Yes	406	30.0 %
5	No	466	34.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-104	Not involved currently or w/in p6mo - interview bug	4	0.3 %
-102	Not involved currently or w/in p6mo - question skipped	352	26.0 %
	Total	**1,354**	**100%**

Based upon 872 valid cases out of 1,354 total cases.

Location: 1409-1412 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S3PAINCOST08B: S3 PainCost: Kept from dress the way want - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	14	1.0 %
2	A little	32	2.4 %
3	Quite a bit	75	5.5 %
4	Very much	285	21.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-105	Court didnt keep from doing something - question skipped	81	6.0 %
-104	Not involved currently or w/in p6mo - interview bug	389	28.7 %
-102	Not involved currently or w/in p6mo - question skipped	352	26.0 %
	Total	**1,354**	**100%**

Based upon 406 valid cases out of 1,354 total cases.

Location: 1413-1416 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S3PAINCOST09A: S3 PainCost: Sentence kept from listen to music

Value	Label	Unweighted Frequency	%
1	Yes	284	21.0 %
5	No	588	43.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-104	Not involved currently or w/in p6mo - interview bug	4	0.3 %
-102	Not involved currently or w/in p6mo - question skipped	352	26.0 %
	Total	**1,354**	**100%**

Based upon 872 valid cases out of 1,354 total cases.

Location: 1417-1420 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S3PAINCOST09B: S3 PainCost: Kept from listen to music - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	17	1.3 %
2	A little	26	1.9 %
3	Quite a bit	59	4.4 %
4	Very much	182	13.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-105	Court didnt keep from doing something - question skipped	86	6.4 %
-104	Not involved currently or w/in p6mo - interview bug	506	37.4 %
-102	Not involved currently or w/in p6mo - question skipped	352	26.0 %
	Total	**1,354**	**100%**

Based upon 284 valid cases out of 1,354 total cases.

Location: 1421-1424 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S3PAINCOST10A: S3 PainCost: Sentence kept from seeing movies

Value	Label	Unweighted Frequency	%
1	Yes	410	30.3 %
5	No	462	34.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %

Value	Label	Unweighted Frequency	%
-104	Not involved currently or w/in p6mo - interview bug	4	0.3 %
-102	Not involved currently or w/in p6mo - question skipped	352	26.0 %
	Total	**1,354**	**100%**

Based upon 872 valid cases out of 1,354 total cases.

Location: 1425-1428 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S3PAINCOST10B: S3 PainCost: Kept from seeing movies - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	24	1.8 %
2	A little	67	4.9 %
3	Quite a bit	89	6.6 %
4	Very much	230	17.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-105	Court didnt keep from doing something - question skipped	84	6.2 %
-104	Not involved currently or w/in p6mo - interview bug	382	28.2 %
-102	Not involved currently or w/in p6mo - question skipped	352	26.0 %
	Total	**1,354**	**100%**

Based upon 410 valid cases out of 1,354 total cases.

Location: 1429-1432 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S3PAINCOST11A: S3 PainCost: Sentence kept from warm place

Value	Label	Unweighted Frequency	%
1	Yes	373	27.5 %
5	No	499	36.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-104	Not involved currently or w/in p6mo - interview bug	4	0.3 %
-102	Not involved currently or w/in p6mo - question skipped	352	26.0 %
	Total	**1,354**	**100%**

Based upon 872 valid cases out of 1,354 total cases.

Location: 1433-1436 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S3PAINCOST11B: S3 PainCost: Kept from warm place - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	11	0.8 %
2	A little	39	2.9 %
3	Quite a bit	47	3.5 %
4	Very much	276	20.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-105	Court didnt keep from doing something - question skipped	83	6.1 %
-104	Not involved currently or w/in p6mo - interview bug	420	31.0 %
-102	Not involved currently or w/in p6mo - question skipped	352	26.0 %
	Total	**1,354**	**100%**

Based upon 373 valid cases out of 1,354 total cases.

Location: 1437-1440 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S3PAINCOST12A: S3 PainCost: Sentence kept from place that looks good

Value	Label	Unweighted Frequency	%
1	Yes	391	28.9 %
5	No	481	35.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-104	Not involved currently or w/in p6mo - interview bug	4	0.3 %
-102	Not involved currently or w/in p6mo - question skipped	352	26.0 %
	Total	**1,354**	**100%**

Based upon 872 valid cases out of 1,354 total cases.

Location: 1441-1444 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S3PAINCOST12B: S3 PainCost: Kept from place that looks good - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	18	1.3 %
2	A little	45	3.3 %
3	Quite a bit	69	5.1 %
4	Very much	259	19.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-105	Court didnt keep from doing something - question skipped	82	6.1 %
-104	Not involved currently or w/in p6mo - interview bug	403	29.8 %
-102	Not involved currently or w/in p6mo - question skipped	352	26.0 %
	Total	**1,354**	**100%**

Based upon 391 valid cases out of 1,354 total cases.

Location: 1445-1448 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S3PAINCOST13A: S3 PainCost: Sentence kept from choosing what to wear

Value	Label	Unweighted Frequency	%
1	Yes	394	29.1 %
5	No	478	35.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-104	Not involved currently or w/in p6mo - interview bug	4	0.3 %
-102	Not involved currently or w/in p6mo - question skipped	352	26.0 %
	Total	**1,354**	**100%**

Based upon 872 valid cases out of 1,354 total cases.

Location: 1449-1452 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S3PAINCOST13B: S3 PainCost: Kept from choosing what to wear - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	11	0.8 %
2	A little	31	2.3 %
3	Quite a bit	76	5.6 %
4	Very much	276	20.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-105	Court didnt keep from doing something - question skipped	83	6.1 %
-104	Not involved currently or w/in p6mo - interview bug	399	29.5 %
-102	Not involved currently or w/in p6mo - question skipped	352	26.0 %
	Total	**1,354**	**100%**

Based upon 394 valid cases out of 1,354 total cases.

Location: 1453-1456 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S3PAINCOST14A: S3 PainCost: Sentence kept from talking on the phone

Value	Label	Unweighted Frequency	%
1	Yes	436	32.2 %
5	No	436	32.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-104	Not involved currently or w/in p6mo - interview bug	4	0.3 %
-102	Not involved currently or w/in p6mo - question skipped	352	26.0 %
	Total	**1,354**	**100%**

Based upon 872 valid cases out of 1,354 total cases.

Location: 1457-1460 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S3PAINCOST14B: S3 PainCost: Kept from talk on the phone - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	17	1.3 %
2	A little	58	4.3 %
3	Quite a bit	79	5.8 %
4	Very much	282	20.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-105	Court didnt keep from doing something - question skipped	74	5.5 %
-104	Not involved currently or w/in p6mo - interview bug	366	27.0 %
-102	Not involved currently or w/in p6mo - question skipped	352	26.0 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 436 valid cases out of 1,354 total cases.

Location: 1461-1464 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S3PAINCOST15A: S3 PainCost: Sentence kept from reading what want

Value	Label	Unweighted Frequency	%
1	Yes	240	17.7 %
5	No	632	46.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-104	Not involved currently or w/in p6mo - interview bug	4	0.3 %
-102	Not involved currently or w/in p6mo - question skipped	352	26.0 %
	Total	**1,354**	**100%**

Based upon 872 valid cases out of 1,354 total cases.

Location: 1465-1468 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S3PAINCOST15B: S3 PainCost: Kept from read what want - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	23	1.7 %
2	A little	40	3.0 %
3	Quite a bit	36	2.7 %
4	Very much	141	10.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-105	Court didnt keep from doing something - question skipped	89	6.6 %
-104	Not involved currently or w/in p6mo - interview bug	547	40.4 %
-102	Not involved currently or w/in p6mo - question skipped	352	26.0 %
	Total	**1,354**	**100%**

Based upon 240 valid cases out of 1,354 total cases.

Location: 1469-1472 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S3PAINCOST16A: S3 PainCost: Sentence kept from being by self

Value	Label	Unweighted Frequency	%
1	Yes	345	25.5 %
5	No	527	38.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-104	Not involved currently or w/in p6mo - interview bug	4	0.3 %
-102	Not involved currently or w/in p6mo - question skipped	352	26.0 %
	Total	**1,354**	**100%**

Based upon 872 valid cases out of 1,354 total cases.

Location: 1473-1476 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S3PAINCOST16B: S3 PainCost: Kept from being by self - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	13	1.0 %
2	A little	48	3.5 %
3	Quite a bit	64	4.7 %
4	Very much	220	16.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-105	Court didnt keep from doing something - question skipped	84	6.2 %
-104	Not involved currently or w/in p6mo - interview bug	447	33.0 %
-102	Not involved currently or w/in p6mo - question skipped	352	26.0 %
	Total	**1,354**	**100%**

Based upon 345 valid cases out of 1,354 total cases.

Location: 1477-1480 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S3PAINCOST17A: S3 PainCost: Sentence kept from drinking, get high

Value	Label	Unweighted Frequency	%
1	Yes	610	45.1 %
5	No	262	19.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-104	Not involved currently or w/in p6mo - interview bug	4	0.3 %
-102	Not involved currently or w/in p6mo - question skipped	352	26.0 %
	Total	**1,354**	**100%**

Based upon 872 valid cases out of 1,354 total cases.

Location: 1481-1484 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S3PAINCOST17B: S3 PainCost: Kept from drink or get high - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	259	19.1 %
2	A little	141	10.4 %
3	Quite a bit	60	4.4 %
4	Very much	150	11.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-105	Court didnt keep from doing something - question skipped	42	3.1 %
-104	Not involved currently or w/in p6mo - interview bug	224	16.5 %
-102	Not involved currently or w/in p6mo - question skipped	352	26.0 %
	Total	**1,354**	**100%**

Based upon 610 valid cases out of 1,354 total cases.

Location: 1485-1488 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S3PAINCOST18A: S3 PainCost: Sentence kept from buying things

Value	Label	Unweighted Frequency	%
1	Yes	427	31.5 %
5	No	445	32.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-104	Not involved currently or w/in p6mo - interview bug	4	0.3 %
-102	Not involved currently or w/in p6mo - question skipped	352	26.0 %
	Total	**1,354**	**100%**

Based upon 872 valid cases out of 1,354 total cases.

Location: 1489-1492 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S3PAINCOST18B: S3 PainCost: Kept from buy things - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	23	1.7 %
2	A little	70	5.2 %
3	Quite a bit	83	6.1 %
4	Very much	251	18.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-105	Court didnt keep from doing something - question skipped	78	5.8 %
-104	Not involved currently or w/in p6mo - interview bug	371	27.4 %
-102	Not involved currently or w/in p6mo - question skipped	352	26.0 %
	Total	**1,354**	**100%**

Based upon 427 valid cases out of 1,354 total cases.

Location: 1493-1496 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S3PAINCOST19A: S3 PainCost: Kept from providing for family

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Blasie version - question not yet added	1229	90.8 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1497-1500 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S3PAINCOST19B: S3 PainCost: Kept from providing for family - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %

Value	Label	Unweighted Frequency	%
2	A little	0	0.0 %
3	Quite a bit	0	0.0 %
4	Very much	0	0.0 %
	Missing Data		
-400	Blasie version - question not yet added	1229	90.8 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1501-1504 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S3PROJUS55: S3 ProJus: Kid caught/arrested for fighting (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	324	23.9 %
1	-	115	8.5 %
2	-	121	8.9 %
3	-	107	7.9 %
4	-	79	5.8 %
5	-	223	16.5 %
6	-	33	2.4 %
7	-	31	2.3 %
8	-	52	3.8 %
9	-	25	1.8 %
10	-	94	6.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-99	Dont Know	22	1.6 %
-98	Refuse	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 1505-1508 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S3PROJUS56: S3 ProJus: Kid caught/arrested robbery w/ gun (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	52	3.8 %
1	-	27	2.0 %
2	-	46	3.4 %
3	-	50	3.7 %
4	-	61	4.5 %
5	-	225	16.6 %
6	-	82	6.1 %
7	-	121	8.9 %
8	-	149	11.0 %
9	-	80	5.9 %
10	-	310	22.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-99	Dont Know	23	1.7 %
-98	Refuse	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,203 valid cases out of 1,354 total cases.

Location: 1509-1512 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S3PROJUS57: S3 ProJus: Kid caught/arrested stabbing someone (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	58	4.3 %
1	-	24	1.8 %
2	-	38	2.8 %
3	-	50	3.7 %
4	-	62	4.6 %
5	-	191	14.1 %
6	-	87	6.4 %
7	-	125	9.2 %
8	-	141	10.4 %
9	-	89	6.6 %
10	-	338	25.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %

Value	Label	Unweighted Frequency	%
-99	Dont Know	23	1.7 %
-98	Refuse	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,203 valid cases out of 1,354 total cases.

Location: 1513-1516 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S3PROJUS58: S3 ProJus: Kid caught/arrested breaking into store (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	45	3.3 %
1	-	25	1.8 %
2	-	44	3.2 %
3	-	68	5.0 %
4	-	93	6.9 %
5	-	235	17.4 %
6	-	89	6.6 %
7	-	129	9.5 %
8	-	131	9.7 %
9	-	71	5.2 %
10	-	272	20.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-99	Dont Know	24	1.8 %
-98	Refuse	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,202 valid cases out of 1,354 total cases.

Location: 1517-1520 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S3PROJUS59: S3 ProJus: Kid caught/arrested stealing clothes (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	69	5.1 %
1	-	48	3.5 %
2	-	82	6.1 %
3	-	95	7.0 %

Value	Label	Unweighted Frequency	%
4	-	102	7.5 %
5	-	293	21.6 %
6	-	82	6.1 %
7	-	95	7.0 %
8	-	87	6.4 %
9	-	46	3.4 %
10	-	200	14.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-99	Dont Know	27	2.0 %
-98	Refuse	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,199 valid cases out of 1,354 total cases.

Location: 1521-1524 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S3PROJUS60: S3 ProJus: Kid caught/arrested vandalism (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	177	13.1 %
1	-	96	7.1 %
2	-	128	9.5 %
3	-	142	10.5 %
4	-	95	7.0 %
5	-	234	17.3 %
6	-	48	3.5 %
7	-	58	4.3 %
8	-	48	3.5 %
9	-	17	1.3 %
10	-	158	11.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-99	Dont Know	25	1.8 %
-98	Refuse	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,201 valid cases out of 1,354 total cases.

Location: 1525-1528 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S3PROJUS61: S3 ProJus: Kid caught/arrested auto theft (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	75	5.5 %
1	-	41	3.0 %
2	-	53	3.9 %
3	-	82	6.1 %
4	-	76	5.6 %
5	-	255	18.8 %
6	-	90	6.6 %
7	-	93	6.9 %
8	-	111	8.2 %
9	-	62	4.6 %
10	-	262	19.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-99	Dont Know	26	1.9 %
-98	Refuse	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,200 valid cases out of 1,354 total cases.

Location: 1529-1532 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S3PROJUS62: S3 ProJus: You caught/arrested fighting (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	415	30.6 %
1	-	117	8.6 %
2	-	89	6.6 %
3	-	85	6.3 %
4	-	68	5.0 %
5	-	159	11.7 %
6	-	27	2.0 %
7	-	21	1.6 %
8	-	29	2.1 %
9	-	19	1.4 %

Value	Label	Unweighted Frequency	%
10	-	176	13.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-99	Dont Know	22	1.6 %
-98	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,205 valid cases out of 1,354 total cases.

Location: 1533-1536 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S3PROJUS63: S3 ProJus: You caught/arrested robbery w/ gun (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	139	10.3 %
1	-	31	2.3 %
2	-	43	3.2 %
3	-	43	3.2 %
4	-	45	3.3 %
5	-	183	13.5 %
6	-	61	4.5 %
7	-	87	6.4 %
8	-	87	6.4 %
9	-	73	5.4 %
10	-	412	30.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-99	Dont Know	23	1.7 %
-98	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 1537-1540 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S3PROJUS64: S3 ProJus: You caught/arrested stabbing someone (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	154	11.4 %
1	-	37	2.7 %
2	-	31	2.3 %
3	-	44	3.2 %
4	-	44	3.2 %
5	-	163	12.0 %
6	-	73	5.4 %
7	-	77	5.7 %
8	-	104	7.7 %
9	-	93	6.9 %
10	-	383	28.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-99	Dont Know	24	1.8 %
-98	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,203 valid cases out of 1,354 total cases.

Location: 1541-1544 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S3PROJUS65: S3 ProJus: You caught/arrested breaking into store (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	139	10.3 %
1	-	37	2.7 %
2	-	43	3.2 %
3	-	59	4.4 %
4	-	55	4.1 %
5	-	193	14.3 %
6	-	74	5.5 %
7	-	88	6.5 %
8	-	99	7.3 %
9	-	58	4.3 %
10	-	358	26.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %

Value	Label	Unweighted Frequency	%
-99	Dont Know	24	1.8 %
-98	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,203 valid cases out of 1,354 total cases.

Location: 1545-1548 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S3PROJUS66: S3 ProJus: You caught/arrested stealing clothes (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	181	13.4 %
1	-	45	3.3 %
2	-	59	4.4 %
3	-	76	5.6 %
4	-	66	4.9 %
5	-	206	15.2 %
6	-	61	4.5 %
7	-	60	4.4 %
8	-	68	5.0 %
9	-	54	4.0 %
10	-	326	24.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-99	Dont Know	25	1.8 %
-98	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,202 valid cases out of 1,354 total cases.

Location: 1549-1552 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S3PROJUS67: S3 ProJus: You caught/arrested vandalism (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	285	21.0 %
1	-	86	6.4 %
2	-	97	7.2 %
3	-	79	5.8 %

Value	Label	Unweighted Frequency	%
4	-	77	5.7 %
5	-	162	12.0 %
6	-	36	2.7 %
7	-	42	3.1 %
8	-	54	4.0 %
9	-	32	2.4 %
10	-	253	18.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-99	Dont Know	24	1.8 %
-98	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,203 valid cases out of 1,354 total cases.

Location: 1553-1556 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S3PROJUS68: S3 ProJus: You caught/arrested auto theft (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	163	12.0 %
1	-	44	3.2 %
2	-	45	3.3 %
3	-	61	4.5 %
4	-	43	3.2 %
5	-	200	14.8 %
6	-	58	4.3 %
7	-	75	5.5 %
8	-	75	5.5 %
9	-	73	5.4 %
10	-	367	27.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-99	Dont Know	23	1.7 %
-98	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 1557-1560 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S3PROJUS69: S3 ProJus: Break law suspend from school

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	318	23.5 %
2	Somewhat Unlikely It Would Happen	94	6.9 %
3	Could go Either Way	448	33.1 %
4	Somewhat Likely It Would Happen	182	13.4 %
5	Very Likely It Would Happen	156	11.5 %
	Missing Data		
-202	IntCompStat=2 (parital)	1	0.1 %
-201	IntCompStat=4 (missing int)	125	9.2 %
-9	Dont Know	30	2.2 %
	Total	**1,354**	**100%**

Based upon 1,198 valid cases out of 1,354 total cases.

Location: 1561-1564 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -97 , -9 , -8

S3PROJUS70: S3 ProJus: Break law lose friends respect

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	505	37.3 %
2	Somewhat Unlikely It Would Happen	144	10.6 %
3	Could go Either Way	332	24.5 %
4	Somewhat Likely It Would Happen	181	13.4 %
5	Very Likely It Would Happen	65	4.8 %
	Missing Data		
-202	IntCompStat=2 (parital)	1	0.1 %
-201	IntCompStat=4 (missing int)	125	9.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,227 valid cases out of 1,354 total cases.

Location: 1565-1568 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -97 , -9 , -8

S3PROJUS71: S3 ProJus: Break law lose family respect

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	285	21.0 %
2	Somewhat Unlikely It Would Happen	141	10.4 %
3	Could go Either Way	194	14.3 %
4	Somewhat Likely It Would Happen	391	28.9 %
5	Very Likely It Would Happen	217	16.0 %
	Missing Data		
-202	IntCompStat=2 (parital)	1	0.1 %
-201	IntCompStat=4 (missing int)	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 1569-1572 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -97 , -9 , -8

S3PROJUS72: S3 ProJus: Break law lose neighbors respect

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	209	15.4 %
2	Somewhat Unlikely It Would Happen	141	10.4 %
3	Could go Either Way	300	22.2 %
4	Somewhat Likely It Would Happen	390	28.8 %
5	Very Likely It Would Happen	185	13.7 %
	Missing Data		
-202	IntCompStat=2 (parital)	1	0.1 %
-201	IntCompStat=4 (missing int)	125	9.2 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,225 valid cases out of 1,354 total cases.

Location: 1573-1576 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -97 , -9 , -8

S3PROJUS73: S3 ProJus: Break law lose bf/gf respect

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	304	22.5 %
2	Somewhat Unlikely It Would Happen	103	7.6 %
3	Could go Either Way	377	27.8 %
4	Somewhat Likely It Would Happen	283	20.9 %
5	Very Likely It Would Happen	161	11.9 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat=2 (parital)	1	0.1 %
-201	IntCompStat=4 (missing int)	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 1577-1580 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -97 , -9 , -8

S3PROJUS74: S3 ProJus: Break law harder to find job

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	94	6.9 %
2	Somewhat Unlikely It Would Happen	67	4.9 %
3	Could go Either Way	99	7.3 %
4	Somewhat Likely It Would Happen	458	33.8 %
5	Very Likely It Would Happen	505	37.3 %
	Missing Data		
-202	IntCompStat=2 (parital)	1	0.1 %
-201	IntCompStat=4 (missing int)	125	9.2 %
-9	Dont Know	5	0.4 %
	Total	**1,354**	**100%**

Based upon 1,223 valid cases out of 1,354 total cases.

Location: 1581-1584 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -97 , -9 , -8

S3PROJUS76: S3 ProJus: Thrill/rush fighting (0=no thrill - 10=great thrill)

Value	Label	Unweighted Frequency	%
0	-	469	34.6 %
1	-	38	2.8 %
2	-	67	4.9 %
3	-	54	4.0 %
4	-	44	3.2 %
5	-	185	13.7 %
6	-	59	4.4 %
7	-	66	4.9 %
8	-	70	5.2 %
9	-	39	2.9 %

Value	Label	Unweighted Frequency	%
10	-	136	10.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-99	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,227 valid cases out of 1,354 total cases.

Location: 1585-1588 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S3PROJUS77: S3 ProJus: Thrill/rush robbery w/gun (0=no thrill - 10=great thrill)

Value	Label	Unweighted Frequency	%
0	-	761	56.2 %
1	-	43	3.2 %
2	-	78	5.8 %
3	-	47	3.5 %
4	-	42	3.1 %
5	-	87	6.4 %
6	-	18	1.3 %
7	-	26	1.9 %
8	-	37	2.7 %
9	-	13	1.0 %
10	-	74	5.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-99	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1589-1592 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S3PROJUS78: S3 ProJus: Thrill/rush stabbing someone (0=no thrill - 10=great thrill)

Value	Label	Unweighted Frequency	%
0	-	828	61.2 %
1	-	56	4.1 %

Value	Label	Unweighted Frequency	%
2	-	67	4.9 %
3	-	50	3.7 %
4	-	30	2.2 %
5	-	79	5.8 %
6	-	22	1.6 %
7	-	18	1.3 %
8	-	17	1.3 %
9	-	17	1.3 %
10	-	41	3.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-99	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,225 valid cases out of 1,354 total cases.

Location: 1593-1596 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S3PROJUS79: S3 ProJus: Thrill/rush break into store/home (0=no thrill - 10=great thrill)

Value	Label	Unweighted Frequency	%
0	-	793	58.6 %
1	-	46	3.4 %
2	-	59	4.4 %
3	-	56	4.1 %
4	-	37	2.7 %
5	-	99	7.3 %
6	-	28	2.1 %
7	-	35	2.6 %
8	-	23	1.7 %
9	-	10	0.7 %
10	-	40	3.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-99	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1597-1600 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S3PROJUS80: S3 ProJus: Thrill/rush stealing clothes (0=no thrill - 10=great thrill)

Value	Label	Unweighted Frequency	%
0	-	816	60.3 %
1	-	58	4.3 %
2	-	63	4.7 %
3	-	54	4.0 %
4	-	44	3.2 %
5	-	99	7.3 %
6	-	24	1.8 %
7	-	20	1.5 %
8	-	16	1.2 %
9	-	3	0.2 %
10	-	29	2.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-99	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1601-1604 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S3PROJUS81: S3 ProJus: Thrill/rush vandalism (0=no thrill - 10=great thrill)

Value	Label	Unweighted Frequency	%
0	-	805	59.5 %
1	-	66	4.9 %
2	-	76	5.6 %
3	-	54	4.0 %
4	-	36	2.7 %
5	-	86	6.4 %
6	-	25	1.8 %
7	-	23	1.7 %
8	-	16	1.2 %
9	-	7	0.5 %
10	-	33	2.4 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-99	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,227 valid cases out of 1,354 total cases.

Location: 1605-1608 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S3PROJUS82: S3 ProJus: Thrill/rush auto theft (0=no thrill - 10=great thrill)

Value	Label	Unweighted Frequency	%
0	-	746	55.1 %
1	-	36	2.7 %
2	-	45	3.3 %
3	-	39	2.9 %
4	-	31	2.3 %
5	-	106	7.8 %
6	-	32	2.4 %
7	-	37	2.7 %
8	-	40	3.0 %
9	-	41	3.0 %
10	-	74	5.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-99	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,227 valid cases out of 1,354 total cases.

Location: 1609-1612 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S3PAY01: S3 PainCost: Steal-peers respect more

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	341	25.2 %
2	Disagree	752	55.5 %
3	Agree	119	8.8 %

Value	Label	Unweighted Frequency	%
4	Strongly Agree	16	1.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 1613-1616 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S3PAY02: S3 PainCost: Steal-more respect from adults

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	442	32.6 %
2	Disagree	745	55.0 %
3	Agree	34	2.5 %
4	Strongly Agree	7	0.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 1617-1620 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S3PAY03: S3 PainCost: Steal-friends like more

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	338	25.0 %
2	Disagree	697	51.5 %
3	Agree	163	12.0 %
4	Strongly Agree	29	2.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,227 valid cases out of 1,354 total cases.

Location: 1621-1624 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S3PAY04: S3 PainCost: Steal-impress bf/gf

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	447	33.0 %
2	Disagree	744	54.9 %
3	Agree	32	2.4 %
4	Strongly Agree	5	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 1625-1628 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S3PAY05: S3 PainCost: Steal-get back at people

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	310	22.9 %
2	Disagree	565	41.7 %
3	Agree	299	22.1 %
4	Strongly Agree	54	4.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 1629-1632 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S3PAY06: S3 PainCost: Fight-peers respect more

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	276	20.4 %
2	Disagree	531	39.2 %
3	Agree	365	27.0 %

Value	Label	Unweighted Frequency	%
4	Strongly Agree	55	4.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,227 valid cases out of 1,354 total cases.

Location: 1633-1636 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S3PAY07: S3 PainCost: Fight-more respect from adults

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	349	25.8 %
2	Disagree	705	52.1 %
3	Agree	153	11.3 %
4	Strongly Agree	19	1.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 1637-1640 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S3PAY08: S3 PainCost: Fight-peers afraid

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	257	19.0 %
2	Disagree	569	42.0 %
3	Agree	359	26.5 %
4	Strongly Agree	43	3.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 1641-1644 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S3PAY09: S3 PainCost: Fight-impress bf/gf

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	377	27.8 %
2	Disagree	741	54.7 %
3	Agree	100	7.4 %
4	Strongly Agree	9	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,227 valid cases out of 1,354 total cases.

Location: 1645-1648 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S3PAY10: S3 PainCost: Fight-get back at people

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	281	20.8 %
2	Disagree	539	39.8 %
3	Agree	354	26.1 %
4	Strongly Agree	54	4.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 1649-1652 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S3PAY11: S3 PainCost: Rob-peers respect more

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	356	26.3 %

Value	Label	Unweighted Frequency	%
2	Disagree	743	54.9 %
3	Agree	112	8.3 %
4	Strongly Agree	17	1.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 1653-1656 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S3PAY12: S3 PainCost: Rob-more respect from adults

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	426	31.5 %
2	Disagree	758	56.0 %
3	Agree	35	2.6 %
4	Strongly Agree	9	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 1657-1660 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S3PAY13: S3 PainCost: Rob-peers afraid

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	342	25.3 %
2	Disagree	658	48.6 %
3	Agree	204	15.1 %
4	Strongly Agree	24	1.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 1661-1664 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S3PAY14: S3 PainCost: Rob-impress bf/gf

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	436	32.2 %
2	Disagree	769	56.8 %
3	Agree	19	1.4 %
4	Strongly Agree	4	0.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 1665-1668 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S3PAY15: S3 PainCost: Rob-get back at people

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	348	25.7 %
2	Disagree	644	47.6 %
3	Agree	200	14.8 %
4	Strongly Agree	36	2.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 1669-1672 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S3PUNOTH: S3 PainCost: Certainty of Punishment - Other

Based upon 1,204 valid cases out of 1,354 total cases.

- Mean: 5.5798489163
- Median: 5.4285714286
- Mode: 10.0000000000

- Minimum: 0.0000000000
- Maximum: 10.0000000000
- Standard Deviation: 2.2584941332

Location: 1673-1687 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -99.0000000000 , -98.0000000000

S3PUNYOU: S3 PainCost: Certainty of Punishment - You

Based upon 1,205 valid cases out of 1,354 total cases.

- Mean: 5.5118158467
- Median: 5.4285714286
- Mode: 10.0000000000
- Minimum: 0.0000000000
- Maximum: 10.0000000000
- Standard Deviation: 2.9411395293

Location: 1688-1702 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -99.0000000000 , -98.0000000000

S3SOCCST: S3 PainCost: Social Costs of Punishment

Based upon 1,228 valid cases out of 1,354 total cases.

- Mean: 3.0454804560
- Median: 3.1666666667
- Mode: 3.3333333333
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.9088381353

Location: 1703-1717 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -9.0000000000 , -8.0000000000

S3WGTCST: S3 PainCost: Punishment Costs - Variety

Based upon 723 valid cases out of 1,354 total cases.

- Mean: 2.9455379154
- Median: 3.0833333333
- Mode: 4.0000000000
- Minimum: 1.0000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.9612422329

Location: 1718-1732 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -400.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S3VARCST: S3 PainCost: Punishment Costs (13) - Material Issues

Based upon 872 valid cases out of 1,354 total cases.

- Mean: 8.80
- Median: 9.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 18.00
- Standard Deviation: 7.07

Location: 1733-1736 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S3MATCST: S3 PainCost: Punishment Costs (5) - Freedom Issues

Based upon 872 valid cases out of 1,354 total cases.

- Mean: 5.56
- Median: 4.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 13.00
- Standard Deviation: 5.37

Location: 1737-1740 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S3FRECST: S3 PainCost: Punishment Costs - Weight

Based upon 872 valid cases out of 1,354 total cases.

- Mean: 3.24
- Median: 4.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 2.02

Location: 1741-1744 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S3STLRWD: S3 PainCost: Social Rewards of Crime - Stealing

Based upon 1,228 valid cases out of 1,354 total cases.

- Mean: 1.84
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.52

Location: 1745-1751 (width: 7; decimal: 2)
Variable Type: numeric
(Range of) Missing Values: -600.00 , -300.00 , -202.00 , -201.00 , -9.00 , -8.00

S3FGTRWD: S3 PainCost: Social Rewards of Crime - Fighting

Based upon 1,228 valid cases out of 1,354 total cases.

- Mean: 2.02
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.61

Location: 1752-1758 (width: 7; decimal: 2)
Variable Type: numeric
(Range of) Missing Values: -600.00 , -300.00 , -202.00 , -201.00 , -9.00 , -8.00

S3ROBRWD: S3 PainCost: Social Rewards of Crime - Robbery

Based upon 1,228 valid cases out of 1,354 total cases.

- Mean: 1.81
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.54

Location: 1759-1764 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -600.0 , -300.0 , -202.0 , -201.0 , -9.0 , -8.0

S3PERRWD: S3 PainCost: Personal Rewards of Crime

Based upon 1,227 valid cases out of 1,354 total cases.

- Mean: 1.9931307486
- Median: 1.0000000000
- Mode: 0.0000000000
- Minimum: 0.0000000000
- Maximum: 10.0000000000
- Standard Deviation: 2.3633691874

Location: 1765-1779 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -99.0000000000 , -98.0000000000

S4PAINCOST_CRTINV: S4 PainCost: Involved ongoing programs court

Value	Label	Unweighted Frequency	%
1	Yes	646	47.7 %
5	No	583	43.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 1780-1783 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S4PAINCOST_CRTIN6: S4 PainCost: Involved court ordered program

Value	Label	Unweighted Frequency	%
1	Yes	749	55.3 %
5	No	480	35.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 1784-1787 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S4PAINCOST_CRTTYP: S4 PainCost: Describe court involvement

Value	Label	Unweighted Frequency	%
1	Incarceration	415	30.6 %
2	Court ordered community program	23	1.7 %
3	Probation/Parole	289	21.3 %
6	Other	22	1.6 %
7	None	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-102	Not involved currently or w/in p6mo - question skipped	480	35.5 %
	Total	**1,354**	**100%**

Based upon 749 valid cases out of 1,354 total cases.

Location: 1788-1791 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -104 , -102 , -9 , -8

S4PAINCOST_CRTNOW: S4 PainCost: Still involved in program

Value	Label	Unweighted Frequency	%
1	Yes	598	44.2 %
5	No	151	11.2 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-102	Not involved currently or w/in p6mo - question skipped	480	35.5 %
	Total	**1,354**	**100%**

Based upon 749 valid cases out of 1,354 total cases.

Location: 1792-1795 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S4PAINCOST01A: S4 PainCost: Sentence kept from hang w/friends

Value	Label	Unweighted Frequency	%
1	Yes	501	37.0 %
5	No	248	18.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-102	Not involved currently or w/in p6mo - question skipped	480	35.5 %
	Total	**1,354**	**100%**

Based upon 749 valid cases out of 1,354 total cases.

Location: 1796-1799 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S4PAINCOST01B: S4 PainCost: Kept from hang w/friends - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	40	3.0 %
2	A little	137	10.1 %
3	Quite a bit	107	7.9 %
4	Very much	217	16.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-105	Court didnt keep from doing something - question skipped	55	4.1 %
-104	Not involved currently or w/in p6mo - interview bug	193	14.3 %
-102	Not involved currently or w/in p6mo - question skipped	480	35.5 %
	Total	**1,354**	**100%**

Based upon 501 valid cases out of 1,354 total cases.

Location: 1800-1803 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S4PAINCOST02A: S4 PainCost: Sentence kept from choose how spend time

Value	Label	Unweighted Frequency	%
1	Yes	524	38.7 %
5	No	225	16.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-102	Not involved currently or w/in p6mo - question skipped	480	35.5 %
	Total	**1,354**	**100%**

Based upon 749 valid cases out of 1,354 total cases.

Location: 1804-1807 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S4PAINCOST02B: S4 PainCost: Kept from choose how spend time - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	9	0.7 %
2	A little	99	7.3 %
3	Quite a bit	123	9.1 %
4	Very much	293	21.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-105	Court didnt keep from doing something - question skipped	49	3.6 %
-104	Not involved currently or w/in p6mo - interview bug	176	13.0 %
-102	Not involved currently or w/in p6mo - question skipped	480	35.5 %
	Total	**1,354**	**100%**

Based upon 524 valid cases out of 1,354 total cases.

Location: 1808-1811 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S4PAINCOST03A: S4 PainCost: Sentence kept from decide what eat

Value	Label	Unweighted Frequency	%
1	Yes	430	31.8 %
5	No	319	23.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-102	Not involved currently or w/in p6mo - question skipped	480	35.5 %
	Total	**1,354**	**100%**

Based upon 749 valid cases out of 1,354 total cases.

Location: 1812-1815 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S4PAINCOST03B: S4 PainCost: Kept from decide what to eat - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	7	0.5 %
2	A little	57	4.2 %
3	Quite a bit	89	6.6 %
4	Very much	277	20.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-105	Court didnt keep from doing something - question skipped	66	4.9 %
-104	Not involved currently or w/in p6mo - interview bug	253	18.7 %
-102	Not involved currently or w/in p6mo - question skipped	480	35.5 %
	Total	**1,354**	**100%**

Based upon 430 valid cases out of 1,354 total cases.

Location: 1816-1819 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S4PAINCOST04A: S4 PainCost: Sentence kept from able to leave

Value	Label	Unweighted Frequency	%
1	Yes	524	38.7 %
5	No	225	16.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-102	Not involved currently or w/in p6mo - question skipped	480	35.5 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 749 valid cases out of 1,354 total cases.

Location: 1820-1823 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S4PAINCOST04B: S4 PainCost: Kept from able to leave - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	6	0.4 %
2	A little	64	4.7 %
3	Quite a bit	80	5.9 %
4	Very much	374	27.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-105	Court didnt keep from doing something - question skipped	47	3.5 %
-104	Not involved currently or w/in p6mo - interview bug	178	13.1 %
-102	Not involved currently or w/in p6mo - question skipped	480	35.5 %
	Total	**1,354**	**100%**

Based upon 524 valid cases out of 1,354 total cases.

Location: 1824-1827 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S4PAINCOST05A: S4 PainCost: Court sentence kept from sleeping late

Value	Label	Unweighted Frequency	%
1	Yes	340	25.1 %
5	No	409	30.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-102	Not involved currently or w/in p6mo - question skipped	480	35.5 %
	Total	**1,354**	**100%**

Based upon 749 valid cases out of 1,354 total cases.

Location: 1828-1831 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S4PAINCOST05B: S4 PainCost: Kept from sleeping late - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	15	1.1 %
2	A little	75	5.5 %
3	Quite a bit	68	5.0 %
4	Very much	182	13.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-105	Court didnt keep from doing something - question skipped	63	4.7 %
-104	Not involved currently or w/in p6mo - interview bug	346	25.6 %
-102	Not involved currently or w/in p6mo - question skipped	480	35.5 %
	Total	**1,354**	**100%**

Based upon 340 valid cases out of 1,354 total cases.

Location: 1832-1835 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S4PAINCOST06A: S4 PainCost: Court sentence kept from go out w/bfgf

Value	Label	Unweighted Frequency	%
1	Yes	475	35.1 %
5	No	274	20.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-102	Not involved currently or w/in p6mo - question skipped	480	35.5 %
	Total	**1,354**	**100%**

Based upon 749 valid cases out of 1,354 total cases.

Location: 1836-1839 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S4PAINCOST06B: S4 PainCost: Kept from go out w/bfgf - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	16	1.2 %
2	A little	46	3.4 %
3	Quite a bit	68	5.0 %
4	Very much	345	25.5 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-105	Court didnt keep from doing something - question skipped	59	4.4 %
-104	Not involved currently or w/in p6mo - interview bug	215	15.9 %
-102	Not involved currently or w/in p6mo - question skipped	480	35.5 %
	Total	**1,354**	**100%**

Based upon 475 valid cases out of 1,354 total cases.

Location: 1840-1843 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S4PAINCOST07A: S4 PainCost: Sentence kept from watching TV

Value	Label	Unweighted Frequency	%
1	Yes	327	24.2 %
5	No	422	31.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-102	Not involved currently or w/in p6mo - question skipped	480	35.5 %
	Total	**1,354**	**100%**

Based upon 749 valid cases out of 1,354 total cases.

Location: 1844-1847 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S4PAINCOST07B: S4 PainCost: Kept from watching TV - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	16	1.2 %
2	A little	76	5.6 %
3	Quite a bit	52	3.8 %
4	Very much	183	13.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-105	Court didnt keep from doing something - question skipped	70	5.2 %
-104	Not involved currently or w/in p6mo - interview bug	352	26.0 %
-102	Not involved currently or w/in p6mo - question skipped	480	35.5 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 327 valid cases out of 1,354 total cases.

Location: 1848-1851 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S4PAINCOST08A: S4 PainCost: Sentence kept from dressing way want

Value	Label	Unweighted Frequency	%
1	Yes	414	30.6 %
5	No	335	24.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-102	Not involved currently or w/in p6mo - question skipped	480	35.5 %
	Total	**1,354**	**100%**

Based upon 749 valid cases out of 1,354 total cases.

Location: 1852-1855 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S4PAINCOST08B: S4 PainCost: Kept from dress the way want - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	9	0.7 %
2	A little	47	3.5 %
3	Quite a bit	87	6.4 %
4	Very much	271	20.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-105	Court didnt keep from doing something - question skipped	64	4.7 %
-104	Not involved currently or w/in p6mo - interview bug	271	20.0 %
-102	Not involved currently or w/in p6mo - question skipped	480	35.5 %
	Total	**1,354**	**100%**

Based upon 414 valid cases out of 1,354 total cases.

Location: 1856-1859 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S4PAINCOST09A: S4 PainCost: Sentence kept from listen to music

Value	Label	Unweighted Frequency	%
1	Yes	290	21.4 %
5	No	459	33.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-102	Not involved currently or w/in p6mo - question skipped	480	35.5 %
	Total	**1,354**	**100%**

Based upon 749 valid cases out of 1,354 total cases.

Location: 1860-1863 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S4PAINCOST09B: S4 PainCost: Kept from listen to music - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	6	0.4 %
2	A little	48	3.5 %
3	Quite a bit	47	3.5 %
4	Very much	189	14.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-105	Court didnt keep from doing something - question skipped	71	5.2 %
-104	Not involved currently or w/in p6mo - interview bug	388	28.7 %
-102	Not involved currently or w/in p6mo - question skipped	480	35.5 %
	Total	**1,354**	**100%**

Based upon 290 valid cases out of 1,354 total cases.

Location: 1864-1867 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S4PAINCOST10A: S4 PainCost: Sentence kept from seeing movies

Value	Label	Unweighted Frequency	%
1	Yes	414	30.6 %
5	No	335	24.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	123	9.1 %
-102	Not involved currently or w/in p6mo - question skipped	480	35.5 %
	Total	**1,354**	**100%**

Based upon 749 valid cases out of 1,354 total cases.

Location: 1868-1871 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S4PAINCOST10B: S4 PainCost: Kept from seeing movies - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	12	0.9 %
2	A little	92	6.8 %
3	Quite a bit	79	5.8 %
4	Very much	231	17.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-105	Court didnt keep from doing something - question skipped	63	4.7 %
-104	Not involved currently or w/in p6mo - interview bug	272	20.1 %
-102	Not involved currently or w/in p6mo - question skipped	480	35.5 %
	Total	**1,354**	**100%**

Based upon 414 valid cases out of 1,354 total cases.

Location: 1872-1875 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S4PAINCOST11A: S4 PainCost: Sentence kept from warm place

Value	Label	Unweighted Frequency	%
1	Yes	389	28.7 %
5	No	360	26.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-102	Not involved currently or w/in p6mo - question skipped	480	35.5 %
	Total	**1,354**	**100%**

Based upon 749 valid cases out of 1,354 total cases.

Location: 1876-1879 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S4PAINCOST11B: S4 PainCost: Kept from warm place - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	8	0.6 %
2	A little	41	3.0 %
3	Quite a bit	63	4.7 %
4	Very much	277	20.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-105	Court didnt keep from doing something - question skipped	68	5.0 %
-104	Not involved currently or w/in p6mo - interview bug	292	21.6 %
-102	Not involved currently or w/in p6mo - question skipped	480	35.5 %
	Total	**1,354**	**100%**

Based upon 389 valid cases out of 1,354 total cases.

Location: 1880-1883 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S4PAINCOST12A: S4 PainCost: Sentence kept from place that looks good

Value	Label	Unweighted Frequency	%
1	Yes	406	30.0 %
5	No	343	25.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-102	Not involved currently or w/in p6mo - question skipped	480	35.5 %
	Total	**1,354**	**100%**

Based upon 749 valid cases out of 1,354 total cases.

Location: 1884-1887 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S4PAINCOST12B: S4 PainCost: Kept from place that looks good - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	14	1.0 %
2	A little	47	3.5 %
3	Quite a bit	75	5.5 %

Value	Label	Unweighted Frequency	%
4	Very much	270	19.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-105	Court didnt keep from doing something - question skipped	68	5.0 %
-104	Not involved currently or w/in p6mo - interview bug	275	20.3 %
-102	Not involved currently or w/in p6mo - question skipped	480	35.5 %
	Total	**1,354**	**100%**

Based upon 406 valid cases out of 1,354 total cases.

Location: 1888-1891 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S4PAINCOST13A: S4 PainCost: Sentence kept from choosing what to wear

Value	Label	Unweighted Frequency	%
1	Yes	404	29.8 %
5	No	345	25.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-102	Not involved currently or w/in p6mo - question skipped	480	35.5 %
	Total	**1,354**	**100%**

Based upon 749 valid cases out of 1,354 total cases.

Location: 1892-1895 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S4PAINCOST13B: S4 PainCost: Kept from choosing what to wear - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	8	0.6 %
2	A little	43	3.2 %
3	Quite a bit	81	6.0 %
4	Very much	272	20.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-105	Court didnt keep from doing something - question skipped	66	4.9 %
-104	Not involved currently or w/in p6mo - interview bug	279	20.6 %

Value	Label	Unweighted Frequency	%
-102	Not involved currently or w/in p6mo - question skipped	480	35.5 %
	Total	**1,354**	**100%**

Based upon 404 valid cases out of 1,354 total cases.

Location: 1896-1899 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S4PAINCOST14A: S4 PainCost: Sentence kept from talking on the phone

Value	Label	Unweighted Frequency	%
1	Yes	410	30.3 %
5	No	339	25.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-102	Not involved currently or w/in p6mo - question skipped	480	35.5 %
	Total	**1,354**	**100%**

Based upon 749 valid cases out of 1,354 total cases.

Location: 1900-1903 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S4PAINCOST14B: S4 PainCost: Kept from talk on the phone - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	14	1.0 %
2	A little	55	4.1 %
3	Quite a bit	82	6.1 %
4	Very much	259	19.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-105	Court didnt keep from doing something - question skipped	66	4.9 %
-104	Not involved currently or w/in p6mo - interview bug	273	20.2 %
-102	Not involved currently or w/in p6mo - question skipped	480	35.5 %
	Total	**1,354**	**100%**

Based upon 410 valid cases out of 1,354 total cases.

Location: 1904-1907 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S4PAINCOST15A: S4 PainCost: Sentence kept from reading what want

Value	Label	Unweighted Frequency	%
1	Yes	274	20.2 %
5	No	475	35.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-102	Not involved currently or w/in p6mo - question skipped	480	35.5 %
	Total	**1,354**	**100%**

Based upon 749 valid cases out of 1,354 total cases.

Location: 1908-1911 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S4PAINCOST15B: S4 PainCost: Kept from read what want - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	14	1.0 %
2	A little	62	4.6 %
3	Quite a bit	48	3.5 %
4	Very much	150	11.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-105	Court didnt keep from doing something - question skipped	73	5.4 %
-104	Not involved currently or w/in p6mo - interview bug	402	29.7 %
-102	Not involved currently or w/in p6mo - question skipped	480	35.5 %
	Total	**1,354**	**100%**

Based upon 274 valid cases out of 1,354 total cases.

Location: 1912-1915 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S4PAINCOST16A: S4 PainCost: Sentence kept from being by self

Value	Label	Unweighted Frequency	%
1	Yes	358	26.4 %
5	No	391	28.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	123	9.1 %
-102	Not involved currently or w/in p6mo - question skipped	480	35.5 %
	Total	**1,354**	**100%**

Based upon 749 valid cases out of 1,354 total cases.

Location: 1916-1919 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S4PAINCOST16B: S4 PainCost: Kept from being by self - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	14	1.0 %
2	A little	50	3.7 %
3	Quite a bit	59	4.4 %
4	Very much	235	17.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-105	Court didnt keep from doing something - question skipped	69	5.1 %
-104	Not involved currently or w/in p6mo - interview bug	322	23.8 %
-102	Not involved currently or w/in p6mo - question skipped	480	35.5 %
	Total	**1,354**	**100%**

Based upon 358 valid cases out of 1,354 total cases.

Location: 1920-1923 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S4PAINCOST17A: S4 PainCost: Sentence kept from drinking, get high

Value	Label	Unweighted Frequency	%
1	Yes	546	40.3 %
5	No	203	15.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-102	Not involved currently or w/in p6mo - question skipped	480	35.5 %
	Total	**1,354**	**100%**

Based upon 749 valid cases out of 1,354 total cases.

Location: 1924-1927 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S4PAINCOST17B: S4 PainCost: Kept from drink or get high - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	209	15.4 %
2	A little	130	9.6 %
3	Quite a bit	57	4.2 %
4	Very much	150	11.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-105	Court didnt keep from doing something - question skipped	40	3.0 %
-104	Not involved currently or w/in p6mo - interview bug	163	12.0 %
-102	Not involved currently or w/in p6mo - question skipped	480	35.5 %
	Total	**1,354**	**100%**

Based upon 546 valid cases out of 1,354 total cases.

Location: 1928-1931 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S4PAINCOST18A: S4 PainCost: Sentence kept from buying things

Value	Label	Unweighted Frequency	%
1	Yes	426	31.5 %
5	No	323	23.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-102	Not involved currently or w/in p6mo - question skipped	480	35.5 %
	Total	**1,354**	**100%**

Based upon 749 valid cases out of 1,354 total cases.

Location: 1932-1935 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S4PAINCOST18B: S4 PainCost: Kept from buy things - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	18	1.3 %
2	A little	80	5.9 %
3	Quite a bit	84	6.2 %

Value	Label	Unweighted Frequency	%
4	Very much	244	18.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-105	Court didnt keep from doing something - question skipped	67	4.9 %
-104	Not involved currently or w/in p6mo - interview bug	256	18.9 %
-102	Not involved currently or w/in p6mo - question skipped	480	35.5 %
	Total	**1,354**	**100%**

Based upon 426 valid cases out of 1,354 total cases.

Location: 1936-1939 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S4PAINCOST19A: S4 PainCost: Kept from providing for family

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
5	No	1	0.1 %
	Missing Data		
-400	Blasie version - question not yet added	1225	90.5 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-102	Not involved currently or w/in p6mo - question skipped	3	0.2 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 1940-1943 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S4PAINCOST19B: S4 PainCost: Kept from providing for family - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	0	0.0 %
2	A little	0	0.0 %
3	Quite a bit	0	0.0 %
4	Very much	2	0.1 %
	Missing Data		
-400	Blasie version - question not yet added	1225	90.5 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-104	Not involved currently or w/in p6mo - interview bug	1	0.1 %
-102	Not involved currently or w/in p6mo - question skipped	3	0.2 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 2 valid cases out of 1,354 total cases.

Location: 1944-1947 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S4PROJUS55: S4 ProJus: Kid caught/arrested for fighting (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	319	23.6 %
1	-	122	9.0 %
2	-	139	10.3 %
3	-	106	7.8 %
4	-	61	4.5 %
5	-	211	15.6 %
6	-	28	2.1 %
7	-	43	3.2 %
8	-	46	3.4 %
9	-	24	1.8 %
10	-	100	7.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-99	Dont Know	28	2.1 %
-98	Refuse	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,199 valid cases out of 1,354 total cases.

Location: 1948-1951 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S4PROJUS56: S4 ProJus: Kid caught/arrested robbery w/ gun (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	56	4.1 %
1	-	10	0.7 %
2	-	54	4.0 %
3	-	62	4.6 %
4	-	46	3.4 %
5	-	246	18.2 %

Value	Label	Unweighted Frequency	%
6	-	78	5.8 %
7	-	118	8.7 %
8	-	128	9.5 %
9	-	100	7.4 %
10	-	301	22.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-99	Dont Know	28	2.1 %
-98	Refuse	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,199 valid cases out of 1,354 total cases.

Location: 1952-1955 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S4PROJUS57: S4 ProJus: Kid caught/arrested stabbing someone (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	59	4.4 %
1	-	20	1.5 %
2	-	40	3.0 %
3	-	48	3.5 %
4	-	46	3.4 %
5	-	204	15.1 %
6	-	81	6.0 %
7	-	123	9.1 %
8	-	137	10.1 %
9	-	101	7.5 %
10	-	340	25.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-99	Dont Know	28	2.1 %
-98	Refuse	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,199 valid cases out of 1,354 total cases.

Location: 1956-1959 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -99 , -98

S4PROJUS58: S4 ProJus: Kid caught/arrested breaking into store (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	58	4.3 %
1	-	27	2.0 %
2	-	54	4.0 %
3	-	79	5.8 %
4	-	66	4.9 %
5	-	236	17.4 %
6	-	110	8.1 %
7	-	101	7.5 %
8	-	115	8.5 %
9	-	68	5.0 %
10	-	285	21.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-99	Dont Know	28	2.1 %
-98	Refuse	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,199 valid cases out of 1,354 total cases.

Location: 1960-1963 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S4PROJUS59: S4 ProJus: Kid caught/arrested stealing clothes (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	82	6.1 %
1	-	37	2.7 %
2	-	96	7.1 %
3	-	99	7.3 %
4	-	93	6.9 %
5	-	265	19.6 %
6	-	86	6.4 %
7	-	91	6.7 %
8	-	85	6.3 %
9	-	45	3.3 %
10	-	216	16.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-99	Dont Know	32	2.4 %
-98	Refuse	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,195 valid cases out of 1,354 total cases.

Location: 1964-1967 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S4PROJUS60: S4 ProJus: Kid caught/arrested vandalism (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	193	14.3 %
1	-	99	7.3 %
2	-	143	10.6 %
3	-	123	9.1 %
4	-	93	6.9 %
5	-	196	14.5 %
6	-	74	5.5 %
7	-	34	2.5 %
8	-	43	3.2 %
9	-	22	1.6 %
10	-	178	13.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-99	Dont Know	29	2.1 %
-98	Refuse	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,198 valid cases out of 1,354 total cases.

Location: 1968-1971 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S4PROJUS61: S4 ProJus: Kid caught/arrested auto theft (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	77	5.7 %

Value	Label	Unweighted Frequency	%
1	-	37	2.7 %
2	-	52	3.8 %
3	-	84	6.2 %
4	-	86	6.4 %
5	-	255	18.8 %
6	-	94	6.9 %
7	-	86	6.4 %
8	-	103	7.6 %
9	-	62	4.6 %
10	-	264	19.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-99	Dont Know	27	2.0 %
-98	Refuse	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,200 valid cases out of 1,354 total cases.

Location: 1972-1975 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S4PROJUS62: S4 ProJus: You caught/arrested fighting (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	405	29.9 %
1	-	116	8.6 %
2	-	111	8.2 %
3	-	71	5.2 %
4	-	43	3.2 %
5	-	181	13.4 %
6	-	33	2.4 %
7	-	26	1.9 %
8	-	37	2.7 %
9	-	14	1.0 %
10	-	165	12.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-99	Dont Know	26	1.9 %

Value	Label	Unweighted Frequency	%
-98	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,202 valid cases out of 1,354 total cases.

Location: 1976-1979 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S4PROJUS63: S4 ProJus: You caught/arrested robbery w/ gun (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	134	9.9 %
1	-	24	1.8 %
2	-	51	3.8 %
3	-	48	3.5 %
4	-	38	2.8 %
5	-	199	14.7 %
6	-	56	4.1 %
7	-	76	5.6 %
8	-	91	6.7 %
9	-	74	5.5 %
10	-	410	30.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-99	Dont Know	27	2.0 %
-98	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,201 valid cases out of 1,354 total cases.

Location: 1980-1983 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S4PROJUS64: S4 ProJus: You caught/arrested stabbing someone (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	136	10.0 %
1	-	22	1.6 %
2	-	38	2.8 %
3	-	45	3.3 %
4	-	35	2.6 %

Value	Label	Unweighted Frequency	%
5	-	189	14.0 %
6	-	64	4.7 %
7	-	76	5.6 %
8	-	106	7.8 %
9	-	86	6.4 %
10	-	402	29.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-99	Dont Know	29	2.1 %
-98	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,199 valid cases out of 1,354 total cases.

Location: 1984-1987 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S4PROJUS65: S4 ProJus: You caught/arrested breaking into store (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	133	9.8 %
1	-	39	2.9 %
2	-	48	3.5 %
3	-	52	3.8 %
4	-	63	4.7 %
5	-	216	16.0 %
6	-	59	4.4 %
7	-	75	5.5 %
8	-	92	6.8 %
9	-	75	5.5 %
10	-	350	25.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-99	Dont Know	26	1.9 %
-98	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,202 valid cases out of 1,354 total cases.

Location: 1988-1991 (width: 4; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S4PROJUS66: S4 ProJus: You caught/arrested stealing clothes (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	162	12.0 %
1	-	50	3.7 %
2	-	72	5.3 %
3	-	85	6.3 %
4	-	49	3.6 %
5	-	223	16.5 %
6	-	55	4.1 %
7	-	61	4.5 %
8	-	66	4.9 %
9	-	58	4.3 %
10	-	320	23.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-99	Dont Know	27	2.0 %
-98	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,201 valid cases out of 1,354 total cases.

Location: 1992-1995 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S4PROJUS67: S4 ProJus: You caught/arrested vandalism (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	288	21.3 %
1	-	85	6.3 %
2	-	96	7.1 %
3	-	80	5.9 %
4	-	50	3.7 %
5	-	200	14.8 %
6	-	38	2.8 %
7	-	34	2.5 %
8	-	38	2.8 %
9	-	30	2.2 %
10	-	263	19.4 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-99	Dont Know	26	1.9 %
-98	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,202 valid cases out of 1,354 total cases.

Location: 1996-1999 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S4PROJUS68: S4 ProJus: You caught/arrested auto theft (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	143	10.6 %
1	-	46	3.4 %
2	-	46	3.4 %
3	-	56	4.1 %
4	-	53	3.9 %
5	-	221	16.3 %
6	-	57	4.2 %
7	-	58	4.3 %
8	-	67	4.9 %
9	-	69	5.1 %
10	-	386	28.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-99	Dont Know	26	1.9 %
-98	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,202 valid cases out of 1,354 total cases.

Location: 2000-2003 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S4PROJUS69: S4 ProJus: Break law suspend from school

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	309	22.8 %

Value	Label	Unweighted Frequency	%
2	Somewhat Unlikely It Would Happen	77	5.7 %
3	Could go Either Way	427	31.5 %
4	Somewhat Likely It Would Happen	177	13.1 %
5	Very Likely It Would Happen	172	12.7 %
	Missing Data		
-202	IntCompStat=2 (parital)	2	0.1 %
-201	IntCompStat=4 (missing int)	123	9.1 %
-9	Dont Know	67	4.9 %
	Total	**1,354**	**100%**

Based upon 1,162 valid cases out of 1,354 total cases.

Location: 2004-2007 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -97 , -9 , -8

S4PROJUS70: S4 ProJus: Break law lose friends respect

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	457	33.8 %
2	Somewhat Unlikely It Would Happen	166	12.3 %
3	Could go Either Way	355	26.2 %
4	Somewhat Likely It Would Happen	175	12.9 %
5	Very Likely It Would Happen	75	5.5 %
	Missing Data		
-202	IntCompStat=2 (parital)	2	0.1 %
-201	IntCompStat=4 (missing int)	123	9.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 2008-2011 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -97 , -9 , -8

S4PROJUS71: S4 ProJus: Break law lose family respect

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	270	19.9 %
2	Somewhat Unlikely It Would Happen	143	10.6 %
3	Could go Either Way	233	17.2 %
4	Somewhat Likely It Would Happen	390	28.8 %
5	Very Likely It Would Happen	189	14.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat=2 (parital)	2	0.1 %
-201	IntCompStat=4 (missing int)	123	9.1 %
-9	Dont Know	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,225 valid cases out of 1,354 total cases.

Location: 2012-2015 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -97 , -9 , -8

S4PROJUS72: S4 ProJus: Break law lose neighbors respect

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	188	13.9 %
2	Somewhat Unlikely It Would Happen	155	11.4 %
3	Could go Either Way	311	23.0 %
4	Somewhat Likely It Would Happen	404	29.8 %
5	Very Likely It Would Happen	168	12.4 %
	Missing Data		
-202	IntCompStat=2 (parital)	2	0.1 %
-201	IntCompStat=4 (missing int)	123	9.1 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 2016-2019 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -97 , -9 , -8

S4PROJUS73: S4 ProJus: Break law lose bf/gf respect

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	276	20.4 %
2	Somewhat Unlikely It Would Happen	131	9.7 %
3	Could go Either Way	379	28.0 %
4	Somewhat Likely It Would Happen	265	19.6 %
5	Very Likely It Would Happen	173	12.8 %
	Missing Data		
-202	IntCompStat=2 (parital)	2	0.1 %
-201	IntCompStat=4 (missing int)	123	9.1 %
-9	Dont Know	4	0.3 %

Value	Label	Unweighted Frequency	%
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,224 valid cases out of 1,354 total cases.

Location: 2020-2023 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -97 , -9 , -8

S4PROJUS74: S4 ProJus: Break law harder to find job

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	69	5.1 %
2	Somewhat Unlikely It Would Happen	68	5.0 %
3	Could go Either Way	107	7.9 %
4	Somewhat Likely It Would Happen	491	36.3 %
5	Very Likely It Would Happen	494	36.5 %
	Missing Data		
-202	IntCompStat=2 (parital)	2	0.1 %
-201	IntCompStat=4 (missing int)	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 2024-2027 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -97 , -9 , -8

S4PROJUS76: S4 ProJus: Thrill/rush fighting (0=no thrill - 10=great thrill)

Value	Label	Unweighted Frequency	%
0	-	489	36.1 %
1	-	42	3.1 %
2	-	65	4.8 %
3	-	50	3.7 %
4	-	43	3.2 %
5	-	176	13.0 %
6	-	54	4.0 %
7	-	55	4.1 %
8	-	80	5.9 %
9	-	34	2.5 %
10	-	141	10.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 2028-2031 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S4PROJUS77: S4 ProJus: Thrill/rush robbery w/gun (0=no thrill - 10=great thrill)

Value	Label	Unweighted Frequency	%
0	-	739	54.6 %
1	-	61	4.5 %
2	-	87	6.4 %
3	-	59	4.4 %
4	-	34	2.5 %
5	-	87	6.4 %
6	-	22	1.6 %
7	-	44	3.2 %
8	-	29	2.1 %
9	-	11	0.8 %
10	-	56	4.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 2032-2035 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S4PROJUS78: S4 ProJus: Thrill/rush stabbing someone (0=no thrill - 10=great thrill)

Value	Label	Unweighted Frequency	%
0	-	816	60.3 %
1	-	76	5.6 %
2	-	77	5.7 %
3	-	46	3.4 %
4	-	26	1.9 %
5	-	68	5.0 %
6	-	27	2.0 %

Value	Label	Unweighted Frequency	%
7	-	14	1.0 %
8	-	15	1.1 %
9	-	14	1.0 %
10	-	50	3.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 2036-2039 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S4PROJUS79: S4 ProJus: Thrill/rush break into store/home (0=no thrill - 10=great thrill)

Value	Label	Unweighted Frequency	%
0	-	781	57.7 %
1	-	58	4.3 %
2	-	60	4.4 %
3	-	64	4.7 %
4	-	40	3.0 %
5	-	90	6.6 %
6	-	35	2.6 %
7	-	32	2.4 %
8	-	17	1.3 %
9	-	12	0.9 %
10	-	40	3.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 2040-2043 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S4PROJUS80: S4 ProJus: Thrill/rush stealing clothes (0=no thrill - 10=great thrill)

Value	Label	Unweighted Frequency	%
0	-	801	59.2 %

Value	Label	Unweighted Frequency	%
1	-	61	4.5 %
2	-	95	7.0 %
3	-	52	3.8 %
4	-	38	2.8 %
5	-	76	5.6 %
6	-	32	2.4 %
7	-	18	1.3 %
8	-	14	1.0 %
9	-	5	0.4 %
10	-	37	2.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 2044-2047 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S4PROJUS81: S4 ProJus: Thrill/rush vandalism (0=no thrill - 10=great thrill)

Value	Label	Unweighted Frequency	%
0	-	800	59.1 %
1	-	72	5.3 %
2	-	63	4.7 %
3	-	45	3.3 %
4	-	45	3.3 %
5	-	92	6.8 %
6	-	29	2.1 %
7	-	12	0.9 %
8	-	20	1.5 %
9	-	11	0.8 %
10	-	40	3.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 2048-2051 (width: 4; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S4PROJUS82: S4 ProJus: Thrill/rush auto theft (0=no thrill - 10=great thrill)

Value	Label	Unweighted Frequency	%
0	-	755	55.8 %
1	-	45	3.3 %
2	-	46	3.4 %
3	-	40	3.0 %
4	-	23	1.7 %
5	-	94	6.9 %
6	-	47	3.5 %
7	-	35	2.6 %
8	-	37	2.7 %
9	-	28	2.1 %
10	-	79	5.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 2052-2055 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S4PAY01: S4 PainCost: Steal-peers respect more

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	386	28.5 %
2	Disagree	722	53.3 %
3	Agree	109	8.1 %
4	Strongly Agree	10	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,227 valid cases out of 1,354 total cases.

Location: 2056-2059 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S4PAY02: S4 PainCost: Steal-more respect from adults

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	451	33.3 %
2	Disagree	730	53.9 %
3	Agree	40	3.0 %
4	Strongly Agree	7	0.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 2060-2063 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S4PAY03: S4 PainCost: Steal-friends like more

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	379	28.0 %
2	Disagree	647	47.8 %
3	Agree	177	13.1 %
4	Strongly Agree	25	1.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 2064-2067 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S4PAY04: S4 PainCost: Steal-impress bf/gf

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	458	33.8 %
2	Disagree	725	53.5 %
3	Agree	43	3.2 %
4	Strongly Agree	2	0.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 2068-2071 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S4PAY05: S4 PainCost: Steal-get back at people

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	325	24.0 %
2	Disagree	557	41.1 %
3	Agree	300	22.2 %
4	Strongly Agree	45	3.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,227 valid cases out of 1,354 total cases.

Location: 2072-2075 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S4PAY06: S4 PainCost: Fight-peers respect more

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	291	21.5 %
2	Disagree	536	39.6 %
3	Agree	348	25.7 %
4	Strongly Agree	52	3.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,227 valid cases out of 1,354 total cases.

Location: 2076-2079 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S4PAY07: S4 PainCost: Fight-more respect from adults

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	358	26.4 %
2	Disagree	691	51.0 %
3	Agree	159	11.7 %
4	Strongly Agree	19	1.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,227 valid cases out of 1,354 total cases.

Location: 2080-2083 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S4PAY08: S4 PainCost: Fight-peers afraid

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	284	21.0 %
2	Disagree	539	39.8 %
3	Agree	363	26.8 %
4	Strongly Agree	41	3.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,227 valid cases out of 1,354 total cases.

Location: 2084-2087 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S4PAY09: S4 PainCost: Fight-impress bf/gf

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	374	27.6 %
2	Disagree	736	54.4 %
3	Agree	103	7.6 %
4	Strongly Agree	15	1.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 2088-2091 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S4PAY10: S4 PainCost: Fight-get back at people

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	283	20.9 %
2	Disagree	557	41.1 %
3	Agree	330	24.4 %
4	Strongly Agree	58	4.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 2092-2095 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S4PAY11: S4 PainCost: Rob-peers respect more

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	377	27.8 %
2	Disagree	707	52.2 %
3	Agree	129	9.5 %
4	Strongly Agree	16	1.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 2096-2099 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S4PAY12: S4 PainCost: Rob-more respect from adults

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	436	32.2 %
2	Disagree	741	54.7 %
3	Agree	46	3.4 %
4	Strongly Agree	5	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 2100-2103 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S4PAY13: S4 PainCost: Rob-peers afraid

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	361	26.7 %
2	Disagree	635	46.9 %
3	Agree	203	15.0 %
4	Strongly Agree	29	2.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 2104-2107 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S4PAY14: S4 PainCost: Rob-impress bf/gf

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	454	33.5 %
2	Disagree	739	54.6 %
3	Agree	34	2.5 %
4	Strongly Agree	2	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 2108-2111 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S4PAY15: S4 PainCost: Rob-get back at people

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	358	26.4 %
2	Disagree	632	46.7 %
3	Agree	204	15.1 %
4	Strongly Agree	35	2.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 2112-2115 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S4PUNOTH: S4 PainCost: Certainty of Punishment - Other

Based upon 1,200 valid cases out of 1,354 total cases.

- Mean: 5.5678412698
- Median: 5.4285714286
- Mode: 10.0000000000
- Minimum: 0.0000000000
- Maximum: 10.0000000000
- Standard Deviation: 2.3766772652

Location: 2116-2130 (width: 15; decimal: 10)
Variable Type: numeric

(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -99.0000000000 , -98.0000000000

S4PUNYOU: S4 PainCost: Certainty of Punishment - You

Based upon 1,202 valid cases out of 1,354 total cases.

- Mean: 5.5522106014
- Median: 5.4285714286
- Mode: 10.0000000000
- Minimum: 0.0000000000
- Maximum: 10.0000000000
- Standard Deviation: 2.8985924022

Location: 2131-2145 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -99.0000000000 , -98.0000000000

S4SOCCST: S4 PainCost: Social Costs of Punishment

Based upon 1,229 valid cases out of 1,354 total cases.

- Mean: 3.0749254136
- Median: 3.1666666667
- Mode: 3.3333333333
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.8923853519

Location: 2146-2160 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -9.0000000000 , -8.0000000000

S4WGTCST: S4 PainCost: Punishment Costs - Variety

Based upon 641 valid cases out of 1,354 total cases.

- Mean: 2.9900729298
- Median: 3.1333333333
- Mode: 4.0000000000
- Minimum: 1.0000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.9151386166

Location: 2161-2175 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -400.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S4VARCST: S4 PainCost: Punishment Costs (13) - Material Issues

Based upon 749 valid cases out of 1,354 total cases.

- Mean: 9.95
- Median: 13.00
- Mode: 18.00
- Minimum: 0.00
- Maximum: 18.00

- Standard Deviation: 7.09

Location: 2176-2179 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S4MATCST: S4 PainCost: Punishment Costs (5) - Freedom Issues

Based upon 749 valid cases out of 1,354 total cases.

- Mean: 6.52
- Median: 8.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 13.00
- Standard Deviation: 5.45

Location: 2180-2183 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S4FRECST: S4 PainCost: Punishment Costs - Weight

Based upon 749 valid cases out of 1,354 total cases.

- Mean: 3.43
- Median: 5.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 1.94

Location: 2184-2187 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S4STLRWD: S4 PainCost: Social Rewards of Crime - Stealing

Based upon 1,229 valid cases out of 1,354 total cases.

- Mean: 1.81
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.40
- Standard Deviation: 0.53

Location: 2188-2194 (width: 7; decimal: 2)
Variable Type: numeric
(Range of) Missing Values: -600.00 , -300.00 , -202.00 , -201.00 , -9.00 , -8.00

S4FGTRWD: S4 PainCost: Social Rewards of Crime - Fighting

Based upon 1,229 valid cases out of 1,354 total cases.

- Mean: 2.0138052617
- Median: 2.0000000000

- Mode: 2.0000000000
- Minimum: 1.0000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.6254543724

Location: 2195-2209 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -600.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -9.0000000000 , -8.0000000000

S4ROBRWD: S4 PainCost: Social Rewards of Crime - Robbery

Based upon 1,229 valid cases out of 1,354 total cases.

- Mean: 1.81
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.60
- Standard Deviation: 0.55

Location: 2210-2216 (width: 7; decimal: 2)
Variable Type: numeric
(Range of) Missing Values: -600.00 , -300.00 , -202.00 , -201.00 , -9.00 , -8.00

S4PERRWD: S4 PainCost: Personal Rewards of Crime

Based upon 1,229 valid cases out of 1,354 total cases.

- Mean: 1.9745437638
- Median: 1.0000000000
- Mode: 0.0000000000
- Minimum: 0.0000000000
- Maximum: 10.0000000000
- Standard Deviation: 2.3618513248

Location: 2217-2231 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -99.0000000000 , -98.0000000000

S5PAINCOST_CRTINV: S5 PainCost: Involved ongoing programs court

Value	Label	Unweighted Frequency	%
1	Yes	583	43.1 %
5	No	650	48.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 2232-2235 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S5PAINCOST_CRTIN6: S5 PainCost: Involved court ordered program

Value	Label	Unweighted Frequency	%
1	Yes	667	49.3 %
5	No	566	41.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 2236-2239 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S5PAINCOST_CRTTYP: S5 PainCost: Describe court involvement

Value	Label	Unweighted Frequency	%
1	Incarceration	397	29.3 %
2	Court ordered community program	16	1.2 %
3	Probation/Parole	234	17.3 %
6	Other	17	1.3 %
7	None	3	0.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-102	Not involved currently or w/in p6mo - question skipped	566	41.8 %
	Total	**1,354**	**100%**

Based upon 667 valid cases out of 1,354 total cases.

Location: 2240-2243 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -104 , -102 , -9 , -8

S5PAINCOST_CRTNOW: S5 PainCost: Still involved in program

Value	Label	Unweighted Frequency	%
1	Yes	541	40.0 %
5	No	122	9.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %

Value	Label	Unweighted Frequency	%
-104	Not involved currently or w/in p6mo - interview bug	3	0.2 %
-102	Not involved currently or w/in p6mo - question skipped	566	41.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 663 valid cases out of 1,354 total cases.

Location: 2244-2247 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S5PAINCOST01A: S5 PainCost: Sentence kept from hang w/friends

Value	Label	Unweighted Frequency	%
1	Yes	454	33.5 %
5	No	210	15.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-104	Not involved currently or w/in p6mo - interview bug	3	0.2 %
-102	Not involved currently or w/in p6mo - question skipped	566	41.8 %
	Total	**1,354**	**100%**

Based upon 664 valid cases out of 1,354 total cases.

Location: 2248-2251 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S5PAINCOST01B: S5 PainCost: Kept from hang w/friends - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	52	3.8 %
2	A little	87	6.4 %
3	Quite a bit	113	8.3 %
4	Very much	202	14.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-105	Court didnt keep from doing something - question skipped	35	2.6 %
-104	Not involved currently or w/in p6mo - interview bug	178	13.1 %
-102	Not involved currently or w/in p6mo - question skipped	566	41.8 %
	Total	**1,354**	**100%**

Based upon 454 valid cases out of 1,354 total cases.

Location: 2252-2255 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S5PAINCOST02A: S5 PainCost: Sentence kept from choose how spend time

Value	Label	Unweighted Frequency	%
1	Yes	473	34.9 %
5	No	191	14.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-104	Not involved currently or w/in p6mo - interview bug	3	0.2 %
-102	Not involved currently or w/in p6mo - question skipped	566	41.8 %
	Total	**1,354**	**100%**

Based upon 664 valid cases out of 1,354 total cases.

Location: 2256-2259 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S5PAINCOST02B: S5 PainCost: Kept from choose how spend time - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	17	1.3 %
2	A little	59	4.4 %
3	Quite a bit	107	7.9 %
4	Very much	290	21.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-105	Court didnt keep from doing something - question skipped	31	2.3 %
-104	Not involved currently or w/in p6mo - interview bug	163	12.0 %
-102	Not involved currently or w/in p6mo - question skipped	566	41.8 %
	Total	**1,354**	**100%**

Based upon 473 valid cases out of 1,354 total cases.

Location: 2260-2263 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S5PAINCOST03A: S5 PainCost: Sentence kept from decide what eat

Value	Label	Unweighted Frequency	%
1	Yes	394	29.1 %
5	No	270	19.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-104	Not involved currently or w/in p6mo - interview bug	3	0.2 %
-102	Not involved currently or w/in p6mo - question skipped	566	41.8 %
	Total	**1,354**	**100%**

Based upon 664 valid cases out of 1,354 total cases.

Location: 2264-2267 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S5PAINCOST03B: S5 PainCost: Kept from decide what to eat - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	14	1.0 %
2	A little	43	3.2 %
3	Quite a bit	70	5.2 %
4	Very much	267	19.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-105	Court didnt keep from doing something - question skipped	44	3.2 %
-104	Not involved currently or w/in p6mo - interview bug	229	16.9 %
-102	Not involved currently or w/in p6mo - question skipped	566	41.8 %
	Total	**1,354**	**100%**

Based upon 394 valid cases out of 1,354 total cases.

Location: 2268-2271 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S5PAINCOST04A: S5 PainCost: Sentence kept from able to leave

Value	Label	Unweighted Frequency	%
1	Yes	484	35.7 %
5	No	180	13.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %

Value	Label	Unweighted Frequency	%
-104	Not involved currently or w/in p6mo - interview bug	3	0.2 %
-102	Not involved currently or w/in p6mo - question skipped	566	41.8 %
	Total	**1,354**	**100%**

Based upon 664 valid cases out of 1,354 total cases.

Location: 2272-2275 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S5PAINCOST04B: S5 PainCost: Kept from able to leave - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	16	1.2 %
2	A little	43	3.2 %
3	Quite a bit	83	6.1 %
4	Very much	342	25.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-105	Court didnt keep from doing something - question skipped	34	2.5 %
-104	Not involved currently or w/in p6mo - interview bug	149	11.0 %
-102	Not involved currently or w/in p6mo - question skipped	566	41.8 %
	Total	**1,354**	**100%**

Based upon 484 valid cases out of 1,354 total cases.

Location: 2276-2279 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S5PAINCOST05A: S5 PainCost: Court sentence kept from sleeping late

Value	Label	Unweighted Frequency	%
1	Yes	289	21.3 %
5	No	375	27.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-104	Not involved currently or w/in p6mo - interview bug	3	0.2 %
-102	Not involved currently or w/in p6mo - question skipped	566	41.8 %
	Total	**1,354**	**100%**

Based upon 664 valid cases out of 1,354 total cases.

Location: 2280-2283 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S5PAINCOST05B: S5 PainCost: Kept from sleeping late - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	18	1.3 %
2	A little	43	3.2 %
3	Quite a bit	52	3.8 %
4	Very much	176	13.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-105	Court didnt keep from doing something - question skipped	49	3.6 %
-104	Not involved currently or w/in p6mo - interview bug	329	24.3 %
-102	Not involved currently or w/in p6mo - question skipped	566	41.8 %
	Total	**1,354**	**100%**

Based upon 289 valid cases out of 1,354 total cases.

Location: 2284-2287 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S5PAINCOST06A: S5 PainCost: Court sentence kept from go out w/bfgf

Value	Label	Unweighted Frequency	%
1	Yes	428	31.6 %
5	No	235	17.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-104	Not involved currently or w/in p6mo - interview bug	3	0.2 %
-102	Not involved currently or w/in p6mo - question skipped	566	41.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 663 valid cases out of 1,354 total cases.

Location: 2288-2291 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S5PAINCOST06B: S5 PainCost: Kept from go out w/bfgf - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	14	1.0 %
2	A little	25	1.8 %
3	Quite a bit	62	4.6 %
4	Very much	327	24.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-105	Court didnt keep from doing something - question skipped	37	2.7 %
-104	Not involved currently or w/in p6mo - interview bug	202	14.9 %
-102	Not involved currently or w/in p6mo - question skipped	566	41.8 %
	Total	**1,354**	**100%**

Based upon 428 valid cases out of 1,354 total cases.

Location: 2292-2295 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S5PAINCOST07A: S5 PainCost: Sentence kept from watching TV

Value	Label	Unweighted Frequency	%
1	Yes	294	21.7 %
5	No	370	27.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-104	Not involved currently or w/in p6mo - interview bug	3	0.2 %
-102	Not involved currently or w/in p6mo - question skipped	566	41.8 %
	Total	**1,354**	**100%**

Based upon 664 valid cases out of 1,354 total cases.

Location: 2296-2299 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S5PAINCOST07B: S5 PainCost: Kept from watching TV - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	18	1.3 %
2	A little	46	3.4 %
3	Quite a bit	60	4.4 %
4	Very much	170	12.6 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-105	Court didnt keep from doing something - question skipped	47	3.5 %
-104	Not involved currently or w/in p6mo - interview bug	326	24.1 %
-102	Not involved currently or w/in p6mo - question skipped	566	41.8 %
	Total	**1,354**	**100%**

Based upon 294 valid cases out of 1,354 total cases.

Location: 2300-2303 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S5PAINCOST08A: S5 PainCost: Sentence kept from dressing way want

Value	Label	Unweighted Frequency	%
1	Yes	394	29.1 %
5	No	270	19.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-104	Not involved currently or w/in p6mo - interview bug	3	0.2 %
-102	Not involved currently or w/in p6mo - question skipped	566	41.8 %
	Total	**1,354**	**100%**

Based upon 664 valid cases out of 1,354 total cases.

Location: 2304-2307 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S5PAINCOST08B: S5 PainCost: Kept from dress the way want - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	11	0.8 %
2	A little	33	2.4 %
3	Quite a bit	75	5.5 %
4	Very much	275	20.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-105	Court didnt keep from doing something - question skipped	42	3.1 %
-104	Not involved currently or w/in p6mo - interview bug	231	17.1 %
-102	Not involved currently or w/in p6mo - question skipped	566	41.8 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 394 valid cases out of 1,354 total cases.

Location: 2308-2311 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S5PAINCOST09A: S5 PainCost: Sentence kept from listen to music

Value	Label	Unweighted Frequency	%
1	Yes	269	19.9 %
5	No	395	29.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-104	Not involved currently or w/in p6mo - interview bug	3	0.2 %
-102	Not involved currently or w/in p6mo - question skipped	566	41.8 %
	Total	**1,354**	**100%**

Based upon 664 valid cases out of 1,354 total cases.

Location: 2312-2315 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S5PAINCOST09B: S5 PainCost: Kept from listen to music - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	13	1.0 %
2	A little	29	2.1 %
3	Quite a bit	51	3.8 %
4	Very much	176	13.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-105	Court didnt keep from doing something - question skipped	46	3.4 %
-104	Not involved currently or w/in p6mo - interview bug	352	26.0 %
-102	Not involved currently or w/in p6mo - question skipped	566	41.8 %
	Total	**1,354**	**100%**

Based upon 269 valid cases out of 1,354 total cases.

Location: 2316-2319 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S5PAINCOST10A: S5 PainCost: Sentence kept from seeing movies

Value	Label	Unweighted Frequency	%
1	Yes	388	28.7 %
5	No	276	20.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-104	Not involved currently or w/in p6mo - interview bug	3	0.2 %
-102	Not involved currently or w/in p6mo - question skipped	566	41.8 %
	Total	**1,354**	**100%**

Based upon 664 valid cases out of 1,354 total cases.

Location: 2320-2323 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S5PAINCOST10B: S5 PainCost: Kept from seeing movies - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	22	1.6 %
2	A little	72	5.3 %
3	Quite a bit	79	5.8 %
4	Very much	215	15.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-105	Court didnt keep from doing something - question skipped	42	3.1 %
-104	Not involved currently or w/in p6mo - interview bug	237	17.5 %
-102	Not involved currently or w/in p6mo - question skipped	566	41.8 %
	Total	**1,354**	**100%**

Based upon 388 valid cases out of 1,354 total cases.

Location: 2324-2327 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S5PAINCOST11A: S5 PainCost: Sentence kept from warm place

Value	Label	Unweighted Frequency	%
1	Yes	360	26.6 %
5	No	304	22.5 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-104	Not involved currently or w/in p6mo - interview bug	3	0.2 %
-102	Not involved currently or w/in p6mo - question skipped	566	41.8 %
	Total	**1,354**	**100%**

Based upon 664 valid cases out of 1,354 total cases.

Location: 2328-2331 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S5PAINCOST11B: S5 PainCost: Kept from warm place - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	7	0.5 %
2	A little	28	2.1 %
3	Quite a bit	64	4.7 %
4	Very much	261	19.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-105	Court didnt keep from doing something - question skipped	42	3.1 %
-104	Not involved currently or w/in p6mo - interview bug	265	19.6 %
-102	Not involved currently or w/in p6mo - question skipped	566	41.8 %
	Total	**1,354**	**100%**

Based upon 360 valid cases out of 1,354 total cases.

Location: 2332-2335 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S5PAINCOST12A: S5 PainCost: Sentence kept from place that looks good

Value	Label	Unweighted Frequency	%
1	Yes	378	27.9 %
5	No	286	21.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-104	Not involved currently or w/in p6mo - interview bug	3	0.2 %
-102	Not involved currently or w/in p6mo - question skipped	566	41.8 %
	Total	**1,354**	**100%**

Based upon 664 valid cases out of 1,354 total cases.

Location: 2336-2339 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S5PAINCOST12B: S5 PainCost: Kept from place that looks good - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	13	1.0 %
2	A little	43	3.2 %
3	Quite a bit	62	4.6 %
4	Very much	260	19.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-105	Court didnt keep from doing something - question skipped	42	3.1 %
-104	Not involved currently or w/in p6mo - interview bug	247	18.2 %
-102	Not involved currently or w/in p6mo - question skipped	566	41.8 %
	Total	**1,354**	**100%**

Based upon 378 valid cases out of 1,354 total cases.

Location: 2340-2343 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S5PAINCOST13A: S5 PainCost: Sentence kept from choosing what to wear

Value	Label	Unweighted Frequency	%
1	Yes	395	29.2 %
5	No	269	19.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-104	Not involved currently or w/in p6mo - interview bug	3	0.2 %
-102	Not involved currently or w/in p6mo - question skipped	566	41.8 %
	Total	**1,354**	**100%**

Based upon 664 valid cases out of 1,354 total cases.

Location: 2344-2347 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S5PAINCOST13B: S5 PainCost: Kept from choosing what to wear - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	11	0.8 %
2	A little	39	2.9 %
3	Quite a bit	71	5.2 %
4	Very much	274	20.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-105	Court didnt keep from doing something - question skipped	40	3.0 %
-104	Not involved currently or w/in p6mo - interview bug	232	17.1 %
-102	Not involved currently or w/in p6mo - question skipped	566	41.8 %
	Total	**1,354**	**100%**

Based upon 395 valid cases out of 1,354 total cases.

Location: 2348-2351 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S5PAINCOST14A: S5 PainCost: Sentence kept from talking on the phone

Value	Label	Unweighted Frequency	%
1	Yes	390	28.8 %
5	No	274	20.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-104	Not involved currently or w/in p6mo - interview bug	3	0.2 %
-102	Not involved currently or w/in p6mo - question skipped	566	41.8 %
	Total	**1,354**	**100%**

Based upon 664 valid cases out of 1,354 total cases.

Location: 2352-2355 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S5PAINCOST14B: S5 PainCost: Kept from talk on the phone - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	11	0.8 %
2	A little	38	2.8 %
3	Quite a bit	84	6.2 %
4	Very much	257	19.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-105	Court didnt keep from doing something - question skipped	42	3.1 %
-104	Not involved currently or w/in p6mo - interview bug	235	17.4 %
-102	Not involved currently or w/in p6mo - question skipped	566	41.8 %
	Total	**1,354**	**100%**

Based upon 390 valid cases out of 1,354 total cases.

Location: 2356-2359 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S5PAINCOST15A: S5 PainCost: Sentence kept from reading what want

Value	Label	Unweighted Frequency	%
1	Yes	244	18.0 %
5	No	420	31.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-104	Not involved currently or w/in p6mo - interview bug	3	0.2 %
-102	Not involved currently or w/in p6mo - question skipped	566	41.8 %
	Total	**1,354**	**100%**

Based upon 664 valid cases out of 1,354 total cases.

Location: 2360-2363 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S5PAINCOST15B: S5 PainCost: Kept from read what want - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	15	1.1 %
2	A little	48	3.5 %
3	Quite a bit	40	3.0 %
4	Very much	141	10.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-105	Court didnt keep from doing something - question skipped	51	3.8 %
-104	Not involved currently or w/in p6mo - interview bug	372	27.5 %
-102	Not involved currently or w/in p6mo - question skipped	566	41.8 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 244 valid cases out of 1,354 total cases.

Location: 2364-2367 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S5PAINCOST16A: S5 PainCost: Sentence kept from being by self

Value	Label	Unweighted Frequency	%
1	Yes	339	25.0 %
5	No	325	24.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-104	Not involved currently or w/in p6mo - interview bug	3	0.2 %
-102	Not involved currently or w/in p6mo - question skipped	566	41.8 %
	Total	**1,354**	**100%**

Based upon 664 valid cases out of 1,354 total cases.

Location: 2368-2371 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S5PAINCOST16B: S5 PainCost: Kept from being by self - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	6	0.4 %
2	A little	45	3.3 %
3	Quite a bit	69	5.1 %
4	Very much	219	16.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-105	Court didnt keep from doing something - question skipped	48	3.5 %
-104	Not involved currently or w/in p6mo - interview bug	280	20.7 %
-102	Not involved currently or w/in p6mo - question skipped	566	41.8 %
	Total	**1,354**	**100%**

Based upon 339 valid cases out of 1,354 total cases.

Location: 2372-2375 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S5PAINCOST17A: S5 PainCost: Sentence kept from drinking, get high

Value	Label	Unweighted Frequency	%
1	Yes	484	35.7 %
5	No	180	13.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-104	Not involved currently or w/in p6mo - interview bug	3	0.2 %
-102	Not involved currently or w/in p6mo - question skipped	566	41.8 %
	Total	**1,354**	**100%**

Based upon 664 valid cases out of 1,354 total cases.

Location: 2376-2379 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S5PAINCOST17B: S5 PainCost: Kept from drink or get high - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	202	14.9 %
2	A little	96	7.1 %
3	Quite a bit	49	3.6 %
4	Very much	137	10.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-105	Court didnt keep from doing something - question skipped	26	1.9 %
-104	Not involved currently or w/in p6mo - interview bug	157	11.6 %
-102	Not involved currently or w/in p6mo - question skipped	566	41.8 %
	Total	**1,354**	**100%**

Based upon 484 valid cases out of 1,354 total cases.

Location: 2380-2383 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S5PAINCOST18A: S5 PainCost: Sentence kept from buying things

Value	Label	Unweighted Frequency	%
1	Yes	400	29.5 %
5	No	264	19.5 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-104	Not involved currently or w/in p6mo - interview bug	3	0.2 %
-102	Not involved currently or w/in p6mo - question skipped	566	41.8 %
	Total	**1,354**	**100%**

Based upon 664 valid cases out of 1,354 total cases.

Location: 2384-2387 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S5PAINCOST18B: S5 PainCost: Kept from buy things - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	13	1.0 %
2	A little	74	5.5 %
3	Quite a bit	79	5.8 %
4	Very much	234	17.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-105	Court didnt keep from doing something - question skipped	41	3.0 %
-104	Not involved currently or w/in p6mo - interview bug	226	16.7 %
-102	Not involved currently or w/in p6mo - question skipped	566	41.8 %
	Total	**1,354**	**100%**

Based upon 400 valid cases out of 1,354 total cases.

Location: 2388-2391 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S5PAINCOST19A: S5 PainCost: Kept from providing for family

Value	Label	Unweighted Frequency	%
1	Yes	69	5.1 %
5	No	34	2.5 %
	Missing Data		
-400	Blasie version - question not yet added	1044	77.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-104	Not involved currently or w/in p6mo - interview bug	1	0.1 %
-102	Not involved currently or w/in p6mo - question skipped	86	6.4 %
	Total	**1,354**	**100%**

Based upon 103 valid cases out of 1,354 total cases.

Location: 2392-2395 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S5PAINCOST19B: S5 PainCost: Kept from providing for family - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	2	0.1 %
2	A little	4	0.3 %
3	Quite a bit	8	0.6 %
4	Very much	55	4.1 %
	Missing Data		
-400	Blasie version - question not yet added	1044	77.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-105	Court didnt keep from doing something - question skipped	3	0.2 %
-104	Not involved currently or w/in p6mo - interview bug	32	2.4 %
-102	Not involved currently or w/in p6mo - question skipped	86	6.4 %
	Total	**1,354**	**100%**

Based upon 69 valid cases out of 1,354 total cases.

Location: 2396-2399 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S5PROJUS55: S5 ProJus: Kid caught/arrested for fighting (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	312	23.0 %
1	-	91	6.7 %
2	-	122	9.0 %
3	-	118	8.7 %
4	-	77	5.7 %
5	-	207	15.3 %
6	-	48	3.5 %
7	-	44	3.2 %
8	-	46	3.4 %
9	-	16	1.2 %
10	-	108	8.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-99	Dont Know	44	3.2 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 1,189 valid cases out of 1,354 total cases.

Location: 2400-2403 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S5PROJUS56: S5 ProJus: Kid caught/arrested robbery w/ gun (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	44	3.2 %
1	-	23	1.7 %
2	-	27	2.0 %
3	-	68	5.0 %
4	-	61	4.5 %
5	-	246	18.2 %
6	-	72	5.3 %
7	-	127	9.4 %
8	-	127	9.4 %
9	-	79	5.8 %
10	-	315	23.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-99	Dont Know	44	3.2 %
	Total	**1,354**	**100%**

Based upon 1,189 valid cases out of 1,354 total cases.

Location: 2404-2407 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S5PROJUS57: S5 ProJus: Kid caught/arrested stabbing someone (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	58	4.3 %
1	-	20	1.5 %
2	-	30	2.2 %
3	-	61	4.5 %
4	-	55	4.1 %
5	-	216	16.0 %
6	-	93	6.9 %

Value	Label	Unweighted Frequency	%
7	-	113	8.3 %
8	-	141	10.4 %
9	-	99	7.3 %
10	-	303	22.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-99	Dont Know	44	3.2 %
	Total	**1,354**	**100%**

Based upon 1,189 valid cases out of 1,354 total cases.

Location: 2408-2411 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S5PROJUS58: S5 ProJus: Kid caught/arrested breaking into store (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	56	4.1 %
1	-	25	1.8 %
2	-	43	3.2 %
3	-	67	4.9 %
4	-	73	5.4 %
5	-	249	18.4 %
6	-	109	8.1 %
7	-	102	7.5 %
8	-	128	9.5 %
9	-	66	4.9 %
10	-	271	20.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-99	Dont Know	44	3.2 %
	Total	**1,354**	**100%**

Based upon 1,189 valid cases out of 1,354 total cases.

Location: 2412-2415 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S5PROJUS59: S5 ProJus: Kid caught/arrested stealing clothes (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	78	5.8 %
1	-	40	3.0 %
2	-	73	5.4 %
3	-	109	8.1 %
4	-	98	7.2 %
5	-	294	21.7 %
6	-	94	6.9 %
7	-	89	6.6 %
8	-	72	5.3 %
9	-	32	2.4 %
10	-	210	15.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-99	Dont Know	44	3.2 %
	Total	**1,354**	**100%**

Based upon 1,189 valid cases out of 1,354 total cases.

Location: 2416-2419 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S5PROJUS60: S5 ProJus: Kid caught/arrested vandalism (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	175	12.9 %
1	-	89	6.6 %
2	-	147	10.9 %
3	-	141	10.4 %
4	-	81	6.0 %
5	-	206	15.2 %
6	-	48	3.5 %
7	-	63	4.7 %
8	-	36	2.7 %
9	-	24	1.8 %
10	-	178	13.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-99	Dont Know	45	3.3 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 1,188 valid cases out of 1,354 total cases.

Location: 2420-2423 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S5PROJUS61: S5 ProJus: Kid caught/arrested auto theft (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	65	4.8 %
1	-	34	2.5 %
2	-	54	4.0 %
3	-	69	5.1 %
4	-	97	7.2 %
5	-	253	18.7 %
6	-	91	6.7 %
7	-	91	6.7 %
8	-	115	8.5 %
9	-	66	4.9 %
10	-	254	18.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-99	Dont Know	44	3.2 %
	Total	**1,354**	**100%**

Based upon 1,189 valid cases out of 1,354 total cases.

Location: 2424-2427 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S5PROJUS62: S5 ProJus: You caught/arrested fighting (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	383	28.3 %
1	-	103	7.6 %
2	-	82	6.1 %
3	-	85	6.3 %
4	-	48	3.5 %
5	-	171	12.6 %
6	-	28	2.1 %

Value	Label	Unweighted Frequency	%
7	-	33	2.4 %
8	-	23	1.7 %
9	-	30	2.2 %
10	-	204	15.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-99	Dont Know	42	3.1 %
-98	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,190 valid cases out of 1,354 total cases.

Location: 2428-2431 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S5PROJUS63: S5 ProJus: You caught/arrested robbery w/ gun (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	129	9.5 %
1	-	25	1.8 %
2	-	40	3.0 %
3	-	47	3.5 %
4	-	48	3.5 %
5	-	178	13.1 %
6	-	43	3.2 %
7	-	80	5.9 %
8	-	94	6.9 %
9	-	81	6.0 %
10	-	424	31.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-99	Dont Know	43	3.2 %
-98	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,189 valid cases out of 1,354 total cases.

Location: 2432-2435 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S5PROJUS64: S5 ProJus: You caught/arrested stabbing someone (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	134	9.9 %
1	-	27	2.0 %
2	-	30	2.2 %
3	-	46	3.4 %
4	-	43	3.2 %
5	-	193	14.3 %
6	-	44	3.2 %
7	-	82	6.1 %
8	-	98	7.2 %
9	-	82	6.1 %
10	-	409	30.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-99	Dont Know	44	3.2 %
-98	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,188 valid cases out of 1,354 total cases.

Location: 2436-2439 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S5PROJUS65: S5 ProJus: You caught/arrested breaking into store (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	142	10.5 %
1	-	31	2.3 %
2	-	50	3.7 %
3	-	65	4.8 %
4	-	41	3.0 %
5	-	203	15.0 %
6	-	50	3.7 %
7	-	77	5.7 %
8	-	90	6.6 %
9	-	75	5.5 %
10	-	365	27.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	120	8.9 %
-99	Dont Know	43	3.2 %
-98	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,189 valid cases out of 1,354 total cases.

Location: 2440-2443 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S5PROJUS66: S5 ProJus: You caught/arrested stealing clothes (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	168	12.4 %
1	-	48	3.5 %
2	-	62	4.6 %
3	-	66	4.9 %
4	-	41	3.0 %
5	-	209	15.4 %
6	-	50	3.7 %
7	-	76	5.6 %
8	-	62	4.6 %
9	-	61	4.5 %
10	-	345	25.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-99	Dont Know	44	3.2 %
-98	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,188 valid cases out of 1,354 total cases.

Location: 2444-2447 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S5PROJUS67: S5 ProJus: You caught/arrested vandalism (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	278	20.5 %
1	-	81	6.0 %
2	-	91	6.7 %

Value	Label	Unweighted Frequency	%
3	-	70	5.2 %
4	-	37	2.7 %
5	-	167	12.3 %
6	-	44	3.2 %
7	-	43	3.2 %
8	-	43	3.2 %
9	-	42	3.1 %
10	-	292	21.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-99	Dont Know	44	3.2 %
-98	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,188 valid cases out of 1,354 total cases.

Location: 2448-2451 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S5PROJUS68: S5 ProJus: You caught/arrested auto theft (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	154	11.4 %
1	-	42	3.1 %
2	-	35	2.6 %
3	-	44	3.2 %
4	-	43	3.2 %
5	-	203	15.0 %
6	-	40	3.0 %
7	-	70	5.2 %
8	-	82	6.1 %
9	-	71	5.2 %
10	-	403	29.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-99	Dont Know	45	3.3 %
-98	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,187 valid cases out of 1,354 total cases.

Location: 2452-2455 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S5PROJUS69: S5 ProJus: Break law suspend from school

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	273	20.2 %
2	Somewhat Unlikely It Would Happen	71	5.2 %
3	Could go Either Way	444	32.8 %
4	Somewhat Likely It Would Happen	159	11.7 %
5	Very Likely It Would Happen	179	13.2 %
	Missing Data		
-202	IntCompStat=2 (parital)	1	0.1 %
-201	IntCompStat=4 (missing int)	120	8.9 %
-97	NA - no longer in school	21	1.6 %
-9	Dont Know	86	6.4 %
	Total	**1,354**	**100%**

Based upon 1,126 valid cases out of 1,354 total cases.

Location: 2456-2459 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -97 , -9 , -8

S5PROJUS70: S5 ProJus: Break law lose friends respect

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	440	32.5 %
2	Somewhat Unlikely It Would Happen	174	12.9 %
3	Could go Either Way	373	27.5 %
4	Somewhat Likely It Would Happen	169	12.5 %
5	Very Likely It Would Happen	76	5.6 %
	Missing Data		
-202	IntCompStat=2 (parital)	1	0.1 %
-201	IntCompStat=4 (missing int)	120	8.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 2460-2463 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -97 , -9 , -8

S5PROJUS71: S5 ProJus: Break law lose family respect

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	261	19.3 %
2	Somewhat Unlikely It Would Happen	142	10.5 %
3	Could go Either Way	241	17.8 %
4	Somewhat Likely It Would Happen	389	28.7 %
5	Very Likely It Would Happen	199	14.7 %
	Missing Data		
-202	IntCompStat=2 (parital)	1	0.1 %
-201	IntCompStat=4 (missing int)	120	8.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 2464-2467 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -97 , -9 , -8

S5PROJUS72: S5 ProJus: Break law lose neighbors respect

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	209	15.4 %
2	Somewhat Unlikely It Would Happen	145	10.7 %
3	Could go Either Way	306	22.6 %
4	Somewhat Likely It Would Happen	402	29.7 %
5	Very Likely It Would Happen	167	12.3 %
	Missing Data		
-202	IntCompStat=2 (parital)	1	0.1 %
-201	IntCompStat=4 (missing int)	120	8.9 %
-9	Dont Know	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 2468-2471 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -97 , -9 , -8

S5PROJUS73: S5 ProJus: Break law lose bf/gf respect

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	269	19.9 %
2	Somewhat Unlikely It Would Happen	138	10.2 %

Value	Label	Unweighted Frequency	%
3	Could go Either Way	381	28.1 %
4	Somewhat Likely It Would Happen	270	19.9 %
5	Very Likely It Would Happen	169	12.5 %
	Missing Data		
-202	IntCompStat=2 (parital)	1	0.1 %
-201	IntCompStat=4 (missing int)	120	8.9 %
-9	Dont Know	6	0.4 %
	Total	**1,354**	**100%**

Based upon 1,227 valid cases out of 1,354 total cases.

Location: 2472-2475 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -97 , -9 , -8

S5PROJUS74: S5 ProJus: Break law harder to find job

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	74	5.5 %
2	Somewhat Unlikely It Would Happen	71	5.2 %
3	Could go Either Way	124	9.2 %
4	Somewhat Likely It Would Happen	467	34.5 %
5	Very Likely It Would Happen	497	36.7 %
	Missing Data		
-202	IntCompStat=2 (parital)	1	0.1 %
-201	IntCompStat=4 (missing int)	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 2476-2479 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -97 , -9 , -8

S5PROJUS76: S5 ProJus: Thrill/rush fighting (0=no thrill - 10=great thrill)

Value	Label	Unweighted Frequency	%
0	-	551	40.7 %
1	-	41	3.0 %
2	-	54	4.0 %
3	-	52	3.8 %
4	-	55	4.1 %
5	-	161	11.9 %
6	-	54	4.0 %

Value	Label	Unweighted Frequency	%
7	-	50	3.7 %
8	-	77	5.7 %
9	-	26	1.9 %
10	-	110	8.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-99	Dont Know	1	0.1 %
-98	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,231 valid cases out of 1,354 total cases.

Location: 2480-2483 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S5PROJUS77: S5 ProJus: Thrill/rush robbery w/gun (0=no thrill - 10=great thrill)

Value	Label	Unweighted Frequency	%
0	-	789	58.3 %
1	-	62	4.6 %
2	-	68	5.0 %
3	-	44	3.2 %
4	-	38	2.8 %
5	-	79	5.8 %
6	-	20	1.5 %
7	-	26	1.9 %
8	-	38	2.8 %
9	-	10	0.7 %
10	-	58	4.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-98	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 2484-2487 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S5PROJUS78: S5 ProJus: Thrill/rush stabbing someone (0=no thrill - 10=great thrill)

Value	Label	Unweighted Frequency	%
0	-	858	63.4 %
1	-	85	6.3 %
2	-	51	3.8 %
3	-	49	3.6 %
4	-	26	1.9 %
5	-	52	3.8 %
6	-	21	1.6 %
7	-	22	1.6 %
8	-	25	1.8 %
9	-	8	0.6 %
10	-	35	2.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-98	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 2488-2491 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S5PROJUS79: S5 ProJus: Thrill/rush break into store/home (0=no thrill - 10=great thrill)

Value	Label	Unweighted Frequency	%
0	-	809	59.7 %
1	-	78	5.8 %
2	-	51	3.8 %
3	-	54	4.0 %
4	-	27	2.0 %
5	-	92	6.8 %
6	-	23	1.7 %
7	-	25	1.8 %
8	-	30	2.2 %
9	-	10	0.7 %
10	-	33	2.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %

Value	Label	Unweighted Frequency	%
-98	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 2492-2495 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S5PROJUS80: S5 ProJus: Thrill/rush stealing clothes (0=no thrill - 10=great thrill)

Value	Label	Unweighted Frequency	%
0	-	845	62.4 %
1	-	83	6.1 %
2	-	54	4.0 %
3	-	62	4.6 %
4	-	35	2.6 %
5	-	75	5.5 %
6	-	23	1.7 %
7	-	12	0.9 %
8	-	17	1.3 %
9	-	5	0.4 %
10	-	21	1.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-98	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 2496-2499 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S5PROJUS81: S5 ProJus: Thrill/rush vandalism (0=no thrill - 10=great thrill)

Value	Label	Unweighted Frequency	%
0	-	854	63.1 %
1	-	74	5.5 %
2	-	69	5.1 %
3	-	46	3.4 %
4	-	32	2.4 %
5	-	65	4.8 %

Value	Label	Unweighted Frequency	%
6	-	19	1.4 %
7	-	23	1.7 %
8	-	16	1.2 %
9	-	5	0.4 %
10	-	29	2.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-98	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 2500-2503 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S5PROJUS82: S5 ProJus: Thrill/rush auto theft (0=no thrill - 10=great thrill)

Value	Label	Unweighted Frequency	%
0	-	800	59.1 %
1	-	64	4.7 %
2	-	33	2.4 %
3	-	35	2.6 %
4	-	17	1.3 %
5	-	85	6.3 %
6	-	31	2.3 %
7	-	32	2.4 %
8	-	36	2.7 %
9	-	24	1.8 %
10	-	75	5.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-98	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 2504-2507 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S5PAY01: S5 PainCost: Steal-peers respect more

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	369	27.3 %
2	Disagree	740	54.7 %
3	Agree	108	8.0 %
4	Strongly Agree	15	1.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 2508-2511 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S5PAY02: S5 PainCost: Steal-more respect from adults

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	431	31.8 %
2	Disagree	758	56.0 %
3	Agree	36	2.7 %
4	Strongly Agree	7	0.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 2512-2515 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S5PAY03: S5 PainCost: Steal-friends like more

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	386	28.5 %
2	Disagree	679	50.1 %
3	Agree	141	10.4 %
4	Strongly Agree	25	1.8 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,231 valid cases out of 1,354 total cases.

Location: 2516-2519 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S5PAY04: S5 PainCost: Steal-impress bf/gf

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	451	33.3 %
2	Disagree	733	54.1 %
3	Agree	39	2.9 %
4	Strongly Agree	9	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 2520-2523 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S5PAY05: S5 PainCost: Steal-get back at people

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	341	25.2 %
2	Disagree	584	43.1 %
3	Agree	260	19.2 %
4	Strongly Agree	47	3.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 2524-2527 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S5PAY06: S5 PainCost: Fight-peers respect more

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	296	21.9 %
2	Disagree	592	43.7 %
3	Agree	301	22.2 %
4	Strongly Agree	43	3.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 2528-2531 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S5PAY07: S5 PainCost: Fight-more respect from adults

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	359	26.5 %
2	Disagree	718	53.0 %
3	Agree	138	10.2 %
4	Strongly Agree	16	1.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,231 valid cases out of 1,354 total cases.

Location: 2532-2535 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S5PAY08: S5 PainCost: Fight-peers afraid

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	292	21.6 %
2	Disagree	577	42.6 %
3	Agree	326	24.1 %
4	Strongly Agree	36	2.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,231 valid cases out of 1,354 total cases.

Location: 2536-2539 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S5PAY09: S5 PainCost: Fight-impress bf/gf

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	396	29.2 %
2	Disagree	736	54.4 %
3	Agree	86	6.4 %
4	Strongly Agree	13	1.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,231 valid cases out of 1,354 total cases.

Location: 2540-2543 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S5PAY10: S5 PainCost: Fight-get back at people

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	313	23.1 %
2	Disagree	589	43.5 %
3	Agree	274	20.2 %
4	Strongly Agree	54	4.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 2544-2547 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S5PAY11: S5 PainCost: Rob-peers respect more

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	380	28.1 %
2	Disagree	724	53.5 %
3	Agree	110	8.1 %
4	Strongly Agree	19	1.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 2548-2551 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S5PAY12: S5 PainCost: Rob-more respect from adults

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	422	31.2 %
2	Disagree	749	55.3 %
3	Agree	53	3.9 %
4	Strongly Agree	8	0.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 2552-2555 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S5PAY13: S5 PainCost: Rob-peers afraid

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	364	26.9 %
2	Disagree	669	49.4 %
3	Agree	172	12.7 %
4	Strongly Agree	26	1.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,231 valid cases out of 1,354 total cases.

Location: 2556-2559 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S5PAY14: S5 PainCost: Rob-impress bf/gf

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	444	32.8 %
2	Disagree	756	55.8 %
3	Agree	24	1.8 %
4	Strongly Agree	8	0.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 2560-2563 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S5PAY15: S5 PainCost: Rob-get back at people

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	369	27.3 %
2	Disagree	653	48.2 %
3	Agree	180	13.3 %
4	Strongly Agree	31	2.3 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 2564-2567 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S5PUNOTH: S5 PainCost: Certainty of Punishment - Other

Based upon 1,190 valid cases out of 1,354 total cases.

- Mean: 5.5973389356
- Median: 5.4285714286
- Mode: 10.0000000000
- Minimum: 0.0000000000
- Maximum: 10.0000000000
- Standard Deviation: 2.3640405966

Location: 2568-2582 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -99.0000000000 , -98.0000000000

S5PUNYOU: S5 PainCost: Certainty of Punishment - You

Based upon 1,190 valid cases out of 1,354 total cases.

- Mean: 5.7181172469
- Median: 5.6190476191
- Mode: 10.0000000000
- Minimum: 0.0000000000
- Maximum: 10.0000000000
- Standard Deviation: 3.0584447860

Location: 2583-2597 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -99.0000000000 , -98.0000000000

S5SOCCST: S5 PainCost: Social Costs of Punishment

Based upon 1,233 valid cases out of 1,354 total cases.

- Mean: 3.0865774534
- Median: 3.1666666667
- Mode: 3.3333333333
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.9162638436

Location: 2598-2612 (width: 15; decimal: 10)
Variable Type: numeric

(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -9.0000000000 , -8.0000000000

S5WGTCST: S5 PainCost: Punishment Costs - Variety

Based upon 574 valid cases out of 1,354 total cases.

- Mean: 3.0346968872
- Median: 3.2500000000
- Mode: 4.0000000000
- Minimum: 1.0000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.9571750731

Location: 2613-2627 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -400.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S5VARCST: S5 PainCost: Punishment Costs (13) - Material Issues

Based upon 664 valid cases out of 1,354 total cases.

- Mean: 10.33
- Median: 14.00
- Mode: 18.00
- Minimum: 0.00
- Maximum: 18.00
- Standard Deviation: 7.11

Location: 2628-2631 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S5MATCST: S5 PainCost: Punishment Costs (5) - Freedom Issues

Based upon 664 valid cases out of 1,354 total cases.

- Mean: 6.83
- Median: 9.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 13.00
- Standard Deviation: 5.42

Location: 2632-2635 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S5FRECST: S5 PainCost: Punishment Costs - Weight

Based upon 664 valid cases out of 1,354 total cases.

- Mean: 3.50
- Median: 5.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 5.00

- Standard Deviation: 1.94

Location: 2636-2639 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S5STLRWD: S5 PainCost: Social Rewards of Crime - Stealing

Based upon 1,233 valid cases out of 1,354 total cases.

- Mean: 1.81
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.54

Location: 2640-2646 (width: 7; decimal: 2)
Variable Type: numeric
(Range of) Missing Values: -600.00 , -300.00 , -202.00 , -201.00 , -9.00 , -8.00

S5FGTRWD: S5 PainCost: Social Rewards of Crime - Fighting

Based upon 1,232 valid cases out of 1,354 total cases.

- Mean: 1.97
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.62

Location: 2647-2653 (width: 7; decimal: 2)
Variable Type: numeric
(Range of) Missing Values: -600.00 , -300.00 , -202.00 , -201.00 , -9.00 , -8.00

S5ROBRWD: S5 PainCost: Social Rewards of Crime - Robbery

Based upon 1,233 valid cases out of 1,354 total cases.

- Mean: 1.80
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.56

Location: 2654-2660 (width: 7; decimal: 2)
Variable Type: numeric
(Range of) Missing Values: -600.00 , -300.00 , -202.00 , -201.00 , -9.00 , -8.00

S5PERRWD: S5 PainCost: Personal Rewards of Crime

Based upon 1,232 valid cases out of 1,354 total cases.

- Mean: 1.7425788497
- Median: 0.7142857143

- Mode: 0.0000000000
- Minimum: 0.0000000000
- Maximum: 10.0000000000
- Standard Deviation: 2.3015137890

Location: 2661-2675 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -99.0000000000 , -98.0000000000

S6PAINCOST_CRTINV: S6 PainCost: Involved ongoing programs court

Value	Label	Unweighted Frequency	%
1	Yes	539	39.8 %
5	No	693	51.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 2676-2679 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S6PAINCOST_CRTIN6: S6 PainCost: Involved court ordered program

Value	Label	Unweighted Frequency	%
1	Yes	632	46.7 %
5	No	600	44.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 2680-2683 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S6PAINCOST_CRTTYP: S6 PainCost: Describe court involvement

Value	Label	Unweighted Frequency	%
1	Incarceration	407	30.1 %
2	Court ordered community program	11	0.8 %
3	Probation/Parole	193	14.3 %
6	Other	20	1.5 %
7	None	1	0.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	122	9.0 %
-102	Not involved currently or w/in p6mo - question skipped	600	44.3 %
	Total	**1,354**	**100%**

Based upon 632 valid cases out of 1,354 total cases.

Location: 2684-2687 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -104 , -102 , -9 , -8

S6PAINCOST_CRTNOW: S6 PainCost: Still involved in program

Value	Label	Unweighted Frequency	%
1	Yes	501	37.0 %
5	No	129	9.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-104	Not involved currently or w/in p6mo - interview bug	1	0.1 %
-102	Not involved currently or w/in p6mo - question skipped	600	44.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 630 valid cases out of 1,354 total cases.

Location: 2688-2691 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S6PAINCOST01A: S6 PainCost: Sentence kept from hang w/friends

Value	Label	Unweighted Frequency	%
1	Yes	447	33.0 %
5	No	184	13.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-104	Not involved currently or w/in p6mo - interview bug	1	0.1 %
-102	Not involved currently or w/in p6mo - question skipped	600	44.3 %
	Total	**1,354**	**100%**

Based upon 631 valid cases out of 1,354 total cases.

Location: 2692-2695 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S6PAINCOST01B: S6 PainCost: Kept from hang w/friends - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	51	3.8 %
2	A little	93	6.9 %
3	Quite a bit	112	8.3 %
4	Very much	191	14.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-105	Court didnt keep from doing something - question skipped	32	2.4 %
-104	Not involved currently or w/in p6mo - interview bug	153	11.3 %
-102	Not involved currently or w/in p6mo - question skipped	600	44.3 %
	Total	**1,354**	**100%**

Based upon 447 valid cases out of 1,354 total cases.

Location: 2696-2699 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S6PAINCOST02A: S6 PainCost: Sentence kept from choose how spend time

Value	Label	Unweighted Frequency	%
1	Yes	475	35.1 %
5	No	156	11.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-104	Not involved currently or w/in p6mo - interview bug	1	0.1 %
-102	Not involved currently or w/in p6mo - question skipped	600	44.3 %
	Total	**1,354**	**100%**

Based upon 631 valid cases out of 1,354 total cases.

Location: 2700-2703 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S6PAINCOST02B: S6 PainCost: Kept from choose how spend time - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	28	2.1 %
2	A little	64	4.7 %
3	Quite a bit	105	7.8 %
4	Very much	278	20.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-105	Court didnt keep from doing something - question skipped	36	2.7 %

Value	Label	Unweighted Frequency	%
-104	Not involved currently or w/in p6mo - interview bug	121	8.9 %
-102	Not involved currently or w/in p6mo - question skipped	600	44.3 %
	Total	**1,354**	**100%**

Based upon 475 valid cases out of 1,354 total cases.

Location: 2704-2707 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S6PAINCOST03A: S6 PainCost: Sentence kept from decide what eat

Value	Label	Unweighted Frequency	%
1	Yes	415	30.6 %
5	No	216	16.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-104	Not involved currently or w/in p6mo - interview bug	1	0.1 %
-102	Not involved currently or w/in p6mo - question skipped	600	44.3 %
	Total	**1,354**	**100%**

Based upon 631 valid cases out of 1,354 total cases.

Location: 2708-2711 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S6PAINCOST03B: S6 PainCost: Kept from decide what to eat - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	15	1.1 %
2	A little	40	3.0 %
3	Quite a bit	89	6.6 %
4	Very much	271	20.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-105	Court didnt keep from doing something - question skipped	38	2.8 %
-104	Not involved currently or w/in p6mo - interview bug	179	13.2 %
-102	Not involved currently or w/in p6mo - question skipped	600	44.3 %
	Total	**1,354**	**100%**

Based upon 415 valid cases out of 1,354 total cases.

Location: 2712-2715 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S6PAINCOST04A: S6 PainCost: Sentence kept from able to leave

Value	Label	Unweighted Frequency	%
1	Yes	484	35.7 %
5	No	147	10.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-104	Not involved currently or w/in p6mo - interview bug	1	0.1 %
-102	Not involved currently or w/in p6mo - question skipped	600	44.3 %
	Total	**1,354**	**100%**

Based upon 631 valid cases out of 1,354 total cases.

Location: 2716-2719 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S6PAINCOST04B: S6 PainCost: Kept from able to leave - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	16	1.2 %
2	A little	53	3.9 %
3	Quite a bit	92	6.8 %
4	Very much	323	23.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-105	Court didnt keep from doing something - question skipped	31	2.3 %
-104	Not involved currently or w/in p6mo - interview bug	117	8.6 %
-102	Not involved currently or w/in p6mo - question skipped	600	44.3 %
	Total	**1,354**	**100%**

Based upon 484 valid cases out of 1,354 total cases.

Location: 2720-2723 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S6PAINCOST05A: S6 PainCost: Court sentence kept from sleeping late

Value	Label	Unweighted Frequency	%
1	Yes	283	20.9 %
5	No	348	25.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-104	Not involved currently or w/in p6mo - interview bug	1	0.1 %

Value	Label	Unweighted Frequency	%
-102	Not involved currently or w/in p6mo - question skipped	600	44.3 %
	Total	**1,354**	**100%**

Based upon 631 valid cases out of 1,354 total cases.

Location: 2724-2727 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S6PAINCOST05B: S6 PainCost: Kept from sleeping late - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	16	1.2 %
2	A little	51	3.8 %
3	Quite a bit	61	4.5 %
4	Very much	155	11.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-105	Court didnt keep from doing something - question skipped	50	3.7 %
-104	Not involved currently or w/in p6mo - interview bug	299	22.1 %
-102	Not involved currently or w/in p6mo - question skipped	600	44.3 %
	Total	**1,354**	**100%**

Based upon 283 valid cases out of 1,354 total cases.

Location: 2728-2731 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S6PAINCOST06A: S6 PainCost: Court sentence kept from go out w/bfgf

Value	Label	Unweighted Frequency	%
1	Yes	444	32.8 %
5	No	187	13.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-104	Not involved currently or w/in p6mo - interview bug	1	0.1 %
-102	Not involved currently or w/in p6mo - question skipped	600	44.3 %
	Total	**1,354**	**100%**

Based upon 631 valid cases out of 1,354 total cases.

Location: 2732-2735 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S6PAINCOST06B: S6 PainCost: Kept from go out w/bfgf - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	13	1.0 %
2	A little	30	2.2 %
3	Quite a bit	76	5.6 %
4	Very much	325	24.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-105	Court didnt keep from doing something - question skipped	35	2.6 %
-104	Not involved currently or w/in p6mo - interview bug	153	11.3 %
-102	Not involved currently or w/in p6mo - question skipped	600	44.3 %
	Total	**1,354**	**100%**

Based upon 444 valid cases out of 1,354 total cases.

Location: 2736-2739 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S6PAINCOST07A: S6 PainCost: Sentence kept from watching TV

Value	Label	Unweighted Frequency	%
1	Yes	306	22.6 %
5	No	325	24.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-104	Not involved currently or w/in p6mo - interview bug	1	0.1 %
-102	Not involved currently or w/in p6mo - question skipped	600	44.3 %
	Total	**1,354**	**100%**

Based upon 631 valid cases out of 1,354 total cases.

Location: 2740-2743 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S6PAINCOST07B: S6 PainCost: Kept from watching TV - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	22	1.6 %
2	A little	57	4.2 %
3	Quite a bit	58	4.3 %
4	Very much	169	12.5 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	122	9.0 %
-105	Court didnt keep from doing something - question skipped	43	3.2 %
-104	Not involved currently or w/in p6mo - interview bug	283	20.9 %
-102	Not involved currently or w/in p6mo - question skipped	600	44.3 %
	Total	**1,354**	**100%**

Based upon 306 valid cases out of 1,354 total cases.

Location: 2744-2747 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S6PAINCOST08A: S6 PainCost: Sentence kept from dressing way want

Value	Label	Unweighted Frequency	%
1	Yes	407	30.1 %
5	No	224	16.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-104	Not involved currently or w/in p6mo - interview bug	1	0.1 %
-102	Not involved currently or w/in p6mo - question skipped	600	44.3 %
	Total	**1,354**	**100%**

Based upon 631 valid cases out of 1,354 total cases.

Location: 2748-2751 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S6PAINCOST08B: S6 PainCost: Kept from dress the way want - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	15	1.1 %
2	A little	39	2.9 %
3	Quite a bit	83	6.1 %
4	Very much	270	19.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-105	Court didnt keep from doing something - question skipped	40	3.0 %
-104	Not involved currently or w/in p6mo - interview bug	185	13.7 %
-102	Not involved currently or w/in p6mo - question skipped	600	44.3 %
	Total	**1,354**	**100%**

Based upon 407 valid cases out of 1,354 total cases.

Location: 2752-2755 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S6PAINCOST09A: S6 PainCost: Sentence kept from listen to music

Value	Label	Unweighted Frequency	%
1	Yes	283	20.9 %
5	No	348	25.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-104	Not involved currently or w/in p6mo - interview bug	1	0.1 %
-102	Not involved currently or w/in p6mo - question skipped	600	44.3 %
	Total	**1,354**	**100%**

Based upon 631 valid cases out of 1,354 total cases.

Location: 2756-2759 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S6PAINCOST09B: S6 PainCost: Kept from listen to music - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	10	0.7 %
2	A little	34	2.5 %
3	Quite a bit	57	4.2 %
4	Very much	182	13.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-105	Court didnt keep from doing something - question skipped	43	3.2 %
-104	Not involved currently or w/in p6mo - interview bug	306	22.6 %
-102	Not involved currently or w/in p6mo - question skipped	600	44.3 %
	Total	**1,354**	**100%**

Based upon 283 valid cases out of 1,354 total cases.

Location: 2760-2763 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S6PAINCOST10A: S6 PainCost: Sentence kept from seeing movies

Value	Label	Unweighted Frequency	%
1	Yes	394	29.1 %
5	No	237	17.5 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-104	Not involved currently or w/in p6mo - interview bug	1	0.1 %
-102	Not involved currently or w/in p6mo - question skipped	600	44.3 %
	Total	**1,354**	**100%**

Based upon 631 valid cases out of 1,354 total cases.

Location: 2764-2767 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S6PAINCOST10B: S6 PainCost: Kept from seeing movies - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	16	1.2 %
2	A little	81	6.0 %
3	Quite a bit	86	6.4 %
4	Very much	211	15.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-105	Court didnt keep from doing something - question skipped	42	3.1 %
-104	Not involved currently or w/in p6mo - interview bug	196	14.5 %
-102	Not involved currently or w/in p6mo - question skipped	600	44.3 %
	Total	**1,354**	**100%**

Based upon 394 valid cases out of 1,354 total cases.

Location: 2768-2771 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S6PAINCOST11A: S6 PainCost: Sentence kept from warm place

Value	Label	Unweighted Frequency	%
1	Yes	392	29.0 %
5	No	239	17.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-104	Not involved currently or w/in p6mo - interview bug	1	0.1 %
-102	Not involved currently or w/in p6mo - question skipped	600	44.3 %
	Total	**1,354**	**100%**

Based upon 631 valid cases out of 1,354 total cases.

Location: 2772-2775 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S6PAINCOST11B: S6 PainCost: Kept from warm place - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	9	0.7 %
2	A little	26	1.9 %
3	Quite a bit	83	6.1 %
4	Very much	274	20.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-105	Court didnt keep from doing something - question skipped	44	3.2 %
-104	Not involved currently or w/in p6mo - interview bug	196	14.5 %
-102	Not involved currently or w/in p6mo - question skipped	600	44.3 %
	Total	**1,354**	**100%**

Based upon 392 valid cases out of 1,354 total cases.

Location: 2776-2779 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S6PAINCOST12A: S6 PainCost: Sentence kept from place that looks good

Value	Label	Unweighted Frequency	%
1	Yes	402	29.7 %
5	No	229	16.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-104	Not involved currently or w/in p6mo - interview bug	1	0.1 %
-102	Not involved currently or w/in p6mo - question skipped	600	44.3 %
	Total	**1,354**	**100%**

Based upon 631 valid cases out of 1,354 total cases.

Location: 2780-2783 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S6PAINCOST12B: S6 PainCost: Kept from place that looks good - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	15	1.1 %
2	A little	38	2.8 %

Value	Label	Unweighted Frequency	%
3	Quite a bit	90	6.6 %
4	Very much	259	19.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-105	Court didnt keep from doing something - question skipped	40	3.0 %
-104	Not involved currently or w/in p6mo - interview bug	190	14.0 %
-102	Not involved currently or w/in p6mo - question skipped	600	44.3 %
	Total	**1,354**	**100%**

Based upon 402 valid cases out of 1,354 total cases.

Location: 2784-2787 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S6PAINCOST13A: S6 PainCost: Sentence kept from choosing what to wear

Value	Label	Unweighted Frequency	%
1	Yes	406	30.0 %
5	No	225	16.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-104	Not involved currently or w/in p6mo - interview bug	1	0.1 %
-102	Not involved currently or w/in p6mo - question skipped	600	44.3 %
	Total	**1,354**	**100%**

Based upon 631 valid cases out of 1,354 total cases.

Location: 2788-2791 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S6PAINCOST13B: S6 PainCost: Kept from choosing what to wear - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	14	1.0 %
2	A little	40	3.0 %
3	Quite a bit	83	6.1 %
4	Very much	269	19.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-105	Court didnt keep from doing something - question skipped	40	3.0 %
-104	Not involved currently or w/in p6mo - interview bug	186	13.7 %
-102	Not involved currently or w/in p6mo - question skipped	600	44.3 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 406 valid cases out of 1,354 total cases.

Location: 2792-2795 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S6PAINCOST14A: S6 PainCost: Sentence kept from talking on the phone

Value	Label	Unweighted Frequency	%
1	Yes	411	30.4 %
5	No	220	16.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-104	Not involved currently or w/in p6mo - interview bug	1	0.1 %
-102	Not involved currently or w/in p6mo - question skipped	600	44.3 %
	Total	**1,354**	**100%**

Based upon 631 valid cases out of 1,354 total cases.

Location: 2796-2799 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S6PAINCOST14B: S6 PainCost: Kept from talk on the phone - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	11	0.8 %
2	A little	51	3.8 %
3	Quite a bit	90	6.6 %
4	Very much	259	19.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-105	Court didnt keep from doing something - question skipped	36	2.7 %
-104	Not involved currently or w/in p6mo - interview bug	185	13.7 %
-102	Not involved currently or w/in p6mo - question skipped	600	44.3 %
	Total	**1,354**	**100%**

Based upon 411 valid cases out of 1,354 total cases.

Location: 2800-2803 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S6PAINCOST15A: S6 PainCost: Sentence kept from reading what want

Value	Label	Unweighted Frequency	%
1	Yes	265	19.6 %
5	No	366	27.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-104	Not involved currently or w/in p6mo - interview bug	1	0.1 %
-102	Not involved currently or w/in p6mo - question skipped	600	44.3 %
	Total	**1,354**	**100%**

Based upon 631 valid cases out of 1,354 total cases.

Location: 2804-2807 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S6PAINCOST15B: S6 PainCost: Kept from read what want - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	21	1.6 %
2	A little	45	3.3 %
3	Quite a bit	57	4.2 %
4	Very much	142	10.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-105	Court didnt keep from doing something - question skipped	55	4.1 %
-104	Not involved currently or w/in p6mo - interview bug	312	23.0 %
-102	Not involved currently or w/in p6mo - question skipped	600	44.3 %
	Total	**1,354**	**100%**

Based upon 265 valid cases out of 1,354 total cases.

Location: 2808-2811 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S6PAINCOST16A: S6 PainCost: Sentence kept from being by self

Value	Label	Unweighted Frequency	%
1	Yes	341	25.2 %
5	No	290	21.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-104	Not involved currently or w/in p6mo - interview bug	1	0.1 %
-102	Not involved currently or w/in p6mo - question skipped	600	44.3 %
	Total	**1,354**	**100%**

Based upon 631 valid cases out of 1,354 total cases.

Location: 2812-2815 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S6PAINCOST16B: S6 PainCost: Kept from being by self - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	10	0.7 %
2	A little	42	3.1 %
3	Quite a bit	75	5.5 %
4	Very much	214	15.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-105	Court didnt keep from doing something - question skipped	50	3.7 %
-104	Not involved currently or w/in p6mo - interview bug	241	17.8 %
-102	Not involved currently or w/in p6mo - question skipped	600	44.3 %
	Total	**1,354**	**100%**

Based upon 341 valid cases out of 1,354 total cases.

Location: 2816-2819 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S6PAINCOST17A: S6 PainCost: Sentence kept from drinking, get high

Value	Label	Unweighted Frequency	%
1	Yes	470	34.7 %
5	No	160	11.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-106	Unlabeled Value	1	0.1 %
-104	Not involved currently or w/in p6mo - interview bug	1	0.1 %
-102	Not involved currently or w/in p6mo - question skipped	600	44.3 %
	Total	**1,354**	**100%**

Based upon 630 valid cases out of 1,354 total cases.

Location: 2820-2823 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -106 , -104 , -102 , -101 , -9 , -8

S6PAINCOST17B: S6 PainCost: Kept from drink or get high - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	202	14.9 %
2	A little	93	6.9 %
3	Quite a bit	52	3.8 %
4	Very much	123	9.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-106	Unlabeled Value	1	0.1 %
-105	Court didnt keep from doing something - question skipped	29	2.1 %
-104	Not involved currently or w/in p6mo - interview bug	132	9.7 %
-102	Not involved currently or w/in p6mo - question skipped	600	44.3 %
	Total	**1,354**	**100%**

Based upon 470 valid cases out of 1,354 total cases.

Location: 2824-2827 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -106 , -105 , -104 , -103 , -102 , -9 , -8

S6PAINCOST18A: S6 PainCost: Sentence kept from buying things

Value	Label	Unweighted Frequency	%
1	Yes	400	29.5 %
5	No	231	17.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-104	Not involved currently or w/in p6mo - interview bug	1	0.1 %
-102	Not involved currently or w/in p6mo - question skipped	600	44.3 %
	Total	**1,354**	**100%**

Based upon 631 valid cases out of 1,354 total cases.

Location: 2828-2831 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S6PAINCOST18B: S6 PainCost: Kept from buy things - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	22	1.6 %
2	A little	63	4.7 %
3	Quite a bit	79	5.8 %
4	Very much	236	17.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %

Value	Label	Unweighted Frequency	%
-105	Court didnt keep from doing something - question skipped	38	2.8 %
-104	Not involved currently or w/in p6mo - interview bug	194	14.3 %
-102	Not involved currently or w/in p6mo - question skipped	600	44.3 %
	Total	**1,354**	**100%**

Based upon 400 valid cases out of 1,354 total cases.

Location: 2832-2835 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S6PAINCOST19A: S6 PainCost: Kept from providing for family

Value	Label	Unweighted Frequency	%
1	Yes	200	14.8 %
5	No	115	8.5 %
	Missing Data		
-400	Blasie version - question not yet added	627	46.3 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-102	Not involved currently or w/in p6mo - question skipped	290	21.4 %
	Total	**1,354**	**100%**

Based upon 315 valid cases out of 1,354 total cases.

Location: 2836-2839 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S6PAINCOST19B: S6 PainCost: Kept from providing for family - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	3	0.2 %
2	A little	11	0.8 %
3	Quite a bit	37	2.7 %
4	Very much	149	11.0 %
	Missing Data		
-400	Blasie version - question not yet added	627	46.3 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-105	Court didnt keep from doing something - question skipped	20	1.5 %
-104	Not involved currently or w/in p6mo - interview bug	95	7.0 %
-102	Not involved currently or w/in p6mo - question skipped	290	21.4 %
	Total	**1,354**	**100%**

Based upon 200 valid cases out of 1,354 total cases.

Location: 2840-2843 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S6PROJUS55: S6 ProJus: Kid caught/arrested for fighting (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	310	22.9 %
1	-	114	8.4 %
2	-	126	9.3 %
3	-	110	8.1 %
4	-	58	4.3 %
5	-	216	16.0 %
6	-	55	4.1 %
7	-	49	3.6 %
8	-	39	2.9 %
9	-	10	0.7 %
10	-	107	7.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-99	Dont Know	38	2.8 %
	Total	**1,354**	**100%**

Based upon 1,194 valid cases out of 1,354 total cases.

Location: 2844-2847 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S6PROJUS56: S6 ProJus: Kid caught/arrested robbery w/ gun (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	53	3.9 %
1	-	14	1.0 %
2	-	34	2.5 %
3	-	65	4.8 %
4	-	55	4.1 %
5	-	275	20.3 %
6	-	75	5.5 %
7	-	139	10.3 %
8	-	138	10.2 %
9	-	68	5.0 %
10	-	279	20.6 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	122	9.0 %
-99	Dont Know	37	2.7 %
	Total	**1,354**	**100%**

Based upon 1,195 valid cases out of 1,354 total cases.

Location: 2848-2851 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S6PROJUS57: S6 ProJus: Kid caught/arrested stabbing someone (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	50	3.7 %
1	-	21	1.6 %
2	-	37	2.7 %
3	-	52	3.8 %
4	-	50	3.7 %
5	-	233	17.2 %
6	-	73	5.4 %
7	-	138	10.2 %
8	-	157	11.6 %
9	-	95	7.0 %
10	-	287	21.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-99	Dont Know	39	2.9 %
	Total	**1,354**	**100%**

Based upon 1,193 valid cases out of 1,354 total cases.

Location: 2852-2855 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S6PROJUS58: S6 ProJus: Kid caught/arrested breaking into store (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	60	4.4 %
1	-	20	1.5 %
2	-	51	3.8 %
3	-	78	5.8 %
4	-	73	5.4 %
5	-	257	19.0 %

Value	Label	Unweighted Frequency	%
6	-	95	7.0 %
7	-	128	9.5 %
8	-	142	10.5 %
9	-	55	4.1 %
10	-	235	17.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-99	Dont Know	38	2.8 %
	Total	**1,354**	**100%**

Based upon 1,194 valid cases out of 1,354 total cases.

Location: 2856-2859 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S6PROJUS59: S6 ProJus: Kid caught/arrested stealing clothes (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	89	6.6 %
1	-	41	3.0 %
2	-	75	5.5 %
3	-	112	8.3 %
4	-	89	6.6 %
5	-	311	23.0 %
6	-	83	6.1 %
7	-	88	6.5 %
8	-	91	6.7 %
9	-	30	2.2 %
10	-	182	13.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-99	Dont Know	41	3.0 %
	Total	**1,354**	**100%**

Based upon 1,191 valid cases out of 1,354 total cases.

Location: 2860-2863 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S6PROJUS60: S6 ProJus: Kid caught/arrested vandalism (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	196	14.5 %
1	-	96	7.1 %
2	-	134	9.9 %
3	-	134	9.9 %
4	-	85	6.3 %
5	-	237	17.5 %
6	-	49	3.6 %
7	-	54	4.0 %
8	-	42	3.1 %
9	-	23	1.7 %
10	-	145	10.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-99	Dont Know	37	2.7 %
	Total	**1,354**	**100%**

Based upon 1,195 valid cases out of 1,354 total cases.

Location: 2864-2867 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S6PROJUS61: S6 ProJus: Kid caught/arrested auto theft (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	65	4.8 %
1	-	33	2.4 %
2	-	49	3.6 %
3	-	96	7.1 %
4	-	86	6.4 %
5	-	270	19.9 %
6	-	98	7.2 %
7	-	89	6.6 %
8	-	105	7.8 %
9	-	52	3.8 %
10	-	250	18.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-99	Dont Know	39	2.9 %
	Total	**1,354**	**100%**

Based upon 1,193 valid cases out of 1,354 total cases.

Location: 2868-2871 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S6PROJUS62: S6 ProJus: You caught/arrested fighting (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	370	27.3 %
1	-	113	8.3 %
2	-	105	7.8 %
3	-	61	4.5 %
4	-	40	3.0 %
5	-	187	13.8 %
6	-	28	2.1 %
7	-	37	2.7 %
8	-	35	2.6 %
9	-	25	1.8 %
10	-	196	14.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-99	Dont Know	35	2.6 %
	Total	**1,354**	**100%**

Based upon 1,197 valid cases out of 1,354 total cases.

Location: 2872-2875 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S6PROJUS63: S6 ProJus: You caught/arrested robbery w/ gun (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	131	9.7 %
1	-	26	1.9 %
2	-	37	2.7 %
3	-	50	3.7 %
4	-	42	3.1 %
5	-	197	14.5 %
6	-	54	4.0 %
7	-	74	5.5 %
8	-	109	8.1 %
9	-	71	5.2 %
10	-	405	29.9 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	122	9.0 %
-99	Dont Know	36	2.7 %
	Total	**1,354**	**100%**

Based upon 1,196 valid cases out of 1,354 total cases.

Location: 2876-2879 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S6PROJUS64: S6 ProJus: You caught/arrested stabbing someone (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	134	9.9 %
1	-	36	2.7 %
2	-	28	2.1 %
3	-	44	3.2 %
4	-	39	2.9 %
5	-	197	14.5 %
6	-	56	4.1 %
7	-	92	6.8 %
8	-	108	8.0 %
9	-	78	5.8 %
10	-	384	28.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-99	Dont Know	36	2.7 %
	Total	**1,354**	**100%**

Based upon 1,196 valid cases out of 1,354 total cases.

Location: 2880-2883 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S6PROJUS65: S6 ProJus: You caught/arrested breaking into store (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	139	10.3 %
1	-	40	3.0 %
2	-	42	3.1 %
3	-	59	4.4 %
4	-	50	3.7 %
5	-	218	16.1 %

Value	Label	Unweighted Frequency	%
6	-	58	4.3 %
7	-	87	6.4 %
8	-	95	7.0 %
9	-	53	3.9 %
10	-	356	26.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-99	Dont Know	35	2.6 %
	Total	**1,354**	**100%**

Based upon 1,197 valid cases out of 1,354 total cases.

Location: 2884-2887 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S6PROJUS66: S6 ProJus: You caught/arrested stealing clothes (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	171	12.6 %
1	-	46	3.4 %
2	-	57	4.2 %
3	-	81	6.0 %
4	-	48	3.5 %
5	-	207	15.3 %
6	-	66	4.9 %
7	-	79	5.8 %
8	-	81	6.0 %
9	-	47	3.5 %
10	-	313	23.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-99	Dont Know	36	2.7 %
	Total	**1,354**	**100%**

Based upon 1,196 valid cases out of 1,354 total cases.

Location: 2888-2891 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S6PROJUS67: S6 ProJus: You caught/arrested vandalism (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	278	20.5 %
1	-	86	6.4 %
2	-	92	6.8 %
3	-	78	5.8 %
4	-	56	4.1 %
5	-	186	13.7 %
6	-	36	2.7 %
7	-	47	3.5 %
8	-	46	3.4 %
9	-	29	2.1 %
10	-	263	19.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-99	Dont Know	35	2.6 %
	Total	**1,354**	**100%**

Based upon 1,197 valid cases out of 1,354 total cases.

Location: 2892-2895 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S6PROJUS68: S6 ProJus: You caught/arrested auto theft

Value	Label	Unweighted Frequency	%
0	-	153	11.3 %
1	-	35	2.6 %
2	-	45	3.3 %
3	-	65	4.8 %
4	-	45	3.3 %
5	-	202	14.9 %
6	-	58	4.3 %
7	-	65	4.8 %
8	-	88	6.5 %
9	-	52	3.8 %
10	-	389	28.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-99	Dont Know	35	2.6 %
	Total	**1,354**	**100%**

Based upon 1,197 valid cases out of 1,354 total cases.

Location: 2896-2899 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S6PROJUS69: S6 ProJus: Break law suspend from school

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	219	16.2 %
2	Somewhat Unlikely It Would Happen	66	4.9 %
3	Could go Either Way	378	27.9 %
4	Somewhat Likely It Would Happen	129	9.5 %
5	Very Likely It Would Happen	137	10.1 %
	Missing Data		
-201	IntCompStat=4 (missing int)	122	9.0 %
-97	NA - no longer in school	213	15.7 %
-9	Dont Know	90	6.6 %
	Total	**1,354**	**100%**

Based upon 929 valid cases out of 1,354 total cases.

Location: 2900-2903 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -97 , -9 , -8

S6PROJUS70: S6 ProJus: Break law lose friends respect

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	411	30.4 %
2	Somewhat Unlikely It Would Happen	165	12.2 %
3	Could go Either Way	392	29.0 %
4	Somewhat Likely It Would Happen	175	12.9 %
5	Very Likely It Would Happen	84	6.2 %
	Missing Data		
-201	IntCompStat=4 (missing int)	122	9.0 %
-9	Dont Know	5	0.4 %
	Total	**1,354**	**100%**

Based upon 1,227 valid cases out of 1,354 total cases.

Location: 2904-2907 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -97 , -9 , -8

S6PROJUS71: S6 ProJus: Break law lose family respect

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	241	17.8 %
2	Somewhat Unlikely It Would Happen	160	11.8 %
3	Could go Either Way	248	18.3 %
4	Somewhat Likely It Would Happen	372	27.5 %
5	Very Likely It Would Happen	206	15.2 %
	Missing Data		
-201	IntCompStat=4 (missing int)	122	9.0 %
-9	Dont Know	5	0.4 %
	Total	**1,354**	**100%**

Based upon 1,227 valid cases out of 1,354 total cases.

Location: 2908-2911 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -97 , -9 , -8

S6PROJUS72: S6 ProJus: Break law lose neighbors respect

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	213	15.7 %
2	Somewhat Unlikely It Would Happen	136	10.0 %
3	Could go Either Way	319	23.6 %
4	Somewhat Likely It Would Happen	389	28.7 %
5	Very Likely It Would Happen	170	12.6 %
	Missing Data		
-201	IntCompStat=4 (missing int)	122	9.0 %
-9	Dont Know	5	0.4 %
	Total	**1,354**	**100%**

Based upon 1,227 valid cases out of 1,354 total cases.

Location: 2912-2915 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -97 , -9 , -8

S6PROJUS73: S6 ProJus: Break law lose bf/gf respect

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	275	20.3 %
2	Somewhat Unlikely It Would Happen	135	10.0 %
3	Could go Either Way	373	27.5 %
4	Somewhat Likely It Would Happen	272	20.1 %
5	Very Likely It Would Happen	171	12.6 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-201	IntCompStat=4 (missing int)	122	9.0 %
-9	Dont Know	6	0.4 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 2916-2919 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -97 , -9 , -8

S6PROJUS74: S6 ProJus: Break law harder to find job

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	80	5.9 %
2	Somewhat Unlikely It Would Happen	73	5.4 %
3	Could go Either Way	117	8.6 %
4	Somewhat Likely It Would Happen	471	34.8 %
5	Very Likely It Would Happen	485	35.8 %
	Missing Data		
-201	IntCompStat=4 (missing int)	122	9.0 %
-9	Dont Know	6	0.4 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 2920-2923 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -97 , -9 , -8

S6PROJUS76: S6 ProJus: Thrill/rush fighting (0=no thrill - 10=great thrill)

Value	Label	Unweighted Frequency	%
0	-	568	41.9 %
1	-	33	2.4 %
2	-	55	4.1 %
3	-	52	3.8 %
4	-	40	3.0 %
5	-	152	11.2 %
6	-	52	3.8 %
7	-	49	3.6 %
8	-	75	5.5 %
9	-	27	2.0 %
10	-	128	9.5 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	122	9.0 %
-99	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,231 valid cases out of 1,354 total cases.

Location: 2924-2927 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S6PROJUS77: S6 ProJus: Thrill/rush robbery w/gun (0=no thrill - 10=great thrill)

Value	Label	Unweighted Frequency	%
0	-	812	60.0 %
1	-	49	3.6 %
2	-	70	5.2 %
3	-	55	4.1 %
4	-	33	2.4 %
5	-	66	4.9 %
6	-	26	1.9 %
7	-	18	1.3 %
8	-	31	2.3 %
9	-	13	1.0 %
10	-	58	4.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-99	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,231 valid cases out of 1,354 total cases.

Location: 2928-2931 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S6PROJUS78: S6 ProJus: Thrill/rush stabbing someone (0=no thrill - 10=great thrill)

Value	Label	Unweighted Frequency	%
0	-	879	64.9 %
1	-	65	4.8 %
2	-	55	4.1 %
3	-	49	3.6 %
4	-	34	2.5 %
5	-	64	4.7 %

Value	Label	Unweighted Frequency	%
6	-	12	0.9 %
7	-	13	1.0 %
8	-	18	1.3 %
9	-	9	0.7 %
10	-	33	2.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-99	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,231 valid cases out of 1,354 total cases.

Location: 2932-2935 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S6PROJUS79: S6 ProJus: Thrill/rush break into store/home (0=no thrill - 10=great thrill)

Value	Label	Unweighted Frequency	%
0	-	831	61.4 %
1	-	60	4.4 %
2	-	59	4.4 %
3	-	53	3.9 %
4	-	39	2.9 %
5	-	71	5.2 %
6	-	28	2.1 %
7	-	26	1.9 %
8	-	21	1.6 %
9	-	15	1.1 %
10	-	28	2.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-99	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,231 valid cases out of 1,354 total cases.

Location: 2936-2939 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S6PROJUS80: S6 ProJus: Thrill/rush stealing clothes (0=no thrill - 10=great thrill)

Value	Label	Unweighted Frequency	%
0	-	860	63.5 %
1	-	77	5.7 %
2	-	71	5.2 %
3	-	54	4.0 %
4	-	29	2.1 %
5	-	61	4.5 %
6	-	24	1.8 %
7	-	15	1.1 %
8	-	17	1.3 %
9	-	4	0.3 %
10	-	19	1.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-99	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,231 valid cases out of 1,354 total cases.

Location: 2940-2943 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S6PROJUS81: S6 ProJus: Thrill/rush vandalism (0=no thrill - 10=great thrill)

Value	Label	Unweighted Frequency	%
0	-	881	65.1 %
1	-	74	5.5 %
2	-	55	4.1 %
3	-	48	3.5 %
4	-	35	2.6 %
5	-	55	4.1 %
6	-	13	1.0 %
7	-	19	1.4 %
8	-	24	1.8 %
9	-	4	0.3 %
10	-	23	1.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-99	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,231 valid cases out of 1,354 total cases.

Location: 2944-2947 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S6PROJUS82: S6 ProJus: Thrill/rush auto theft (0=no thrill - 10=great thrill)

Value	Label	Unweighted Frequency	%
0	-	817	60.3 %
1	-	57	4.2 %
2	-	36	2.7 %
3	-	45	3.3 %
4	-	29	2.1 %
5	-	73	5.4 %
6	-	28	2.1 %
7	-	21	1.6 %
8	-	40	3.0 %
9	-	21	1.6 %
10	-	64	4.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-99	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,231 valid cases out of 1,354 total cases.

Location: 2948-2951 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S6PAY01: S6 PainCost: Steal-peers respect more

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	385	28.4 %
2	Disagree	726	53.6 %
3	Agree	109	8.1 %
4	Strongly Agree	12	0.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 2952-2955 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S6PAY02: S6 PainCost: Steal-more respect from adults

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	427	31.5 %
2	Disagree	763	56.4 %
3	Agree	38	2.8 %
4	Strongly Agree	4	0.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 2956-2959 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S6PAY03: S6 PainCost: Steal-friends like more

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	372	27.5 %
2	Disagree	670	49.5 %
3	Agree	175	12.9 %
4	Strongly Agree	15	1.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 2960-2963 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S6PAY04: S6 PainCost: Steal-impress bf/gf

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	443	32.7 %
2	Disagree	741	54.7 %
3	Agree	43	3.2 %
4	Strongly Agree	4	0.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,231 valid cases out of 1,354 total cases.

Location: 2964-2967 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S6PAY05: S6 PainCost: Steal-get back at people

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	343	25.3 %
2	Disagree	581	42.9 %
3	Agree	268	19.8 %
4	Strongly Agree	40	3.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 2968-2971 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S6PAY06: S6 PainCost: Fight-peers respect more

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	302	22.3 %
2	Disagree	558	41.2 %
3	Agree	324	23.9 %
4	Strongly Agree	47	3.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,231 valid cases out of 1,354 total cases.

Location: 2972-2975 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S6PAY07: S6 PainCost: Fight-more respect from adults

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	347	25.6 %
2	Disagree	721	53.2 %
3	Agree	144	10.6 %

Value	Label	Unweighted Frequency	%
4	Strongly Agree	18	1.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 2976-2979 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S6PAY08: S6 PainCost: Fight-peers afraid

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	287	21.2 %
2	Disagree	562	41.5 %
3	Agree	344	25.4 %
4	Strongly Agree	39	2.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 2980-2983 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S6PAY09: S6 PainCost: Fight-impress bf/gf

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	375	27.7 %
2	Disagree	749	55.3 %
3	Agree	91	6.7 %
4	Strongly Agree	15	1.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 2984-2987 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S6PAY10: S6 PainCost: Fight-get back at people

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	302	22.3 %
2	Disagree	584	43.1 %
3	Agree	297	21.9 %
4	Strongly Agree	49	3.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 2988-2991 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S6PAY11: S6 PainCost: Rob-peers respect more

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	375	27.7 %
2	Disagree	714	52.7 %
3	Agree	132	9.7 %
4	Strongly Agree	11	0.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 2992-2995 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S6PAY12: S6 PainCost: Rob-more respect from adults

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	423	31.2 %
2	Disagree	754	55.7 %
3	Agree	51	3.8 %
4	Strongly Agree	4	0.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 2996-2999 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S6PAY13: S6 PainCost: Rob-peers afraid

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	358	26.4 %
2	Disagree	662	48.9 %
3	Agree	190	14.0 %
4	Strongly Agree	22	1.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 3000-3003 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S6PAY14: S6 PainCost: Rob-impress bf/gf

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	443	32.7 %
2	Disagree	751	55.5 %
3	Agree	34	2.5 %
4	Strongly Agree	4	0.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 3004-3007 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S6PAY15: S6 PainCost: Rob-get back at people

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	372	27.5 %
2	Disagree	664	49.0 %
3	Agree	169	12.5 %
4	Strongly Agree	27	2.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 3008-3011 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S6PUNOTH: S6 PainCost: Certainty of Punishment - Other

Based upon 1,195 valid cases out of 1,354 total cases.

- Mean: 5.4785016936
- Median: 5.2857142857
- Mode: 10.0000000000
- Minimum: 0.0000000000
- Maximum: 10.0000000000
- Standard Deviation: 2.3186431648

Location: 3012-3026 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -99.0000000000 , -98.0000000000

S6PUNYOU: S6 PainCost: Certainty of Punishment - You

Based upon 1,197 valid cases out of 1,354 total cases.

- Mean: 5.6126944345
- Median: 5.5714285714
- Mode: 10.0000000000
- Minimum: 0.0000000000
- Maximum: 10.0000000000
- Standard Deviation: 2.9713991001

Location: 3027-3041 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -99.0000000000 , -98.0000000000

S6SOCCST: S6 PainCost: Social Costs of Punishment

Based upon 1,231 valid cases out of 1,354 total cases.

- Mean: 3.0937178446
- Median: 3.1666666667
- Mode: 3.0000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.9296640884

Location: 3042-3056 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -9.0000000000 , -8.0000000000

S6WGTCST: S6 PainCost: Punishment Costs - Variety

Based upon 561 valid cases out of 1,354 total cases.

- Mean: 3.0309769584
- Median: 3.2222222222
- Mode: 4.0000000000
- Minimum: 1.0000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.9347458896

Location: 3057-3071 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -400.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S6VARCST: S6 PainCost: Punishment Costs (13) - Material Issues

Based upon 631 valid cases out of 1,354 total cases.

- Mean: 11.13
- Median: 14.00
- Mode: 18.00
- Minimum: 0.00
- Maximum: 18.00
- Standard Deviation: 6.87

Location: 3072-3075 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S6MATCST: S6 PainCost: Punishment Costs (5) - Freedom Issues

Based upon 631 valid cases out of 1,354 total cases.

- Mean: 7.46
- Median: 9.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 13.00
- Standard Deviation: 5.31

Location: 3076-3079 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S6FRECST: S6 PainCost: Punishment Costs - Weight

Based upon 631 valid cases out of 1,354 total cases.

- Mean: 3.68
- Median: 5.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 1.82

Location: 3080-3083 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S6STLRWD: S6 PainCost: Social Rewards of Crime - Stealing

Based upon 1,232 valid cases out of 1,354 total cases.

- Mean: 1.81
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.60
- Standard Deviation: 0.54

Location: 3084-3089 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -600.0 , -300.0 , -202.0 , -201.0 , -9.0 , -8.0

S6FGTRWD: S6 PainCost: Social Rewards of Crime - Fighting

Based upon 1,232 valid cases out of 1,354 total cases.

- Mean: 1.9877299784
- Median: 2.0000000000
- Mode: 2.0000000000
- Minimum: 1.0000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.6264986123

Location: 3090-3104 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -600.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -9.0000000000 , -8.0000000000

S6ROBRWD: S6 PainCost: Social Rewards of Crime - Robbery

Based upon 1,232 valid cases out of 1,354 total cases.

- Mean: 1.80
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.55

Location: 3105-3110 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -600.0 , -300.0 , -202.0 , -201.0 , -9.0 , -8.0

S6PERRWD: S6 PainCost: Personal Rewards of Crime

Based upon 1,231 valid cases out of 1,354 total cases.

- Mean: 1.6654288035
- Median: 0.7142857143
- Mode: 0.0000000000

- Minimum: 0.0000000000
- Maximum: 10.0000000000
- Standard Deviation: 2.2338891657

Location: 3111-3125 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -99.0000000000 , -98.0000000000

S7PAINCOST_CRTINV: S7 PainCost: Involved ongoing programs court

Value	Label	Unweighted Frequency	%
1	Yes	504	37.2 %
5	No	710	52.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,214 valid cases out of 1,354 total cases.

Location: 3126-3129 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S7PAINCOST_CRTIN6: S7 PainCost: Involved court ordered program

Value	Label	Unweighted Frequency	%
1	Yes	611	45.1 %
5	No	603	44.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,214 valid cases out of 1,354 total cases.

Location: 3130-3133 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S7PAINCOST_CRTTYP: S7 PainCost: Describe court involvement

Value	Label	Unweighted Frequency	%
1	Incarceration	431	31.8 %
2	Court ordered community program	8	0.6 %
3	Probation/Parole	157	11.6 %
6	Other	14	1.0 %
7	None	1	0.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-102	Not involved currently or w/in p6mo - question skipped	603	44.5 %
	Total	**1,354**	**100%**

Based upon 611 valid cases out of 1,354 total cases.

Location: 3134-3137 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -104 , -102 , -9 , -8

S7PAINCOST_CRTNOW: S7 PainCost: Still involved in program

Value	Label	Unweighted Frequency	%
1	Yes	460	34.0 %
5	No	150	11.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-104	Not involved currently or w/in p6mo - interview bug	1	0.1 %
-102	Not involved currently or w/in p6mo - question skipped	603	44.5 %
	Total	**1,354**	**100%**

Based upon 610 valid cases out of 1,354 total cases.

Location: 3138-3141 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S7PAINCOST01A: S7 PainCost: Sentence kept from hang w/friends

Value	Label	Unweighted Frequency	%
1	Yes	462	34.1 %
5	No	148	10.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-104	Not involved currently or w/in p6mo - interview bug	1	0.1 %
-102	Not involved currently or w/in p6mo - question skipped	603	44.5 %
	Total	**1,354**	**100%**

Based upon 610 valid cases out of 1,354 total cases.

Location: 3142-3145 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S7PAINCOST01B: S7 PainCost: Kept from hang w/friends - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	43	3.2 %
2	A little	126	9.3 %
3	Quite a bit	94	6.9 %
4	Very much	199	14.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-105	Court didnt keep from doing something - question skipped	32	2.4 %
-104	Not involved currently or w/in p6mo - interview bug	117	8.6 %
-102	Not involved currently or w/in p6mo - question skipped	603	44.5 %
	Total	**1,354**	**100%**

Based upon 462 valid cases out of 1,354 total cases.

Location: 3146-3149 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S7PAINCOST02A: S7 PainCost: Sentence kept from choose how spend time

Value	Label	Unweighted Frequency	%
1	Yes	476	35.2 %
5	No	134	9.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-104	Not involved currently or w/in p6mo - interview bug	1	0.1 %
-102	Not involved currently or w/in p6mo - question skipped	603	44.5 %
	Total	**1,354**	**100%**

Based upon 610 valid cases out of 1,354 total cases.

Location: 3150-3153 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S7PAINCOST02B: S7 PainCost: Kept from choose how spend time - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	15	1.1 %
2	A little	72	5.3 %

Value	Label	Unweighted Frequency	%
3	Quite a bit	109	8.1 %
4	Very much	280	20.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-105	Court didnt keep from doing something - question skipped	30	2.2 %
-104	Not involved currently or w/in p6mo - interview bug	105	7.8 %
-102	Not involved currently or w/in p6mo - question skipped	603	44.5 %
	Total	**1,354**	**100%**

Based upon 476 valid cases out of 1,354 total cases.

Location: 3154-3157 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S7PAINCOST03A: S7 PainCost: Sentence kept from decide what eat

Value	Label	Unweighted Frequency	%
1	Yes	430	31.8 %
5	No	180	13.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-104	Not involved currently or w/in p6mo - interview bug	1	0.1 %
-102	Not involved currently or w/in p6mo - question skipped	603	44.5 %
	Total	**1,354**	**100%**

Based upon 610 valid cases out of 1,354 total cases.

Location: 3158-3161 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S7PAINCOST03B: S7 PainCost: Kept from decide what to eat - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	12	0.9 %
2	A little	44	3.2 %
3	Quite a bit	95	7.0 %
4	Very much	279	20.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %

Value	Label	Unweighted Frequency	%
-105	Court didnt keep from doing something - question skipped	44	3.2 %
-104	Not involved currently or w/in p6mo - interview bug	137	10.1 %
-102	Not involved currently or w/in p6mo - question skipped	603	44.5 %
	Total	**1,354**	**100%**

Based upon 430 valid cases out of 1,354 total cases.

Location: 3162-3165 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S7PAINCOST04A: S7 PainCost: Sentence kept from able to leave

Value	Label	Unweighted Frequency	%
1	Yes	486	35.9 %
5	No	124	9.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-104	Not involved currently or w/in p6mo - interview bug	1	0.1 %
-102	Not involved currently or w/in p6mo - question skipped	603	44.5 %
	Total	**1,354**	**100%**

Based upon 610 valid cases out of 1,354 total cases.

Location: 3166-3169 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S7PAINCOST04B: S7 PainCost: Kept from able to leave - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	12	0.9 %
2	A little	43	3.2 %
3	Quite a bit	80	5.9 %
4	Very much	351	25.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-105	Court didnt keep from doing something - question skipped	30	2.2 %
-104	Not involved currently or w/in p6mo - interview bug	95	7.0 %
-102	Not involved currently or w/in p6mo - question skipped	603	44.5 %
	Total	**1,354**	**100%**

Based upon 486 valid cases out of 1,354 total cases.

Location: 3170-3173 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S7PAINCOST05A: S7 PainCost: Court sentence kept from sleeping late

Value	Label	Unweighted Frequency	%
1	Yes	268	19.8 %
5	No	342	25.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-104	Not involved currently or w/in p6mo - interview bug	1	0.1 %
-102	Not involved currently or w/in p6mo - question skipped	603	44.5 %
	Total	**1,354**	**100%**

Based upon 610 valid cases out of 1,354 total cases.

Location: 3174-3177 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S7PAINCOST05B: S7 PainCost: Kept from sleeping late - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	13	1.0 %
2	A little	44	3.2 %
3	Quite a bit	45	3.3 %
4	Very much	166	12.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-105	Court didnt keep from doing something - question skipped	56	4.1 %
-104	Not involved currently or w/in p6mo - interview bug	287	21.2 %
-102	Not involved currently or w/in p6mo - question skipped	603	44.5 %
	Total	**1,354**	**100%**

Based upon 268 valid cases out of 1,354 total cases.

Location: 3178-3181 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S7PAINCOST06A: S7 PainCost: Court sentence kept from go out w/bfgf

Value	Label	Unweighted Frequency	%
1	Yes	454	33.5 %
5	No	156	11.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-104	Not involved currently or w/in p6mo - interview bug	1	0.1 %
-102	Not involved currently or w/in p6mo - question skipped	603	44.5 %
	Total	**1,354**	**100%**

Based upon 610 valid cases out of 1,354 total cases.

Location: 3182-3185 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S7PAINCOST06B: S7 PainCost: Kept from go out w/bfgf - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	14	1.0 %
2	A little	31	2.3 %
3	Quite a bit	77	5.7 %
4	Very much	332	24.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-105	Court didnt keep from doing something - question skipped	37	2.7 %
-104	Not involved currently or w/in p6mo - interview bug	120	8.9 %
-102	Not involved currently or w/in p6mo - question skipped	603	44.5 %
	Total	**1,354**	**100%**

Based upon 454 valid cases out of 1,354 total cases.

Location: 3186-3189 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S7PAINCOST07A: S7 PainCost: Sentence kept from watching TV

Value	Label	Unweighted Frequency	%
1	Yes	285	21.0 %
5	No	325	24.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %

Value	Label	Unweighted Frequency	%
-104	Not involved currently or w/in p6mo - interview bug	1	0.1 %
-102	Not involved currently or w/in p6mo - question skipped	603	44.5 %
	Total	**1,354**	**100%**

Based upon 610 valid cases out of 1,354 total cases.

Location: 3190-3193 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S7PAINCOST07B: S7 PainCost: Kept from watching TV - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	17	1.3 %
2	A little	53	3.9 %
3	Quite a bit	44	3.2 %
4	Very much	171	12.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-105	Court didnt keep from doing something - question skipped	49	3.6 %
-104	Not involved currently or w/in p6mo - interview bug	277	20.5 %
-102	Not involved currently or w/in p6mo - question skipped	603	44.5 %
	Total	**1,354**	**100%**

Based upon 285 valid cases out of 1,354 total cases.

Location: 3194-3197 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S7PAINCOST08A: S7 PainCost: Sentence kept from dressing way want

Value	Label	Unweighted Frequency	%
1	Yes	429	31.7 %
5	No	181	13.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-104	Not involved currently or w/in p6mo - interview bug	1	0.1 %
-102	Not involved currently or w/in p6mo - question skipped	603	44.5 %
	Total	**1,354**	**100%**

Based upon 610 valid cases out of 1,354 total cases.

Location: 3198-3201 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S7PAINCOST08B: S7 PainCost: Kept from dress the way want - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	9	0.7 %
2	A little	49	3.6 %
3	Quite a bit	81	6.0 %
4	Very much	290	21.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-105	Court didnt keep from doing something - question skipped	45	3.3 %
-104	Not involved currently or w/in p6mo - interview bug	137	10.1 %
-102	Not involved currently or w/in p6mo - question skipped	603	44.5 %
	Total	**1,354**	**100%**

Based upon 429 valid cases out of 1,354 total cases.

Location: 3202-3205 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S7PAINCOST09A: S7 PainCost: Sentence kept from listen to music

Value	Label	Unweighted Frequency	%
1	Yes	295	21.8 %
5	No	315	23.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-104	Not involved currently or w/in p6mo - interview bug	1	0.1 %
-102	Not involved currently or w/in p6mo - question skipped	603	44.5 %
	Total	**1,354**	**100%**

Based upon 610 valid cases out of 1,354 total cases.

Location: 3206-3209 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S7PAINCOST09B: S7 PainCost: Kept from listen to music - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	10	0.7 %
2	A little	35	2.6 %
3	Quite a bit	53	3.9 %
4	Very much	197	14.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-105	Court didnt keep from doing something - question skipped	53	3.9 %
-104	Not involved currently or w/in p6mo - interview bug	263	19.4 %
-102	Not involved currently or w/in p6mo - question skipped	603	44.5 %
	Total	**1,354**	**100%**

Based upon 295 valid cases out of 1,354 total cases.

Location: 3210-3213 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S7PAINCOST10A: S7 PainCost: Sentence kept from seeing movies

Value	Label	Unweighted Frequency	%
1	Yes	422	31.2 %
5	No	188	13.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-104	Not involved currently or w/in p6mo - interview bug	1	0.1 %
-102	Not involved currently or w/in p6mo - question skipped	603	44.5 %
	Total	**1,354**	**100%**

Based upon 610 valid cases out of 1,354 total cases.

Location: 3214-3217 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S7PAINCOST10B: S7 PainCost: Kept from seeing movies - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	18	1.3 %
2	A little	80	5.9 %
3	Quite a bit	78	5.8 %
4	Very much	246	18.2 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-105	Court didnt keep from doing something - question skipped	49	3.6 %
-104	Not involved currently or w/in p6mo - interview bug	140	10.3 %
-102	Not involved currently or w/in p6mo - question skipped	603	44.5 %
	Total	**1,354**	**100%**

Based upon 422 valid cases out of 1,354 total cases.

Location: 3218-3221 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S7PAINCOST11A: S7 PainCost: Sentence kept from warm place

Value	Label	Unweighted Frequency	%
1	Yes	410	30.3 %
5	No	200	14.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-104	Not involved currently or w/in p6mo - interview bug	1	0.1 %
-102	Not involved currently or w/in p6mo - question skipped	603	44.5 %
	Total	**1,354**	**100%**

Based upon 610 valid cases out of 1,354 total cases.

Location: 3222-3225 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S7PAINCOST11B: S7 PainCost: Kept from warm place - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	7	0.5 %
2	A little	34	2.5 %
3	Quite a bit	82	6.1 %
4	Very much	287	21.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-105	Court didnt keep from doing something - question skipped	48	3.5 %
-104	Not involved currently or w/in p6mo - interview bug	153	11.3 %
-102	Not involved currently or w/in p6mo - question skipped	603	44.5 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 410 valid cases out of 1,354 total cases.

Location: 3226-3229 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S7PAINCOST12A: S7 PainCost: Sentence kept from place that looks good

Value	Label	Unweighted Frequency	%
1	Yes	429	31.7 %
5	No	181	13.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-104	Not involved currently or w/in p6mo - interview bug	1	0.1 %
-102	Not involved currently or w/in p6mo - question skipped	603	44.5 %
	Total	**1,354**	**100%**

Based upon 610 valid cases out of 1,354 total cases.

Location: 3230-3233 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S7PAINCOST12B: S7 PainCost: Kept from place that looks good - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	9	0.7 %
2	A little	52	3.8 %
3	Quite a bit	82	6.1 %
4	Very much	286	21.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-105	Court didnt keep from doing something - question skipped	46	3.4 %
-104	Not involved currently or w/in p6mo - interview bug	136	10.0 %
-102	Not involved currently or w/in p6mo - question skipped	603	44.5 %
	Total	**1,354**	**100%**

Based upon 429 valid cases out of 1,354 total cases.

Location: 3234-3237 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S7PAINCOST13A: S7 PainCost: Sentence kept from choosing what to wear

Value	Label	Unweighted Frequency	%
1	Yes	430	31.8 %
5	No	180	13.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-104	Not involved currently or w/in p6mo - interview bug	1	0.1 %
-102	Not involved currently or w/in p6mo - question skipped	603	44.5 %
	Total	**1,354**	**100%**

Based upon 610 valid cases out of 1,354 total cases.

Location: 3238-3241 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S7PAINCOST13B: S7 PainCost: Kept from choosing what to wear - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	8	0.6 %
2	A little	57	4.2 %
3	Quite a bit	83	6.1 %
4	Very much	282	20.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-105	Court didnt keep from doing something - question skipped	46	3.4 %
-104	Not involved currently or w/in p6mo - interview bug	135	10.0 %
-102	Not involved currently or w/in p6mo - question skipped	603	44.5 %
	Total	**1,354**	**100%**

Based upon 430 valid cases out of 1,354 total cases.

Location: 3242-3245 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S7PAINCOST14A: S7 PainCost: Sentence kept from talking on the phone

Value	Label	Unweighted Frequency	%
1	Yes	414	30.6 %
5	No	196	14.5 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-104	Not involved currently or w/in p6mo - interview bug	1	0.1 %
-102	Not involved currently or w/in p6mo - question skipped	603	44.5 %
	Total	**1,354**	**100%**

Based upon 610 valid cases out of 1,354 total cases.

Location: 3246-3249 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S7PAINCOST14B: S7 PainCost: Kept from talk on the phone - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	15	1.1 %
2	A little	57	4.2 %
3	Quite a bit	74	5.5 %
4	Very much	268	19.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-105	Court didnt keep from doing something - question skipped	47	3.5 %
-104	Not involved currently or w/in p6mo - interview bug	150	11.1 %
-102	Not involved currently or w/in p6mo - question skipped	603	44.5 %
	Total	**1,354**	**100%**

Based upon 414 valid cases out of 1,354 total cases.

Location: 3250-3253 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S7PAINCOST15A: S7 PainCost: Sentence kept from reading what want

Value	Label	Unweighted Frequency	%
1	Yes	279	20.6 %
5	No	331	24.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-104	Not involved currently or w/in p6mo - interview bug	1	0.1 %
-102	Not involved currently or w/in p6mo - question skipped	603	44.5 %
	Total	**1,354**	**100%**

Based upon 610 valid cases out of 1,354 total cases.

Location: 3254-3257 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S7PAINCOST15B: S7 PainCost: Kept from read what want - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	13	1.0 %
2	A little	52	3.8 %
3	Quite a bit	43	3.2 %
4	Very much	171	12.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-105	Court didnt keep from doing something - question skipped	60	4.4 %
-104	Not involved currently or w/in p6mo - interview bug	272	20.1 %
-102	Not involved currently or w/in p6mo - question skipped	603	44.5 %
	Total	**1,354**	**100%**

Based upon 279 valid cases out of 1,354 total cases.

Location: 3258-3261 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S7PAINCOST16A: S7 PainCost: Sentence kept from being by self

Value	Label	Unweighted Frequency	%
1	Yes	369	27.3 %
5	No	241	17.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-104	Not involved currently or w/in p6mo - interview bug	1	0.1 %
-102	Not involved currently or w/in p6mo - question skipped	603	44.5 %
	Total	**1,354**	**100%**

Based upon 610 valid cases out of 1,354 total cases.

Location: 3262-3265 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S7PAINCOST16B: S7 PainCost: Kept from being by self - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	5	0.4 %
2	A little	46	3.4 %
3	Quite a bit	66	4.9 %
4	Very much	252	18.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-105	Court didnt keep from doing something - question skipped	49	3.6 %
-104	Not involved currently or w/in p6mo - interview bug	193	14.3 %
-102	Not involved currently or w/in p6mo - question skipped	603	44.5 %
	Total	**1,354**	**100%**

Based upon 369 valid cases out of 1,354 total cases.

Location: 3266-3269 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S7PAINCOST17A: S7 PainCost: Sentence kept from drinking, get high

Value	Label	Unweighted Frequency	%
1	Yes	467	34.5 %
5	No	140	10.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-104	Not involved currently or w/in p6mo - interview bug	4	0.3 %
-102	Not involved currently or w/in p6mo - question skipped	603	44.5 %
	Total	**1,354**	**100%**

Based upon 607 valid cases out of 1,354 total cases.

Location: 3270-3273 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S7PAINCOST17B: S7 PainCost: Kept from drink or get high - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	174	12.9 %
2	A little	113	8.3 %
3	Quite a bit	43	3.2 %
4	Very much	137	10.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-105	Court didnt keep from doing something - question skipped	29	2.1 %
-104	Not involved currently or w/in p6mo - interview bug	115	8.5 %
-102	Not involved currently or w/in p6mo - question skipped	603	44.5 %
	Total	**1,354**	**100%**

Based upon 467 valid cases out of 1,354 total cases.

Location: 3274-3277 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S7PAINCOST18A: S7 PainCost: Sentence kept from buying things

Value	Label	Unweighted Frequency	%
1	Yes	419	30.9 %
5	No	191	14.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-104	Not involved currently or w/in p6mo - interview bug	1	0.1 %
-102	Not involved currently or w/in p6mo - question skipped	603	44.5 %
	Total	**1,354**	**100%**

Based upon 610 valid cases out of 1,354 total cases.

Location: 3278-3281 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S7PAINCOST18B: S7 PainCost: Kept from buy things - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	20	1.5 %
2	A little	65	4.8 %
3	Quite a bit	79	5.8 %
4	Very much	255	18.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-105	Court didnt keep from doing something - question skipped	48	3.5 %
-104	Not involved currently or w/in p6mo - interview bug	144	10.6 %
-102	Not involved currently or w/in p6mo - question skipped	603	44.5 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 419 valid cases out of 1,354 total cases.

Location: 3282-3285 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S7PAINCOST19A: S7 PainCost: Kept from providing for family

Value	Label	Unweighted Frequency	%
1	Yes	416	30.7 %
5	No	194	14.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-104	Not involved currently or w/in p6mo - interview bug	1	0.1 %
-102	Not involved currently or w/in p6mo - question skipped	603	44.5 %
	Total	**1,354**	**100%**

Based upon 610 valid cases out of 1,354 total cases.

Location: 3286-3289 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S7PAINCOST19B: S7 PainCost: Kept from providing for family - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	15	1.1 %
2	A little	32	2.4 %
3	Quite a bit	57	4.2 %
4	Very much	312	23.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-105	Court didnt keep from doing something - question skipped	48	3.5 %
-104	Not involved currently or w/in p6mo - interview bug	147	10.9 %
-102	Not involved currently or w/in p6mo - question skipped	603	44.5 %
	Total	**1,354**	**100%**

Based upon 416 valid cases out of 1,354 total cases.

Location: 3290-3293 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S7PROJUS55: S7 ProJus: Kid caught/arrested for fighting (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	289	21.3 %
1	-	105	7.8 %
2	-	108	8.0 %
3	-	98	7.2 %
4	-	58	4.3 %
5	-	259	19.1 %
6	-	44	3.2 %
7	-	43	3.2 %
8	-	45	3.3 %
9	-	15	1.1 %
10	-	127	9.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-99	Dont Know	23	1.7 %
	Total	**1,354**	**100%**

Based upon 1,191 valid cases out of 1,354 total cases.

Location: 3294-3297 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S7PROJUS56: S7 ProJus: Kid caught/arrested robbery w/ gun (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	51	3.8 %
1	-	16	1.2 %
2	-	35	2.6 %
3	-	68	5.0 %
4	-	45	3.3 %
5	-	268	19.8 %
6	-	65	4.8 %
7	-	115	8.5 %
8	-	154	11.4 %
9	-	66	4.9 %
10	-	308	22.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %

Value	Label	Unweighted Frequency	%
-99	Dont Know	23	1.7 %
	Total	**1,354**	**100%**

Based upon 1,191 valid cases out of 1,354 total cases.

Location: 3298-3301 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S7PROJUS57: S7 ProJus: Kid caught/arrested stabbing someone (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	54	4.0 %
1	-	25	1.8 %
2	-	25	1.8 %
3	-	49	3.6 %
4	-	42	3.1 %
5	-	256	18.9 %
6	-	75	5.5 %
7	-	117	8.6 %
8	-	148	10.9 %
9	-	87	6.4 %
10	-	313	23.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-99	Dont Know	23	1.7 %
	Total	**1,354**	**100%**

Based upon 1,191 valid cases out of 1,354 total cases.

Location: 3302-3305 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S7PROJUS58: S7 ProJus: Kid caught/arrested breaking into store (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	60	4.4 %
1	-	17	1.3 %
2	-	55	4.1 %
3	-	70	5.2 %
4	-	73	5.4 %
5	-	265	19.6 %

Value	Label	Unweighted Frequency	%
6	-	78	5.8 %
7	-	123	9.1 %
8	-	126	9.3 %
9	-	54	4.0 %
10	-	268	19.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-99	Dont Know	25	1.8 %
	Total	**1,354**	**100%**

Based upon 1,189 valid cases out of 1,354 total cases.

Location: 3306-3309 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S7PROJUS59: S7 ProJus: Kid caught/arrested stealing clothes (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	75	5.5 %
1	-	36	2.7 %
2	-	78	5.8 %
3	-	114	8.4 %
4	-	101	7.5 %
5	-	321	23.7 %
6	-	70	5.2 %
7	-	80	5.9 %
8	-	85	6.3 %
9	-	28	2.1 %
10	-	203	15.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-99	Dont Know	23	1.7 %
	Total	**1,354**	**100%**

Based upon 1,191 valid cases out of 1,354 total cases.

Location: 3310-3313 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S7PROJUS60: S7 ProJus: Kid caught/arrested vandalism (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	188	13.9 %
1	-	85	6.3 %
2	-	155	11.4 %
3	-	131	9.7 %
4	-	72	5.3 %
5	-	249	18.4 %
6	-	43	3.2 %
7	-	38	2.8 %
8	-	45	3.3 %
9	-	22	1.6 %
10	-	162	12.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-99	Dont Know	24	1.8 %
	Total	**1,354**	**100%**

Based upon 1,190 valid cases out of 1,354 total cases.

Location: 3314-3317 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S7PROJUS61: S7 ProJus: Kid caught/arrested auto theft (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	72	5.3 %
1	-	24	1.8 %
2	-	52	3.8 %
3	-	81	6.0 %
4	-	84	6.2 %
5	-	300	22.2 %
6	-	96	7.1 %
7	-	86	6.4 %
8	-	101	7.5 %
9	-	42	3.1 %
10	-	252	18.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %

Value	Label	Unweighted Frequency	%
-99	Dont Know	24	1.8 %
	Total	**1,354**	**100%**

Based upon 1,190 valid cases out of 1,354 total cases.

Location: 3318-3321 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S7PROJUS62: S7 ProJus: You caught/arrested fighting (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	350	25.8 %
1	-	90	6.6 %
2	-	86	6.4 %
3	-	74	5.5 %
4	-	32	2.4 %
5	-	223	16.5 %
6	-	25	1.8 %
7	-	41	3.0 %
8	-	41	3.0 %
9	-	20	1.5 %
10	-	209	15.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-99	Dont Know	23	1.7 %
	Total	**1,354**	**100%**

Based upon 1,191 valid cases out of 1,354 total cases.

Location: 3322-3325 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S7PROJUS63: S7 ProJus: You caught/arrested robbery w/ gun (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	131	9.7 %
1	-	27	2.0 %
2	-	30	2.2 %
3	-	43	3.2 %
4	-	34	2.5 %
5	-	206	15.2 %

Value	Label	Unweighted Frequency	%
6	-	51	3.8 %
7	-	77	5.7 %
8	-	105	7.8 %
9	-	74	5.5 %
10	-	412	30.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-99	Dont Know	24	1.8 %
	Total	**1,354**	**100%**

Based upon 1,190 valid cases out of 1,354 total cases.

Location: 3326-3329 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S7PROJUS64: S7 ProJus: You caught/arrested stabbing someone (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	130	9.6 %
1	-	25	1.8 %
2	-	37	2.7 %
3	-	43	3.2 %
4	-	32	2.4 %
5	-	197	14.5 %
6	-	53	3.9 %
7	-	83	6.1 %
8	-	99	7.3 %
9	-	82	6.1 %
10	-	409	30.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-99	Dont Know	24	1.8 %
	Total	**1,354**	**100%**

Based upon 1,190 valid cases out of 1,354 total cases.

Location: 3330-3333 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S7PROJUS65: S7 ProJus: You caught/arrested breaking into store (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	131	9.7 %
1	-	32	2.4 %
2	-	52	3.8 %
3	-	51	3.8 %
4	-	56	4.1 %
5	-	226	16.7 %
6	-	41	3.0 %
7	-	63	4.7 %
8	-	103	7.6 %
9	-	57	4.2 %
10	-	378	27.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-99	Dont Know	24	1.8 %
	Total	**1,354**	**100%**

Based upon 1,190 valid cases out of 1,354 total cases.

Location: 3334-3337 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S7PROJUS66: S7 ProJus: You caught/arrested stealing clothes (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	164	12.1 %
1	-	45	3.3 %
2	-	58	4.3 %
3	-	67	4.9 %
4	-	50	3.7 %
5	-	260	19.2 %
6	-	36	2.7 %
7	-	55	4.1 %
8	-	60	4.4 %
9	-	46	3.4 %
10	-	349	25.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %

Value	Label	Unweighted Frequency	%
-99	Dont Know	24	1.8 %
	Total	**1,354**	**100%**

Based upon 1,190 valid cases out of 1,354 total cases.

Location: 3338-3341 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S7PROJUS67: S7 ProJus: You caught/arrested vandalism (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	248	18.3 %
1	-	82	6.1 %
2	-	121	8.9 %
3	-	71	5.2 %
4	-	50	3.7 %
5	-	213	15.7 %
6	-	28	2.1 %
7	-	43	3.2 %
8	-	34	2.5 %
9	-	22	1.6 %
10	-	278	20.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-99	Dont Know	24	1.8 %
	Total	**1,354**	**100%**

Based upon 1,190 valid cases out of 1,354 total cases.

Location: 3342-3345 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S7PROJUS68: S7 ProJus: You caught/arrested auto theft (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	149	11.0 %
1	-	42	3.1 %
2	-	46	3.4 %
3	-	40	3.0 %
4	-	46	3.4 %
5	-	220	16.2 %

Value	Label	Unweighted Frequency	%
6	-	37	2.7 %
7	-	60	4.4 %
8	-	84	6.2 %
9	-	57	4.2 %
10	-	409	30.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-99	Dont Know	24	1.8 %
	Total	**1,354**	**100%**

Based upon 1,190 valid cases out of 1,354 total cases.

Location: 3346-3349 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S7PROJUS69: S7 ProJus: Break law suspend from school

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	131	9.7 %
2	Somewhat Unlikely It Would Happen	30	2.2 %
3	Could go Either Way	175	12.9 %
4	Somewhat Likely It Would Happen	74	5.5 %
5	Very Likely It Would Happen	91	6.7 %
	Missing Data		
-202	IntCompStat=2 (parital)	1	0.1 %
-201	IntCompStat=4 (missing int)	139	10.3 %
-97	NA - no longer in school	701	51.8 %
-9	Dont Know	12	0.9 %
	Total	**1,354**	**100%**

Based upon 501 valid cases out of 1,354 total cases.

Location: 3350-3353 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -97 , -9 , -8

S7PROJUS70: S7 ProJus: Break law lose friends respect

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	380	28.1 %
2	Somewhat Unlikely It Would Happen	131	9.7 %
3	Could go Either Way	438	32.3 %

Value	Label	Unweighted Frequency	%
4	Somewhat Likely It Would Happen	171	12.6 %
5	Very Likely It Would Happen	92	6.8 %
	Missing Data		
-202	IntCompStat=2 (parital)	1	0.1 %
-201	IntCompStat=4 (missing int)	139	10.3 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,212 valid cases out of 1,354 total cases.

Location: 3354-3357 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -97 , -9 , -8

S7PROJUS71: S7 ProJus: Break law lose family respect

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	217	16.0 %
2	Somewhat Unlikely It Would Happen	129	9.5 %
3	Could go Either Way	276	20.4 %
4	Somewhat Likely It Would Happen	381	28.1 %
5	Very Likely It Would Happen	209	15.4 %
	Missing Data		
-202	IntCompStat=2 (parital)	1	0.1 %
-201	IntCompStat=4 (missing int)	139	10.3 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,212 valid cases out of 1,354 total cases.

Location: 3358-3361 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -97 , -9 , -8

S7PROJUS72: S7 ProJus: Break law lose neighbors respect

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	180	13.3 %
2	Somewhat Unlikely It Would Happen	93	6.9 %
3	Could go Either Way	348	25.7 %
4	Somewhat Likely It Would Happen	439	32.4 %
5	Very Likely It Would Happen	149	11.0 %
	Missing Data		
-202	IntCompStat=2 (parital)	1	0.1 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat=4 (missing int)	139	10.3 %
-9	Dont Know	5	0.4 %
	Total	**1,354**	**100%**

Based upon 1,209 valid cases out of 1,354 total cases.

Location: 3362-3365 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -97 , -9 , -8

S7PROJUS73: S7 ProJus: Break law lose bf/gf respect

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	233	17.2 %
2	Somewhat Unlikely It Would Happen	87	6.4 %
3	Could go Either Way	402	29.7 %
4	Somewhat Likely It Would Happen	307	22.7 %
5	Very Likely It Would Happen	180	13.3 %
	Missing Data		
-202	IntCompStat=2 (parital)	1	0.1 %
-201	IntCompStat=4 (missing int)	139	10.3 %
-9	Dont Know	5	0.4 %
	Total	**1,354**	**100%**

Based upon 1,209 valid cases out of 1,354 total cases.

Location: 3366-3369 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -97 , -9 , -8

S7PROJUS74: S7 ProJus: Break law harder to find job

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	84	6.2 %
2	Somewhat Unlikely It Would Happen	53	3.9 %
3	Could go Either Way	114	8.4 %
4	Somewhat Likely It Would Happen	473	34.9 %
5	Very Likely It Would Happen	484	35.7 %
	Missing Data		
-202	IntCompStat=2 (parital)	1	0.1 %
-201	IntCompStat=4 (missing int)	139	10.3 %
-9	Dont Know	6	0.4 %
	Total	**1,354**	**100%**

Based upon 1,208 valid cases out of 1,354 total cases.

Location: 3370-3373 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -97 , -9 , -8

S7PROJUS76: S7 ProJus: Thrill/rush fighting (0=no thrill - 10=great thrill)

Value	Label	Unweighted Frequency	%
0	-	597	44.1 %
1	-	30	2.2 %
2	-	57	4.2 %
3	-	44	3.2 %
4	-	42	3.1 %
5	-	165	12.2 %
6	-	28	2.1 %
7	-	60	4.4 %
8	-	66	4.9 %
9	-	16	1.2 %
10	-	109	8.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,214 valid cases out of 1,354 total cases.

Location: 3374-3377 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S7PROJUS77: S7 ProJus: Thrill/rush robbery w/gun (0=no thrill - 10=great thrill)

Value	Label	Unweighted Frequency	%
0	-	855	63.1 %
1	-	49	3.6 %
2	-	52	3.8 %
3	-	35	2.6 %
4	-	21	1.6 %
5	-	75	5.5 %
6	-	18	1.3 %
7	-	18	1.3 %
8	-	20	1.5 %
9	-	12	0.9 %
10	-	58	4.3 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-99	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 3378-3381 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S7PROJUS78: S7 ProJus: Thrill/rush stabbing someone (0=no thrill - 10=great thrill)

Value	Label	Unweighted Frequency	%
0	-	920	67.9 %
1	-	41	3.0 %
2	-	48	3.5 %
3	-	33	2.4 %
4	-	18	1.3 %
5	-	50	3.7 %
6	-	13	1.0 %
7	-	22	1.6 %
8	-	12	0.9 %
9	-	12	0.9 %
10	-	45	3.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,214 valid cases out of 1,354 total cases.

Location: 3382-3385 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S7PROJUS79: S7 ProJus: Thrill/rush break into store/home (0=no thrill - 10=great thrill)

Value	Label	Unweighted Frequency	%
0	-	890	65.7 %
1	-	44	3.2 %
2	-	48	3.5 %
3	-	41	3.0 %

Value	Label	Unweighted Frequency	%
4	-	31	2.3 %
5	-	59	4.4 %
6	-	18	1.3 %
7	-	20	1.5 %
8	-	15	1.1 %
9	-	8	0.6 %
10	-	39	2.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-99	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 3386-3389 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S7PROJUS80: S7 ProJus: Thrill/rush stealing clothes (0=no thrill - 10=great thrill)

Value	Label	Unweighted Frequency	%
0	-	924	68.2 %
1	-	53	3.9 %
2	-	53	3.9 %
3	-	48	3.5 %
4	-	17	1.3 %
5	-	61	4.5 %
6	-	14	1.0 %
7	-	14	1.0 %
8	-	8	0.6 %
9	-	3	0.2 %
10	-	19	1.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,214 valid cases out of 1,354 total cases.

Location: 3390-3393 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S7PROJUS81: S7 ProJus: Thrill/rush vandalism (0=no thrill - 10=great thrill)

Value	Label	Unweighted Frequency	%
0	-	936	69.1 %
1	-	47	3.5 %
2	-	64	4.7 %
3	-	33	2.4 %
4	-	21	1.6 %
5	-	55	4.1 %
6	-	12	0.9 %
7	-	15	1.1 %
8	-	8	0.6 %
9	-	3	0.2 %
10	-	20	1.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,214 valid cases out of 1,354 total cases.

Location: 3394-3397 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S7PROJUS82: S7 ProJus: Thrill/rush auto theft (0=no thrill to 10=great thrill)

Value	Label	Unweighted Frequency	%
0	-	880	65.0 %
1	-	34	2.5 %
2	-	27	2.0 %
3	-	33	2.4 %
4	-	15	1.1 %
5	-	66	4.9 %
6	-	28	2.1 %
7	-	32	2.4 %
8	-	25	1.8 %
9	-	15	1.1 %
10	-	59	4.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,214 valid cases out of 1,354 total cases.

Location: 3398-3401 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S7PAY01: S7 PainCost: Steal-peers respect more

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	379	28.0 %
2	Disagree	719	53.1 %
3	Agree	100	7.4 %
4	Strongly Agree	14	1.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,212 valid cases out of 1,354 total cases.

Location: 3402-3405 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S7PAY02: S7 PainCost: Steal-more respect from adults

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	407	30.1 %
2	Disagree	764	56.4 %
3	Agree	38	2.8 %
4	Strongly Agree	5	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,214 valid cases out of 1,354 total cases.

Location: 3406-3409 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S7PAY03: S7 PainCost: Steal-friends like more

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	358	26.4 %

Value	Label	Unweighted Frequency	%
2	Disagree	692	51.1 %
3	Agree	146	10.8 %
4	Strongly Agree	17	1.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 3410-3413 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S7PAY04: S7 PainCost: Steal-impress bf/gf

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	435	32.1 %
2	Disagree	736	54.4 %
3	Agree	39	2.9 %
4	Strongly Agree	3	0.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 3414-3417 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S7PAY05: S7 PainCost: Steal-get back at people

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	345	25.5 %
2	Disagree	592	43.7 %
3	Agree	236	17.4 %
4	Strongly Agree	41	3.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 1,214 valid cases out of 1,354 total cases.

Location: 3418-3421 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S7PAY06: S7 PainCost: Fight-peers respect more

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	302	22.3 %
2	Disagree	594	43.9 %
3	Agree	276	20.4 %
4	Strongly Agree	41	3.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 3422-3425 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S7PAY07: S7 PainCost: Fight-more respect from adults

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	339	25.0 %
2	Disagree	702	51.8 %
3	Agree	146	10.8 %
4	Strongly Agree	27	2.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,214 valid cases out of 1,354 total cases.

Location: 3426-3429 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S7PAY08: S7 PainCost: Fight-peers afraid

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	276	20.4 %
2	Disagree	568	41.9 %
3	Agree	311	23.0 %
4	Strongly Agree	59	4.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,214 valid cases out of 1,354 total cases.

Location: 3430-3433 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S7PAY09: S7 PainCost: Fight-impress bf/gf

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	379	28.0 %
2	Disagree	746	55.1 %
3	Agree	72	5.3 %
4	Strongly Agree	14	1.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,211 valid cases out of 1,354 total cases.

Location: 3434-3437 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S7PAY10: S7 PainCost: Fight-get back at people

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	313	23.1 %
2	Disagree	576	42.5 %
3	Agree	279	20.6 %
4	Strongly Agree	45	3.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %

Value	Label	Unweighted Frequency	%
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 3438-3441 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S7PAY11: S7 PainCost: Rob-peers respect more

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	386	28.5 %
2	Disagree	698	51.6 %
3	Agree	112	8.3 %
4	Strongly Agree	18	1.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,214 valid cases out of 1,354 total cases.

Location: 3442-3445 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S7PAY12: S7 PainCost: Rob-more respect from adults

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	412	30.4 %
2	Disagree	741	54.7 %
3	Agree	57	4.2 %
4	Strongly Agree	4	0.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,214 valid cases out of 1,354 total cases.

Location: 3446-3449 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S7PAY13: S7 PainCost: Rob-peers afraid

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	356	26.3 %
2	Disagree	636	47.0 %
3	Agree	196	14.5 %
4	Strongly Agree	25	1.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 3450-3453 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S7PAY14: S7 PainCost: Rob-impress bf/gf

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	439	32.4 %
2	Disagree	736	54.4 %
3	Agree	36	2.7 %
4	Strongly Agree	3	0.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,214 valid cases out of 1,354 total cases.

Location: 3454-3457 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S7PAY15: S7 PainCost: Rob-get back at people

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	363	26.8 %
2	Disagree	659	48.7 %
3	Agree	163	12.0 %
4	Strongly Agree	29	2.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 1,214 valid cases out of 1,354 total cases.

Location: 3458-3461 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S7PUNOTH: S7 PainCost: Certainty of Punishment - Other

Based upon 1,191 valid cases out of 1,354 total cases.

- Mean: 5.5758866099
- Median: 5.2857142857
- Mode: 10.0000000000
- Minimum: 0.0000000000
- Maximum: 10.0000000000
- Standard Deviation: 2.4026676055

Location: 3462-3476 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -99.0000000000 , -98.0000000000

S7PUNYOU: S7 PainCost: Certainty of Punishment - You

Based upon 1,191 valid cases out of 1,354 total cases.

- Mean: 5.7275998561
- Median: 5.7142857143
- Mode: 10.0000000000
- Minimum: 0.0000000000
- Maximum: 10.0000000000
- Standard Deviation: 2.9975141330

Location: 3477-3491 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -99.0000000000 , -98.0000000000

S7SOCCST: S7 PainCost: Social Costs of Punishment

Based upon 1,213 valid cases out of 1,354 total cases.

- Mean: 3.2022396263
- Median: 3.3333333333
- Mode: 3.4000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.9250086839

Location: 3492-3506 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -9.0000000000 , -8.0000000000

S7WGTCST: S7 PainCost: Punishment Costs - Variety

Based upon 553 valid cases out of 1,354 total cases.

- Mean: 3.1362506073
- Median: 3.4117647059
- Mode: 4.0000000000
- Minimum: 1.0000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.8721405816

Location: 3507-3521 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -400.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S7VARCST: S7 PainCost: Punishment Costs (13) - Material Issues

Based upon 610 valid cases out of 1,354 total cases.

- Mean: 11.84
- Median: 15.00
- Mode: 18.00
- Minimum: 0.00
- Maximum: 18.00
- Standard Deviation: 6.61

Location: 3522-3525 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S7MATCST: S7 PainCost: Punishment Costs (5) - Freedom Issues

Based upon 610 valid cases out of 1,354 total cases.

- Mean: 8.00
- Median: 10.00
- Mode: 13.00
- Minimum: 0.00
- Maximum: 13.00
- Standard Deviation: 5.12

Location: 3526-3529 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S7FRECST: S7 PainCost: Punishment Costs - Weight

Based upon 610 valid cases out of 1,354 total cases.

- Mean: 3.84
- Median: 5.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 1.73

Location: 3530-3533 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S7STLRWD: S7 PainCost: Social Rewards of Crime - Stealing

Based upon 1,214 valid cases out of 1,354 total cases.

- Mean: 1.80
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.53

Location: 3534-3540 (width: 7; decimal: 2)
Variable Type: numeric
(Range of) Missing Values: -600.00 , -300.00 , -202.00 , -201.00 , -9.00 , -8.00

S7FGTRWD: S7 PainCost: Social Rewards of Crime - Fighting

Based upon 1,214 valid cases out of 1,354 total cases.

- Mean: 1.98
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.62

Location: 3541-3547 (width: 7; decimal: 2)
Variable Type: numeric
(Range of) Missing Values: -600.00 , -300.00 , -202.00 , -201.00 , -9.00 , -8.00

S7ROBRWD: S7 PainCost: Social Rewards of Crime - Robbery

Based upon 1,214 valid cases out of 1,354 total cases.

- Mean: 1.80
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.56

Location: 3548-3554 (width: 7; decimal: 2)
Variable Type: numeric
(Range of) Missing Values: -600.00 , -300.00 , -202.00 , -201.00 , -9.00 , -8.00

S7PERRWD: S7 PainCost: Personal Rewards of Crime

Based upon 1,214 valid cases out of 1,354 total cases.

- Mean: 1.4725817840
- Median: 0.2857142857
- Mode: 0.0000000000
- Minimum: 0.0000000000
- Maximum: 10.0000000000
- Standard Deviation: 2.2043004176

Location: 3555-3569 (width: 15; decimal: 10)

Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -99.0000000000 , -98.0000000000

S8PAINCOST_CRTINV: S8 PainCost: Involved ongoing programs court

Value	Label	Unweighted Frequency	%
1	Yes	496	36.6 %
5	No	709	52.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,205 valid cases out of 1,354 total cases.

Location: 3570-3573 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S8PAINCOST_CRTIN6: S8 PainCost: Involved court ordered program

Value	Label	Unweighted Frequency	%
1	Yes	590	43.6 %
5	No	615	45.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,205 valid cases out of 1,354 total cases.

Location: 3574-3577 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S8PAINCOST_CRTTYP: S8 PainCost: Describe court involvement

Value	Label	Unweighted Frequency	%
1	Incarceration	414	30.6 %
2	Court ordered community program	7	0.5 %
3	Probation/Parole	160	11.8 %
6	Other	9	0.7 %
7	None	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %

Value	Label	Unweighted Frequency	%
-102	Not involved currently or w/in p6mo - question skipped	615	45.4 %
	Total	**1,354**	**100%**

Based upon 590 valid cases out of 1,354 total cases.

Location: 3578-3581 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -104 , -102 , -9 , -8

S8PAINCOST_CRTNOW: S8 PainCost: Still involved in program

Value	Label	Unweighted Frequency	%
1	Yes	455	33.6 %
5	No	134	9.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-104	Not involved currently or w/in p6mo - interview bug	1	0.1 %
-102	Not involved currently or w/in p6mo - question skipped	615	45.4 %
	Total	**1,354**	**100%**

Based upon 589 valid cases out of 1,354 total cases.

Location: 3582-3585 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S8PAINCOST01A: S8 PainCost: Sentence kept from hang w/friends

Value	Label	Unweighted Frequency	%
1	Yes	425	31.4 %
5	No	164	12.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-104	Not involved currently or w/in p6mo - interview bug	1	0.1 %
-102	Not involved currently or w/in p6mo - question skipped	615	45.4 %
	Total	**1,354**	**100%**

Based upon 589 valid cases out of 1,354 total cases.

Location: 3586-3589 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S8PAINCOST01B: S8 PainCost: Kept from hang w/friends - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	43	3.2 %
2	A little	92	6.8 %
3	Quite a bit	87	6.4 %
4	Very much	203	15.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-105	Court didnt keep from doing something - question skipped	40	3.0 %
-104	Not involved currently or w/in p6mo - interview bug	125	9.2 %
-102	Not involved currently or w/in p6mo - question skipped	615	45.4 %
	Total	**1,354**	**100%**

Based upon 425 valid cases out of 1,354 total cases.

Location: 3590-3593 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S8PAINCOST02A: S8 PainCost: Sentence kept from choose how spend time

Value	Label	Unweighted Frequency	%
1	Yes	443	32.7 %
5	No	146	10.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-104	Not involved currently or w/in p6mo - interview bug	1	0.1 %
-102	Not involved currently or w/in p6mo - question skipped	615	45.4 %
	Total	**1,354**	**100%**

Based upon 589 valid cases out of 1,354 total cases.

Location: 3594-3597 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S8PAINCOST02B: S8 PainCost: Kept from choose how spend time - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	20	1.5 %
2	A little	46	3.4 %
3	Quite a bit	99	7.3 %
4	Very much	278	20.5 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-105	Court didnt keep from doing something - question skipped	36	2.7 %
-104	Not involved currently or w/in p6mo - interview bug	111	8.2 %
-102	Not involved currently or w/in p6mo - question skipped	615	45.4 %
	Total	**1,354**	**100%**

Based upon 443 valid cases out of 1,354 total cases.

Location: 3598-3601 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S8PAINCOST03A: S8 PainCost: Sentence kept from decide what eat

Value	Label	Unweighted Frequency	%
1	Yes	406	30.0 %
5	No	183	13.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-104	Not involved currently or w/in p6mo - interview bug	1	0.1 %
-102	Not involved currently or w/in p6mo - question skipped	615	45.4 %
	Total	**1,354**	**100%**

Based upon 589 valid cases out of 1,354 total cases.

Location: 3602-3605 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S8PAINCOST03B: S8 PainCost: Kept from decide what to eat - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	13	1.0 %
2	A little	35	2.6 %
3	Quite a bit	77	5.7 %
4	Very much	281	20.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-105	Court didnt keep from doing something - question skipped	34	2.5 %
-104	Not involved currently or w/in p6mo - interview bug	150	11.1 %
-102	Not involved currently or w/in p6mo - question skipped	615	45.4 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 406 valid cases out of 1,354 total cases.

Location: 3606-3609 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S8PAINCOST04A: S8 PainCost: Sentence kept from able to leave

Value	Label	Unweighted Frequency	%
1	Yes	454	33.5 %
5	No	135	10.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-104	Not involved currently or w/in p6mo - interview bug	1	0.1 %
-102	Not involved currently or w/in p6mo - question skipped	615	45.4 %
	Total	**1,354**	**100%**

Based upon 589 valid cases out of 1,354 total cases.

Location: 3610-3613 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S8PAINCOST04B: S8 PainCost: Kept from able to leave - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	12	0.9 %
2	A little	32	2.4 %
3	Quite a bit	79	5.8 %
4	Very much	331	24.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-105	Court didnt keep from doing something - question skipped	29	2.1 %
-104	Not involved currently or w/in p6mo - interview bug	107	7.9 %
-102	Not involved currently or w/in p6mo - question skipped	615	45.4 %
	Total	**1,354**	**100%**

Based upon 454 valid cases out of 1,354 total cases.

Location: 3614-3617 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S8PAINCOST05A: S8 PainCost: Court sentence kept from sleeping late

Value	Label	Unweighted Frequency	%
1	Yes	277	20.5 %
5	No	312	23.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-104	Not involved currently or w/in p6mo - interview bug	1	0.1 %
-102	Not involved currently or w/in p6mo - question skipped	615	45.4 %
	Total	**1,354**	**100%**

Based upon 589 valid cases out of 1,354 total cases.

Location: 3618-3621 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S8PAINCOST05B: S8 PainCost: Kept from sleeping late - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	19	1.4 %
2	A little	42	3.1 %
3	Quite a bit	58	4.3 %
4	Very much	158	11.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-105	Court didnt keep from doing something - question skipped	49	3.6 %
-104	Not involved currently or w/in p6mo - interview bug	264	19.5 %
-102	Not involved currently or w/in p6mo - question skipped	615	45.4 %
	Total	**1,354**	**100%**

Based upon 277 valid cases out of 1,354 total cases.

Location: 3622-3625 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S8PAINCOST06A: S8 PainCost: Court sentence kept from go out w/bfgf

Value	Label	Unweighted Frequency	%
1	Yes	429	31.7 %
5	No	160	11.8 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-104	Not involved currently or w/in p6mo - interview bug	1	0.1 %
-102	Not involved currently or w/in p6mo - question skipped	615	45.4 %
	Total	**1,354**	**100%**

Based upon 589 valid cases out of 1,354 total cases.

Location: 3626-3629 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S8PAINCOST06B: S8 PainCost: Kept from go out w/bfgf - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	11	0.8 %
2	A little	31	2.3 %
3	Quite a bit	55	4.1 %
4	Very much	332	24.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-105	Court didnt keep from doing something - question skipped	34	2.5 %
-104	Not involved currently or w/in p6mo - interview bug	127	9.4 %
-102	Not involved currently or w/in p6mo - question skipped	615	45.4 %
	Total	**1,354**	**100%**

Based upon 429 valid cases out of 1,354 total cases.

Location: 3630-3633 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S8PAINCOST07A: S8 PainCost: Sentence kept from watching TV

Value	Label	Unweighted Frequency	%
1	Yes	290	21.4 %
5	No	299	22.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-104	Not involved currently or w/in p6mo - interview bug	1	0.1 %
-102	Not involved currently or w/in p6mo - question skipped	615	45.4 %
	Total	**1,354**	**100%**

Based upon 589 valid cases out of 1,354 total cases.

Location: 3634-3637 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S8PAINCOST07B: S8 PainCost: Kept from watching TV - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	20	1.5 %
2	A little	49	3.6 %
3	Quite a bit	51	3.8 %
4	Very much	170	12.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-105	Court didnt keep from doing something - question skipped	39	2.9 %
-104	Not involved currently or w/in p6mo - interview bug	261	19.3 %
-102	Not involved currently or w/in p6mo - question skipped	615	45.4 %
	Total	**1,354**	**100%**

Based upon 290 valid cases out of 1,354 total cases.

Location: 3638-3641 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S8PAINCOST08A: S8 PainCost: Sentence kept from dressing way want

Value	Label	Unweighted Frequency	%
1	Yes	414	30.6 %
5	No	175	12.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-104	Not involved currently or w/in p6mo - interview bug	1	0.1 %
-102	Not involved currently or w/in p6mo - question skipped	615	45.4 %
	Total	**1,354**	**100%**

Based upon 589 valid cases out of 1,354 total cases.

Location: 3642-3645 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S8PAINCOST08B: S8 PainCost: Kept from dress the way want - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	9	0.7 %
2	A little	35	2.6 %
3	Quite a bit	87	6.4 %
4	Very much	283	20.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-105	Court didnt keep from doing something - question skipped	33	2.4 %
-104	Not involved currently or w/in p6mo - interview bug	143	10.6 %
-102	Not involved currently or w/in p6mo - question skipped	615	45.4 %
	Total	**1,354**	**100%**

Based upon 414 valid cases out of 1,354 total cases.

Location: 3646-3649 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S8PAINCOST09A: S8 PainCost: Sentence kept from listen to music

Value	Label	Unweighted Frequency	%
1	Yes	290	21.4 %
5	No	299	22.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-104	Not involved currently or w/in p6mo - interview bug	1	0.1 %
-102	Not involved currently or w/in p6mo - question skipped	615	45.4 %
	Total	**1,354**	**100%**

Based upon 589 valid cases out of 1,354 total cases.

Location: 3650-3653 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S8PAINCOST09B: S8 PainCost: Kept from listen to music - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	8	0.6 %
2	A little	35	2.6 %
3	Quite a bit	52	3.8 %
4	Very much	195	14.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-105	Court didnt keep from doing something - question skipped	43	3.2 %
-104	Not involved currently or w/in p6mo - interview bug	257	19.0 %
-102	Not involved currently or w/in p6mo - question skipped	615	45.4 %
	Total	**1,354**	**100%**

Based upon 290 valid cases out of 1,354 total cases.

Location: 3654-3657 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S8PAINCOST10A: S8 PainCost: Sentence kept from seeing movies

Value	Label	Unweighted Frequency	%
1	Yes	391	28.9 %
5	No	198	14.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-104	Not involved currently or w/in p6mo - interview bug	1	0.1 %
-102	Not involved currently or w/in p6mo - question skipped	615	45.4 %
	Total	**1,354**	**100%**

Based upon 589 valid cases out of 1,354 total cases.

Location: 3658-3661 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S8PAINCOST10B: S8 PainCost: Kept from seeing movies - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	17	1.3 %
2	A little	75	5.5 %
3	Quite a bit	65	4.8 %
4	Very much	234	17.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-105	Court didnt keep from doing something - question skipped	36	2.7 %
-104	Not involved currently or w/in p6mo - interview bug	163	12.0 %
-102	Not involved currently or w/in p6mo - question skipped	615	45.4 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 391 valid cases out of 1,354 total cases.

Location: 3662-3665 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S8PAINCOST11A: S8 PainCost: Sentence kept from warm place

Value	Label	Unweighted Frequency	%
1	Yes	409	30.2 %
5	No	180	13.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-104	Not involved currently or w/in p6mo - interview bug	1	0.1 %
-102	Not involved currently or w/in p6mo - question skipped	615	45.4 %
	Total	**1,354**	**100%**

Based upon 589 valid cases out of 1,354 total cases.

Location: 3666-3669 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S8PAINCOST11B: S8 PainCost: Kept from warm place - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	12	0.9 %
2	A little	26	1.9 %
3	Quite a bit	66	4.9 %
4	Very much	305	22.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-105	Court didnt keep from doing something - question skipped	32	2.4 %
-104	Not involved currently or w/in p6mo - interview bug	149	11.0 %
-102	Not involved currently or w/in p6mo - question skipped	615	45.4 %
	Total	**1,354**	**100%**

Based upon 409 valid cases out of 1,354 total cases.

Location: 3670-3673 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S8PAINCOST12A: S8 PainCost: Sentence kept from place that looks good

Value	Label	Unweighted Frequency	%
1	Yes	416	30.7 %
5	No	173	12.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-104	Not involved currently or w/in p6mo - interview bug	1	0.1 %
-102	Not involved currently or w/in p6mo - question skipped	615	45.4 %
	Total	**1,354**	**100%**

Based upon 589 valid cases out of 1,354 total cases.

Location: 3674-3677 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S8PAINCOST12B: S8 PainCost: Kept from place that looks good - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	10	0.7 %
2	A little	34	2.5 %
3	Quite a bit	67	4.9 %
4	Very much	305	22.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-105	Court didnt keep from doing something - question skipped	32	2.4 %
-104	Not involved currently or w/in p6mo - interview bug	142	10.5 %
-102	Not involved currently or w/in p6mo - question skipped	615	45.4 %
	Total	**1,354**	**100%**

Based upon 416 valid cases out of 1,354 total cases.

Location: 3678-3681 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S8PAINCOST13A: S8 PainCost: Sentence kept from choosing what to wear

Value	Label	Unweighted Frequency	%
1	Yes	415	30.6 %
5	No	174	12.9 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-104	Not involved currently or w/in p6mo - interview bug	1	0.1 %
-102	Not involved currently or w/in p6mo - question skipped	615	45.4 %
	Total	**1,354**	**100%**

Based upon 589 valid cases out of 1,354 total cases.

Location: 3682-3685 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S8PAINCOST13B: S8 PainCost: Kept from choosing what to wear - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	12	0.9 %
2	A little	36	2.7 %
3	Quite a bit	78	5.8 %
4	Very much	289	21.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-105	Court didnt keep from doing something - question skipped	33	2.4 %
-104	Not involved currently or w/in p6mo - interview bug	142	10.5 %
-102	Not involved currently or w/in p6mo - question skipped	615	45.4 %
	Total	**1,354**	**100%**

Based upon 415 valid cases out of 1,354 total cases.

Location: 3686-3689 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S8PAINCOST14A: S8 PainCost: Sentence kept from talking on the phone

Value	Label	Unweighted Frequency	%
1	Yes	411	30.4 %
5	No	178	13.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-104	Not involved currently or w/in p6mo - interview bug	1	0.1 %
-102	Not involved currently or w/in p6mo - question skipped	615	45.4 %
	Total	**1,354**	**100%**

Based upon 589 valid cases out of 1,354 total cases.

Location: 3690-3693 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S8PAINCOST14B: S8 PainCost: Kept from talk on the phone - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	13	1.0 %
2	A little	38	2.8 %
3	Quite a bit	78	5.8 %
4	Very much	282	20.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-105	Court didnt keep from doing something - question skipped	32	2.4 %
-104	Not involved currently or w/in p6mo - interview bug	147	10.9 %
-102	Not involved currently or w/in p6mo - question skipped	615	45.4 %
	Total	**1,354**	**100%**

Based upon 411 valid cases out of 1,354 total cases.

Location: 3694-3697 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S8PAINCOST15A: S8 PainCost: Sentence kept from reading what want

Value	Label	Unweighted Frequency	%
1	Yes	264	19.5 %
5	No	325	24.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-104	Not involved currently or w/in p6mo - interview bug	1	0.1 %
-102	Not involved currently or w/in p6mo - question skipped	615	45.4 %
	Total	**1,354**	**100%**

Based upon 589 valid cases out of 1,354 total cases.

Location: 3698-3701 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S8PAINCOST15B: S8 PainCost: Kept from read what want - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	16	1.2 %
2	A little	43	3.2 %
3	Quite a bit	42	3.1 %
4	Very much	163	12.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-105	Court didnt keep from doing something - question skipped	42	3.1 %
-104	Not involved currently or w/in p6mo - interview bug	284	21.0 %
-102	Not involved currently or w/in p6mo - question skipped	615	45.4 %
	Total	**1,354**	**100%**

Based upon 264 valid cases out of 1,354 total cases.

Location: 3702-3705 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S8PAINCOST16A: S8 PainCost: Sentence kept from being by self

Value	Label	Unweighted Frequency	%
1	Yes	358	26.4 %
5	No	231	17.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-104	Not involved currently or w/in p6mo - interview bug	1	0.1 %
-102	Not involved currently or w/in p6mo - question skipped	615	45.4 %
	Total	**1,354**	**100%**

Based upon 589 valid cases out of 1,354 total cases.

Location: 3706-3709 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S8PAINCOST16B: S8 PainCost: Kept from being by self - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	9	0.7 %
2	A little	37	2.7 %
3	Quite a bit	56	4.1 %
4	Very much	256	18.9 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-105	Court didnt keep from doing something - question skipped	36	2.7 %
-104	Not involved currently or w/in p6mo - interview bug	196	14.5 %
-102	Not involved currently or w/in p6mo - question skipped	615	45.4 %
	Total	**1,354**	**100%**

Based upon 358 valid cases out of 1,354 total cases.

Location: 3710-3713 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S8PAINCOST17A: S8 PainCost: Sentence kept from drinking, get high

Value	Label	Unweighted Frequency	%
1	Yes	437	32.3 %
5	No	147	10.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-104	Not involved currently or w/in p6mo - interview bug	5	0.4 %
-102	Not involved currently or w/in p6mo - question skipped	615	45.4 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 584 valid cases out of 1,354 total cases.

Location: 3714-3717 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S8PAINCOST17B: S8 PainCost: Kept from drink or get high - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	157	11.6 %
2	A little	113	8.3 %
3	Quite a bit	46	3.4 %
4	Very much	121	8.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-105	Court didnt keep from doing something - question skipped	27	2.0 %
-104	Not involved currently or w/in p6mo - interview bug	126	9.3 %

Value	Label	Unweighted Frequency	%
-102	Not involved currently or w/in p6mo - question skipped	615	45.4 %
	Total	**1,354**	**100%**

Based upon 437 valid cases out of 1,354 total cases.

Location: 3718-3721 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S8PAINCOST18A: S8 PainCost: Sentence kept from buying things

Value	Label	Unweighted Frequency	%
1	Yes	404	29.8 %
5	No	185	13.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-104	Not involved currently or w/in p6mo - interview bug	1	0.1 %
-102	Not involved currently or w/in p6mo - question skipped	615	45.4 %
	Total	**1,354**	**100%**

Based upon 589 valid cases out of 1,354 total cases.

Location: 3722-3725 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S8PAINCOST18B: S8 PainCost: Kept from buy things - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	12	0.9 %
2	A little	55	4.1 %
3	Quite a bit	82	6.1 %
4	Very much	255	18.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-105	Court didnt keep from doing something - question skipped	34	2.5 %
-104	Not involved currently or w/in p6mo - interview bug	152	11.2 %
-102	Not involved currently or w/in p6mo - question skipped	615	45.4 %
	Total	**1,354**	**100%**

Based upon 404 valid cases out of 1,354 total cases.

Location: 3726-3729 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S8PAINCOST19A: S8 PainCost: Kept from providing for family

Value	Label	Unweighted Frequency	%
1	Yes	408	30.1 %
5	No	181	13.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-104	Not involved currently or w/in p6mo - interview bug	1	0.1 %
-102	Not involved currently or w/in p6mo - question skipped	615	45.4 %
	Total	**1,354**	**100%**

Based upon 589 valid cases out of 1,354 total cases.

Location: 3730-3733 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S8PAINCOST19B: S8 PainCost: Kept from providing for family - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	7	0.5 %
2	A little	23	1.7 %
3	Quite a bit	55	4.1 %
4	Very much	323	23.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-105	Court didnt keep from doing something - question skipped	35	2.6 %
-104	Not involved currently or w/in p6mo - interview bug	147	10.9 %
-102	Not involved currently or w/in p6mo - question skipped	615	45.4 %
	Total	**1,354**	**100%**

Based upon 408 valid cases out of 1,354 total cases.

Location: 3734-3737 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S8PROJUS55: S8 ProJus: Kid caught/arrested for fighting (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	301	22.2 %
1	-	74	5.5 %

Value	Label	Unweighted Frequency	%
2	-	123	9.1 %
3	-	105	7.8 %
4	-	48	3.5 %
5	-	271	20.0 %
6	-	42	3.1 %
7	-	36	2.7 %
8	-	49	3.6 %
9	-	14	1.0 %
10	-	137	10.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-99	Dont Know	5	0.4 %
	Total	**1,354**	**100%**

Based upon 1,200 valid cases out of 1,354 total cases.

Location: 3738-3741 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S8PROJUS56: S8 ProJus: Kid caught/arrested robbery w/ gun (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	46	3.4 %
1	-	10	0.7 %
2	-	41	3.0 %
3	-	45	3.3 %
4	-	59	4.4 %
5	-	295	21.8 %
6	-	68	5.0 %
7	-	128	9.5 %
8	-	131	9.7 %
9	-	75	5.5 %
10	-	302	22.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-99	Dont Know	5	0.4 %
	Total	**1,354**	**100%**

Based upon 1,200 valid cases out of 1,354 total cases.

Location: 3742-3745 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S8PROJUS57: S8 ProJus: Kid caught/arrested stabbing someone (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	50	3.7 %
1	-	18	1.3 %
2	-	35	2.6 %
3	-	50	3.7 %
4	-	44	3.2 %
5	-	263	19.4 %
6	-	79	5.8 %
7	-	120	8.9 %
8	-	152	11.2 %
9	-	96	7.1 %
10	-	293	21.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-99	Dont Know	5	0.4 %
	Total	**1,354**	**100%**

Based upon 1,200 valid cases out of 1,354 total cases.

Location: 3746-3749 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S8PROJUS58: S8 ProJus: Kid caught/arrested breaking into store (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	57	4.2 %
1	-	22	1.6 %
2	-	45	3.3 %
3	-	66	4.9 %
4	-	71	5.2 %
5	-	287	21.2 %
6	-	72	5.3 %
7	-	106	7.8 %
8	-	137	10.1 %
9	-	71	5.2 %
10	-	265	19.6 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-99	Dont Know	6	0.4 %
	Total	**1,354**	**100%**

Based upon 1,199 valid cases out of 1,354 total cases.

Location: 3750-3753 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S8PROJUS59: S8 ProJus: Kid caught/arrested stealing clothes (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	72	5.3 %
1	-	36	2.7 %
2	-	91	6.7 %
3	-	88	6.5 %
4	-	98	7.2 %
5	-	325	24.0 %
6	-	72	5.3 %
7	-	88	6.5 %
8	-	69	5.1 %
9	-	39	2.9 %
10	-	222	16.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-99	Dont Know	5	0.4 %
	Total	**1,354**	**100%**

Based upon 1,200 valid cases out of 1,354 total cases.

Location: 3754-3757 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S8PROJUS60: S8 ProJus: Kid caught/arrested vandalism (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	193	14.3 %
1	-	86	6.4 %
2	-	142	10.5 %

Value	Label	Unweighted Frequency	%
3	-	123	9.1 %
4	-	70	5.2 %
5	-	252	18.6 %
6	-	39	2.9 %
7	-	40	3.0 %
8	-	50	3.7 %
9	-	18	1.3 %
10	-	186	13.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-99	Dont Know	6	0.4 %
	Total	**1,354**	**100%**

Based upon 1,199 valid cases out of 1,354 total cases.

Location: 3758-3761 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S8PROJUS61: S8 ProJus: Kid caught/arrested auto theft (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	75	5.5 %
1	-	35	2.6 %
2	-	51	3.8 %
3	-	78	5.8 %
4	-	67	4.9 %
5	-	334	24.7 %
6	-	86	6.4 %
7	-	77	5.7 %
8	-	92	6.8 %
9	-	41	3.0 %
10	-	264	19.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-99	Dont Know	5	0.4 %
	Total	**1,354**	**100%**

Based upon 1,200 valid cases out of 1,354 total cases.

Location: 3762-3765 (width: 4; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S8PROJUS62: S8 ProJus: You caught/arrested fighting (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	347	25.6 %
1	-	80	5.9 %
2	-	92	6.8 %
3	-	78	5.8 %
4	-	43	3.2 %
5	-	210	15.5 %
6	-	15	1.1 %
7	-	35	2.6 %
8	-	50	3.7 %
9	-	14	1.0 %
10	-	236	17.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-99	Dont Know	5	0.4 %
	Total	**1,354**	**100%**

Based upon 1,200 valid cases out of 1,354 total cases.

Location: 3766-3769 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S8PROJUS63: S8 ProJus: You caught/arrested robbery w/ gun (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	126	9.3 %
1	-	24	1.8 %
2	-	36	2.7 %
3	-	42	3.1 %
4	-	37	2.7 %
5	-	222	16.4 %
6	-	54	4.0 %
7	-	69	5.1 %
8	-	111	8.2 %
9	-	60	4.4 %
10	-	418	30.9 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-99	Dont Know	6	0.4 %
	Total	**1,354**	**100%**

Based upon 1,199 valid cases out of 1,354 total cases.

Location: 3770-3773 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S8PROJUS64: S8 ProJus: You caught/arrested stabbing someone (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	133	9.8 %
1	-	23	1.7 %
2	-	27	2.0 %
3	-	47	3.5 %
4	-	30	2.2 %
5	-	226	16.7 %
6	-	39	2.9 %
7	-	83	6.1 %
8	-	113	8.3 %
9	-	68	5.0 %
10	-	410	30.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-99	Dont Know	6	0.4 %
	Total	**1,354**	**100%**

Based upon 1,199 valid cases out of 1,354 total cases.

Location: 3774-3777 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S8PROJUS65: S8 ProJus: You caught/arrested breaking into store (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	129	9.5 %
1	-	33	2.4 %
2	-	39	2.9 %
3	-	61	4.5 %

Value	Label	Unweighted Frequency	%
4	-	39	2.9 %
5	-	252	18.6 %
6	-	43	3.2 %
7	-	75	5.5 %
8	-	98	7.2 %
9	-	51	3.8 %
10	-	379	28.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-99	Dont Know	6	0.4 %
	Total	**1,354**	**100%**

Based upon 1,199 valid cases out of 1,354 total cases.

Location: 3778-3781 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S8PROJUS66: S8 ProJus: You caught/arrested stealing clothes (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	162	12.0 %
1	-	44	3.2 %
2	-	56	4.1 %
3	-	61	4.5 %
4	-	57	4.2 %
5	-	270	19.9 %
6	-	41	3.0 %
7	-	63	4.7 %
8	-	50	3.7 %
9	-	33	2.4 %
10	-	362	26.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-99	Dont Know	6	0.4 %
	Total	**1,354**	**100%**

Based upon 1,199 valid cases out of 1,354 total cases.

Location: 3782-3785 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -99 , -98

S8PROJUS67: S8 ProJus: You caught/arrested vandalism (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	287	21.2 %
1	-	70	5.2 %
2	-	72	5.3 %
3	-	73	5.4 %
4	-	44	3.2 %
5	-	234	17.3 %
6	-	33	2.4 %
7	-	27	2.0 %
8	-	47	3.5 %
9	-	21	1.6 %
10	-	292	21.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-99	Dont Know	5	0.4 %
	Total	**1,354**	**100%**

Based upon 1,200 valid cases out of 1,354 total cases.

Location: 3786-3789 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S8PROJUS68: S8 ProJus: You caught/arrested auto theft (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	164	12.1 %
1	-	30	2.2 %
2	-	40	3.0 %
3	-	44	3.2 %
4	-	52	3.8 %
5	-	234	17.3 %
6	-	42	3.1 %
7	-	52	3.8 %
8	-	79	5.8 %
9	-	42	3.1 %
10	-	420	31.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-99	Dont Know	6	0.4 %
	Total	**1,354**	**100%**

Based upon 1,199 valid cases out of 1,354 total cases.

Location: 3790-3793 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S8PROJUS69: S8 ProJus: Break law suspend from school

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	40	3.0 %
2	Somewhat Unlikely It Would Happen	10	0.7 %
3	Could go Either Way	123	9.1 %
4	Somewhat Likely It Would Happen	27	2.0 %
5	Very Likely It Would Happen	35	2.6 %
	Missing Data		
-202	IntCompStat=2 (parital)	2	0.1 %
-201	IntCompStat=4 (missing int)	147	10.9 %
-97	NA - no longer in school	968	71.5 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 235 valid cases out of 1,354 total cases.

Location: 3794-3797 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -97 , -9 , -8

S8PROJUS70: S8 ProJus: Break law lose friends respect

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	327	24.2 %
2	Somewhat Unlikely It Would Happen	116	8.6 %
3	Could go Either Way	447	33.0 %
4	Somewhat Likely It Would Happen	205	15.1 %
5	Very Likely It Would Happen	110	8.1 %
	Missing Data		
-202	IntCompStat=2 (parital)	2	0.1 %
-201	IntCompStat=4 (missing int)	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,205 valid cases out of 1,354 total cases.

Location: 3798-3801 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -97 , -9 , -8

S8PROJUS71: S8 ProJus: Break law lose family respect

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	201	14.8 %
2	Somewhat Unlikely It Would Happen	110	8.1 %
3	Could go Either Way	286	21.1 %
4	Somewhat Likely It Would Happen	367	27.1 %
5	Very Likely It Would Happen	241	17.8 %
	Missing Data		
-202	IntCompStat=2 (parital)	2	0.1 %
-201	IntCompStat=4 (missing int)	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,205 valid cases out of 1,354 total cases.

Location: 3802-3805 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -97 , -9 , -8

S8PROJUS72: S8 ProJus: Break law lose neighbors respect

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	158	11.7 %
2	Somewhat Unlikely It Would Happen	98	7.2 %
3	Could go Either Way	367	27.1 %
4	Somewhat Likely It Would Happen	408	30.1 %
5	Very Likely It Would Happen	173	12.8 %
	Missing Data		
-202	IntCompStat=2 (parital)	2	0.1 %
-201	IntCompStat=4 (missing int)	147	10.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 3806-3809 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -97 , -9 , -8

S8PROJUS73: S8 ProJus: Break law lose bf/gf respect

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	196	14.5 %
2	Somewhat Unlikely It Would Happen	82	6.1 %
3	Could go Either Way	418	30.9 %
4	Somewhat Likely It Would Happen	287	21.2 %
5	Very Likely It Would Happen	221	16.3 %
	Missing Data		
-202	IntCompStat=2 (parital)	2	0.1 %
-201	IntCompStat=4 (missing int)	147	10.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 3810-3813 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -97 , -9 , -8

S8PROJUS74: S8 ProJus: Break law harder to find job

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	51	3.8 %
2	Somewhat Unlikely It Would Happen	40	3.0 %
3	Could go Either Way	134	9.9 %
4	Somewhat Likely It Would Happen	457	33.8 %
5	Very Likely It Would Happen	521	38.5 %
	Missing Data		
-202	IntCompStat=2 (parital)	2	0.1 %
-201	IntCompStat=4 (missing int)	147	10.9 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,203 valid cases out of 1,354 total cases.

Location: 3814-3817 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -97 , -9 , -8

S8PROJUS76: S8 ProJus: Thrill/rush fighting (0=no thrill to 10=great thrill)

Value	Label	Unweighted Frequency	%
0	-	598	44.2 %
1	-	29	2.1 %
2	-	58	4.3 %
3	-	44	3.2 %

Value	Label	Unweighted Frequency	%
4	-	33	2.4 %
5	-	165	12.2 %
6	-	35	2.6 %
7	-	42	3.1 %
8	-	67	4.9 %
9	-	22	1.6 %
10	-	112	8.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,205 valid cases out of 1,354 total cases.

Location: 3818-3821 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S8PROJUS77: S8 ProJus: Thrill/rush robbery w/gun (0=no thrill to 10=great thrill)

Value	Label	Unweighted Frequency	%
0	-	848	62.6 %
1	-	41	3.0 %
2	-	42	3.1 %
3	-	38	2.8 %
4	-	32	2.4 %
5	-	76	5.6 %
6	-	24	1.8 %
7	-	14	1.0 %
8	-	30	2.2 %
9	-	5	0.4 %
10	-	55	4.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,205 valid cases out of 1,354 total cases.

Location: 3822-3825 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S8PROJUS78: S8 ProJus: Thrill/rush stabbing someone (0=no thrill to 10=great thrill)

Value	Label	Unweighted Frequency	%
0	-	900	66.5 %
1	-	54	4.0 %
2	-	45	3.3 %
3	-	30	2.2 %
4	-	20	1.5 %
5	-	63	4.7 %
6	-	19	1.4 %
7	-	14	1.0 %
8	-	14	1.0 %
9	-	5	0.4 %
10	-	41	3.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,205 valid cases out of 1,354 total cases.

Location: 3826-3829 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S8PROJUS79: S8 ProJus: Thrill/rush break into store/home (0=no thrill to 10=great thrill)

Value	Label	Unweighted Frequency	%
0	-	876	64.7 %
1	-	45	3.3 %
2	-	45	3.3 %
3	-	41	3.0 %
4	-	36	2.7 %
5	-	76	5.6 %
6	-	24	1.8 %
7	-	6	0.4 %
8	-	17	1.3 %
9	-	5	0.4 %
10	-	34	2.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,205 valid cases out of 1,354 total cases.

Location: 3830-3833 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S8PROJUS80: S8 ProJus: Thrill/rush stealing clothes (0=no thrill to 10=great thrill)

Value	Label	Unweighted Frequency	%
0	-	891	65.8 %
1	-	56	4.1 %
2	-	51	3.8 %
3	-	39	2.9 %
4	-	30	2.2 %
5	-	79	5.8 %
6	-	9	0.7 %
7	-	10	0.7 %
8	-	8	0.6 %
9	-	4	0.3 %
10	-	28	2.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,205 valid cases out of 1,354 total cases.

Location: 3834-3837 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S8PROJUS81: S8 ProJus: Thrill/rush vandalism (0=no thrill to 10=great thrill)

Value	Label	Unweighted Frequency	%
0	-	910	67.2 %
1	-	60	4.4 %
2	-	57	4.2 %
3	-	26	1.9 %
4	-	21	1.6 %
5	-	64	4.7 %
6	-	12	0.9 %
7	-	8	0.6 %
8	-	19	1.4 %
9	-	1	0.1 %
10	-	27	2.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,205 valid cases out of 1,354 total cases.

Location: 3838-3841 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S8PROJUS82: S8 ProJus: Thrill/rush auto theft (0=no thrill to 10=great thrill)

Value	Label	Unweighted Frequency	%
0	-	856	63.2 %
1	-	33	2.4 %
2	-	34	2.5 %
3	-	32	2.4 %
4	-	21	1.6 %
5	-	78	5.8 %
6	-	21	1.6 %
7	-	26	1.9 %
8	-	31	2.3 %
9	-	9	0.7 %
10	-	64	4.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,205 valid cases out of 1,354 total cases.

Location: 3842-3845 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S8PAY01: S8 PainCost: Steal-peers respect more

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	351	25.9 %
2	Disagree	748	55.2 %
3	Agree	90	6.6 %
4	Strongly Agree	15	1.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 3846-3849 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S8PAY02: S8 PainCost: Steal-more respect from adults

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	390	28.8 %
2	Disagree	778	57.5 %
3	Agree	27	2.0 %
4	Strongly Agree	9	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 3850-3853 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S8PAY03: S8 PainCost: Steal-friends like more

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	337	24.9 %
2	Disagree	695	51.3 %
3	Agree	143	10.6 %
4	Strongly Agree	30	2.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,205 valid cases out of 1,354 total cases.

Location: 3854-3857 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S8PAY04: S8 PainCost: Steal-impress bf/gf

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	389	28.7 %
2	Disagree	765	56.5 %
3	Agree	42	3.1 %
4	Strongly Agree	9	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,205 valid cases out of 1,354 total cases.

Location: 3858-3861 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S8PAY05: S8 PainCost: Steal-get back at people

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	314	23.2 %
2	Disagree	605	44.7 %
3	Agree	251	18.5 %
4	Strongly Agree	35	2.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,205 valid cases out of 1,354 total cases.

Location: 3862-3865 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S8PAY06: S8 PainCost: Fight-peers respect more

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	277	20.5 %
2	Disagree	608	44.9 %
3	Agree	279	20.6 %
4	Strongly Agree	41	3.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,205 valid cases out of 1,354 total cases.

Location: 3866-3869 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S8PAY07: S8 PainCost: Fight-more respect from adults

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	322	23.8 %
2	Disagree	738	54.5 %
3	Agree	123	9.1 %
4	Strongly Agree	22	1.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,205 valid cases out of 1,354 total cases.

Location: 3870-3873 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S8PAY08: S8 PainCost: Fight-peers afraid

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	260	19.2 %
2	Disagree	599	44.2 %
3	Agree	307	22.7 %
4	Strongly Agree	39	2.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,205 valid cases out of 1,354 total cases.

Location: 3874-3877 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S8PAY09: S8 PainCost: Fight-impress bf/gf

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	335	24.7 %
2	Disagree	784	57.9 %
3	Agree	73	5.4 %
4	Strongly Agree	12	0.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 3878-3881 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S8PAY10: S8 PainCost: Fight-get back at people

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	281	20.8 %
2	Disagree	619	45.7 %
3	Agree	254	18.8 %
4	Strongly Agree	51	3.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,205 valid cases out of 1,354 total cases.

Location: 3882-3885 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S8PAY11: S8 PainCost: Rob-peers respect more

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	339	25.0 %
2	Disagree	739	54.6 %
3	Agree	112	8.3 %
4	Strongly Agree	15	1.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,205 valid cases out of 1,354 total cases.

Location: 3886-3889 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S8PAY12: S8 PainCost: Rob-more respect from adults

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	370	27.3 %
2	Disagree	783	57.8 %
3	Agree	38	2.8 %
4	Strongly Agree	14	1.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,205 valid cases out of 1,354 total cases.

Location: 3890-3893 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S8PAY13: S8 PainCost: Rob-peers afraid

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	312	23.0 %
2	Disagree	699	51.6 %
3	Agree	164	12.1 %
4	Strongly Agree	30	2.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,205 valid cases out of 1,354 total cases.

Location: 3894-3897 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S8PAY14: S8 PainCost: Rob-impress bf/gf

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	376	27.8 %
2	Disagree	793	58.6 %
3	Agree	30	2.2 %
4	Strongly Agree	5	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,204 valid cases out of 1,354 total cases.

Location: 3898-3901 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S8PAY15: S8 PainCost: Rob-get back at people

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	328	24.2 %
2	Disagree	694	51.3 %
3	Agree	161	11.9 %
4	Strongly Agree	22	1.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,205 valid cases out of 1,354 total cases.

Location: 3902-3905 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S8PUNOTH: S8 PainCost: Certainty of Punishment - Other

Based upon 1,200 valid cases out of 1,354 total cases.

- Mean: 5.6195238095
- Median: 5.2857142857
- Mode: 5.0000000000
- Minimum: 0.0000000000
- Maximum: 10.0000000000
- Standard Deviation: 2.4043421525

Location: 3906-3920 (width: 15; decimal: 10)

Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -99.0000000000 , -98.0000000000

S8PUNYOU: S8 PainCost: Certainty of Punishment - You

Based upon 1,200 valid cases out of 1,354 total cases.

- Mean: 5.7499206349
- Median: 5.5714285714
- Mode: 10.0000000000
- Minimum: 0.0000000000
- Maximum: 10.0000000000
- Standard Deviation: 3.0201829835

Location: 3921-3935 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -99.0000000000 , -98.0000000000

S8SOCCST: S8 PainCost: Social Costs of Punishment

Based upon 1,205 valid cases out of 1,354 total cases.

- Mean: 3.3113692946
- Median: 3.4000000000
- Mode: 3.4000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.9326215530

Location: 3936-3950 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -9.0000000000 , -8.0000000000

S8WGTCST: S8 PainCost: Punishment Costs - Variety

Based upon 522 valid cases out of 1,354 total cases.

- Mean: 3.1606833693
- Median: 3.4285714286
- Mode: 4.0000000000
- Minimum: 1.0000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.8863594762

Location: 3951-3965 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -400.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S8VARCST: S8 PainCost: Punishment Costs (13) - Material Issues

Based upon 589 valid cases out of 1,354 total cases.

- Mean: 11.77
- Median: 15.00
- Mode: 18.00
- Minimum: 0.00

- Maximum: 18.00
- Standard Deviation: 6.83

Location: 3966-3969 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S8MATCST: S8 PainCost: Punishment Costs (5) - Freedom Issues

Based upon 589 valid cases out of 1,354 total cases.

- Mean: 8.06
- Median: 10.00
- Mode: 13.00
- Minimum: 0.00
- Maximum: 13.00
- Standard Deviation: 5.19

Location: 3970-3973 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S8FRECST: S8 PainCost: Punishment Costs - Weight

Based upon 589 valid cases out of 1,354 total cases.

- Mean: 3.71
- Median: 5.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 1.84

Location: 3974-3977 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S8STLRWD: S8 PainCost: Social Rewards of Crime - Stealing

Based upon 1,205 valid cases out of 1,354 total cases.

- Mean: 1.83
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.54

Location: 3978-3983 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -600.0 , -300.0 , -202.0 , -201.0 , -9.0 , -8.0

S8FGTRWD: S8 PainCost: Social Rewards of Crime - Fighting

Based upon 1,205 valid cases out of 1,354 total cases.

- Mean: 1.98

- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.60

Location: 3984-3990 (width: 7; decimal: 2)
Variable Type: numeric
(Range of) Missing Values: -600.00 , -300.00 , -202.00 , -201.00 , -9.00 , -8.00

S8ROBRWD: S8 PainCost: Social Rewards of Crime - Robbery

Based upon 1,205 valid cases out of 1,354 total cases.

- Mean: 1.83
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.54

Location: 3991-3996 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -600.0 , -300.0 , -202.0 , -201.0 , -9.0 , -8.0

S8PERRWD: S8 PainCost: Personal Rewards of Crime

Based upon 1,205 valid cases out of 1,354 total cases.

- Mean: 1.5139300534
- Median: 0.2857142857
- Mode: 0.0000000000
- Minimum: 0.0000000000
- Maximum: 10.0000000000
- Standard Deviation: 2.2627127562

Location: 3997-4011 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -99.0000000000 , -98.0000000000

S9PAINCOST_CRTINV: S9 PainCost: Involved ongoing programs court

Value	Label	Unweighted Frequency	%
1	Yes	482	35.6 %
5	No	697	51.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 4012-4015 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S9PAINCOST_CRTIN6: S9 PainCost: Involved court ordered program

Value	Label	Unweighted Frequency	%
1	Yes	563	41.6 %
5	No	616	45.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 4016-4019 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S9PAINCOST_CRTTYP: S9 PainCost: Describe court involvement

Value	Label	Unweighted Frequency	%
1	Incarceration	423	31.2 %
2	Court ordered community program	6	0.4 %
3	Probation/Parole	123	9.1 %
6	Other	11	0.8 %
7	None	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-102	Not involved currently or w/in p6mo - question skipped	616	45.5 %
	Total	**1,354**	**100%**

Based upon 563 valid cases out of 1,354 total cases.

Location: 4020-4023 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -104 , -102 , -9 , -8

S9PAINCOST_CRTNOW: S9 PainCost: Still involved in program

Value	Label	Unweighted Frequency	%
1	Yes	441	32.6 %
5	No	122	9.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-102	Not involved currently or w/in p6mo - question skipped	616	45.5 %
	Total	**1,354**	**100%**

Based upon 563 valid cases out of 1,354 total cases.

Location: 4024-4027 (width: 4; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S9PAINCOST01A: S9 PainCost: Sentence kept from hang w/friends

Value	Label	Unweighted Frequency	%
1	Yes	428	31.6 %
5	No	135	10.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-102	Not involved currently or w/in p6mo - question skipped	616	45.5 %
	Total	**1,354**	**100%**

Based upon 563 valid cases out of 1,354 total cases.

Location: 4028-4031 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S9PAINCOST01B: S9 PainCost: Kept from hang w/friends - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	35	2.6 %
2	A little	100	7.4 %
3	Quite a bit	90	6.6 %
4	Very much	203	15.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-105	Court didnt keep from doing something - question skipped	28	2.1 %
-104	Not involved currently or w/in p6mo - interview bug	107	7.9 %
-102	Not involved currently or w/in p6mo - question skipped	616	45.5 %
	Total	**1,354**	**100%**

Based upon 428 valid cases out of 1,354 total cases.

Location: 4032-4035 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S9PAINCOST02A: S9 PainCost: Sentence kept from choose how spend time

Value	Label	Unweighted Frequency	%
1	Yes	452	33.4 %
5	No	111	8.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %

Value	Label	Unweighted Frequency	%
-102	Not involved currently or w/in p6mo - question skipped	616	45.5 %
	Total	**1,354**	**100%**

Based upon 563 valid cases out of 1,354 total cases.

Location: 4036-4039 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S9PAINCOST02B: S9 PainCost: Kept from choose how spend time - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	10	0.7 %
2	A little	57	4.2 %
3	Quite a bit	86	6.4 %
4	Very much	299	22.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-105	Court didnt keep from doing something - question skipped	21	1.6 %
-104	Not involved currently or w/in p6mo - interview bug	90	6.6 %
-102	Not involved currently or w/in p6mo - question skipped	616	45.5 %
	Total	**1,354**	**100%**

Based upon 452 valid cases out of 1,354 total cases.

Location: 4040-4043 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S9PAINCOST03A: S9 PainCost: Sentence kept from decide what eat

Value	Label	Unweighted Frequency	%
1	Yes	410	30.3 %
5	No	153	11.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-102	Not involved currently or w/in p6mo - question skipped	616	45.5 %
	Total	**1,354**	**100%**

Based upon 563 valid cases out of 1,354 total cases.

Location: 4044-4047 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S9PAINCOST03B: S9 PainCost: Kept from decide what to eat - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	4	0.3 %
2	A little	28	2.1 %
3	Quite a bit	82	6.1 %
4	Very much	296	21.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-105	Court didnt keep from doing something - question skipped	33	2.4 %
-104	Not involved currently or w/in p6mo - interview bug	120	8.9 %
-102	Not involved currently or w/in p6mo - question skipped	616	45.5 %
	Total	**1,354**	**100%**

Based upon 410 valid cases out of 1,354 total cases.

Location: 4048-4051 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S9PAINCOST04A: S9 PainCost: Sentence kept from able to leave

Value	Label	Unweighted Frequency	%
1	Yes	460	34.0 %
5	No	103	7.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-102	Not involved currently or w/in p6mo - question skipped	616	45.5 %
	Total	**1,354**	**100%**

Based upon 563 valid cases out of 1,354 total cases.

Location: 4052-4055 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S9PAINCOST04B: S9 PainCost: Kept from able to leave - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	6	0.4 %
2	A little	34	2.5 %
3	Quite a bit	64	4.7 %
4	Very much	356	26.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-105	Court didnt keep from doing something - question skipped	21	1.6 %
-104	Not involved currently or w/in p6mo - interview bug	82	6.1 %

Value	Label	Unweighted Frequency	%
-102	Not involved currently or w/in p6mo - question skipped	616	45.5 %
	Total	**1,354**	**100%**

Based upon 460 valid cases out of 1,354 total cases.

Location: 4056-4059 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S9PAINCOST05A: S9 PainCost: Court sentence kept from sleeping late

Value	Label	Unweighted Frequency	%
1	Yes	289	21.3 %
5	No	274	20.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-102	Not involved currently or w/in p6mo - question skipped	616	45.5 %
	Total	**1,354**	**100%**

Based upon 563 valid cases out of 1,354 total cases.

Location: 4060-4063 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S9PAINCOST05B: S9 PainCost: Kept from sleeping late - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	19	1.4 %
2	A little	42	3.1 %
3	Quite a bit	51	3.8 %
4	Very much	177	13.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-105	Court didnt keep from doing something - question skipped	36	2.7 %
-104	Not involved currently or w/in p6mo - interview bug	238	17.6 %
-102	Not involved currently or w/in p6mo - question skipped	616	45.5 %
	Total	**1,354**	**100%**

Based upon 289 valid cases out of 1,354 total cases.

Location: 4064-4067 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S9PAINCOST06A: S9 PainCost: Court sentence kept from go out w/bfgf

Value	Label	Unweighted Frequency	%
1	Yes	431	31.8 %
5	No	132	9.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-102	Not involved currently or w/in p6mo - question skipped	616	45.5 %
	Total	**1,354**	**100%**

Based upon 563 valid cases out of 1,354 total cases.

Location: 4068-4071 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S9PAINCOST06B: S9 PainCost: Kept from go out w/bfgf - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	5	0.4 %
2	A little	21	1.6 %
3	Quite a bit	56	4.1 %
4	Very much	349	25.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-105	Court didnt keep from doing something - question skipped	29	2.1 %
-104	Not involved currently or w/in p6mo - interview bug	103	7.6 %
-102	Not involved currently or w/in p6mo - question skipped	616	45.5 %
	Total	**1,354**	**100%**

Based upon 431 valid cases out of 1,354 total cases.

Location: 4072-4075 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S9PAINCOST07A: S9 PainCost: Sentence kept from watching TV

Value	Label	Unweighted Frequency	%
1	Yes	296	21.9 %
5	No	267	19.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-102	Not involved currently or w/in p6mo - question skipped	616	45.5 %
	Total	**1,354**	**100%**

Based upon 563 valid cases out of 1,354 total cases.

Location: 4076-4079 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S9PAINCOST07B: S9 PainCost: Kept from watching TV - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	16	1.2 %
2	A little	34	2.5 %
3	Quite a bit	54	4.0 %
4	Very much	192	14.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-105	Court didnt keep from doing something - question skipped	32	2.4 %
-104	Not involved currently or w/in p6mo - interview bug	235	17.4 %
-102	Not involved currently or w/in p6mo - question skipped	616	45.5 %
	Total	**1,354**	**100%**

Based upon 296 valid cases out of 1,354 total cases.

Location: 4080-4083 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S9PAINCOST08A: S9 PainCost: Sentence kept from dressing way want

Value	Label	Unweighted Frequency	%
1	Yes	420	31.0 %
5	No	143	10.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-102	Not involved currently or w/in p6mo - question skipped	616	45.5 %
	Total	**1,354**	**100%**

Based upon 563 valid cases out of 1,354 total cases.

Location: 4084-4087 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S9PAINCOST08B: S9 PainCost: Kept from dress the way want - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	7	0.5 %
2	A little	26	1.9 %
3	Quite a bit	74	5.5 %

Value	Label	Unweighted Frequency	%
4	Very much	313	23.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-105	Court didnt keep from doing something - question skipped	31	2.3 %
-104	Not involved currently or w/in p6mo - interview bug	112	8.3 %
-102	Not involved currently or w/in p6mo - question skipped	616	45.5 %
	Total	**1,354**	**100%**

Based upon 420 valid cases out of 1,354 total cases.

Location: 4088-4091 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S9PAINCOST09A: S9 PainCost: Sentence kept from listen to music

Value	Label	Unweighted Frequency	%
1	Yes	301	22.2 %
5	No	262	19.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-102	Not involved currently or w/in p6mo - question skipped	616	45.5 %
	Total	**1,354**	**100%**

Based upon 563 valid cases out of 1,354 total cases.

Location: 4092-4095 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S9PAINCOST09B: S9 PainCost: Kept from listen to music - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	11	0.8 %
2	A little	28	2.1 %
3	Quite a bit	51	3.8 %
4	Very much	211	15.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-105	Court didnt keep from doing something - question skipped	38	2.8 %
-104	Not involved currently or w/in p6mo - interview bug	224	16.5 %
-102	Not involved currently or w/in p6mo - question skipped	616	45.5 %
	Total	**1,354**	**100%**

Based upon 301 valid cases out of 1,354 total cases.

Location: 4096-4099 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S9PAINCOST10A: S9 PainCost: Sentence kept from seeing movies

Value	Label	Unweighted Frequency	%
1	Yes	397	29.3 %
5	No	166	12.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-102	Not involved currently or w/in p6mo - question skipped	616	45.5 %
	Total	**1,354**	**100%**

Based upon 563 valid cases out of 1,354 total cases.

Location: 4100-4103 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S9PAINCOST10B: S9 PainCost: Kept from seeing movies - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	14	1.0 %
2	A little	63	4.7 %
3	Quite a bit	71	5.2 %
4	Very much	249	18.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-105	Court didnt keep from doing something - question skipped	31	2.3 %
-104	Not involved currently or w/in p6mo - interview bug	135	10.0 %
-102	Not involved currently or w/in p6mo - question skipped	616	45.5 %
	Total	**1,354**	**100%**

Based upon 397 valid cases out of 1,354 total cases.

Location: 4104-4107 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S9PAINCOST11A: S9 PainCost: Sentence kept from warm place

Value	Label	Unweighted Frequency	%
1	Yes	405	29.9 %
5	No	158	11.7 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-102	Not involved currently or w/in p6mo - question skipped	616	45.5 %
	Total	**1,354**	**100%**

Based upon 563 valid cases out of 1,354 total cases.

Location: 4108-4111 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S9PAINCOST11B: S9 PainCost: Kept from warm place - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	6	0.4 %
2	A little	24	1.8 %
3	Quite a bit	66	4.9 %
4	Very much	309	22.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-105	Court didnt keep from doing something - question skipped	31	2.3 %
-104	Not involved currently or w/in p6mo - interview bug	127	9.4 %
-102	Not involved currently or w/in p6mo - question skipped	616	45.5 %
	Total	**1,354**	**100%**

Based upon 405 valid cases out of 1,354 total cases.

Location: 4112-4115 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S9PAINCOST12A: S9 PainCost: Sentence kept from place that looks good

Value	Label	Unweighted Frequency	%
1	Yes	417	30.8 %
5	No	146	10.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-102	Not involved currently or w/in p6mo - question skipped	616	45.5 %
	Total	**1,354**	**100%**

Based upon 563 valid cases out of 1,354 total cases.

Location: 4116-4119 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S9PAINCOST12B: S9 PainCost: Kept from place that looks good - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	7	0.5 %
2	A little	30	2.2 %
3	Quite a bit	73	5.4 %
4	Very much	307	22.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-105	Court didnt keep from doing something - question skipped	30	2.2 %
-104	Not involved currently or w/in p6mo - interview bug	116	8.6 %
-102	Not involved currently or w/in p6mo - question skipped	616	45.5 %
	Total	**1,354**	**100%**

Based upon 417 valid cases out of 1,354 total cases.

Location: 4120-4123 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S9PAINCOST13A: S9 PainCost: Sentence kept from choosing what to wear

Value	Label	Unweighted Frequency	%
1	Yes	420	31.0 %
5	No	143	10.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-102	Not involved currently or w/in p6mo - question skipped	616	45.5 %
	Total	**1,354**	**100%**

Based upon 563 valid cases out of 1,354 total cases.

Location: 4124-4127 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S9PAINCOST13B: S9 PainCost: Kept from choosing what to wear - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	5	0.4 %
2	A little	26	1.9 %
3	Quite a bit	77	5.7 %
4	Very much	312	23.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %

Value	Label	Unweighted Frequency	%
-105	Court didnt keep from doing something - question skipped	31	2.3 %
-104	Not involved currently or w/in p6mo - interview bug	112	8.3 %
-102	Not involved currently or w/in p6mo - question skipped	616	45.5 %
	Total	**1,354**	**100%**

Based upon 420 valid cases out of 1,354 total cases.

Location: 4128-4131 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S9PAINCOST14A: S9 PainCost: Sentence kept from talking on the phone

Value	Label	Unweighted Frequency	%
1	Yes	409	30.2 %
5	No	154	11.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-102	Not involved currently or w/in p6mo - question skipped	616	45.5 %
	Total	**1,354**	**100%**

Based upon 563 valid cases out of 1,354 total cases.

Location: 4132-4135 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S9PAINCOST14B: S9 PainCost: Kept from talk on the phone - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	10	0.7 %
2	A little	29	2.1 %
3	Quite a bit	74	5.5 %
4	Very much	296	21.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-105	Court didnt keep from doing something - question skipped	28	2.1 %
-104	Not involved currently or w/in p6mo - interview bug	126	9.3 %
-102	Not involved currently or w/in p6mo - question skipped	616	45.5 %
	Total	**1,354**	**100%**

Based upon 409 valid cases out of 1,354 total cases.

Location: 4136-4139 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S9PAINCOST15A: S9 PainCost: Sentence kept from reading what want

Value	Label	Unweighted Frequency	%
1	Yes	264	19.5 %
5	No	299	22.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-102	Not involved currently or w/in p6mo - question skipped	616	45.5 %
	Total	**1,354**	**100%**

Based upon 563 valid cases out of 1,354 total cases.

Location: 4140-4143 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S9PAINCOST15B: S9 PainCost: Kept from read what want - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	14	1.0 %
2	A little	40	3.0 %
3	Quite a bit	45	3.3 %
4	Very much	165	12.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-105	Court didnt keep from doing something - question skipped	41	3.0 %
-104	Not involved currently or w/in p6mo - interview bug	258	19.1 %
-102	Not involved currently or w/in p6mo - question skipped	616	45.5 %
	Total	**1,354**	**100%**

Based upon 264 valid cases out of 1,354 total cases.

Location: 4144-4147 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S9PAINCOST16A: S9 PainCost: Sentence kept from being by self

Value	Label	Unweighted Frequency	%
1	Yes	357	26.4 %
5	No	206	15.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-102	Not involved currently or w/in p6mo - question skipped	616	45.5 %
	Total	**1,354**	**100%**

Based upon 563 valid cases out of 1,354 total cases.

Location: 4148-4151 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S9PAINCOST16B: S9 PainCost: Kept from being by self - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	8	0.6 %
2	A little	24	1.8 %
3	Quite a bit	55	4.1 %
4	Very much	270	19.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-105	Court didnt keep from doing something - question skipped	36	2.7 %
-104	Not involved currently or w/in p6mo - interview bug	170	12.6 %
-102	Not involved currently or w/in p6mo - question skipped	616	45.5 %
	Total	**1,354**	**100%**

Based upon 357 valid cases out of 1,354 total cases.

Location: 4152-4155 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S9PAINCOST17A: S9 PainCost: Sentence kept from drinking, get high

Value	Label	Unweighted Frequency	%
1	Yes	447	33.0 %
5	No	109	8.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-104	Not involved currently or w/in p6mo - interview bug	6	0.4 %
-102	Not involved currently or w/in p6mo - question skipped	616	45.5 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 556 valid cases out of 1,354 total cases.

Location: 4156-4159 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S9PAINCOST17B: S9 PainCost: Kept from drink or get high - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	183	13.5 %
2	A little	85	6.3 %
3	Quite a bit	48	3.5 %
4	Very much	131	9.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-105	Court didnt keep from doing something - question skipped	21	1.6 %
-104	Not involved currently or w/in p6mo - interview bug	95	7.0 %
-102	Not involved currently or w/in p6mo - question skipped	616	45.5 %
	Total	**1,354**	**100%**

Based upon 447 valid cases out of 1,354 total cases.

Location: 4160-4163 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S9PAINCOST18A: S9 PainCost: Sentence kept from buying things

Value	Label	Unweighted Frequency	%
1	Yes	413	30.5 %
5	No	150	11.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-102	Not involved currently or w/in p6mo - question skipped	616	45.5 %
	Total	**1,354**	**100%**

Based upon 563 valid cases out of 1,354 total cases.

Location: 4164-4167 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S9PAINCOST18B: S9 PainCost: Kept from buy things - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	18	1.3 %
2	A little	41	3.0 %
3	Quite a bit	74	5.5 %
4	Very much	280	20.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-105	Court didnt keep from doing something - question skipped	29	2.1 %
-104	Not involved currently or w/in p6mo - interview bug	121	8.9 %

Value	Label	Unweighted Frequency	%
-102	Not involved currently or w/in p6mo - question skipped	616	45.5 %
	Total	**1,354**	**100%**

Based upon 413 valid cases out of 1,354 total cases.

Location: 4168-4171 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S9PAINCOST19A: S9 PainCost: Kept from providing for family

Value	Label	Unweighted Frequency	%
1	Yes	408	30.1 %
5	No	155	11.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-102	Not involved currently or w/in p6mo - question skipped	616	45.5 %
	Total	**1,354**	**100%**

Based upon 563 valid cases out of 1,354 total cases.

Location: 4172-4175 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

S9PAINCOST19B: S9 PainCost: Kept from providing for family - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	8	0.6 %
2	A little	13	1.0 %
3	Quite a bit	43	3.2 %
4	Very much	344	25.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-105	Court didnt keep from doing something - question skipped	32	2.4 %
-104	Not involved currently or w/in p6mo - interview bug	123	9.1 %
-102	Not involved currently or w/in p6mo - question skipped	616	45.5 %
	Total	**1,354**	**100%**

Based upon 408 valid cases out of 1,354 total cases.

Location: 4176-4179 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

S9PROJUS55: S9 ProJus: Kid caught/arrested for fighting (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	269	19.9 %
1	-	64	4.7 %
2	-	114	8.4 %
3	-	103	7.6 %
4	-	61	4.5 %
5	-	295	21.8 %
6	-	38	2.8 %
7	-	34	2.5 %
8	-	56	4.1 %
9	-	14	1.0 %
10	-	129	9.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-99	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,177 valid cases out of 1,354 total cases.

Location: 4180-4183 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S9PROJUS56: S9 ProJus: Kid caught/arrested robbery w/ gun (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	46	3.4 %
1	-	15	1.1 %
2	-	21	1.6 %
3	-	51	3.8 %
4	-	44	3.2 %
5	-	284	21.0 %
6	-	75	5.5 %
7	-	133	9.8 %
8	-	160	11.8 %
9	-	61	4.5 %
10	-	287	21.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-99	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,177 valid cases out of 1,354 total cases.

Location: 4184-4187 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S9PROJUS57: S9 ProJus: Kid caught/arrested stabbing someone (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	40	3.0 %
1	-	15	1.1 %
2	-	24	1.8 %
3	-	47	3.5 %
4	-	44	3.2 %
5	-	253	18.7 %
6	-	82	6.1 %
7	-	123	9.1 %
8	-	166	12.3 %
9	-	75	5.5 %
10	-	308	22.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-99	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,177 valid cases out of 1,354 total cases.

Location: 4188-4191 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S9PROJUS58: S9 ProJus: Kid caught/arrested breaking into store (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	50	3.7 %
1	-	20	1.5 %
2	-	32	2.4 %
3	-	64	4.7 %
4	-	70	5.2 %
5	-	304	22.5 %
6	-	73	5.4 %
7	-	114	8.4 %
8	-	132	9.7 %
9	-	54	4.0 %
10	-	264	19.5 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	175	12.9 %
-99	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,177 valid cases out of 1,354 total cases.

Location: 4192-4195 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S9PROJUS59: S9 ProJus: Kid caught/arrested stealing clothes (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	61	4.5 %
1	-	34	2.5 %
2	-	72	5.3 %
3	-	92	6.8 %
4	-	114	8.4 %
5	-	348	25.7 %
6	-	71	5.2 %
7	-	78	5.8 %
8	-	79	5.8 %
9	-	27	2.0 %
10	-	201	14.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-99	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,177 valid cases out of 1,354 total cases.

Location: 4196-4199 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S9PROJUS60: S9 ProJus: Kid caught/arrested vandalism (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	167	12.3 %
1	-	90	6.6 %
2	-	141	10.4 %
3	-	115	8.5 %
4	-	80	5.9 %
5	-	266	19.6 %

Value	Label	Unweighted Frequency	%
6	-	41	3.0 %
7	-	42	3.1 %
8	-	44	3.2 %
9	-	20	1.5 %
10	-	170	12.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-99	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,176 valid cases out of 1,354 total cases.

Location: 4200-4203 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S9PROJUS61: S9 ProJus: Kid caught/arrested auto theft (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	46	3.4 %
1	-	28	2.1 %
2	-	56	4.1 %
3	-	83	6.1 %
4	-	87	6.4 %
5	-	331	24.4 %
6	-	91	6.7 %
7	-	82	6.1 %
8	-	95	7.0 %
9	-	39	2.9 %
10	-	239	17.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-99	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,177 valid cases out of 1,354 total cases.

Location: 4204-4207 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S9PROJUS62: S9 ProJus: You caught/arrested fighting (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	308	22.7 %
1	-	70	5.2 %
2	-	90	6.6 %
3	-	74	5.5 %
4	-	49	3.6 %
5	-	255	18.8 %
6	-	27	2.0 %
7	-	24	1.8 %
8	-	30	2.2 %
9	-	22	1.6 %
10	-	228	16.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-99	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,177 valid cases out of 1,354 total cases.

Location: 4208-4211 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S9PROJUS63: S9 ProJus: You caught/arrested robbery w/ gun (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	112	8.3 %
1	-	23	1.7 %
2	-	23	1.7 %
3	-	31	2.3 %
4	-	35	2.6 %
5	-	213	15.7 %
6	-	45	3.3 %
7	-	84	6.2 %
8	-	112	8.3 %
9	-	66	4.9 %
10	-	433	32.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-99	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,177 valid cases out of 1,354 total cases.

Location: 4212-4215 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S9PROJUS64: S9 ProJus: You caught/arrested stabbing someone (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	119	8.8 %
1	-	16	1.2 %
2	-	28	2.1 %
3	-	35	2.6 %
4	-	36	2.7 %
5	-	212	15.7 %
6	-	39	2.9 %
7	-	88	6.5 %
8	-	107	7.9 %
9	-	72	5.3 %
10	-	425	31.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-99	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,177 valid cases out of 1,354 total cases.

Location: 4216-4219 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S9PROJUS65: S9 ProJus: You caught/arrested breaking into store (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	127	9.4 %
1	-	20	1.5 %
2	-	35	2.6 %
3	-	44	3.2 %
4	-	36	2.7 %
5	-	250	18.5 %
6	-	54	4.0 %
7	-	69	5.1 %
8	-	91	6.7 %
9	-	72	5.3 %
10	-	378	27.9 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	175	12.9 %
-99	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,176 valid cases out of 1,354 total cases.

Location: 4220-4223 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S9PROJUS66: S9 ProJus: You caught/arrested stealing clothes (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	148	10.9 %
1	-	39	2.9 %
2	-	51	3.8 %
3	-	61	4.5 %
4	-	52	3.8 %
5	-	268	19.8 %
6	-	41	3.0 %
7	-	55	4.1 %
8	-	72	5.3 %
9	-	47	3.5 %
10	-	343	25.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-99	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,177 valid cases out of 1,354 total cases.

Location: 4224-4227 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S9PROJUS67: S9 ProJus: You caught/arrested vandalism (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	254	18.8 %
1	-	58	4.3 %
2	-	88	6.5 %
3	-	75	5.5 %
4	-	45	3.3 %
5	-	248	18.3 %

Value	Label	Unweighted Frequency	%
6	-	31	2.3 %
7	-	24	1.8 %
8	-	39	2.9 %
9	-	29	2.1 %
10	-	286	21.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-99	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,177 valid cases out of 1,354 total cases.

Location: 4228-4231 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S9PROJUS68: S9 ProJus: You caught/arrested auto theft (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	143	10.6 %
1	-	26	1.9 %
2	-	35	2.6 %
3	-	52	3.8 %
4	-	41	3.0 %
5	-	259	19.1 %
6	-	40	3.0 %
7	-	64	4.7 %
8	-	65	4.8 %
9	-	50	3.7 %
10	-	402	29.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-99	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,177 valid cases out of 1,354 total cases.

Location: 4232-4235 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S9PROJUS69: S9 ProJus: Break law suspend from school

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	33	2.4 %
2	Somewhat Unlikely It Would Happen	5	0.4 %
3	Could go Either Way	111	8.2 %
4	Somewhat Likely It Would Happen	15	1.1 %
5	Very Likely It Would Happen	34	2.5 %
	Missing Data		
-201	IntCompStat=4 (missing int)	175	12.9 %
-97	NA - no longer in school	979	72.3 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 198 valid cases out of 1,354 total cases.

Location: 4236-4239 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -97 , -9 , -8

S9PROJUS70: S9 ProJus: Break law lose friends respect

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	289	21.3 %
2	Somewhat Unlikely It Would Happen	146	10.8 %
3	Could go Either Way	419	30.9 %
4	Somewhat Likely It Would Happen	197	14.5 %
5	Very Likely It Would Happen	127	9.4 %
	Missing Data		
-201	IntCompStat=4 (missing int)	175	12.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,178 valid cases out of 1,354 total cases.

Location: 4240-4243 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -97 , -9 , -8

S9PROJUS71: S9 ProJus: Break law lose family respect

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	173	12.8 %
2	Somewhat Unlikely It Would Happen	98	7.2 %
3	Could go Either Way	304	22.5 %
4	Somewhat Likely It Would Happen	359	26.5 %
5	Very Likely It Would Happen	245	18.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-201	IntCompStat=4 (missing int)	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 4244-4247 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -97 , -9 , -8

S9PROJUS72: S9 ProJus: Break law lose neighbors respect

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	147	10.9 %
2	Somewhat Unlikely It Would Happen	90	6.6 %
3	Could go Either Way	367	27.1 %
4	Somewhat Likely It Would Happen	387	28.6 %
5	Very Likely It Would Happen	187	13.8 %
	Missing Data		
-201	IntCompStat=4 (missing int)	175	12.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,178 valid cases out of 1,354 total cases.

Location: 4248-4251 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -97 , -9 , -8

S9PROJUS73: S9 ProJus: Break law lose bf/gf respect

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	175	12.9 %
2	Somewhat Unlikely It Would Happen	77	5.7 %
3	Could go Either Way	426	31.5 %
4	Somewhat Likely It Would Happen	255	18.8 %
5	Very Likely It Would Happen	245	18.1 %
	Missing Data		
-201	IntCompStat=4 (missing int)	175	12.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,178 valid cases out of 1,354 total cases.

Location: 4252-4255 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -97 , -9 , -8

S9PROJUS74: S9 ProJus: Break law harder to find job

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	49	3.6 %
2	Somewhat Unlikely It Would Happen	38	2.8 %
3	Could go Either Way	140	10.3 %
4	Somewhat Likely It Would Happen	425	31.4 %
5	Very Likely It Would Happen	527	38.9 %
	Missing Data		
-201	IntCompStat=4 (missing int)	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 4256-4259 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -97 , -9 , -8

S9PROJUS76: S9 ProJus: Thrill/rush fighting (0=no thrill to 10=great thrill)

Value	Label	Unweighted Frequency	%
0	-	580	42.8 %
1	-	25	1.8 %
2	-	57	4.2 %
3	-	48	3.5 %
4	-	30	2.2 %
5	-	149	11.0 %
6	-	37	2.7 %
7	-	36	2.7 %
8	-	73	5.4 %
9	-	17	1.3 %
10	-	127	9.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 4260-4263 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S9PROJUS77: S9 ProJus: Thrill/rush robbery w/gun (0=no thrill to 10=great thrill)

Value	Label	Unweighted Frequency	%
0	-	833	61.5 %
1	-	29	2.1 %
2	-	54	4.0 %
3	-	33	2.4 %
4	-	19	1.4 %
5	-	79	5.8 %
6	-	20	1.5 %
7	-	27	2.0 %
8	-	21	1.6 %
9	-	14	1.0 %
10	-	50	3.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 4264-4267 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S9PROJUS78: S9 ProJus: Thrill/rush stabbing someone (0=no thrill to 10=great thrill)

Value	Label	Unweighted Frequency	%
0	-	882	65.1 %
1	-	40	3.0 %
2	-	52	3.8 %
3	-	30	2.2 %
4	-	24	1.8 %
5	-	56	4.1 %
6	-	16	1.2 %
7	-	17	1.3 %
8	-	17	1.3 %
9	-	8	0.6 %
10	-	37	2.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 4268-4271 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -99 , -98

S9PROJUS79: S9 ProJus: Thrill/rush break into store/home (0=no thrill to 10=great thrill)

Value	Label	Unweighted Frequency	%
0	-	854	63.1 %
1	-	34	2.5 %
2	-	53	3.9 %
3	-	30	2.2 %
4	-	31	2.3 %
5	-	74	5.5 %
6	-	19	1.4 %
7	-	24	1.8 %
8	-	21	1.6 %
9	-	8	0.6 %
10	-	31	2.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 4272-4275 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S9PROJUS80: S9 ProJus: Thrill/rush stealing clothes (0=no thrill to 10=great thrill)

Value	Label	Unweighted Frequency	%
0	-	889	65.7 %
1	-	42	3.1 %
2	-	67	4.9 %
3	-	31	2.3 %
4	-	23	1.7 %
5	-	69	5.1 %
6	-	13	1.0 %
7	-	13	1.0 %
8	-	5	0.4 %
9	-	3	0.2 %
10	-	24	1.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 4276-4279 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S9PROJUS81: S9 ProJus: Thrill/rush vandalism (0=no thrill to 10=great thrill)

Value	Label	Unweighted Frequency	%
0	-	905	66.8 %
1	-	54	4.0 %
2	-	51	3.8 %
3	-	31	2.3 %
4	-	18	1.3 %
5	-	64	4.7 %
6	-	12	0.9 %
7	-	16	1.2 %
8	-	10	0.7 %
9	-	3	0.2 %
10	-	15	1.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 4280-4283 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S9PROJUS82: S9 ProJus: Thrill/rush auto theft (0=no thrill to 10=great thrill)

Value	Label	Unweighted Frequency	%
0	-	867	64.0 %
1	-	28	2.1 %
2	-	28	2.1 %
3	-	25	1.8 %
4	-	18	1.3 %
5	-	73	5.4 %
6	-	27	2.0 %
7	-	19	1.4 %
8	-	24	1.8 %
9	-	12	0.9 %
10	-	58	4.3 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 4284-4287 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S9PAY01: S9 PainCost: Steal-peers respect more

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	381	28.1 %
2	Disagree	708	52.3 %
3	Agree	79	5.8 %
4	Strongly Agree	11	0.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 4288-4291 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S9PAY02: S9 PainCost: Steal-more respect from adults

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	421	31.1 %
2	Disagree	719	53.1 %
3	Agree	32	2.4 %
4	Strongly Agree	6	0.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,178 valid cases out of 1,354 total cases.

Location: 4292-4295 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S9PAY03: S9 PainCost: Steal-friends like more

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	379	28.0 %
2	Disagree	664	49.0 %
3	Agree	121	8.9 %
4	Strongly Agree	15	1.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 4296-4299 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S9PAY04: S9 PainCost: Steal-impress bf/gf

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	441	32.6 %
2	Disagree	698	51.6 %
3	Agree	37	2.7 %
4	Strongly Agree	3	0.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 4300-4303 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S9PAY05: S9 PainCost: Steal-get back at people

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	349	25.8 %
2	Disagree	592	43.7 %
3	Agree	202	14.9 %
4	Strongly Agree	34	2.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,177 valid cases out of 1,354 total cases.

Location: 4304-4307 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S9PAY06: S9 PainCost: Fight-peers respect more

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	317	23.4 %
2	Disagree	574	42.4 %
3	Agree	254	18.8 %
4	Strongly Agree	33	2.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,178 valid cases out of 1,354 total cases.

Location: 4308-4311 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S9PAY07: S9 PainCost: Fight-more respect from adults

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	361	26.7 %
2	Disagree	675	49.9 %
3	Agree	133	9.8 %
4	Strongly Agree	10	0.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 4312-4315 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S9PAY08: S9 PainCost: Fight-peers afraid

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	296	21.9 %
2	Disagree	578	42.7 %
3	Agree	271	20.0 %
4	Strongly Agree	34	2.5 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 4316-4319 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S9PAY09: S9 PainCost: Fight-impress bf/gf

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	389	28.7 %
2	Disagree	712	52.6 %
3	Agree	71	5.2 %
4	Strongly Agree	6	0.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,178 valid cases out of 1,354 total cases.

Location: 4320-4323 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S9PAY10: S9 PainCost: Fight-get back at people

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	335	24.7 %
2	Disagree	566	41.8 %
3	Agree	242	17.9 %
4	Strongly Agree	35	2.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,178 valid cases out of 1,354 total cases.

Location: 4324-4327 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S9PAY11: S9 PainCost: Rob-peers respect more

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	403	29.8 %
2	Disagree	682	50.4 %
3	Agree	82	6.1 %
4	Strongly Agree	10	0.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,177 valid cases out of 1,354 total cases.

Location: 4328-4331 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S9PAY12: S9 PainCost: Rob-more respect from adults

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	431	31.8 %
2	Disagree	710	52.4 %
3	Agree	30	2.2 %
4	Strongly Agree	7	0.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,178 valid cases out of 1,354 total cases.

Location: 4332-4335 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S9PAY13: S9 PainCost: Rob-peers afraid

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	367	27.1 %
2	Disagree	624	46.1 %
3	Agree	166	12.3 %
4	Strongly Agree	22	1.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 4336-4339 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S9PAY14: S9 PainCost: Rob-impress bf/gf

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	443	32.7 %
2	Disagree	717	53.0 %
3	Agree	16	1.2 %
4	Strongly Agree	3	0.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 4340-4343 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S9PAY15: S9 PainCost: Rob-get back at people

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	392	29.0 %
2	Disagree	624	46.1 %
3	Agree	141	10.4 %
4	Strongly Agree	22	1.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 4344-4347 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

S9PUNOTH: S9 PainCost: Certainty of Punishment - Other

Based upon 1,177 valid cases out of 1,354 total cases.

- Mean: 5.6774082615

- Median: 5.2857142857
- Mode: 5.0000000000
- Minimum: 0.0000000000
- Maximum: 10.0000000000
- Standard Deviation: 2.3740324449

Location: 4348-4362 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -99.0000000000 , -98.0000000000

S9PUNYOU: S9 PainCost: Certainty of Punishment - You

Based upon 1,177 valid cases out of 1,354 total cases.

- Mean: 5.8974996966
- Median: 5.7142857143
- Mode: 10.0000000000
- Minimum: 0.0000000000
- Maximum: 10.0000000000
- Standard Deviation: 2.9648500741

Location: 4363-4377 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -99.0000000000 , -98.0000000000

S9SOCCST: S9 PainCost: Social Costs of Punishment

Based upon 1,179 valid cases out of 1,354 total cases.

- Mean: 3.3591461691
- Median: 3.4000000000
- Mode: 3.0000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.9364460618

Location: 4378-4392 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -9.0000000000 , -8.0000000000

S9WGTCST: S9 PainCost: Punishment Costs - Variety

Based upon 518 valid cases out of 1,354 total cases.

- Mean: 3.2305541217
- Median: 3.5384615385
- Mode: 4.0000000000
- Minimum: 1.0000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.8458135376

Location: 4393-4407 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -400.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S9VARCST: S9 PainCost: Punishment Costs (13) - Material Issues

Based upon 563 valid cases out of 1,354 total cases.

- Mean: 12.46
- Median: 15.00
- Mode: 18.00
- Minimum: 0.00
- Maximum: 18.00
- Standard Deviation: 6.52

Location: 4408-4411 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S9MATCST: S9 PainCost: Punishment Costs (5) - Freedom Issues

Based upon 563 valid cases out of 1,354 total cases.

- Mean: 8.52
- Median: 11.00
- Mode: 13.00
- Minimum: 0.00
- Maximum: 13.00
- Standard Deviation: 5.05

Location: 4412-4415 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S9FRECST: S9 PainCost: Punishment Costs - Weight

Based upon 563 valid cases out of 1,354 total cases.

- Mean: 3.94
- Median: 5.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 1.69

Location: 4416-4419 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S9STLRWD: S9 PainCost: Social Rewards of Crime - Stealing

Based upon 1,179 valid cases out of 1,354 total cases.

- Mean: 1.77
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.80
- Standard Deviation: 0.53

Location: 4420-4425 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -600.0 , -300.0 , -202.0 , -201.0 , -9.0 , -8.0

S9FGTRWD: S9 PainCost: Social Rewards of Crime - Fighting

Based upon 1,179 valid cases out of 1,354 total cases.

- Mean: 1.92
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.60

Location: 4426-4432 (width: 7; decimal: 2)
Variable Type: numeric
(Range of) Missing Values: -600.00 , -300.00 , -202.00 , -201.00 , -9.00 , -8.00

S9ROBRWD: S9 PainCost: Social Rewards of Crime - Robbery

Based upon 1,179 valid cases out of 1,354 total cases.

- Mean: 1.75
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.55

Location: 4433-4438 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -600.0 , -300.0 , -202.0 , -201.0 , -9.0 , -8.0

S9PERRWD: S9 PainCost: Personal Rewards of Crime

Based upon 1,179 valid cases out of 1,354 total cases.

- Mean: 1.5064824912
- Median: 0.2857142857
- Mode: 0.0000000000
- Minimum: 0.0000000000
- Maximum: 10.0000000000
- Standard Deviation: 2.2035401615

Location: 4439-4453 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -99.0000000000 , -98.0000000000

SAPAINCOST_CRTINV: SA PainCost: Involved ongoing programs court

Value	Label	Unweighted Frequency	%
1	Yes	459	33.9 %
5	No	673	49.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,132 valid cases out of 1,354 total cases.

Location: 4454-4457 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

SAPAINCOST_CRTIN6: SA PainCost: Involved court ordered program

Value	Label	Unweighted Frequency	%
1	Yes	538	39.7 %
5	No	594	43.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,132 valid cases out of 1,354 total cases.

Location: 4458-4461 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

SAPAINCOST_CRTTYP: SA PainCost: Describe court involvement

Value	Label	Unweighted Frequency	%
1	Incarceration	442	32.6 %
2	Court ordered community program	3	0.2 %
3	Probation/Parole	86	6.4 %
6	Other	7	0.5 %
7	None	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-102	Not involved currently or w/in p6mo - question skipped	594	43.9 %
	Total	**1,354**	**100%**

Based upon 538 valid cases out of 1,354 total cases.

Location: 4462-4465 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -104 , -102 , -9 , -8

SAPAINCOST_CRTNOW: SA PainCost: Still involved in program

Value	Label	Unweighted Frequency	%
1	Yes	396	29.2 %
5	No	142	10.5 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-102	Not involved currently or w/in p6mo - question skipped	594	43.9 %
	Total	**1,354**	**100%**

Based upon 538 valid cases out of 1,354 total cases.

Location: 4466-4469 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

SAPAINCOST01A: SA PainCost: Sentence kept from hang w/friends

Value	Label	Unweighted Frequency	%
1	Yes	455	33.6 %
5	No	83	6.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-102	Not involved currently or w/in p6mo - question skipped	594	43.9 %
	Total	**1,354**	**100%**

Based upon 538 valid cases out of 1,354 total cases.

Location: 4470-4473 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

SAPAINCOST01B: SA PainCost: Kept from hang w/friends - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	50	3.7 %
2	A little	92	6.8 %
3	Quite a bit	95	7.0 %
4	Very much	218	16.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-105	Court didnt keep from doing something - question skipped	14	1.0 %
-104	Not involved currently or w/in p6mo - interview bug	69	5.1 %
-102	Not involved currently or w/in p6mo - question skipped	594	43.9 %
	Total	**1,354**	**100%**

Based upon 455 valid cases out of 1,354 total cases.

Location: 4474-4477 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

SAPAINCOST02A: SA PainCost: Sentence kept from choose how spend time

Value	Label	Unweighted Frequency	%
1	Yes	469	34.6 %
5	No	69	5.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-102	Not involved currently or w/in p6mo - question skipped	594	43.9 %
	Total	**1,354**	**100%**

Based upon 538 valid cases out of 1,354 total cases.

Location: 4478-4481 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

SAPAINCOST02B: SA PainCost: Kept from choose how spend time - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	12	0.9 %
2	A little	47	3.5 %
3	Quite a bit	95	7.0 %
4	Very much	315	23.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-105	Court didnt keep from doing something - question skipped	11	0.8 %
-104	Not involved currently or w/in p6mo - interview bug	58	4.3 %
-102	Not involved currently or w/in p6mo - question skipped	594	43.9 %
	Total	**1,354**	**100%**

Based upon 469 valid cases out of 1,354 total cases.

Location: 4482-4485 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

SAPAINCOST03A: SA PainCost: Sentence kept from decide what eat

Value	Label	Unweighted Frequency	%
1	Yes	438	32.3 %
5	No	100	7.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-102	Not involved currently or w/in p6mo - question skipped	594	43.9 %
	Total	**1,354**	**100%**

Based upon 538 valid cases out of 1,354 total cases.

Location: 4486-4489 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

SAPAINCOST03B: SA PainCost: Kept from decide what to eat - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	3	0.2 %
2	A little	30	2.2 %
3	Quite a bit	92	6.8 %
4	Very much	313	23.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-105	Court didnt keep from doing something - question skipped	16	1.2 %
-104	Not involved currently or w/in p6mo - interview bug	84	6.2 %
-102	Not involved currently or w/in p6mo - question skipped	594	43.9 %
	Total	**1,354**	**100%**

Based upon 438 valid cases out of 1,354 total cases.

Location: 4490-4493 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

SAPAINCOST04A: SA PainCost: Sentence kept from able to leave

Value	Label	Unweighted Frequency	%
1	Yes	479	35.4 %
5	No	59	4.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-102	Not involved currently or w/in p6mo - question skipped	594	43.9 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 538 valid cases out of 1,354 total cases.

Location: 4494-4497 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

SAPAINCOST04B: SA PainCost: Kept from able to leave - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	7	0.5 %
2	A little	31	2.3 %
3	Quite a bit	81	6.0 %
4	Very much	360	26.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-105	Court didnt keep from doing something - question skipped	9	0.7 %
-104	Not involved currently or w/in p6mo - interview bug	50	3.7 %
-102	Not involved currently or w/in p6mo - question skipped	594	43.9 %
	Total	**1,354**	**100%**

Based upon 479 valid cases out of 1,354 total cases.

Location: 4498-4501 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

SAPAINCOST05A: SA PainCost: Court sentence kept from sleeping late

Value	Label	Unweighted Frequency	%
1	Yes	304	22.5 %
5	No	234	17.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-102	Not involved currently or w/in p6mo - question skipped	594	43.9 %
	Total	**1,354**	**100%**

Based upon 538 valid cases out of 1,354 total cases.

Location: 4502-4505 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

SAPAINCOST05B: SA PainCost: Kept from sleeping late - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	17	1.3 %
2	A little	40	3.0 %
3	Quite a bit	69	5.1 %
4	Very much	178	13.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-105	Court didnt keep from doing something - question skipped	34	2.5 %
-104	Not involved currently or w/in p6mo - interview bug	200	14.8 %
-102	Not involved currently or w/in p6mo - question skipped	594	43.9 %
	Total	**1,354**	**100%**

Based upon 304 valid cases out of 1,354 total cases.

Location: 4506-4509 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

SAPAINCOST06A: SA PainCost: Court sentence kept from go out w/bfgf

Value	Label	Unweighted Frequency	%
1	Yes	454	33.5 %
5	No	84	6.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-102	Not involved currently or w/in p6mo - question skipped	594	43.9 %
	Total	**1,354**	**100%**

Based upon 538 valid cases out of 1,354 total cases.

Location: 4510-4513 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

SAPAINCOST06B: SA PainCost: Kept from go out w/bfgf - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	6	0.4 %
2	A little	30	2.2 %
3	Quite a bit	72	5.3 %
4	Very much	346	25.6 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-105	Court didnt keep from doing something - question skipped	13	1.0 %
-104	Not involved currently or w/in p6mo - interview bug	71	5.2 %
-102	Not involved currently or w/in p6mo - question skipped	594	43.9 %
	Total	**1,354**	**100%**

Based upon 454 valid cases out of 1,354 total cases.

Location: 4514-4517 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

SAPAINCOST07A: SA PainCost: Sentence kept from watching TV

Value	Label	Unweighted Frequency	%
1	Yes	322	23.8 %
5	No	216	16.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-102	Not involved currently or w/in p6mo - question skipped	594	43.9 %
	Total	**1,354**	**100%**

Based upon 538 valid cases out of 1,354 total cases.

Location: 4518-4521 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

SAPAINCOST07B: SA PainCost: Kept from watching TV - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	20	1.5 %
2	A little	41	3.0 %
3	Quite a bit	63	4.7 %
4	Very much	198	14.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-105	Court didnt keep from doing something - question skipped	20	1.5 %
-104	Not involved currently or w/in p6mo - interview bug	196	14.5 %
-102	Not involved currently or w/in p6mo - question skipped	594	43.9 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 322 valid cases out of 1,354 total cases.

Location: 4522-4525 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

SAPAINCOST08A: SA PainCost: Sentence kept from dressing way want

Value	Label	Unweighted Frequency	%
1	Yes	444	32.8 %
5	No	94	6.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-102	Not involved currently or w/in p6mo - question skipped	594	43.9 %
	Total	**1,354**	**100%**

Based upon 538 valid cases out of 1,354 total cases.

Location: 4526-4529 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

SAPAINCOST08B: SA PainCost: Kept from dress the way want - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	7	0.5 %
2	A little	37	2.7 %
3	Quite a bit	78	5.8 %
4	Very much	322	23.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-105	Court didnt keep from doing something - question skipped	13	1.0 %
-104	Not involved currently or w/in p6mo - interview bug	81	6.0 %
-102	Not involved currently or w/in p6mo - question skipped	594	43.9 %
	Total	**1,354**	**100%**

Based upon 444 valid cases out of 1,354 total cases.

Location: 4530-4533 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

SAPAINCOST09A: SA PainCost: Sentence kept from listen to music

Value	Label	Unweighted Frequency	%
1	Yes	325	24.0 %
5	No	213	15.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-102	Not involved currently or w/in p6mo - question skipped	594	43.9 %
	Total	**1,354**	**100%**

Based upon 538 valid cases out of 1,354 total cases.

Location: 4534-4537 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

SAPAINCOST09B: SA PainCost: Kept from listen to music - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	14	1.0 %
2	A little	28	2.1 %
3	Quite a bit	69	5.1 %
4	Very much	214	15.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-105	Court didnt keep from doing something - question skipped	19	1.4 %
-104	Not involved currently or w/in p6mo - interview bug	194	14.3 %
-102	Not involved currently or w/in p6mo - question skipped	594	43.9 %
	Total	**1,354**	**100%**

Based upon 325 valid cases out of 1,354 total cases.

Location: 4538-4541 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

SAPAINCOST10A: SA PainCost: Sentence kept from seeing movies

Value	Label	Unweighted Frequency	%
1	Yes	441	32.6 %
5	No	97	7.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	220	16.2 %
-102	Not involved currently or w/in p6mo - question skipped	594	43.9 %
	Total	**1,354**	**100%**

Based upon 538 valid cases out of 1,354 total cases.

Location: 4542-4545 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

SAPAINCOST10B: SA PainCost: Kept from seeing movies - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	20	1.5 %
2	A little	71	5.2 %
3	Quite a bit	83	6.1 %
4	Very much	267	19.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-105	Court didnt keep from doing something - question skipped	13	1.0 %
-104	Not involved currently or w/in p6mo - interview bug	84	6.2 %
-102	Not involved currently or w/in p6mo - question skipped	594	43.9 %
	Total	**1,354**	**100%**

Based upon 441 valid cases out of 1,354 total cases.

Location: 4546-4549 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

SAPAINCOST11A: SA PainCost: Sentence kept from warm place

Value	Label	Unweighted Frequency	%
1	Yes	418	30.9 %
5	No	120	8.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-102	Not involved currently or w/in p6mo - question skipped	594	43.9 %
	Total	**1,354**	**100%**

Based upon 538 valid cases out of 1,354 total cases.

Location: 4550-4553 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

SAPAINCOST11B: SA PainCost: Kept from warm place - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	5	0.4 %
2	A little	19	1.4 %
3	Quite a bit	80	5.9 %
4	Very much	314	23.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-105	Court didnt keep from doing something - question skipped	17	1.3 %
-104	Not involved currently or w/in p6mo - interview bug	103	7.6 %
-102	Not involved currently or w/in p6mo - question skipped	594	43.9 %
	Total	**1,354**	**100%**

Based upon 418 valid cases out of 1,354 total cases.

Location: 4554-4557 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

SAPAINCOST12A: SA PainCost: Sentence kept from place that looks good

Value	Label	Unweighted Frequency	%
1	Yes	441	32.6 %
5	No	97	7.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-102	Not involved currently or w/in p6mo - question skipped	594	43.9 %
	Total	**1,354**	**100%**

Based upon 538 valid cases out of 1,354 total cases.

Location: 4558-4561 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

SAPAINCOST12B: SA PainCost: Kept from place that looks good - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	11	0.8 %
2	A little	31	2.3 %
3	Quite a bit	79	5.8 %

Value	Label	Unweighted Frequency	%
4	Very much	320	23.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-105	Court didnt keep from doing something - question skipped	14	1.0 %
-104	Not involved currently or w/in p6mo - interview bug	83	6.1 %
-102	Not involved currently or w/in p6mo - question skipped	594	43.9 %
	Total	**1,354**	**100%**

Based upon 441 valid cases out of 1,354 total cases.

Location: 4562-4565 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

SAPAINCOST13A: SA PainCost: Sentence kept from choosing what to wear

Value	Label	Unweighted Frequency	%
1	Yes	443	32.7 %
5	No	95	7.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-102	Not involved currently or w/in p6mo - question skipped	594	43.9 %
	Total	**1,354**	**100%**

Based upon 538 valid cases out of 1,354 total cases.

Location: 4566-4569 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

SAPAINCOST13B: SA PainCost: Kept from choosing what to wear - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	7	0.5 %
2	A little	37	2.7 %
3	Quite a bit	84	6.2 %
4	Very much	315	23.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-105	Court didnt keep from doing something - question skipped	13	1.0 %
-104	Not involved currently or w/in p6mo - interview bug	82	6.1 %

Value	Label	Unweighted Frequency	%
-102	Not involved currently or w/in p6mo - question skipped	594	43.9 %
	Total	**1,354**	**100%**

Based upon 443 valid cases out of 1,354 total cases.

Location: 4570-4573 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

SAPAINCOST14A: SA PainCost: Sentence kept from talking on the phone

Value	Label	Unweighted Frequency	%
1	Yes	437	32.3 %
5	No	101	7.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-102	Not involved currently or w/in p6mo - question skipped	594	43.9 %
	Total	**1,354**	**100%**

Based upon 538 valid cases out of 1,354 total cases.

Location: 4574-4577 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

SAPAINCOST14B: SA PainCost: Kept from talk on the phone - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	6	0.4 %
2	A little	49	3.6 %
3	Quite a bit	73	5.4 %
4	Very much	309	22.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-105	Court didnt keep from doing something - question skipped	16	1.2 %
-104	Not involved currently or w/in p6mo - interview bug	85	6.3 %
-102	Not involved currently or w/in p6mo - question skipped	594	43.9 %
	Total	**1,354**	**100%**

Based upon 437 valid cases out of 1,354 total cases.

Location: 4578-4581 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

SAPAINCOST15A: SA PainCost: Sentence kept from reading what want

Value	Label	Unweighted Frequency	%
1	Yes	307	22.7 %
5	No	231	17.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-102	Not involved currently or w/in p6mo - question skipped	594	43.9 %
	Total	**1,354**	**100%**

Based upon 538 valid cases out of 1,354 total cases.

Location: 4582-4585 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

SAPAINCOST15B: SA PainCost: Kept from read what want - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	9	0.7 %
2	A little	56	4.1 %
3	Quite a bit	51	3.8 %
4	Very much	191	14.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-105	Court didnt keep from doing something - question skipped	29	2.1 %
-104	Not involved currently or w/in p6mo - interview bug	202	14.9 %
-102	Not involved currently or w/in p6mo - question skipped	594	43.9 %
	Total	**1,354**	**100%**

Based upon 307 valid cases out of 1,354 total cases.

Location: 4586-4589 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

SAPAINCOST16A: SA PainCost: Sentence kept from being by self

Value	Label	Unweighted Frequency	%
1	Yes	389	28.7 %
5	No	149	11.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	220	16.2 %
-102	Not involved currently or w/in p6mo - question skipped	594	43.9 %
	Total	**1,354**	**100%**

Based upon 538 valid cases out of 1,354 total cases.

Location: 4590-4593 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

SAPAINCOST16B: SA PainCost: Kept from being by self - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	8	0.6 %
2	A little	28	2.1 %
3	Quite a bit	63	4.7 %
4	Very much	290	21.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-105	Court didnt keep from doing something - question skipped	19	1.4 %
-104	Not involved currently or w/in p6mo - interview bug	130	9.6 %
-102	Not involved currently or w/in p6mo - question skipped	594	43.9 %
	Total	**1,354**	**100%**

Based upon 389 valid cases out of 1,354 total cases.

Location: 4594-4597 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

SAPAINCOST17A: SA PainCost: Sentence kept from drinking, get high

Value	Label	Unweighted Frequency	%
1	Yes	445	32.9 %
5	No	87	6.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-104	Not involved currently or w/in p6mo - interview bug	6	0.4 %
-102	Not involved currently or w/in p6mo - question skipped	594	43.9 %
	Total	**1,354**	**100%**

Based upon 532 valid cases out of 1,354 total cases.

Location: 4598-4601 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

SAPAINCOST17B: SA PainCost: Kept from drink or get high - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	135	10.0 %
2	A little	103	7.6 %
3	Quite a bit	54	4.0 %
4	Very much	153	11.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-105	Court didnt keep from doing something - question skipped	17	1.3 %
-104	Not involved currently or w/in p6mo - interview bug	76	5.6 %
-102	Not involved currently or w/in p6mo - question skipped	594	43.9 %
	Total	**1,354**	**100%**

Based upon 445 valid cases out of 1,354 total cases.

Location: 4602-4605 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

SAPAINCOST18A: SA PainCost: Sentence kept from buying things

Value	Label	Unweighted Frequency	%
1	Yes	443	32.7 %
5	No	95	7.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-102	Not involved currently or w/in p6mo - question skipped	594	43.9 %
	Total	**1,354**	**100%**

Based upon 538 valid cases out of 1,354 total cases.

Location: 4606-4609 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

SAPAINCOST18B: SA PainCost: Kept from buy things - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	11	0.8 %

Value	Label	Unweighted Frequency	%
2	A little	54	4.0 %
3	Quite a bit	90	6.6 %
4	Very much	288	21.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-105	Court didnt keep from doing something - question skipped	14	1.0 %
-104	Not involved currently or w/in p6mo - interview bug	81	6.0 %
-102	Not involved currently or w/in p6mo - question skipped	594	43.9 %
	Total	**1,354**	**100%**

Based upon 443 valid cases out of 1,354 total cases.

Location: 4610-4613 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

SAPAINCOST19A: SA PainCost: Kept from providing for family

Value	Label	Unweighted Frequency	%
1	Yes	432	31.9 %
5	No	106	7.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-102	Not involved currently or w/in p6mo - question skipped	594	43.9 %
	Total	**1,354**	**100%**

Based upon 538 valid cases out of 1,354 total cases.

Location: 4614-4617 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -104 , -102 , -101 , -9 , -8

SAPAINCOST19B: SA PainCost: Kept from providing for family - bothered

Value	Label	Unweighted Frequency	%
1	Not at all	4	0.3 %
2	A little	18	1.3 %
3	Quite a bit	59	4.4 %
4	Very much	351	25.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %

Value	Label	Unweighted Frequency	%
-105	Court didnt keep from doing something - question skipped	16	1.2 %
-104	Not involved currently or w/in p6mo - interview bug	90	6.6 %
-102	Not involved currently or w/in p6mo - question skipped	594	43.9 %
	Total	**1,354**	**100%**

Based upon 432 valid cases out of 1,354 total cases.

Location: 4618-4621 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -202 , -201 , -105 , -104 , -103 , -102 , -9 , -8

SAPROJUS55: SA ProJus: Kid caught/arrested for fighting (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	251	18.5 %
1	-	77	5.7 %
2	-	87	6.4 %
3	-	95	7.0 %
4	-	57	4.2 %
5	-	290	21.4 %
6	-	43	3.2 %
7	-	51	3.8 %
8	-	49	3.6 %
9	-	12	0.9 %
10	-	116	8.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-99	Dont Know	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,128 valid cases out of 1,354 total cases.

Location: 4622-4625 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

SAPROJUS56: SA ProJus: Kid caught/arrested robbery w/ gun (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	43	3.2 %
1	-	4	0.3 %
2	-	22	1.6 %
3	-	45	3.3 %

Value	Label	Unweighted Frequency	%
4	-	41	3.0 %
5	-	276	20.4 %
6	-	73	5.4 %
7	-	130	9.6 %
8	-	165	12.2 %
9	-	86	6.4 %
10	-	244	18.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-99	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,129 valid cases out of 1,354 total cases.

Location: 4626-4629 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

SAPROJUS57: SA ProJus: Kid caught/arrested stabbing someone (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	43	3.2 %
1	-	13	1.0 %
2	-	20	1.5 %
3	-	42	3.1 %
4	-	40	3.0 %
5	-	236	17.4 %
6	-	71	5.2 %
7	-	122	9.0 %
8	-	182	13.4 %
9	-	90	6.6 %
10	-	269	19.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-99	Dont Know	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,128 valid cases out of 1,354 total cases.

Location: 4630-4633 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -99 , -98

SAPROJUS58: SA ProJus: Kid caught/arrested breaking into store (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	48	3.5 %
1	-	12	0.9 %
2	-	41	3.0 %
3	-	58	4.3 %
4	-	56	4.1 %
5	-	277	20.5 %
6	-	85	6.3 %
7	-	115	8.5 %
8	-	154	11.4 %
9	-	61	4.5 %
10	-	222	16.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-99	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,129 valid cases out of 1,354 total cases.

Location: 4634-4637 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

SAPROJUS59: SA ProJus: Kid caught/arrested stealing clothes (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	59	4.4 %
1	-	25	1.8 %
2	-	71	5.2 %
3	-	96	7.1 %
4	-	120	8.9 %
5	-	345	25.5 %
6	-	65	4.8 %
7	-	82	6.1 %
8	-	51	3.8 %
9	-	24	1.8 %
10	-	189	14.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-99	Dont Know	5	0.4 %
	Total	**1,354**	**100%**

Based upon 1,127 valid cases out of 1,354 total cases.

Location: 4638-4641 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

SAPROJUS60: SA ProJus: Kid caught/arrested vandalism (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	158	11.7 %
1	-	81	6.0 %
2	-	145	10.7 %
3	-	137	10.1 %
4	-	74	5.5 %
5	-	249	18.4 %
6	-	36	2.7 %
7	-	47	3.5 %
8	-	42	3.1 %
9	-	12	0.9 %
10	-	147	10.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-99	Dont Know	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,128 valid cases out of 1,354 total cases.

Location: 4642-4645 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

SAPROJUS61: SA ProJus: Kid caught/arrested auto theft (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	61	4.5 %
1	-	16	1.2 %
2	-	40	3.0 %
3	-	74	5.5 %

Value	Label	Unweighted Frequency	%
4	-	84	6.2 %
5	-	345	25.5 %
6	-	90	6.6 %
7	-	95	7.0 %
8	-	84	6.2 %
9	-	44	3.2 %
10	-	196	14.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-99	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,129 valid cases out of 1,354 total cases.

Location: 4646-4649 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

SAPROJUS62: SA ProJus: You caught/arrested fighting (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	295	21.8 %
1	-	82	6.1 %
2	-	78	5.8 %
3	-	62	4.6 %
4	-	36	2.7 %
5	-	245	18.1 %
6	-	29	2.1 %
7	-	36	2.7 %
8	-	47	3.5 %
9	-	17	1.3 %
10	-	202	14.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-99	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,129 valid cases out of 1,354 total cases.

Location: 4650-4653 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -99 , -98

SAPROJUS63: SA ProJus: You caught/arrested robbery w/ gun (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	103	7.6 %
1	-	16	1.2 %
2	-	23	1.7 %
3	-	33	2.4 %
4	-	36	2.7 %
5	-	242	17.9 %
6	-	35	2.6 %
7	-	71	5.2 %
8	-	107	7.9 %
9	-	76	5.6 %
10	-	387	28.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-99	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,129 valid cases out of 1,354 total cases.

Location: 4654-4657 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

SAPROJUS64: SA ProJus: You caught/arrested stabbing someone (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	98	7.2 %
1	-	23	1.7 %
2	-	28	2.1 %
3	-	36	2.7 %
4	-	36	2.7 %
5	-	219	16.2 %
6	-	37	2.7 %
7	-	81	6.0 %
8	-	100	7.4 %
9	-	90	6.6 %
10	-	381	28.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-99	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,129 valid cases out of 1,354 total cases.

Location: 4658-4661 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

SAPROJUS65: SA ProJus: You caught/arrested breaking into store (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	101	7.5 %
1	-	28	2.1 %
2	-	46	3.4 %
3	-	38	2.8 %
4	-	35	2.6 %
5	-	255	18.8 %
6	-	48	3.5 %
7	-	64	4.7 %
8	-	86	6.4 %
9	-	70	5.2 %
10	-	358	26.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-99	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,129 valid cases out of 1,354 total cases.

Location: 4662-4665 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

SAPROJUS66: SA ProJus: You caught/arrested stealing clothes (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	131	9.7 %
1	-	42	3.1 %
2	-	53	3.9 %

Value	Label	Unweighted Frequency	%
3	-	55	4.1 %
4	-	49	3.6 %
5	-	284	21.0 %
6	-	44	3.2 %
7	-	55	4.1 %
8	-	60	4.4 %
9	-	47	3.5 %
10	-	309	22.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-99	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,129 valid cases out of 1,354 total cases.

Location: 4666-4669 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

SAPROJUS67: SA ProJus: You caught/arrested vandalism (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	222	16.4 %
1	-	72	5.3 %
2	-	79	5.8 %
3	-	89	6.6 %
4	-	44	3.2 %
5	-	227	16.8 %
6	-	30	2.2 %
7	-	34	2.5 %
8	-	36	2.7 %
9	-	17	1.3 %
10	-	279	20.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-99	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,129 valid cases out of 1,354 total cases.

Location: 4670-4673 (width: 4; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

SAPROJUS68: SA ProJus: You caught/arrested auto theft (0=no chance to 10=certain)

Value	Label	Unweighted Frequency	%
0	-	118	8.7 %
1	-	30	2.2 %
2	-	46	3.4 %
3	-	34	2.5 %
4	-	44	3.2 %
5	-	271	20.0 %
6	-	40	3.0 %
7	-	48	3.5 %
8	-	73	5.4 %
9	-	45	3.3 %
10	-	380	28.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-99	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,129 valid cases out of 1,354 total cases.

Location: 4674-4677 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

SAPROJUS69: SA ProJus: Break law suspend from school

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	30	2.2 %
2	Somewhat Unlikely It Would Happen	9	0.7 %
3	Could go Either Way	38	2.8 %
4	Somewhat Likely It Would Happen	23	1.7 %
5	Very Likely It Would Happen	29	2.1 %
	Missing Data		
-202	IntCompStat=2 (parital)	2	0.1 %
-201	IntCompStat=4 (missing int)	220	16.2 %
-97	NA - no longer in school	997	73.6 %
-9	Dont Know	6	0.4 %
	Total	**1,354**	**100%**

Based upon 129 valid cases out of 1,354 total cases.

Location: 4678-4681 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -97 , -9 , -8

SAPROJUS70: SA ProJus: Break law lose friends respect

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	286	21.1 %
2	Somewhat Unlikely It Would Happen	162	12.0 %
3	Could go Either Way	372	27.5 %
4	Somewhat Likely It Would Happen	210	15.5 %
5	Very Likely It Would Happen	101	7.5 %
	Missing Data		
-202	IntCompStat=2 (parital)	2	0.1 %
-201	IntCompStat=4 (missing int)	220	16.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 4682-4685 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -97 , -9 , -8

SAPROJUS71: SA ProJus: Break law lose family respect

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	163	12.0 %
2	Somewhat Unlikely It Would Happen	121	8.9 %
3	Could go Either Way	238	17.6 %
4	Somewhat Likely It Would Happen	393	29.0 %
5	Very Likely It Would Happen	217	16.0 %
	Missing Data		
-202	IntCompStat=2 (parital)	2	0.1 %
-201	IntCompStat=4 (missing int)	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,132 valid cases out of 1,354 total cases.

Location: 4686-4689 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -97 , -9 , -8

SAPROJUS72: SA ProJus: Break law lose neighbors respect

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	131	9.7 %
2	Somewhat Unlikely It Would Happen	96	7.1 %
3	Could go Either Way	337	24.9 %
4	Somewhat Likely It Would Happen	404	29.8 %
5	Very Likely It Would Happen	162	12.0 %
	Missing Data		
-202	IntCompStat=2 (parital)	2	0.1 %
-201	IntCompStat=4 (missing int)	220	16.2 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,130 valid cases out of 1,354 total cases.

Location: 4690-4693 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -97 , -9 , -8

SAPROJUS73: SA ProJus: Break law lose bf/gf respect

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	154	11.4 %
2	Somewhat Unlikely It Would Happen	90	6.6 %
3	Could go Either Way	378	27.9 %
4	Somewhat Likely It Would Happen	314	23.2 %
5	Very Likely It Would Happen	196	14.5 %
	Missing Data		
-202	IntCompStat=2 (parital)	2	0.1 %
-201	IntCompStat=4 (missing int)	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,132 valid cases out of 1,354 total cases.

Location: 4694-4697 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -97 , -9 , -8

SAPROJUS74: SA ProJus: Break law harder to find job

Value	Label	Unweighted Frequency	%
1	Very Unlikely It Would Happen	36	2.7 %
2	Somewhat Unlikely It Would Happen	42	3.1 %
3	Could go Either Way	89	6.6 %
4	Somewhat Likely It Would Happen	444	32.8 %
5	Very Likely It Would Happen	519	38.3 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat=2 (parital)	2	0.1 %
-201	IntCompStat=4 (missing int)	220	16.2 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,130 valid cases out of 1,354 total cases.

Location: 4698-4701 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -97 , -9 , -8

SAPROJUS76: SA ProJus: Thrill/rush fighting (0=no thrill to 10=great thrill)

Value	Label	Unweighted Frequency	%
0	-	551	40.7 %
1	-	25	1.8 %
2	-	34	2.5 %
3	-	55	4.1 %
4	-	32	2.4 %
5	-	157	11.6 %
6	-	27	2.0 %
7	-	59	4.4 %
8	-	67	4.9 %
9	-	24	1.8 %
10	-	101	7.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,132 valid cases out of 1,354 total cases.

Location: 4702-4705 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

SAPROJUS77: SA ProJus: Thrill/rush robbery w/gun (0=no thrill to 10=great thrill)

Value	Label	Unweighted Frequency	%
0	-	786	58.1 %
1	-	52	3.8 %
2	-	37	2.7 %
3	-	37	2.7 %

Value	Label	Unweighted Frequency	%
4	-	22	1.6 %
5	-	70	5.2 %
6	-	16	1.2 %
7	-	20	1.5 %
8	-	23	1.7 %
9	-	10	0.7 %
10	-	59	4.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,132 valid cases out of 1,354 total cases.

Location: 4706-4709 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

SAPROJUS78: SA ProJus: Thrill/rush stabbing someone (0=no thrill to 10=great thrill)

Value	Label	Unweighted Frequency	%
0	-	849	62.7 %
1	-	49	3.6 %
2	-	45	3.3 %
3	-	26	1.9 %
4	-	17	1.3 %
5	-	63	4.7 %
6	-	10	0.7 %
7	-	11	0.8 %
8	-	15	1.1 %
9	-	8	0.6 %
10	-	39	2.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,132 valid cases out of 1,354 total cases.

Location: 4710-4713 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

SAPROJUS79: SA ProJus: Thrill/rush break into store/home (0=no thrill to 10=great thrill)

Value	Label	Unweighted Frequency	%
0	-	822	60.7 %
1	-	44	3.2 %
2	-	46	3.4 %
3	-	24	1.8 %
4	-	24	1.8 %
5	-	74	5.5 %
6	-	20	1.5 %
7	-	21	1.6 %
8	-	20	1.5 %
9	-	3	0.2 %
10	-	34	2.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,132 valid cases out of 1,354 total cases.

Location: 4714-4717 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

SAPROJUS80: SA ProJus: Thrill/rush stealing clothes (0=no thrill to 10=great thrill)

Value	Label	Unweighted Frequency	%
0	-	839	62.0 %
1	-	46	3.4 %
2	-	47	3.5 %
3	-	31	2.3 %
4	-	27	2.0 %
5	-	68	5.0 %
6	-	19	1.4 %
7	-	12	0.9 %
8	-	16	1.2 %
9	-	2	0.1 %
10	-	25	1.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,132 valid cases out of 1,354 total cases.

Location: 4718-4721 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

SAPROJUS81: SA ProJus: Thrill/rush vandalism (0=no thrill to 10=great thrill)

Value	Label	Unweighted Frequency	%
0	-	868	64.1 %
1	-	47	3.5 %
2	-	42	3.1 %
3	-	35	2.6 %
4	-	19	1.4 %
5	-	63	4.7 %
6	-	10	0.7 %
7	-	8	0.6 %
8	-	16	1.2 %
9	-	1	0.1 %
10	-	23	1.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,132 valid cases out of 1,354 total cases.

Location: 4722-4725 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

SAPROJUS82: SA ProJus: Thrill/rush auto theft (0=no thrill to 10=great thrill)

Value	Label	Unweighted Frequency	%
0	-	815	60.2 %
1	-	33	2.4 %
2	-	31	2.3 %
3	-	20	1.5 %
4	-	20	1.5 %
5	-	72	5.3 %
6	-	24	1.8 %
7	-	31	2.3 %
8	-	21	1.6 %
9	-	10	0.7 %
10	-	55	4.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,132 valid cases out of 1,354 total cases.

Location: 4726-4729 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

SAPAY01: SA PainCost: Steal-peers respect more

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	292	21.6 %
2	Disagree	760	56.1 %
3	Agree	70	5.2 %
4	Strongly Agree	9	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 4730-4733 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

SAPAY02: SA PainCost: Steal-more respect from adults

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	307	22.7 %
2	Disagree	793	58.6 %
3	Agree	26	1.9 %
4	Strongly Agree	6	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,132 valid cases out of 1,354 total cases.

Location: 4734-4737 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

SAPAY03: SA PainCost: Steal-friends like more

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	278	20.5 %
2	Disagree	708	52.3 %
3	Agree	124	9.2 %
4	Strongly Agree	22	1.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,132 valid cases out of 1,354 total cases.

Location: 4738-4741 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

SAPAY04: SA PainCost: Steal-impress bf/gf

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	323	23.9 %
2	Disagree	771	56.9 %
3	Agree	30	2.2 %
4	Strongly Agree	8	0.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,132 valid cases out of 1,354 total cases.

Location: 4742-4745 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

SAPAY05: SA PainCost: Steal-get back at people

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	252	18.6 %
2	Disagree	630	46.5 %
3	Agree	212	15.7 %
4	Strongly Agree	38	2.8 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,132 valid cases out of 1,354 total cases.

Location: 4746-4749 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

SAPAY06: SA PainCost: Fight-peers respect more

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	233	17.2 %
2	Disagree	649	47.9 %
3	Agree	214	15.8 %
4	Strongly Agree	36	2.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,132 valid cases out of 1,354 total cases.

Location: 4750-4753 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

SAPAY07: SA PainCost: Fight-more respect from adults

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	266	19.6 %
2	Disagree	742	54.8 %
3	Agree	112	8.3 %
4	Strongly Agree	12	0.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,132 valid cases out of 1,354 total cases.

Location: 4754-4757 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

SAPAY08: SA PainCost: Fight-peers afraid

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	210	15.5 %
2	Disagree	637	47.0 %
3	Agree	251	18.5 %
4	Strongly Agree	34	2.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,132 valid cases out of 1,354 total cases.

Location: 4758-4761 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

SAPAY09: SA PainCost: Fight-impress bf/gf

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	276	20.4 %
2	Disagree	773	57.1 %
3	Agree	77	5.7 %
4	Strongly Agree	6	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,132 valid cases out of 1,354 total cases.

Location: 4762-4765 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

SAPAY10: SA PainCost: Fight-get back at people

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	226	16.7 %
2	Disagree	622	45.9 %
3	Agree	250	18.5 %
4	Strongly Agree	34	2.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,132 valid cases out of 1,354 total cases.

Location: 4766-4769 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

SAPAY11: SA PainCost: Rob-peers respect more

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	283	20.9 %
2	Disagree	753	55.6 %
3	Agree	87	6.4 %
4	Strongly Agree	8	0.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,131 valid cases out of 1,354 total cases.

Location: 4770-4773 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

SAPAY12: SA PainCost: Rob-more respect from adults

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	307	22.7 %
2	Disagree	787	58.1 %
3	Agree	32	2.4 %
4	Strongly Agree	6	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,132 valid cases out of 1,354 total cases.

Location: 4774-4777 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

SAPAY13: SA PainCost: Rob-peers afraid

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	274	20.2 %
2	Disagree	709	52.4 %
3	Agree	130	9.6 %
4	Strongly Agree	19	1.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,132 valid cases out of 1,354 total cases.

Location: 4778-4781 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

SAPAY14: SA PainCost: Rob-impress bf/gf

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	318	23.5 %
2	Disagree	788	58.2 %
3	Agree	23	1.7 %
4	Strongly Agree	3	0.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,132 valid cases out of 1,354 total cases.

Location: 4782-4785 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

SAPAY15: SA PainCost: Rob-get back at people

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	275	20.3 %
2	Disagree	687	50.7 %
3	Agree	154	11.4 %
4	Strongly Agree	16	1.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,132 valid cases out of 1,354 total cases.

Location: 4786-4789 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -600 , -202 , -201 , -9 , -8

SAPUNOTH: SA PainCost: Certainty of Punishment - Other

Based upon 1,129 valid cases out of 1,354 total cases.

- Mean: 5.6436268927
- Median: 5.2857142857
- Mode: 5.0000000000
- Minimum: 0.0000000000
- Maximum: 10.0000000000
- Standard Deviation: 2.2851964357

Location: 4790-4804 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -99.0000000000 , -98.0000000000

SAPUNYOU: SA PainCost: Certainty of Punishment - You

Based upon 1,129 valid cases out of 1,354 total cases.

- Mean: 5.8795394154
- Median: 5.7142857143
- Mode: 10.0000000000
- Minimum: 0.0000000000
- Maximum: 10.0000000000
- Standard Deviation: 2.8918649113

Location: 4805-4819 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -99.0000000000 , -98.0000000000

SASOCCST: SA PainCost: Social Costs of Punishment

Based upon 1,132 valid cases out of 1,354 total cases.

- Mean: 3.3641342756
- Median: 3.4000000000
- Mode: 3.4000000000
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.9236133729

Location: 4820-4834 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -9.0000000000 , -8.0000000000

SAWGTCST: SA PainCost: Punishment Costs - Variety

Based upon 502 valid cases out of 1,354 total cases.

- Mean: 3.3119175058
- Median: 3.5714285714
- Mode: 4.0000000000
- Minimum: 1.0000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.7765261320

Location: 4835-4849 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -400.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

SAVARCST: SA PainCost: Punishment Costs (13) - Material Issues

Based upon 538 valid cases out of 1,354 total cases.

- Mean: 13.86
- Median: 16.00
- Mode: 18.00
- Minimum: 0.00
- Maximum: 18.00
- Standard Deviation: 5.79

Location: 4850-4853 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

SAMATCST: SA PainCost: Punishment Costs (5) - Freedom Issues

Based upon 538 valid cases out of 1,354 total cases.

- Mean: 9.58
- Median: 12.00
- Mode: 13.00
- Minimum: 0.00
- Maximum: 13.00
- Standard Deviation: 4.53

Location: 4854-4857 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

SAFRECST: SA PainCost: Punishment Costs - Weight

Based upon 538 valid cases out of 1,354 total cases.

- Mean: 4.28
- Median: 5.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 1.47

Location: 4858-4861 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

SASTLRWD: SA PainCost: Social Rewards of Crime - Stealing

Based upon 1,132 valid cases out of 1,354 total cases.

- Mean: 1.85
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.51

Location: 4862-4867 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -600.0 , -300.0 , -202.0 , -201.0 , -9.0 , -8.0

SAFGTRWD: SA PainCost: Social Rewards of Crime - Fighting

Based upon 1,132 valid cases out of 1,354 total cases.

- Mean: 1.99
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.57

Location: 4868-4873 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -600.0 , -300.0 , -202.0 , -201.0 , -9.0 , -8.0

SAROBRWD: SA PainCost: Social Rewards of Crime - Robbery

Based upon 1,132 valid cases out of 1,354 total cases.

- Mean: 1.84
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.51

Location: 4874-4880 (width: 7; decimal: 2)
Variable Type: numeric
(Range of) Missing Values: -600.00 , -300.00 , -202.00 , -201.00 , -9.00 , -8.00

SAPERRWD: SA PainCost: Personal Rewards of Crime

Based upon 1,132 valid cases out of 1,354 total cases.

- Mean: 1.5420242302
- Median: 0.4285714286
- Mode: 0.0000000000
- Minimum: 0.0000000000

- Maximum: 10.0000000000
- Standard Deviation: 2.2539196448

Location: 4881-4895 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -99.0000000000 , -98.0000000000