ICPSR | INTER-UNIVERSITY CONSORTIUM FOR POLITICAL AND SOCIAL RESEARCH

ICPSR 36800

Research on Pathways to Desistance [Maricopa County, AZ and Philadelphia County, PA]: Subject Measures - Scales, 2000-2010

Edward P. Mulvey
University of Pittsburgh

Codebook for Quality of Romantic Relationships [RESTRICTED]

Inter-university Consortium for Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/36800/terms

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE
WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 36800

Research on Pathways to Desistance [Maricopa County, AZ and Philadelphia County, PA]: Subject Measures - Scales, 2000-2010

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Quality of Romantic Relationships [RESTRICTED]

CASEID: S0 IntInfo: Subject ID

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1-5 (width: 5; decimal: 0)
Variable Type: numeric

S0REL102: S0 CharRelationship: Currently married

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	1353	99.9 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 6-7 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8

S0REL103: S0 CharRelationship: Currently have a boyfriend/girlfriend

Value	Label	Unweighted Frequency	%
1	Yes	828	61.2 %
5	No	525	38.8 %
	Missing Data		
-105	Skipped: Subject is currently married	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,353 valid cases out of 1,354 total cases.

Location: 8-11 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -105 , -9 , -8

S0REL104: S0 CharRelationship: How long have you been with bf/bf/husband/wife

Value	Label	Unweighted Frequency	%
1	4 weeks or more	74	5.5 %
2	1-2 months	105	7.8 %
3	3-6 months	193	14.3 %
4	7months - 1year	146	10.8 %
5	1-2 years	168	12.4 %
6	2 or more years	143	10.6 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-106	Skipped: Subject is not married and doesnt have a bfgf	525	38.8 %
	Total	**1,354**	**100%**

Based upon 829 valid cases out of 1,354 total cases.

Location: 12-15 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -106 , -9 , -8

S0REL105: S0 CharRelationship: Age of bf/gf/husband/wife

Based upon 657 valid cases out of 1,354 total cases.

- Mean: 16.67
- Median: 16.00
- Mode: 16.00
- Minimum: 13.00
- Maximum: 30.00
- Standard Deviation: 2.32

Location: 16-19 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -400 , -106

S0REL106: S0 CharRelationship: Live with bf/gf/husband/wife

Value	Label	Unweighted Frequency	%
1	Yes	85	6.3 %
5	No	744	54.9 %
	Missing Data		
-106	Skipped: Subject is not married and doesnt have a bfgf	525	38.8 %
	Total	**1,354**	**100%**

Based upon 829 valid cases out of 1,354 total cases.

Location: 20-23 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -106 , -9 , -8

S0RQUAL0: S0 RQual: How often is bf/gf there for you when needed

Value	Label	Unweighted Frequency	%
1	All the time	450	33.2 %
2	Most of the time	210	15.5 %
3	Sometimes	68	5.0 %
4	Rarely	24	1.8 %
5	Never	3	0.2 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-104	Been together 4 weeks or less - rqual measure skipped	599	44.2 %
	Total	**1,354**	**100%**

Based upon 755 valid cases out of 1,354 total cases.

Location: 24-27 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -104 , -9 , -8

S0RQUAL1: S0 RQual: How happy are you with your relationship

Value	Label	Unweighted Frequency	%
1	Very happy	309	22.8 %
2	Happy	356	26.3 %
3	Neither happy nor unhappy	77	5.7 %
4	Unhappy	6	0.4 %
5	Very unhappy	7	0.5 %
	Missing Data		
-104	Been together 4 weeks or less - rqual measure skipped	599	44.2 %
	Total	**1,354**	**100%**

Based upon 755 valid cases out of 1,354 total cases.

Location: 28-31 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -104 , -9 , -8

S0RQUAL2: S0 RQual: Compared to friends relationships how good is yours

Value	Label	Unweighted Frequency	%
1	Much better	301	22.2 %
2	Better	258	19.1 %
3	About as good	172	12.7 %
4	Worse	17	1.3 %
5	Much worse	1	0.1 %
	Missing Data		
-104	Been together 4 weeks or less - rqual measure skipped	599	44.2 %
-9	Dont Know	6	0.4 %
	Total	**1,354**	**100%**

Based upon 749 valid cases out of 1,354 total cases.

Location: 32-35 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -104 , -9 , -8

S0RQUAL3: S0 RQual: How often wish not in this relationship

Value	Label	Unweighted Frequency	%
1	All the time	17	1.3 %
2	Most of the time	37	2.7 %
3	Sometimes	145	10.7 %
4	Rarely	167	12.3 %
5	Never	389	28.7 %
	Missing Data		
-104	Been together 4 weeks or less - rqual measure skipped	599	44.2 %
	Total	**1,354**	**100%**

Based upon 755 valid cases out of 1,354 total cases.

Location: 36-39 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -104 , -9 , -8

S0RQUAL4: S0 RQual: Is relationship what you thought it be

Value	Label	Unweighted Frequency	%
1	Much better	208	15.4 %
2	Better	285	21.0 %
3	About what I expected it to be	208	15.4 %
4	Worse	46	3.4 %
5	Much worse	4	0.3 %
	Missing Data		
-104	Been together 4 weeks or less - rqual measure skipped	599	44.2 %
-9	Dont Know	4	0.3 %
	Total	**1,354**	**100%**

Based upon 751 valid cases out of 1,354 total cases.

Location: 40-43 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -104 , -9 , -8

S0RQUAL5: S0 RQual: How much do you love bf/gf

Value	Label	Unweighted Frequency	%
1	Very much	270	19.9 %
2	A lot	295	21.8 %
3	Somewhat	108	8.0 %
4	Not very much	33	2.4 %
5	Not at all	48	3.5 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-104	Been together 4 weeks or less - rqual measure skipped	599	44.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 754 valid cases out of 1,354 total cases.

Location: 44-47 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -104 , -9 , -8

S0RQUAL6: S0 RQual: How many problems in your relationship

Value	Label	Unweighted Frequency	%
1	Very many	19	1.4 %
2	Many	42	3.1 %
3	Some	142	10.5 %
4	A few	351	25.9 %
5	None	201	14.8 %
	Missing Data		
-104	Been together 4 weeks or less - rqual measure skipped	599	44.2 %
	Total	**1,354**	**100%**

Based upon 755 valid cases out of 1,354 total cases.

Location: 48-51 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -104 , -9 , -8

S0RQUAL7: S0 RQual: Does bfgf know who you spend time with

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	96	7.1 %
2	Knows a little bit	215	15.9 %
3	Knows a lot	224	16.5 %
4	Knows everything	220	16.2 %
	Missing Data		
-104	Been together 4 weeks or less - rqual measure skipped	599	44.2 %
	Total	**1,354**	**100%**

Based upon 755 valid cases out of 1,354 total cases.

Location: 52-55 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -104 , -9 , -8

S0RQUAL8: S0 RQual: Does bfgf know how you spend free time

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	114	8.4 %
2	Knows a little bit	197	14.5 %
3	Knows a lot	225	16.6 %
4	Knows everything	218	16.1 %
	Missing Data		
-104	Been together 4 weeks or less - rqual measure skipped	599	44.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 754 valid cases out of 1,354 total cases.

Location: 56-59 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -104 , -9 , -8

S0RQUAL9: S0 RQual: Does bfgf know how you spend money

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	190	14.0 %
2	Knows a little bit	201	14.8 %
3	Knows a lot	178	13.1 %
4	Knows everything	185	13.7 %
	Missing Data		
-104	Been together 4 weeks or less - rqual measure skipped	599	44.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 754 valid cases out of 1,354 total cases.

Location: 60-63 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -104 , -9 , -8

S0RQUA10: S0 RQual: Bfgf know where go after school or work

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	126	9.3 %
2	Knows a little bit	172	12.7 %
3	Knows a lot	188	13.9 %
4	Knows everything	259	19.1 %
	Missing Data		
-104	Been together 4 weeks or less - rqual measure skipped	599	44.2 %

Value	Label	Unweighted Frequency	%
-9	Dont Know	10	0.7 %
	Total	**1,354**	**100%**

Based upon 745 valid cases out of 1,354 total cases.

Location: 64-67 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -104 , -9 , -8

S0RQUA11: S0 RQual: Does bfgf know where you go at night

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	154	11.4 %
2	Knows a little bit	177	13.1 %
3	Knows a lot	177	13.1 %
4	Knows everything	246	18.2 %
	Missing Data		
-104	Been together 4 weeks or less - rqual measure skipped	599	44.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 754 valid cases out of 1,354 total cases.

Location: 68-71 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -104 , -9 , -8

S0RQUA12: S0 RQual: Would bfgf know if you use drugs

Value	Label	Unweighted Frequency	%
1	Yes	670	49.5 %
5	No	83	6.1 %
	Missing Data		
-104	Been together 4 weeks or less - rqual measure skipped	599	44.2 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 753 valid cases out of 1,354 total cases.

Location: 72-75 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -104 , -9 , -8

S0RQUA13: S0 RQual: If used drugs how would bfgf react

Value	Label	Unweighted Frequency	%
1	Would not care at all	86	6.4 %
2	Would be bothered but wouldnt say anything to me about it	84	6.2 %
3	Would be bothered and would talk to me about it	216	16.0 %
4	Would get very upset with me	359	26.5 %
	Missing Data		
-104	Been together 4 weeks or less - rqual measure skipped	599	44.2 %
-9	Dont Know	9	0.7 %
-8	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 745 valid cases out of 1,354 total cases.

Location: 76-79 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -104 , -9 , -8

S0RQUA14: S0 RQual: Would bfgf know your in illegal activity

Value	Label	Unweighted Frequency	%
1	Yes	591	43.6 %
5	No	162	12.0 %
	Missing Data		
-104	Been together 4 weeks or less - rqual measure skipped	599	44.2 %
-9	Dont Know	1	0.1 %
-8	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 753 valid cases out of 1,354 total cases.

Location: 80-83 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -104 , -9 , -8

S0RQUA15: S0 RQual: If illegal activity how would bfgf react

Value	Label	Unweighted Frequency	%
1	Would not care at all	40	3.0 %
2	Would be bothered but wouldnt say anything to me about it	63	4.7 %
3	Would be bothered and would talk to me about it	223	16.5 %
4	Would get very upset with me	421	31.1 %
	Missing Data		
-104	Been together 4 weeks or less - rqual measure skipped	599	44.2 %
-9	Dont Know	7	0.5 %
-8	Refuse	1	0.1 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 747 valid cases out of 1,354 total cases.

Location: 84-87 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -104 , -9 , -8

S0RQUA16: S0 RQual: Bfgf know time come home when you go out

Value	Label	Unweighted Frequency	%
1	Always	41	3.0 %
2	Often	17	1.3 %
3	Sometimes	16	1.2 %
4	Never	10	0.7 %
	Missing Data		
-105	Not living together - questions skipped	671	49.6 %
-104	Been together 4 weeks or less - rqual measure skipped	599	44.2 %
	Total	**1,354**	**100%**

Based upon 84 valid cases out of 1,354 total cases.

Location: 88-91 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -105 , -104 , -9 , -8

S0RQUA17: S0 RQual: Bfgf not home do you leave a note call

Value	Label	Unweighted Frequency	%
1	Always	41	3.0 %
2	Often	16	1.2 %
3	Sometimes	16	1.2 %
4	Never	11	0.8 %
	Missing Data		
-105	Not living together - questions skipped	671	49.6 %
-104	Been together 4 weeks or less - rqual measure skipped	599	44.2 %
	Total	**1,354**	**100%**

Based upon 84 valid cases out of 1,354 total cases.

Location: 92-95 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -105 , -104 , -9 , -8

S0PDEL19: S0 PDel: Past 6 mo bf/gf suggested you drink with them

Value	Label	Unweighted Frequency	%
1	Yes	75	5.5 %
5	No	749	55.3 %
	Missing Data		
-200	Data missing	3	0.2 %
-103	Doesnt have bf gf - question skipped	525	38.8 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 824 valid cases out of 1,354 total cases.

Location: 96-99 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -103 , -9 , -8

S0PDEL20: S0 PDel: Past 6 mo bf/gf said have to be drunk to have fun

Value	Label	Unweighted Frequency	%
1	Yes	17	1.3 %
5	No	807	59.6 %
	Missing Data		
-200	Data missing	3	0.2 %
-103	Doesnt have bf gf - question skipped	525	38.8 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 824 valid cases out of 1,354 total cases.

Location: 100-103 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -103 , -9 , -8

S0PDEL21: S0 PDel: Past 6 mo bf/gf said have to be high to have fun

Value	Label	Unweighted Frequency	%
1	Yes	20	1.5 %
5	No	804	59.4 %
	Missing Data		
-200	Data missing	3	0.2 %
-103	Doesnt have bf gf - question skipped	525	38.8 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 824 valid cases out of 1,354 total cases.

Location: 104-107 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -200 , -103 , -9 , -8

S0PDEL22: S0 PDel: Past 6 mo bf/gf suggested you sell drugs

Value	Label	Unweighted Frequency	%
1	Yes	19	1.4 %
5	No	805	59.5 %
	Missing Data		
-200	Data missing	3	0.2 %
-103	Doesnt have bf gf - question skipped	525	38.8 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 824 valid cases out of 1,354 total cases.

Location: 108-111 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -103 , -9 , -8

S0PDEL23: S0 PDel: Past 6 mo bf/gf suggested you steal something

Value	Label	Unweighted Frequency	%
1	Yes	9	0.7 %
5	No	815	60.2 %
	Missing Data		
-200	Data missing	3	0.2 %
-103	Doesnt have bf gf - question skipped	525	38.8 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 824 valid cases out of 1,354 total cases.

Location: 112-115 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -103 , -9 , -8

S0PDEL24: S0 PDel: Past 6 mo bf/gf suggested you hit/beat someone up

Value	Label	Unweighted Frequency	%
1	Yes	65	4.8 %
5	No	759	56.1 %
	Missing Data		
-200	Data missing	3	0.2 %
-103	Doesnt have bf gf - question skipped	525	38.8 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 824 valid cases out of 1,354 total cases.

Location: 116-119 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -103 , -9 , -8

S0PDEL25: S0 PDel: Past 6 mo bf/gf suggested you carry a weapon

Value	Label	Unweighted Frequency	%
1	Yes	38	2.8 %
5	No	786	58.1 %
	Missing Data		
-200	Data missing	3	0.2 %
-103	Doesnt have bf gf - question skipped	525	38.8 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 824 valid cases out of 1,354 total cases.

Location: 120-123 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -103 , -9 , -8

S0RQUA0R: S0 RQual: How often is bf/gf there for you when needed (Reversed)

Value	Label	Unweighted Frequency	%
1	Never	3	0.2 %
2	Rarely	24	1.8 %
3	Sometimes	68	5.0 %
4	Most of the time	210	15.5 %
5	All the time	450	33.2 %
	Missing Data		
-104	Been together 4 weeks or less - rqual measure skipped	599	44.2 %
	Total	**1,354**	**100%**

Based upon 755 valid cases out of 1,354 total cases.

Location: 124-127 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -104 , -9 , -8

S0RQUA1R: S0 RQual: How happy are you with your relationship (Reversed)

Value	Label	Unweighted Frequency	%
1	Very unhappy	7	0.5 %
2	Unhappy	6	0.4 %
3	Neither happy or unhappy	77	5.7 %

Value	Label	Unweighted Frequency	%
4	Happy	356	26.3 %
5	Very happy	309	22.8 %
	Missing Data		
-104	Been together 4 weeks or less - rqual measure skipped	599	44.2 %
	Total	**1,354**	**100%**

Based upon 755 valid cases out of 1,354 total cases.

Location: 128-131 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -104 , -9 , -8

S0RQUA2R: S0 RQual: Compared to friends relationships how good is yours (Reversed)

Value	Label	Unweighted Frequency	%
1	Much worse	1	0.1 %
2	Worse	17	1.3 %
3	About as good	172	12.7 %
4	Better	258	19.1 %
5	Much better	301	22.2 %
	Missing Data		
-104	Been together 4 weeks or less - rqual measure skipped	599	44.2 %
-9	Dont Know	6	0.4 %
	Total	**1,354**	**100%**

Based upon 749 valid cases out of 1,354 total cases.

Location: 132-135 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -104 , -9 , -8

S0RQUA4R: S0 RQual: Is relationship what you thought it be (Reversed)

Value	Label	Unweighted Frequency	%
1	Much worse	4	0.3 %
2	Worse	46	3.4 %
3	About what I expected it to be	208	15.4 %
4	Better	285	21.0 %
5	Much better	208	15.4 %
	Missing Data		
-104	Been together 4 weeks or less - rqual measure skipped	599	44.2 %
-9	Dont Know	4	0.3 %
	Total	**1,354**	**100%**

Based upon 751 valid cases out of 1,354 total cases.

Location: 136-139 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -104 , -9 , -8

S0RQUA5R: S0 RQual: How much do you love bf/gf (Reversed)

Value	Label	Unweighted Frequency	%
1	Not at all	48	3.5 %
2	Not very much	33	2.4 %
3	Somewhat	108	8.0 %
4	A lot	295	21.8 %
5	Very much	270	19.9 %
	Missing Data		
-104	Been together 4 weeks or less - rqual measure skipped	599	44.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 754 valid cases out of 1,354 total cases.

Location: 140-143 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -104 , -9 , -8

S0RELQLT: S0 RQUal: Quality of Relationship - Quality

Based upon 755 valid cases out of 1,354 total cases.

- Mean: 4.0955219174
- Median: 4.1428571429
- Mode: 4.4285714286
- Minimum: 2.2857142857
- Maximum: 5.0000000000
- Standard Deviation: 0.5489854040

Location: 144-158 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -200.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S0RELCON: S0 RQUal: Quality of Relationship - Monitoring

Based upon 755 valid cases out of 1,354 total cases.

- Mean: 2.68
- Median: 2.60
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.84

Location: 159-165 (width: 7; decimal: 2)
Variable Type: numeric

(Range of) Missing Values: -200.00 , -100.00 , -9.00 , -8.00

S0RELDEV: S0 RQUal: Quality of Relationship - Deviance

Based upon 753 valid cases out of 1,354 total cases.

- Mean: 3.25
- Median: 3.50
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.81

Location: 166-171 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -200.0 , -100.0 , -9.0 , -8.0

S0DEL: S0 RQUal: Antisocial Influence

Based upon 824 valid cases out of 1,354 total cases.

- Mean: 0.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 0.87

Location: 172-175 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -100 , -9 , -8

S1RQUAL_RQNAME: S1 RQual: Name of BF/GF

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 176-187 (width: 12; decimal: 0)
Variable Type: character

S1RQUAL_RQTIME: S1 RQual: Relationship timeframe past/present

Value	Label	Unweighted Frequency	%
1	Past	141	10.4 %
2	Present	461	34.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	Skip-in (rqname blank)	663	49.0 %
	Total	**1,354**	**100%**

Based upon 602 valid cases out of 1,354 total cases.

Location: 188-191 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S1RQUAL_RQLABL: S1 RQual: Describe relationship to subject

Value	Label	Unweighted Frequency	%
1	Boyfriend	0	0.0 %
2	Ex-boyfriend	0	0.0 %
3	Husband	0	0.0 %
4	Ex-husband	0	0.0 %
5	Girlfriend	0	0.0 %
6	Ex-girlfriend	0	0.0 %
7	Wife	0	0.0 %
8	Ex-Wife	0	0.0 %
9	Partner	0	0.0 %
10	Ex-partner	0	0.0 %
	Missing Data		
-400	Version	1265	93.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 192-195 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -101 , -99 , -98

S1RQUAL_RQAGE: S1 RQual: Age of main romantic partner

Based upon 601 valid cases out of 1,354 total cases.

- Mean: 17.49
- Median: 17.00
- Mode: 17.00
- Minimum: 13.00
- Maximum: 32.00
- Standard Deviation: 2.41

Location: 196-199 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -99 , -98

S1RQUAL001: S1 RQual: How often BF/GF there for you

Value	Label	Unweighted Frequency	%
1	All the time	369	27.3 %
2	Most of the time	145	10.7 %
3	Sometimes	63	4.7 %
4	Not very often	18	1.3 %
5	Never	7	0.5 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	Skip-in (rqname blank)	663	49.0 %
	Total	**1,354**	**100%**

Based upon 602 valid cases out of 1,354 total cases.

Location: 200-203 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S1RQUAL002: S1 RQual: How happy w/ relationship

Value	Label	Unweighted Frequency	%
1	Very happy	263	19.4 %
2	Happy	261	19.3 %
3	Neither happy nor unhappy	59	4.4 %
4	Unhappy	11	0.8 %
5	Very unhappy	8	0.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	Skip-in (rqname blank)	663	49.0 %
	Total	**1,354**	**100%**

Based upon 602 valid cases out of 1,354 total cases.

Location: 204-207 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S1RQUAL003: S1 RQual: How is relationship compared to others

Value	Label	Unweighted Frequency	%
1	Much better	238	17.6 %
2	Better	185	13.7 %
3	About as good	152	11.2 %
4	Worse	14	1.0 %
5	Much worse	2	0.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	Skip-in (rqname blank)	663	49.0 %
-9	Dont Know	11	0.8 %
	Total	**1,354**	**100%**

Based upon 591 valid cases out of 1,354 total cases.

Location: 208-211 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S1RQUAL004: S1 RQual: How often wish not in relationship

Value	Label	Unweighted Frequency	%
1	All the time	27	2.0 %
2	Most of the time	22	1.6 %
3	Sometimes	127	9.4 %
4	Not very often	137	10.1 %
5	Never	289	21.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	Skip-in (rqname blank)	663	49.0 %
	Total	**1,354**	**100%**

Based upon 602 valid cases out of 1,354 total cases.

Location: 212-215 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S1RQUAL005: S1 RQual: Relationship compared to expected

Value	Label	Unweighted Frequency	%
1	Much better	198	14.6 %
2	Better	192	14.2 %
3	About as good	162	12.0 %
4	Worse	42	3.1 %
5	Much worse	7	0.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	Skip-in (rqname blank)	663	49.0 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 601 valid cases out of 1,354 total cases.

Location: 216-219 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S1RQUAL006: S1 RQual: How much love BF/GF

Value	Label	Unweighted Frequency	%
1	Very much	245	18.1 %
2	A lot	209	15.4 %
3	Somewhat	99	7.3 %
4	Not very much	27	2.0 %
5	Not at all	20	1.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	Skip-in (rqname blank)	663	49.0 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 600 valid cases out of 1,354 total cases.

Location: 220-223 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S1RQUAL007: S1 RQual: How many problems in relationship

Value	Label	Unweighted Frequency	%
1	Very many	25	1.8 %
2	Many	59	4.4 %
3	Some	152	11.2 %
4	A few	251	18.5 %
5	None	115	8.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	Skip-in (rqname blank)	663	49.0 %
	Total	**1,354**	**100%**

Based upon 602 valid cases out of 1,354 total cases.

Location: 224-227 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S1RQUAL008: S1 RQual: BF/GF know who spend time with

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	64	4.7 %
2	Knows a little bit	149	11.0 %
3	Knows a lot	161	11.9 %
4	Knows everything	228	16.8 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	Skip-in (rqname blank)	663	49.0 %
	Total	**1,354**	**100%**

Based upon 602 valid cases out of 1,354 total cases.

Location: 228-231 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S1RQUAL009: S1 RQual: BF/GF know how spend free time

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	62	4.6 %
2	Knows a little bit	149	11.0 %
3	Knows a lot	202	14.9 %
4	Knows everything	189	14.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	Skip-in (rqname blank)	663	49.0 %
	Total	**1,354**	**100%**

Based upon 602 valid cases out of 1,354 total cases.

Location: 232-235 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S1RQUAL010: S1 RQual: BF/GF know how spend money

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	127	9.4 %
2	Knows a little bit	170	12.6 %
3	Knows a lot	127	9.4 %
4	Knows everything	178	13.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	Skip-in (rqname blank)	663	49.0 %
	Total	**1,354**	**100%**

Based upon 602 valid cases out of 1,354 total cases.

Location: 236-239 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S1RQUAL011: S1 RQual: BF/GF know where go after school

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	87	6.4 %
2	Knows a little bit	139	10.3 %
3	Knows a lot	156	11.5 %
4	Knows everything	216	16.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	Skip-in (rqname blank)	663	49.0 %
-9	Dont Know	4	0.3 %
	Total	**1,354**	**100%**

Based upon 598 valid cases out of 1,354 total cases.

Location: 240-243 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S1RQUAL012: S1 RQual: BF/GF know where go at night

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	101	7.5 %
2	Knows a little bit	122	9.0 %
3	Knows a lot	147	10.9 %
4	Knows everything	230	17.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	Skip-in (rqname blank)	663	49.0 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 600 valid cases out of 1,354 total cases.

Location: 244-247 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S1RQUAL013: S1 RQual: BF/GF know if used drugs

Value	Label	Unweighted Frequency	%
1	Yes	540	39.9 %
5	No	60	4.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	89	6.6 %

Value	Label	Unweighted Frequency	%
-101	Skip-in (rqname blank)	663	49.0 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 600 valid cases out of 1,354 total cases.

Location: 248-251 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S1RQUAL014: S1 RQual: BF/GF reaction if used drugs

Value	Label	Unweighted Frequency	%
1	Would not care at all	63	4.7 %
2	Would be bothered, but would not say anything to me about it	57	4.2 %
3	Would be bothered and would talk to me about it	161	11.9 %
4	Would get very upset with me	320	23.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	Skip-in (rqname blank)	663	49.0 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 601 valid cases out of 1,354 total cases.

Location: 252-255 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S1RQUAL015: S1 RQual: BF/GF know if did illegal activity

Value	Label	Unweighted Frequency	%
1	Yes	483	35.7 %
5	No	116	8.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	Skip-in (rqname blank)	663	49.0 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 599 valid cases out of 1,354 total cases.

Location: 256-259 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S1RQUAL016: S1 RQual: BF/GF reaction to illegal activity

Value	Label	Unweighted Frequency	%
1	Would not care at all	31	2.3 %
2	Would be bothered, but would not say anything to me about it	40	3.0 %
3	Would be bothered and would talk to me about it	142	10.5 %
4	Would get very upset with me	386	28.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	Skip-in (rqname blank)	663	49.0 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 599 valid cases out of 1,354 total cases.

Location: 260-263 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S1RQUAL017: S1 RQual: BF/GF know what time go home

Value	Label	Unweighted Frequency	%
1	Always	49	3.6 %
2	Often	18	1.3 %
3	Sometimes	20	1.5 %
4	Never	12	0.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	89	6.6 %
-102	Skip-in (rqlivn <> 1)	503	37.1 %
-101	Skip-in (rqname blank)	663	49.0 %
	Total	**1,354**	**100%**

Based upon 99 valid cases out of 1,354 total cases.

Location: 264-267 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S1RQUAL018: S1 RQual: BF/GF know where when go out

Value	Label	Unweighted Frequency	%
1	Always	48	3.5 %
2	Often	16	1.2 %
3	Sometimes	17	1.3 %
4	Never	18	1.3 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-201	IntCompStat = 4 missed interview	89	6.6 %
-102	Skip-in (rqlivn <> 1)	503	37.1 %
-101	Skip-in (rqname blank)	663	49.0 %
	Total	**1,354**	**100%**

Based upon 99 valid cases out of 1,354 total cases.

Location: 268-271 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S1PDEL_SDEL1: S1 PDel_SigOther: damaged/destroyed property

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1265	93.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 272-275 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S1PDEL_SDEL2: S1 PDel_SigOther: hit/threatened to hit someone

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1265	93.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 276-279 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S1PDEL_SDEL3: S1 PDel_SigOther: sold drugs

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1265	93.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 280-283 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S1PDEL_SDEL4A: S1 PDel_SigOther: gotten drunk

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1265	93.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 284-287 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S1PDEL_SDEL4B: S1 PDel_SigOther: got high on drugs

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1265	93.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 288-291 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S1PDEL_SDEL5A: S1 PDel_SigOther: carried a knife

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1265	93.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 292-295 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S1PDEL_SDEL5B: S1 PDel_SigOther: carried a gun

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1265	93.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 296-299 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S1PDEL_SDEL5C: S1 PDel_SigOther: owned a gun

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1265	93.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 300-303 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S1PDEL_SDEL6: S1 PDel_SigOther: got into fight

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1265	93.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 304-307 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S1PDEL_SDEL7: S1 PDel_SigOther: hurt in fight

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1265	93.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 308-311 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S1PDEL_SDEL8: S1 PDel_SigOther: stole something more than $100

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1265	93.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 312-315 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S1PDEL_SDEL9: S1 PDel_SigOther: stole a car

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1265	93.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 316-319 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S1PDEL_SDEL10: S1 PDel_SigOther: gone into building to steal

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1265	93.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 320-323 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S1PDEL19: S1 PDel: BFGF suggest go out drinking

Value	Label	Unweighted Frequency	%
1	Yes	64	4.7 %
5	No	536	39.6 %
	Missing Data		
-500	Data missing due to corruption	1	0.1 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	Subject not locked up - question skipped	663	49.0 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 600 valid cases out of 1,354 total cases.

Location: 324-327 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S1PDEL20: S1 PDel: BFGF say must be drunk to have good time

Value	Label	Unweighted Frequency	%
1	Yes	9	0.7 %
5	No	591	43.6 %
	Missing Data		
-500	Data missing due to corruption	1	0.1 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	Subject not locked up - question skipped	663	49.0 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 600 valid cases out of 1,354 total cases.

Location: 328-331 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S1PDEL21: S1 PDel: BFGF say must be high to have good time

Value	Label	Unweighted Frequency	%
1	Yes	9	0.7 %
5	No	591	43.6 %
	Missing Data		
-500	Data missing due to corruption	1	0.1 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	Subject not locked up - question skipped	663	49.0 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 600 valid cases out of 1,354 total cases.

Location: 332-335 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S1PDEL22: S1 PDel: BFGF suggest sell drugs

Value	Label	Unweighted Frequency	%
1	Yes	18	1.3 %
5	No	582	43.0 %
	Missing Data		
-500	Data missing due to corruption	1	0.1 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	Subject not locked up - question skipped	663	49.0 %

Value	Label	Unweighted Frequency	%
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 600 valid cases out of 1,354 total cases.

Location: 336-339 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S1PDEL23: S1 PDel: BFGF suggest steal something

Value	Label	Unweighted Frequency	%
1	Yes	8	0.6 %
5	No	592	43.7 %
	Missing Data		
-500	Data missing due to corruption	1	0.1 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	Subject not locked up - question skipped	663	49.0 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 600 valid cases out of 1,354 total cases.

Location: 340-343 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S1PDEL24: S1 PDel: BFGF suggest hit/beat someone

Value	Label	Unweighted Frequency	%
1	Yes	45	3.3 %
5	No	555	41.0 %
	Missing Data		
-500	Data missing due to corruption	1	0.1 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	Subject not locked up - question skipped	663	49.0 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 600 valid cases out of 1,354 total cases.

Location: 344-347 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S1PDEL25: S1 PDel: BFGF suggest carry weapon

Value	Label	Unweighted Frequency	%
1	Yes	29	2.1 %
5	No	571	42.2 %
	Missing Data		
-500	Data missing due to corruption	1	0.1 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	Subject not locked up - question skipped	663	49.0 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 600 valid cases out of 1,354 total cases.

Location: 348-351 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S1PDEL26: S1 PDel: BFGF hit/force things against will

Value	Label	Unweighted Frequency	%
1	Yes	21	1.6 %
5	No	580	42.8 %
	Missing Data		
-500	Data missing due to corruption	1	0.1 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	Subject not locked up - question skipped	663	49.0 %
	Total	**1,354**	**100%**

Based upon 601 valid cases out of 1,354 total cases.

Location: 352-355 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S1PDEL27: S1 PDel: BFGF try stop from committing crime

Value	Label	Unweighted Frequency	%
1	Yes	245	18.1 %
5	No	356	26.3 %
7	NA - hasnt tried to commit crime	0	0.0 %
	Missing Data		
-500	Data missing due to corruption	1	0.1 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	Subject not locked up - question skipped	663	49.0 %
	Total	**1,354**	**100%**

Based upon 601 valid cases out of 1,354 total cases.

Location: 356-359 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S1PDEL_RQNAME: S1 PDel: BFGF name

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 360-371 (width: 12; decimal: 0)
Variable Type: character

S1PDEL_RQLABL: S1 PDel: Romantic partner label

Value	Label	Unweighted Frequency	%
1	Boyfriend	0	0.0 %
2	Ex-boyfriend	0	0.0 %
3	Husband	0	0.0 %
4	Ex-husband	0	0.0 %
5	Girlfriend	0	0.0 %
6	Ex-girlfriend	0	0.0 %
7	Wife	0	0.0 %
8	Ex-wife	0	0.0 %
9	Partner	0	0.0 %
10	Ex-partner	0	0.0 %
	Missing Data		
-5	Blank	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 372-373 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -5

S1RQUA0R: S1 RQual: How often is bf/gf there for you when needed (Reversed)

Value	Label	Unweighted Frequency	%
1	Never	7	0.5 %
2	Rarely	18	1.3 %
3	Sometimes	63	4.7 %
4	Most of the time	145	10.7 %
5	All the time	369	27.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	Skip-in (rqname blank)	663	49.0 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 602 valid cases out of 1,354 total cases.

Location: 374-377 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S1RQUA1R: S1 RQual: How happy are you with your relationship (Reversed)

Value	Label	Unweighted Frequency	%
1	Very unhappy	8	0.6 %
2	Unhappy	11	0.8 %
3	Neither happy or unhappy	59	4.4 %
4	Happy	261	19.3 %
5	Very happy	263	19.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	Skip-in (rqname blank)	663	49.0 %
	Total	**1,354**	**100%**

Based upon 602 valid cases out of 1,354 total cases.

Location: 378-381 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S1RQUA2R: S1 RQual: Compared to friends relationships how good is yours (Reversed)

Value	Label	Unweighted Frequency	%
1	Much worse	2	0.1 %
2	Worse	14	1.0 %
3	About as good	152	11.2 %
4	Better	185	13.7 %
5	Much better	238	17.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	Skip-in (rqname blank)	663	49.0 %
-9	Dont Know	11	0.8 %
	Total	**1,354**	**100%**

Based upon 591 valid cases out of 1,354 total cases.

Location: 382-385 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S1RQUA4R: S1 RQual: Is relationship what you thought it be (Reversed)

Value	Label	Unweighted Frequency	%
1	Much worse	7	0.5 %
2	Worse	42	3.1 %
3	About what I expected it to be	162	12.0 %
4	Better	192	14.2 %
5	Much better	198	14.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	Skip-in (rqname blank)	663	49.0 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 601 valid cases out of 1,354 total cases.

Location: 386-389 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S1RQUA5R: S1 RQual: How much do you love bf/gf (Reversed)

Value	Label	Unweighted Frequency	%
1	Not at all	20	1.5 %
2	Not very much	27	2.0 %
3	Somewhat	99	7.3 %
4	A lot	209	15.4 %
5	Very much	245	18.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	Skip-in (rqname blank)	663	49.0 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 600 valid cases out of 1,354 total cases.

Location: 390-393 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S1RELQLT: S1 RQual: Quality of Relationship - Quality

Based upon 602 valid cases out of 1,354 total cases.

- Mean: 4.0532352476
- Median: 4.1428571429
- Minimum: 1.2857142857

- Maximum: 5.0000000000
- Standard Deviation: 0.6375009095

Location: 394-408 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S1RELCON: S1 RQual: Quality of Relationship - Monitoring

Based upon 602 valid cases out of 1,354 total cases.

- Mean: 2.8084163898
- Median: 2.8000000000
- Mode: 4.0000000000
- Minimum: 1.0000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.8835733318

Location: 409-423 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S1RELDEV: S1 RQual: Quality of Relationship - Deviance

Based upon 601 valid cases out of 1,354 total cases.

- Mean: 3.35
- Median: 3.50
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.81

Location: 424-429 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -300.0 , -202.0 , -201.0 , -100.0 , -9.0 , -8.0

S1PDEL19R: S1 PDel: BFGF suggest go out drinking (Reversed)

Value	Label	Unweighted Frequency	%
0	No	536	39.6 %
1	Yes	64	4.7 %
	Missing Data		
-500	Data missing due to corruption	1	0.1 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	Subject not locked up - question skipped	663	49.0 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 600 valid cases out of 1,354 total cases.

Location: 430-433 (width: 4; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S1PDEL20R: S1 PDel: BFGF say must be drunk to have good time (Reversed)

Value	Label	Unweighted Frequency	%
0	No	591	43.6 %
1	Yes	9	0.7 %
	Missing Data		
-500	Data missing due to corruption	1	0.1 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	Subject not locked up - question skipped	663	49.0 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 600 valid cases out of 1,354 total cases.

Location: 434-437 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S1PDEL21R: S1 PDel: BFGF say must be high to have good time (Reversed)

Value	Label	Unweighted Frequency	%
0	No	591	43.6 %
1	Yes	9	0.7 %
	Missing Data		
-500	Data missing due to corruption	1	0.1 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	Subject not locked up - question skipped	663	49.0 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 600 valid cases out of 1,354 total cases.

Location: 438-441 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S1PDEL22R: S1 PDel: BFGF suggest sell drugs (Reversed)

Value	Label	Unweighted Frequency	%
0	No	582	43.0 %
1	Yes	18	1.3 %
	Missing Data		
-500	Data missing due to corruption	1	0.1 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	Subject not locked up - question skipped	663	49.0 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 600 valid cases out of 1,354 total cases.

Location: 442-445 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S1PDEL23R: S1 PDel: BFGF suggest steal something (Reversed)

Value	Label	Unweighted Frequency	%
0	No	592	43.7 %
1	Yes	8	0.6 %
	Missing Data		
-500	Data missing due to corruption	1	0.1 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	Subject not locked up - question skipped	663	49.0 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 600 valid cases out of 1,354 total cases.

Location: 446-449 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S1PDEL24R: S1 PDel: BFGF suggest hit/beat someone (Reversed)

Value	Label	Unweighted Frequency	%
0	No	555	41.0 %
1	Yes	45	3.3 %
	Missing Data		
-500	Data missing due to corruption	1	0.1 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	Subject not locked up - question skipped	663	49.0 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 600 valid cases out of 1,354 total cases.

Location: 450-453 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S1PDEL25R: S1 PDel: BFGF suggest carry weapon (Reversed)

Value	Label	Unweighted Frequency	%
0	No	571	42.2 %
1	Yes	29	2.1 %
	Missing Data		
-500	Data missing due to corruption	1	0.1 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	Subject not locked up - question skipped	663	49.0 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 600 valid cases out of 1,354 total cases.

Location: 454-457 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S1DEL: S1 RQual: Antisocial Influence

Based upon 600 valid cases out of 1,354 total cases.

- Mean: 0.30
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 0.76

Location: 458-461 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -300 , -202 , -201 , -100 , -9 , -8

S1SIGOTHER_DEL: S1 RQual: Antisocial Behavior - Count of items endorsed

Value	Label	Unweighted Frequency	%
	Missing Data		
-400	Questions not asked in this version	1265	93.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 462-465 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S2RQUAL_RQNAME: S2 RQual: Name of BF/GF

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 466-477 (width: 12; decimal: 0)
Variable Type: character

S2RQUAL_RQTIME: S2 RQual: Relationship timeframe past/present

Value	Label	Unweighted Frequency	%
1	Past	119	8.8 %
2	Present	472	34.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	Skip-in (rqname blank)	671	49.6 %
	Total	**1,354**	**100%**

Based upon 591 valid cases out of 1,354 total cases.

Location: 478-481 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S2RQUAL_RQLABL: S2 RQual: Describe relationship to subject

Value	Label	Unweighted Frequency	%
1	Boyfriend	0	0.0 %
2	Ex-boyfriend	0	0.0 %
3	Husband	0	0.0 %
4	Ex-husband	0	0.0 %
5	Girlfriend	0	0.0 %
6	Ex-girlfriend	0	0.0 %
7	Wife	0	0.0 %
8	Ex-Wife	0	0.0 %
9	Partner	0	0.0 %
10	Ex-partner	0	0.0 %
	Missing Data		
-400	Version	1262	93.2 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 482-485 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -101 , -99 , -98

S2RQUAL_RQAGE: S2 RQual: Age of main romantic partner

Based upon 590 valid cases out of 1,354 total cases.

- Mean: 17.86
- Median: 17.00
- Mode: 17.00
- Minimum: 5.00
- Maximum: 37.00
- Standard Deviation: 2.74

Location: 486-489 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -99 , -98

S2RQUAL001: S2 RQual: How often BF/GF there for you

Value	Label	Unweighted Frequency	%
1	All the time	386	28.5 %
2	Most of the time	137	10.1 %
3	Sometimes	51	3.8 %
4	Not very often	8	0.6 %
5	Never	8	0.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	Skip-in (rqname blank)	671	49.6 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 590 valid cases out of 1,354 total cases.

Location: 490-493 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S2RQUAL002: S2 RQual: How happy w/ relationship

Value	Label	Unweighted Frequency	%
1	Very happy	294	21.7 %
2	Happy	233	17.2 %
3	Neither happy nor unhappy	45	3.3 %
4	Unhappy	10	0.7 %
5	Very unhappy	9	0.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	Skip-in (rqname blank)	671	49.6 %
	Total	**1,354**	**100%**

Based upon 591 valid cases out of 1,354 total cases.

Location: 494-497 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S2RQUAL003: S2 RQual: How is relationship compared to others

Value	Label	Unweighted Frequency	%
1	Much better	250	18.5 %
2	Better	187	13.8 %
3	About as good	130	9.6 %
4	Worse	19	1.4 %
5	Much worse	3	0.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	Skip-in (rqname blank)	671	49.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 589 valid cases out of 1,354 total cases.

Location: 498-501 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S2RQUAL004: S2 RQual: How often wish not in relationship

Value	Label	Unweighted Frequency	%
1	All the time	26	1.9 %
2	Most of the time	28	2.1 %
3	Sometimes	114	8.4 %
4	Not very often	135	10.0 %
5	Never	288	21.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	Skip-in (rqname blank)	671	49.6 %
	Total	**1,354**	**100%**

Based upon 591 valid cases out of 1,354 total cases.

Location: 502-505 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S2RQUAL005: S2 RQual: Relationship compared to expected

Value	Label	Unweighted Frequency	%
1	Much better	197	14.5 %
2	Better	213	15.7 %

Value	Label	Unweighted Frequency	%
3	About as good	122	9.0 %
4	Worse	50	3.7 %
5	Much worse	7	0.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	Skip-in (rqname blank)	671	49.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 589 valid cases out of 1,354 total cases.

Location: 506-509 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S2RQUAL006: S2 RQual: How much love BF/GF

Value	Label	Unweighted Frequency	%
1	Very much	271	20.0 %
2	A lot	199	14.7 %
3	Somewhat	74	5.5 %
4	Not very much	20	1.5 %
5	Not at all	26	1.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	Skip-in (rqname blank)	671	49.6 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 590 valid cases out of 1,354 total cases.

Location: 510-513 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S2RQUAL007: S2 RQual: How many problems in relationship

Value	Label	Unweighted Frequency	%
1	Very many	23	1.7 %
2	Many	57	4.2 %
3	Some	146	10.8 %
4	A few	275	20.3 %
5	None	90	6.6 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	Skip-in (rqname blank)	671	49.6 %
	Total	**1,354**	**100%**

Based upon 591 valid cases out of 1,354 total cases.

Location: 514-517 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S2RQUAL008: S2 RQual: BF/GF know who spend time with

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	40	3.0 %
2	Knows a little bit	131	9.7 %
3	Knows a lot	192	14.2 %
4	Knows everything	228	16.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	Skip-in (rqname blank)	671	49.6 %
	Total	**1,354**	**100%**

Based upon 591 valid cases out of 1,354 total cases.

Location: 518-521 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S2RQUAL009: S2 RQual: BF/GF know how spend free time

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	46	3.4 %
2	Knows a little bit	150	11.1 %
3	Knows a lot	197	14.5 %
4	Knows everything	198	14.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	Skip-in (rqname blank)	671	49.6 %
	Total	**1,354**	**100%**

Based upon 591 valid cases out of 1,354 total cases.

Location: 522-525 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S2RQUAL010: S2 RQual: BF/GF know how spend money

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	116	8.6 %
2	Knows a little bit	148	10.9 %
3	Knows a lot	148	10.9 %
4	Knows everything	179	13.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	Skip-in (rqname blank)	671	49.6 %
	Total	**1,354**	**100%**

Based upon 591 valid cases out of 1,354 total cases.

Location: 526-529 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S2RQUAL011: S2 RQual: BF/GF know where go after school

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	64	4.7 %
2	Knows a little bit	142	10.5 %
3	Knows a lot	165	12.2 %
4	Knows everything	219	16.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	Skip-in (rqname blank)	671	49.6 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 590 valid cases out of 1,354 total cases.

Location: 530-533 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S2RQUAL012: S2 RQual: BF/GF know where go at night

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	76	5.6 %
2	Knows a little bit	120	8.9 %
3	Knows a lot	161	11.9 %
4	Knows everything	234	17.3 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	Skip-in (rqname blank)	671	49.6 %
	Total	**1,354**	**100%**

Based upon 591 valid cases out of 1,354 total cases.

Location: 534-537 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S2RQUAL013: S2 RQual: BF/GF know if used drugs

Value	Label	Unweighted Frequency	%
1	Yes	545	40.3 %
5	No	46	3.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	Skip-in (rqname blank)	671	49.6 %
	Total	**1,354**	**100%**

Based upon 591 valid cases out of 1,354 total cases.

Location: 538-541 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S2RQUAL014: S2 RQual: BF/GF reaction if used drugs

Value	Label	Unweighted Frequency	%
1	Would not care at all	41	3.0 %
2	Would be bothered, but would not say anything to me about it	46	3.4 %
3	Would be bothered and would talk to me about it	157	11.6 %
4	Would get very upset with me	344	25.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	Skip-in (rqname blank)	671	49.6 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 588 valid cases out of 1,354 total cases.

Location: 542-545 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S2RQUAL015: S2 RQual: BF/GF know if did illegal activity

Value	Label	Unweighted Frequency	%
1	Yes	478	35.3 %
5	No	113	8.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	Skip-in (rqname blank)	671	49.6 %
	Total	**1,354**	**100%**

Based upon 591 valid cases out of 1,354 total cases.

Location: 546-549 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S2RQUAL016: S2 RQual: BF/GF reaction to illegal activity

Value	Label	Unweighted Frequency	%
1	Would not care at all	14	1.0 %
2	Would be bothered, but would not say anything to me about it	38	2.8 %
3	Would be bothered and would talk to me about it	143	10.6 %
4	Would get very upset with me	393	29.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	Skip-in (rqname blank)	671	49.6 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 588 valid cases out of 1,354 total cases.

Location: 550-553 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S2RQUAL017: S2 RQual: BF/GF know what time go home

Value	Label	Unweighted Frequency	%
1	Always	67	4.9 %
2	Often	34	2.5 %
3	Sometimes	16	1.2 %
4	Never	3	0.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	92	6.8 %
-102	Skip-in (rqlivn <> 1)	470	34.7 %
-101	Skip-in (rqname blank)	671	49.6 %
-9	Dont Know	1	0.1 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 120 valid cases out of 1,354 total cases.

Location: 554-557 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S2RQUAL018: S2 RQual: BF/GF know where when go out

Value	Label	Unweighted Frequency	%
1	Always	61	4.5 %
2	Often	30	2.2 %
3	Sometimes	22	1.6 %
4	Never	7	0.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	92	6.8 %
-102	Skip-in (rqlivn <> 1)	470	34.7 %
-101	Skip-in (rqname blank)	671	49.6 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 120 valid cases out of 1,354 total cases.

Location: 558-561 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S2PDEL_SDEL1: S2 PDel_SigOther: damaged/destroyed property

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1262	93.2 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 562-565 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S2PDEL_SDEL2: S2 PDel_SigOther: hit/threatened to hit someone

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1262	93.2 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 566-569 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S2PDEL_SDEL3: S2 PDel_SigOther: sold drugs

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1262	93.2 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 570-573 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S2PDEL_SDEL4A: S2 PDel_SigOther: gotten drunk

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1262	93.2 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 574-577 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S2PDEL_SDEL4B: S2 PDel_SigOther: got high on drugs

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1262	93.2 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 578-581 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S2PDEL_SDEL5A: S2 PDel_SigOther: carried a knife

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1262	93.2 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 582-585 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S2PDEL_SDEL5B: S2 PDel_SigOther: carried a gun

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1262	93.2 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 586-589 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S2PDEL_SDEL5C: S2 PDel_SigOther: owned a gun

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1262	93.2 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 590-593 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S2PDEL_SDEL6: S2 PDel_SigOther: got into fight

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1262	93.2 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 594-597 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S2PDEL_SDEL7: S2 PDel_SigOther: hurt in fight

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1262	93.2 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 598-601 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S2PDEL_SDEL8: S2 PDel_SigOther: stole something more than $100

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1262	93.2 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 602-605 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S2PDEL_SDEL9: S2 PDel_SigOther: stole a car

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1262	93.2 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 606-609 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S2PDEL_SDEL10: S2 PDel_SigOther: gone into building to steal

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1262	93.2 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 610-613 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S2PDEL19: S2 PDel: BFGF suggest go out drinking

Value	Label	Unweighted Frequency	%
1	Yes	56	4.1 %
5	No	534	39.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	Subject not locked up - question skipped	671	49.6 %
	Total	**1,354**	**100%**

Based upon 590 valid cases out of 1,354 total cases.

Location: 614-617 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S2PDEL20: S2 PDel: BFGF say must be drunk to have good time

Value	Label	Unweighted Frequency	%
1	Yes	12	0.9 %
5	No	578	42.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	Subject not locked up - question skipped	671	49.6 %
	Total	**1,354**	**100%**

Based upon 590 valid cases out of 1,354 total cases.

Location: 618-621 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S2PDEL21: S2 PDel: BFGF say must be high to have good time

Value	Label	Unweighted Frequency	%
1	Yes	15	1.1 %
5	No	575	42.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	Subject not locked up - question skipped	671	49.6 %
	Total	**1,354**	**100%**

Based upon 590 valid cases out of 1,354 total cases.

Location: 622-625 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S2PDEL22: S2 PDel: BFGF suggest sell drugs

Value	Label	Unweighted Frequency	%
1	Yes	11	0.8 %
5	No	579	42.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	Subject not locked up - question skipped	671	49.6 %
	Total	**1,354**	**100%**

Based upon 590 valid cases out of 1,354 total cases.

Location: 626-629 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S2PDEL23: S2 PDel: BFGF suggest steal something

Value	Label	Unweighted Frequency	%
1	Yes	7	0.5 %
5	No	583	43.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	Subject not locked up - question skipped	671	49.6 %
	Total	**1,354**	**100%**

Based upon 590 valid cases out of 1,354 total cases.

Location: 630-633 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S2PDEL24: S2 PDel: BFGF suggest hit/beat someone

Value	Label	Unweighted Frequency	%
1	Yes	35	2.6 %
5	No	555	41.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	Subject not locked up - question skipped	671	49.6 %
	Total	**1,354**	**100%**

Based upon 590 valid cases out of 1,354 total cases.

Location: 634-637 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S2PDEL25: S2 PDel: BFGF suggest carry weapon

Value	Label	Unweighted Frequency	%
1	Yes	28	2.1 %
5	No	562	41.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	Subject not locked up - question skipped	671	49.6 %
	Total	**1,354**	**100%**

Based upon 590 valid cases out of 1,354 total cases.

Location: 638-641 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S2PDEL26: S2 PDel: BFGF hit/force things against will

Value	Label	Unweighted Frequency	%
1	Yes	27	2.0 %
5	No	562	41.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	Subject not locked up - question skipped	671	49.6 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 589 valid cases out of 1,354 total cases.

Location: 642-645 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S2PDEL27: S2 PDel: BFGF try stop from committing crime

Value	Label	Unweighted Frequency	%
1	Yes	223	16.5 %
5	No	367	27.1 %
7	NA - hasnt tried to commit crime	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	Subject not locked up - question skipped	671	49.6 %
	Total	**1,354**	**100%**

Based upon 590 valid cases out of 1,354 total cases.

Location: 646-649 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S2PDEL_RQNAME: S2 PDel: BFGF name

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 650-661 (width: 12; decimal: 0)
Variable Type: character

S2PDEL_RQLABL: S2 PDel: Romantic partner label

Value	Label	Unweighted Frequency	%
1	Boyfriend	0	0.0 %
2	Ex-boyfriend	0	0.0 %
3	Husband	0	0.0 %
4	Ex-husband	0	0.0 %
5	Girlfriend	0	0.0 %
6	Ex-girlfriend	0	0.0 %
7	Wife	0	0.0 %
8	Ex-wife	0	0.0 %
9	Partner	0	0.0 %
10	Ex-partner	0	0.0 %
	Missing Data		
-5	Blank	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 662-663 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -5

S2RQUA0R: S2 RQual: How often is bf/gf there for you when needed (Reversed)

Value	Label	Unweighted Frequency	%
1	Never	8	0.6 %

Value	Label	Unweighted Frequency	%
2	Rarely	8	0.6 %
3	Sometimes	51	3.8 %
4	Most of the time	137	10.1 %
5	All the time	386	28.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	Skip-in (rqname blank)	671	49.6 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 590 valid cases out of 1,354 total cases.

Location: 664-667 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S2RQUA1R: S2 RQual: How happy are you with your relationship (Reversed)

Value	Label	Unweighted Frequency	%
1	Very unhappy	9	0.7 %
2	Unhappy	10	0.7 %
3	Neither happy or unhappy	45	3.3 %
4	Happy	233	17.2 %
5	Very happy	294	21.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	Skip-in (rqname blank)	671	49.6 %
	Total	**1,354**	**100%**

Based upon 591 valid cases out of 1,354 total cases.

Location: 668-671 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S2RQUA2R: S2 RQual: Compared to friends relationships how good is yours (Reversed)

Value	Label	Unweighted Frequency	%
1	Much worse	3	0.2 %
2	Worse	19	1.4 %
3	About as good	130	9.6 %
4	Better	187	13.8 %
5	Much better	250	18.5 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	Skip-in (rqname blank)	671	49.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 589 valid cases out of 1,354 total cases.

Location: 672-675 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S2RQUA4R: S2 RQual: Is relationship what you thought it be (Reversed)

Value	Label	Unweighted Frequency	%
1	Much worse	7	0.5 %
2	Worse	50	3.7 %
3	About what I expected it to be	122	9.0 %
4	Better	213	15.7 %
5	Much better	197	14.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	Skip-in (rqname blank)	671	49.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 589 valid cases out of 1,354 total cases.

Location: 676-679 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S2RQUA5R: S2 RQual: How much do you love bf/gf (Reversed)

Value	Label	Unweighted Frequency	%
1	Not at all	26	1.9 %
2	Not very much	20	1.5 %
3	Somewhat	74	5.5 %
4	A lot	199	14.7 %
5	Very much	271	20.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	Skip-in (rqname blank)	671	49.6 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 590 valid cases out of 1,354 total cases.

Location: 680-683 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S2RELQLT: S2 RQual: Quality of Relationship - Quality

Based upon 591 valid cases out of 1,354 total cases.

- Mean: 4.0972121505
- Median: 4.1428571429
- Mode: 4.7142857143
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.6516106112

Location: 684-698 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S2RELCON: S2 RQual: Quality of Relationship - Monitoring

Based upon 591 valid cases out of 1,354 total cases.

- Mean: 2.89
- Median: 3.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.85

Location: 699-705 (width: 7; decimal: 2)
Variable Type: numeric
(Range of) Missing Values: -300.00 , -202.00 , -201.00 , -100.00 , -9.00 , -8.00

S2RELDEV: S2 RQual: Quality of Relationship - Deviance

Based upon 589 valid cases out of 1,354 total cases.

- Mean: 3.46
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.73

Location: 706-711 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -300.0 , -202.0 , -201.0 , -100.0 , -9.0 , -8.0

S2PDEL19R: S2 PDel: BFGF suggest go out drinking (Reversed)

Value	Label	Unweighted Frequency	%
0	No	534	39.4 %

Value	Label	Unweighted Frequency	%
1	Yes	56	4.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	Subject not locked up - question skipped	671	49.6 %
	Total	**1,354**	**100%**

Based upon 590 valid cases out of 1,354 total cases.

Location: 712-715 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S2PDEL20R: S2 PDel: BFGF say must be drunk to have good time (Reversed)

Value	Label	Unweighted Frequency	%
0	No	578	42.7 %
1	Yes	12	0.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	Subject not locked up - question skipped	671	49.6 %
	Total	**1,354**	**100%**

Based upon 590 valid cases out of 1,354 total cases.

Location: 716-719 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S2PDEL21R: S2 PDel: BFGF say must be high to have good time (Reversed)

Value	Label	Unweighted Frequency	%
0	No	575	42.5 %
1	Yes	15	1.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	Subject not locked up - question skipped	671	49.6 %
	Total	**1,354**	**100%**

Based upon 590 valid cases out of 1,354 total cases.

Location: 720-723 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S2PDEL22R: S2 PDel: BFGF suggest sell drugs (Reversed)

Value	Label	Unweighted Frequency	%
0	No	579	42.8 %
1	Yes	11	0.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	Subject not locked up - question skipped	671	49.6 %
	Total	**1,354**	**100%**

Based upon 590 valid cases out of 1,354 total cases.

Location: 724-727 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S2PDEL23R: S2 PDel: BFGF suggest steal something (Reversed)

Value	Label	Unweighted Frequency	%
0	No	583	43.1 %
1	Yes	7	0.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	Subject not locked up - question skipped	671	49.6 %
	Total	**1,354**	**100%**

Based upon 590 valid cases out of 1,354 total cases.

Location: 728-731 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S2PDEL24R: S2 PDel: BFGF suggest hit/beat someone (Reversed)

Value	Label	Unweighted Frequency	%
0	No	555	41.0 %
1	Yes	35	2.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	Subject not locked up - question skipped	671	49.6 %
	Total	**1,354**	**100%**

Based upon 590 valid cases out of 1,354 total cases.

Location: 732-735 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S2PDEL25R: S2 PDel: BFGF suggest carry weapon (Reversed)

Value	Label	Unweighted Frequency	%
0	No	562	41.5 %
1	Yes	28	2.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	Subject not locked up - question skipped	671	49.6 %
	Total	**1,354**	**100%**

Based upon 590 valid cases out of 1,354 total cases.

Location: 736-739 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S2DEL: S2 RQual: Antisocial Influence

Based upon 590 valid cases out of 1,354 total cases.

- Mean: 0.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 0.85

Location: 740-743 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -300 , -202 , -201 , -100 , -9 , -8

S2SIGOTHER_DEL: S2 RQual: Antisocial Behavior - Count of items endorsed

Value	Label	Unweighted Frequency	%
	Missing Data		
-400	Questions not asked in this version	1262	93.2 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 744-747 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S3RQUAL_RQNAME: S3 RQual: Name of BF/GF

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 748-760 (width: 13; decimal: 0)
Variable Type: character

S3RQUAL_RQTIME: S3 RQual: Relationship timeframe past/present

Value	Label	Unweighted Frequency	%
1	Past	130	9.6 %
2	Present	494	36.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	Skip-in (rqname blank)	605	44.7 %
	Total	**1,354**	**100%**

Based upon 624 valid cases out of 1,354 total cases.

Location: 761-764 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S3RQUAL_RQLABL: S3 RQual: Describe relationship to subject

Value	Label	Unweighted Frequency	%
1	Boyfriend	0	0.0 %
2	Ex-boyfriend	0	0.0 %
3	Husband	0	0.0 %
4	Ex-husband	0	0.0 %
5	Girlfriend	0	0.0 %
6	Ex-girlfriend	0	0.0 %
7	Wife	0	0.0 %
8	Ex-Wife	0	0.0 %
9	Partner	0	0.0 %
10	Ex-partner	0	0.0 %
	Missing Data		
-400	Version	1229	90.8 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 765-768 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -101 , -99 , -98

S3RQUAL_RQAGE: S3 RQual: Age of main romantic partner

Based upon 623 valid cases out of 1,354 total cases.

- Mean: 18.61
- Median: 18.00
- Mode: 17.00
- Minimum: 14.00
- Maximum: 40.00
- Standard Deviation: 3.34

Location: 769-772 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -99 , -98

S3RQUAL001: S3 RQual: How often BF/GF there for you

Value	Label	Unweighted Frequency	%
1	All the time	408	30.1 %
2	Most of the time	137	10.1 %
3	Sometimes	64	4.7 %
4	Not very often	10	0.7 %
5	Never	4	0.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	Skip-in (rqname blank)	605	44.7 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 623 valid cases out of 1,354 total cases.

Location: 773-776 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S3RQUAL002: S3 RQual: How happy w/ relationship

Value	Label	Unweighted Frequency	%
1	Very happy	309	22.8 %
2	Happy	239	17.7 %
3	Neither happy nor unhappy	54	4.0 %
4	Unhappy	12	0.9 %
5	Very unhappy	10	0.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	Skip-in (rqname blank)	605	44.7 %
	Total	**1,354**	**100%**

Based upon 624 valid cases out of 1,354 total cases.

Location: 777-780 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S3RQUAL003: S3 RQual: How is relationship compared to others

Value	Label	Unweighted Frequency	%
1	Much better	261	19.3 %
2	Better	191	14.1 %
3	About as good	148	10.9 %
4	Worse	17	1.3 %
5	Much worse	3	0.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	Skip-in (rqname blank)	605	44.7 %
-9	Dont Know	3	0.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 620 valid cases out of 1,354 total cases.

Location: 781-784 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S3RQUAL004: S3 RQual: How often wish not in relationship

Value	Label	Unweighted Frequency	%
1	All the time	34	2.5 %
2	Most of the time	23	1.7 %
3	Sometimes	103	7.6 %
4	Not very often	138	10.2 %
5	Never	326	24.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	Skip-in (rqname blank)	605	44.7 %
	Total	**1,354**	**100%**

Based upon 624 valid cases out of 1,354 total cases.

Location: 785-788 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S3RQUAL005: S3 RQual: Relationship compared to expected

Value	Label	Unweighted Frequency	%
1	Much better	201	14.8 %
2	Better	210	15.5 %
3	About as good	148	10.9 %
4	Worse	51	3.8 %
5	Much worse	12	0.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	Skip-in (rqname blank)	605	44.7 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 622 valid cases out of 1,354 total cases.

Location: 789-792 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S3RQUAL006: S3 RQual: How much love BF/GF

Value	Label	Unweighted Frequency	%
1	Very much	295	21.8 %
2	A lot	214	15.8 %
3	Somewhat	71	5.2 %
4	Not very much	22	1.6 %
5	Not at all	20	1.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	Skip-in (rqname blank)	605	44.7 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 622 valid cases out of 1,354 total cases.

Location: 793-796 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S3RQUAL007: S3 RQual: How many problems in relationship

Value	Label	Unweighted Frequency	%
1	Very many	27	2.0 %
2	Many	59	4.4 %
3	Some	175	12.9 %
4	A few	269	19.9 %

Value	Label	Unweighted Frequency	%
5	None	94	6.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	Skip-in (rqname blank)	605	44.7 %
	Total	**1,354**	**100%**

Based upon 624 valid cases out of 1,354 total cases.

Location: 797-800 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S3RQUAL008: S3 RQual: BF/GF know who spend time with

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	40	3.0 %
2	Knows a little bit	152	11.2 %
3	Knows a lot	180	13.3 %
4	Knows everything	252	18.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	Skip-in (rqname blank)	605	44.7 %
	Total	**1,354**	**100%**

Based upon 624 valid cases out of 1,354 total cases.

Location: 801-804 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S3RQUAL009: S3 RQual: BF/GF know how spend free time

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	41	3.0 %
2	Knows a little bit	169	12.5 %
3	Knows a lot	185	13.7 %
4	Knows everything	229	16.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	Skip-in (rqname blank)	605	44.7 %
	Total	**1,354**	**100%**

Based upon 624 valid cases out of 1,354 total cases.

Location: 805-808 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S3RQUAL010: S3 RQual: BF/GF know how spend money

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	91	6.7 %
2	Knows a little bit	175	12.9 %
3	Knows a lot	134	9.9 %
4	Knows everything	224	16.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	Skip-in (rqname blank)	605	44.7 %
	Total	**1,354**	**100%**

Based upon 624 valid cases out of 1,354 total cases.

Location: 809-812 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S3RQUAL011: S3 RQual: BF/GF know where go after school

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	66	4.9 %
2	Knows a little bit	147	10.9 %
3	Knows a lot	169	12.5 %
4	Knows everything	242	17.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	Skip-in (rqname blank)	605	44.7 %
	Total	**1,354**	**100%**

Based upon 624 valid cases out of 1,354 total cases.

Location: 813-816 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S3RQUAL012: S3 RQual: BF/GF know where go at night

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	73	5.4 %
2	Knows a little bit	132	9.7 %
3	Knows a lot	159	11.7 %
4	Knows everything	260	19.2 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	Skip-in (rqname blank)	605	44.7 %
	Total	**1,354**	**100%**

Based upon 624 valid cases out of 1,354 total cases.

Location: 817-820 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S3RQUAL013: S3 RQual: BF/GF know if used drugs

Value	Label	Unweighted Frequency	%
1	Yes	571	42.2 %
5	No	52	3.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	Skip-in (rqname blank)	605	44.7 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 623 valid cases out of 1,354 total cases.

Location: 821-824 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S3RQUAL014: S3 RQual: BF/GF reaction if used drugs

Value	Label	Unweighted Frequency	%
1	Would not care at all	53	3.9 %
2	Would be bothered, but would not say anything to me about it	42	3.1 %
3	Would be bothered and would talk to me about it	175	12.9 %
4	Would get very upset with me	353	26.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	Skip-in (rqname blank)	605	44.7 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 623 valid cases out of 1,354 total cases.

Location: 825-828 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S3RQUAL015: S3 RQual: BF/GF know if did illegal activity

Value	Label	Unweighted Frequency	%
1	Yes	521	38.5 %
5	No	102	7.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	Skip-in (rqname blank)	605	44.7 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 623 valid cases out of 1,354 total cases.

Location: 829-832 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S3RQUAL016: S3 RQual: BF/GF reaction to illegal activity

Value	Label	Unweighted Frequency	%
1	Would not care at all	22	1.6 %
2	Would be bothered, but would not say anything to me about it	34	2.5 %
3	Would be bothered and would talk to me about it	148	10.9 %
4	Would get very upset with me	419	30.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	Skip-in (rqname blank)	605	44.7 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 623 valid cases out of 1,354 total cases.

Location: 833-836 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S3RQUAL017: S3 RQual: BF/GF know what time go home

Value	Label	Unweighted Frequency	%
1	Always	79	5.8 %
2	Often	41	3.0 %
3	Sometimes	26	1.9 %
4	Never	4	0.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	125	9.2 %

Value	Label	Unweighted Frequency	%
-102	Skip-in (rqlivn <> 1)	474	35.0 %
-101	Skip-in (rqname blank)	605	44.7 %
	Total	**1,354**	**100%**

Based upon 150 valid cases out of 1,354 total cases.

Location: 837-840 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S3RQUAL018: S3 RQual: BF/GF know where when go out

Value	Label	Unweighted Frequency	%
1	Always	76	5.6 %
2	Often	28	2.1 %
3	Sometimes	33	2.4 %
4	Never	13	1.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	125	9.2 %
-102	Skip-in (rqlivn <> 1)	474	35.0 %
-101	Skip-in (rqname blank)	605	44.7 %
	Total	**1,354**	**100%**

Based upon 150 valid cases out of 1,354 total cases.

Location: 841-844 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S3PDEL_SDEL1: S3 PDel_SigOther: damaged/destroyed property

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1229	90.8 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 845-848 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S3PDEL_SDEL2: S3 PDel_SigOther: hit/threatened to hit someone

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1229	90.8 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 849-852 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S3PDEL_SDEL3: S3 PDel_SigOther: sold drugs

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1229	90.8 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 853-856 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S3PDEL_SDEL4A: S3 PDel_SigOther: gotten drunk

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1229	90.8 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 857-860 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S3PDEL_SDEL4B: S3 PDel_SigOther: got high on drugs

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1229	90.8 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 861-864 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S3PDEL_SDEL5A: S3 PDel_SigOther: carried a knife

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1229	90.8 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 865-868 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S3PDEL_SDEL5B: S3 PDel_SigOther: carried a gun

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1229	90.8 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 869-872 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S3PDEL_SDEL5C: S3 PDel_SigOther: owned a gun

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1229	90.8 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 873-876 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S3PDEL_SDEL6: S3 PDel_SigOther: got into fight

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1229	90.8 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 877-880 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S3PDEL_SDEL7: S3 PDel_SigOther: hurt in fight

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1229	90.8 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 881-884 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S3PDEL_SDEL8: S3 PDel_SigOther: stole something more than $100

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1229	90.8 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 885-888 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S3PDEL_SDEL9: S3 PDel_SigOther: stole a car

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1229	90.8 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 889-892 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S3PDEL_SDEL10: S3 PDel_SigOther: gone into building to steal

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Questions not asked in this version	1229	90.8 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 893-896 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S3PDEL19: S3 PDel: BFGF suggest go out drinking

Value	Label	Unweighted Frequency	%
1	Yes	65	4.8 %
5	No	558	41.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	Subject not locked up - question skipped	605	44.7 %
	Total	**1,354**	**100%**

Based upon 623 valid cases out of 1,354 total cases.

Location: 897-900 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S3PDEL20: S3 PDel: BFGF say must be drunk to have good time

Value	Label	Unweighted Frequency	%
1	Yes	14	1.0 %
5	No	609	45.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	Subject not locked up - question skipped	605	44.7 %
	Total	**1,354**	**100%**

Based upon 623 valid cases out of 1,354 total cases.

Location: 901-904 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S3PDEL21: S3 PDel: BFGF say must be high to have good time

Value	Label	Unweighted Frequency	%
1	Yes	13	1.0 %
5	No	610	45.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	Subject not locked up - question skipped	605	44.7 %
	Total	**1,354**	**100%**

Based upon 623 valid cases out of 1,354 total cases.

Location: 905-908 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S3PDEL22: S3 PDel: BFGF suggest sell drugs

Value	Label	Unweighted Frequency	%
1	Yes	12	0.9 %
5	No	611	45.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	Subject not locked up - question skipped	605	44.7 %
	Total	**1,354**	**100%**

Based upon 623 valid cases out of 1,354 total cases.

Location: 909-912 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S3PDEL23: S3 PDel: BFGF suggest steal something

Value	Label	Unweighted Frequency	%
1	Yes	8	0.6 %
5	No	615	45.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	Subject not locked up - question skipped	605	44.7 %
	Total	**1,354**	**100%**

Based upon 623 valid cases out of 1,354 total cases.

Location: 913-916 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S3PDEL24: S3 PDel: BFGF suggest hit/beat someone

Value	Label	Unweighted Frequency	%
1	Yes	38	2.8 %
5	No	585	43.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	Subject not locked up - question skipped	605	44.7 %
	Total	**1,354**	**100%**

Based upon 623 valid cases out of 1,354 total cases.

Location: 917-920 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S3PDEL25: S3 PDel: BFGF suggest carry weapon

Value	Label	Unweighted Frequency	%
1	Yes	14	1.0 %
5	No	609	45.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	Subject not locked up - question skipped	605	44.7 %
	Total	**1,354**	**100%**

Based upon 623 valid cases out of 1,354 total cases.

Location: 921-924 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S3PDEL26: S3 PDel: BFGF hit/force things against will

Value	Label	Unweighted Frequency	%
1	Yes	28	2.1 %
5	No	595	43.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	Subject not locked up - question skipped	605	44.7 %
	Total	**1,354**	**100%**

Based upon 623 valid cases out of 1,354 total cases.

Location: 925-928 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S3PDEL27: S3 PDel: BFGF try stop from committing crime

Value	Label	Unweighted Frequency	%
1	Yes	210	15.5 %
5	No	412	30.4 %
7	NA - hasnt tried to commit crime	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	Subject not locked up - question skipped	605	44.7 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 622 valid cases out of 1,354 total cases.

Location: 929-932 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S3PDEL_RQNAME: S3 PDel: BFGF name

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 933-945 (width: 13; decimal: 0)
Variable Type: character

S3PDEL_RQLABL: S3 PDel: Romantic partner label

Value	Label	Unweighted Frequency	%
1	Boyfriend	0	0.0 %
2	Ex-boyfriend	0	0.0 %
3	Husband	0	0.0 %
4	Ex-husband	0	0.0 %
5	Girlfriend	0	0.0 %
6	Ex-girlfriend	0	0.0 %
7	Wife	0	0.0 %
8	Ex-wife	0	0.0 %
9	Partner	0	0.0 %
10	Ex-partner	0	0.0 %
	Missing Data		
-5	Blank	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 946-947 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -5

S3RQUA0R: S3 RQual: How often is bf/gf there for you when needed (Reversed)

Value	Label	Unweighted Frequency	%
1	Never	4	0.3 %

Value	Label	Unweighted Frequency	%
2	Rarely	10	0.7 %
3	Sometimes	64	4.7 %
4	Most of the time	137	10.1 %
5	All the time	408	30.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	Skip-in (rqname blank)	605	44.7 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 623 valid cases out of 1,354 total cases.

Location: 948-951 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S3RQUA1R: S3 RQual: How happy are you with your relationship (Reversed)

Value	Label	Unweighted Frequency	%
1	Very unhappy	10	0.7 %
2	Unhappy	12	0.9 %
3	Neither happy or unhappy	54	4.0 %
4	Happy	239	17.7 %
5	Very happy	309	22.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	Skip-in (rqname blank)	605	44.7 %
	Total	**1,354**	**100%**

Based upon 624 valid cases out of 1,354 total cases.

Location: 952-955 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S3RQUA2R: S3 RQual: Compared to friends relationships how good is yours (Reversed)

Value	Label	Unweighted Frequency	%
1	Much worse	3	0.2 %
2	Worse	17	1.3 %
3	About as good	148	10.9 %
4	Better	191	14.1 %
5	Much better	261	19.3 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	Skip-in (rqname blank)	605	44.7 %
-9	Dont Know	3	0.2 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 620 valid cases out of 1,354 total cases.

Location: 956-959 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S3RQUA4R: S3 RQual: Is relationship what you thought it be (Reversed)

Value	Label	Unweighted Frequency	%
1	Much worse	12	0.9 %
2	Worse	51	3.8 %
3	About what I expected it to be	148	10.9 %
4	Better	210	15.5 %
5	Much better	201	14.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	Skip-in (rqname blank)	605	44.7 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 622 valid cases out of 1,354 total cases.

Location: 960-963 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S3RQUA5R: S3 RQual: How much do you love bf/gf (Reversed)

Value	Label	Unweighted Frequency	%
1	Not at all	20	1.5 %
2	Not very much	22	1.6 %
3	Somewhat	71	5.2 %
4	A lot	214	15.8 %
5	Very much	295	21.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	Skip-in (rqname blank)	605	44.7 %
-9	Dont Know	2	0.1 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 622 valid cases out of 1,354 total cases.

Location: 964-967 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S3RELQLT: S3 RQual: Quality of Relationship - Quality

Based upon 624 valid cases out of 1,354 total cases.

- Mean: 4.0948832418
- Median: 4.2857142857
- Mode: 4.8571428571
- Minimum: 1.2857142857
- Maximum: 5.0000000000
- Standard Deviation: 0.6542266415

Location: 968-982 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S3RELCON: S3 RQual: Quality of Relationship - Monitoring

Based upon 624 valid cases out of 1,354 total cases.

- Mean: 2.94
- Median: 3.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.88

Location: 983-988 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -300.0 , -202.0 , -201.0 , -100.0 , -9.0 , -8.0

S3RELDEV: S3 RQual: Quality of Relationship - Deviance

Based upon 623 valid cases out of 1,354 total cases.

- Mean: 3.44
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.74

Location: 989-994 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -300.0 , -202.0 , -201.0 , -100.0 , -9.0 , -8.0

S3PDEL19R: S3 PDel: BFGF suggest go out drinking (Reversed)

Value	Label	Unweighted Frequency	%
0	No	558	41.2 %
1	Yes	65	4.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	Subject not locked up - question skipped	605	44.7 %
	Total	**1,354**	**100%**

Based upon 623 valid cases out of 1,354 total cases.

Location: 995-998 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S3PDEL20R: S3 PDel: BFGF say must be drunk to have good time (Reversed)

Value	Label	Unweighted Frequency	%
0	No	609	45.0 %
1	Yes	14	1.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	Subject not locked up - question skipped	605	44.7 %
	Total	**1,354**	**100%**

Based upon 623 valid cases out of 1,354 total cases.

Location: 999-1002 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S3PDEL21R: S3 PDel: BFGF say must be high to have good time (Reversed)

Value	Label	Unweighted Frequency	%
0	No	610	45.1 %
1	Yes	13	1.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	Subject not locked up - question skipped	605	44.7 %
	Total	**1,354**	**100%**

Based upon 623 valid cases out of 1,354 total cases.

Location: 1003-1006 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S3PDEL22R: S3 PDel: BFGF suggest sell drugs (Reversed)

Value	Label	Unweighted Frequency	%
0	No	611	45.1 %
1	Yes	12	0.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	Subject not locked up - question skipped	605	44.7 %
	Total	**1,354**	**100%**

Based upon 623 valid cases out of 1,354 total cases.

Location: 1007-1010 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S3PDEL23R: S3 PDel: BFGF suggest steal something (Reversed)

Value	Label	Unweighted Frequency	%
0	No	615	45.4 %
1	Yes	8	0.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	Subject not locked up - question skipped	605	44.7 %
	Total	**1,354**	**100%**

Based upon 623 valid cases out of 1,354 total cases.

Location: 1011-1014 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S3PDEL24R: S3 PDel: BFGF suggest hit/beat someone (Reversed)

Value	Label	Unweighted Frequency	%
0	No	585	43.2 %
1	Yes	38	2.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	Subject not locked up - question skipped	605	44.7 %
	Total	**1,354**	**100%**

Based upon 623 valid cases out of 1,354 total cases.

Location: 1015-1018 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S3PDEL25R: S3 PDel: BFGF suggest carry weapon (Reversed)

Value	Label	Unweighted Frequency	%
0	No	609	45.0 %
1	Yes	14	1.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	Subject not locked up - question skipped	605	44.7 %
	Total	**1,354**	**100%**

Based upon 623 valid cases out of 1,354 total cases.

Location: 1019-1022 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S3DEL: S3 RQual: Antisocial Influence

Based upon 623 valid cases out of 1,354 total cases.

- Mean: 0.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 0.74

Location: 1023-1026 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -300 , -202 , -201 , -100 , -9 , -8

S3SIGOTHER_DEL: S3 RQual: Antisocial Behavior - Count of items endorsed

Value	Label	Unweighted Frequency	%
	Missing Data		
-400	Questions not asked in this version	1229	90.8 %
-201	IntCompStat = 4 missed interview	125	9.2 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1027-1030 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S4RQUAL_RQNAME: S4 RQual: Name of BF/GF

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1031-1042 (width: 12; decimal: 0)
Variable Type: character

S4RQUAL_RQTIME: S4 RQual: Relationship timeframe past/present

Value	Label	Unweighted Frequency	%
1	Past	114	8.4 %
2	Present	527	38.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Skip-in (rqname blank)	590	43.6 %
	Total	**1,354**	**100%**

Based upon 641 valid cases out of 1,354 total cases.

Location: 1043-1046 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S4RQUAL_RQLABL: S4 RQual: Describe relationship to subject

Value	Label	Unweighted Frequency	%
1	Boyfriend	3	0.2 %
2	Ex-boyfriend	0	0.0 %
3	Husband	0	0.0 %
4	Ex-husband	0	0.0 %
5	Girlfriend	0	0.0 %
6	Ex-girlfriend	0	0.0 %
7	Wife	0	0.0 %
8	Ex-Wife	0	0.0 %
9	Partner	0	0.0 %
10	Ex-partner	0	0.0 %
	Missing Data		
-400	Version	1225	90.5 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Skip-in (rqname blank)	3	0.2 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 1047-1050 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -101 , -99 , -98

S4RQUAL_RQAGE: S4 RQual: Age of main romantic partner

Based upon 639 valid cases out of 1,354 total cases.

- Mean: 19.17
- Median: 18.00
- Mode: 17.00
- Minimum: 14.00
- Maximum: 40.00
- Standard Deviation: 3.70

Location: 1051-1054 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -99 , -98

S4RQUAL001: S4 RQual: How often BF/GF there for you

Value	Label	Unweighted Frequency	%
1	All the time	417	30.8 %
2	Most of the time	133	9.8 %
3	Sometimes	67	4.9 %
4	Not very often	16	1.2 %
5	Never	7	0.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Skip-in (rqname blank)	590	43.6 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 640 valid cases out of 1,354 total cases.

Location: 1055-1058 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S4RQUAL002: S4 RQual: How happy w/ relationship

Value	Label	Unweighted Frequency	%
1	Very happy	313	23.1 %
2	Happy	242	17.9 %
3	Neither happy nor unhappy	60	4.4 %
4	Unhappy	14	1.0 %
5	Very unhappy	11	0.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Skip-in (rqname blank)	590	43.6 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 640 valid cases out of 1,354 total cases.

Location: 1059-1062 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S4RQUAL003: S4 RQual: How is relationship compared to others

Value	Label	Unweighted Frequency	%
1	Much better	258	19.1 %
2	Better	170	12.6 %
3	About as good	181	13.4 %
4	Worse	19	1.4 %
5	Much worse	7	0.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Skip-in (rqname blank)	590	43.6 %
-9	Dont Know	5	0.4 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 635 valid cases out of 1,354 total cases.

Location: 1063-1066 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S4RQUAL004: S4 RQual: How often wish not in relationship

Value	Label	Unweighted Frequency	%
1	All the time	25	1.8 %
2	Most of the time	29	2.1 %
3	Sometimes	111	8.2 %

Value	Label	Unweighted Frequency	%
4	Not very often	157	11.6 %
5	Never	317	23.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Skip-in (rqname blank)	590	43.6 %
-9	Dont Know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 639 valid cases out of 1,354 total cases.

Location: 1067-1070 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S4RQUAL005: S4 RQual: Relationship compared to expected

Value	Label	Unweighted Frequency	%
1	Much better	212	15.7 %
2	Better	187	13.8 %
3	About as good	164	12.1 %
4	Worse	57	4.2 %
5	Much worse	17	1.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Skip-in (rqname blank)	590	43.6 %
-9	Dont Know	3	0.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 637 valid cases out of 1,354 total cases.

Location: 1071-1074 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S4RQUAL006: S4 RQual: How much love BF/GF

Value	Label	Unweighted Frequency	%
1	Very much	312	23.0 %
2	A lot	215	15.9 %
3	Somewhat	76	5.6 %
4	Not very much	17	1.3 %
5	Not at all	19	1.4 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Skip-in (rqname blank)	590	43.6 %
-9	Dont Know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 639 valid cases out of 1,354 total cases.

Location: 1075-1078 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S4RQUAL007: S4 RQual: How many problems in relationship

Value	Label	Unweighted Frequency	%
1	Very many	35	2.6 %
2	Many	68	5.0 %
3	Some	176	13.0 %
4	A few	272	20.1 %
5	None	88	6.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Skip-in (rqname blank)	590	43.6 %
-9	Dont Know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 639 valid cases out of 1,354 total cases.

Location: 1079-1082 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S4RQUAL008: S4 RQual: BF/GF know who spend time with

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	38	2.8 %
2	Knows a little bit	135	10.0 %
3	Knows a lot	203	15.0 %
4	Knows everything	264	19.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Skip-in (rqname blank)	590	43.6 %

Value	Label	Unweighted Frequency	%
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 640 valid cases out of 1,354 total cases.

Location: 1083-1086 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S4RQUAL009: S4 RQual: BF/GF know how spend free time

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	40	3.0 %
2	Knows a little bit	147	10.9 %
3	Knows a lot	204	15.1 %
4	Knows everything	249	18.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Skip-in (rqname blank)	590	43.6 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 640 valid cases out of 1,354 total cases.

Location: 1087-1090 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S4RQUAL010: S4 RQual: BF/GF know how spend money

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	100	7.4 %
2	Knows a little bit	144	10.6 %
3	Knows a lot	170	12.6 %
4	Knows everything	225	16.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Skip-in (rqname blank)	590	43.6 %
-9	Dont Know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 639 valid cases out of 1,354 total cases.

Location: 1091-1094 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S4RQUAL011: S4 RQual: BF/GF know where go after school

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	73	5.4 %
2	Knows a little bit	124	9.2 %
3	Knows a lot	182	13.4 %
4	Knows everything	260	19.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Skip-in (rqname blank)	590	43.6 %
-8	Refused	2	0.1 %
	Total	**1,354**	**100%**

Based upon 639 valid cases out of 1,354 total cases.

Location: 1095-1098 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S4RQUAL012: S4 RQual: BF/GF know where go at night

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	74	5.5 %
2	Knows a little bit	124	9.2 %
3	Knows a lot	167	12.3 %
4	Knows everything	274	20.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Skip-in (rqname blank)	590	43.6 %
-8	Refused	2	0.1 %
	Total	**1,354**	**100%**

Based upon 639 valid cases out of 1,354 total cases.

Location: 1099-1102 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S4RQUAL013: S4 RQual: BF/GF know if used drugs

Value	Label	Unweighted Frequency	%
1	Yes	597	44.1 %
5	No	43	3.2 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Skip-in (rqname blank)	590	43.6 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 640 valid cases out of 1,354 total cases.

Location: 1103-1106 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S4RQUAL014: S4 RQual: BF/GF reaction if used drugs

Value	Label	Unweighted Frequency	%
1	Would not care at all	42	3.1 %
2	Would be bothered, but would not say anything to me about it	46	3.4 %
3	Would be bothered and would talk to me about it	167	12.3 %
4	Would get very upset with me	381	28.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Skip-in (rqname blank)	590	43.6 %
-9	Dont Know	4	0.3 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 636 valid cases out of 1,354 total cases.

Location: 1107-1110 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S4RQUAL015: S4 RQual: BF/GF know if did illegal activity

Value	Label	Unweighted Frequency	%
1	Yes	545	40.3 %
5	No	95	7.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Skip-in (rqname blank)	590	43.6 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 640 valid cases out of 1,354 total cases.

Location: 1111-1114 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S4RQUAL016: S4 RQual: BF/GF reaction to illegal activity

Value	Label	Unweighted Frequency	%
1	Would not care at all	24	1.8 %
2	Would be bothered, but would not say anything to me about it	25	1.8 %
3	Would be bothered and would talk to me about it	165	12.2 %
4	Would get very upset with me	423	31.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Skip-in (rqname blank)	590	43.6 %
-9	Dont Know	3	0.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 637 valid cases out of 1,354 total cases.

Location: 1115-1118 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S4RQUAL017: S4 RQual: BF/GF know what time go home

Value	Label	Unweighted Frequency	%
1	Always	91	6.7 %
2	Often	47	3.5 %
3	Sometimes	30	2.2 %
4	Never	8	0.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-102	Skip-in (rqlivn <> 1)	465	34.3 %
-101	Skip-in (rqname blank)	590	43.6 %
	Total	**1,354**	**100%**

Based upon 176 valid cases out of 1,354 total cases.

Location: 1119-1122 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S4RQUAL018: S4 RQual: BF/GF know where when go out

Value	Label	Unweighted Frequency	%
1	Always	89	6.6 %
2	Often	30	2.2 %

Value	Label	Unweighted Frequency	%
3	Sometimes	39	2.9 %
4	Never	15	1.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-102	Skip-in (rqlivn <> 1)	465	34.3 %
-101	Skip-in (rqname blank)	590	43.6 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 173 valid cases out of 1,354 total cases.

Location: 1123-1126 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S4PDEL_SDEL1: S4 PDel_SigOther: damaged/destroyed property

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	3	0.2 %
	Missing Data		
-400	Questions not asked in this version	1225	90.5 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Subject not locked up - question skipped	3	0.2 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 1127-1130 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S4PDEL_SDEL2: S4 PDel_SigOther: hit/threatened to hit someone

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	2	0.1 %
	Missing Data		
-400	Questions not asked in this version	1225	90.5 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Subject not locked up - question skipped	3	0.2 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 2 valid cases out of 1,354 total cases.

Location: 1131-1134 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S4PDEL_SDEL3: S4 PDel_SigOther: sold drugs

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	3	0.2 %
	Missing Data		
-400	Questions not asked in this version	1225	90.5 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Subject not locked up - question skipped	3	0.2 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 1135-1138 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S4PDEL_SDEL4A: S4 PDel_SigOther: gotten drunk

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	3	0.2 %
	Missing Data		
-400	Questions not asked in this version	1225	90.5 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Subject not locked up - question skipped	3	0.2 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 1139-1142 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S4PDEL_SDEL4B: S4 PDel_SigOther: got high on drugs

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	3	0.2 %
	Missing Data		
-400	Questions not asked in this version	1225	90.5 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Subject not locked up - question skipped	3	0.2 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 1143-1146 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S4PDEL_SDEL5A: S4 PDel_SigOther: carried a knife

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	3	0.2 %
	Missing Data		
-400	Questions not asked in this version	1225	90.5 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Subject not locked up - question skipped	3	0.2 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 1147-1150 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S4PDEL_SDEL5B: S4 PDel_SigOther: carried a gun

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	3	0.2 %
	Missing Data		
-400	Questions not asked in this version	1225	90.5 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Subject not locked up - question skipped	3	0.2 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 1151-1154 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S4PDEL_SDEL5C: S4 PDel_SigOther: owned a gun

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	3	0.2 %
	Missing Data		
-400	Questions not asked in this version	1225	90.5 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Subject not locked up - question skipped	3	0.2 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 1155-1158 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S4PDEL_SDEL6: S4 PDel_SigOther: got into fight

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	3	0.2 %
	Missing Data		
-400	Questions not asked in this version	1225	90.5 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Subject not locked up - question skipped	3	0.2 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 1159-1162 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S4PDEL_SDEL7: S4 PDel_SigOther: hurt in fight

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	3	0.2 %
	Missing Data		
-400	Questions not asked in this version	1225	90.5 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Subject not locked up - question skipped	3	0.2 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 1163-1166 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S4PDEL_SDEL8: S4 PDel_SigOther: stole something more than $100

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	3	0.2 %
	Missing Data		
-400	Questions not asked in this version	1225	90.5 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Subject not locked up - question skipped	3	0.2 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 1167-1170 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S4PDEL_SDEL9: S4 PDel_SigOther: stole a car

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	3	0.2 %
	Missing Data		
-400	Questions not asked in this version	1225	90.5 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Subject not locked up - question skipped	3	0.2 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 1171-1174 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S4PDEL_SDEL10: S4 PDel_SigOther: gone into building to steal

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	3	0.2 %
	Missing Data		
-400	Questions not asked in this version	1225	90.5 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Subject not locked up - question skipped	3	0.2 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 1175-1178 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S4PDEL19: S4 PDel: BFGF suggest go out drinking

Value	Label	Unweighted Frequency	%
1	Yes	81	6.0 %
5	No	558	41.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Subject not locked up - question skipped	590	43.6 %
	Total	**1,354**	**100%**

Based upon 639 valid cases out of 1,354 total cases.

Location: 1179-1182 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S4PDEL20: S4 PDel: BFGF say must be drunk to have good time

Value	Label	Unweighted Frequency	%
1	Yes	17	1.3 %
5	No	622	45.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Subject not locked up - question skipped	590	43.6 %
	Total	**1,354**	**100%**

Based upon 639 valid cases out of 1,354 total cases.

Location: 1183-1186 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S4PDEL21: S4 PDel: BFGF say must be high to have good time

Value	Label	Unweighted Frequency	%
1	Yes	12	0.9 %
5	No	627	46.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Subject not locked up - question skipped	590	43.6 %
	Total	**1,354**	**100%**

Based upon 639 valid cases out of 1,354 total cases.

Location: 1187-1190 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S4PDEL22: S4 PDel: BFGF suggest sell drugs

Value	Label	Unweighted Frequency	%
1	Yes	12	0.9 %
5	No	627	46.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Subject not locked up - question skipped	590	43.6 %
	Total	**1,354**	**100%**

Based upon 639 valid cases out of 1,354 total cases.

Location: 1191-1194 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S4PDEL23: S4 PDel: BFGF suggest steal something

Value	Label	Unweighted Frequency	%
1	Yes	7	0.5 %
5	No	632	46.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Subject not locked up - question skipped	590	43.6 %
	Total	**1,354**	**100%**

Based upon 639 valid cases out of 1,354 total cases.

Location: 1195-1198 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S4PDEL24: S4 PDel: BFGF suggest hit/beat someone

Value	Label	Unweighted Frequency	%
1	Yes	24	1.8 %
5	No	615	45.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Subject not locked up - question skipped	590	43.6 %
	Total	**1,354**	**100%**

Based upon 639 valid cases out of 1,354 total cases.

Location: 1199-1202 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S4PDEL25: S4 PDel: BFGF suggest carry weapon

Value	Label	Unweighted Frequency	%
1	Yes	16	1.2 %
5	No	623	46.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Subject not locked up - question skipped	590	43.6 %
	Total	**1,354**	**100%**

Based upon 639 valid cases out of 1,354 total cases.

Location: 1203-1206 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S4PDEL26: S4 PDel: BFGF hit/force things against will

Value	Label	Unweighted Frequency	%
1	Yes	22	1.6 %
5	No	617	45.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Subject not locked up - question skipped	590	43.6 %
	Total	**1,354**	**100%**

Based upon 639 valid cases out of 1,354 total cases.

Location: 1207-1210 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S4PDEL27: S4 PDel: BFGF try stop from committing crime

Value	Label	Unweighted Frequency	%
1	Yes	197	14.5 %
5	No	440	32.5 %
7	NA - hasnt tried to commit crime	0	0.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Subject not locked up - question skipped	590	43.6 %
-9	Dont know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 637 valid cases out of 1,354 total cases.

Location: 1211-1214 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S4PDEL_RQNAME: S4 PDel: BFGF name

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1215-1226 (width: 12; decimal: 0)
Variable Type: character

S4PDEL_RQLABL: S4 PDel: Romantic partner label

Value	Label	Unweighted Frequency	%
1	Boyfriend	3	0.2 %
2	Ex-boyfriend	0	0.0 %
3	Husband	0	0.0 %
4	Ex-husband	0	0.0 %
5	Girlfriend	0	0.0 %
6	Ex-girlfriend	0	0.0 %
7	Wife	0	0.0 %
8	Ex-wife	0	0.0 %
9	Partner	0	0.0 %
10	Ex-partner	0	0.0 %
	Missing Data		
-5	Blank	1351	99.8 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 1227-1228 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -5

S4RQUA0R: S4 RQual: How often is bf/gf there for you when needed (Reversed)

Value	Label	Unweighted Frequency	%
1	Never	7	0.5 %
2	Rarely	16	1.2 %
3	Sometimes	67	4.9 %
4	Most of the time	133	9.8 %
5	All the time	417	30.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Skip-in (rqname blank)	590	43.6 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 640 valid cases out of 1,354 total cases.

Location: 1229-1232 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S4RQUA1R: S4 RQual: How happy are you with your relationship (Reversed)

Value	Label	Unweighted Frequency	%
1	Very unhappy	11	0.8 %
2	Unhappy	14	1.0 %
3	Neither happy or unhappy	60	4.4 %
4	Happy	242	17.9 %
5	Very happy	313	23.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Skip-in (rqname blank)	590	43.6 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 640 valid cases out of 1,354 total cases.

Location: 1233-1236 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S4RQUA2R: S4 RQual: Compared to friends relationships how good is yours (Reversed)

Value	Label	Unweighted Frequency	%
1	Much worse	7	0.5 %
2	Worse	19	1.4 %
3	About as good	181	13.4 %
4	Better	170	12.6 %
5	Much better	258	19.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Skip-in (rqname blank)	590	43.6 %
-9	Dont Know	5	0.4 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 635 valid cases out of 1,354 total cases.

Location: 1237-1240 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S4RQUA4R: S4 RQual: Is relationship what you thought it be (Reversed)

Value	Label	Unweighted Frequency	%
1	Much worse	17	1.3 %
2	Worse	57	4.2 %
3	About what I expected it to be	164	12.1 %
4	Better	187	13.8 %
5	Much better	212	15.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Skip-in (rqname blank)	590	43.6 %
-9	Dont Know	3	0.2 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 637 valid cases out of 1,354 total cases.

Location: 1241-1244 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S4RQUA5R: S4 RQual: How much do you love bf/gf (Reversed)

Value	Label	Unweighted Frequency	%
1	Not at all	19	1.4 %
2	Not very much	17	1.3 %

Value	Label	Unweighted Frequency	%
3	Somewhat	76	5.6 %
4	A lot	215	15.9 %
5	Very much	312	23.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Skip-in (rqname blank)	590	43.6 %
-9	Dont Know	1	0.1 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 639 valid cases out of 1,354 total cases.

Location: 1245-1248 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S4RELQLT: S4 RQual: Quality of Relationship - Quality

Based upon 640 valid cases out of 1,354 total cases.

- Mean: 4.0610825893
- Median: 4.1428571429
- Mode: 4.5714285714
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.6879813691

Location: 1249-1263 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S4RELCON: S4 RQual: Quality of Relationship - Monitoring

Based upon 640 valid cases out of 1,354 total cases.

- Mean: 2.98
- Median: 3.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.88

Location: 1264-1270 (width: 7; decimal: 2)
Variable Type: numeric
(Range of) Missing Values: -300.00 , -202.00 , -201.00 , -100.00 , -9.00 , -8.00

S4RELDEV: S4 RQual: Quality of Relationship - Deviance

Based upon 639 valid cases out of 1,354 total cases.

- Mean: 3.47
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.74

Location: 1271-1276 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -300.0 , -202.0 , -201.0 , -100.0 , -9.0 , -8.0

S4PDEL19R: S4 PDel: BFGF suggest go out drinking (Reversed)

Value	Label	Unweighted Frequency	%
0	No	558	41.2 %
1	Yes	81	6.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Subject not locked up - question skipped	590	43.6 %
	Total	**1,354**	**100%**

Based upon 639 valid cases out of 1,354 total cases.

Location: 1277-1280 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S4PDEL20R: S4 PDel: BFGF say must be drunk to have good time (Reversed)

Value	Label	Unweighted Frequency	%
0	No	622	45.9 %
1	Yes	17	1.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Subject not locked up - question skipped	590	43.6 %
	Total	**1,354**	**100%**

Based upon 639 valid cases out of 1,354 total cases.

Location: 1281-1284 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S4PDEL21R: S4 PDel: BFGF say must be high to have good time (Reversed)

Value	Label	Unweighted Frequency	%
0	No	627	46.3 %
1	Yes	12	0.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Subject not locked up - question skipped	590	43.6 %
	Total	**1,354**	**100%**

Based upon 639 valid cases out of 1,354 total cases.

Location: 1285-1288 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S4PDEL22R: S4 PDel: BFGF suggest sell drugs (Reversed)

Value	Label	Unweighted Frequency	%
0	No	627	46.3 %
1	Yes	12	0.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Subject not locked up - question skipped	590	43.6 %
	Total	**1,354**	**100%**

Based upon 639 valid cases out of 1,354 total cases.

Location: 1289-1292 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S4PDEL23R: S4 PDel: BFGF suggest steal something (Reversed)

Value	Label	Unweighted Frequency	%
0	No	632	46.7 %
1	Yes	7	0.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Subject not locked up - question skipped	590	43.6 %
	Total	**1,354**	**100%**

Based upon 639 valid cases out of 1,354 total cases.

Location: 1293-1296 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S4PDEL24R: S4 PDel: BFGF suggest hit/beat someone (Reversed)

Value	Label	Unweighted Frequency	%
0	No	615	45.4 %
1	Yes	24	1.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Subject not locked up - question skipped	590	43.6 %
	Total	**1,354**	**100%**

Based upon 639 valid cases out of 1,354 total cases.

Location: 1297-1300 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S4PDEL25R: S4 PDel: BFGF suggest carry weapon (Reversed)

Value	Label	Unweighted Frequency	%
0	No	623	46.0 %
1	Yes	16	1.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Subject not locked up - question skipped	590	43.6 %
	Total	**1,354**	**100%**

Based upon 639 valid cases out of 1,354 total cases.

Location: 1301-1304 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S4DEL: S4 RQual: Antisocial Influence

Based upon 639 valid cases out of 1,354 total cases.

- Mean: 0.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 0.74

Location: 1305-1308 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -300 , -202 , -201 , -100 , -9 , -8

S4SIGOTHER_DEL: S4 RQual: Antisocial Behavior - Count of items endorsed

Value	Label	Unweighted Frequency	%
0	-	3	0.2 %
	Missing Data		
-400	Questions not asked in this version	1225	90.5 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-100	Did not skip into RQual measure	3	0.2 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 1309-1312 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S5RQUAL_RQNAME: S5 RQual: Name of BF/GF

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1313-1324 (width: 12; decimal: 0)
Variable Type: character

S5RQUAL_RQTIME: S5 RQual: Relationship timeframe past/present

Value	Label	Unweighted Frequency	%
1	Past	119	8.8 %
2	Present	544	40.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Skip-in (rqname blank)	571	42.2 %
	Total	**1,354**	**100%**

Based upon 663 valid cases out of 1,354 total cases.

Location: 1325-1328 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S5RQUAL_RQLABL: S5 RQual: Describe relationship to subject

Value	Label	Unweighted Frequency	%
1	Boyfriend	15	1.1 %
2	Ex-boyfriend	6	0.4 %
3	Husband	3	0.2 %
4	Ex-husband	1	0.1 %
5	Girlfriend	41	3.0 %

Value	Label	Unweighted Frequency	%
6	Ex-girlfriend	15	1.1 %
7	Wife	4	0.3 %
8	Ex-Wife	1	0.1 %
9	Partner	0	0.0 %
10	Ex-partner	0	0.0 %
	Missing Data		
-800	Missing due to data cleaning	1	0.1 %
-400	Version	1044	77.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Skip-in (rqname blank)	103	7.6 %
	Total	**1,354**	**100%**

Based upon 86 valid cases out of 1,354 total cases.

Location: 1329-1332 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -101 , -99 , -98

S5RQUAL_RQAGE: S5 RQual: Age of main romantic partner

Based upon 661 valid cases out of 1,354 total cases.

- Mean: 19.70
- Median: 19.00
- Mode: 18.00
- Minimum: 5.00
- Maximum: 41.00
- Standard Deviation: 3.97

Location: 1333-1336 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -99 , -98

S5RQUAL001: S5 RQual: How often BF/GF there for you

Value	Label	Unweighted Frequency	%
1	All the time	427	31.5 %
2	Most of the time	156	11.5 %
3	Sometimes	55	4.1 %
4	Not very often	13	1.0 %
5	Never	6	0.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Skip-in (rqname blank)	571	42.2 %
-9	Dont Know	3	0.2 %
-8	Refused	3	0.2 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 657 valid cases out of 1,354 total cases.

Location: 1337-1340 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S5RQUAL002: S5 RQual: How happy w/ relationship

Value	Label	Unweighted Frequency	%
1	Very happy	313	23.1 %
2	Happy	266	19.6 %
3	Neither happy nor unhappy	54	4.0 %
4	Unhappy	16	1.2 %
5	Very unhappy	10	0.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Skip-in (rqname blank)	571	42.2 %
-9	Dont Know	1	0.1 %
-8	Refused	3	0.2 %
	Total	**1,354**	**100%**

Based upon 659 valid cases out of 1,354 total cases.

Location: 1341-1344 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S5RQUAL003: S5 RQual: How is relationship compared to others

Value	Label	Unweighted Frequency	%
1	Much better	255	18.8 %
2	Better	213	15.7 %
3	About as good	163	12.0 %
4	Worse	17	1.3 %
5	Much worse	8	0.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Skip-in (rqname blank)	571	42.2 %
-9	Dont Know	4	0.3 %
-8	Refused	3	0.2 %
	Total	**1,354**	**100%**

Based upon 656 valid cases out of 1,354 total cases.

Location: 1345-1348 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S5RQUAL004: S5 RQual: How often wish not in relationship

Value	Label	Unweighted Frequency	%
1	All the time	26	1.9 %
2	Most of the time	25	1.8 %
3	Sometimes	139	10.3 %
4	Not very often	138	10.2 %
5	Never	331	24.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Skip-in (rqname blank)	571	42.2 %
-9	Dont Know	1	0.1 %
-8	Refused	3	0.2 %
	Total	**1,354**	**100%**

Based upon 659 valid cases out of 1,354 total cases.

Location: 1349-1352 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S5RQUAL005: S5 RQual: Relationship compared to expected

Value	Label	Unweighted Frequency	%
1	Much better	194	14.3 %
2	Better	225	16.6 %
3	About as good	152	11.2 %
4	Worse	69	5.1 %
5	Much worse	17	1.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Skip-in (rqname blank)	571	42.2 %
-9	Dont Know	3	0.2 %
-8	Refused	3	0.2 %
	Total	**1,354**	**100%**

Based upon 657 valid cases out of 1,354 total cases.

Location: 1353-1356 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S5RQUAL006: S5 RQual: How much love BF/GF

Value	Label	Unweighted Frequency	%
1	Very much	321	23.7 %
2	A lot	231	17.1 %
3	Somewhat	73	5.4 %
4	Not very much	12	0.9 %
5	Not at all	22	1.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Skip-in (rqname blank)	571	42.2 %
-9	Dont Know	1	0.1 %
-8	Refused	3	0.2 %
	Total	**1,354**	**100%**

Based upon 659 valid cases out of 1,354 total cases.

Location: 1357-1360 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S5RQUAL007: S5 RQual: How many problems in relationship

Value	Label	Unweighted Frequency	%
1	Very many	38	2.8 %
2	Many	65	4.8 %
3	Some	185	13.7 %
4	A few	295	21.8 %
5	None	76	5.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Skip-in (rqname blank)	571	42.2 %
-9	Dont Know	1	0.1 %
-8	Refused	3	0.2 %
	Total	**1,354**	**100%**

Based upon 659 valid cases out of 1,354 total cases.

Location: 1361-1364 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S5RQUAL008: S5 RQual: BF/GF know who spend time with

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	44	3.2 %
2	Knows a little bit	136	10.0 %
3	Knows a lot	201	14.8 %
4	Knows everything	278	20.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Skip-in (rqname blank)	571	42.2 %
-9	Dont Know	1	0.1 %
-8	Refused	3	0.2 %
	Total	**1,354**	**100%**

Based upon 659 valid cases out of 1,354 total cases.

Location: 1365-1368 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S5RQUAL009: S5 RQual: BF/GF know how spend free time

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	41	3.0 %
2	Knows a little bit	153	11.3 %
3	Knows a lot	207	15.3 %
4	Knows everything	258	19.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Skip-in (rqname blank)	571	42.2 %
-9	Dont Know	1	0.1 %
-8	Refused	3	0.2 %
	Total	**1,354**	**100%**

Based upon 659 valid cases out of 1,354 total cases.

Location: 1369-1372 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S5RQUAL010: S5 RQual: BF/GF know how spend money

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	102	7.5 %
2	Knows a little bit	145	10.7 %
3	Knows a lot	165	12.2 %
4	Knows everything	247	18.2 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Skip-in (rqname blank)	571	42.2 %
-9	Dont Know	1	0.1 %
-8	Refused	3	0.2 %
	Total	**1,354**	**100%**

Based upon 659 valid cases out of 1,354 total cases.

Location: 1373-1376 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S5RQUAL011: S5 RQual: BF/GF know where go after school

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	55	4.1 %
2	Knows a little bit	137	10.1 %
3	Knows a lot	189	14.0 %
4	Knows everything	278	20.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Skip-in (rqname blank)	571	42.2 %
-9	Dont Know	1	0.1 %
-8	Refused	3	0.2 %
	Total	**1,354**	**100%**

Based upon 659 valid cases out of 1,354 total cases.

Location: 1377-1380 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S5RQUAL012: S5 RQual: BF/GF know where go at night

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	50	3.7 %
2	Knows a little bit	134	9.9 %
3	Knows a lot	185	13.7 %
4	Knows everything	290	21.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Skip-in (rqname blank)	571	42.2 %
-9	Dont Know	1	0.1 %

Value	Label	Unweighted Frequency	%
-8	Refused	3	0.2 %
	Total	**1,354**	**100%**

Based upon 659 valid cases out of 1,354 total cases.

Location: 1381-1384 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S5RQUAL013: S5 RQual: BF/GF know if used drugs

Value	Label	Unweighted Frequency	%
1	Yes	613	45.3 %
5	No	46	3.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Skip-in (rqname blank)	571	42.2 %
-9	Dont Know	1	0.1 %
-8	Refused	3	0.2 %
	Total	**1,354**	**100%**

Based upon 659 valid cases out of 1,354 total cases.

Location: 1385-1388 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S5RQUAL014: S5 RQual: BF/GF reaction if used drugs

Value	Label	Unweighted Frequency	%
1	Would not care at all	43	3.2 %
2	Would be bothered, but would not say anything to me about it	46	3.4 %
3	Would be bothered and would talk to me about it	173	12.8 %
4	Would get very upset with me	393	29.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Skip-in (rqname blank)	571	42.2 %
-9	Dont Know	5	0.4 %
-8	Refused	3	0.2 %
	Total	**1,354**	**100%**

Based upon 655 valid cases out of 1,354 total cases.

Location: 1389-1392 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S5RQUAL015: S5 RQual: BF/GF know if did illegal activity

Value	Label	Unweighted Frequency	%
1	Yes	562	41.5 %
5	No	95	7.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Skip-in (rqname blank)	571	42.2 %
-9	Dont Know	3	0.2 %
-8	Refused	3	0.2 %
	Total	**1,354**	**100%**

Based upon 657 valid cases out of 1,354 total cases.

Location: 1393-1396 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S5RQUAL016: S5 RQual: BF/GF reaction to illegal activity

Value	Label	Unweighted Frequency	%
1	Would not care at all	20	1.5 %
2	Would be bothered, but would not say anything to me about it	26	1.9 %
3	Would be bothered and would talk to me about it	167	12.3 %
4	Would get very upset with me	442	32.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Skip-in (rqname blank)	571	42.2 %
-9	Dont Know	5	0.4 %
-8	Refused	3	0.2 %
	Total	**1,354**	**100%**

Based upon 655 valid cases out of 1,354 total cases.

Location: 1397-1400 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S5RQUAL017: S5 RQual: BF/GF know what time go home

Value	Label	Unweighted Frequency	%
1	Always	112	8.3 %
2	Often	55	4.1 %
3	Sometimes	42	3.1 %
4	Never	11	0.8 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-201	IntCompStat = 4 missed interview	120	8.9 %
-102	Skip-in (rqlivn <> 1)	442	32.6 %
-101	Skip-in (rqname blank)	571	42.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 220 valid cases out of 1,354 total cases.

Location: 1401-1404 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S5RQUAL018: S5 RQual: BF/GF know where when go out

Value	Label	Unweighted Frequency	%
1	Always	94	6.9 %
2	Often	59	4.4 %
3	Sometimes	53	3.9 %
4	Never	14	1.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	120	8.9 %
-102	Skip-in (rqlivn <> 1)	442	32.6 %
-101	Skip-in (rqname blank)	571	42.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 220 valid cases out of 1,354 total cases.

Location: 1405-1408 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S5PDEL_SDEL1: S5 PDel_SigOther: damaged/destroyed property

Value	Label	Unweighted Frequency	%
1	Yes	4	0.3 %
5	No	80	5.9 %
	Missing Data		
-800	Missing due to data cleaning	1	0.1 %
-400	Questions not asked in this version	1044	77.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Subject not locked up - question skipped	103	7.6 %
-9	Dont know	1	0.1 %

Value	Label	Unweighted Frequency	%
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 84 valid cases out of 1,354 total cases.

Location: 1409-1412 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S5PDEL_SDEL2: S5 PDel_SigOther: hit/threatened to hit someone

Value	Label	Unweighted Frequency	%
1	Yes	10	0.7 %
5	No	74	5.5 %
	Missing Data		
-800	Missing due to data cleaning	1	0.1 %
-400	Questions not asked in this version	1044	77.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Subject not locked up - question skipped	103	7.6 %
-9	Dont know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 84 valid cases out of 1,354 total cases.

Location: 1413-1416 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S5PDEL_SDEL3: S5 PDel_SigOther: sold drugs

Value	Label	Unweighted Frequency	%
1	Yes	3	0.2 %
5	No	81	6.0 %
	Missing Data		
-800	Missing due to data cleaning	1	0.1 %
-400	Questions not asked in this version	1044	77.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Subject not locked up - question skipped	103	7.6 %
-9	Dont know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 84 valid cases out of 1,354 total cases.

Location: 1417-1420 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S5PDEL_SDEL4A: S5 PDel_SigOther: gotten drunk

Value	Label	Unweighted Frequency	%
1	Yes	21	1.6 %
5	No	63	4.7 %
	Missing Data		
-800	Missing due to data cleaning	1	0.1 %
-400	Questions not asked in this version	1044	77.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Subject not locked up - question skipped	103	7.6 %
-9	Dont know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 84 valid cases out of 1,354 total cases.

Location: 1421-1424 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S5PDEL_SDEL4B: S5 PDel_SigOther: got high on drugs

Value	Label	Unweighted Frequency	%
1	Yes	17	1.3 %
5	No	67	4.9 %
	Missing Data		
-800	Missing due to data cleaning	1	0.1 %
-400	Questions not asked in this version	1044	77.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Subject not locked up - question skipped	103	7.6 %
-9	Dont know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 84 valid cases out of 1,354 total cases.

Location: 1425-1428 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S5PDEL_SDEL5A: S5 PDel_SigOther: carried a knife

Value	Label	Unweighted Frequency	%
1	Yes	6	0.4 %
5	No	77	5.7 %
	Missing Data		
-800	Missing due to data cleaning	1	0.1 %
-400	Questions not asked in this version	1044	77.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Subject not locked up - question skipped	103	7.6 %
-9	Dont know	2	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 83 valid cases out of 1,354 total cases.

Location: 1429-1432 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S5PDEL_SDEL5B: S5 PDel_SigOther: carried a gun

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
5	No	82	6.1 %
	Missing Data		
-800	Missing due to data cleaning	1	0.1 %
-400	Questions not asked in this version	1044	77.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Subject not locked up - question skipped	103	7.6 %
-9	Dont know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 84 valid cases out of 1,354 total cases.

Location: 1433-1436 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S5PDEL_SDEL5C: S5 PDel_SigOther: owned a gun

Value	Label	Unweighted Frequency	%
1	Yes	5	0.4 %
5	No	79	5.8 %
	Missing Data		
-800	Missing due to data cleaning	1	0.1 %

Value	Label	Unweighted Frequency	%
-400	Questions not asked in this version	1044	77.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Subject not locked up - question skipped	103	7.6 %
-9	Dont know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 84 valid cases out of 1,354 total cases.

Location: 1437-1440 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S5PDEL_SDEL6: S5 PDel_SigOther: got into fight

Value	Label	Unweighted Frequency	%
1	Yes	9	0.7 %
5	No	75	5.5 %
	Missing Data		
-800	Missing due to data cleaning	1	0.1 %
-400	Questions not asked in this version	1044	77.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Subject not locked up - question skipped	103	7.6 %
-9	Dont know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 84 valid cases out of 1,354 total cases.

Location: 1441-1444 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S5PDEL_SDEL7: S5 PDel_SigOther: hurt in fight

Value	Label	Unweighted Frequency	%
1	Yes	3	0.2 %
5	No	81	6.0 %
	Missing Data		
-800	Missing due to data cleaning	1	0.1 %
-400	Questions not asked in this version	1044	77.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Subject not locked up - question skipped	103	7.6 %
-9	Dont know	1	0.1 %

Value	Label	Unweighted Frequency	%
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 84 valid cases out of 1,354 total cases.

Location: 1445-1448 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S5PDEL_SDEL8: S5 PDel_SigOther: stole something more than $100

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
5	No	82	6.1 %
	Missing Data		
-800	Missing due to data cleaning	1	0.1 %
-400	Questions not asked in this version	1044	77.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Subject not locked up - question skipped	103	7.6 %
-9	Dont know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 84 valid cases out of 1,354 total cases.

Location: 1449-1452 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S5PDEL_SDEL9: S5 PDel_SigOther: stole a car

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	83	6.1 %
	Missing Data		
-800	Missing due to data cleaning	1	0.1 %
-400	Questions not asked in this version	1044	77.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Subject not locked up - question skipped	103	7.6 %
-9	Dont know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 84 valid cases out of 1,354 total cases.

Location: 1453-1456 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S5PDEL_SDEL10: S5 PDel_SigOther: gone into building to steal

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	83	6.1 %
	Missing Data		
-800	Missing due to data cleaning	1	0.1 %
-400	Questions not asked in this version	1044	77.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Subject not locked up - question skipped	103	7.6 %
-9	Dont know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 84 valid cases out of 1,354 total cases.

Location: 1457-1460 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S5PDEL19: S5 PDel: BFGF suggest go out drinking

Value	Label	Unweighted Frequency	%
1	Yes	78	5.8 %
5	No	583	43.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Subject not locked up - question skipped	571	42.2 %
-9	Dont know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 661 valid cases out of 1,354 total cases.

Location: 1461-1464 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S5PDEL20: S5 PDel: BFGF say must be drunk to have good time

Value	Label	Unweighted Frequency	%
1	Yes	12	0.9 %

Value	Label	Unweighted Frequency	%
5	No	649	47.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Subject not locked up - question skipped	571	42.2 %
-9	Dont know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 661 valid cases out of 1,354 total cases.

Location: 1465-1468 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S5PDEL21: S5 PDel: BFGF say must be high to have good time

Value	Label	Unweighted Frequency	%
1	Yes	13	1.0 %
5	No	648	47.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Subject not locked up - question skipped	571	42.2 %
-9	Dont know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 661 valid cases out of 1,354 total cases.

Location: 1469-1472 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S5PDEL22: S5 PDel: BFGF suggest sell drugs

Value	Label	Unweighted Frequency	%
1	Yes	8	0.6 %
5	No	653	48.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Subject not locked up - question skipped	571	42.2 %
-9	Dont know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 661 valid cases out of 1,354 total cases.

Location: 1473-1476 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S5PDEL23: S5 PDel: BFGF suggest steal something

Value	Label	Unweighted Frequency	%
1	Yes	7	0.5 %
5	No	654	48.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Subject not locked up - question skipped	571	42.2 %
-9	Dont know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 661 valid cases out of 1,354 total cases.

Location: 1477-1480 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S5PDEL24: S5 PDel: BFGF suggest hit/beat someone

Value	Label	Unweighted Frequency	%
1	Yes	27	2.0 %
5	No	634	46.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Subject not locked up - question skipped	571	42.2 %
-9	Dont know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 661 valid cases out of 1,354 total cases.

Location: 1481-1484 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S5PDEL25: S5 PDel: BFGF suggest carry weapon

Value	Label	Unweighted Frequency	%
1	Yes	19	1.4 %
5	No	642	47.4 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Subject not locked up - question skipped	571	42.2 %
-9	Dont know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 661 valid cases out of 1,354 total cases.

Location: 1485-1488 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S5PDEL26: S5 PDel: BFGF hit/force things against will

Value	Label	Unweighted Frequency	%
1	Yes	35	2.6 %
5	No	626	46.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Subject not locked up - question skipped	571	42.2 %
-9	Dont know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 661 valid cases out of 1,354 total cases.

Location: 1489-1492 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S5PDEL27: S5 PDel: BFGF try stop from committing crime

Value	Label	Unweighted Frequency	%
1	Yes	166	12.3 %
5	No	475	35.1 %
7	NA - hasnt tried to commit crime	16	1.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Subject not locked up - question skipped	571	42.2 %
-9	Dont know	5	0.4 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 657 valid cases out of 1,354 total cases.

Location: 1493-1496 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S5PDEL_RQNAME: S5 PDel: BFGF name

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1497-1508 (width: 12; decimal: 0)
Variable Type: character

S5PDEL_RQLABL: S5 PDel: Romantic partner label

Value	Label	Unweighted Frequency	%
1	Boyfriend	15	1.1 %
2	Ex-boyfriend	6	0.4 %
3	Husband	3	0.2 %
4	Ex-husband	1	0.1 %
5	Girlfriend	41	3.0 %
6	Ex-girlfriend	15	1.1 %
7	Wife	4	0.3 %
8	Ex-wife	1	0.1 %
9	Partner	0	0.0 %
10	Ex-partner	0	0.0 %
	Missing Data		
-5	Blank	1268	93.6 %
	Total	**1,354**	**100%**

Based upon 86 valid cases out of 1,354 total cases.

Location: 1509-1510 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -5

S5RQUA0R: S5 RQual: How often is bf/gf there for you when needed (Reversed)

Value	Label	Unweighted Frequency	%
1	Never	6	0.4 %
2	Rarely	13	1.0 %
3	Sometimes	55	4.1 %
4	Most of the time	156	11.5 %
5	All the time	427	31.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Skip-in (rqname blank)	571	42.2 %

Value	Label	Unweighted Frequency	%
-9	Dont Know	3	0.2 %
-8	Refusal	3	0.2 %
	Total	**1,354**	**100%**

Based upon 657 valid cases out of 1,354 total cases.

Location: 1511-1514 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S5RQUA1R: S5 RQual: How happy are you with your relationship (Reversed)

Value	Label	Unweighted Frequency	%
1	Very unhappy	10	0.7 %
2	Unhappy	16	1.2 %
3	Neither happy or unhappy	54	4.0 %
4	Happy	266	19.6 %
5	Very happy	313	23.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Skip-in (rqname blank)	571	42.2 %
-9	Dont Know	1	0.1 %
-8	Refusal	3	0.2 %
	Total	**1,354**	**100%**

Based upon 659 valid cases out of 1,354 total cases.

Location: 1515-1518 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S5RQUA2R: S5 RQual: Compared to friends relationships how good is yours (Reversed)

Value	Label	Unweighted Frequency	%
1	Much worse	8	0.6 %
2	Worse	17	1.3 %
3	About as good	163	12.0 %
4	Better	213	15.7 %
5	Much better	255	18.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Skip-in (rqname blank)	571	42.2 %
-9	Dont Know	4	0.3 %
-8	Refusal	3	0.2 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 656 valid cases out of 1,354 total cases.

Location: 1519-1522 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S5RQUA4R: S5 RQual: Is relationship what you thought it be (Reversed)

Value	Label	Unweighted Frequency	%
1	Much worse	17	1.3 %
2	Worse	69	5.1 %
3	About what I expected it to be	152	11.2 %
4	Better	225	16.6 %
5	Much better	194	14.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Skip-in (rqname blank)	571	42.2 %
-9	Dont Know	3	0.2 %
-8	Refusal	3	0.2 %
	Total	**1,354**	**100%**

Based upon 657 valid cases out of 1,354 total cases.

Location: 1523-1526 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S5RQUA5R: S5 RQual: How much do you love bf/gf (Reversed)

Value	Label	Unweighted Frequency	%
1	Not at all	22	1.6 %
2	Not very much	12	0.9 %
3	Somewhat	73	5.4 %
4	A lot	231	17.1 %
5	Very much	321	23.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Skip-in (rqname blank)	571	42.2 %
-9	Dont Know	1	0.1 %
-8	Refusal	3	0.2 %
	Total	**1,354**	**100%**

Based upon 659 valid cases out of 1,354 total cases.

Location: 1527-1530 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S5RELQLT: S5 RQual: Quality of Relationship - Quality

Based upon 659 valid cases out of 1,354 total cases.

- Mean: 4.0611677144
- Median: 4.1428571429
- Mode: 4.4285714286
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.6630471656

Location: 1531-1545 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S5RELCON: S5 RQual: Quality of Relationship - Monitoring

Based upon 659 valid cases out of 1,354 total cases.

- Mean: 3.02
- Median: 3.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.85

Location: 1546-1551 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -300.0 , -202.0 , -201.0 , -100.0 , -9.0 , -8.0

S5RELDEV: S5 RQual: Quality of Relationship - Deviance

Based upon 658 valid cases out of 1,354 total cases.

- Mean: 3.48
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.73

Location: 1552-1557 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -300.0 , -202.0 , -201.0 , -100.0 , -9.0 , -8.0

S5PDEL19R: S5 PDel: BFGF suggest go out drinking (Reversed)

Value	Label	Unweighted Frequency	%
0	No	583	43.1 %

Value	Label	Unweighted Frequency	%
1	Yes	78	5.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Subject not locked up - question skipped	571	42.2 %
-9	Dont know	1	0.1 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 661 valid cases out of 1,354 total cases.

Location: 1558-1561 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S5PDEL20R: S5 PDel: BFGF say must be drunk to have good time (Reversed)

Value	Label	Unweighted Frequency	%
0	No	649	47.9 %
1	Yes	12	0.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Subject not locked up - question skipped	571	42.2 %
-9	Dont know	1	0.1 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 661 valid cases out of 1,354 total cases.

Location: 1562-1565 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S5PDEL21R: S5 PDel: BFGF say must be high to have good time (Reversed)

Value	Label	Unweighted Frequency	%
0	No	648	47.9 %
1	Yes	13	1.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Subject not locked up - question skipped	571	42.2 %
-9	Dont know	1	0.1 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 661 valid cases out of 1,354 total cases.

Location: 1566-1569 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S5PDEL22R: S5 PDel: BFGF suggest sell drugs (Reversed)

Value	Label	Unweighted Frequency	%
0	No	653	48.2 %
1	Yes	8	0.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Subject not locked up - question skipped	571	42.2 %
-9	Dont know	1	0.1 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 661 valid cases out of 1,354 total cases.

Location: 1570-1573 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S5PDEL23R: S5 PDel: BFGF suggest steal something (Reversed)

Value	Label	Unweighted Frequency	%
0	No	654	48.3 %
1	Yes	7	0.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Subject not locked up - question skipped	571	42.2 %
-9	Dont know	1	0.1 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 661 valid cases out of 1,354 total cases.

Location: 1574-1577 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S5PDEL24R: S5 PDel: BFGF suggest hit/beat someone (Reversed)

Value	Label	Unweighted Frequency	%
0	No	634	46.8 %
1	Yes	27	2.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Subject not locked up - question skipped	571	42.2 %
-9	Dont know	1	0.1 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 661 valid cases out of 1,354 total cases.

Location: 1578-1581 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S5PDEL25R: S5 PDel: BFGF suggest carry weapon (Reversed)

Value	Label	Unweighted Frequency	%
0	No	642	47.4 %
1	Yes	19	1.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Subject not locked up - question skipped	571	42.2 %
-9	Dont know	1	0.1 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 661 valid cases out of 1,354 total cases.

Location: 1582-1585 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S5DEL: S5 RQual: Antisocial Influence

Based upon 661 valid cases out of 1,354 total cases.

- Mean: 0.25
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 0.76

Location: 1586-1589 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -300 , -202 , -201 , -100 , -9 , -8

S5SIGOTHER_DEL: S5 RQual: Antisocial Behavior - Count of items endorsed

Value	Label	Unweighted Frequency	%
0	-	52	3.8 %
1	-	12	0.9 %
2	-	12	0.9 %
3	-	4	0.3 %
4	-	1	0.1 %
5	-	1	0.1 %
7	-	2	0.1 %
13	-	1	0.1 %
	Missing Data		
-400	Questions not asked in this version	1044	77.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-100	Did not skip into RQual measure	103	7.6 %
-9	Dont Know	1	0.1 %
-8	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 85 valid cases out of 1,354 total cases.

Location: 1590-1593 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S6RQUAL_RQNAME: S6 RQual: Name of BF/GF

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1594-1605 (width: 12; decimal: 0)
Variable Type: character

S6RQUAL_RQTIME: S6 RQual: Relationship timeframe past/present

Value	Label	Unweighted Frequency	%
1	Past	106	7.8 %
2	Present	554	40.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Skip-in (rqname blank)	572	42.2 %
	Total	**1,354**	**100%**

Based upon 660 valid cases out of 1,354 total cases.

Location: 1606-1609 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S6RQUAL_RQLABL: S6 RQual: Describe relationship to subject

Value	Label	Unweighted Frequency	%
1	Boyfriend	61	4.5 %
2	Ex-boyfriend	7	0.5 %
3	Husband	6	0.4 %
4	Ex-husband	0	0.0 %
5	Girlfriend	188	13.9 %
6	Ex-girlfriend	30	2.2 %
7	Wife	15	1.1 %
8	Ex-Wife	1	0.1 %
9	Partner	2	0.1 %
10	Ex-partner	0	0.0 %
	Missing Data		
-400	Version	627	46.3 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Skip-in (rqname blank)	293	21.6 %
-99	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 1610-1613 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -101 , -99 , -98

S6RQUAL_RQAGE: S6 RQual: Age of main romantic partner

Based upon 658 valid cases out of 1,354 total cases.

- Mean: 20.38
- Median: 19.00
- Mode: 18.00
- Minimum: 15.00
- Maximum: 49.00
- Standard Deviation: 4.31

Location: 1614-1617 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -99 , -98

S6RQUAL001: S6 RQual: How often BF/GF there for you

Value	Label	Unweighted Frequency	%
1	All the time	421	31.1 %
2	Most of the time	152	11.2 %
3	Sometimes	61	4.5 %
4	Not very often	19	1.4 %
5	Never	6	0.4 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Skip-in (rqname blank)	572	42.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 659 valid cases out of 1,354 total cases.

Location: 1618-1621 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S6RQUAL002: S6 RQual: How happy w/ relationship

Value	Label	Unweighted Frequency	%
1	Very happy	313	23.1 %
2	Happy	249	18.4 %
3	Neither happy nor unhappy	69	5.1 %
4	Unhappy	16	1.2 %
5	Very unhappy	12	0.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Skip-in (rqname blank)	572	42.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 659 valid cases out of 1,354 total cases.

Location: 1622-1625 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S6RQUAL003: S6 RQual: How is relationship compared to others

Value	Label	Unweighted Frequency	%
1	Much better	258	19.1 %
2	Better	189	14.0 %
3	About as good	168	12.4 %
4	Worse	29	2.1 %
5	Much worse	8	0.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Skip-in (rqname blank)	572	42.2 %
-9	Dont Know	8	0.6 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 652 valid cases out of 1,354 total cases.

Location: 1626-1629 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S6RQUAL004: S6 RQual: How often wish not in relationship

Value	Label	Unweighted Frequency	%
1	All the time	29	2.1 %
2	Most of the time	22	1.6 %
3	Sometimes	109	8.1 %
4	Not very often	153	11.3 %
5	Never	346	25.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Skip-in (rqname blank)	572	42.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 659 valid cases out of 1,354 total cases.

Location: 1630-1633 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S6RQUAL005: S6 RQual: Relationship compared to expected

Value	Label	Unweighted Frequency	%
1	Much better	217	16.0 %
2	Better	208	15.4 %
3	About as good	147	10.9 %
4	Worse	68	5.0 %
5	Much worse	18	1.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Skip-in (rqname blank)	572	42.2 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 658 valid cases out of 1,354 total cases.

Location: 1634-1637 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S6RQUAL006: S6 RQual: How much love BF/GF

Value	Label	Unweighted Frequency	%
1	Very much	331	24.4 %
2	A lot	216	16.0 %
3	Somewhat	77	5.7 %
4	Not very much	15	1.1 %
5	Not at all	18	1.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Skip-in (rqname blank)	572	42.2 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 657 valid cases out of 1,354 total cases.

Location: 1638-1641 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S6RQUAL007: S6 RQual: How many problems in relationship

Value	Label	Unweighted Frequency	%
1	Very many	35	2.6 %
2	Many	70	5.2 %
3	Some	196	14.5 %
4	A few	261	19.3 %
5	None	97	7.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Skip-in (rqname blank)	572	42.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 659 valid cases out of 1,354 total cases.

Location: 1642-1645 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S6RQUAL008: S6 RQual: BF/GF know who spend time with

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	30	2.2 %

Value	Label	Unweighted Frequency	%
2	Knows a little bit	134	9.9 %
3	Knows a lot	212	15.7 %
4	Knows everything	283	20.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Skip-in (rqname blank)	572	42.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 659 valid cases out of 1,354 total cases.

Location: 1646-1649 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S6RQUAL009: S6 RQual: BF/GF know how spend free time

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	36	2.7 %
2	Knows a little bit	135	10.0 %
3	Knows a lot	223	16.5 %
4	Knows everything	265	19.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Skip-in (rqname blank)	572	42.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 659 valid cases out of 1,354 total cases.

Location: 1650-1653 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S6RQUAL010: S6 RQual: BF/GF know how spend money

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	84	6.2 %
2	Knows a little bit	153	11.3 %
3	Knows a lot	181	13.4 %
4	Knows everything	240	17.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Skip-in (rqname blank)	572	42.2 %

Value	Label	Unweighted Frequency	%
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 658 valid cases out of 1,354 total cases.

Location: 1654-1657 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S6RQUAL011: S6 RQual: BF/GF know where go after school

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	49	3.6 %
2	Knows a little bit	132	9.7 %
3	Knows a lot	211	15.6 %
4	Knows everything	267	19.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Skip-in (rqname blank)	572	42.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 659 valid cases out of 1,354 total cases.

Location: 1658-1661 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S6RQUAL012: S6 RQual: BF/GF know where go at night

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	41	3.0 %
2	Knows a little bit	122	9.0 %
3	Knows a lot	208	15.4 %
4	Knows everything	288	21.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Skip-in (rqname blank)	572	42.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 659 valid cases out of 1,354 total cases.

Location: 1662-1665 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S6RQUAL013: S6 RQual: BF/GF know if used drugs

Value	Label	Unweighted Frequency	%
1	Yes	611	45.1 %
5	No	46	3.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Skip-in (rqname blank)	572	42.2 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 657 valid cases out of 1,354 total cases.

Location: 1666-1669 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S6RQUAL014: S6 RQual: BF/GF reaction if used drugs

Value	Label	Unweighted Frequency	%
1	Would not care at all	55	4.1 %
2	Would be bothered, but would not say anything to me about it	48	3.5 %
3	Would be bothered and would talk to me about it	180	13.3 %
4	Would get very upset with me	373	27.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Skip-in (rqname blank)	572	42.2 %
-9	Dont Know	4	0.3 %
	Total	**1,354**	**100%**

Based upon 656 valid cases out of 1,354 total cases.

Location: 1670-1673 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S6RQUAL015: S6 RQual: BF/GF know if did illegal activity

Value	Label	Unweighted Frequency	%
1	Yes	559	41.3 %
5	No	99	7.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Skip-in (rqname blank)	572	42.2 %
-9	Dont Know	2	0.1 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 658 valid cases out of 1,354 total cases.

Location: 1674-1677 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S6RQUAL016: S6 RQual: BF/GF reaction to illegal activity

Value	Label	Unweighted Frequency	%
1	Would not care at all	25	1.8 %
2	Would be bothered, but would not say anything to me about it	32	2.4 %
3	Would be bothered and would talk to me about it	174	12.9 %
4	Would get very upset with me	425	31.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Skip-in (rqname blank)	572	42.2 %
-9	Dont Know	4	0.3 %
	Total	**1,354**	**100%**

Based upon 656 valid cases out of 1,354 total cases.

Location: 1678-1681 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S6RQUAL017: S6 RQual: BF/GF know what time go home

Value	Label	Unweighted Frequency	%
1	Always	128	9.5 %
2	Often	56	4.1 %
3	Sometimes	43	3.2 %
4	Never	12	0.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-102	Skip-in (rqlivn <> 1)	420	31.0 %
-101	Skip-in (rqname blank)	572	42.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 239 valid cases out of 1,354 total cases.

Location: 1682-1685 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S6RQUAL018: S6 RQual: BF/GF know where when go out

Value	Label	Unweighted Frequency	%
1	Always	119	8.8 %
2	Often	58	4.3 %
3	Sometimes	40	3.0 %
4	Never	21	1.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-102	Skip-in (rqlivn <> 1)	420	31.0 %
-101	Skip-in (rqname blank)	572	42.2 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 238 valid cases out of 1,354 total cases.

Location: 1686-1689 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S6PDEL_SDEL1: S6 PDel_SigOther: damaged/destroyed property

Value	Label	Unweighted Frequency	%
1	Yes	17	1.3 %
5	No	294	21.7 %
	Missing Data		
-400	Questions not asked in this version	627	46.3 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Subject not locked up - question skipped	293	21.6 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 311 valid cases out of 1,354 total cases.

Location: 1690-1693 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S6PDEL_SDEL2: S6 PDel_SigOther: hit/threatened to hit someone

Value	Label	Unweighted Frequency	%
1	Yes	27	2.0 %
5	No	284	21.0 %
	Missing Data		
-400	Questions not asked in this version	627	46.3 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Subject not locked up - question skipped	293	21.6 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 311 valid cases out of 1,354 total cases.

Location: 1694-1697 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S6PDEL_SDEL3: S6 PDel_SigOther: sold drugs

Value	Label	Unweighted Frequency	%
1	Yes	12	0.9 %
5	No	299	22.1 %
	Missing Data		
-400	Questions not asked in this version	627	46.3 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Subject not locked up - question skipped	293	21.6 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 311 valid cases out of 1,354 total cases.

Location: 1698-1701 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S6PDEL_SDEL4A: S6 PDel_SigOther: gotten drunk

Value	Label	Unweighted Frequency	%
1	Yes	72	5.3 %
5	No	239	17.7 %
	Missing Data		
-400	Questions not asked in this version	627	46.3 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Subject not locked up - question skipped	293	21.6 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 311 valid cases out of 1,354 total cases.

Location: 1702-1705 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S6PDEL_SDEL4B: S6 PDel_SigOther: got high on drugs

Value	Label	Unweighted Frequency	%
1	Yes	54	4.0 %
5	No	257	19.0 %
	Missing Data		
-400	Questions not asked in this version	627	46.3 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Subject not locked up - question skipped	293	21.6 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 311 valid cases out of 1,354 total cases.

Location: 1706-1709 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S6PDEL_SDEL5A: S6 PDel_SigOther: carried a knife

Value	Label	Unweighted Frequency	%
1	Yes	15	1.1 %
5	No	296	21.9 %
	Missing Data		
-400	Questions not asked in this version	627	46.3 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Subject not locked up - question skipped	293	21.6 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 311 valid cases out of 1,354 total cases.

Location: 1710-1713 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S6PDEL_SDEL5B: S6 PDel_SigOther: carried a gun

Value	Label	Unweighted Frequency	%
1	Yes	7	0.5 %
5	No	303	22.4 %
	Missing Data		
-400	Questions not asked in this version	627	46.3 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Subject not locked up - question skipped	293	21.6 %

Value	Label	Unweighted Frequency	%
-9	Dont know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 1714-1717 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S6PDEL_SDEL5C: S6 PDel_SigOther: owned a gun

Value	Label	Unweighted Frequency	%
1	Yes	9	0.7 %
5	No	301	22.2 %
	Missing Data		
-400	Questions not asked in this version	627	46.3 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Subject not locked up - question skipped	293	21.6 %
-9	Dont know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 1718-1721 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S6PDEL_SDEL6: S6 PDel_SigOther: got into fight

Value	Label	Unweighted Frequency	%
1	Yes	26	1.9 %
5	No	285	21.0 %
	Missing Data		
-400	Questions not asked in this version	627	46.3 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Subject not locked up - question skipped	293	21.6 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 311 valid cases out of 1,354 total cases.

Location: 1722-1725 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S6PDEL_SDEL7: S6 PDel_SigOther: hurt in fight

Value	Label	Unweighted Frequency	%
1	Yes	4	0.3 %
5	No	307	22.7 %
	Missing Data		
-400	Questions not asked in this version	627	46.3 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Subject not locked up - question skipped	293	21.6 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 311 valid cases out of 1,354 total cases.

Location: 1726-1729 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S6PDEL_SDEL8: S6 PDel_SigOther: stole something more than $100

Value	Label	Unweighted Frequency	%
1	Yes	7	0.5 %
5	No	304	22.5 %
	Missing Data		
-400	Questions not asked in this version	627	46.3 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Subject not locked up - question skipped	293	21.6 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 311 valid cases out of 1,354 total cases.

Location: 1730-1733 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S6PDEL_SDEL9: S6 PDel_SigOther: stole a car

Value	Label	Unweighted Frequency	%
1	Yes	3	0.2 %
5	No	308	22.7 %
	Missing Data		
-400	Questions not asked in this version	627	46.3 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Subject not locked up - question skipped	293	21.6 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 311 valid cases out of 1,354 total cases.

Location: 1734-1737 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S6PDEL_SDEL10: S6 PDel_SigOther: gone into building to steal

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	310	22.9 %
	Missing Data		
-400	Questions not asked in this version	627	46.3 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Subject not locked up - question skipped	293	21.6 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 311 valid cases out of 1,354 total cases.

Location: 1738-1741 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S6PDEL19: S6 PDel: BFGF suggest go out drinking

Value	Label	Unweighted Frequency	%
1	Yes	76	5.6 %
5	No	581	42.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Subject not locked up - question skipped	572	42.2 %
-9	Dont know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 657 valid cases out of 1,354 total cases.

Location: 1742-1745 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S6PDEL20: S6 PDel: BFGF say must be drunk to have good time

Value	Label	Unweighted Frequency	%
1	Yes	8	0.6 %
5	No	649	47.9 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Subject not locked up - question skipped	572	42.2 %
-9	Dont know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 657 valid cases out of 1,354 total cases.

Location: 1746-1749 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S6PDEL21: S6 PDel: BFGF say must be high to have good time

Value	Label	Unweighted Frequency	%
1	Yes	8	0.6 %
5	No	649	47.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Subject not locked up - question skipped	572	42.2 %
-9	Dont know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 657 valid cases out of 1,354 total cases.

Location: 1750-1753 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S6PDEL22: S6 PDel: BFGF suggest sell drugs

Value	Label	Unweighted Frequency	%
1	Yes	5	0.4 %
5	No	652	48.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Subject not locked up - question skipped	572	42.2 %
-9	Dont know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 657 valid cases out of 1,354 total cases.

Location: 1754-1757 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S6PDEL23: S6 PDel: BFGF suggest steal something

Value	Label	Unweighted Frequency	%
1	Yes	4	0.3 %
5	No	653	48.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Subject not locked up - question skipped	572	42.2 %
-9	Dont know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 657 valid cases out of 1,354 total cases.

Location: 1758-1761 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S6PDEL24: S6 PDel: BFGF suggest hit/beat someone

Value	Label	Unweighted Frequency	%
1	Yes	21	1.6 %
5	No	636	47.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Subject not locked up - question skipped	572	42.2 %
-9	Dont know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 657 valid cases out of 1,354 total cases.

Location: 1762-1765 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S6PDEL25: S6 PDel: BFGF suggest carry weapon

Value	Label	Unweighted Frequency	%
1	Yes	16	1.2 %
5	No	641	47.3 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Subject not locked up - question skipped	572	42.2 %
-9	Dont know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 657 valid cases out of 1,354 total cases.

Location: 1766-1769 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S6PDEL26: S6 PDel: BFGF hit/force things against will

Value	Label	Unweighted Frequency	%
1	Yes	24	1.8 %
5	No	633	46.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Subject not locked up - question skipped	572	42.2 %
-9	Dont know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 657 valid cases out of 1,354 total cases.

Location: 1770-1773 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S6PDEL27: S6 PDel: BFGF try stop from committing crime

Value	Label	Unweighted Frequency	%
1	Yes	158	11.7 %
5	No	391	28.9 %
7	NA - hasnt tried to commit crime	104	7.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Subject not locked up - question skipped	572	42.2 %
-9	Dont know	6	0.4 %
	Total	**1,354**	**100%**

Based upon 653 valid cases out of 1,354 total cases.

Location: 1774-1777 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S6PDEL_RQNAME: S6 PDel: BFGF name

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1778-1789 (width: 12; decimal: 0)
Variable Type: character

S6PDEL_RQLABL: S6 PDel: Romantic partner label

Value	Label	Unweighted Frequency	%
1	Boyfriend	61	4.5 %
2	Ex-boyfriend	7	0.5 %
3	Husband	6	0.4 %
4	Ex-husband	0	0.0 %
5	Girlfriend	188	13.9 %
6	Ex-girlfriend	30	2.2 %
7	Wife	15	1.1 %
8	Ex-wife	1	0.1 %
9	Partner	2	0.1 %
10	Ex-partner	0	0.0 %
	Missing Data		
-9	Dont Know	2	0.1 %
-5	Blank	1042	77.0 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 1790-1791 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -5

S6RQUA0R: S6 RQual: How often is bf/gf there for you when needed (Reversed)

Value	Label	Unweighted Frequency	%
1	Never	6	0.4 %
2	Rarely	19	1.4 %
3	Sometimes	61	4.5 %
4	Most of the time	152	11.2 %
5	All the time	421	31.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Skip-in (rqname blank)	572	42.2 %

Value	Label	Unweighted Frequency	%
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 659 valid cases out of 1,354 total cases.

Location: 1792-1795 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S6RQUA1R: S6 RQual: How happy are you with your relationship (Reversed)

Value	Label	Unweighted Frequency	%
1	Very unhappy	12	0.9 %
2	Unhappy	16	1.2 %
3	Neither happy or unhappy	69	5.1 %
4	Happy	249	18.4 %
5	Very happy	313	23.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Skip-in (rqname blank)	572	42.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 659 valid cases out of 1,354 total cases.

Location: 1796-1799 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S6RQUA2R: S6 RQual: Compared to friends relationships how good is yours (Reversed)

Value	Label	Unweighted Frequency	%
1	Much worse	8	0.6 %
2	Worse	29	2.1 %
3	About as good	168	12.4 %
4	Better	189	14.0 %
5	Much better	258	19.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Skip-in (rqname blank)	572	42.2 %
-9	Dont Know	8	0.6 %
	Total	**1,354**	**100%**

Based upon 652 valid cases out of 1,354 total cases.

Location: 1800-1803 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S6RQUA4R: S6 RQual: Is relationship what you thought it be (Reversed)

Value	Label	Unweighted Frequency	%
1	Much worse	18	1.3 %
2	Worse	68	5.0 %
3	About what I expected it to be	147	10.9 %
4	Better	208	15.4 %
5	Much better	217	16.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Skip-in (rqname blank)	572	42.2 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 658 valid cases out of 1,354 total cases.

Location: 1804-1807 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S6RQUA5R: S6 RQual: How much do you love bf/gf (Reversed)

Value	Label	Unweighted Frequency	%
1	Not at all	18	1.3 %
2	Not very much	15	1.1 %
3	Somewhat	77	5.7 %
4	A lot	216	16.0 %
5	Very much	331	24.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Skip-in (rqname blank)	572	42.2 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 657 valid cases out of 1,354 total cases.

Location: 1808-1811 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S6RELQLT: S6 RQual: Quality of Relationship - Quality

Based upon 659 valid cases out of 1,354 total cases.

- Mean: 4.0655394176
- Median: 4.1428571429
- Mode: 4.5714285714
- Minimum: 1.4285714286
- Maximum: 5.0000000000
- Standard Deviation: 0.6889114154

Location: 1812-1826 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S6RELCON: S6 RQual: Quality of Relationship - Monitoring

Based upon 659 valid cases out of 1,354 total cases.

- Mean: 3.06
- Median: 3.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.82

Location: 1827-1832 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -300.0 , -202.0 , -201.0 , -100.0 , -9.0 , -8.0

S6RELDEV: S6 RQual: Quality of Relationship - Deviance

Based upon 659 valid cases out of 1,354 total cases.

- Mean: 3.43
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.77

Location: 1833-1838 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -300.0 , -202.0 , -201.0 , -100.0 , -9.0 , -8.0

S6PDEL19R: S6 PDel: BFGF suggest go out drinking (Reversed)

Value	Label	Unweighted Frequency	%
0	No	581	42.9 %
1	Yes	76	5.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Subject not locked up - question skipped	572	42.2 %
-9	Dont know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 657 valid cases out of 1,354 total cases.

Location: 1839-1842 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S6PDEL20R: S6 PDel: BFGF say must be drunk to have good time (Reversed)

Value	Label	Unweighted Frequency	%
0	No	649	47.9 %
1	Yes	8	0.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Subject not locked up - question skipped	572	42.2 %
-9	Dont know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 657 valid cases out of 1,354 total cases.

Location: 1843-1846 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S6PDEL21R: S6 PDel: BFGF say must be high to have good time (Reversed)

Value	Label	Unweighted Frequency	%
0	No	649	47.9 %
1	Yes	8	0.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Subject not locked up - question skipped	572	42.2 %
-9	Dont know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 657 valid cases out of 1,354 total cases.

Location: 1847-1850 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S6PDEL22R: S6 PDel: BFGF suggest sell drugs (Reversed)

Value	Label	Unweighted Frequency	%
0	No	652	48.2 %
1	Yes	5	0.4 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Subject not locked up - question skipped	572	42.2 %
-9	Dont know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 657 valid cases out of 1,354 total cases.

Location: 1851-1854 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S6PDEL23R: S6 PDel: BFGF suggest steal something (Reversed)

Value	Label	Unweighted Frequency	%
0	No	653	48.2 %
1	Yes	4	0.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Subject not locked up - question skipped	572	42.2 %
-9	Dont know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 657 valid cases out of 1,354 total cases.

Location: 1855-1858 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S6PDEL24R: S6 PDel: BFGF suggest hit/beat someone (Reversed)

Value	Label	Unweighted Frequency	%
0	No	636	47.0 %
1	Yes	21	1.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Subject not locked up - question skipped	572	42.2 %
-9	Dont know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 657 valid cases out of 1,354 total cases.

Location: 1859-1862 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S6PDEL25R: S6 PDel: BFGF suggest carry weapon (Reversed)

Value	Label	Unweighted Frequency	%
0	No	641	47.3 %
1	Yes	16	1.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Subject not locked up - question skipped	572	42.2 %
-9	Dont know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 657 valid cases out of 1,354 total cases.

Location: 1863-1866 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S6DEL: S6 RQual: Antisocial Influence

Based upon 657 valid cases out of 1,354 total cases.

- Mean: 0.21
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 0.62

Location: 1867-1870 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -300 , -202 , -201 , -100 , -9 , -8

S6SIGOTHER_DEL: S6 RQual: Antisocial Behavior - Count of items endorsed

Value	Label	Unweighted Frequency	%
0	-	209	15.4 %
1	-	42	3.1 %
2	-	25	1.8 %
3	-	15	1.1 %
4	-	7	0.5 %
5	-	5	0.4 %
6	-	3	0.2 %
7	-	1	0.1 %

Value	Label	Unweighted Frequency	%
8	-	2	0.1 %
10	-	1	0.1 %
13	-	1	0.1 %
	Missing Data		
-400	Questions not asked in this version	627	46.3 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-100	Did not skip into RQual measure	293	21.6 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 311 valid cases out of 1,354 total cases.

Location: 1871-1874 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S7RQUAL_RQNAME: S7 RQual: Name of BF/GF

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1875-1885 (width: 11; decimal: 0)
Variable Type: character

S7RQUAL_RQTIME: S7 RQual: Relationship timeframe past/present

Value	Label	Unweighted Frequency	%
1	Past	188	13.9 %
2	Present	576	42.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Skip-in (rqname blank)	451	33.3 %
	Total	**1,354**	**100%**

Based upon 764 valid cases out of 1,354 total cases.

Location: 1886-1889 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S7RQUAL_RQLABL: S7 RQual: Describe relationship to subject

Value	Label	Unweighted Frequency	%
1	Boyfriend	81	6.0 %
2	Ex-boyfriend	40	3.0 %
3	Husband	17	1.3 %
4	Ex-husband	0	0.0 %

Value	Label	Unweighted Frequency	%
5	Girlfriend	420	31.0 %
6	Ex-girlfriend	154	11.4 %
7	Wife	39	2.9 %
8	Ex-Wife	1	0.1 %
9	Partner	4	0.3 %
10	Ex-partner	3	0.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Skip-in (rqname blank)	451	33.3 %
-99	Dont Know	5	0.4 %
	Total	**1,354**	**100%**

Based upon 759 valid cases out of 1,354 total cases.

Location: 1890-1893 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -101 , -99 , -98

S7RQUAL_RQAGE: S7 RQual: Age of main romantic partner

Based upon 763 valid cases out of 1,354 total cases.

- Mean: 21.24
- Median: 20.00
- Mode: 19.00
- Minimum: 15.00
- Maximum: 43.00
- Standard Deviation: 4.46

Location: 1894-1897 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -99 , -98

S7RQUAL001: S7 RQual: How often BF/GF there for you

Value	Label	Unweighted Frequency	%
1	All the time	488	36.0 %
2	Most of the time	181	13.4 %
3	Sometimes	69	5.1 %
4	Not very often	21	1.6 %
5	Never	5	0.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Skip-in (rqname blank)	451	33.3 %
	Total	**1,354**	**100%**

Based upon 764 valid cases out of 1,354 total cases.

Location: 1898-1901 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S7RQUAL002: S7 RQual: How happy w/ relationship

Value	Label	Unweighted Frequency	%
1	Very happy	344	25.4 %
2	Happy	310	22.9 %
3	Neither happy nor unhappy	78	5.8 %
4	Unhappy	19	1.4 %
5	Very unhappy	13	1.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Skip-in (rqname blank)	451	33.3 %
	Total	**1,354**	**100%**

Based upon 764 valid cases out of 1,354 total cases.

Location: 1902-1905 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S7RQUAL003: S7 RQual: How is relationship compared to others

Value	Label	Unweighted Frequency	%
1	Much better	259	19.1 %
2	Better	248	18.3 %
3	About as good	214	15.8 %
4	Worse	29	2.1 %
5	Much worse	6	0.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Skip-in (rqname blank)	451	33.3 %
-9	Dont Know	8	0.6 %
	Total	**1,354**	**100%**

Based upon 756 valid cases out of 1,354 total cases.

Location: 1906-1909 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S7RQUAL004: S7 RQual: How often wish not in relationship

Value	Label	Unweighted Frequency	%
1	All the time	34	2.5 %
2	Most of the time	32	2.4 %
3	Sometimes	162	12.0 %
4	Not very often	179	13.2 %
5	Never	356	26.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Skip-in (rqname blank)	451	33.3 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 763 valid cases out of 1,354 total cases.

Location: 1910-1913 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S7RQUAL005: S7 RQual: Relationship compared to expected

Value	Label	Unweighted Frequency	%
1	Much better	203	15.0 %
2	Better	245	18.1 %
3	About as good	217	16.0 %
4	Worse	76	5.6 %
5	Much worse	22	1.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Skip-in (rqname blank)	451	33.3 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 763 valid cases out of 1,354 total cases.

Location: 1914-1917 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S7RQUAL006: S7 RQual: How much love BF/GF

Value	Label	Unweighted Frequency	%
1	Very much	386	28.5 %
2	A lot	272	20.1 %
3	Somewhat	72	5.3 %
4	Not very much	11	0.8 %

Value	Label	Unweighted Frequency	%
5	Not at all	22	1.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Skip-in (rqname blank)	451	33.3 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 763 valid cases out of 1,354 total cases.

Location: 1918-1921 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S7RQUAL007: S7 RQual: How many problems in relationship

Value	Label	Unweighted Frequency	%
1	Very many	62	4.6 %
2	Many	95	7.0 %
3	Some	244	18.0 %
4	A few	267	19.7 %
5	None	95	7.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Skip-in (rqname blank)	451	33.3 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 763 valid cases out of 1,354 total cases.

Location: 1922-1925 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S7RQUAL008: S7 RQual: BF/GF know who spend time with

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	38	2.8 %
2	Knows a little bit	168	12.4 %
3	Knows a lot	240	17.7 %
4	Knows everything	317	23.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Skip-in (rqname blank)	451	33.3 %
-8	Refused	1	0.1 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 763 valid cases out of 1,354 total cases.

Location: 1926-1929 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S7RQUAL009: S7 RQual: BF/GF know how spend free time

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	35	2.6 %
2	Knows a little bit	173	12.8 %
3	Knows a lot	256	18.9 %
4	Knows everything	299	22.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Skip-in (rqname blank)	451	33.3 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 763 valid cases out of 1,354 total cases.

Location: 1930-1933 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S7RQUAL010: S7 RQual: BF/GF know how spend money

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	78	5.8 %
2	Knows a little bit	182	13.4 %
3	Knows a lot	233	17.2 %
4	Knows everything	270	19.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Skip-in (rqname blank)	451	33.3 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 763 valid cases out of 1,354 total cases.

Location: 1934-1937 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S7RQUAL011: S7 RQual: BF/GF know where go after school

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	48	3.5 %
2	Knows a little bit	151	11.2 %
3	Knows a lot	267	19.7 %
4	Knows everything	297	21.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Skip-in (rqname blank)	451	33.3 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 763 valid cases out of 1,354 total cases.

Location: 1938-1941 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S7RQUAL012: S7 RQual: BF/GF know where go at night

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	48	3.5 %
2	Knows a little bit	151	11.2 %
3	Knows a lot	236	17.4 %
4	Knows everything	328	24.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Skip-in (rqname blank)	451	33.3 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 763 valid cases out of 1,354 total cases.

Location: 1942-1945 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S7RQUAL013: S7 RQual: BF/GF know if used drugs

Value	Label	Unweighted Frequency	%
1	Yes	716	52.9 %
5	No	46	3.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %

Value	Label	Unweighted Frequency	%
-101	Skip-in (rqname blank)	451	33.3 %
-9	Dont Know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 762 valid cases out of 1,354 total cases.

Location: 1946-1949 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S7RQUAL014: S7 RQual: BF/GF reaction if used drugs

Value	Label	Unweighted Frequency	%
1	Would not care at all	70	5.2 %
2	Would be bothered, but would not say anything to me about it	64	4.7 %
3	Would be bothered and would talk to me about it	197	14.5 %
4	Would get very upset with me	431	31.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Skip-in (rqname blank)	451	33.3 %
-9	Dont Know	1	0.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 762 valid cases out of 1,354 total cases.

Location: 1950-1953 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S7RQUAL015: S7 RQual: BF/GF know if did illegal activity

Value	Label	Unweighted Frequency	%
1	Yes	661	48.8 %
5	No	99	7.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Skip-in (rqname blank)	451	33.3 %
-9	Dont Know	3	0.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 760 valid cases out of 1,354 total cases.

Location: 1954-1957 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S7RQUAL016: S7 RQual: BF/GF reaction to illegal activity

Value	Label	Unweighted Frequency	%
1	Would not care at all	26	1.9 %
2	Would be bothered, but would not say anything to me about it	51	3.8 %
3	Would be bothered and would talk to me about it	184	13.6 %
4	Would get very upset with me	499	36.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Skip-in (rqname blank)	451	33.3 %
-9	Dont Know	3	0.2 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 760 valid cases out of 1,354 total cases.

Location: 1958-1961 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S7RQUAL017: S7 RQual: BF/GF know what time go home

Value	Label	Unweighted Frequency	%
1	Always	178	13.1 %
2	Often	82	6.1 %
3	Sometimes	63	4.7 %
4	Never	11	0.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-102	Skip-in (rqlivn <> 1)	429	31.7 %
-101	Skip-in (rqname blank)	451	33.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 334 valid cases out of 1,354 total cases.

Location: 1962-1965 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S7RQUAL018: S7 RQual: BF/GF know where when go out

Value	Label	Unweighted Frequency	%
1	Always	176	13.0 %
2	Often	78	5.8 %
3	Sometimes	50	3.7 %
4	Never	29	2.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-102	Skip-in (rqlivn <> 1)	429	31.7 %
-101	Skip-in (rqname blank)	451	33.3 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 333 valid cases out of 1,354 total cases.

Location: 1966-1969 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S7PDEL_SDEL1: S7 PDel_SigOther: damaged/destroyed property

Value	Label	Unweighted Frequency	%
1	Yes	38	2.8 %
5	No	722	53.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Subject not locked up - question skipped	451	33.3 %
-9	Dont know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 760 valid cases out of 1,354 total cases.

Location: 1970-1973 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S7PDEL_SDEL2: S7 PDel_SigOther: hit/threatened to hit someone

Value	Label	Unweighted Frequency	%
1	Yes	74	5.5 %
5	No	687	50.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Subject not locked up - question skipped	451	33.3 %

Value	Label	Unweighted Frequency	%
-9	Dont know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 761 valid cases out of 1,354 total cases.

Location: 1974-1977 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S7PDEL_SDEL3: S7 PDel_SigOther: sold drugs

Value	Label	Unweighted Frequency	%
1	Yes	27	2.0 %
5	No	735	54.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Subject not locked up - question skipped	451	33.3 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 762 valid cases out of 1,354 total cases.

Location: 1978-1981 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S7PDEL_SDEL4A: S7 PDel_SigOther: gotten drunk

Value	Label	Unweighted Frequency	%
1	Yes	184	13.6 %
5	No	578	42.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Subject not locked up - question skipped	451	33.3 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 762 valid cases out of 1,354 total cases.

Location: 1982-1985 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S7PDEL_SDEL4B: S7 PDel_SigOther: got high on drugs

Value	Label	Unweighted Frequency	%
1	Yes	123	9.1 %
5	No	638	47.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Subject not locked up - question skipped	451	33.3 %
-9	Dont know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 761 valid cases out of 1,354 total cases.

Location: 1986-1989 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S7PDEL_SDEL5A: S7 PDel_SigOther: carried a knife

Value	Label	Unweighted Frequency	%
1	Yes	34	2.5 %
5	No	728	53.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Subject not locked up - question skipped	451	33.3 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 762 valid cases out of 1,354 total cases.

Location: 1990-1993 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S7PDEL_SDEL5B: S7 PDel_SigOther: carried a gun

Value	Label	Unweighted Frequency	%
1	Yes	26	1.9 %
5	No	735	54.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Subject not locked up - question skipped	451	33.3 %
-9	Dont know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 761 valid cases out of 1,354 total cases.

Location: 1994-1997 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S7PDEL_SDEL5C: S7 PDel_SigOther: owned a gun

Value	Label	Unweighted Frequency	%
1	Yes	25	1.8 %
5	No	736	54.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Subject not locked up - question skipped	451	33.3 %
-9	Dont know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 761 valid cases out of 1,354 total cases.

Location: 1998-2001 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S7PDEL_SDEL6: S7 PDel_SigOther: got into fight

Value	Label	Unweighted Frequency	%
1	Yes	67	4.9 %
5	No	695	51.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Subject not locked up - question skipped	451	33.3 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 762 valid cases out of 1,354 total cases.

Location: 2002-2005 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S7PDEL_SDEL7: S7 PDel_SigOther: hurt in fight

Value	Label	Unweighted Frequency	%
1	Yes	23	1.7 %
5	No	738	54.5 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Subject not locked up - question skipped	451	33.3 %
-9	Dont know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 761 valid cases out of 1,354 total cases.

Location: 2006-2009 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S7PDEL_SDEL8: S7 PDel_SigOther: stole something more than $100

Value	Label	Unweighted Frequency	%
1	Yes	20	1.5 %
5	No	741	54.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Subject not locked up - question skipped	451	33.3 %
-9	Dont know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 761 valid cases out of 1,354 total cases.

Location: 2010-2013 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S7PDEL_SDEL9: S7 PDel_SigOther: stole a car

Value	Label	Unweighted Frequency	%
1	Yes	13	1.0 %
5	No	749	55.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Subject not locked up - question skipped	451	33.3 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 762 valid cases out of 1,354 total cases.

Location: 2014-2017 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S7PDEL_SDEL10: S7 PDel_SigOther: gone into building to steal

Value	Label	Unweighted Frequency	%
1	Yes	9	0.7 %
5	No	753	55.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Subject not locked up - question skipped	451	33.3 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 762 valid cases out of 1,354 total cases.

Location: 2018-2021 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S7PDEL19: S7 PDel: BFGF suggest go out drinking

Value	Label	Unweighted Frequency	%
1	Yes	88	6.5 %
5	No	675	49.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Subject not locked up - question skipped	451	33.3 %
	Total	**1,354**	**100%**

Based upon 763 valid cases out of 1,354 total cases.

Location: 2022-2025 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S7PDEL20: S7 PDel: BFGF say must be drunk to have good time

Value	Label	Unweighted Frequency	%
1	Yes	16	1.2 %
5	No	747	55.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Subject not locked up - question skipped	451	33.3 %
	Total	**1,354**	**100%**

Based upon 763 valid cases out of 1,354 total cases.

Location: 2026-2029 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S7PDEL21: S7 PDel: BFGF say must be high to have good time

Value	Label	Unweighted Frequency	%
1	Yes	15	1.1 %
5	No	748	55.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Subject not locked up - question skipped	451	33.3 %
	Total	**1,354**	**100%**

Based upon 763 valid cases out of 1,354 total cases.

Location: 2030-2033 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S7PDEL22: S7 PDel: BFGF suggest sell drugs

Value	Label	Unweighted Frequency	%
1	Yes	12	0.9 %
5	No	751	55.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Subject not locked up - question skipped	451	33.3 %
	Total	**1,354**	**100%**

Based upon 763 valid cases out of 1,354 total cases.

Location: 2034-2037 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S7PDEL23: S7 PDel: BFGF suggest steal something

Value	Label	Unweighted Frequency	%
1	Yes	6	0.4 %
5	No	757	55.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Subject not locked up - question skipped	451	33.3 %
	Total	**1,354**	**100%**

Based upon 763 valid cases out of 1,354 total cases.

Location: 2038-2041 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S7PDEL24: S7 PDel: BFGF suggest hit/beat someone

Value	Label	Unweighted Frequency	%
1	Yes	25	1.8 %
5	No	738	54.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Subject not locked up - question skipped	451	33.3 %
	Total	**1,354**	**100%**

Based upon 763 valid cases out of 1,354 total cases.

Location: 2042-2045 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S7PDEL25: S7 PDel: BFGF suggest carry weapon

Value	Label	Unweighted Frequency	%
1	Yes	17	1.3 %
5	No	746	55.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Subject not locked up - question skipped	451	33.3 %
	Total	**1,354**	**100%**

Based upon 763 valid cases out of 1,354 total cases.

Location: 2046-2049 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S7PDEL26: S7 PDel: BFGF hit/force things against will

Value	Label	Unweighted Frequency	%
1	Yes	40	3.0 %
5	No	723	53.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Subject not locked up - question skipped	451	33.3 %
	Total	**1,354**	**100%**

Based upon 763 valid cases out of 1,354 total cases.

Location: 2050-2053 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S7PDEL27: S7 PDel: BFGF try stop from committing crime

Value	Label	Unweighted Frequency	%
1	Yes	186	13.7 %
5	No	251	18.5 %
7	NA - hasnt tried to commit crime	325	24.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Subject not locked up - question skipped	451	33.3 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 762 valid cases out of 1,354 total cases.

Location: 2054-2057 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S7PDEL_RQNAME: S7 PDel: BFGF name

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 2058-2068 (width: 11; decimal: 0)
Variable Type: character

S7PDEL_RQLABL: S7 PDel: Romantic partner label

Value	Label	Unweighted Frequency	%
1	Boyfriend	81	6.0 %
2	Ex-boyfriend	40	3.0 %
3	Husband	17	1.3 %
4	Ex-husband	0	0.0 %
5	Girlfriend	420	31.0 %
6	Ex-girlfriend	154	11.4 %
7	Wife	39	2.9 %
8	Ex-wife	1	0.1 %
9	Partner	4	0.3 %
10	Ex-partner	3	0.2 %
	Missing Data		
-9	Dont Know	5	0.4 %
-5	Blank	590	43.6 %
	Total	**1,354**	**100%**

Based upon 759 valid cases out of 1,354 total cases.

Location: 2069-2070 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -5

S7RQUA0R: S7 RQual: How often is bf/gf there for you when needed (Reversed)

Value	Label	Unweighted Frequency	%
1	Never	5	0.4 %
2	Rarely	21	1.6 %
3	Sometimes	69	5.1 %
4	Most of the time	181	13.4 %
5	All the time	488	36.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Skip-in (rqname blank)	451	33.3 %
	Total	**1,354**	**100%**

Based upon 764 valid cases out of 1,354 total cases.

Location: 2071-2074 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S7RQUA1R: S7 RQual: How happy are you with your relationship (Reversed)

Value	Label	Unweighted Frequency	%
1	Very unhappy	13	1.0 %

Value	Label	Unweighted Frequency	%
2	Unhappy	19	1.4 %
3	Neither happy or unhappy	78	5.8 %
4	Happy	310	22.9 %
5	Very happy	344	25.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Skip-in (rqname blank)	451	33.3 %
	Total	**1,354**	**100%**

Based upon 764 valid cases out of 1,354 total cases.

Location: 2075-2078 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S7RQUA2R: S7 RQual: Compared to friends relationships how good is yours (Reversed)

Value	Label	Unweighted Frequency	%
1	Much worse	6	0.4 %
2	Worse	29	2.1 %
3	About as good	214	15.8 %
4	Better	248	18.3 %
5	Much better	259	19.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Skip-in (rqname blank)	451	33.3 %
-9	Dont Know	8	0.6 %
	Total	**1,354**	**100%**

Based upon 756 valid cases out of 1,354 total cases.

Location: 2079-2082 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S7RQUA4R: S7 RQual: Is relationship what you thought it be (Reversed)

Value	Label	Unweighted Frequency	%
1	Much worse	22	1.6 %
2	Worse	76	5.6 %
3	About what I expected it to be	217	16.0 %
4	Better	245	18.1 %
5	Much better	203	15.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Skip-in (rqname blank)	451	33.3 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 763 valid cases out of 1,354 total cases.

Location: 2083-2086 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S7RQUA5R: S7 RQual: How much do you love bf/gf (Reversed)

Value	Label	Unweighted Frequency	%
1	Not at all	22	1.6 %
2	Not very much	11	0.8 %
3	Somewhat	72	5.3 %
4	A lot	272	20.1 %
5	Very much	386	28.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Skip-in (rqname blank)	451	33.3 %
-8	Refusal	1	0.1 %
	Total	**1,354**	**100%**

Based upon 763 valid cases out of 1,354 total cases.

Location: 2087-2090 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S7RELQLT: S7 RQual: Quality of Relationship - Quality

Based upon 764 valid cases out of 1,354 total cases.

- Mean: 4.0029450262
- Median: 4.1428571429
- Mode: 4.7142857143
- Minimum: 1.1428571429
- Maximum: 5.0000000000
- Standard Deviation: 0.6729281967

Location: 2091-2105 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S7RELCON: S7 RQual: Quality of Relationship - Monitoring

Based upon 763 valid cases out of 1,354 total cases.

- Mean: 3.05
- Median: 3.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.81

Location: 2106-2111 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -300.0 , -202.0 , -201.0 , -100.0 , -9.0 , -8.0

S7RELDEV: S7 RQual: Quality of Relationship - Deviance

Based upon 763 valid cases out of 1,354 total cases.

- Mean: 3.41
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.78

Location: 2112-2117 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -300.0 , -202.0 , -201.0 , -100.0 , -9.0 , -8.0

S7PDEL19R: S7 PDel: BFGF suggest go out drinking (Reversed)

Value	Label	Unweighted Frequency	%
0	No	675	49.9 %
1	Yes	88	6.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Subject not locked up - question skipped	451	33.3 %
	Total	**1,354**	**100%**

Based upon 763 valid cases out of 1,354 total cases.

Location: 2118-2121 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S7PDEL20R: S7 PDel: BFGF say must be drunk to have good time (Reversed)

Value	Label	Unweighted Frequency	%
0	No	747	55.2 %
1	Yes	16	1.2 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Subject not locked up - question skipped	451	33.3 %
	Total	**1,354**	**100%**

Based upon 763 valid cases out of 1,354 total cases.

Location: 2122-2125 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S7PDEL21R: S7 PDel: BFGF say must be high to have good time (Reversed)

Value	Label	Unweighted Frequency	%
0	No	748	55.2 %
1	Yes	15	1.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Subject not locked up - question skipped	451	33.3 %
	Total	**1,354**	**100%**

Based upon 763 valid cases out of 1,354 total cases.

Location: 2126-2129 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S7PDEL22R: S7 PDel: BFGF suggest sell drugs (Reversed)

Value	Label	Unweighted Frequency	%
0	No	751	55.5 %
1	Yes	12	0.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Subject not locked up - question skipped	451	33.3 %
	Total	**1,354**	**100%**

Based upon 763 valid cases out of 1,354 total cases.

Location: 2130-2133 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S7PDEL23R: S7 PDel: BFGF suggest steal something (Reversed)

Value	Label	Unweighted Frequency	%
0	No	757	55.9 %
1	Yes	6	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Subject not locked up - question skipped	451	33.3 %
	Total	**1,354**	**100%**

Based upon 763 valid cases out of 1,354 total cases.

Location: 2134-2137 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S7PDEL24R: S7 PDel: BFGF suggest hit/beat someone (Reversed)

Value	Label	Unweighted Frequency	%
0	No	738	54.5 %
1	Yes	25	1.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Subject not locked up - question skipped	451	33.3 %
	Total	**1,354**	**100%**

Based upon 763 valid cases out of 1,354 total cases.

Location: 2138-2141 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S7PDEL25R: S7 PDel: BFGF suggest carry weapon (Reversed)

Value	Label	Unweighted Frequency	%
0	No	746	55.1 %
1	Yes	17	1.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Subject not locked up - question skipped	451	33.3 %
	Total	**1,354**	**100%**

Based upon 763 valid cases out of 1,354 total cases.

Location: 2142-2145 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S7DEL: S7 RQual: Antisocial Influence

Based upon 763 valid cases out of 1,354 total cases.

- Mean: 0.23
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 0.76

Location: 2146-2149 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -300 , -202 , -201 , -100 , -9 , -8

S7SIGOTHER_DEL: S7 RQual: Antisocial Behavior - Count of items endorsed

Value	Label	Unweighted Frequency	%
0	-	493	36.4 %
1	-	114	8.4 %
2	-	75	5.5 %
3	-	25	1.8 %
4	-	19	1.4 %
5	-	12	0.9 %
6	-	7	0.5 %
7	-	8	0.6 %
8	-	3	0.2 %
9	-	1	0.1 %
10	-	1	0.1 %
11	-	2	0.1 %
12	-	1	0.1 %
13	-	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-100	Did not skip into RQual measure	451	33.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 762 valid cases out of 1,354 total cases.

Location: 2150-2153 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S8RQUAL_RQNAME: S8 RQual: Name of BF/GF

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 2154-2164 (width: 11; decimal: 0)
Variable Type: character

S8RQUAL_RQTIME: S8 RQual: Relationship timeframe past/present

Value	Label	Unweighted Frequency	%
1	Past	145	10.7 %
2	Present	592	43.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Skip-in (rqname blank)	470	34.7 %
	Total	**1,354**	**100%**

Based upon 737 valid cases out of 1,354 total cases.

Location: 2165-2168 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S8RQUAL_RQLABL: S8 RQual: Describe relationship to subject

Value	Label	Unweighted Frequency	%
1	Boyfriend	86	6.4 %
2	Ex-boyfriend	28	2.1 %
3	Husband	19	1.4 %
4	Ex-husband	1	0.1 %
5	Girlfriend	432	31.9 %
6	Ex-girlfriend	126	9.3 %
7	Wife	40	3.0 %
8	Ex-Wife	0	0.0 %
9	Partner	3	0.2 %
10	Ex-partner	1	0.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Skip-in (rqname blank)	470	34.7 %
-99	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 736 valid cases out of 1,354 total cases.

Location: 2169-2172 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -101 , -99 , -98

S8RQUAL_RQAGE: S8 RQual: Age of main romantic partner

Based upon 735 valid cases out of 1,354 total cases.

- Mean: 22.47
- Median: 21.00
- Mode: 20.00
- Minimum: 16.00
- Maximum: 57.00
- Standard Deviation: 4.91

Location: 2173-2176 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -99 , -98

S8RQUAL001: S8 RQual: How often BF/GF there for you

Value	Label	Unweighted Frequency	%
1	All the time	476	35.2 %
2	Most of the time	169	12.5 %
3	Sometimes	74	5.5 %
4	Not very often	13	1.0 %
5	Never	5	0.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Skip-in (rqname blank)	470	34.7 %
	Total	**1,354**	**100%**

Based upon 737 valid cases out of 1,354 total cases.

Location: 2177-2180 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S8RQUAL002: S8 RQual: How happy w/ relationship

Value	Label	Unweighted Frequency	%
1	Very happy	351	25.9 %
2	Happy	284	21.0 %
3	Neither happy nor unhappy	66	4.9 %
4	Unhappy	26	1.9 %
5	Very unhappy	10	0.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Skip-in (rqname blank)	470	34.7 %
	Total	**1,354**	**100%**

Based upon 737 valid cases out of 1,354 total cases.

Location: 2181-2184 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S8RQUAL003: S8 RQual: How is relationship compared to others

Value	Label	Unweighted Frequency	%
1	Much better	275	20.3 %
2	Better	218	16.1 %
3	About as good	190	14.0 %
4	Worse	40	3.0 %
5	Much worse	10	0.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Skip-in (rqname blank)	470	34.7 %
-9	Dont Know	4	0.3 %
	Total	**1,354**	**100%**

Based upon 733 valid cases out of 1,354 total cases.

Location: 2185-2188 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S8RQUAL004: S8 RQual: How often wish not in relationship

Value	Label	Unweighted Frequency	%
1	All the time	39	2.9 %
2	Most of the time	29	2.1 %
3	Sometimes	141	10.4 %
4	Not very often	183	13.5 %
5	Never	345	25.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Skip-in (rqname blank)	470	34.7 %
	Total	**1,354**	**100%**

Based upon 737 valid cases out of 1,354 total cases.

Location: 2189-2192 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S8RQUAL005: S8 RQual: Relationship compared to expected

Value	Label	Unweighted Frequency	%
1	Much better	190	14.0 %
2	Better	251	18.5 %

Value	Label	Unweighted Frequency	%
3	About as good	200	14.8 %
4	Worse	77	5.7 %
5	Much worse	19	1.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Skip-in (rqname blank)	470	34.7 %
	Total	**1,354**	**100%**

Based upon 737 valid cases out of 1,354 total cases.

Location: 2193-2196 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S8RQUAL006: S8 RQual: How much love BF/GF

Value	Label	Unweighted Frequency	%
1	Very much	424	31.3 %
2	A lot	221	16.3 %
3	Somewhat	63	4.7 %
4	Not very much	9	0.7 %
5	Not at all	20	1.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Skip-in (rqname blank)	470	34.7 %
	Total	**1,354**	**100%**

Based upon 737 valid cases out of 1,354 total cases.

Location: 2197-2200 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S8RQUAL007: S8 RQual: How many problems in relationship

Value	Label	Unweighted Frequency	%
1	Very many	59	4.4 %
2	Many	83	6.1 %
3	Some	224	16.5 %
4	A few	281	20.8 %
5	None	90	6.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Skip-in (rqname blank)	470	34.7 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 737 valid cases out of 1,354 total cases.

Location: 2201-2204 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S8RQUAL008: S8 RQual: BF/GF know who spend time with

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	40	3.0 %
2	Knows a little bit	131	9.7 %
3	Knows a lot	222	16.4 %
4	Knows everything	342	25.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Skip-in (rqname blank)	470	34.7 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 735 valid cases out of 1,354 total cases.

Location: 2205-2208 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S8RQUAL009: S8 RQual: BF/GF know how spend free time

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	39	2.9 %
2	Knows a little bit	154	11.4 %
3	Knows a lot	220	16.2 %
4	Knows everything	322	23.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Skip-in (rqname blank)	470	34.7 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 735 valid cases out of 1,354 total cases.

Location: 2209-2212 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S8RQUAL010: S8 RQual: BF/GF know how spend money

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	77	5.7 %
2	Knows a little bit	176	13.0 %
3	Knows a lot	197	14.5 %
4	Knows everything	285	21.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Skip-in (rqname blank)	470	34.7 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 735 valid cases out of 1,354 total cases.

Location: 2213-2216 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S8RQUAL011: S8 RQual: BF/GF know where go after school

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	55	4.1 %
2	Knows a little bit	151	11.2 %
3	Knows a lot	219	16.2 %
4	Knows everything	309	22.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Skip-in (rqname blank)	470	34.7 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 734 valid cases out of 1,354 total cases.

Location: 2217-2220 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S8RQUAL012: S8 RQual: BF/GF know where go at night

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	53	3.9 %
2	Knows a little bit	146	10.8 %
3	Knows a lot	191	14.1 %
4	Knows everything	345	25.5 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Skip-in (rqname blank)	470	34.7 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 735 valid cases out of 1,354 total cases.

Location: 2221-2224 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S8RQUAL013: S8 RQual: BF/GF know if used drugs

Value	Label	Unweighted Frequency	%
1	Yes	694	51.3 %
5	No	43	3.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Skip-in (rqname blank)	470	34.7 %
	Total	**1,354**	**100%**

Based upon 737 valid cases out of 1,354 total cases.

Location: 2225-2228 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S8RQUAL014: S8 RQual: BF/GF reaction if used drugs

Value	Label	Unweighted Frequency	%
1	Would not care at all	63	4.7 %
2	Would be bothered, but would not say anything to me about it	54	4.0 %
3	Would be bothered and would talk to me about it	186	13.7 %
4	Would get very upset with me	433	32.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Skip-in (rqname blank)	470	34.7 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 736 valid cases out of 1,354 total cases.

Location: 2229-2232 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S8RQUAL015: S8 RQual: BF/GF know if did illegal activity

Value	Label	Unweighted Frequency	%
1	Yes	630	46.5 %
5	No	107	7.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Skip-in (rqname blank)	470	34.7 %
	Total	**1,354**	**100%**

Based upon 737 valid cases out of 1,354 total cases.

Location: 2233-2236 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S8RQUAL016: S8 RQual: BF/GF reaction to illegal activity

Value	Label	Unweighted Frequency	%
1	Would not care at all	31	2.3 %
2	Would be bothered, but would not say anything to me about it	30	2.2 %
3	Would be bothered and would talk to me about it	178	13.1 %
4	Would get very upset with me	494	36.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Skip-in (rqname blank)	470	34.7 %
-9	Dont Know	4	0.3 %
	Total	**1,354**	**100%**

Based upon 733 valid cases out of 1,354 total cases.

Location: 2237-2240 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S8RQUAL017: S8 RQual: BF/GF know what time go home

Value	Label	Unweighted Frequency	%
1	Always	198	14.6 %
2	Often	63	4.7 %
3	Sometimes	65	4.8 %
4	Never	23	1.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	147	10.9 %
-102	Skip-in (rqlivn <> 1)	388	28.7 %

Value	Label	Unweighted Frequency	%
-101	Skip-in (rqname blank)	470	34.7 %
	Total	**1,354**	**100%**

Based upon 349 valid cases out of 1,354 total cases.

Location: 2241-2244 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S8RQUAL018: S8 RQual: BF/GF know where when go out

Value	Label	Unweighted Frequency	%
1	Always	181	13.4 %
2	Often	75	5.5 %
3	Sometimes	64	4.7 %
4	Never	29	2.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	147	10.9 %
-102	Skip-in (rqlivn <> 1)	388	28.7 %
-101	Skip-in (rqname blank)	470	34.7 %
	Total	**1,354**	**100%**

Based upon 349 valid cases out of 1,354 total cases.

Location: 2245-2248 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S8PDEL_SDEL1: S8 PDel_SigOther: damaged/destroyed property

Value	Label	Unweighted Frequency	%
1	Yes	32	2.4 %
5	No	703	51.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Subject not locked up - question skipped	470	34.7 %
	Total	**1,354**	**100%**

Based upon 735 valid cases out of 1,354 total cases.

Location: 2249-2252 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S8PDEL_SDEL2: S8 PDel_SigOther: hit/threatened to hit someone

Value	Label	Unweighted Frequency	%
1	Yes	65	4.8 %
5	No	669	49.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Subject not locked up - question skipped	470	34.7 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 734 valid cases out of 1,354 total cases.

Location: 2253-2256 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S8PDEL_SDEL3: S8 PDel_SigOther: sold drugs

Value	Label	Unweighted Frequency	%
1	Yes	26	1.9 %
5	No	708	52.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Subject not locked up - question skipped	470	34.7 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 734 valid cases out of 1,354 total cases.

Location: 2257-2260 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S8PDEL_SDEL4A: S8 PDel_SigOther: gotten drunk

Value	Label	Unweighted Frequency	%
1	Yes	178	13.1 %
5	No	557	41.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Subject not locked up - question skipped	470	34.7 %
	Total	**1,354**	**100%**

Based upon 735 valid cases out of 1,354 total cases.

Location: 2261-2264 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S8PDEL_SDEL4B: S8 PDel_SigOther: got high on drugs

Value	Label	Unweighted Frequency	%
1	Yes	96	7.1 %
5	No	639	47.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Subject not locked up - question skipped	470	34.7 %
	Total	**1,354**	**100%**

Based upon 735 valid cases out of 1,354 total cases.

Location: 2265-2268 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S8PDEL_SDEL5A: S8 PDel_SigOther: carried a knife

Value	Label	Unweighted Frequency	%
1	Yes	32	2.4 %
5	No	703	51.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Subject not locked up - question skipped	470	34.7 %
	Total	**1,354**	**100%**

Based upon 735 valid cases out of 1,354 total cases.

Location: 2269-2272 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S8PDEL_SDEL5B: S8 PDel_SigOther: carried a gun

Value	Label	Unweighted Frequency	%
1	Yes	23	1.7 %
5	No	712	52.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Subject not locked up - question skipped	470	34.7 %
	Total	**1,354**	**100%**

Based upon 735 valid cases out of 1,354 total cases.

Location: 2273-2276 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S8PDEL_SDEL5C: S8 PDel_SigOther: owned a gun

Value	Label	Unweighted Frequency	%
1	Yes	19	1.4 %
5	No	716	52.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Subject not locked up - question skipped	470	34.7 %
	Total	**1,354**	**100%**

Based upon 735 valid cases out of 1,354 total cases.

Location: 2277-2280 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S8PDEL_SDEL6: S8 PDel_SigOther: got into fight

Value	Label	Unweighted Frequency	%
1	Yes	56	4.1 %
5	No	679	50.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Subject not locked up - question skipped	470	34.7 %
	Total	**1,354**	**100%**

Based upon 735 valid cases out of 1,354 total cases.

Location: 2281-2284 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S8PDEL_SDEL7: S8 PDel_SigOther: hurt in fight

Value	Label	Unweighted Frequency	%
1	Yes	18	1.3 %
5	No	717	53.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Subject not locked up - question skipped	470	34.7 %
	Total	**1,354**	**100%**

Based upon 735 valid cases out of 1,354 total cases.

Location: 2285-2288 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S8PDEL_SDEL8: S8 PDel_SigOther: stole something more than $100

Value	Label	Unweighted Frequency	%
1	Yes	18	1.3 %
5	No	717	53.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Subject not locked up - question skipped	470	34.7 %
	Total	**1,354**	**100%**

Based upon 735 valid cases out of 1,354 total cases.

Location: 2289-2292 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S8PDEL_SDEL9: S8 PDel_SigOther: stole a car

Value	Label	Unweighted Frequency	%
1	Yes	7	0.5 %
5	No	728	53.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Subject not locked up - question skipped	470	34.7 %
	Total	**1,354**	**100%**

Based upon 735 valid cases out of 1,354 total cases.

Location: 2293-2296 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S8PDEL_SDEL10: S8 PDel_SigOther: gone into building to steal

Value	Label	Unweighted Frequency	%
1	Yes	7	0.5 %
5	No	728	53.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Subject not locked up - question skipped	470	34.7 %
	Total	**1,354**	**100%**

Based upon 735 valid cases out of 1,354 total cases.

Location: 2297-2300 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S8PDEL19: S8 PDel: BFGF suggest go out drinking

Value	Label	Unweighted Frequency	%
1	Yes	86	6.4 %
5	No	649	47.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Subject not locked up - question skipped	470	34.7 %
	Total	**1,354**	**100%**

Based upon 735 valid cases out of 1,354 total cases.

Location: 2301-2304 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S8PDEL20: S8 PDel: BFGF say must be drunk to have good time

Value	Label	Unweighted Frequency	%
1	Yes	19	1.4 %
5	No	716	52.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Subject not locked up - question skipped	470	34.7 %
	Total	**1,354**	**100%**

Based upon 735 valid cases out of 1,354 total cases.

Location: 2305-2308 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S8PDEL21: S8 PDel: BFGF say must be high to have good time

Value	Label	Unweighted Frequency	%
1	Yes	13	1.0 %
5	No	722	53.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Subject not locked up - question skipped	470	34.7 %
	Total	**1,354**	**100%**

Based upon 735 valid cases out of 1,354 total cases.

Location: 2309-2312 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S8PDEL22: S8 PDel: BFGF suggest sell drugs

Value	Label	Unweighted Frequency	%
1	Yes	13	1.0 %
5	No	722	53.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Subject not locked up - question skipped	470	34.7 %
	Total	**1,354**	**100%**

Based upon 735 valid cases out of 1,354 total cases.

Location: 2313-2316 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S8PDEL23: S8 PDel: BFGF suggest steal something

Value	Label	Unweighted Frequency	%
1	Yes	8	0.6 %
5	No	727	53.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Subject not locked up - question skipped	470	34.7 %
	Total	**1,354**	**100%**

Based upon 735 valid cases out of 1,354 total cases.

Location: 2317-2320 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S8PDEL24: S8 PDel: BFGF suggest hit/beat someone

Value	Label	Unweighted Frequency	%
1	Yes	17	1.3 %
5	No	718	53.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Subject not locked up - question skipped	470	34.7 %
	Total	**1,354**	**100%**

Based upon 735 valid cases out of 1,354 total cases.

Location: 2321-2324 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S8PDEL25: S8 PDel: BFGF suggest carry weapon

Value	Label	Unweighted Frequency	%
1	Yes	20	1.5 %
5	No	715	52.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Subject not locked up - question skipped	470	34.7 %
	Total	**1,354**	**100%**

Based upon 735 valid cases out of 1,354 total cases.

Location: 2325-2328 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S8PDEL26: S8 PDel: BFGF hit/force things against will

Value	Label	Unweighted Frequency	%
1	Yes	34	2.5 %
5	No	701	51.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Subject not locked up - question skipped	470	34.7 %
	Total	**1,354**	**100%**

Based upon 735 valid cases out of 1,354 total cases.

Location: 2329-2332 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S8PDEL27: S8 PDel: BFGF try stop from committing crime

Value	Label	Unweighted Frequency	%
1	Yes	133	9.8 %
5	No	179	13.2 %
7	NA - hasnt tried to commit crime	421	31.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Subject not locked up - question skipped	470	34.7 %
-9	Dont know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 733 valid cases out of 1,354 total cases.

Location: 2333-2336 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S8PDEL_RQNAME: S8 PDel: BFGF name

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 2337-2347 (width: 11; decimal: 0)
Variable Type: character

S8PDEL_RQLABL: S8 PDel: Romantic partner label

Value	Label	Unweighted Frequency	%
1	Boyfriend	86	6.4 %
2	Ex-boyfriend	28	2.1 %
3	Husband	19	1.4 %

Value	Label	Unweighted Frequency	%
4	Ex-husband	1	0.1 %
5	Girlfriend	432	31.9 %
6	Ex-girlfriend	126	9.3 %
7	Wife	40	3.0 %
8	Ex-wife	0	0.0 %
9	Partner	3	0.2 %
10	Ex-partner	1	0.1 %
	Missing Data		
-9	Dont Know	1	0.1 %
-5	Blank	617	45.6 %
	Total	**1,354**	**100%**

Based upon 736 valid cases out of 1,354 total cases.

Location: 2348-2349 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -5

S8RQUA0R: S8 RQual: How often is bf/gf there for you when needed (Reversed)

Value	Label	Unweighted Frequency	%
1	Never	5	0.4 %
2	Rarely	13	1.0 %
3	Sometimes	74	5.5 %
4	Most of the time	169	12.5 %
5	All the time	476	35.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Skip-in (rqname blank)	470	34.7 %
	Total	**1,354**	**100%**

Based upon 737 valid cases out of 1,354 total cases.

Location: 2350-2353 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S8RQUA1R: S8 RQual: How happy are you with your relationship (Reversed)

Value	Label	Unweighted Frequency	%
1	Very unhappy	10	0.7 %
2	Unhappy	26	1.9 %
3	Neither happy or unhappy	66	4.9 %
4	Happy	284	21.0 %

Value	Label	Unweighted Frequency	%
5	Very happy	351	25.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Skip-in (rqname blank)	470	34.7 %
	Total	**1,354**	**100%**

Based upon 737 valid cases out of 1,354 total cases.

Location: 2354-2357 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S8RQUA2R: S8 RQual: Compared to friends relationships how good is yours (Reversed)

Value	Label	Unweighted Frequency	%
1	Much worse	10	0.7 %
2	Worse	40	3.0 %
3	About as good	190	14.0 %
4	Better	218	16.1 %
5	Much better	275	20.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Skip-in (rqname blank)	470	34.7 %
-9	Dont Know	4	0.3 %
	Total	**1,354**	**100%**

Based upon 733 valid cases out of 1,354 total cases.

Location: 2358-2361 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S8RQUA4R: S8 RQual: Is relationship what you thought it be (Reversed)

Value	Label	Unweighted Frequency	%
1	Much worse	19	1.4 %
2	Worse	77	5.7 %
3	About what I expected it to be	200	14.8 %
4	Better	251	18.5 %
5	Much better	190	14.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Skip-in (rqname blank)	470	34.7 %
	Total	**1,354**	**100%**

Based upon 737 valid cases out of 1,354 total cases.

Location: 2362-2365 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S8RQUA5R: S8 RQual: How much do you love bf/gf (Reversed)

Value	Label	Unweighted Frequency	%
1	Not at all	20	1.5 %
2	Not very much	9	0.7 %
3	Somewhat	63	4.7 %
4	A lot	221	16.3 %
5	Very much	424	31.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Skip-in (rqname blank)	470	34.7 %
	Total	**1,354**	**100%**

Based upon 737 valid cases out of 1,354 total cases.

Location: 2366-2369 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S8RELQLT: S8 RQual: Quality of Relationship - Quality

Based upon 737 valid cases out of 1,354 total cases.

- Mean: 4.0290430962
- Median: 4.1428571429
- Mode: 4.5714285714
- Minimum: 1.2857142857
- Maximum: 5.0000000000
- Standard Deviation: 0.6907485401

Location: 2370-2384 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S8RELCON: S8 RQual: Quality of Relationship - Monitoring

Based upon 735 valid cases out of 1,354 total cases.

- Mean: 3.09
- Median: 3.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.85

Location: 2385-2390 (width: 6; decimal: 1)

Variable Type: numeric
(Range of) Missing Values: -300.0 , -202.0 , -201.0 , -100.0 , -9.0 , -8.0

S8RELDEV: S8 RQual: Quality of Relationship - Deviance

Based upon 736 valid cases out of 1,354 total cases.

- Mean: 3.44
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.76

Location: 2391-2396 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -300.0 , -202.0 , -201.0 , -100.0 , -9.0 , -8.0

S8PDEL19R: S8 PDel: BFGF suggest go out drinking (Reversed)

Value	Label	Unweighted Frequency	%
0	No	649	47.9 %
1	Yes	86	6.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Subject not locked up - question skipped	470	34.7 %
	Total	**1,354**	**100%**

Based upon 735 valid cases out of 1,354 total cases.

Location: 2397-2400 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S8PDEL20R: S8 PDel: BFGF say must be drunk to have good time (Reversed)

Value	Label	Unweighted Frequency	%
0	No	716	52.9 %
1	Yes	19	1.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Subject not locked up - question skipped	470	34.7 %
	Total	**1,354**	**100%**

Based upon 735 valid cases out of 1,354 total cases.

Location: 2401-2404 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S8PDEL21R: S8 PDel: BFGF say must be high to have good time (Reversed)

Value	Label	Unweighted Frequency	%
0	No	722	53.3 %
1	Yes	13	1.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Subject not locked up - question skipped	470	34.7 %
	Total	**1,354**	**100%**

Based upon 735 valid cases out of 1,354 total cases.

Location: 2405-2408 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S8PDEL22R: S8 PDel: BFGF suggest sell drugs (Reversed)

Value	Label	Unweighted Frequency	%
0	No	722	53.3 %
1	Yes	13	1.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Subject not locked up - question skipped	470	34.7 %
	Total	**1,354**	**100%**

Based upon 735 valid cases out of 1,354 total cases.

Location: 2409-2412 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S8PDEL23R: S8 PDel: BFGF suggest steal something (Reversed)

Value	Label	Unweighted Frequency	%
0	No	727	53.7 %
1	Yes	8	0.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Subject not locked up - question skipped	470	34.7 %
	Total	**1,354**	**100%**

Based upon 735 valid cases out of 1,354 total cases.

Location: 2413-2416 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S8PDEL24R: S8 PDel: BFGF suggest hit/beat someone (Reversed)

Value	Label	Unweighted Frequency	%
0	No	718	53.0 %
1	Yes	17	1.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Subject not locked up - question skipped	470	34.7 %
	Total	**1,354**	**100%**

Based upon 735 valid cases out of 1,354 total cases.

Location: 2417-2420 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S8PDEL25R: S8 PDel: BFGF suggest carry weapon (Reversed)

Value	Label	Unweighted Frequency	%
0	No	715	52.8 %
1	Yes	20	1.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Subject not locked up - question skipped	470	34.7 %
	Total	**1,354**	**100%**

Based upon 735 valid cases out of 1,354 total cases.

Location: 2421-2424 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S8DEL: S8 RQual: Antisocial Influence

Based upon 735 valid cases out of 1,354 total cases.

- Mean: 0.24
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 0.77

Location: 2425-2428 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -300 , -202 , -201 , -100 , -9 , -8

S8SIGOTHER_DEL: S8 RQual: Antisocial Behavior - Count of items endorsed

Value	Label	Unweighted Frequency	%
0	-	512	37.8 %
1	-	95	7.0 %
2	-	48	3.5 %
3	-	32	2.4 %
4	-	22	1.6 %
5	-	7	0.5 %
6	-	4	0.3 %
7	-	3	0.2 %
8	-	3	0.2 %
9	-	2	0.1 %
10	-	3	0.2 %
11	-	1	0.1 %
13	-	3	0.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	2	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-100	Did not skip into RQual measure	470	34.7 %
	Total	**1,354**	**100%**

Based upon 735 valid cases out of 1,354 total cases.

Location: 2429-2432 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S9RQUAL_RQNAME: S9 RQual: Name of BF/GF

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 2433-2442 (width: 10; decimal: 0)
Variable Type: character

S9RQUAL_RQTIME: S9 RQual: Relationship timeframe past/present

Value	Label	Unweighted Frequency	%
1	Past	148	10.9 %
2	Present	570	42.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %

Value	Label	Unweighted Frequency	%
-101	Skip-in (rqname blank)	461	34.0 %
	Total	**1,354**	**100%**

Based upon 718 valid cases out of 1,354 total cases.

Location: 2443-2446 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

S9RQUAL_RQLABL: S9 RQual: Describe relationship to subject

Value	Label	Unweighted Frequency	%
1	Boyfriend	79	5.8 %
2	Ex-boyfriend	23	1.7 %
3	Husband	17	1.3 %
4	Ex-husband	4	0.3 %
5	Girlfriend	408	30.1 %
6	Ex-girlfriend	120	8.9 %
7	Wife	61	4.5 %
8	Ex-Wife	1	0.1 %
9	Partner	2	0.1 %
10	Ex-partner	1	0.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Skip-in (rqname blank)	461	34.0 %
-99	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 716 valid cases out of 1,354 total cases.

Location: 2447-2450 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -101 , -99 , -98

S9RQUAL_RQAGE: S9 RQual: Age of main romantic partner

Based upon 718 valid cases out of 1,354 total cases.

- Mean: 23.18
- Median: 22.00
- Mode: 21.00
- Minimum: 15.00
- Maximum: 46.00
- Standard Deviation: 4.58

Location: 2451-2454 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -99 , -98

S9RQUAL001: S9 RQual: How often BF/GF there for you

Value	Label	Unweighted Frequency	%
1	All the time	475	35.1 %
2	Most of the time	164	12.1 %
3	Sometimes	55	4.1 %
4	Not very often	16	1.2 %
5	Never	8	0.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Skip-in (rqname blank)	461	34.0 %
	Total	**1,354**	**100%**

Based upon 718 valid cases out of 1,354 total cases.

Location: 2455-2458 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S9RQUAL002: S9 RQual: How happy w/ relationship

Value	Label	Unweighted Frequency	%
1	Very happy	323	23.9 %
2	Happy	292	21.6 %
3	Neither happy nor unhappy	69	5.1 %
4	Unhappy	20	1.5 %
5	Very unhappy	14	1.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Skip-in (rqname blank)	461	34.0 %
	Total	**1,354**	**100%**

Based upon 718 valid cases out of 1,354 total cases.

Location: 2459-2462 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S9RQUAL003: S9 RQual: How is relationship compared to others

Value	Label	Unweighted Frequency	%
1	Much better	240	17.7 %
2	Better	238	17.6 %
3	About as good	195	14.4 %
4	Worse	33	2.4 %

Value	Label	Unweighted Frequency	%
5	Much worse	8	0.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Skip-in (rqname blank)	461	34.0 %
-9	Dont Know	4	0.3 %
	Total	**1,354**	**100%**

Based upon 714 valid cases out of 1,354 total cases.

Location: 2463-2466 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S9RQUAL004: S9 RQual: How often wish not in relationship

Value	Label	Unweighted Frequency	%
1	All the time	33	2.4 %
2	Most of the time	32	2.4 %
3	Sometimes	135	10.0 %
4	Not very often	184	13.6 %
5	Never	334	24.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Skip-in (rqname blank)	461	34.0 %
	Total	**1,354**	**100%**

Based upon 718 valid cases out of 1,354 total cases.

Location: 2467-2470 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S9RQUAL005: S9 RQual: Relationship compared to expected

Value	Label	Unweighted Frequency	%
1	Much better	183	13.5 %
2	Better	238	17.6 %
3	About as good	200	14.8 %
4	Worse	76	5.6 %
5	Much worse	21	1.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Skip-in (rqname blank)	461	34.0 %
	Total	**1,354**	**100%**

Based upon 718 valid cases out of 1,354 total cases.

Location: 2471-2474 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S9RQUAL006: S9 RQual: How much love BF/GF

Value	Label	Unweighted Frequency	%
1	Very much	412	30.4 %
2	A lot	227	16.8 %
3	Somewhat	59	4.4 %
4	Not very much	9	0.7 %
5	Not at all	11	0.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Skip-in (rqname blank)	461	34.0 %
	Total	**1,354**	**100%**

Based upon 718 valid cases out of 1,354 total cases.

Location: 2475-2478 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S9RQUAL007: S9 RQual: How many problems in relationship

Value	Label	Unweighted Frequency	%
1	Very many	44	3.2 %
2	Many	103	7.6 %
3	Some	222	16.4 %
4	A few	275	20.3 %
5	None	74	5.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Skip-in (rqname blank)	461	34.0 %
	Total	**1,354**	**100%**

Based upon 718 valid cases out of 1,354 total cases.

Location: 2479-2482 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S9RQUAL008: S9 RQual: BF/GF know who spend time with

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	17	1.3 %
2	Knows a little bit	150	11.1 %
3	Knows a lot	211	15.6 %
4	Knows everything	340	25.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Skip-in (rqname blank)	461	34.0 %
	Total	**1,354**	**100%**

Based upon 718 valid cases out of 1,354 total cases.

Location: 2483-2486 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S9RQUAL009: S9 RQual: BF/GF know how spend free time

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	18	1.3 %
2	Knows a little bit	142	10.5 %
3	Knows a lot	230	17.0 %
4	Knows everything	328	24.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Skip-in (rqname blank)	461	34.0 %
	Total	**1,354**	**100%**

Based upon 718 valid cases out of 1,354 total cases.

Location: 2487-2490 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S9RQUAL010: S9 RQual: BF/GF know how spend money

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	46	3.4 %
2	Knows a little bit	152	11.2 %
3	Knows a lot	219	16.2 %
4	Knows everything	301	22.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Skip-in (rqname blank)	461	34.0 %
	Total	**1,354**	**100%**

Based upon 718 valid cases out of 1,354 total cases.

Location: 2491-2494 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S9RQUAL011: S9 RQual: BF/GF know where go after school

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	33	2.4 %
2	Knows a little bit	131	9.7 %
3	Knows a lot	215	15.9 %
4	Knows everything	338	25.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Skip-in (rqname blank)	461	34.0 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 717 valid cases out of 1,354 total cases.

Location: 2495-2498 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S9RQUAL012: S9 RQual: BF/GF know where go at night

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	26	1.9 %
2	Knows a little bit	110	8.1 %
3	Knows a lot	212	15.7 %
4	Knows everything	369	27.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Skip-in (rqname blank)	461	34.0 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 717 valid cases out of 1,354 total cases.

Location: 2499-2502 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S9RQUAL013: S9 RQual: BF/GF know if used drugs

Value	Label	Unweighted Frequency	%
1	Yes	669	49.4 %
5	No	47	3.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Skip-in (rqname blank)	461	34.0 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 716 valid cases out of 1,354 total cases.

Location: 2503-2506 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S9RQUAL014: S9 RQual: BF/GF reaction if used drugs

Value	Label	Unweighted Frequency	%
1	Would not care at all	57	4.2 %
2	Would be bothered, but would not say anything to me about it	42	3.1 %
3	Would be bothered and would talk to me about it	181	13.4 %
4	Would get very upset with me	438	32.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Skip-in (rqname blank)	461	34.0 %
	Total	**1,354**	**100%**

Based upon 718 valid cases out of 1,354 total cases.

Location: 2507-2510 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S9RQUAL015: S9 RQual: BF/GF know if did illegal activity

Value	Label	Unweighted Frequency	%
1	Yes	645	47.6 %
5	No	72	5.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Skip-in (rqname blank)	461	34.0 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 717 valid cases out of 1,354 total cases.

Location: 2511-2514 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S9RQUAL016: S9 RQual: BF/GF reaction to illegal activity

Value	Label	Unweighted Frequency	%
1	Would not care at all	28	2.1 %
2	Would be bothered, but would not say anything to me about it	30	2.2 %
3	Would be bothered and would talk to me about it	157	11.6 %
4	Would get very upset with me	503	37.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Skip-in (rqname blank)	461	34.0 %
	Total	**1,354**	**100%**

Based upon 718 valid cases out of 1,354 total cases.

Location: 2515-2518 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S9RQUAL017: S9 RQual: BF/GF know what time go home

Value	Label	Unweighted Frequency	%
1	Always	208	15.4 %
2	Often	94	6.9 %
3	Sometimes	61	4.5 %
4	Never	16	1.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-102	Skip-in (rqlivn <> 1)	339	25.0 %
-101	Skip-in (rqname blank)	461	34.0 %
	Total	**1,354**	**100%**

Based upon 379 valid cases out of 1,354 total cases.

Location: 2519-2522 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S9RQUAL018: S9 RQual: BF/GF know where when go out

Value	Label	Unweighted Frequency	%
1	Always	207	15.3 %
2	Often	82	6.1 %

Value	Label	Unweighted Frequency	%
3	Sometimes	60	4.4 %
4	Never	30	2.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-102	Skip-in (rqlivn <> 1)	339	25.0 %
-101	Skip-in (rqname blank)	461	34.0 %
	Total	**1,354**	**100%**

Based upon 379 valid cases out of 1,354 total cases.

Location: 2523-2526 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S9PDEL_SDEL1: S9 PDel_SigOther: damaged/destroyed property

Value	Label	Unweighted Frequency	%
1	Yes	33	2.4 %
5	No	684	50.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Subject not locked up - question skipped	461	34.0 %
	Total	**1,354**	**100%**

Based upon 717 valid cases out of 1,354 total cases.

Location: 2527-2530 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S9PDEL_SDEL2: S9 PDel_SigOther: hit/threatened to hit someone

Value	Label	Unweighted Frequency	%
1	Yes	69	5.1 %
5	No	648	47.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Subject not locked up - question skipped	461	34.0 %
	Total	**1,354**	**100%**

Based upon 717 valid cases out of 1,354 total cases.

Location: 2531-2534 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S9PDEL_SDEL3: S9 PDel_SigOther: sold drugs

Value	Label	Unweighted Frequency	%
1	Yes	20	1.5 %
5	No	697	51.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Subject not locked up - question skipped	461	34.0 %
	Total	**1,354**	**100%**

Based upon 717 valid cases out of 1,354 total cases.

Location: 2535-2538 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S9PDEL_SDEL4A: S9 PDel_SigOther: gotten drunk

Value	Label	Unweighted Frequency	%
1	Yes	236	17.4 %
5	No	481	35.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Subject not locked up - question skipped	461	34.0 %
	Total	**1,354**	**100%**

Based upon 717 valid cases out of 1,354 total cases.

Location: 2539-2542 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S9PDEL_SDEL4B: S9 PDel_SigOther: got high on drugs

Value	Label	Unweighted Frequency	%
1	Yes	104	7.7 %
5	No	613	45.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Subject not locked up - question skipped	461	34.0 %
	Total	**1,354**	**100%**

Based upon 717 valid cases out of 1,354 total cases.

Location: 2543-2546 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S9PDEL_SDEL5A: S9 PDel_SigOther: carried a knife

Value	Label	Unweighted Frequency	%
1	Yes	34	2.5 %
5	No	683	50.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Subject not locked up - question skipped	461	34.0 %
	Total	**1,354**	**100%**

Based upon 717 valid cases out of 1,354 total cases.

Location: 2547-2550 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S9PDEL_SDEL5B: S9 PDel_SigOther: carried a gun

Value	Label	Unweighted Frequency	%
1	Yes	15	1.1 %
5	No	702	51.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Subject not locked up - question skipped	461	34.0 %
	Total	**1,354**	**100%**

Based upon 717 valid cases out of 1,354 total cases.

Location: 2551-2554 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S9PDEL_SDEL5C: S9 PDel_SigOther: owned a gun

Value	Label	Unweighted Frequency	%
1	Yes	19	1.4 %
5	No	697	51.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Subject not locked up - question skipped	461	34.0 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 716 valid cases out of 1,354 total cases.

Location: 2555-2558 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S9PDEL_SDEL6: S9 PDel_SigOther: got into fight

Value	Label	Unweighted Frequency	%
1	Yes	46	3.4 %
5	No	671	49.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Subject not locked up - question skipped	461	34.0 %
	Total	**1,354**	**100%**

Based upon 717 valid cases out of 1,354 total cases.

Location: 2559-2562 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S9PDEL_SDEL7: S9 PDel_SigOther: hurt in fight

Value	Label	Unweighted Frequency	%
1	Yes	16	1.2 %
5	No	701	51.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Subject not locked up - question skipped	461	34.0 %
	Total	**1,354**	**100%**

Based upon 717 valid cases out of 1,354 total cases.

Location: 2563-2566 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S9PDEL_SDEL8: S9 PDel_SigOther: stole something more than $100

Value	Label	Unweighted Frequency	%
1	Yes	12	0.9 %
5	No	704	52.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Subject not locked up - question skipped	461	34.0 %
-9	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 716 valid cases out of 1,354 total cases.

Location: 2567-2570 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S9PDEL_SDEL9: S9 PDel_SigOther: stole a car

Value	Label	Unweighted Frequency	%
1	Yes	5	0.4 %
5	No	712	52.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Subject not locked up - question skipped	461	34.0 %
	Total	**1,354**	**100%**

Based upon 717 valid cases out of 1,354 total cases.

Location: 2571-2574 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S9PDEL_SDEL10: S9 PDel_SigOther: gone into building to steal

Value	Label	Unweighted Frequency	%
1	Yes	3	0.2 %
5	No	714	52.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Subject not locked up - question skipped	461	34.0 %
	Total	**1,354**	**100%**

Based upon 717 valid cases out of 1,354 total cases.

Location: 2575-2578 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S9PDEL19: S9 PDel: BFGF suggest go out drinking

Value	Label	Unweighted Frequency	%
1	Yes	101	7.5 %
5	No	616	45.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Subject not locked up - question skipped	461	34.0 %
	Total	**1,354**	**100%**

Based upon 717 valid cases out of 1,354 total cases.

Location: 2579-2582 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S9PDEL20: S9 PDel: BFGF say must be drunk to have good time

Value	Label	Unweighted Frequency	%
1	Yes	12	0.9 %
5	No	705	52.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Subject not locked up - question skipped	461	34.0 %
	Total	**1,354**	**100%**

Based upon 717 valid cases out of 1,354 total cases.

Location: 2583-2586 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S9PDEL21: S9 PDel: BFGF say must be high to have good time

Value	Label	Unweighted Frequency	%
1	Yes	10	0.7 %
5	No	707	52.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %

Value	Label	Unweighted Frequency	%
-101	Subject not locked up - question skipped	461	34.0 %
	Total	**1,354**	**100%**

Based upon 717 valid cases out of 1,354 total cases.

Location: 2587-2590 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S9PDEL22: S9 PDel: BFGF suggest sell drugs

Value	Label	Unweighted Frequency	%
1	Yes	9	0.7 %
5	No	708	52.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Subject not locked up - question skipped	461	34.0 %
	Total	**1,354**	**100%**

Based upon 717 valid cases out of 1,354 total cases.

Location: 2591-2594 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S9PDEL23: S9 PDel: BFGF suggest steal something

Value	Label	Unweighted Frequency	%
1	Yes	4	0.3 %
5	No	713	52.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Subject not locked up - question skipped	461	34.0 %
	Total	**1,354**	**100%**

Based upon 717 valid cases out of 1,354 total cases.

Location: 2595-2598 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S9PDEL24: S9 PDel: BFGF suggest hit/beat someone

Value	Label	Unweighted Frequency	%
1	Yes	13	1.0 %
5	No	704	52.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Subject not locked up - question skipped	461	34.0 %
	Total	**1,354**	**100%**

Based upon 717 valid cases out of 1,354 total cases.

Location: 2599-2602 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S9PDEL25: S9 PDel: BFGF suggest carry weapon

Value	Label	Unweighted Frequency	%
1	Yes	17	1.3 %
5	No	700	51.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Subject not locked up - question skipped	461	34.0 %
	Total	**1,354**	**100%**

Based upon 717 valid cases out of 1,354 total cases.

Location: 2603-2606 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S9PDEL26: S9 PDel: BFGF hit/force things against will

Value	Label	Unweighted Frequency	%
1	Yes	24	1.8 %
5	No	693	51.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Subject not locked up - question skipped	461	34.0 %
	Total	**1,354**	**100%**

Based upon 717 valid cases out of 1,354 total cases.

Location: 2607-2610 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S9PDEL27: S9 PDel: BFGF try stop from committing crime

Value	Label	Unweighted Frequency	%
1	Yes	121	8.9 %
5	No	176	13.0 %
7	NA - hasnt tried to commit crime	420	31.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Subject not locked up - question skipped	461	34.0 %
	Total	**1,354**	**100%**

Based upon 717 valid cases out of 1,354 total cases.

Location: 2611-2614 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S9PDEL_RQNAME: S9 PDel: BFGF name

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 2615-2624 (width: 10; decimal: 0)
Variable Type: character

S9PDEL_RQLABL: S9 PDel: Romantic partner label

Value	Label	Unweighted Frequency	%
1	Boyfriend	79	5.8 %
2	Ex-boyfriend	23	1.7 %
3	Husband	17	1.3 %
4	Ex-husband	4	0.3 %
5	Girlfriend	408	30.1 %
6	Ex-girlfriend	120	8.9 %
7	Wife	61	4.5 %
8	Ex-wife	1	0.1 %
9	Partner	2	0.1 %
10	Ex-partner	1	0.1 %
	Missing Data		
-9	Dont Know	2	0.1 %
-5	Blank	636	47.0 %
	Total	**1,354**	**100%**

Based upon 716 valid cases out of 1,354 total cases.

Location: 2625-2626 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -5

S9RQUA0R: S9 RQual: How often is bf/gf there for you when needed (Reversed)

Value	Label	Unweighted Frequency	%
1	Never	8	0.6 %
2	Rarely	16	1.2 %
3	Sometimes	55	4.1 %
4	Most of the time	164	12.1 %
5	All the time	475	35.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Skip-in (rqname blank)	461	34.0 %
	Total	**1,354**	**100%**

Based upon 718 valid cases out of 1,354 total cases.

Location: 2627-2630 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S9RQUA1R: S9 RQual: How happy are you with your relationship (Reversed)

Value	Label	Unweighted Frequency	%
1	Very unhappy	14	1.0 %
2	Unhappy	20	1.5 %
3	Neither happy or unhappy	69	5.1 %
4	Happy	292	21.6 %
5	Very happy	323	23.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Skip-in (rqname blank)	461	34.0 %
	Total	**1,354**	**100%**

Based upon 718 valid cases out of 1,354 total cases.

Location: 2631-2634 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S9RQUA2R: S9 RQual: Compared to friends relationships how good is yours (Reversed)

Value	Label	Unweighted Frequency	%
1	Much worse	8	0.6 %

Value	Label	Unweighted Frequency	%
2	Worse	33	2.4 %
3	About as good	195	14.4 %
4	Better	238	17.6 %
5	Much better	240	17.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Skip-in (rqname blank)	461	34.0 %
-9	Dont Know	4	0.3 %
	Total	**1,354**	**100%**

Based upon 714 valid cases out of 1,354 total cases.

Location: 2635-2638 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S9RQUA4R: S9 RQual: Is relationship what you thought it be (Reversed)

Value	Label	Unweighted Frequency	%
1	Much worse	21	1.6 %
2	Worse	76	5.6 %
3	About what I expected it to be	200	14.8 %
4	Better	238	17.6 %
5	Much better	183	13.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Skip-in (rqname blank)	461	34.0 %
	Total	**1,354**	**100%**

Based upon 718 valid cases out of 1,354 total cases.

Location: 2639-2642 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S9RQUA5R: S9 RQual: How much do you love bf/gf (Reversed)

Value	Label	Unweighted Frequency	%
1	Not at all	11	0.8 %
2	Not very much	9	0.7 %
3	Somewhat	59	4.4 %
4	A lot	227	16.8 %
5	Very much	412	30.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Skip-in (rqname blank)	461	34.0 %
	Total	**1,354**	**100%**

Based upon 718 valid cases out of 1,354 total cases.

Location: 2643-2646 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S9RELQLT: S9 RQual: Quality of Relationship - Quality

Based upon 718 valid cases out of 1,354 total cases.

- Mean: 4.0219193527
- Median: 4.1428571429
- Mode: 4.0000000000
- Minimum: 1.2857142857
- Maximum: 5.0000000000
- Standard Deviation: 0.6823460931

Location: 2647-2661 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S9RELCON: S9 RQual: Quality of Relationship - Monitoring

Based upon 718 valid cases out of 1,354 total cases.

- Mean: 3.20
- Median: 3.20
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.78

Location: 2662-2667 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -300.0 , -202.0 , -201.0 , -100.0 , -9.0 , -8.0

S9RELDEV: S9 RQual: Quality of Relationship - Deviance

Based upon 718 valid cases out of 1,354 total cases.

- Mean: 3.49
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.76

Location: 2668-2673 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -300.0 , -202.0 , -201.0 , -100.0 , -9.0 , -8.0

S9PDEL19R: S9 PDel: BFGF suggest go out drinking (Reversed)

Value	Label	Unweighted Frequency	%
0	No	616	45.5 %
1	Yes	101	7.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Subject not locked up - question skipped	461	34.0 %
	Total	**1,354**	**100%**

Based upon 717 valid cases out of 1,354 total cases.

Location: 2674-2677 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S9PDEL20R: S9 PDel: BFGF say must be drunk to have good time (Reversed)

Value	Label	Unweighted Frequency	%
0	No	705	52.1 %
1	Yes	12	0.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Subject not locked up - question skipped	461	34.0 %
	Total	**1,354**	**100%**

Based upon 717 valid cases out of 1,354 total cases.

Location: 2678-2681 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S9PDEL21R: S9 PDel: BFGF say must be high to have good time (Reversed)

Value	Label	Unweighted Frequency	%
0	No	707	52.2 %
1	Yes	10	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Subject not locked up - question skipped	461	34.0 %
	Total	**1,354**	**100%**

Based upon 717 valid cases out of 1,354 total cases.

Location: 2682-2685 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S9PDEL22R: S9 PDel: BFGF suggest sell drugs (Reversed)

Value	Label	Unweighted Frequency	%
0	No	708	52.3 %
1	Yes	9	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Subject not locked up - question skipped	461	34.0 %
	Total	**1,354**	**100%**

Based upon 717 valid cases out of 1,354 total cases.

Location: 2686-2689 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S9PDEL23R: S9 PDel: BFGF suggest steal something (Reversed)

Value	Label	Unweighted Frequency	%
0	No	713	52.7 %
1	Yes	4	0.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Subject not locked up - question skipped	461	34.0 %
	Total	**1,354**	**100%**

Based upon 717 valid cases out of 1,354 total cases.

Location: 2690-2693 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S9PDEL24R: S9 PDel: BFGF suggest hit/beat someone (Reversed)

Value	Label	Unweighted Frequency	%
0	No	704	52.0 %
1	Yes	13	1.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Subject not locked up - question skipped	461	34.0 %
	Total	**1,354**	**100%**

Based upon 717 valid cases out of 1,354 total cases.

Location: 2694-2697 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S9PDEL25R: S9 PDel: BFGF suggest carry weapon (Reversed)

Value	Label	Unweighted Frequency	%
0	No	700	51.7 %
1	Yes	17	1.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Subject not locked up - question skipped	461	34.0 %
	Total	**1,354**	**100%**

Based upon 717 valid cases out of 1,354 total cases.

Location: 2698-2701 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

S9DEL: S9 RQual: Antisocial Influence

Based upon 717 valid cases out of 1,354 total cases.

- Mean: 0.23
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 0.65

Location: 2702-2705 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -300 , -202 , -201 , -100 , -9 , -8

S9SIGOTHER_DEL: S9 RQual: Antisocial Behavior - Count of items endorsed

Value	Label	Unweighted Frequency	%
0	-	423	31.2 %
1	-	153	11.3 %
2	-	72	5.3 %

Value	Label	Unweighted Frequency	%
3	-	30	2.2 %
4	-	11	0.8 %
5	-	14	1.0 %
6	-	5	0.4 %
7	-	2	0.1 %
8	-	2	0.1 %
9	-	1	0.1 %
10	-	2	0.1 %
11	-	2	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	175	12.9 %
-100	Did not skip into RQual measure	461	34.0 %
	Total	**1,354**	**100%**

Based upon 717 valid cases out of 1,354 total cases.

Location: 2706-2709 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

SARQUAL_RQNAME: SA RQual: Name of BF/GF

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 2710-2719 (width: 10; decimal: 0)
Variable Type: character

SARQUAL_RQTIME: SA RQual: Relationship timeframe past/present

Value	Label	Unweighted Frequency	%
1	Past	131	9.7 %
2	Present	538	39.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Skip-in (rqname blank)	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2720-2723 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -9 , -8

SARQUAL_RQLABL: SA RQual: Describe relationship to subject

Value	Label	Unweighted Frequency	%
1	Boyfriend	73	5.4 %
2	Ex-boyfriend	25	1.8 %
3	Husband	18	1.3 %
4	Ex-husband	1	0.1 %
5	Girlfriend	389	28.7 %
6	Ex-girlfriend	101	7.5 %
7	Wife	57	4.2 %
8	Ex-Wife	4	0.3 %
9	Partner	0	0.0 %
10	Ex-partner	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Skip-in (rqname blank)	465	34.3 %
-99	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 668 valid cases out of 1,354 total cases.

Location: 2724-2727 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -101 , -99 , -98

SARQUAL_RQAGE: SA RQual: Age of main romantic partner

Based upon 667 valid cases out of 1,354 total cases.

- Mean: 23.89
- Median: 23.00
- Mode: 21.00
- Minimum: 15.00
- Maximum: 47.00
- Standard Deviation: 4.69

Location: 2728-2731 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -101 , -99 , -98

SARQUAL001: SA RQual: How often BF/GF there for you

Value	Label	Unweighted Frequency	%
1	All the time	432	31.9 %
2	Most of the time	160	11.8 %
3	Sometimes	52	3.8 %
4	Not very often	20	1.5 %
5	Never	5	0.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Skip-in (rqname blank)	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2732-2735 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

SARQUAL002: SA RQual: How happy w/ relationship

Value	Label	Unweighted Frequency	%
1	Very happy	318	23.5 %
2	Happy	252	18.6 %
3	Neither happy nor unhappy	66	4.9 %
4	Unhappy	23	1.7 %
5	Very unhappy	10	0.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Skip-in (rqname blank)	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2736-2739 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

SARQUAL003: SA RQual: How is relationship compared to others

Value	Label	Unweighted Frequency	%
1	Much better	204	15.1 %
2	Better	238	17.6 %
3	About as good	195	14.4 %
4	Worse	21	1.6 %
5	Much worse	6	0.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Skip-in (rqname blank)	465	34.3 %
-9	Dont Know	5	0.4 %
	Total	**1,354**	**100%**

Based upon 664 valid cases out of 1,354 total cases.

Location: 2740-2743 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

SARQUAL004: SA RQual: How often wish not in relationship

Value	Label	Unweighted Frequency	%
1	All the time	28	2.1 %
2	Most of the time	29	2.1 %
3	Sometimes	124	9.2 %
4	Not very often	159	11.7 %
5	Never	329	24.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Skip-in (rqname blank)	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2744-2747 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

SARQUAL005: SA RQual: Relationship compared to expected

Value	Label	Unweighted Frequency	%
1	Much better	143	10.6 %
2	Better	237	17.5 %
3	About as good	189	14.0 %
4	Worse	77	5.7 %
5	Much worse	21	1.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Skip-in (rqname blank)	465	34.3 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 667 valid cases out of 1,354 total cases.

Location: 2748-2751 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

SARQUAL006: SA RQual: How much love BF/GF

Value	Label	Unweighted Frequency	%
1	Very much	382	28.2 %
2	A lot	204	15.1 %
3	Somewhat	62	4.6 %
4	Not very much	8	0.6 %
5	Not at all	13	1.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Skip-in (rqname blank)	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2752-2755 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

SARQUAL007: SA RQual: How many problems in relationship

Value	Label	Unweighted Frequency	%
1	Very many	36	2.7 %
2	Many	77	5.7 %
3	Some	225	16.6 %
4	A few	259	19.1 %
5	None	72	5.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Skip-in (rqname blank)	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2756-2759 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

SARQUAL008: SA RQual: BF/GF know who spend time with

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	22	1.6 %
2	Knows a little bit	119	8.8 %
3	Knows a lot	217	16.0 %
4	Knows everything	311	23.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %

Value	Label	Unweighted Frequency	%
-101	Skip-in (rqname blank)	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2760-2763 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

SARQUAL009: SA RQual: BF/GF know how spend free time

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	19	1.4 %
2	Knows a little bit	118	8.7 %
3	Knows a lot	225	16.6 %
4	Knows everything	307	22.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Skip-in (rqname blank)	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2764-2767 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

SARQUAL010: SA RQual: BF/GF know how spend money

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	35	2.6 %
2	Knows a little bit	139	10.3 %
3	Knows a lot	196	14.5 %
4	Knows everything	299	22.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Skip-in (rqname blank)	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2768-2771 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

SARQUAL011: SA RQual: BF/GF know where go after school

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	30	2.2 %
2	Knows a little bit	99	7.3 %
3	Knows a lot	212	15.7 %
4	Knows everything	326	24.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Skip-in (rqname blank)	465	34.3 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 667 valid cases out of 1,354 total cases.

Location: 2772-2775 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

SARQUAL012: SA RQual: BF/GF know where go at night

Value	Label	Unweighted Frequency	%
1	Doesnt know at all	32	2.4 %
2	Knows a little bit	88	6.5 %
3	Knows a lot	185	13.7 %
4	Knows everything	362	26.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Skip-in (rqname blank)	465	34.3 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 667 valid cases out of 1,354 total cases.

Location: 2776-2779 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

SARQUAL013: SA RQual: BF/GF know if used drugs

Value	Label	Unweighted Frequency	%
1	Yes	631	46.6 %
5	No	38	2.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Skip-in (rqname blank)	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2780-2783 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

SARQUAL014: SA RQual: BF/GF reaction if used drugs

Value	Label	Unweighted Frequency	%
1	Would not care at all	47	3.5 %
2	Would be bothered, but would not say anything to me about it	33	2.4 %
3	Would be bothered and would talk to me about it	160	11.8 %
4	Would get very upset with me	427	31.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Skip-in (rqname blank)	465	34.3 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 667 valid cases out of 1,354 total cases.

Location: 2784-2787 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

SARQUAL015: SA RQual: BF/GF know if did illegal activity

Value	Label	Unweighted Frequency	%
1	Yes	603	44.5 %
5	No	65	4.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Skip-in (rqname blank)	465	34.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 668 valid cases out of 1,354 total cases.

Location: 2788-2791 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

SARQUAL016: SA RQual: BF/GF reaction to illegal activity

Value	Label	Unweighted Frequency	%
1	Would not care at all	29	2.1 %
2	Would be bothered, but would not say anything to me about it	22	1.6 %

Value	Label	Unweighted Frequency	%
3	Would be bothered and would talk to me about it	138	10.2 %
4	Would get very upset with me	480	35.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Skip-in (rqname blank)	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2792-2795 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

SARQUAL017: SA RQual: BF/GF know what time go home

Value	Label	Unweighted Frequency	%
1	Always	212	15.7 %
2	Often	88	6.5 %
3	Sometimes	58	4.3 %
4	Never	12	0.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-102	Skip-in (rqlivn <> 1)	298	22.0 %
-101	Skip-in (rqname blank)	465	34.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 370 valid cases out of 1,354 total cases.

Location: 2796-2799 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

SARQUAL018: SA RQual: BF/GF know where when go out

Value	Label	Unweighted Frequency	%
1	Always	194	14.3 %
2	Often	100	7.4 %
3	Sometimes	52	3.8 %
4	Never	24	1.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-102	Skip-in (rqlivn <> 1)	298	22.0 %
-101	Skip-in (rqname blank)	465	34.3 %

Value	Label	Unweighted Frequency	%
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 370 valid cases out of 1,354 total cases.

Location: 2800-2803 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

SAPDEL_SDEL1: SA PDel_SigOther: damaged/destroyed property

Value	Label	Unweighted Frequency	%
1	Yes	35	2.6 %
5	No	634	46.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Subject not locked up - question skipped	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2804-2807 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

SAPDEL_SDEL2: SA PDel_SigOther: hit/threatened to hit someone

Value	Label	Unweighted Frequency	%
1	Yes	54	4.0 %
5	No	615	45.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Subject not locked up - question skipped	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2808-2811 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

SAPDEL_SDEL3: SA PDel_SigOther: sold drugs

Value	Label	Unweighted Frequency	%
1	Yes	19	1.4 %
5	No	650	48.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Subject not locked up - question skipped	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2812-2815 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

SAPDEL_SDEL4A: SA PDel_SigOther: gotten drunk

Value	Label	Unweighted Frequency	%
1	Yes	204	15.1 %
5	No	465	34.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Subject not locked up - question skipped	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2816-2819 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

SAPDEL_SDEL4B: SA PDel_SigOther: got high on drugs

Value	Label	Unweighted Frequency	%
1	Yes	78	5.8 %
5	No	591	43.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Subject not locked up - question skipped	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2820-2823 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

SAPDEL_SDEL5A: SA PDel_SigOther: carried a knife

Value	Label	Unweighted Frequency	%
1	Yes	32	2.4 %
5	No	637	47.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Subject not locked up - question skipped	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2824-2827 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

SAPDEL_SDEL5B: SA PDel_SigOther: carried a gun

Value	Label	Unweighted Frequency	%
1	Yes	17	1.3 %
5	No	652	48.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Subject not locked up - question skipped	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2828-2831 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

SAPDEL_SDEL5C: SA PDel_SigOther: owned a gun

Value	Label	Unweighted Frequency	%
1	Yes	20	1.5 %
5	No	649	47.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Subject not locked up - question skipped	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2832-2835 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

SAPDEL_SDEL6: SA PDel_SigOther: got into fight

Value	Label	Unweighted Frequency	%
1	Yes	44	3.2 %
5	No	625	46.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Subject not locked up - question skipped	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2836-2839 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

SAPDEL_SDEL7: SA PDel_SigOther: hurt in fight

Value	Label	Unweighted Frequency	%
1	Yes	11	0.8 %
5	No	658	48.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Subject not locked up - question skipped	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2840-2843 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

SAPDEL_SDEL8: SA PDel_SigOther: stole something more than $100

Value	Label	Unweighted Frequency	%
1	Yes	8	0.6 %
5	No	661	48.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Subject not locked up - question skipped	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2844-2847 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

SAPDEL_SDEL9: SA PDel_SigOther: stole a car

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
5	No	667	49.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Subject not locked up - question skipped	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2848-2851 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

SAPDEL_SDEL10: SA PDel_SigOther: gone into building to steal

Value	Label	Unweighted Frequency	%
1	Yes	4	0.3 %
5	No	665	49.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Subject not locked up - question skipped	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2852-2855 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -202 , -201 , -103 , -102 , -101 , -9 , -8

SAPDEL19: SA PDel: BFGF suggest go out drinking

Value	Label	Unweighted Frequency	%
1	Yes	93	6.9 %
5	No	576	42.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Subject not locked up - question skipped	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2856-2859 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

SAPDEL20: SA PDel: BFGF say must be drunk to have good time

Value	Label	Unweighted Frequency	%
1	Yes	14	1.0 %
5	No	655	48.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Subject not locked up - question skipped	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2860-2863 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

SAPDEL21: SA PDel: BFGF say must be high to have good time

Value	Label	Unweighted Frequency	%
1	Yes	7	0.5 %
5	No	662	48.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Subject not locked up - question skipped	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2864-2867 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

SAPDEL22: SA PDel: BFGF suggest sell drugs

Value	Label	Unweighted Frequency	%
1	Yes	8	0.6 %
5	No	661	48.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Subject not locked up - question skipped	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2868-2871 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

SAPDEL23: SA PDel: BFGF suggest steal something

Value	Label	Unweighted Frequency	%
1	Yes	7	0.5 %
5	No	662	48.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Subject not locked up - question skipped	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2872-2875 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

SAPDEL24: SA PDel: BFGF suggest hit/beat someone

Value	Label	Unweighted Frequency	%
1	Yes	17	1.3 %
5	No	652	48.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Subject not locked up - question skipped	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2876-2879 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

SAPDEL25: SA PDel: BFGF suggest carry weapon

Value	Label	Unweighted Frequency	%
1	Yes	11	0.8 %
5	No	658	48.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Subject not locked up - question skipped	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2880-2883 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

SAPDEL26: SA PDel: BFGF hit/force things against will

Value	Label	Unweighted Frequency	%
1	Yes	26	1.9 %
5	No	643	47.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Subject not locked up - question skipped	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2884-2887 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

SAPDEL27: SA PDel: BFGF try stop from committing crime

Value	Label	Unweighted Frequency	%
1	Yes	77	5.7 %
5	No	195	14.4 %
7	NA - hasnt tried to commit crime	397	29.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Subject not locked up - question skipped	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2888-2891 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

SAPDEL_RQNAME: SA PDel: BFGF name

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 2892-2901 (width: 10; decimal: 0)
Variable Type: character

SAPDEL_RQLABL: SA PDel: Romantic partner label

Value	Label	Unweighted Frequency	%
1	Boyfriend	73	5.4 %
2	Ex-boyfriend	25	1.8 %
3	Husband	18	1.3 %
4	Ex-husband	1	0.1 %
5	Girlfriend	389	28.7 %
6	Ex-girlfriend	101	7.5 %

Value	Label	Unweighted Frequency	%
7	Wife	57	4.2 %
8	Ex-wife	4	0.3 %
9	Partner	0	0.0 %
10	Ex-partner	0	0.0 %
	Missing Data		
-9	Dont Know	1	0.1 %
-5	Blank	685	50.6 %
	Total	**1,354**	**100%**

Based upon 668 valid cases out of 1,354 total cases.

Location: 2902-2903 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -5

SARQUA0R: SA RQual: How often is bf/gf there for you when needed (Reversed)

Value	Label	Unweighted Frequency	%
1	Never	5	0.4 %
2	Rarely	20	1.5 %
3	Sometimes	52	3.8 %
4	Most of the time	160	11.8 %
5	All the time	432	31.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Skip-in (rqname blank)	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2904-2907 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

SARQUA1R: SA RQual: How happy are you with your relationship (Reversed)

Value	Label	Unweighted Frequency	%
1	Very unhappy	10	0.7 %
2	Unhappy	23	1.7 %
3	Neither happy or unhappy	66	4.9 %
4	Happy	252	18.6 %
5	Very happy	318	23.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %

Value	Label	Unweighted Frequency	%
-101	Skip-in (rqname blank)	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2908-2911 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

SARQUA2R: SA RQual: Compared to friends relationships how good is yours (Reversed)

Value	Label	Unweighted Frequency	%
1	Much worse	6	0.4 %
2	Worse	21	1.6 %
3	About as good	195	14.4 %
4	Better	238	17.6 %
5	Much better	204	15.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Skip-in (rqname blank)	465	34.3 %
-9	Dont Know	5	0.4 %
	Total	**1,354**	**100%**

Based upon 664 valid cases out of 1,354 total cases.

Location: 2912-2915 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

SARQUA4R: SA RQual: Is relationship what you thought it be (Reversed)

Value	Label	Unweighted Frequency	%
1	Much worse	21	1.6 %
2	Worse	77	5.7 %
3	About what I expected it to be	189	14.0 %
4	Better	237	17.5 %
5	Much better	143	10.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Skip-in (rqname blank)	465	34.3 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 667 valid cases out of 1,354 total cases.

Location: 2916-2919 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

SARQUA5R: SA RQual: How much do you love bf/gf (Reversed)

Value	Label	Unweighted Frequency	%
1	Not at all	13	1.0 %
2	Not very much	8	0.6 %
3	Somewhat	62	4.6 %
4	A lot	204	15.1 %
5	Very much	382	28.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Skip-in (rqname blank)	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2920-2923 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

SARELQLT: SA RQual: Quality of Relationship - Quality

Based upon 669 valid cases out of 1,354 total cases.

- Mean: 4.0212114741
- Median: 4.1428571429
- Mode: 4.5714285714
- Minimum: 1.0000000000
- Maximum: 5.0000000000
- Standard Deviation: 0.6738211829

Location: 2924-2938 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

SARELCON: SA RQual: Quality of Relationship - Monitoring

Based upon 669 valid cases out of 1,354 total cases.

- Mean: 3.2295964126
- Median: 3.2000000000
- Mode: 4.0000000000
- Minimum: 1.0000000000
- Maximum: 4.0000000000
- Standard Deviation: 0.7710028723

Location: 2939-2953 (width: 15; decimal: 10)
Variable Type: numeric

(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

SARELDEV: SA RQual: Quality of Relationship - Deviance

Based upon 669 valid cases out of 1,354 total cases.

- Mean: 3.52
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.74

Location: 2954-2959 (width: 6; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -300.0 , -202.0 , -201.0 , -100.0 , -9.0 , -8.0

SAPDEL19R: SA PDel: BFGF suggest go out drinking (Reversed)

Value	Label	Unweighted Frequency	%
0	No	576	42.5 %
1	Yes	93	6.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Subject not locked up - question skipped	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2960-2963 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

SAPDEL20R: SA PDel: BFGF say must be drunk to have good time (Reversed)

Value	Label	Unweighted Frequency	%
0	No	655	48.4 %
1	Yes	14	1.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Subject not locked up - question skipped	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2964-2967 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

SAPDEL21R: SA PDel: BFGF say must be high to have good time (Reversed)

Value	Label	Unweighted Frequency	%
0	No	662	48.9 %
1	Yes	7	0.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Subject not locked up - question skipped	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2968-2971 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

SAPDEL22R: SA PDel: BFGF suggest sell drugs (Reversed)

Value	Label	Unweighted Frequency	%
0	No	661	48.8 %
1	Yes	8	0.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Subject not locked up - question skipped	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2972-2975 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

SAPDEL23R: SA PDel: BFGF suggest steal something (Reversed)

Value	Label	Unweighted Frequency	%
0	No	662	48.9 %
1	Yes	7	0.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Subject not locked up - question skipped	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2976-2979 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

SAPDEL24R: SA PDel: BFGF suggest hit/beat someone (Reversed)

Value	Label	Unweighted Frequency	%
0	No	652	48.2 %
1	Yes	17	1.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Subject not locked up - question skipped	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2980-2983 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

SAPDEL25R: SA PDel: BFGF suggest carry weapon (Reversed)

Value	Label	Unweighted Frequency	%
0	No	658	48.6 %
1	Yes	11	0.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Subject not locked up - question skipped	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2984-2987 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -202 , -201 , -103 , -102 , -101 , -9 , -8

SADEL: SA RQual: Antisocial Influence

Based upon 669 valid cases out of 1,354 total cases.

- Mean: 0.23
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 0.70

Location: 2988-2991 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -500 , -300 , -202 , -201 , -100 , -9 , -8

SASIGOTHER_DEL: SA RQual: Antisocial Behavior - Count of items endorsed

Value	Label	Unweighted Frequency	%
0	-	419	30.9 %
1	-	140	10.3 %
2	-	50	3.7 %
3	-	24	1.8 %
4	-	9	0.7 %
5	-	6	0.4 %
6	-	11	0.8 %
7	-	3	0.2 %
8	-	4	0.3 %
9	-	2	0.1 %
13	-	1	0.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-100	Did not skip into RQual measure	465	34.3 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 2992-2995 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8