

CareerOS

Enterprise Platform Blueprint v2.0

Professional Identity Operating System

Product, Technical, Commercial, Governance, and Execution Architecture

Core Promise

Capture once. Govern with trust. Use everywhere.

Consolidated executive architecture edition

Version 2.0 | July 2026

Prepared for CareerOS / MyCVBuilder leadership, engineering, enterprise partners, advisors, and investors.

Document Purpose

This edition consolidates the CareerOS product and technical blueprint with the strategic, commercial, organizational, governance, partnership, and 24-month execution architecture developed for the platform. It is intended to function as a common reference for founders, product leaders, engineers, enterprise buyers, advisors, board members, and investors.

The Professional Identity Graph™ remains the system of record. Documents are generated views. AI-discovered information remains proposed until reviewed. Professional ownership, evidence, explainability, privacy, portability, and enterprise governance are treated as foundational architectural requirements.

Edition Structure

Part	Coverage
Part I	Master Product and Technical Blueprint: vision, domain model, Professional Identity Graph™, ACTE™, services, APIs, security,
Part II	Strategic Expansion: go-to-market, brand, defensibility, partnerships, organization, KPIs, launch readiness, and executive invest

Strategic North Star

A professional should always have an accurate, approved, current CV and professional profile available immediately - without rebuilding the career record each time.

Table of Contents

Part I	Master Product and Technical Blueprint
1-7	Product strategy, vision, principles, market, capabilities, and adaptive output model
8-20	Domain architecture, object model, Professional Identity Graph™, ACTE™, timelines, evidence, and core professional objec
21-45	Enterprise architecture, services, APIs, events, identity, authorization, consent, privacy, audit, resilience, plugins, and govern
46-50	Implementation workstreams, MVP, acceptance themes, risks, and final product position
Part II	Strategic and Commercial Expansion
23	Go-to-Market, Sales & Customer Adoption Architecture
24	Brand, Messaging & Market Category Architecture
25	Competitive Strategy, Defensibility & Strategic Moat Architecture
26	Partnerships, Ecosystem & Strategic Alliance Architecture
27	Organization, Talent & Leadership Operating Model
28	KPI, Governance & Board Reporting Architecture
29	Launch Readiness & 24-Month Execution Plan

CareerOS

Master Product and Technical Blueprint

AI-Powered Professional Identity Platform for Academic Medicine and Higher Education

Core Promise

Capture once. Govern with trust. Use everywhere.

Consolidated working specification

Version 1.0 | July 2026

Prepared for MyCVBuilder / CareerOS leadership and engineering planning

Document Purpose

This master blueprint consolidates the product vision, product principles, domain model, data governance framework, object specifications, enterprise architecture, service architecture, API and event standards, and security and privacy architecture developed for CareerOS. It is intended to serve as a common reference for founders, product leaders, designers, engineers, enterprise partners, advisors, and investors.

This edition intentionally removes repetitive conversational transitions and integrates the substantive decisions into one coherent specification. It should be treated as a living architecture document and updated through a formal decision register and version-control process.

Table of Contents

Volume I - Product Strategy and Vision

Executive summary; vision; product principles; market; product capabilities; adaptive template model.

Volume II - Product Blueprint and Domain Model

Domain architecture; object classification; Professional Identity Graph; ACTE; Timeline & Relationship Engine; Institution, Education, Appointment, and Publication specifications.

Volume III - Enterprise Technical Architecture

Reference architecture; platform services; APIs; events; bulk import; AI proposals; identity, authentication, authorization, consent, privacy, audit, and resilience.

Volume IV - Governance, Delivery, and Next Build Priorities

Decision register; domain governance; data dictionary; extension framework; MVP scope; acceptance themes; risks; appendices.

Note: In some PDF viewers, the table of contents may require field refresh in the source Word document. All headings remain bookmarked and structurally organized.

Volume I - Product Strategy and Vision

1. Executive Summary

CareerOS is an AI-native Professional Identity Platform that maintains a lifelong, trusted, structured representation of a professional career. It is not merely a CV builder, document repository, or profile editor. Its central asset is the Professional Identity Graph™, a governed record from which many professional outputs can be generated.

- Academic CVs and resumes
- Faculty profiles and institutional directories
- NIH biosketches and grant-supporting documents
- Promotion and tenure dossiers
- Professional biographies and speaker introductions
- Annual activity reports and accreditation reports
- Multilingual professional documents and public profiles

The platform initially serves academic medicine and higher education, including physicians, faculty, researchers, residents, fellows, students, deans, chairs, and other academic professionals. Over time, the same architecture can support additional professions and institutions.

Product Positioning

CareerOS is the Professional Identity Platform for academia: one trusted record that continuously captures, verifies, connects, and renders a professional career.

2. Vision, Mission, and Core Promise

Vision

Every professional should have a trusted, lifelong professional identity that is accurate, portable, continuously maintained, and usable across institutions, documents, languages, and career stages.

Mission

Capture professional information once, govern it transparently, and make it usable everywhere without repeated data entry, reformatting, or loss of historical context.

Core Promise

Capture once. Use everywhere. Trust every change.

3. Product Principles

Element	Specification
Professional Identity Graph as system of record	Documents are generated views. They are never the authoritative source after structured ingestion and review.
User ownership	The professional retains meaningful control over

Element	Specification
	inclusion, sharing, publication, and external distribution.
Capture First. Enrich Later.	A user can record an accomplishment immediately with minimal information, then add slides, evidence, metadata, context, or relationships later.
No Interrogation Principle	The platform should avoid asking users hundreds of questions. It should ask only for information needed to resolve material ambiguity or produce a selected output.
Latest CV as trusted baseline	The most recent uploaded CV becomes the initial trusted baseline, subject to extraction review and normalization.
Material additions require approval	AI-discovered accomplishments remain untrusted until approved by the user or an authorized enterprise workflow.
Cosmetic normalization is automatic	Formatting, capitalization, citation style, and nonmaterial cleanup can occur without repeated approval.
Approve the career object once	Multiple evidence sources should converge on one Career Object and one approval decision.
Templates change presentation, not facts	A template selects, orders, labels, and formats trusted information; it does not rewrite the underlying professional record.
Generate first. Perfect later.	The platform should produce useful outputs early and then identify only the missing information required to improve a selected output.
Trust before automation	AI may discover and recommend but may not silently change trusted records.
History is preserved	Professional records, relationships, and changes must be temporally accurate and auditable.

4. Phase 1 Market and Users

Phase 1 focuses on academic medicine and higher education. This market has high document complexity, frequent promotion and reporting obligations, fragmented source systems, and strong demand for continuously updated professional records.

- Academic physicians and clinical faculty
- Basic, translational, and clinical researchers
- Professors and instructors across higher education
- Residents, fellows, medical students, graduate students, and postdoctoral scholars

- Department chairs, deans, program directors, and medical executives
- Faculty Affairs, research administration, credentialing, communications, and institutional leadership teams

5. Phase 1 Product Capabilities

- Upload and convert existing CVs from Word, PDF, or institutional formats
- Treat the latest reviewed CV as the trusted baseline
- Normalize and structure career information into a Professional Identity Graph™
- Generate multiple templates and languages from one record
- Automatically search trusted public sources for new accomplishments
- Present discoveries in a single review queue
- Accept user updates by manual entry, voice, photo, PDF, or document upload
- Classify presentations as local, regional, national, or international
- Generate updated CVs, bios, profiles, and promotion materials on demand
- Support institutional licensing and enterprise workflows
- Provide a governed social-media and communications assistant for approved achievements

6. Product Definition

CareerOS combines structured professional identity, evidence, trust governance, temporal relationships, AI-assisted discovery, and adaptive document generation. The platform transforms a static CV into a continuously maintained professional knowledge system.

Core Product Components

- Professional Identity Graph™
- Career Objects™ and object ecosystems
- Master Reference Objects
- Timeline & Relationship Engine™
- ACTE governance framework
- Evidence Locker™
- Adaptive Template Engine™
- AI discovery, extraction, matching, writing, and translation services
- Enterprise workflows and integrations

7. Adaptive Template and Output Model

CareerOS separates facts from presentation. A professional record remains stable while output rules determine what is included, how it is labeled, how it is ordered, and how it is formatted.

- Upload an institutional template, blank template, Word file, PDF, or sample CV.
- Map template sections to CareerOS object types and fields.
- Identify required, recommended, and optional missing information.
- Generate a completed document without rebuilding the career record.
- Support multiple languages while preserving the same underlying Professional Identity Graph.
- Allow “ignore forever,” “ignore once,” “not applicable,” and “remind later” for nonessential prompts.

Volume II - Product Blueprint and Domain Model

8. CareerOS Domain Architecture

Element	Specification
Identity	Professional Identity, Professional Profile, Professional Identifier, Credential, Digital Identity, Privacy, Preferences
Organizations	Institution, School, College, Hospital, Department, Division, Center, Institute, Practice, Society, Foundation, Government Agency
Career	Employment, Appointment, Position, Rank, Promotion, Leadership Role, Committee, Service
Scholarship	Publication, Journal, Book, Chapter, Abstract, Dataset, Patent, Software, Research Project
Research	Grant, Funding Agency, Study, Trial, Laboratory, Research Center
Education	Education, Degree, Residency, Fellowship, Certificate, Mentor, Course, Training Program
Teaching	Lecture, Grand Rounds, Course, Curriculum, Learner Group, Mentorship, Evaluation
Recognition	Award, Honor, Named Lecture, Visiting Professorship, Distinction
Media and Communications	Biography, Interview, Podcast, Television, News, Press Release, Speaker Introduction
Documents	CV, Resume, NIH Biosketch, Faculty Profile, Promotion Packet, Cover Letter
Governance	Evidence, ACTE, Audit, Version, Approval, Workflow, Notification
Intelligence	AI Discovery, AI Writing, AI Recommendation, AI Matching, AI Translation, AI Search

9. Object Classification

Master Reference Objects

Shared entities that exist independently of one professional and should be canonical across the platform.

- Institution
- Journal
- Funding Agency
- Conference

- Professional Society
- Publisher
- Specialty
- Position
- Degree
- Country
- Language

Professional Objects

Objects representing a person's career activities, roles, accomplishments, or enduring professional states.

- Publication
- Appointment
- Grant
- Award
- Teaching Activity
- Leadership Role
- Mentorship
- Committee Service
- Presentation
- Education and Training

System Objects

Objects used to operate, govern, and render the platform.

- Evidence
- Version
- Audit Event
- Notification
- Workflow
- AI Suggestion
- Template
- Document
- Approval
- Consent

Architectural Rule

If something can exist independently of a person, it should generally be modeled as its own reusable object rather than duplicated as text inside a professional record.

10. Professional Identity Graph™

The Professional Identity Graph™ is the authoritative domain representation of a professional career. It stores people, objects, evidence, relationships, history, context, and governance metadata in a connected model.

Design Goals

- Represent a career once and reuse it across outputs
- Support multiple professions, specialties, countries, and languages
- Preserve historical states and concurrent roles
- Connect accomplishments to institutions, grants, collaborators, and evidence
- Support document generation, analytics, search, and AI reasoning
- Maintain clear authority, confidence, trust, and provenance

Core Hierarchy

- Professional Identity
- Professional Identifiers and Credentials
- Education and Training
- Employment and Appointments
- Scholarship and Publications
- Research and Grants
- Teaching and Mentorship
- Leadership and Service
- Recognition and Awards
- Media and Communications
- Evidence and Documents
- Relationships and Timeline Events

11. Professional Identifiers, Credentials, and Digital Identity

Professional identifiers must be separate reusable objects rather than fields buried inside a profile. Credentials and institutional identifiers require distinct authority, privacy, and lifecycle rules.

Element	Specification
Professional Identifier	ORCID, Scopus Author ID, ResearcherID, Google Scholar profile, NPI, professional website, LinkedIn, discipline-specific identifiers.
Credential	Medical license, board certification, DEA registration, bar admission, engineering license, academic certificate, specialty credential.
Institutional Identity	Faculty ID, employee ID, NetID, HR identifier, payroll identifier, practice identifier.
Digital Identity	Connected accounts, OAuth grants, SSO identity, API integrations, synchronization status, authentication provider.

12. ACTE Governance Framework™

ACTE separates four concepts that are often incorrectly combined. This distinction is central to user trust and enterprise governance.

Element	Specification
Authority	Who has the recognized right to assert or govern the information. Examples: university for appointment status, journal for publication metadata, licensing board for license status, user for personal narrative.
Confidence	The system's probability that the information is accurate or correctly matched.
Trust	Whether the information has been accepted for use in the trusted Professional Identity Graph.
Evidence	The source material supporting the assertion, such as a CV, DOI record, institutional page, certificate, agenda, or enterprise feed.

Extended Internal Model

The internal architecture may also include Context and Relationships. Context governs how information is interpreted or rendered in a specific situation; Relationships connect objects across the graph. The public product language may remain ACTE while engineering uses an extended ACTECR model when helpful.

- Context: role at the time, institution at the time, output type, geographic scope, audience, funding source, project phase.
- Relationships: authored by, funded by, employed by, presented at, mentored by, awarded by, affiliated with, derived from.

13. Career Object Standard

Every Professional Object should follow a consistent specification and data envelope.

- System metadata and globally unique identifier
- Object type and subtype
- Professional Identity association
- Lifecycle status
- Effective dates and version history
- Authority, confidence, trust, and evidence metadata
- Privacy and sharing classification
- Search and indexing metadata
- Relationships and context
- AI proposals and user decisions
- Enterprise ownership or synchronization metadata where applicable

14. Timeline & Relationship Engine™

The Timeline & Relationship Engine™ provides temporal awareness, explicit relationship management, historical reconstruction, and lifecycle governance for every object in the Professional Identity Graph™.

Professional Event

A Professional Event represents something that occurred at a point in time or over a defined period, such as graduation, promotion, publication, grant award, invited lecture, committee appointment, or credential verification.

Professional Object

A Professional Object is the enduring record associated with one or more events. For example, a promotion event changes the continuing Appointment object; publication events may track online publication, print publication, correction, or retraction.

Relationship as First-Class Entity

Relationships are not implied foreign keys. They are explicit objects with type, source, target, effective dates, status, evidence, authority, confidence, trust, context, and provenance.

- Publication -> funded by -> Grant
- Appointment -> located at -> Institution
- Presentation -> based on -> Publication
- Grant -> supports -> Research Project
- Award -> presented by -> Organization
- Person -> holds -> Appointment

Temporal and Versioning Requirements

- Creation, effective start, effective end, modification, archive, and deletion dates
- Immutable historical versions
- Source and actor for every material change
- Point-in-time reconstruction
- Concurrent and overlapping role support
- Relationship validity periods
- Event correlation and causation identifiers

Representative Queries

- Show my career as of January 1, 2025.
- List all publications funded by NIH grants.
- Display leadership roles held simultaneously.
- Show all activities associated with Northwell Health.
- Find presentations derived from a specified publication.
- Generate a CV exactly as it existed at a historical date.

Event-Sourcing Position

CareerOS should use event-sourcing principles even if the first implementation is not a pure event-sourced system. Significant changes should be represented as immutable events from which current state, history, synchronization, and audit can be reliably reconstructed.

15. Institution Object Specification

The Institution Object is a Master Reference Object representing an organization that employs, educates, appoints, funds, accredits, hosts, publishes, or otherwise interacts professionally with individuals. Each institution should exist once in the canonical reference library and be reused across all users and Career Objects.

Institution Categories

- University, medical school, college, community college
- Hospital, health system, academic medical center, clinic, ambulatory center, practice
- Research institute, laboratory, innovation center, clinical trials unit
- Government agency and international organization
- Professional society, accreditation organization, licensing board
- Biotechnology, pharmaceutical, device, consulting, and publishing organizations
- Foundation, charity, advocacy, and nonprofit organizations

Core Fields

- Institution ID, version, status, archive status
- Official name, common name, acronym, former names, alternate spellings, local-language names
- Institution type, industry, ownership, teaching and research status
- Country, state or province, city, address, postal code, time zone
- Official website, directories, social accounts, API endpoints
- Enterprise integration capabilities and identifiers
- Parent, child, predecessor, successor, merger, and affiliation relationships

Organization Units

Schools, colleges, hospitals, departments, divisions, centers, institutes, programs, and practices should be separate Organization Unit objects linked to the Institution. This avoids repeating organizational names and enables hierarchy, analytics, and enterprise synchronization.

Institution Governance

- Primary authority: official institution and authoritative registries
- Secondary authority: user and trusted public sources
- AI may normalize names, detect duplicates, resolve mergers, and suggest hierarchy
- AI may not merge institutions without sufficient evidence and governance
- Enterprise customers may extend canonical records with tenant-specific metadata while preserving shared identity

16. Education & Training Object Specification

Education & Training represents formal and informal professional preparation, including undergraduate, graduate, professional school, residency, fellowship, postdoctoral training, certificate programs, military training, industry training, and continuing education.

Core Fields

- Program and degree type

- Institution and organization unit
- Field, specialty, concentration, and track
- Start and end dates, expected completion, graduation date
- Location and delivery format
- Honors, thesis, dissertation, mentor, and performance metadata where appropriate
- Related credentials, publications, research, and appointments
- Evidence, ACTE, privacy, and enterprise synchronization metadata

Example Relationships

- Medical School -> Degree -> Mentor -> Research -> Publication
- Residency -> Board Certification -> Appointment -> Fellowship

17. Employment & Appointments Object Specification

Employment & Appointments represents academic, clinical, research, administrative, leadership, and professional roles, including concurrent and overlapping appointments.

Core Fields

- Institution, department, division, center, campus, hospital, or practice
- Official title and display title
- Academic rank, appointment type, employment type, tenure status, FTE, endowed role
- Start date, end date, promotion date, acting/interim/permanent status
- Clinical, research, teaching, leadership, administrative, quality, and innovation responsibilities
- Reporting relationship and supervised organization units
- Institutional IDs and enterprise synchronization
- Associated publications, grants, teaching, committees, awards, mentorship, and research centers

Position as Master Reference Object

Position should be a canonical reusable object rather than unrestricted text. It may include academic rank, tenure eligibility, clinical/research/administrative classification, typical responsibilities, and institution-specific mappings. User-facing display titles may still be preserved.

18. Publication Object Specification

A Publication is a scholarly asset rather than a document citation. It is a central graph node connecting authors, institutions, journals, grants, research projects, datasets, presentations, citations, media coverage, patents, and evidence.

Supported Types

- Original research
- Review and systematic review
- Meta-analysis
- Case report or series
- Clinical trial
- Editorial, commentary, perspective, or letter
- Guideline, consensus statement, or white paper

- Book, chapter, or monograph
- Abstract or conference proceeding
- Educational or digital publication
- Other governed type

Core Fields

- Title, subtitle, publication type, journal or source, publisher
- Volume, issue, pages, dates, and language
- DOI, PMID, PMCID, ISBN, ISSN, and other persistent identifiers
- Ordered authorship, corresponding author, first or senior author, equal contribution, consortium authorship, user role
- Institutional affiliations at time of publication
- Research project, grant, trial, dataset, laboratory, and center relationships
- Specialty, keywords, MeSH terms, subject categories, and research domains
- Optional citation, RCR, impact, Altmetric, download, and view metrics
- Private user annotations including significance, featured status, teaching relevance, promotion relevance, and media relevance

Publication Governance

- Primary authority: publisher, journal, Crossref, PubMed
- Secondary authority: user and institutional repository
- High-confidence discovery never bypasses approval
- AI may normalize citations, detect duplicates, match authors, and suggest relationships
- AI may not invent publications, alter authorship, or assign the work to the wrong professional

19. Object Ecosystem Model

Major Professional Objects should be designed as ecosystems rather than isolated records. Each ecosystem has a central object surrounded by reusable reference objects, relationships, evidence, events, and derived outputs.

Element	Specification
Publication Ecosystem	Journal, authors, institutions, grants, research projects, datasets, trials, presentations, citations, media, patents, evidence.
Grant Ecosystem	Funding agency, institution, investigators, budget, milestones, deliverables, publications, trials, evidence.
Teaching Ecosystem	Institution, course, curriculum, learners, evaluations, slides, video, certificates, evidence.
Leadership Ecosystem	Institution, department, committees, reporting structure, achievements, plans, awards, evidence.
Award Ecosystem	Awarding organization, institution, ceremony, certificate, citation, media, photos, video, evidence.

Element	Specification
Presentation Ecosystem	Conference, host institution, audience, geographic scope, CME, slides, recording, abstract, publication, grant, invitation, program, photos, evidence.

20. Missing Information and Review Experience

CareerOS should request missing information only in relation to a selected outcome. Missing data must be categorized so users can make durable decisions without repeated prompts.

- Required
- Recommended
- Optional
- Ignore forever
- Ignore once
- Not applicable
- Remind later

New accomplishments should be approved once per Career Object even when multiple evidence sources support the same object. Users should be able to accept, reject, edit and accept, defer, or suppress recurring suggestions.

Volume III - Enterprise Technical Architecture

21. CareerOS Reference Architecture

CareerOS is a modular, cloud-native, event-aware platform combining a governed knowledge graph, master reference data, AI services, adaptive document generation, and enterprise integrations.

Architectural Principles

1. Professional Identity Graph™ is the system of record.
2. Significant changes are represented as dated events.
3. Shared entities are governed master reference data.
4. Capabilities are implemented as composable services with defined APIs.
5. AI augments but does not silently govern trusted records.
6. Governance precedes automation.
7. Capabilities are API-first.
8. Infrastructure is cloud-native, observable, resilient, and portable.

Logical Platform Layers

Element	Specification
Experience Layer	Web, mobile, enterprise portal, public profiles, APIs, and partner interfaces.
Application Layer	Identity, publication, grant, teaching, leadership, document, workflow, notification, and search

Element	Specification
	services.
Intelligence Layer	Parsing, extraction, matching, duplicate detection, semantic search, translation, recommendations, analytics, and writing assistance.
Governance Layer	ACTE, approval, audit, versioning, consent, policy, role-based and field-level controls.
Professional Identity Layer	Graph, Timeline & Relationship Engine, Professional Objects, Master Reference Objects, and System Objects.
Data Layer	Relational storage, graph storage, search index, object storage, event log, and cache.
Integration Layer	ORCID, PubMed, Crossref, HRIS, Faculty Affairs, LMS, grant systems, repositories, and identity providers.

Logical vs. Physical Architecture

Logical architecture defines domains, services, responsibilities, and contracts. Physical architecture defines cloud provider, database products, container platform, message broker, storage services, networking, deployment topology, observability stack, and disaster recovery. The logical architecture should remain stable while technology choices evolve.

Deployment Models

- Multi-tenant SaaS
- Single-tenant enterprise deployment
- Enterprise-hosted environment
- Hybrid deployment

22. Core Platform Services

Element	Specification
Identity Service	Professional Identity, Profile, Professional Identifiers, Credentials, Institutional Identity, Preferences, and Privacy.
Institution Service	Canonical institutions, organization units, hierarchies, aliases, mergers, and enterprise extensions.
Publication Service	Scholarly output, bibliographic metadata, authorship, citations, journals, and publication integrations.
Research Service	Grants, projects, trials, datasets, laboratories, funding agencies, and deliverables.

Element	Specification
Teaching Service	Courses, lectures, Grand Rounds, curriculum, mentorship, learners, and evaluations.
Leadership Service	Appointments, leadership roles, committees, administrative positions, and service.
Recognition Service	Awards, honors, visiting professorships, named lectures, and distinctions.
Document Service	CVs, resumes, biosketches, profiles, promotion dossiers, biographies, and speaker introductions.
AI Intelligence Service	Parsing, extraction, relationship discovery, duplicate detection, translation, writing, recommendations, and missing-data detection.
Search Service	Structured, full-text, semantic, identifier, relationship, and historical search.
Timeline & Relationship Service	Events, relationships, historical state, timeline queries, and point-in-time reconstruction.
Workflow Service	Approval, synchronization, annual review, promotion, discovery review, and enterprise workflows.
Notification Service	Email, SMS, push, and in-app notifications.
Integration Service	External connectors, credential management, synchronization, mapping, and monitoring.
Governance Service	ACTE evaluation, evidence, approvals, audit, versioning, provenance, policy, and consent.

Service Communication Rules

- Synchronous APIs for transactional operations requiring immediate response.
- Asynchronous domain events for propagation and decoupled workflows.
- No direct database access between services.
- Every service owns its domain data and business rules.
- Shared reference data is accessed through governed service interfaces or approved replication patterns.
- Every material change emits an event and creates an audit record.

23. Representative End-to-End Workflow

Example: a user uploads a publication list.

9. Document Service receives the upload and stores it securely.
10. AI Intelligence Service extracts publication metadata.
11. Publication Service matches existing records or creates proposals.
12. Institution Service resolves affiliations.

13. Identity Service matches authors and identifiers.
14. Timeline & Relationship Service creates proposed relationships and events.
15. Governance Service evaluates authority, confidence, trust, evidence, consent, and privacy.
16. Workflow Service routes material items for user or enterprise approval.
17. Notification Service informs the user.
18. Approved objects update the Professional Identity Graph.
19. Search indexes refresh.
20. Document Service can regenerate affected outputs.

24. API and Event Architecture

All services, applications, enterprise systems, and external partners exchange information through secure, versioned interfaces. Material changes must pass through governed APIs or approved event-processing workflows.

Interface Types

- Transactional APIs
- Query APIs
- Domain Events
- Bulk Data Interfaces

Transactional API Requirements

- Authenticated actor and tenant context
- Requested operation and target object
- Timestamp, correlation ID, and idempotency key where applicable
- Source, provenance, and reason for change when required
- Updated state, new version, audit record, domain event, and governance evaluation on success

Query API Requirements

Query APIs retrieve data without modifying authoritative state. REST is preferred for commands, simple retrieval, enterprise integrations, uploads, approvals, and stable partner APIs. GraphQL may support composite dashboards, graph exploration, and document previews but may not bypass authorization or domain rules.

25. Domain Event Standard

Domain events describe meaningful changes that have already occurred and are named in the past tense.

- ProfessionalIdentityCreated
- CVUploaded
- PublicationExtracted
- PublicationApproved
- AppointmentStarted
- AppointmentEnded
- CredentialVerified
- InstitutionMerged
- RelationshipCreated

- DocumentGenerated
- ExternalDiscoveryFound

Event Envelope

- Event ID, type, version, timestamp, and effective date
- Producing service, tenant, correlation ID, causation ID
- Actor ID and actor type
- Object ID, object type, object version, and Professional Identity ID where applicable
- Source, authority, confidence, trust, evidence, and approval status
- Minimum necessary business payload

Delivery and Consistency

- Assume at-least-once delivery and require idempotent consumers.
- Track processed event IDs.
- Handle retries, duplicate delivery, and out-of-order events.
- Use dead-letter queues and operational alerts for persistent failure.
- Use eventual consistency for downstream indexing, recommendations, metrics, and document refresh.

26. Bulk Import Architecture

Bulk interfaces support CV imports, faculty rosters, publication feeds, HR synchronization, grant-system synchronization, historical migration, and enterprise exports.

21. Receive file or feed.
22. Scan for malware and validate format.
23. Validate schema.
24. Extract and normalize data.
25. Detect duplicates.
26. Resolve Master Reference Objects.
27. Score confidence.
28. Classify trust and privacy.
29. Generate exceptions.
30. Request user or enterprise review.
31. Commit approved records.
32. Create audit and event records.
33. Produce an import report.

Non-Negotiable Rule

Bulk imports must never silently overwrite trusted records.

27. API Standards

- Version all externally consumed APIs and event schemas.
- Use optimistic concurrency through versions or revision tokens.

- Support idempotency for retryable operations.
- Use cursor-based pagination for large datasets.
- Support structured filtering, sorting, and historical queries.
- Use a common response envelope and standard error model.
- Provide OpenAPI documentation, schema registry, SDKs, examples, sandbox, changelog, and migration guides.

Representative Response Envelope

{ data, metadata, links, warnings, errors }

Standard Error Elements

- Error code
- Human-readable message
- Authorized technical detail
- Field reference
- Correlation ID
- Retry guidance
- Documentation reference

28. Relationship, Historical, and Document APIs

Relationship APIs

- Create relationship
- Approve or reject suggested relationship
- Update context
- End relationship
- Retrieve relationship history

Historical Query APIs

- Object state at a specified date
- Relationships active during a date range
- Concurrent appointments
- Activities associated with an institution or grant
- Comparison between two dates
- Historical document generation

Document Generation Request

- Professional Identity
- Document type
- Template
- Language
- Date context
- Included sections
- Formatting preferences
- Target institution

- Output format
- Review requirements

The response should include job status, missing required information, warnings, artifact, source-object manifest, and document version.

29. AI Proposal Architecture

AI-generated suggestions remain separate from trusted updates. Every proposal should include the proposed value, target object or field, confidence, evidence, explanation, existing trusted value, and recommended action.

- Accept
- Reject
- Edit and accept
- Defer
- Ignore once
- Ignore permanently where appropriate

30. Identity, Authentication, Authorization, Consent, and Privacy

CareerOS stores a lifelong professional record and must embed security and privacy into every platform layer. The system must support individuals, delegates, administrators, reviewers, institutions, services, integrations, and public visitors while preserving ownership, purpose limitation, tenant isolation, and auditability.

Core Security Principles

- Zero Trust
- Least privilege
- User ownership with field-specific authority
- Purpose limitation
- Private by default
- Explicit publication
- Strong tenant isolation
- Data minimization
- Transparent access and audit history

31. Identity Model

Element	Specification
Professional Identity	The person and career record represented by the platform. It may exist before an active account.
User Account	The authenticated account linked to a primary Professional Identity and possibly delegated or enterprise roles.
Service Identity	An application, integration, automation, or internal service using machine credentials.

Element	Specification
Guest Identity	A limited, purpose-specific, time-limited external participant such as a reviewer or verifier.

Identity Claiming and Duplicate Resolution

- Email or institutional email verification
- ORCID authentication
- NPI or professional identifier matching
- Enterprise directory matching
- Document verification
- Manual review where necessary
- Confidence-scored, evidence-backed, reversible merges
- No merge based solely on name similarity

32. Authentication Architecture

- Passkeys and phishing-resistant authentication preferred
- Email/password and passwordless email options where appropriate
- Authenticator apps and hardware security keys
- SAML 2.0, OpenID Connect, and OAuth 2.0 for enterprise and integrations
- Short-lived access tokens and rotating refresh tokens
- Device recognition, remote logout, session visibility, and risk-based reauthentication

Multifactor Authentication

MFA should be required for administrators, high-risk actions, large exports, security-setting changes, external integration authorization, and suspicious login attempts.

Risk-Based Authentication

- New device
- Unusual location
- Impossible travel
- Repeated login failures
- Credential stuffing
- Abnormal export activity
- Privilege escalation
- Suspicious integration behavior

33. Authorization Architecture

CareerOS should combine role-based, attribute-based, relationship-based, and policy-based access control. Authentication identifies the actor; authorization determines what the actor may do in a specific context.

Representative Roles

- Individual User

- Delegate
- Faculty Affairs Administrator
- Department Administrator
- Institutional Reviewer
- Credentialing Officer
- Enterprise Administrator
- Template Administrator
- Support Specialist
- Integration Service
- Platform Administrator

Action-Level Permissions

- View
- Search
- Create
- Edit
- Suggest
- Verify
- Approve
- Reject
- Archive
- Restore
- Link
- Unlink
- Export
- Share
- Publish
- Delete
- Administer

Field-Level Authorization

Fields within the same object may have different privacy and authority. For an Appointment, the public title may be visible, employment dates may be institutionally verified, salary band may be restricted, employee ID may be highly restricted, and private notes may remain visible only to the user.

34. Delegated, Administrative, and Support Access

Delegated Access

- Specific permissions and object categories
- Start and end dates
- Tenant scope
- Approval and export restrictions
- Activity reporting
- Immediate revocation
- No shared credentials

Administrative Access

- Named accounts
- MFA
- Separation of duties
- Detailed audit
- Periodic access review
- Just-in-time elevation where feasible
- No routine platform-admin access to user content

Support Access

- User consent when practical
- Time-limited and purpose-specific elevation
- Masked fields by default
- Full audit
- Automatic expiration
- Supervisory approval for highly sensitive access

35. Consent Architecture

Consent is a structured, versioned object rather than a checkbox. It should identify the user, tenant, purpose, data categories, recipient, actions, effective date, expiration, version, method of acceptance, revocation status, and evidence.

Potential Consent Categories

- Import professional information
- Search public sources
- Connect ORCID or institutional systems
- Use AI extraction or writing assistance
- Share with an institution
- Publish a public profile
- Send notifications
- Use de-identified analytics
- Share with an external reviewer
- Generate and distribute documents

Revocation and Purpose Limitation

Revocation should stop future processing, disable integrations, end delegated access, and prevent further distribution where legally permitted. Consent for one purpose, such as importing ORCID publications, does not authorize public display, marketing use, institutional reporting, or model training.

36. Privacy Classification and Sharing

Element	Specification
Public	Approved for unrestricted public display, such as a published citation or approved professional title.

Element	Specification
Professional Restricted	Available only to authorized users or institutions, such as draft CV entries or promotion materials.
Confidential	Requires elevated protection, such as personal contact details, private notes, or internal performance information.
Highly Restricted	Requires the strongest controls, such as authentication secrets, financial information, or government identifiers.

Public Profile Governance

- Sections and objects displayed
- Preferred titles
- Contact visibility
- Publication selection
- Biography version
- Language
- Profile URL
- Search-engine indexing
- Download permissions

Secure Sharing

- Recipient and purpose
- Content and permitted actions
- Expiration
- Download and forwarding restrictions
- Watermarking
- Access logs
- Revocation
- Version pinning

37. AI Privacy and Data Minimization

AI services must receive only the minimum data required for the task. Citation normalization does not require salary data; biography generation does not require employee IDs; translation should process only selected content.

- Define data used, purpose, model/provider, retention, training policy, and processing location.
- Do not allow providers to train general-purpose models on customer data without explicit authorization and contractual controls.
- Prefer de-identified or aggregated data for analytics and product improvement.
- Evaluate de-identification against re-identification risk.
- Do not request optional information merely because the schema supports it.

38. Tenant Isolation, Residency, and Encryption

Tenant Isolation

Tenant boundaries must be enforced across authentication, authorization, databases, search, caches, object storage, events, analytics, logs, AI workflows, and backups. Cross-tenant access requires an explicit governed agreement.

Cross-Institutional Professionals

One Professional Identity may participate in multiple institution-specific workspaces with separate permissions, consents, fields, and provenance. One institution must not automatically see information supplied by another institution.

Data Residency

- Regional storage
- Regional processing
- Regional backups
- Region-specific encryption keys
- Restricted cross-region replication
- Region-aware AI processing

Encryption and Secrets

- Encryption in transit and at rest
- Field-level encryption for highly restricted data
- Key rotation and separation
- Dedicated secrets management
- No secrets in source code, logs, clients, configuration files, or event payloads

39. Audit, Retention, Export, and Deletion

Audit Logging

- Login and failed login
- MFA and security changes
- Role and permission changes
- Data access and export
- Sharing and publication
- Consent changes
- Administrative and support access
- Integration authorization
- Deletion and security-policy changes

User Visibility

- Recent account access
- Active sessions
- Connected applications

- Delegates
- Shared documents
- Enterprise access
- Public-profile changes
- Material exports

Retention

Retention varies by data category. Active Professional Objects may persist while an account or institutional obligation remains active; audit records follow legal and contractual requirements; temporary uploads should be deleted after processing unless preserved as evidence; generated documents follow user or enterprise settings.

Export and Deletion

- Export in PDF, Word, JSON, CSV, or structured archive.
- Distinguish trusted, unapproved, archived, institution-controlled, and private information.
- Require reauthentication for large exports.
- Distinguish removal from a document, public removal, archive, deactivation, soft deletion, permanent deletion, and legal retention.
- Permanent deletion requires authorization, impact analysis, confirmation, audit, propagation, and backup handling.

40. Security Operations and Resilience

- Incident detection, triage, containment, investigation, eradication, recovery, notification, and lessons learned
- Security notifications for new devices, MFA changes, delegates, integrations, large exports, publication, and suspicious activity
- Encrypted backups and tested restoration
- Defined recovery objectives and regional failover where required
- Periodic access reviews and privileged-access certification
- Break-glass access that is rare, time-limited, justified, strongly authenticated, logged, reviewed, and automatically revoked

41. Security Policy Engine

A centralized policy engine evaluates actor, tenant, role, relationship, action, object, field, purpose, consent, trust status, context, and risk. It may return allow, deny, allow with masking, require approval, require reauthentication, or require additional consent.

Example: Public Biography

34. Retrieve only trusted and approved objects.
35. Apply public-profile privacy rules.
36. Exclude private notes and restricted fields.
37. Generate a preview.
38. Require explicit publication approval.
39. Record the approved version.

- 40. Publish only that version.
- 41. Log future changes and republication.

Example: AI-Discovered Appointment

- 42. Create an untrusted discovery.
- 43. Record source evidence.
- 44. Assign confidence.
- 45. Do not display publicly or include in formal documents.
- 46. Request user or institutional verification.
- 47. Apply authority, consent, and privacy rules.
- 48. Create or update the trusted Appointment only after approval.

Volume IV - Governance, Delivery, and Next Build Priorities

42. Architecture Decision Register

Major architectural decisions should be recorded with an identifier, status, date, rationale, implications, alternatives considered, and migration guidance. This prevents settled decisions from being repeatedly reopened without formal review.

Element	Specification
ADR-001	Professional Identity Graph is the system of record; documents are generated views.
ADR-002	Latest reviewed CV becomes the initial trusted baseline.
ADR-003	Institution is a first-class Master Reference Object.
ADR-004	Organization units are separate reusable objects linked hierarchically.
ADR-005	Professional Identifiers, Credentials, Institutional Identity, and Digital Identity are distinct objects.
ADR-006	Material additions require approval; cosmetic normalization may be automatic.
ADR-007	Approval occurs once per Career Object rather than once per evidence source.
ADR-008	ACTE governs authority, confidence, trust, and evidence.
ADR-009	Relationships and events are first-class entities with temporal metadata.
ADR-010	Controlled vocabularies are preferred, with governed custom values where needed.
ADR-011	Professional Objects are designed as ecosystems.
ADR-012	APIs and event schemas are versioned; cross-

Element	Specification
	service database access is prohibited.
ADR-013	AI proposes and enriches but may not silently alter trusted records.
ADR-014	Privacy is private-by-default; public disclosure is explicit and versioned.
ADR-015	Logical architecture is separated from physical implementation choices.

43. Domain Governance

A Domain Governance Board should govern changes to core objects, relationship types, controlled vocabularies, privacy classifications, and shared API contracts.

- Product leadership
- Domain experts
- Enterprise customer representation
- Data architecture
- Engineering
- AI governance
- Security and privacy
- Quality assurance and documentation

Each change should include rationale, backward compatibility review, data migration guidance, API impact, event impact, search impact, template impact, and release notes.

44. Enterprise Data Dictionary

A companion Enterprise Data Dictionary should become the definitive contract across product, engineering, AI, integrations, analytics, QA, and documentation.

- Business definition
- Technical definition
- Data type and format
- Required or optional status
- Validation rules
- Controlled vocabulary
- Default values
- Relationships
- API representation
- Search behavior
- Privacy classification
- Audit requirements
- AI governance rules
- Source and authority rules
- Retention and deletion behavior

45. Plugin and Extension Framework

CareerOS should expose a governed extension framework so institutions, professional societies, and partners can add capabilities without compromising the Professional Identity Graph or core security model.

- Institution-specific modules
- Specialty and society templates
- Credentialing and CME integrations
- Grant and research administration connectors
- Future AI provider adapters
- Custom controlled vocabularies and mappings
- Webhook and event subscriptions
- Sandbox, certification, rate limits, and scoped credentials

46. Implementation Workstreams

Element	Specification
Track A - Domain Specifications	Complete Grants, Presentations, Teaching, Leadership, Awards, Mentorship, Media, Credentials, Documents, Evidence, and Template ecosystems.
Track B - Platform Architecture	Finalize physical cloud architecture, data stores, search, messaging, API gateway, observability, AI orchestration, and integration framework.
Track C - Enterprise Features	Design tenancy, institution administration, Faculty Affairs workflows, HR integration, analytics, reporting, compliance, and governance.
Track D - Product Delivery	Create UX flows, wireframes, MVP scope, roadmap, engineering epics, user stories, acceptance criteria, test strategy, and deployment plan.

47. Recommended MVP Scope

- Individual onboarding through CV upload
- CV parsing and structured extraction review
- Trusted baseline creation
- Professional Identity, Institution, Education, Appointment, Publication, Presentation, Award, and Credential objects
- Evidence upload and provenance
- Basic ACTE and approval workflow
- Template-based CV generation in Word and PDF
- Monthly external discovery for publications and selected public achievements
- Single review queue
- Manual, voice, photo, and document-based accomplishment capture

- Basic multilingual output
- User privacy, sharing, export, audit, and account controls
- Foundational enterprise tenant and institution administration

48. MVP Acceptance Themes

- A user can upload an existing CV and receive a usable structured record without excessive questioning.
- The user can review extraction, approve material objects, and generate a new CV.
- The same trusted record can produce at least two distinct templates.
- A discovered publication cannot enter trusted output without approval.
- Duplicate evidence converges on one Career Object.
- Institution names and organization units are normalized and reusable.
- All material changes are versioned and auditable.
- Private information is not publicly visible by default.
- The user can export their data and revoke connected integrations.
- The platform can reconstruct object history and document sources.

49. Risks and Mitigations

Element	Specification
Overengineering too early	Begin with a modular monolith or well-bounded services where appropriate while preserving logical domain boundaries and events.
Excessive user review burden	Apply No Interrogation, approve once per object, group related proposals, and ask only output-specific questions.
Incorrect identity matching	Use identifiers, institutions, coauthors, timelines, evidence, confidence thresholds, and reversible review.
Master data duplication	Create canonical reference services, aliases, merge governance, and tenant extensions.
AI trust failure	Keep proposals separate from trusted state, show evidence and explanation, and prohibit silent material edits.
Enterprise privacy concerns	Use tenant isolation, purpose-based access, field-level policy, consent, audit, and data residency options.
Template complexity	Separate facts from presentation and use governed mapping rules rather than custom data models for each template.
Integration inconsistency	Version connectors, normalize through canonical objects, monitor feeds, and never silently overwrite trusted records.

Element	Specification
Cost and scale	Use asynchronous processing, object storage, search indexes, selective graph materialization, and tiered enterprise capabilities.

50. Final Product Position

CareerOS is a professional identity operating system for academia. Its competitive advantage is not simply better document formatting. It is the combination of a trusted Professional Identity Graph, evidence-backed AI discovery, explicit user governance, temporal and relational intelligence, adaptive output generation, and enterprise interoperability.

North Star

A professional should always have an accurate, approved, current CV and professional profile available immediately - without rebuilding their career record each time.

Appendix A - Common Controlled Vocabularies

- Institution type
- Organization unit type
- Appointment type
- Position and academic rank
- Employment type and FTE
- Education and degree type
- Training program type
- Publication type
- Authorship role
- Grant type and funding mechanism
- Presentation type and geographic scope
- Teaching activity type
- Leadership and committee type
- Award and recognition category
- Credential type and status
- Evidence type
- Relationship type
- Trust and approval status
- Privacy classification
- Language and country

Appendix B - Common Object Statuses

- Draft
- Proposed

- Untrusted discovery
- Pending review
- Approved
- Trusted
- Verified
- Rejected
- Superseded
- Archived
- Merged
- Retracted
- Expired
- Revoked
- Deleted subject to retention

Appendix C - Glossary

Element	Specification
ACTE	Authority, Confidence, Trust, and Evidence governance framework.
Career Object	A structured professional record representing an accomplishment, role, activity, or enduring career state.
Context	Circumstances affecting interpretation, relationship, or presentation of an object.
Evidence	Source material supporting an assertion.
Master Reference Object	A canonical entity shared across users, such as an Institution or Journal.
No Interrogation Principle	Ask only questions needed to resolve material ambiguity or produce a selected output.
Professional Event	A dated occurrence that creates or changes professional state.
Professional Identity Graph	The authoritative connected representation of a professional career.
Professional Object	A person-specific career entity such as a Publication, Appointment, or Award.
System Object	An operational entity such as Evidence, Approval, Version, Consent, or Workflow.
Trust	Acceptance of information for use in the authoritative professional record.
Timeline & Relationship Engine	Subsystem managing events, relationships, history, and point-in-time reconstruction.

Document Status

This document is a consolidated Version 1.0 working blueprint. It captures the principal product and architecture decisions developed to date. The next formal revision should add full specifications for Grant, Presentation, Teaching, Leadership, Award, Mentorship, Evidence, Template, and Document objects; the physical cloud architecture; detailed data dictionary; UX flows; and prioritized engineering backlog.

Go-to-Market, Sales & Customer Adoption Architecture

Creating a repeatable path from professional pain to individual adoption, institutional value, and durable revenue.

Vision

- CareerOS should enter the market through a simple, concrete promise: never rebuild your CV from scratch again. The broader category - a governed Professional Identity Platform - should become visible through product use rather than abstract explanation.
- The commercial model should combine individual subscriptions, departmental pilots, institution-wide deployment, and professional-society distribution.

Ideal Customers and Buyers

- Initial individual users: academic physicians, researchers, faculty, residents, fellows, and senior healthcare executives.
- Initial enterprise buyers: Faculty Affairs, department chairs, communications teams, academic leadership, research administration, and professional societies.
- Primary jobs to be done include maintaining a current CV, preparing promotion materials, synchronizing biographies, reducing repeated data requests, and improving institutional reporting.

Commercial Motion

- Use founder-led selling for the first design partners and pilots.
- Standardize discovery, qualification, pilot scope, success criteria, security review, contracting, implementation, adoption, and expansion.
- Do not count a signed pilot as success until professionals activate, administrators use the workflow, and the institution can document time savings or quality improvement.

Launch Strategy

- Begin with a controlled paid early-access launch for individuals.
- Run limited departmental pilots with 50-150 professionals and one or two workflows.
- Use conferences, webinars, professional photography activations, specialty newsletters, referrals, and trusted opinion leaders before broad paid media.

Customer Success

- Assign a named owner to every institutional deployment.
- Measure activation, review completion, workflow completion, support sentiment, executive sponsor engagement, renewal risk, and expansion opportunity.

Architectural Principle

CareerOS should earn adoption by solving a visible professional problem, proving measurable administrative value, and expanding through trust rather than aggressive automation.

Brand, Messaging & Market Category Architecture

Establishing CareerOS as the trusted category leader in governed professional identity.

Brand Architecture

- Use CareerOS as the master brand and corporate platform.
- Use MyCVBuilder by CareerOS as an accessible entry product when helpful.
- Primary category: Professional Identity Platform. Strategic category: Professional Identity Operating System.

Core Messaging

- Mission: capture professional information once, govern it transparently, and make it usable everywhere.
- Master tagline: Your career. Always current.
- Core promise: accurate, current, evidence-based, portable, professional-owned, and institution-ready.

Trust Language

- External discoveries are proposed, not silently added.
- Every meaningful update should show source, confidence, reason, evidence, and approval status.
- Marketing should avoid claims of autonomous career management that exceed actual governance controls.

Website and Content

- Lead with the problem and immediate value, then explain the platform.
- Structure the website around professionals, institutions, societies, security, pricing, and resources.
- Create category content on professional identity, governed AI, evidence, portability, and faculty workflow modernization.

Brand Governance

- Maintain approved terminology, trademark usage, tone, visual standards, and claims review.
- Measure branded search, message comprehension, qualified conversion, trust perception, and category association.

Architectural Principle

CareerOS should be known not for generating documents faster, but for keeping professional identity accurate, current, governed, and ready.

Competitive Strategy, Defensibility & Strategic Moat Architecture

Building defensibility from a reinforcing system rather than a single feature.

Competitive Position

- CareerOS should not compete only as a CV builder, faculty database, publication tracker, credentialing tool, or professional network.
- It should become the trusted layer connecting these systems while preserving professional ownership.

Moat Components

- Professional Identity Graph™
- ACTE™ governance
- Evidence and provenance
- Continuous discovery
- Adaptive rendering
- Enterprise workflows
- Explainable AI
- Institutional relationships
- Marketplace and partner ecosystem
- Brand trust

Network and Learning Effects

- The platform improves through better taxonomies, templates, integrations, entity resolution, and approved professional patterns.
- Network effects must never depend on taking ownership of the professional's identity.

Ethical Switching Costs

- Durable retention should arise from embedded workflows, evidence continuity, trusted history, integrations, reporting, and administrative familiarity.
- CareerOS should avoid artificial data lock-in and preserve export and portability.

Intellectual Property

- Protect the Professional Identity Graph™, ACTE™, orchestration logic, evidence architecture, adaptive template engine, and workflow designs through trademarks, copyright, patents where justified, and trade-secret controls.

Architectural Principle

The moat is the combined system of governed identity, evidence, workflow integration,

explainability, portability, and trust.

Partnerships, Ecosystem & Strategic Alliance Architecture

Expanding platform value through governed alliances and standardized integration.

Partnership Categories

- Technology providers, academic institutions, professional societies, publishers, credentialing bodies, enterprise software vendors, recruiters, consultants, and developers.

Professional Societies

- Offer society-branded portals, member subscriptions, speaker profiles, conference tracking, committee applications, awards, directories, and continuing-education support.
- Commercial structures may include sponsored memberships, discounts, revenue sharing, or enterprise licensing.

Marketplace

- Support certified templates, connectors, workflow modules, analytics, and AI extensions.
- Require security, privacy, accessibility, performance, support, compatibility, and licensing review.

Developer Program

- Provide documented APIs, SDKs, sandbox environments, scoped credentials, versioning, certification, and technical support.

Alliance Governance

- Evaluate strategic alignment, customer overlap, technical compatibility, data rights, commercial value, concentration risk, and long-term sustainability.
- Partners should extend the canonical model rather than fragment it.

Architectural Principle

CareerOS should become the foundation on which institutions and partners build, while retaining control of trust, governance, and the canonical identity architecture.

Organization, Talent & Leadership Operating Model

Building a lean, accountable company that adds complexity only when justified by evidence.

Operating Principles

- Build around capabilities rather than titles.
- Separate equity ownership from operating authority.
- Use one accountable owner for every major outcome.
- Use fractional leadership where a full-time executive is premature.

Founding Structure

- CEO and product sponsor
- CTO and technical architecture
- Small senior engineering team
- AI/data capability
- Product design
- Fractional finance, legal, security, and compliance
- High-touch implementation and customer support

Founder Governance

- Document role, time commitment, compensation, equity, vesting, reporting relationship, decision authority, performance expectations, and departure treatment.
- Because multiple proposed leaders are related, require conflict-of-interest controls, independent oversight, and disinterested approval of related-party matters.

Hiring Sequence

- Prioritize senior full-stack engineering, AI/data engineering, product design, quality and reliability, implementation, and customer success.
- Add sales leadership only after the ideal customer profile, sales cycle, and implementation model are understood.

Culture

- Accuracy before appearance.
- Trust before automation.
- Customer value before internal activity.
- Direct communication, ownership, discipline, learning, psychological safety, and accountability.

Architectural Principle

Leadership should be defined by capability, judgment, accountability, and sustained

contribution - not merely ownership, family relationship, or title.

KPI, Governance & Board Reporting Architecture

Converting strategy into measurable outcomes, decision thresholds, and accountable governance.

North Star

- Monthly Trusted Professional Records Actively Used, or an equivalent metric that requires an approved baseline and a meaningful document, update, or institutional workflow event.

Metric Domains

- Financial
- Product
- Professional trust
- AI and data quality
- Growth and sales
- Customer adoption
- Reliability and security
- People and organization
- Strategic execution

Core Measures

- ARR and MRR, gross margin, burn, runway, CAC and payback, activation, time to first value, retention, discovery approval, correction burden, evidence coverage, extraction precision and recall, identity-match accuracy, hallucination rate, enterprise pipeline, pilot conversion, uptime, incidents, vulnerabilities, and organizational health.

Board Reporting

- CEO summary, strategic objectives, financial performance, cash and runway, product, revenue and customers, trust and security, organization, top risks, and decisions required.

Data Governance

- Maintain a metric catalog with name, definition, owner, source, calculation, frequency, access, and limitations.
- Use controlled change management when KPI definitions change.

Architectural Principle

Governance should make performance visible, accountability explicit, risk difficult to conceal, and major decisions grounded in reliable information.

Launch Readiness & 24-Month Execution Plan

Translating the blueprint into a gated, evidence-driven operating program.

24-Month Phases

- Months 1-3: formation and product definition.
- Months 4-6: working alpha.
- Months 7-9: closed beta and recurring-value validation.
- Months 10-12: paid early access.
- Months 13-15: enterprise pilot readiness.
- Months 16-18: initial paid pilots.
- Months 19-21: commercial repeatability.
- Months 22-24: scale-readiness and financing decision.

Minimum Complete Trust Loop

- Existing CV -> structured extraction -> professional review -> trusted baseline -> current document generation -> ongoing update workflow.

Launch Gates

- Corporate and IP clarity
- Extraction quality
- Transparent approval
- Security and privacy readiness
- Reliable document generation
- Recurring professional value
- Paid demand
- Enterprise implementation repeatability

Capital Discipline

- Use milestone-based hiring and budget gates.
- Maintain base, downside, and growth scenarios.
- Delay broad advertising, large executive hiring, extensive integrations, and international complexity until evidence justifies them.

Scale Decision

- At Month 24, decide whether to accelerate, extend validation, focus on individual professionals, focus on enterprise, pursue a strategic partnership, or narrow the market.

Architectural Principle

CareerOS should invest in increasingly ambitious capabilities only after the prior phase produces measurable evidence of value, quality, trust, and economic feasibility.

Executive Synthesis, Investment Case & Final Recommendations

The definitive strategic thesis for the CareerOS Professional Identity Operating System.

Strategic Thesis

- A professional career is too important to remain scattered across outdated documents, disconnected databases, email attachments, and systems owned by others.
- CareerOS should transform that fragmentation into a trusted, structured, living professional identity.

Initial Product

- Use the always-current CV as the entry point.
- Treat the latest reviewed CV as the trusted baseline.
- Keep external findings proposed until approved.
- Generate many outputs from one governed identity.

Investment Case

- Large recurring administrative problem
- Simple, understandable entry product
- Expansion into enterprise workflows
- Recurring subscription revenue
- Proprietary identity and trust architecture
- Strategic partnership and acquisition relevance

Definitive Priorities

- Trusted CV import
- Professional review and approval
- High-quality rendering
- Continuous updates
- Evidence and provenance
- Enterprise controls
- Reusable workflows
- Intelligence and marketplace after the foundation is proven

Final Recommendations

- Launch as a Professional Identity Platform, not a broad social network.
- Begin with academic healthcare.

- Use individual adoption, departmental pilots, and societies as complementary channels.
- Keep the organization lean.
- Treat a \$2 million raise as milestone-based validation capital.
- Scale only after repeatable retention and implementation are demonstrated.

Architectural Principle

CareerOS should create one canonical professional identity that supports every document, workflow, institution, opportunity, and career transition without forcing the professional to reconstruct the same career repeatedly.

Final Mandate

For the first 24 months, CareerOS should prove that professionals and institutions will trust, use, and pay for a continuously maintained professional identity platform that saves time, improves accuracy, preserves ownership, and remains ready for every professional opportunity.

Definitive Platform Principles

- The Professional Identity Graph™ is the canonical source of truth.
- Documents are generated views, not the authoritative record.
- AI augments professional judgment and does not silently govern trusted facts.
- Evidence, provenance, confidence, and approval should be visible.
- Professional ownership and portability should survive institutional transitions.
- Enterprise workflows should be configurable and reusable rather than custom-built for every customer.
- Trust, security, privacy, reliability, and auditability are product features.
- Capital should be allocated to risk reduction, recurring value, and defensible platform assets.

Selected Glossary

Term	Definition
ACTE™	Authority, Confidence, Trust, and Evidence governance framework.
Career Object	A structured record representing an accomplishment, role, activity, or enduring career state.
Professional Identity Graph™	The authoritative connected representation of a professional career.
Trusted Baseline	The reviewed and approved professional record established from the latest CV or other authoritative input.
Proposed Update	Externally discovered or AI-derived information awaiting professional or authorized institutional review.
Adaptive Rendering	Generation of multiple documents and profiles from the same governed identity using output-specific rules.
Professional Portability	The professional's ability to export, retain, and carry the longitudinal identity across institutions.

End of Blueprint