

Rendered with the real Off White 360 swatch, at true size.

Duratile XL Marbling Floor Tile

Practical, economical commercial tile in twelve colours.

With a reputation for being both practical and economical. Duratile XL marbling floor tile offers a spectrum of commercial floors to meet the durability requirements of institutional and commercial application. Available in a wide range of colours or designs, they provide the spark for creative interior environments.

Colour selection



Peach Mist 333

Off White 360



Paradise Green 388



Seaform 301



Mulberry 300



Silver Grey 368



Ridge Grey 354



Nocturne Blue 386



Evergreen 336



Crocus Yellow 318



Roseberry 302



Sable 338



Duratile XL Marbling Floor Tile in use

Printed and on-screen colours are a guide. Please confirm your choice against an actual sample.

Specification and care

Description

Size	304.8mm x 304.8mm (Asbestos Free)
Thickness	2.0mm
Packing	50 pieces / carton
Weight	18.8kg / carton
Specification	Manufacture in accordance with Japanese Industrial Standard (JLS 5705 A OF 1990)
Resistance to	Cooking Oil, Gasoline, Kerosene, Cottonseed Oil, Sodium Hydroxide 2%, Cement Paste

Installation

Subfloor should be smooth, level, dry, free from dust, oil and water. Use appropriate adhesive recommended by distributor.

Maintenance

Once the floor is installed, wipe thoroughly with a damp mop and apply a layer of seal to protect the surface. Daily maintenance is by damp mopping whilst regular cleaning or maintenance schedule should be established based on your specific traffic.

Recommended Application

School, Health Care, Public Buildings, Industries, Restaurants, Supermarkets, Retail Outlets and Offices.

Durafloor Industries Sdn. Bhd.
(122259-H)
Tel and WhatsApp 012-3222160
durafloor@hotmail.com
www.durafloor.com.my

HQ Wisma Durafloor
65, Jalan PBS 14/2, Taman
Perindustrian Bukit Serdang,
43300 Seri Kembangan, Selangor

Factory
17, Persiaran Zurah 1, Pusat
Perindustrian Zurah,
Mukim Rasa, 44200 Daerah Hulu
Selangor, Selangor