Cucumber Report

Start : May 12, 12:52:46.992 PM	**End : May 12, 12:53:53.992 PM**	**Duration : 1 m 7.000 s**
Features	Scenarios	Steps
PASSED - 7 FAILED - 2 SKIPPED - 0	PASSED - 19 FAILED - 4 SKIPPED - 1	PASSED - 40 FAILED - 2 SKIPPED - 5

9

24

47

Pass %

77 %

79 %

85 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
DataTable And DocString	0.862 s	2	2	0	0	4	4	0	0
Exception	1.238 s	5	5	0	0	6	6	0	0
Hook and step failures	0.030 s	2	0	2	0	4	0	0	4
Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & *	4.213 s	2	2	0	0	6	6	0	0
No tag feature	2.100 s	1	1	0	0	3	3	0	0
Scenario And Scenario Outline	12.658 s	6	6	0	0	18	18	0	0
Screenshots	31.566 s	2	2	0	0	2	2	0	0
Scenarios With No Step Definitions	0.653 s	3	0	2	1	3	0	2	1
Two Screenshots	13.493 s	1	1	0	0	1	1	0	0

* The feature name has been cropped to fit in the available space.

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@tabledoc	2	2	0	0	1	1	0	0
@exception	5	5	0	0	1	1	0	0
@failure	2	0	2	0	1	0	1	0
@longlong	2	2	0	0	1	1	0	0
@lengthyfeature	2	2	0	0	1	1	0	0
@lengthyscenario	1	1	0	0	1	1	0	0
@lengthyscenariolengthyscenario	1	1	0	0	1	1	0	0
@lengthyscenariolengthyscenarioscenario	1	1	0	0	1	1	0	0
@longlonglonglong	1	1	0	0	1	1	0	0
@smallscenario	1	1	0	0	1	1	0	0
@both	6	6	0	0	1	1	0	0
@sout	4	4	0	0	1	1	0	0
@soodd	2	2	0	0	1	1	0	0
@soeven	2	2	0	0	1	1	0	0
@scen	2	2	0	0	1	1	0	0
@website	2	2	0	0	1	1	0	0
@skip	5	2	2	1	2	1	1	0

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@skipscenario	1	0	1	0	1	0	1	0
@twoimg	1	1	0	0	1	1	0	0

#	Feature Name	T	P	F	S	Duration
1	DataTable And DocString	2	2	0	0	0.862 s
2	Exception	5	5	0	0	1.238 s
3	Hook and step failures	2	0	2	0	0.030 s
4	Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names *	2	2	0	0	4.213 s
5	No tag feature	1	1	0	0	2.100 s
6	Scenario And Scenario Outline	6	6	0	0	12.658 s
7	Screenshots	2	2	0	0	31.566 s
8	Scenarios With No Step Definitions	3	0	2	1	0.653 s
9	Two Screenshots	1	1	0	0	13.493 s

* The feature name has been cropped to fit in the available space.

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	DataTable And DocString	DataTable Scenario	2	2	0	0	0.430 s
2	DataTable And DocString	Doc String to Custom Object	2	2	0	0	0.400 s
3	Exception	Exception	1	1	0	0	0.202 s
4	Exception	No Exception	1	1	0	0	0.200 s
5	Exception	Other Exception	2	2	0	0	0.400 s
6	Exception	Check exception 1	1	1	0	0	0.200 s
7	Exception	Check exception 2	1	1	0	0	0.201 s
8	Hook and step failures	Before Hook	2	0	0	2	0.002 s
9	Hook and step failures	After Hook	2	0	0	2	0.001 s
10	Long long feature & Scenario Names Long long feature & Scenario Names *	Scenario Long Name Scenario Long Name Scenario Long Name Scenario Long Name Scenario Long Name Scenario *	3	3	0	0	2.101 s

The feature name and/or scenario name has been cropped to fit in the available space.

#	Feature Name	Scenario Name	T	P	F	S	Duration
11	Long long feature & Scenario Names Long long feature & Scenario Names *	Scenario Normal Name	3	3	0	0	2.101 s
12	No tag feature	No tag scenario	3	3	0	0	2.100 s
13	Scenario And Scenario Outline	Scenario Outline Row 300	3	3	0	0	2.103 s
14	Scenario And Scenario Outline	Scenario Outline Row 500	3	3	0	0	2.100 s
15	Scenario And Scenario Outline	Scenario Outline Row 400	3	3	0	0	2.102 s
16	Scenario And Scenario Outline	Scenario Outline Row 600	3	3	0	0	2.101 s
17	Scenario And Scenario Outline	Scenario Number Seven Seven Seven	3	3	0	0	2.100 s
18	Scenario And Scenario Outline	Scenario Number Eight Eight Eight	3	3	0	0	2.101 s
19	Screenshots	Scenario screenshot GIT	1	1	0	0	22.534 s
20	Screenshots	Scenario screenshot STACK	1	1	0	0	9.015 s

* The feature name and/or scenario name has been cropped to fit in the available space.

#	Feature Name	Scenario Name	T	P	F	S	Duration
21	Scenarios With No Step Definitions	No Step defined	1	0	1	0	0.201 s
22	Scenarios With No Step Definitions	Pending step	1	0	1	0	0.201 s
23	Scenarios With No Step Definitions	Skipped step	1	0	0	1	0.200 s
24	Two Screenshots	Scenario screenshot 2	1	1	0	0	13.493 s

DataTable And DocString

PASSED	DURATION - 0.862 s	Scenarios		Steps	
/ 12:52:46.992 PM // 12:52:47.854 PM /		Total - 2 Pass - 2 Fail - 0	2	Total - 4 Pass - 4 Fail - 0	4
@tabledoc		Skip - 0		Skip - 0	

DataTable Scenario

PASSED	DURATION - 0.430 s		Steps	
/ 12:52:46.992 PM // 12:52:47.422 PM /			Total - 2 Pass - 2 Fail - 0	2
DataTable And DocString			Skip - 0	
@tabledoc				

#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Given Hello background	PASSED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
2	Given Customer orders the dishes	PASSED	0.030 s

one cell Customer orders t*	two cell	three cell	four cell	five cell	six cell	seven cell	eight cell	nine cell	ten cell	eleven cell	twelve cell
1	2	3	4	5	6	7	8	9	10	11	12
1	2	3	4	5	6	7	8	9	10	11	12
1	2	3	4	5	6	7	8	9	10	11	12
1	2	3	4	5	6	7	8	9	10	11	12
1	2	3	4	5	6	7	8	9	10	11	12
1	2	3	4	5	6	7	8	9	10	11	12
1	2	3	4	5	6	7	8	9	10	11	12

* The data cell text(s) have been cropped to fit in the available space.

#	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s

Doc String to Custom Object

PASSED	DURATION - 0.400 s
/ 12:52:47.454 PM // 12:52:47.854 PM /	
DataTable And DocString	
@tabledoc	

Steps
Total - 2
Pass - 2
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Given Hello background	PASSED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
2	Given the doc string is	PASSED	0.000 s

Hello there how r u? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily

Doing great. Spicy Meatballs for food and drink italian sicily
Whats new? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily

Nothing much. Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily

Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u?
Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u?
Nothing much. Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily

Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u?
Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u?
 Hello there how r u? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily

Doing great. Spicy Meatballs for food and drink italian sicily
Whats new? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily

Nothing much. Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily

Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u?
Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u?

#	Step / Hook Details	Status	Duration
	Nothing much. Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Doing great. Spicy Meatballs for food and drink italian sicily Whats new? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Nothing much. Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Nothing much. Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u?		
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s

Exception

PASSED	DURATION - 1.238 s	Scenarios Total - 5 Pass - 5 Fail - 0 Skip - 0	5	Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	6
/ 12:52:47.865 PM // 12:52:49.103 PM /					
@exception					

Exception

PASSED	DURATION - 0.202 s
/ 12:52:47.865 PM // 12:52:48.067 PM /	
Exception	
@exception	

Steps
Total - 1
Pass - 1
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Given Raise exception	PASSED	0.002 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s

No Exception

PASSED	DURATION - 0.200 s
/ 12:52:48.076 PM // 12:52:48.276 PM /	
Exception	
@exception	

Steps
Total - 1
Pass - 1
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Given Do not raise exception	PASSED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s

Other Exception

PASSED	DURATION - 0.400 s

/ 12:52:48.285 PM // 12:52:48.685 PM /

Exception

@exception

Steps
Total - 2
Pass - 2
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Given Raise exception	PASSED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
2	Given Raise exception	PASSED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s

Check exception 1

PASSED	DURATION - 0.200 s

/ 12:52:48.694 PM // 12:52:48.894 PM /

Exception

@exception

Steps
Total - 1
Pass - 1
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Given Raise exception	PASSED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s

Check exception 2

PASSED	DURATION - 0.201 s

/ 12:52:48.902 PM // 12:52:49.103 PM /

Exception

@exception

Steps
Total - 1
Pass - 1
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.101 s
1	Given Raise exception	PASSED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s

Hook and step failures

FAILED	DURATION - 0.030 s

/ 12:52:49.112 PM // 12:52:49.142 PM /

@failure

Scenarios
Total - 2
Pass - 0
Fail - 2
Skip - 0

Steps
Total - 4
Pass - 0
Fail - 0
Skip - 4

Before Hook

FAILED	DURATION - 0.002 s

/ 12:52:49.112 PM // 12:52:49.114 PM /

Hook and step failures

@failure

Steps
Total - 2
Pass - 0
Fail - 0
Skip - 2

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.beforeFailure(io.cucumber.java.Scenario)	FAILED	0.002 s
	FAILURE HI		

#	Step / Hook Details	Status	Duration
	FAILURE HELLO		
	java.lang.RuntimeException at stepdefs.Stepdefs.beforeFailure(Stepdefs.java:64)		
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	SKIPPED	0.000 s
1	Given Hook failure step	SKIPPED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	SKIPPED	0.000 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	SKIPPED	0.000 s
2	When Skip hook failure step	SKIPPED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	SKIPPED	0.000 s
	AFTER - stepdefs.Stepdefs.afterFailure()	FAILED	0.000 s
	FAILURE HI		
	FAILURE HELLO		
	java.lang.RuntimeException at stepdefs.Stepdefs.afterFailure(Stepdefs.java:71)		

After Hook

FAILED	DURATION - 0.001 s		Steps
/ 12:52:49.141 PM // 12:52:49.142 PM /			Total - 2
			Pass - 0
Hook and step failures			Fail - 0
			Skip - 2
@failure			

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.beforeFailure(io.cucumber.java.Scenario)	FAILED	0.000 s
	FAILURE HI		
	FAILURE HELLO		
	java.lang.RuntimeException at stepdefs.Stepdefs.beforeFailure(Stepdefs.java:64)		
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	SKIPPED	0.000 s
1	Given Hook failure step	SKIPPED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	SKIPPED	0.000 s
2	Then Skip hook failure step	SKIPPED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	SKIPPED	0.000 s
	AFTER - stepdefs.Stepdefs.afterFailure()	FAILED	0.001 s
	FAILURE HI		
	FAILURE HELLO		
	java.lang.RuntimeException at stepdefs.Stepdefs.afterFailure(Stepdefs.java:71)		

Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long Long long feature & Scenario Names Long long feature Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long Long long feature & Scenario Names Long long feature Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long Long long feature & Scenario Names Long long feature Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long Long long feature & Scenario Names Long long feature Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long Long long feature & Scenario Names Long

long feature Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long Long long feature & Scenario Names Long long feature Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long Long long feature & Scenario Names Long long feature Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long Long long feature & Scenario Names Long long feature Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long Long long feature & Scenario Names Long long feature Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long Long long feature & Scenario Names Long long feature Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long Long long feature & Scenario Names Long long feature Long long feature & Scenario Names

PASSED	DURATION - 4.213 s	Scenarios		Steps	
/ 12:52:49.161 PM // 12:52:53.374 PM /		Total - 2 Pass - 2 Fail - 0 Skip - 0	2	Total - 6 Pass - 6 Fail - 0 Skip - 0	6
@longlong @lengthyfeature					

Scenario Long Name Scenario Long Name

PASSED	DURATION - 2.101 s	Steps
/ 12:52:49.161 PM // 12:52:51.262 PM /		Total - 3
Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario *		Pass - 3
@longlong @lengthyfeature @lengthyscenario @lengthyscenariolengthyscenario @lengthyscenariolengthyscenarioscenario *		Fail - 0
		Skip - 0

#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Given Write a 'given' step with precondition in 'Scenario 777'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s

#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
2	When Complete action in 'when' step in 'Scenario 777'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
3	Then Validate the outcome in 'then' step in 'Scenario 777'	PASSED	0.501 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s

Scenario Normal Name

PASSED	DURATION - 2.101 s
/ 12:52:51.273 PM // 12:52:53.374 PM /	
Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario *	
@longlong @lengthyfeature @smallscenario	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

| #	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Given Write a 'given' step with precondition in 'Scenario 777'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
2	When Complete action in 'when' step in 'Scenario 777'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
3	Then Validate the outcome in 'then' step in 'Scenario 777'	PASSED	0.501 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s

No tag feature

PASSED	DURATION - 2.100 s		Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	3
	/ 12:52:53.387 PM // 12:52:55.487 PM /					

No tag scenario

PASSED	DURATION - 2.100 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	3
/ 12:52:53.387 PM // 12:52:55.487 PM /				
No tag feature				

| #	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Given Write a 'given' step with precondition in 'Scenario No tag'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
2	When Complete action in 'when' step in 'Scenario No tag'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
3	Then Validate the outcome in 'then' step in 'Scenario No tag'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s

Scenario And Scenario Outline

| PASSED	DURATION - 12.658 s		Scenarios Total - 6 Pass - 6 Fail - 0 Skip - 0	6	Steps Total - 18 Pass - 18 Fail - 0 Skip - 0	18
/ 12:52:55.501 PM // 12:53:08.159 PM /						
@both						

Scenario Outline Row 300

PASSED	DURATION - 2.103 s
/ 12:52:55.501 PM // 12:52:57.604 PM /	
Scenario And Scenario Outline	
@both @sout @soodd	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.102 s
1	Given Write a 'given' step with precondition in 'Scenario Outline One300'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
2	When Complete action in 'when' step in 'Scenario Outline One300'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
3	Then Validate the outcome in 'then' step in 'Scenario Outline One300'	PASSED	0.501 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s

Scenario Outline Row 500

PASSED	DURATION - 2.100 s
/ 12:52:57.613 PM // 12:52:59.713 PM /	
Scenario And Scenario Outline	
@both @sout @soodd	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Given Write a 'given' step with precondition in 'Scenario Outline Two500'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s

| #	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
2	When Complete action in 'when' step in 'Scenario Outline Two500'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
3	Then Validate the outcome in 'then' step in 'Scenario Outline Two500'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s

Scenario Outline Row 400

PASSED	DURATION - 2.102 s		Steps	
/ 12:52:59.725 PM // 12:53:01.827 PM /			Total - 3	
Scenario And Scenario Outline			Pass - 3	
			Fail - 0	
@both @sout @soeven			Skip - 0	

| #	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Given Write a 'given' step with precondition in 'Scenario Outline One400'	PASSED	0.501 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
2	When Complete action in 'when' step in 'Scenario Outline One400'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
3	Then Validate the outcome in 'then' step in 'Scenario Outline One400'	PASSED	0.501 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s

Scenario Outline Row 600

PASSED	*DURATION - 2.101 s*
/ 12:53:01.841 PM // 12:53:03.942 PM /	
Scenario And Scenario Outline	
@both @sout @soeven	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Given Write a 'given' step with precondition in 'Scenario Outline Two600'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
2	When Complete action in 'when' step in 'Scenario Outline Two600'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
3	Then Validate the outcome in 'then' step in 'Scenario Outline Two600'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.101 s

Scenario Number Seven Seven Seven

PASSED	*DURATION - 2.100 s*
/ 12:53:03.950 PM // 12:53:06.050 PM /	
Scenario And Scenario Outline	
@both @scen	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Given Write a 'given' step with precondition in 'Scenario 777'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s

#	Step / Hook Details	Status	Duration
2	When Complete action in 'when' step in 'Scenario 777'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
3	Then Validate the outcome in 'then' step in 'Scenario 777'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s

Scenario Number Eight Eight Eight

PASSED	DURATION - 2.101 s		Steps	
/ 12:53:06.058 PM // 12:53:08.159 PM /			Total - 3	
			Pass - 3	3
Scenario And Scenario Outline			Fail - 0	
			Skip - 0	
@both @scen				

| #	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Given Write a 'given' step with precondition in 'Scenario 888'	PASSED	0.501 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
2	When Complete action in 'when' step in 'Scenario 888'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
3	Then Validate the outcome in 'then' step in 'Scenario 888'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s

Screenshots

PASSED	DURATION - 31.566 s	Scenarios		Steps	
		Total - 2		Total - 2	
/ 12:53:08.167 PM // 12:53:39.733 PM /		Pass - 2		Pass - 2	
		Fail - 0		Fail - 0	
@website @skip		Skip - 0		Skip - 0	

Scenario screenshot GIT

PASSED	DURATION - 22.534 s		Steps	
/ 12:53:08.167 PM // 12:53:30.701 PM /			Total - 1	
Screenshots			Pass - 1	
			Fail - 0	
@website @skip			Skip - 0	

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.beforeSite(io.cucumber.java.Scenario)	PASSED	5.444 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Given Go to https://github.com/	PASSED	15.524 s
	scenario website name - https://github.com/		
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s
	AFTER - stepdefs.Stepdefs.afterSite()	PASSED	1.366 s
	first log		
	second log second log		
	third log third log third log		
	fourth log fourth log fourth log fourth log		
	fifth log fifth log fifth log fifth log fifth log		
	sixth log sixth log sixth log sixth log sixth log sixth log		
	seventh log seventh log		

#	Step / Hook Details	Status	Duration

Scenario screenshot STACK

PASSED	DURATION - 9.015 s		Steps	
/ 12:53:30.718 PM // 12:53:39.733 PM /			Total - 1	
			Pass - 1	
Screenshots			Fail - 0	
			Skip - 0	
@website @skip				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.beforeSite(io.cucumber.java.Scenario)	PASSED	1.783 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.101 s
1	Given Go to https://stackoverflow.com/	PASSED	6.188 s
	scenario website name - https://stackoverflow.com/		
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.101 s
	AFTER - stepdefs.Stepdefs.afterSite()	PASSED	0.842 s
	first log		
	second log second log		
	third log third log third log		
	fourth log fourth log fourth log fourth log		
	fifth log fifth log fifth log fifth log fifth log		
	sixth log sixth log sixth log sixth log sixth log sixth log		
	seventh log seventh log		

#	Step / Hook Details	Status	Duration

Scenarios With No Step Definitions

FAILED	DURATION - 0.653 s	Scenarios Total - 3 Pass - 0 Fail - 2 Skip - 1	3	Steps Total - 3 Pass - 0 Fail - 2 Skip - 1	3
/ 12:53:39.839 PM // 12:53:40.492 PM /					
@skip					

No Step defined

FAILED	DURATION - 0.201 s		Steps Total - 1 Pass - 0 Fail - 1 Skip - 0	1
/ 12:53:39.839 PM // 12:53:40.040 PM /				
Scenarios With No Step Definitions				
@skip @skipscenario				

#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.101 s
1	Given No step definition methods	FAILED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s

Pending step

FAILED	DURATION - 0.201 s
/ 12:53:40.058 PM // 12:53:40.259 PM /	
Scenarios With No Step Definitions	
@skip	

Steps
Total - 1
Pass - 0
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Given Pending step definition	FAILED	0.001 s

	io.cucumber.java.PendingException: TODO: implement me
	    at stepdefs.Stepdefs.pending_step_definition_methods(Stepdefs.java:163)
	    at ?.Pending step definition(file:///D:/eclipse-workspace/maven.1646302477004/cucumber-pdf-plugin-report/src/test/resources/stepdefs/skipdef.feature:11)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s

Skipped step

SKIPPED	DURATION - 0.200 s
/ 12:53:40.292 PM // 12:53:40.492 PM /	
Scenarios With No Step Definitions	
@skip	

Steps
Total - 1
Pass - 0
Fail - 0
Skip - 1

#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Given Skipped step definition	SKIPPED	0.000 s

	org.testng.SkipException: SKip it
	    at stepdefs.Stepdefs.skippedStep(Stepdefs.java:168)
	    at ?.Skipped step definition(file:///D:/eclipse-workspace/maven.1646302477004/cucumber-pdf-plugin-report/src/test/resources/stepdefs/skipdef.feature:16)
	* Not displayable characters are replaced by '?'.		

| #	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s

Two Screenshots

PASSED	DURATION - 13.493 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 1 Pass - 1 Fail - 0 Skip - 0	
/ 12:53:40.499 PM // 12:53:53.992 PM /			1		1
@twoimg					

Scenario screenshot 2

PASSED	DURATION - 13.493 s		Steps Total - 1 Pass - 1 Fail - 0 Skip - 0	
/ 12:53:40.499 PM // 12:53:53.992 PM /				1
Two Screenshots				
@twoimg				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.beforeSite(io.cucumber.java.Scenario)	PASSED	1.380 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.101 s
1	When Go to capture 2 images in one step 	PASSED	11.056 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.101 s
	AFTER - stepdefs.Stepdefs.afterSite() first log second log second log third log third log third log	PASSED	0.855 s

#	Step / Hook Details	Status	Duration
	fourth log fourth log fourth log fourth log fifth log fifth log fifth log fifth log fifth log sixth log sixth log sixth log sixth log sixth log sixth log seventh log		