Grasshopper PDF Report

| Start : Mar 06, 2:36:22.164 PM	End : Mar 06, 2:37:04.691 PM	Duration : 42.527 s
Features	Scenarios	Steps
PASSED - 4 FAILED - 3 SKIPPED - 0	PASSED - 15 FAILED - 5 SKIPPED - 1	PASSED - 32 FAILED - 3 SKIPPED - 5

7

21

40

Pass % 57 %

Pass % 71 %

Pass % 80 %

#	Feature Name	T	P	F	S	Duration
1	DataTable And DocString	2	2	0	0	0.829 s
2	Exception	5	4	1	0	1.232 s
3	Hook and step failures	2	0	2	0	0.017 s
4	Wrapped up Feature Title Name Longer the Better Title Wrapped up Feature Title Name Longer the Better Title Wrapped up Feature Title Name Longer the Better Title Wrapped up Feature Ti *	1	1	0	0	2.102 s
5	Scenario And Scenario Outline	6	6	0	0	12.660 s
6	Screenshots	2	2	0	0	24.970 s
7	Scenarios With No Step Definitions	3	0	2	1	0.614 s

* The feature name has been cropped to fit in the available space.

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	DataTable And DocString	DataTable Scenario	2	2	0	0	0.403 s
2	DataTable And DocString	Doc String to Custom Object	2	2	0	0	0.403 s
3	Exception	Exception	1	1	0	0	0.203 s
4	Exception	No Exception	1	1	0	0	0.200 s
5	Exception	Other Exception	2	2	0	0	0.400 s
6	Exception	Check exception 1	1	1	0	0	0.200 s
7	Exception	Check exception 2	1	0	1	0	0.202 s
8	Hook and step failures	Before Hook	2	0	0	2	0.003 s
9	Hook and step failures	After Hook	2	0	0	2	0.000 s
10	Wrapped up Feature Title Name Longer the Better Title Wrapped up Feature *	Wrapped up Scenario Title Name Longer the Better Title rapped up Scenario Title Name Longer the Better Title *	3	3	0	0	2.102 s

* The feature name and/or scenario name has been cropped to fit in the available space.

| #	Feature Name	Scenario Name	T	P	F	S	Duration
11	Scenario And Scenario Outline	Scenario Outline Row 300	3	3	0	0	2.103 s
12	Scenario And Scenario Outline	Scenario Outline Row 500	3	3	0	0	2.104 s
13	Scenario And Scenario Outline	Scenario Outline Row 400	3	3	0	0	2.102 s
14	Scenario And Scenario Outline	Scenario Outline Row 600	3	3	0	0	2.101 s
15	Scenario And Scenario Outline	Scenario Number Seven Seven Seven	3	3	0	0	2.103 s
16	Scenario And Scenario Outline	Scenario Number Eight Eight Eight	3	3	0	0	2.101 s
17	Screenshots	Scenario screenshot GIT	1	1	0	0	15.317 s
18	Screenshots	Scenario screenshot STACK	1	1	0	0	9.648 s
19	Scenarios With No Step Definitions	No Step defined	1	0	1	0	0.200 s
20	Scenarios With No Step Definitions	Pending step	1	0	1	0	0.201 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
21	Scenarios With No Step Definitions	Skipped step	1	0	0	1	0.201 s

(F)- DataTable And DocString

PASSED	DURATION - 0.829 s		Scenarios		Steps	
			Total - 2		Total - 4	
/ 2:36:22.164 PM // 2:36:22.993 PM /			Pass - 2	2	Pass - 4	4
			Fail - 0		Fail - 0	
@tabledoc			Skip - 0		Skip - 0	

(S)- DataTable Scenario

PASSED	DURATION - 0.403 s		Steps	
			Total - 2	
/ 2:36:22.164 PM // 2:36:22.567 PM /			Pass - 2	2
DataTable And DocString			Fail - 0	
@tabledoc			Skip - 0	

#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.102 s
1	Given Hello background	PASSED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
2	Given Customer orders the dishes	PASSED	0.001 s

one cell Customer orders t*	two cell	three cell	four cell	five cell	six cell	seven cell	eight cell	nine cell	ten cell	eleven cell	twelve cell
1	2	3	4	5	6	7	8	9	10	11	12
1	2	3	4	5	6	7	8	9	10	11	12
1	2	3	4	5	6	7	8	9	10	11	12
1	2	3	4	5	6	7	8	9	10	11	12
1	2	3	4	5	6	7	8	9	10	11	12
1	2	3	4	5	6	7	8	9	10	11	12
1	2	3	4	5	6	7	8	9	10	11	12

* The data cell text(s) have been cropped to fit in the available space.

	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s

(S)- Doc String to Custom Object

PASSED	DURATION - 0.403 s		Steps	
	/ 2:36:22.590 PM // 2:36:22.993 PM /		Total - 2	
	DataTable And DocString		Pass - 2	2
	@tabledoc		Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.103 s
1	Given Hello background	PASSED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
2	Given the doc string is	PASSED	0.000 s
	Hello there how r u? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Doing great. Spicy Meatballs for food and drink italian sicily Whats new? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Nothing much. Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u?		
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s

(F)- Exception

| FAILED	DURATION - 1.232 s		Scenarios		Steps	
	/ 2:36:23.005 PM // 2:36:24.237 PM /		Total - 5		Total - 6	
	@exception		Pass - 4	5	Pass - 5	6
			Fail - 1		Fail - 1	
			Skip - 0		Skip - 0	

(S)- Exception

PASSED	DURATION - 0.203 s
/ 2:36:23.005 PM // 2:36:23.208 PM /	
Exception	
@exception	

Steps
Total - 1
Pass - 1
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.101 s
1	Given Raise exception	PASSED	0.002 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s

(S)- No Exception

PASSED	DURATION - 0.200 s
/ 2:36:23.215 PM // 2:36:23.415 PM /	
Exception	
@exception	

Steps
Total - 1
Pass - 1
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Given Do not raise exception	PASSED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s

(S)- Other Exception

PASSED	DURATION - 0.400 s
/ 2:36:23.423 PM // 2:36:23.823 PM /	
Exception	
@exception	

Steps
Total - 2
Pass - 2
Fail - 0
Skip - 0

2

#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Given Raise exception	PASSED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
2	Given Raise exception	PASSED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s

(S)- Check exception 1

PASSED	DURATION - 0.200 s
/ 2:36:23.829 PM // 2:36:24.029 PM /	
Exception	
@exception	

Steps
Total - 1
Pass - 1
Fail - 0
Skip - 0

1

#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Given Raise exception	PASSED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s

(S)- Check exception 2

FAILED	DURATION - 0.202 s
/ 2:36:24.035 PM // 2:36:24.237 PM /	
Exception	
@exception	

Steps
Total - 1
Pass - 0
Fail - 1
Skip - 0

1

#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Given Raise exception	FAILED	0.002 s

	java.lang.AssertionError: expected [true] but found [false]
	    at org.testng.Assert.fail(Assert.java:99)
	    at org.testng.Assert.failNotEquals(Assert.java:1037)
	    at org.testng.Assert.assertEqualsImpl(Assert.java:140)
	    at org.testng.Assert.assertEquals(Assert.java:122)
	    at org.testng.Assert.assertEquals(Assert.java:819)
	    at org.testng.Assert.assertEquals(Assert.java:829)
	    at stepdefs.Stepdefs.raiseExcep(Stepdefs.java:105)
	    at ?.Raise exception(classpath:stepdefs/exceptions.feature:15)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s

(F)- Hook and step failures

| FAILED	DURATION - 0.017 s
/ 2:36:24.255 PM // 2:36:24.272 PM /	
@failure	

Scenarios
Total - 2
Pass - 0
Fail - 2
Skip - 0

2

Steps
Total - 4
Pass - 0
Fail - 0
Skip - 4

4

(S)- Before Hook

FAILED	DURATION - 0.003 s
/ 2:36:24.255 PM // 2:36:24.258 PM /	
Hook and step failures	
@failure	

Steps
Total - 2
Pass - 0
Fail - 0
Skip - 2

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.beforeFailure(io.cucumber.java.Scenario)	FAILED	0.003 s
	FAILURE HI		
	FAILURE HELLO		
	java.lang.RuntimeException at stepdefs.Stepdefs.beforeFailure(Stepdefs.java:63)		
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	SKIPPED	0.000 s
1	Given Hook failure step	SKIPPED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	SKIPPED	0.000 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	SKIPPED	0.000 s
2	When Skip hook failure step	SKIPPED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	SKIPPED	0.000 s
	AFTER - stepdefs.Stepdefs.afterFailure()	FAILED	0.000 s
	FAILURE HI		
	FAILURE HELLO		
	java.lang.RuntimeException at stepdefs.Stepdefs.afterFailure(Stepdefs.java:70)		

(S)- After Hook

FAILED	DURATION - 0.000 s
/ 2:36:24.272 PM // 2:36:24.272 PM /	
Hook and step failures	
@failure	

Steps
Total - 2
Pass - 0
Fail - 0
Skip - 2

| #	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.beforeFailure(io.cucumber.java.Scenario)	FAILED	0.000 s
	FAILURE HI		
	FAILURE HELLO		
	java.lang.RuntimeException at stepdefs.Stepdefs.beforeFailure(Stepdefs.java:63)		
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	SKIPPED	0.000 s
1	Given Hook failure step	SKIPPED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	SKIPPED	0.000 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	SKIPPED	0.000 s
2	Then Skip hook failure step	SKIPPED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	SKIPPED	0.000 s
	AFTER - stepdefs.Stepdefs.afterFailure()	FAILED	0.000 s
	FAILURE HI		
	FAILURE HELLO		
	java.lang.RuntimeException at stepdefs.Stepdefs.afterFailure(Stepdefs.java:70)		

## (F)- Wrapped up Feature Title Name Longer the Better Title Wrapped up Feature Title Name Longer the Better Title Wrapped up Feature Title Name Longer the Better Title Wrapped up Feature Title Name Longer the Better Title

PASSED	DURATION - 2.102 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	3
/ 2:36:24.294 PM // 2:36:26.396 PM /					
@longname					

(S)- Wrapped up Scenario Title Name Longer the Better Title rapped up Scenario Title Name Longer the Better Title Wrapped up Scenario Title Name Longer the Better Title

PASSED	DURATION - 2.102 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	3
/ 2:36:24.294 PM // 2:36:26.396 PM /				
Wrapped up Feature Title Name Longer the Better Title Wrapped up Feature Title Name Longer the *				
@longname				

#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Given Write a 'given' step with precondition in 'Scenario Long Name'	PASSED	0.501 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.101 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
2	When Complete action in 'when' step in 'Scenario Long Name'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
3	Then Validate the outcome in 'then' step in 'Scenario Long Name'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s

(F)- Scenario And Scenario Outline

PASSED	DURATION - 12.660 s	Scenarios		Steps	
		Total - 6		Total - 18	
/ 2:36:26.404 PM // 2:36:39.064 PM /		Pass - 6	6	Pass - 18	18
		Fail - 0		Fail - 0	
@both		Skip - 0		Skip - 0	

(S)- Scenario Outline Row 300

PASSED	DURATION - 2.103 s		Steps	
/ 2:36:26.404 PM // 2:36:28.507 PM /			Total - 3	
			Pass - 3	3
Scenario And Scenario Outline			Fail - 0	
@both @sout @soodd			Skip - 0	

| #	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Given Write a 'given' step with precondition in 'Scenario Outline One300'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.101 s
2	When Complete action in 'when' step in 'Scenario Outline One300'	PASSED	0.501 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.101 s
3	Then Validate the outcome in 'then' step in 'Scenario Outline One300'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s

(S)- Scenario Outline Row 500

PASSED	DURATION - 2.104 s
/ 2:36:28.517 PM // 2:36:30.621 PM /	
Scenario And Scenario Outline	
@both @sout @soodd	

Steps

Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.101 s
1	Given Write a 'given' step with precondition in 'Scenario Outline Two500'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.101 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
2	When Complete action in 'when' step in 'Scenario Outline Two500'	PASSED	0.501 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.101 s
3	Then Validate the outcome in 'then' step in 'Scenario Outline Two500'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s

(S)- Scenario Outline Row 400

| PASSED	DURATION - 2.102 s
/ 2:36:30.629 PM // 2:36:32.731 PM /	
Scenario And Scenario Outline	
@both @sout @soeven	

Steps

Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Given Write a 'given' step with precondition in 'Scenario Outline One400'	PASSED	0.501 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s

| #	Step / Hook Details	Status	Duration
2	When Complete action in 'when' step in 'Scenario Outline One400'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
3	Then Validate the outcome in 'then' step in 'Scenario Outline One400'	PASSED	0.501 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s

(S)- Scenario Outline Row 600

PASSED	DURATION - 2.101 s		Steps
	/ 2:36:32.739 PM // 2:36:34.840 PM /		Total - 3
			Pass - 3
	Scenario And Scenario Outline		Fail - 0
	@both @sout @soeven		Skip - 0

#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Given Write a 'given' step with precondition in 'Scenario Outline Two600'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
2	When Complete action in 'when' step in 'Scenario Outline Two600'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
3	Then Validate the outcome in 'then' step in 'Scenario Outline Two600'	PASSED	0.501 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s

(S)- Scenario Number Seven Seven Seven

PASSED	DURATION - 2.103 s

/ 2:36:34.847 PM // 2:36:36.950 PM /

Scenario And Scenario Outline

@both @scen

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

| #	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Given Write a 'given' step with precondition in 'Scenario 777'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.101 s
2	When Complete action in 'when' step in 'Scenario 777'	PASSED	0.501 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.101 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
3	Then Validate the outcome in 'then' step in 'Scenario 777'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s

(S)- Scenario Number Eight Eight Eight

PASSED	DURATION - 2.101 s

/ 2:36:36.963 PM // 2:36:39.064 PM /

Scenario And Scenario Outline

@both @scen

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Given Write a 'given' step with precondition in 'Scenario 888'	PASSED	0.501 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s

| #	Step / Hook Details	Status	Duration
2	When Complete action in 'when' step in 'Scenario 888'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
3	Then Validate the outcome in 'then' step in 'Scenario 888'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s

(F)- Screenshots

PASSED	DURATION - 24.970 s	Scenarios		Steps	
		Total - 2		Total - 2	
/ 2:36:39.072 PM // 2:37:04.042 PM /		Pass - 2	2	Pass - 2	2
		Fail - 0		Fail - 0	
@website @skip		Skip - 0		Skip - 0	

(S)- Scenario screenshot GIT

PASSED	DURATION - 15.317 s		Steps	
			Total - 1	
/ 2:36:39.072 PM // 2:36:54.389 PM /			Pass - 1	1
Screenshots			Fail - 0	
@website @skip			Skip - 0	

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.beforeSite(io.cucumber.java.Scenario)	PASSED	3.194 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Given Go to https://github.com/	PASSED	10.571 s
	scenario website name - https://github.com/		
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.101 s
	AFTER - stepdefs.Stepdefs.afterSite()	PASSED	1.351 s
	first log		
	second log second log		
	third log third log third log		
	fourth log fourth log fourth log fourth log		

#	Step / Hook Details	Status	Duration
	fifth log fifth log fifth log fifth log fifth log		
	sixth log sixth log sixth log sixth log sixth log sixth log		
	seventh log seventh log		

(S)- Scenario screenshot STACK

PASSED	DURATION - 9.648 s			
/ 2:36:54.394 PM // 2:37:04.042 PM /			Steps	
Screenshots			Total - 1	
@website @skip			Pass - 1	
			Fail - 0	
			Skip - 0	

| #	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.beforeSite(io.cucumber.java.Scenario)	PASSED	1.402 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.101 s
1	Given Go to https://stackoverflow.com/	PASSED	7.212 s
	scenario website name - https://stackoverflow.com/		
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s
	AFTER - stepdefs.Stepdefs.afterSite()	PASSED	0.833 s
	first log		
	second log second log		
	third log third log third log		
	fourth log fourth log fourth log fourth log		
	fifth log fifth log fifth log fifth log fifth log		
	sixth log sixth log sixth log sixth log sixth log sixth log		
	seventh log seventh log		

#	Step / Hook Details	Status	Duration

(F)- Scenarios With No Step Definitions

| FAILED	DURATION - 0.614 s	Scenarios		Steps	
/ 2:37:04.077 PM // 2:37:04.691 PM /		Total - 3 Pass - 0 Fail - 2 Skip - 1	3	Total - 3 Pass - 0 Fail - 2 Skip - 1	3
@skip					

(S)- No Step defined

| FAILED	DURATION - 0.200 s		Steps	
/ 2:37:04.077 PM // 2:37:04.277 PM /		0.15 ... 0 ... 1	Total - 1 Pass - 0 Fail - 1 Skip - 0	1
Scenarios With No Step Definitions				
@skip @skipscenario				

#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Given No step definition methods	FAILED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s

(S)- Pending step

FAILED	DURATION - 0.201 s
/ 2:37:04.284 PM // 2:37:04.485 PM /	
Scenarios With No Step Definitions	
@skip	

Steps
Total - 1
Pass - 0
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Given Pending step definition	FAILED	0.001 s
	io.cucumber.java.PendingException: TODO: implement me at stepdefs.Stepdefs.pending_step_definition_methods(Stepdefs.java:162) at ?.Pending step definition(classpath:stepdefs/skipdef.feature:11) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s

(S)- Skipped step

SKIPPED	DURATION - 0.201 s
/ 2:37:04.490 PM // 2:37:04.691 PM /	
Scenarios With No Step Definitions	
@skip	

Steps
Total - 1
Pass - 0
Fail - 0
Skip - 1

#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Given Skipped step definition	SKIPPED	0.000 s
	org.testng.SkipException: SKip it at stepdefs.Stepdefs.skippedStep(Stepdefs.java:167) at ?.Skipped step definition(classpath:stepdefs/skipdef.feature:16) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.101 s