


#	Feature Name	T	P	F	S	Duration
1	DataTable And DocString	2	2	0	0	0.833 s
2	Exception	5	3	2	0	1.055 s
3	Hook and step failures	2	0	2	0	0.030 s
4	Long long feature & Scenario Names *	2	2	0	0	4.241 s
5	Scenario And Scenario Outline	6	6	0	0	12.738 s
6	Screenshots	2	2	0	0	29.461 s
7	Scenarios With No Step Definitions	3	0	2	1	0.616 s
8	Two Screenshots	1	0	1	0	0.202 s


^{*} The feature name has been cropped to fit in the available space.



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	DataTable And DocString	DataTable Scenario	2	2	0	0	0.405 s
2	DataTable And DocString	Doc String to Custom Object	2	2	0	0	0.408 s
3	Exception	Exception	1	1	0	0	0.202 s
4	Exception	No Exception	1	1	0	0	0.202 s
5	Exception	Other Exception	2	0	1	1	0.204 s
6	Exception	Check exception 1	1	0	1	0	0.205 s
7	Exception	Check exception 2	1	1	0	0	0.207 s
8	Hook and step failures	Before Hook	2	0	0	2	0.000 s
9	Hook and step failures	After Hook	2	0	0	2	0.000 s
10	Long long feature & Scenario Names	Scenario Long Name Scenario Long Name Scenario Long	3	3	0	0	2.115 s
	Long long feature & Scenario Names *	Name Scenario Long Name Scenario *					

^{*} The feature name and/or scenario name has been cropped to fit in the available space.


SCENARIOS SUMMARY -- 4 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
11	Long long feature & Scenario Names	Scenario Normal Name	3	3	0	0	2.121 s
	Long long feature & Scenario Names *						
12	Scenario And Scenario Outline	Scenario Outline Row 300	3	3	0	0	2.114 s
13	Scenario And Scenario Outline	Scenario Outline Row 500	3	3	0	0	2.117 s
14	Scenario And Scenario Outline	Scenario Outline Row 400	3	3	0	0	2.112 s
15	Scenario And Scenario Outline	Scenario Outline Row 600	3	3	0	0	2.110 s
16	Scenario And Scenario Outline	Scenario Number Seven Seven	3	3	0	0	2.110 s
17	Scenario And Scenario Outline	Scenario Number Eight Eight Eight	3	3	0	0	2.120 s
18	Screenshots	Scenario screenshot GIT	1	1	0	0	12.826 s
19	Screenshots	Scenario screenshot STACK	1	1	0	0	16.630 s
20	Scenarios With No Step Definitions	No Step defined	1	0	1	0	0.204 s

^{*} The feature name and/or scenario name has been cropped to fit in the available space.

SCENARIOS SUMMARY -- 5 -




#	Feature Name	Scenario Name	T	P	F	S	Duration
21	Scenarios With No Step Definitions	Pending step	1	0	1	0	0.203 s
22	Scenarios With No Step Definitions	Skipped step	1	0	0	1	0.204 s
23	Two Screenshots	Scenario screenshot 2	1	0	1	0	0.202 s

DETAILED SECTION -- 6 --

DataTable And DocString

PASSED	DURATION - 0.833 s	Scenarios		Steps	
		Total - 2		Total - 4	
/ 4:48:59.506 PM // 4	1:49:00.339 PM /	Pass - 2	2	Pass - 4	4
		Fail - 0		Fail - 0	
@tabledoc		Skip - 0		Skip - 0	
				•	

DataTable Scenario



#					Step / I	Hook [Details						Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()												PASSED	0.100 s
1	Given Hello background												PASSED	0.000 s
	AFTER_STEP - stepdefs.S	Stepdefs.	afterStep(0									PASSED	0.100 s
	BEFORE_STEP - stepdefs	.Stepde	fs.beforeS	Step()									PASSED	0.105 s
2	Given Customer orders the	dishes											PASSED	0.000 s
	one cell Customer orders t*	two cell	three cell	four cell	five cell	six cell	seven cell	eight cell	nine cell	ten cell	eleven cell	twelve cell		
	1	2	3	4	5	6	7	8	9	10	11	12		
	1	2	3	4	5	6	7	8	9	10	11	12		
	1	2	3	4	5	6	7	8	9	10	11	12		
	1	2	3	4	5	6	7	8	9	10	11	12		
	1	2	3	4	5	6	7	8	9	10	11	12		
	1	2	3	4	5	6	7	8	9	10	11	12		
	1	2	3	4	5	6	7	8	9	10	11	12		
	* The data cell text(s) have b	een cropp	ped to fit in	the availa	able spac	e.								
	AFTER_STEP - stepdefs.S	Stepdefs.	afterStep(0									PASSED	0.100 s

PASSED DURATION - 0.408 s	0.15		Steps	
/ 4.40-F0 024 DN4 // 4.40-00 220 DN4 /	4		Total - 2	
/ 4:48:59.931 PM // 4:49:00.339 PM /			Pass - 2	
DataTable And DocString	\dashv		Fail - 0	2
			Skip - 0	
@tabledoc	0 -			
		1 2		


#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Given Hello background	PASSED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.105 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
2	Given the doc string is	PASSED	0.000 s
	Hello there how r u? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily		
	Doing great. Spicy Meatballs for food and drink italian sicily		
	Whats new? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily		
	Nothing much. Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily		
	Hello there how r u? Hello there how r u? Hello there how r u?		
	Hello there how r u?		
	Nothing much. Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily		
	Hello there how r u? Hello there how r u? Hello there how r u?		
	Hello there how r u?		
	Hello there how r u? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily		
	Doing great. Spicy Meatballs for food and drink italian sicily		
	Whats new? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily		
	Nothing much. Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily		
	Hello there how r u? Hello there how r u? Hello there how r u?		
	Hello there how r u?		
	Nothing much. Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily		
	Hello there how r u?		

#	Step / Hook Details	Status	Duration
	Hello there how r u?		
	Hello there how r u? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily		
	Doing great. Spicy Meatballs for food and drink italian sicily Whats new? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily		
	Nothing much. Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily		
	Hello there how r u? Nothing much. Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily		
	Hello there how r u?		
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.103 s

Exception

6


Exception



#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.102 s


#	Step / Hook Details	Status	Duration
1	Given Raise exception	PASSED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s

No Exception



#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Given Do not raise exception	PASSED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.102 s

Other Exception




#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.104 s
1	Given Raise exception	FAILED	0.000 s
	java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:99) at org.testng.Assert.failNotEquals(Assert.java:1037) at org.testng.Assert.assertEqualsImpl(Assert.java:140) at org.testng.Assert.assertEquals(Assert.java:122) at org.testng.Assert.assertEquals(Assert.java:819)		

DETAILED SECTION -- 10 --


#	Step / Hook Details	Status	Duration
	at org.testng.Assert.assertEquals(Assert.java:829)		
	at stepdefs.Stepdefs.raiseExcep(Stepdefs.java:105)		
	at ?.Raise exception(classpath:stepdefs/exceptions.feature:11)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	SKIPPED	0.000 s
2	Given Raise exception	SKIPPED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	SKIPPED	0.000 s

Check exception 1



#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.104 s
1	Given Raise exception	FAILED	0.000 s
	java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:99) at org.testng.Assert.assertEquals(Assert.java:1037) at org.testng.Assert.assertEqualsImpl(Assert.java:140) at org.testng.Assert.assertEquals(Assert.java:122) at org.testng.Assert.assertEquals(Assert.java:819) at org.testng.Assert.assertEquals(Assert.java:829) at stepdefs.Stepdefs.raiseExcep(Stepdefs.java:105) at ?.Raise exception(classpath:stepdefs/exceptions.feature:15) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.101 s

Check exception 2



#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.102 s
1	Given Raise exception	PASSED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.105 s

Hook and step failures

FAILED	DURATION - 0.030 s	Scenarios		Steps	
		Total - 2		Total - 4	
/ 4:49:01.404 PN	Л // 4:49:01.434 PM /	Pass - 0	2	Pass - 0	4
		Fail - 2		Fail - 0	7 /
@failure		Skip - 0		Skip - 4	
				'	


Before Hook

FAILED	DURATION - 0.000 s	0.15			Steps	
/ 4:40:01 404 5	M // 4:49:01.404 PM /		i L	i k	Total - 2	
	M // 4.49.01.404 PM /				Pass - 0	
Hook and step	failures				Fail - 0	2
·					Skip - 2	
@failure		0	<u> </u>			
			1	2		

#	#	Step / Hook Details	Status	Duration
		BEFORE - stepdefs.Stepdefs.beforeFailure(io.cucumber.java.Scenario)	FAILED	0.000 s
		FAILURE HI		
		FAILURE HELLO		
		java.lang.RuntimeException		

#	Step / Hook Details	Status	Duration
	at stepdefs.Stepdefs.beforeFailure(Stepdefs.java:63)		
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	SKIPPED	0.000 s
1	Given Hook failure step	SKIPPED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	SKIPPED	0.000 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	SKIPPED	0.000 s
2	When Skip hook failure step	SKIPPED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	SKIPPED	0.000 s
	AFTER - stepdefs.Stepdefs.afterFailure()	FAILED	0.000 s
	FAILURE HI		
	FAILURE HELLO		
	java.lang.RuntimeException at stepdefs.Stepdefs.afterFailure(Stepdefs.java:70)		

After Hook




#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.beforeFailure(io.cucumber.java.Scenario)	FAILED	0.000 s
	FAILURE HI		
	FAILURE HELLO		
	java.lang.RuntimeException at stepdefs.Stepdefs.beforeFailure(Stepdefs.java:63)		
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	SKIPPED	0.000 s
1	Given Hook failure step	SKIPPED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	SKIPPED	0.000 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	SKIPPED	0.000 s
2	Then Skip hook failure step	SKIPPED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	SKIPPED	0.000 s


DETAILED SECTION -- 13 --

#	Step / Hook Details	Status	Duration
	AFTER - stepdefs.Stepdefs.afterFailure()	FAILED	0.000 s
	FAILURE HI		
	FAILURE HELLO		
	java.lang.RuntimeException at stepdefs.Stepdefs.afterFailure(Stepdefs.java:70)		

Long long feature & Scenario Names Long long featur




Scenario Long Name Scenario Long Name



#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.101 s
1	Given Write a 'given' step with precondition in 'Scenario 777'	PASSED	0.502 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.105 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
2	When Complete action in 'when' step in 'Scenario 777'	PASSED	0.502 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.103 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.101 s
3	Then Validate the outcome in 'then' step in 'Scenario 777'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.101 s

Scenario Normal Name



#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Given Write a 'given' step with precondition in 'Scenario 777'	PASSED	0.504 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.105 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
2	When Complete action in 'when' step in 'Scenario 777'	PASSED	0.505 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.105 s


DETAILED SECTION -- 15 --

#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
3	Then Validate the outcome in 'then' step in 'Scenario 777'	PASSED	0.502 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s

Scenario And Scenario Outline


PASSED	DURATION - 12.738 s	Scenarios		Steps	
		Total - 6		Total - 18	
/ 4:49:05.695 PM //	4:49:18.433 PM /	Pass - 6	6	Pass - 18	18
		Fail - 0		Fail - 0	
@both		Skip - 0		Skip - 0	

Scenario Outline Row 300




#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Given Write a 'given' step with precondition in 'Scenario Outline One300'	PASSED	0.503 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
2	When Complete action in 'when' step in 'Scenario Outline One300'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.101 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.101 s
3	Then Validate the outcome in 'then' step in 'Scenario Outline One300'	PASSED	0.504 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.105 s

DETAILED SECTION -- 16 --



#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.103 s
1	Given Write a 'given' step with precondition in 'Scenario Outline Two500'	PASSED	0.501 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.103 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.105 s
2	When Complete action in 'when' step in 'Scenario Outline Two500'	PASSED	0.501 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.102 s
3	Then Validate the outcome in 'then' step in 'Scenario Outline Two500'	PASSED	0.502 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s

Scenario Outline Row 400



#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.101 s
1	Given Write a 'given' step with precondition in 'Scenario Outline One400'	PASSED	0.502 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.103 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
2	When Complete action in 'when' step in 'Scenario Outline One400'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s


#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.102 s
3	Then Validate the outcome in 'then' step in 'Scenario Outline One400'	PASSED	0.504 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s

Scenario Outline Row 600

PASSED DURATION - 2.110 s	1 Steps	
44.40.40.050.744.40.444.00.744.4	0.8	
/ 4:49:12.058 PM // 4:49:14.168 PM /	0.6 - Pass - 3	
Scenario And Scenario Outline	0.4 Fail - 0	3
	0.2 Skip - 0	
@both @sout @soeven	0 -	
	1 2 3	

#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Given Write a 'given' step with precondition in 'Scenario Outline Two600'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.101 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.101 s
2	When Complete action in 'when' step in 'Scenario Outline Two600'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.103 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.102 s
3	Then Validate the outcome in 'then' step in 'Scenario Outline Two600'	PASSED	0.502 s
	AFTER STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.101 s


Scenario Number Seven Seven Seven



DETAILED SECTION -- 18 --

#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Given Write a 'given' step with precondition in 'Scenario 777'	PASSED	0.501 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
2	When Complete action in 'when' step in 'Scenario 777'	PASSED	0.504 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
3	Then Validate the outcome in 'then' step in 'Scenario 777'	PASSED	0.501 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.104 s

Scenario Number Eight Eight Eight




#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Given Write a 'given' step with precondition in 'Scenario 888'	PASSED	0.503 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.103 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.104 s
2	When Complete action in 'when' step in 'Scenario 888'	PASSED	0.505 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
3	Then Validate the outcome in 'then' step in 'Scenario 888'	PASSED	0.502 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.103 s

Screenshots

PASSED	DURATION - 29.461 s	Scenarios		Steps	
		Total - 2		Total - 2	
/ 4:49:18.438 PM // 4	1:49:47.899 PM /	Pass - 2	2	Pass - 2	2
		Fail - 0		Fail - 0	
@website @skip		Skip - 0		Skip - 0	

Scenario screenshot GIT



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.beforeSite(io.cucumber.java.Scenario)	PASSED	2.646 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.104 s
1	Given Go to https://github.com/	PASSED	7.637 s
	scenario website name - https://github.com/		
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s
	AFTER - stepdefs.Stepdefs.afterSite()	PASSED	2.339 s
	first log	7	
	second log second log		
	third log third log		
	fourth log fourth log fourth log		
	fifth log fifth log fifth log fifth log fifth log		
	sixth log sixth log sixth log sixth log sixth log sixth log		
	seventh log sevent		
	seventh log seventh log seventh log		
	Where the world builds software the area of the soft contract the software the soft		

DETAILED SECTION -- 20 --

Scenario screenshot STACK

PASSED DURATION - 16.630 s	10 - Steps	
/ 4:49:31.269 PM // 4:49:47.899 PM /	8 Total - 1	
7 4.45.51.265 1 1017/1 4.45.47.655 1 1017	6 - Pass - 1	
Screenshots	4 Fail - 0	1
	2 - Skip - 0	
@website @skip	0 -	
	1	


#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.beforeSite(io.cucumber.java.Scenario)	PASSED	5.242 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.101 s
1	Given Go to https://stackoverflow.com/	PASSED	10.147 s
	scenario website name - https://stackoverflow.com/	<u> </u>	
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.101 s
	AFTER - stepdefs.Stepdefs.afterSite()	PASSED	1.039 s
	first log	7	
	second log second log		
	third log third log		
	fourth log fourth log fourth log		
	fifth log fifth log fifth log fifth log fifth log		
	sixth log sixth log sixth log sixth log sixth log sixth log		
	seventh log sevent		
	The state of the s		

Scenarios With No Step Definitions

DETAILED SECTION -- 21 --

FAILED	DURATION - 0.616 s	Scenarios		Steps	
		Total - 3		Total - 3	
/ 4:49:47.934 PM // 4	:49:48.550 PM /	Pass - 0	3	Pass - 0	3
		Fail - 2		Fail - 2	
@skip		Skip - 1		Skip - 1	

No Step defined



#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Given No step definition methods	FAILED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.104 s

Pending step

FAILED	DURATION - 0.203 s	0.15		Steps	
/ 4 40 40 4 40 5	M. // 40 40 040 DM /	-		Total - 1	
/ 4:49:48.143 P	M // 4:49:48.346 PM /			Pass - 0	
Scenarios With	No Step Definitions	1		Fail - 1	1
				Skip - 0	
@skip		0 -			
			1		

#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.103 s
1	Given Pending step definition	FAILED	0.000 s
	io.cucumber.java.PendingException: TODO: implement me at stepdefs.Stepdefs.pending_step_definition_methods(Stepdefs.java:162)		

DETAILED SECTION -- 22 --


#	Step / Hook Details	Status	Duration
	at ?.Pending step definition(classpath:stepdefs/skipdef.feature:11) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s

Skipped step




#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.101 s
1	Given Skipped step definition		0.000 s
	org.testng.SkipException: SKip it at stepdefs.Stepdefs.skippedStep(Stepdefs.java:167) at ?.Skipped step definition(classpath:stepdefs/skipdef.feature:16) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.103 s

Two Screenshots



Scenario screenshot 2

DETAILED SECTION -- 23 --



#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.101 s
1	When Go to capture 2 images in one step	FAILED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.101 s