HTML

Lists

- A set of items can be listed in two ways:

1. OL: **Ordered List**. Items in this list are numbered automatically by the browser.
2. UL : **Unordered List**. Items in this list start with a list mark such as a bullet.

Unordered lists

- In and **Unordered lists <UL>,** listed item has a bullet (circle or square) bullets. Each **list item** is written using **<LI>** tag.
- Example:

  <UL>

  <LI>Item one</LI>

  <LI>Item two</LI>

  <LI>Item three</LI>

  </UL>
- The bullet that we want to include can be chosen by **type attribute** of <ul> tag.
- Example:

  <UL type=square> or <UL type=circle> or <UL= type=disc>

Example

```
<html>
<head>
<title> Unorder List </title>
</head>
<body>
<h1>Places Visited</h1>
    <ul>
     <li>Elephant Fall</li>
     <li>Shillong peak</li>
    </ul>
<h1>Places to visit</h1>
    <ul type=square>
     <li>Cherapunji</li>
     <li>Dawki</li>
     </ul>
</body>
```

Snap shot


team358.org/files/website
Unorder List
Unorder List
file:///C:/Users/k%20amitab/Desktop/aa.html
Facebook
LaTeX – A documen...
ASP
web design
ASP.NET - Introduct...
ASP.NET using Data...
Brown/ Black Analo...
VSAT
speech
Other bookmarks
Places Visited
Elephant Fall
Shillong peak
Places to visit
Cherapunji
Dawki
7:06 AM
8/8/2013

Ordered List

Ordered List<OL>. Items in this list are numbered automatically by the browser.

<OL>

<LI>Item one</LI>

<LI>Item two</LI>

<LI>Item three</LI>

</OL>

1. Item one
2. Item two
3. Item three

TYPE Ordered List

```
<OL TYPE="I">
<LI>Item one</LI>
<LI>Item two</LI>
<LI>Item three</LI>
</OL>
```

I. Item one

II. Item two

III. Item three

<Start> and <Type> attribute

- In an order list numbering(default) start from 1. It is possible to start from any desire integer.
- Example: <OL start=16>
- Instead of numbers we can have A,B,C… or a,b,c…etc. This is specified by type attribute in <OL> tag.

<Start> and <Type> attribute

- Symbols used by type attribute are
  - 1 Number
  - A Upper case alphabet
  - a Lower case alphabet
  - I Upper case roman numerals
  - i Lower case roman numerals

Example

```
<html>
<head>
<title> order List </title>
</head>
<body>
<h1>Places Visited</h1>
    <ol type=A>
     <li>Elephant Fall</li>
     <li>Shillong peak</li>
    </ol>
<h1>Places to visit</h1>
    <ol start=3>
     <li>Cherapunji</li>
     <li>Dawki</li>
     </ol>
</body>
```

Snap shot


team358.org/files/website
Unorder List
file:///C:/Users/k%20amitab/Desktop/aa.html
Facebook
LaTeX – A documen...
ASP
web design
ASP.NET - Introduct...
ASP.NET using Data...
Brown/ Black Analo...
VSAT
speech
Other bookmarks
Places Visited
A. Elephant Fall
B. Shillong peak
Places to visit
3. Cherapunji
4. Dawki
7:29 AM
8/8/2013

TABLE

The ***<TABLE></TABLE>*** element has four sub-elements:

1. Table Row***<TR></TR>*.**
2. Table Header ***<TH></TH>*.**
3. Table Data ***<TD></TD>*.**
4. Caption ***<CAPTION></CAPTION>*.**

The table row elements usually contain table header elements or table data elements.

Example

```
<html>
<head> <title> Unorder List </title> </head>
<body>
<table border="1">
<tr>
    <th> Column 1 header </th>
    <th> Column 2 header </th>
</tr>
<tr>
    <td> Row1, Col1 </td>
    <td> Row1, Col2 </td>
</tr>
<tr>
    <td> Row2, Col1 </td>
    <td> Row2, Col2 </td>
</tr>
</table> </body></html>
```

Snap shot


team358.org/files/website
Unorder List
file:///C:/Users/k%20amitab/Desktop/aa.html
Facebook
LaTeX – A documen...
ASP
web design
ASP.NET - Introduct...
ASP.NET using Data...
Brown/ Black Analo...
VSAT
speech
Other bookmarks
Column 1 header
Column 2 header
Row1, Col1
Row1, Col2
Row2, Col1
Row2, Col2
7:57 AM
8/8/2013

HTML Frames

- Frames can divide the screen into separate windows. Each of these windows can contain an HTML document.
- <***frameset***> tag specifies how the screen is divided into frames.
- If you want to make a page that uses frames you should:
  - make an HTML document with the frameset
  - make the normal HTML documents that should be loaded into each of these frames.
- When a frameset page is loaded, the browser automatically loads each of the pages associated with the frames.

HTML Frames

```
<html>
<head>
<title>Frames Page</title>
</head>
<frameset cols="25%,*">
<frame src="penguins.html" name="aa">
<frameset rows="*,50%">
<frame src="desert.html" name="desert">
<frame src="tulips.html" name="tulips">
</frameset>
</frameset>
</html>
```

Snap shot


html frame tutorial - Goo
Frames : Basic Example -
Frames Page
Frames Page
file:///C:/Users/k%20amitab/Desktop/html/frame1.html
Facebook
LaTeX – A documen...
ASP
web design
ASP.NET - Introduct...
ASP.NET using Data...
Brown/ Black Analo...
VSAT
speech
Other bookmarks
8:45 PM
8/10/2013

HTML Forms

- HTML forms are used to pass data to a server.
- An HTML form can contain input elements like text fields, checkboxes, radio-buttons, submit buttons and more. A form can also contain select lists, textarea, legend, and label elements.
- The <***form***> tag is used to create an HTML form.

HTML Forms - The Input Element

- The most important form element is the ***<input>*** element.
- The <input> element is used to select user information.
- An <input> element can vary in many ways, depending on the type attribute. An <input> element can be of type text field, checkbox, password, radio button, submit button, and more.

Text Fields

- ***<input type="text">*** defines a one-line input field that a user can enter text into:
- *<form>*
  First name: <input type="text"
  name="firstname">
  Last name: <input type="text"
  name="lastname">
  </form>

Password Field

- ***<input type="password">*** defines a password field:
- *<form>*
  Password: <input type="password" name="pwd">
  </form>

Example

```
<html>
<head>
<title>html form</title>
</head>
<body>
<center> <h1>please login</h1><br>
<form>
User name: <input type="text" name="fname"><br>
Password: <input type="password" name="pwd"><br>
</form>
</center></body></html>
```

Snap shot


Settings
HTML Forms and Input
html form
file:///C:/Users/k%20amitab/Desktop/aa.html
Facebook
LaTeX – A documen...
ASP
web design
ASP.NET - Introduct...
ASP.NET using Data...
Brown/ Black Analo...
VSAT
speech
Other bookmarks
please login
User name:
sgdf
Password:
7:25 AM
8/9/2013

Radio Buttons

- ***<input type="radio">*** defines a radio button. Radio buttons let a user select ONLY ONE of a limited number of choices:
- *<form>*
  *<input type="radio" name="sex" value="male">Male
*
  <input type="radio" name="sex" value="female">Female
  </form>

Checkboxes

- ***<input type="checkbox">*** defines a checkbox. Checkboxes let a user select ZERO or MORE options of a limited number of choices.
- *<form>*
  *<input type="checkbox" name="vehicle" value="Bike">I have a bike
*
  <input type="checkbox" name="vehicle" value="Car">I have a car
  </form>

Submit Button

- ***<input type="submit">*** defines a submit button.
- A submit button is used to send form data to a server. The data is sent to the page specified in the form's action attribute. The file defined in the action attribute usually does something with the received input:

  <input type="submit" value="Submit">

Example

```
<html><head><title>html form</title></head>
<body><center><h1>Registration form</h1><h2>All the fields are
    mandatory</h2>
<form>
Name: <input type="text" name="fname"><br>
Email:<input type="text" name="mail"><br>
Password: <input type="password" name="pwd"><br>
Retype Password: <input type="password" name="pwd"><br>
Gender:<input type="radio" name="sex" value="male">Male<br>
<input type="radio" name="sex" value="female">Female<br>
Select department<br>
<input type="checkbox" name="it" value="it">Dept. of IT<br>
<input type="checkbox" name="ece" value="ece">Dept. of ECE <br>
<input type="submit" value="Submit">
</form></center></body></html>
```

Snap shot


html form
file:///C:/Users/k%20amitab/Desktop/html/form.html
Facebook
LaTeX – A documen...
ASP
web design
ASP.NET - Introduct...
ASP.NET using Data...
Brown/ Black Analo...
VSAT
speech
Other bookmarks
Registration form
All the fields are mandatory
Name:
Email:
Password:
Retype Password:
Gender: Male
Female
Select department
Dept. of IT
Dept. of ECE
Submit
6:52 AM
8/12/2013

Question for practical

Q2. Write a document to draw the following table:

Heading 1	Heading 2	Heading 3
abc	11	12
	21	22
fgh	31	32
	41	42
xyz	51	52
	61	62

Q3. Design a HTML form for reserving a room in a Hotel.