HTML

What is HTML?

- **Hyper Text Markup Language** is the basic tool for designing web pages.
- HTML, or hypertext markup language, is very simple to learn and very simple to use. HTML is used in most modern websites.

Creating HTML Document

- Here are the simple steps to create a basic HTML document:

1. Open Notepad or another text editor.
2. Write html code.
3. In the File menu, choose Save As.
4. In the Save as Type option box, choose All Files.
5. Name the file abc.html.
6. Click Save.

Example 1 HTML code

```
<html>
  <head>
      <title>This is document title</title>
  </head>
  <body>
      <h1>This is a heading</h1>
      <p>Document description goes here.....</p>
  </body>
</html>
```

HTML Document Structure

- An HTML document starts and ends with *<html>* and *</html>* tags. These tags tell the browser that the entire document is composed in HTML. Inside these two tags, the document is split into two sections:
  - The *<head>...</head>* elements, which contain information about the document such as title of the document, author of the document etc. Information inside this tag does not display outside.
  - The *<body>...</body>* elements, which contain the real content of the document that you see on your screen.

Snap shoot of Example 1



HTML Tags and Elements

- In the above example you have seen <html>, <body> etc. are called **HTML tags** or HTML elements.
- Every tag consists of a **tag name**, sometimes followed by an optional list of tag attributes , all placed between opening and closing brackets **(< and >).**
- According to the HTML standard, tag and attribute names are **not case-sensitive**. There's no difference in effect between **<head>, <Head>, <HEAD>**, or even **<HeaD>** they are all equivalent.
- If you have not put any HTML tag or attribute properly. They will just ignore that tag or attribute and will apply only correct tags and attributes before displaying the result.

The <head> Element

- Each <head> element should contain a **<title>** element indicating the title of the document.
- **Prologue** are comment.

  <! This is a comment>
- The **<link>** tag is used to link to an external file, such as a style sheet or JavaScript file.

Heading

<h1>heading 1</h1>

<h2>heading 2</h2>

<h3>heading 3</h3>

- <hn>….</hn> Makes the enclosed text a heading of various sizes where n is any number ranging from 1 to 6, and 1 creates the biggest heading while 6 creates the smallest.

Paragraphs

- Paragraphs can be created by using the following code:

```
<P>This is a paragraph.</P>
<P>This is a second paragraph.</P>
```

Example 2 HTML code

```
<html>
    <head>
        <title>This is document title</title>
    </head>
    <body>
        <h1>heading 1</h1>
        <p>some text</p>
        <p>some text</p>
        <h2>heading 2</h2>
        <p>some text</p>
        <h3>heading 3</h3>
        <p>some text</p>
    </body>
</html>
```

Snap shot


file:///C:/Users/k%20amitab/Desktop/para.html
heading 1
some text
some text
heading 2
some text
heading 3
some text
4:17 PM
8/4/2013

New Lines/Spacing

- In order to create a new line use ***
*** tag, it does not use ending tag.
- When using HTML, you can use just a space, but only up to the first space. Beyond the first space, the web-browser will just ignore. In order to do any amount, you must use the following code for each space use *** ***

Horizontal lines

- Horizontal lines can be added by using ***<HR>***
- You can also change the width of the line as well as align them to the left or right, as can be seen here:

  <HR ALIGN="left" WIDTH="50%">

- Please note that you can have the width in pixels instead of percentages as well. You can also change the thickness of line in pixels by doing the following:

  <HR SIZE="5">

Example 3

```
<html>
    <head>
        <title>This is document title</title>
    </head>
    <body>
        <h1>heading 1</h1>
        <br>
        <br>
        <p>some text</p>
        <p>spac      ing</p>
        <h2>heading 2</h2>
        <p>some text</p>
        <HR ALIGN="left" WIDTH="50%" <HR SIZE="5">
        <h3>heading 3</h3>
        <p>some text</p>
    </body>
</html>
```

Snap Shot of Example 3



Changing Font Color

- In order to just change the color, you can do the following:

  <FONT COLOR="red">This text is red</FONT>

- Within the color field you may name a color, as shown, or you may use the HEX code of the color, which is the preferred method, as seen below:

  <FONT COLOR="#FF0000">This text is also red</FONT>

Changing Font Face

- You can change the face of the font to whatever font you wish, but be careful, if a user does not have that font installed on their computer, then it will just show the default font. You can change the face by using the following code:

  <FONT FACE=" Times New Roman ">This text is Times New Roman </FONT>

Changing Font Size

- You can change the font size by using the size attribute. The code for the size attribute:

  <FONT SIZE="5">This text is size 5</FONT>

  Using this method, you can change the font from 1 to 7.

- Another method of changing the font size it by using the following:

  <SMALL>The small text<SMALL>

  <BIG>The big text<BIG>

Bolding/Italicizing

- You can bold something using the following code:

  <B>This is bold</B>

  Or you may bold by doing the following:

  <STRONG>This is also bold</STRONG>

- You may italicize using the following:

  <I>This text is italic</I>

  another way to italicize is:

  <EM>This text is also italic</EM>

Underlining/Striking

- You may underline using the following:

  <U>This text is underlined</U>

- You may strikethrough text by using the following:

  <STRIKE>This text is striked</STRIKE>

Example 4

```
<html>
        <head>
                <title>This is document title</title>
        </head>
        <body>
         <h1>heading 1</h1>
                <br>
                <p>
                                some text
                                <FONT COLOR="red">This text is red</FONT>
                                <FONT FACE=" Times New Roman ">This  text is Times New Roman </FONT>
                                <FONT SIZE="5">This text is size 5</FONT>
                                <B>This is bold</B>
                                <I>This text is italic</I>
                                <U>This text is underlined</U>
                                <STRIKE>This text is striked</STRIKE>
                </p>
          <h2>heading 2</h2>
                <p>
                                some text
                                <FONT COLOR="#FF0000">This text is also red</FONT>
                                <SMALL>The small text<SMALL>
                                <BIG>The big text<BIG>
                                <STRONG>This is also bold</STRONG>
                                <EM>This text is also italic</EM>
                </p>
        </body>
</html>
```

Snap shot for Example 4



Adding images

- To add an image you can use the following code:

  <IMG SRC="images.gif“ >

  Once you add an image, you may notice that there is a border
- In order to get rid of this you will have to change the border attribute.

  <IMG SRC="images.gif“ BORDER="0">

Centering Text

- When making your page, you may also want to center your header or whatever else. In order to center text you make use the following code:

  <CENTER>This is in the centre</CENTER>

Special Characters

- In many cases you may find that you may need to insert special characters.
- As you may remember we added a space by using . Other special characters can be added by doing & followed by the code for them, which can be found here and then you would place a semi-colon afterwards. here are some examples:
    1. *© produces* ©
    2. *& produces* &
    3. *¢ produces* ¢
    4. *® produces* ®
    5. *± produces* ±
    6. *² produces* _

Making Links

- Links are use for bringing the user to another page that may be within your website, or may be another website that you think would be useful to others. You can create a simple link using the following code:

  <A HREF=“nehu.ac.in">This NEHU web site</A>

- There are several different types of links, for local pages, you would use something like the above. For links to other sites, you may use something like the following:

  <A HREF="C:\Users\k amitab\Desktop\aa.html "> click here</A>

Linking to somewhere in the page

- Linking to somewhere in the page You may also have a large page and want to link to different pieces of the webpage. In order to do this, first you must make location to link to. You can do this by using the 'name' attribute on the 'A' element, as can be seen here:

  <A NAME="section1">Section One - Downloads</A>

- This would create a place to link to called 'section1'. You can link to it by using the following code:

  <A HREF="#section1">Go to downloads</A>

Example 5

```
<html>
    <head>
        <title>This is document title</title>
    </head>
    <body>
      <h1>Penguin</h1>
        <img src="C:\Users\k amitab\Desktop\Penguins.gif"
        alt="Penguin" width="100" height="100"
        border="2" align="right" title="Penguin" />
        <A NAME="section1">LINK WITHIN PAGE</A><BR>
        <CENTER>This is in the centre</CENTER><br>
        <A HREF=“nehu.ac.in">This NEHU web site</A><br>
        <A HREF="C:\Users\k amitab\Desktop\aa.html "> click here</A><br>
        <br><br><br><br><br><br><br><br><br><br><br><br><br><br><br>
        <A HREF="#section1">Go to link within page</A>
    </body>
</html>
```

Snap shot Example 5