

children's vision

- Use Cmajor/JS if appropriate
- Minimise unsafe surface area

- For C++ code ->
- Help is coming (C++26/29?) 🙏

- Start using `cpp2`
 - Safer defaults
 - Keep C++ code

- Eventually borrow checked C++?

- [wg21.link/P3390](#)

131

| | |
|--------------------------|--|
| Code style | Modern/safer libraries |
| clang-tidy | cppcoreguidelines-pro-* |
| Compiler warnings | -Wall/extra/pedantic |
| Compiler flags | -ftrapv _LIBCPP_HARDENING_MODE_DEBUG/ FAST=1 |
| Debugging | Asan/UBsan |
| Tests | Tsan |
| CI | Static analyser |

Conclusion

- Use Cmajor/JS if appropriate
 - Minimise unsafe surface area
- For C++ code ->
 - Help is coming (C++26/29?) 🙏
- Start using cpp2
 - Safer defaults
 - Keep C++ code
- Eventually borrow checked C++?
 - wg21.link/P3390

| | |
|--------------------------|--|
| Code style | Modern/safer libraries |
| clang-tidy | cppcoreguidelines-pro-* |
| Compiler warnings | -Wall/extra/pedantic |
| Compiler flags | -ftrapv _LIBCPP_HARDENING_MODE_DEBUG/ FAST=1 |
| Debugging | Asan/UBsan |
| Tests | Tsan |
| CI | Static analyser |

Can Audio Programming be Safe?

David Rowland

  @drowaudio

Questions?

Slides/video:

drowaudio.github.io/presentations

