

https://godbolt.org/z/vKn6oTEWE

```
[[profiles::enable(ranges)]]
int get index();
int main()
    std::array arr = \{0, 1, 2, 3, 4, 5\};
    [[profiles::suppress(ranges)]]
    auto v = arr[get_index()];
```



```
[[profiles::enable(ranges)]]
int get_index();
int main()
{
    std::array arr = { 0, 1, 2, 3, 4, 5 };
    [[profiles::suppress(ranges)]]
    auto v = arr[get_index()];
}
```

## KEYNOTE: SAFETY, SECURITY, SAFETY(SIC) AND C/C++(SIC)





## MITRE 2023 CWE Top 25

## **Most Dangerous**

cwe.mitre.org/top25/archive/2023/2023\_top25\_list.html#tableView

Software Weaknesses

1	Out-of-bounds Write	63.72
2	Improper Neutralization of Input During Web Page Gen. (Cross-site Scripting)	45.54
3	Improper Neutralization of Special Elements used in (SQL Injection)	34.27
4	Use After Free	16.71
5	Improper Neutralization of Special Elements used in (OS Cmd Injection)	15.65
6	Improper Input Validation	15.5
7	Out-of-bounds Read	14.6
8	Improper Limitation to a Restricted Directory (Path Traversal)	14.11
9	Cross-Site Request Forgery (CSRF)	11.73
10	Unrestricted Upload of File with Dangerous Type	10.41

