



Acute RDH12 pathway proteins (sig in >=1 acute contrast)
Centered intensities; rows clustered within pathway groups




Top 20 Enriched Pathways (BH <=




Top 20 Enriched Biological Processes (E




Top 10 Enriched Cellular Components (BH <= 0.1)




Top 20 Enriched Pathways (BH <=




Top 20 Enriched Biological Processes (E



Top 10 Enriched Cellular Components (BH <= 0.1)







Top 20 Enriched Bio




Top 10 Enriched Cellular Components (BH ≤ 0.1)




Top 20 Enriched Pathways (BH <= 0.1)





Top 20 Enriched Biological Pro





Top 10 Enriched Cellular Components (BH <=




















Top 20 Enriched Pathways (BH <= 0.1)




Top 20 Enriched Biological Pro




Top 10 Enriched Cellular Components (BH <=




Top 20 Enriched Pathways (BH <= 0.1)





Top 20 Enriched Biological Pro




Top 10 Enriched Cellular Components (BH <=











Acute RDH12 pathway proteins (sig in >=1 acute contrast)

Centered intensities; rows clustered within pathway groups



Acute RDH12 pathway proteins (sig in >=1 acute contrast)

Centered intensities; rows clustered within pathway groups





SARS-CoV-1 modulates host translation machinery

5HT3 type receptor mediated signaling pathway

Peptide chain elongation

Eukaryotic Translation Termination

Eukaryotic Translation Elongation

Viral mRNA Translation

Ribosome

PELO:HBS1L and ABCE1 dissociate a ribosome on a non-stop mRNA

SARS-CoV-2 modulates host translation machinery

CS/DS degradation

Selenocysteine synthesis

Nonsense Mediated Decay (NMD) independent of the Exon Junction Complex (EJC)

Ribosome-associated Quality Trigger (RQT) complex dissociate a ribosome stalled on a no-go mRNA

Response of EIF2AK4 (GCN2) to amino acid deficiency

Formation of a pool of free 40S subunits


Antigen processing: Ub, ATP-independent proteasomal degradation


Mitochondrial translation initiation


Mitochondrial ribosome-associated quality control


Mitochondrial translation termination


Nonsense-Mediated Decay (NMD)













Acute treatment transporter proteins

Centered intensities; rows clustered within transporter groups




Acute RDH12 pathway proteins (sig in >=1 acute contrast)


Centered intensities; rows clustered within pathway groups




Acute RDH12 pathway proteins (sig in >=1 acute contrast)
Centered intensities; rows clustered within pathway groups




Top 20 Enriched Pathways (BH <= 0.1)





Top 20 Enriched Biological Pro




Top 10 Enriched Cellular Components (BH <=









Top 10 Enriched Cellular Components (BH <= 0.1)




Acute RDH12 pathway proteins (sig in >=1 acute contrast)
Centered intensities; rows clustered within pathway groups



Acute RDH12 pathway proteins (sig in >=1 acute contrast)
Centered intensities; rows clustered within pathway groups




Acute RDH12 pathway proteins (sig in >=1 acute contrast)
Centered intensities; rows clustered within pathway groups



Proteins with Differential Expression

Fold Change >=1.5 (FDR<=0.05)


Upregulated Downregulated



Proteins with Differential Expression

Fold Change >=1.5 (FDR<=0.05)


Upregulated Downregulated



Proteins with Differential Expression

Fold Change ≥ 1.5 (FDR ≤ 0.05)


Upregulated Downregulated



Proteins with Differential Expression

Fold Change ≥ 1.5 (FDR ≤ 0.05)


Upregulated Downregulated



Proteins with Differential Expression

Fold Change ≥ 1.5 (p.val ≤ 0.1)


Upregulated Downregulated



Proteins with Differential Expression

Fold Change >=1.3 (p.val<=0.1)


Upregulated Downregulated



Lipids with Differential Expression

Fold Change >=1.3 (p.val<=0.1)


Upregulated Downregulated



Lipids with Differential Expression

Fold Change ≥ 1.5 (FDR ≤ 0.05)


Upregulated Downregulated




Lipids with Differential Expression

Fold Change ≥ 1.5 (FDR ≤ 0.1)


Upregulated Downregulated




LPC 18:1 abundance across acute treatment




LPC 18:1 distribution across acute treatment




LPC 18:1 log2 abundance across acute treatment




LPC 18:1 abundance across acute treatment




LPC 18:1 distribution across acute treatment




LPC 18:1 distribution across acute treatment




LPC 18:1 log2 abundance across acute treatment




PC 32:0 abundance across acute treatment




PC 32:0 distribution across acute treatment




PC 32:0 log2 abundance across acute treatment




PC 32:0 abundance across acute treatment




PC 32:0 distribution across acute treatment




PC 32:0 log2 abundance across acute treatment




PC 32:0 log2 abundance across acute treatment




PC 32:0 log2 abundance across acute treatment




PC 32:0 log2 abundance across acute treatment




PC 32:0 log2 abundance across acute treatment




PE 34:1 abundance across acute treatment




PE 34:1 distribution across acute treatment




PE 34:1 log2 abundance across acute treatment




DG 40:5 NL 20:0 abundance across acute treatment




DG 40:5 NL 20:0 distribution across acute treatment




DG 40:5 NL 20:0 log2 abundance across acute treatment




DG 34:1 NL 20:0 abundance across acute treatment




DG 34:1 NL 20:0 distribution across acute treatment




DG 34:1 NL 20:0 log2 abundance across acute treatment




DG 34:1 NL 18:1 abundance across acute treatment




DG 34:1 NL 18:1 distribution across acute treatment




DG 34:1 NL 18:1 log2 abundance across acute treatment




DG 32:0 NL 16:0 abundance across acute treatment




DG 32:0 NL 16:0 distribution across acute treatment




DG 32:0 NL 16:0 log2 abundance across acute treatment




DG 34:2 NL 20:0 abundance across acute treatment




DG 34:2 NL 20:0 distribution across acute treatment




DG 34:2 NL 20:0 log2 abundance across acute treatment




DG 40:6 NL 20:0 abundance across acute treatment




DG 40:6 NL 20:0 distribution across acute treatment




DG 40:6 NL 20:0 log2 abundance across acute treatment




DG 38:0 NL 20:0 abundance across acute treatment




DG 38:0 NL 20:0 distribution across acute treatment




DG 38:0 NL 20:0 log2 abundance across acute treatment




DG 38:0 NL 20:0 abundance across acute treatment




DG 38:0 NL 20:0 distribution across acute treatment




DG 38:0 NL 20:0 log2 abundance across acute treatment




DG 38:0 NL 20:0 log2 distribution across acute treatment




DG 38:0 NL 20:0 abundance across acute treatment




DG 38:0 NL 20:0 distribution across acute treatment




DG 38:0 NL 20:0 log2 abundance across acute treatment




DG 38:0 NL 20:0 log2 distribution across acute treatment




DG 38:0 NL 20:0 log2 abundance across acute treatment




DG 38:0 NL 20:0 log2 distribution across acute treatment




DG 38:0 NL 20:0 abundance across acute treatment




DG 38:0 NL 20:0 distribution across acute treatment




DG 38:0 NL 20:0 log2 abundance across acute treatment




DG 38:0 NL 20:0 log2 distribution across acute treatment




DG 38:0 NL 20:0 abundance across acute treatment




DG 38:0 NL 20:0 distribution across acute treatment




DG 38:0 NL 20:0 log2 abundance across acute treatment




DG 38:0 NL 20:0 log2 distribution across acute treatment




DG 34:1 NL 20:0 abundance across acute treatment




DG 34:1 NL 20:0 distribution across acute treatment





DG 34:1 NL 20:0 log2 abundance across acute treatment



DG 34:1 NL 20:0 log2 distribution across acute treatment







Missing values pattern


Missing value


Valid value





Protein identifications overlap





















Missing values pattern

Missing value

Valid value










condition


- RDH12_100
- RDH12_200
- RDH12_Veh








Protein identifications overlap
























Missing values pattern

Missing value


Valid value







condition

- RDH12_100
- RDH12_200
- RDH12_Veh







PCA plot – top 247 variable proteins




RDH12_100 vs_RDH12_Veh




RDH12_200 vs_RDH12_Veh



RDH12_200 vs_RDH12_100





DG 34:1 NL 20:0

DG 34:1 NL 20:0

$\log_2$ Centered intensity ($\pm 95\%$ CI)

Rep

- 1
- 2
- 3


1.0
0.5
0.0
-0.5
-1.0


RDH12_100

RDH12_200


RDH12_Veh

Condition







PCA plot – top 247 variable proteins




RDH12_100 vs_RDH12_Veh




RDH12_200 vs_RDH12_Veh



RDH12_200 vs_RDH12_100





DG 34:1 NL 20:0

DG 34:1 NL 20:0

$\log_2$ Centered intensity ($\pm 95\%$ CI)

Rep

- 1
- 2
- 3


1.0
0.5
0.0
-0.5
-1.0


RDH12_100

RDH12_200


RDH12_Veh

Condition







Acute RDH12 pathway proteins (centered intensities)
rows clustered within pathway groups




Acute RDH12 pathway proteins (centered intensities)
rows clustered within pathway groups




Acute RDH12 pathway proteins (centered intensities)
rows clustered within pathway groups




Acute RDH12 pathway proteins (centered intensities)
rows clustered within pathway groups



Acute RDH12 pathway proteins (centered intensities)
rows clustered within pathway groups



**Acute RDH12 pathway proteins (centered intensities)
rows clustered within pathway groups**





Acute RDH12 pathway proteins (centered intensities)
rows clustered within pathway groups




Acute RDH12 pathway proteins (centered intensities)
rows clustered within pathway groups



















SARS-CoV-1 modulates host translation machinery

5HT3 type receptor mediated signaling pathway

Peptide chain elongation

Eukaryotic Translation Termination

Eukaryotic Translation Elongation

Viral mRNA Translation

Ribosome

PELO:HBS1L and ABCE1 dissociate a ribosome on a non-stop mRNA

SARS-CoV-2 modulates host translation machinery

CS/DS degradation

Selenocysteine synthesis

Nonsense Mediated Decay (NMD) independent of the Exon Junction Complex (EJC)

Ribosome-associated Quality Trigger (RQT) complex dissociate a ribosome stalled on a no-go mRNA

Response of EIF2AK4 (GCN2) to amino acid deficiency

Formation of a pool of free 40S subunits


Antigen processing: Ub, ATP-independent proteasomal degradation


Mitochondrial translation initiation

Mitochondrial ribosome-associated quality control

Mitochondrial translation termination


Nonsense-Mediated Decay (NMD)






HMOX1 Expression by Condition

Mean intensity across proteomics samples | UniProt: P09601




SLC7A11 Expression by Condition

Mean intensity across proteomics samples | UniProt: Q9UPY5




SLC7A11 Expression by Condition

Mean intensity across proteomics samples | UniProt: Q9UPY5




SLC7A11 Expression by Condition

Mean intensity across proteomics samples | UniProt: Q9UPY5




SLC39A7 Expression by Condition

Mean intensity across proteomics samples | UniProt: Q92504




SLC39A7 Expression by Condition

Mean intensity across proteomics samples | UniProt: Q92504




SLC39A7 Expression by Condition

Mean intensity across proteomics samples | UniProt: Q92504




TFRC Expression by Condition

Mean intensity across proteomics samples | UniProt: P02786




TFRC Expression by Condition


Mean intensity across proteomics samples | UniProt: P02786





TFRC Expression by Condition


Mean intensity across proteomics samples | UniProt: P02786





















































Formation of the nephric

Nucleotide sa

Kidney develop

Molecules associated with elastic

Elastic fibre form

Cytokine–cytokine receptor intera

Amino acids regulate mTC

Signaling by Insulin rec

Platelet degranu

Drug metabolism – other enz

Response to elevated platelet cytosolic

Post–translational protein phosphory

n–like Growth Factor (IGF) transport and uptake by Insulin–like Growth Factor Binding Proteins (IGF

PPARA activates gene expre

Regulation of lipid metabolism by PPAR


TGF–beta signaling pa


Hippo signaling pa

Signaling by NTRK1 (T

Signaling by N

Nucleotide metab





Formation of the nephric

Nucleotide sa

Kidney develop

Molecules associated with elastic

Elastic fibre form

Cytokine–cytokine receptor intera

Amino acids regulate mTC

Signaling by Insulin rec

Platelet degranu

Drug metabolism – other enz

Response to elevated platelet cytosolic

Post–translational protein phosphory

n–like Growth Factor (IGF) transport and uptake by Insulin–like Growth Factor Binding Proteins (IGF

PPARA activates gene expre

Regulation of lipid metabolism by PPAR


TGF–beta signaling pa


Hippo signaling pa

Signaling by NTRK1 (T

Signaling by N

Nucleotide metab





Formation of the nephric

Nucleotide sa

Kidney develop

Molecules associated with elastic

Elastic fibre form

Cytokine–cytokine receptor intera

Amino acids regulate mTC

Signaling by Insulin rec

Platelet degranu

Drug metabolism – other enz

Response to elevated platelet cytosolic

Post–translational protein phosphory

n–like Growth Factor (IGF) transport and uptake by Insulin–like Growth Factor Binding Proteins (IGF

PPARA activates gene expre

Regulation of lipid metabolism by PPAR


TGF–beta signaling pa


Hippo signaling pa

Signaling by NTRK1 (T

Signaling by N

Nucleotide metab





Post-translational protein phosphorylation

Insulin-like Growth Factor (IGF) transport and uptake by Insulin-like Growth Factor Binding Proteins (IGFBPs)

PPARA activates gene expression

Regulation of lipid metabolism by PPAR α

TGF- β signaling pathway

GnRH signaling pathway

Fluid shear stress and atherosclerosis

Signaling by NTRK1 (TrkA)

FGF signaling pathway

AGE-RAGE signaling pathway in diabetic complications

Signaling by NMDA receptor

Anchoring of the basal body to the plasma membrane

Dopaminergic synapse

Insulin resistance

EGF receptor signaling pathway


Interferon Signaling


Mitophagy - autophagy of mitochondria

Hippo signaling pathway

Factors involved in megakaryocyte development and platelet production

Wnt signaling pathway





Post-translational protein phosphorylation

Insulin-like Growth Factor (IGF) transport and uptake by Insulin-like Growth Factor Binding Proteins (IGFBPs)

PPARA activates gene expression

Regulation of lipid metabolism by PPAR α

TGF- β signaling pathway

GnRH signaling pathway

Fluid shear stress and atherosclerosis

Signaling by NTRK1 (TrkA)

FGF signaling pathway

AGE-RAGE signaling pathway in diabetic complications

Signaling by NTRK1

Anchoring of the basal body to the plasma membrane

Dopaminergic synapse

Insulin resistance

EGF receptor signaling pathway


Interferon Signaling


Mitophagy - autophagy of mitochondria

Hippo signaling pathway

Factors involved in megakaryocyte development and platelet production

Wnt signaling pathway





Post-translational protein phosphorylation

Insulin-like Growth Factor (IGF) transport and uptake by Insulin-like Growth Factor Binding Proteins (IGFBPs)

PPARA activates gene expression

Regulation of lipid metabolism by PPAR α

TGF- β signaling pathway

GnRH signaling pathway

Fluid shear stress and atherosclerosis

Signaling by NTRK1 (TrkA)

FGF signaling pathway

AGE-RAGE signaling pathway in diabetic complications

Signaling by NTRK1

Anchoring of the basal body to the plasma membrane

Dopaminergic synapse

Insulin resistance

EGF receptor signaling pathway


Interferon Signaling


Mitophagy – a process of autophagy


Hippo signaling pathway


Factors involved in megakaryocyte development and platelet production


Wnt signaling pathway


















































Acute RDH12 pathway proteins (sig in >=1 acute contrast)
Centered intensities; rows clustered within pathway groups




Acute RDH12 pathway proteins (sig in >=1 acute contrast)
Centered intensities; rows clustered within pathway groups




Acute RDH12 pathway proteins (sig in >=1 acute contrast)
Centered intensities; rows clustered within pathway groups




Acute RDH12 pathway proteins (sig in >=1 acute contrast)
Centered intensities; rows clustered within pathway groups



Acute RDH12 pathway proteins (sig in >=1 acute contrast)
Centered intensities; rows clustered within pathway groups




Acute RDH12 pathway proteins (sig in >=1 acute contrast)
Centered intensities; rows clustered within pathway groups




DGAT1 Expression by Condition

Mean intensity across proteomics samples | UniProt: O75907




DGAT1 Expression by Condition

Mean intensity across proteomics samples | UniProt: O75907




DGAT1 Expression by Condition

Mean intensity across proteomics samples | UniProt: O75907



MBTPS1 Expression by Condition

Mean intensity across proteomics samples | UniProt: Q14703



SCAP Expression by Condition

Mean intensity across proteomics samples | UniProt: Q12770

