

Practice — Laws of Reflection

Section A is interactive — tap an option or type and press Check. Sections B and C are written practice.

Objective (1 mark each)

Q1 · MCQ**[1]**

The angle of incidence is measured between the incident ray and the —

- (a) mirror surface (b) normal (c) reflected ray (d) table

Q2 · MCQ**[1]**

According to the law of reflection, —

- (a) $i > r$ (b) $i < r$ (c) $i = r$ (d) $i = 2r$

Q3 · MCQ**[1]**

Parallel rays falling on a **concave** mirror —

- (a) diverge (b) converge (c) stay parallel (d) disappear

Q4 · MCQ**[1]**

If a ray strikes a mirror along the normal, the angle of reflection is —

- (a) 90° (b) 45° (c) 0° (d) 180°

Q5 · ASSERTION-REASON**[1]**

A: A convex mirror makes a parallel beam diverge.

R: Each ray still obeys the laws of reflection, but the outward curve spreads the beam.

- (a) Both true, R explains A (b) Both true, R does not explain A (c) A true, R false
(d) A false, R true

Q6 · FILL IN THE BLANK

[1]

The incident ray, the reflected ray and the normal all lie in the same _____.

Q7 · FILL IN THE BLANK

[1]

A concave mirror _____ a parallel beam of light.

Short answer (2 marks each)

Q8

[2]

State the two laws of reflection.

Q9

[2]

How do parallel rays behave on a plane, a concave and a convex mirror?

Q10

[2]

Define incident ray, reflected ray and normal.

Long / application (3 marks each)

Q11

[3]

Describe an experiment to verify that the angle of incidence equals the angle of reflection.

Q12

[3]

Explain why a concave mirror can be used in a solar concentrator while a convex mirror cannot.

[Check yourself](#) → Answer key