



TYPE 1		TYPE 2		TYPE 3		TYPE 4		TYPE 16		REINFORCING DETAILS										REMARKS							
FOOTING										REINFORCING DETAILS										REMARKS							
COLUMN NO.		TYPE		GL. POTT GUY YDS. SHIPPING CONG.		No		Length		Mark		TYPE A		B		C		D		E		F		G			
E1, E4, E5, E6, E10, E11, E13, E14, E18, E19, E20, E24, E26	"T"	751.25	4.2	2	4"	8-2	F200	T1	3	1-8	2-2	1-8	2-2														
E32, E33	"T"	751.21	4.2	2	4"	6-0	F201	T4	3	2-2	10	1-8	1-1	1-42	3												SEE NOTE "A" ON PLAN OF DETAIL
F31	"T"	751.00	4.2	12	4"	6-G	F400	1	6	5-G		3													FOR ALTERNATE ROCK BEARING FOOTING OF "H" COLUMN LINE SEE NOTE B & DLT. ON DWG 573		
G'38, G'33, G'35, H'6, H'10, H'11, H'13, H'16, H'19, H'20, H'24	"T"	750.96	4.2	10	3-4"	9-10	F600	1	8	8-G		42															
E2-E3, E3-E9, E5-E10, E22-E23, E29-E30	"S"	751.25	4.4	4	4"	10-4	F202	T1	3	2-9	2-2	2-9	2-2														
F29-F30	"S"	751.00	4.4	12	4"	6-G	F400	1	6	5-G		3													FOR ALTERNATE ROCK BEARING FOOTING OF "H" COLUMN LINE SEE NOTE B & DLT. ON DWG 573		
H'2-H'9	"S"	751.00	4.4	10	3-4"	9-10	F600	1	8	8-G		42															
H'22-H'29	"SA"	751.00	4.4	12	4"	3-3	F601	2	10	2-5		5															
E7, E12, E17, E21, E34	"TR"	751.25	4.2	2	4"	8-2	F200	T1	3	1-8	2-2	1-8	2-2												SEE NOTE "B" ON PLAN OF DETAIL		
G'34, H'7, H'12, H'17, H'21, H'25	"TR"	750.96	4.2	12	4"	6-G	F400	1	6	5-G		3															
E'36-E'37	"MA"	750.71	8.5	6	5-4"	4-9	F500	2	9	4-0		42															
E38, E40, E'35	"N"	750.71	8.4	10	3-4"	9-10	F600	1	8	8-6		42															
E39	"NR"	750.71	8.4	8	3-4"	3-3	F601	2	10	2-5		5															
F4, F5, F6, F10, F11, F13, F14, F18, F19, F20, F24, F28	"R"	751.00	3.3	14	3-4"	11-10	F606	1	8	10-6		42															
O'28, G'31				2	4"	8-2	F200	T1	3	1-8	2-2	1-8	2-2														
F1	"H"	733.83	9.9	2	4"	6-0	F201	T4	3	2-2	10	1-8	1-1	1-42	3												
F2-F3, F6-F9, F15-F16, F22-F23	"Q"	751.00	3.5	9	12"	6-6	F400	1	6	5-6		3															
H'2L, H'28, H'31, H'32, H'33, H'34, H'35, H'38, H'39, H'40	"RA"	ROCK	1.1	12	3-4"	3-3	F601	2	10	2-5		5													FOR DETAILS SEE DWG 573		
J1-J2, J4-J5, J6-J7, J10, J11, J12, J13, J14, J15, J16, J18, J19, J20, J21, J24, J25, J26	"O"	751.29	5	2	4"	8-2	F200	T1	3	1-8	2-2	1-8	2-2														
J1-J2, J4-J5, J6-J7, J10, J11, J12, J13, J14, J15, J16, J18, J19, J20, J21, J24, J25, J26	"P"	751.46	15	4	3-4"	5-6	F603	2	1-14	1-72		5															
J2-J3	"O"	751.29	5	1	3-4"	5-10	F603	2	1-14	2-12		5															
J2-J3	"O"	751.46	15	5	3-4"	7-5	F607	2	10	3-6		5															
J2-J3	"OAT"	751.46	5	12	3-4"	7-10	F602	1	8	6-6		42															
J1	"O"	751.29	5	3	4"	10-4	F202	T1	3	2-9	2-2	2-9	2-2														
J4-J5, J6-J7, J10, J11, J12, J13, J14, J15, J16, J18, J19, J20, J21, J24, J25, J26	"P"	751.46	15	4	3-4"	5-10	F603	2	1-14	2-12		5															
J2-J3	"O"	751.29	5	2	3-4"	7-5	F607	2	10	3-6		5															
J2-J3	"OAT"	751.46	5	12	3-4"	7-10	F602	1	8	6-6		42															
J1-J2, J4-J5, J6-J7, J10, J11, J12, J13, J14, J15, J16, J18, J19, J20, J21, J24, J25, J26	"QA"	751.00	3.5	4	4"	10-10	F204	T1	3	2-9	2-5	2-9	2-5														
J1-J2, J4-J5, J6-J7, J10, J11, J12, J13, J14, J15, J16, J18, J19, J20, J21, J24, J25, J26	"PB"	747.75	11	2	4"	9-4	F205	T4	3	3-8	2-2	2-9	2-2														
J1-J2, J4-J5, J6-J7, J10, J11, J12, J13, J14, J15, J16, J18, J19, J20, J21, J24, J25, J26	"PA"	751.00	3.5	5	1-2"	4-0	F400	1	6	5-G		3															
J1-J2, J4-J5, J6-J7, J10, J11, J12, J13, J14, J15, J16, J18, J19, J20, J21, J24, J25, J26	"PC"	751.00	3.5	6	3-4"	3-3	F601	2	10	2-5		5															
J1-J2, J4-J5, J6-J7, J10, J11, J12, J13, J14, J15, J16, J18, J19, J20, J21, J24, J25, J26	"PD"	751.00	3.5	7	3-4"	3-1	F608	2	10	2-3		5															
J1-J2, J4-J5, J6-J7, J10, J11, J12, J13, J14, J15, J16, J18, J19, J20, J21, J24, J25, J26	"PE"	751.00	3.5	8	4"	9-2	F200	T1	3	1-8	2-2	1-8	2-2														
J1-J2, J4-J5, J6-J7, J10, J11, J12, J13, J14, J15, J16, J18, J19, J20, J21, J24, J25, J26	"PF"	751.00	3.5	9	4"	6-0	F201	T4	3	2-2	10	1-8	1-1	1-42	3												
J1-J2, J4-J5, J6-J7, J10, J11, J12, J13, J14, J15, J16, J18, J19, J20, J21, J24, J25, J26	"PG"	751.00	3.5	10	4"	6-G	F400	1	6	5-G		3															
J1-J2, J4-J5, J6-J7, J10, J11, J12, J13, J14, J15, J16, J18, J19, J20, J21, J24, J25, J26	"PH"																										

FOR GENERAL NOTES, DESIGN DATA & REFERENCE DWGS.
SEE DWG S79

THIS DWG TO BE USED IN CONJUNCTION
WITH DWGS S77 S78 LS79

1	10-24-55 102	SJS	PAR WLD 10/14/74	TRACING RELEASED TO P.R.R.				
2	5-13-58 LE	9/3	CON. WLD 10/14/74	VOTED TO THE CARRYING TRADE BOARD TO APPROVE				
3	11-1-58 R.L.	9/1	CON. WLD 10/14/74	ALTERNATE "H" COLUMN FOOTING FOR APPROVAL & CONSTRUCTION				
4	10-25-58 G.A.	9/1	CON. WLD 10/14/74					
REV. NO.	DATE	DRAWN BY	APPROVED BY	REMARKS				
APPROVALS								
GIBBS & HILL (INC.) ENGINEERS NEW YORK JULY NO. 749				MF 145677	SCALE 4'-0" 6' AS NOTED	DRAWN BY W. J.C.	DATE	DRAWING NO. 380
46684								