MATERIAL PROPERTY OF THE PROP

OBJECTIVE

Transform the Core Safety Loop system from demo mode to full production functionality by configuring AWS IAM permissions and setting up Face Collections.

TOTAL CURRENT STATUS VERIFICATION

Step 0: Check Current System Status

cd /home/ubuntu/safeplay-staging
node test-core-safety-loop.js

Expected Output (Demo Mode):

✓ Core files present

AWS permissions needed: AccessDeniedException

System Status Summary:

Rekognition: X Permissions needed

• Demo Mode: ✓ Active (AWS permissions needed)

PART 1: AWS IAM PERMISSIONS SETUP

Step 1.1: Access AWS Management Console

- 1. Log into your AWS Management Console
- 2. Ensure you're in the correct region: us-east-1
- 3. Navigate to IAM (Identity and Access Management)

Step 1.2: Locate Your IAM User/Role

- 1. Click on "Users" in the left sidebar
- 2. Look for user: spark-permissions (or the user associated with your credentials)
- 3. Alternative: Check "Roles" if you're using role-based access

Step 1.3: Create SafePlay Rekognition Policy

- 1. In IAM, click "Policies" in the left sidebar
- 2. Click "Create policy"
- 3. Select the "JSON" tab
- 4. Copy and paste this exact policy:

```
{
    "Version": "2012-10-17",
    "Statement": [
            "Sid": "RekognitionFaceCollections",
            "Effect": "Allow",
            "Action": [
                "rekognition:CreateCollection",
                "rekognition:DeleteCollection",
                "rekognition:ListCollections",
                "rekognition:DescribeCollection",
                "rekognition:IndexFaces",
                "rekognition: SearchFacesByImage",
                "rekognition:SearchFaces",
                "rekognition:DeleteFaces",
                "rekognition:ListFaces",
                "rekognition:DetectFaces",
                "rekognition:CompareFaces",
                "rekognition:DetectModerationLabels"
            ],
            "Resource": "*"
        },
        {
            "Sid": "S3FaceStorage",
            "Effect": "Allow",
            "Action": [
                "s3:GetObject",
                "s3:PutObject",
                "s3:DeleteObject",
                "s3:ListBucket"
            ],
            "Resource": [
                "arn:aws:s3:::safeplay-faces",
                "arn:aws:s3:::safeplay-faces/*"
        }
    1
}
```

- 1. Click "Next: Tags" (skip tags for now)
- 2. Click "Next: Review"
- 3. **Name**: SafePlayRekognitionPolicy
- 4. **Description**: Permissions for SafePlay Core Safety Loop face recognition system
- 5. Click "Create policy"

Step 1.4: Attach Policy to Your User/Role

- 1. Go back to "Users" (or "Roles") in IAM
- 2. Click on your user: spark-permissions
- 3. Click the "Permissions" tab
- 4. Click "Add permissions" → "Attach existing policies directly"
- 5. Search for: SafePlayRekognitionPolicy
- 6. Check the box next to it
- 7. Click "Next: Review" → "Add permissions"

Step 1.5: Verify Policy Attachment

- 1. In your user's Permissions tab, confirm you see:
 - SafePlayRekognitionPolicy ✓
- 2. Click on the policy name to verify it shows the JSON you pasted

PART 2: IMMEDIATE VERIFICATION

Step 2.1: Test AWS Connection

cd /home/ubuntu/safeplay-staging node test-core-safety-loop.js

Expected Output (Success):

✓ AWS credentials working Collections found: 0

AWS Configuration:

• Credentials: 🔽 Valid

• Rekognition: 🗸 Connected

If you still see permissions errors:

- Wait 2-3 minutes for AWS IAM changes to propagate
- Try running the test again
- Verify you attached the policy correctly

Step 2.2: Direct Permission Test

```
cd /home/ubuntu/safeplay-staging
node -e "
const { RekognitionClient, ListCollectionsCommand } = require('@aws-sdk/client-rekogni-
const client = new RekognitionClient({
 region: process.env.AWS_REGION || 'us-east-1',
 credentials: {
    accessKeyId: process.env.AWS_ACCESS_KEY_ID,
    secretAccessKey: process.env.AWS_SECRET_ACCESS_KEY,
    sessionToken: process.env.AWS_SESSION_TOKEN
 }
});
(async () => {
 try {
    const result = await client.send(new ListCollectionsCommand({}));
    console.log('✓ SUCCESS: Rekognition permissions working!');
    console.log('\overline{Co}llections \ found:', \ result.CollectionIds?.length \ || \ 0);
    console.log('Available collections:', result.CollectionIds || []);
 } catch (error) {
    console.log('★ FAILED: Rekognition permissions still needed');
    console.log('Error:', error.name, '-', error.message);
 }
})();
```

PART 3: FACE COLLECTIONS SETUP

Step 3.1: Initialize Face Collections

```
cd /home/ubuntu/safeplay-staging
node scripts/setup-face-collections.js
```

Expected Output:

```
    Setting up Face Collections for SafePlay Venues
    AWS Rekognition connected successfully!
Existing collections: 0

Found X venues
    Created collection: safeplay-venue-[venue-id] (Demo Venue)
    Created demo collection: safeplay-demo-main

| Summary:
Collections created: X
Total venues: X
    Face collection setup completed!
```

Step 3.2: Verify Collections via API

Start the development server:

```
cd /home/ubuntu/safeplay-staging
npm run dev
```

Test the collections API:

```
# In a new terminal window
curl "http://localhost:3000/api/faces/collections" \
  -H "Cookie: next-auth.session-token=your-session-token"
```

Or test via browser:

- 1. Open: http://localhost:3000/venue-admin/core-safety-loop
- 2. Click the "Hardware" tab
- 3. Look for face collection information

Step 3.3: Check System Status

```
curl "http://localhost:3000/api/system/aws-status" \
  -H "Cookie: next-auth.session-token=your-session-token"
```

Expected Response:

```
"success": true,
  "systemHealth": {
   "awsCredentials": true,
   "rekognitionPermissions": true,
   "faceCollections": true,
   "overallStatus": "operational"
  "recommendations": []
}
```

PART 4: FACE ENROLLMENT TESTING

Step 4.1: Access Core Safety Loop Interface

- 1. Open browser: http://localhost:3000/venue-admin/core-safety-loop
- 2. **Login as venue admin** or use demo credentials
- 3. Navigate to "Hardware" tab

Step 4.2: Test Face Detection

- 1. In the Hardware tab, find "Face Recognition Setup"
- 2. Click "Test Face Detection"
- 3. Upload a clear photo of a face
- 4. Expected result: Face detected with confidence score

Step 4.3: Enroll a Child's Face

- 1. Go to venue children management
- 2. Select a child

- 3. Click "Enroll Face"
- 4. Upload a clear, well-lit photo showing only the child's face
- 5. Success criteria:
 - Face detected: 🗸
 - Confidence > 90%: ✓
 - Single face only: 🔽
 - Enrollment successful: 🗸

Step 4.4: Test Face Recognition

- 1. In Core Safety Loop → "Hardware" tab
- 2. Click "Test Recognition"
- 3. Upload a different photo of the same child
- 4. Expected result: Child identified with match confidence

PART 5: REAL-TIME SYSTEM VERIFICATION

Step 5.1: Live Tracking Dashboard

- 1. Core Safety Loop → "Live Tracking" tab
- 2. Verify you see:
 - Zone map with children locations
 - Real-time activity feed
 - Child safety status indicators
 - "Demo Mode: OFF" indicator

Step 5.2: Camera Feeds

- 1. Core Safety Loop → "Camera Feeds" tab
- 2. Verify:
 - Camera discovery working
 - Face recognition overlay enabled
 - Real-time detection events

Step 5.3: Final System Test

cd /home/ubuntu/safeplay-staging
node test-core-safety-loop.js

Expected Final Output:

```
AWS credentials working
  Collections found: X
System Status Summary:
AWS Configuration:

    Credentials:  Valid

   • Rekognition: 🔽 Connected

    Core Safety Loop:
   • Real-time Face Recognition: 🔽 Implemented
   • Live Tracking Service: 🔽 Implemented
   • Camera Hardware Integration: <a>✓</a> Implemented
Face Recognition:
   • Demo Mode: X Disabled
Next Steps:

    Access Core Safety Loop at: /venue-admin/core-safety-loop
```

TROUBLESHOOTING GUIDE

Problem: AWS Connection Still Fails

Check 1: Credential Source

```
echo "Access Key: ${AWS_ACCESS_KEY_ID:0:8}..."
echo "Secret Key: ${AWS_SECRET_ACCESS_KEY:0:8}..."
echo "Region: $AWS_REGION"
```

Check 2: IAM Policy Attachment

- AWS Console → IAM → Users → [your-user] → Permissions
- Verify SafePlayRekognitionPolicy is listed
- Click policy name → verify JSON content

Check 3: Permission Propagation

- Wait 5 minutes after attaching policy
- Try logging out and back into AWS Console
- Re-run test script

Problem: Face Collections Fail to Create

Error: ResourceAlreadyExistsException

- Collections already exist (this is OK)
- Run: node -e "console.log('Collections exist, proceeding...')"

Error: ValidationException

- Check collection naming (alphanumeric only)
- Verify venue IDs are valid UUIDs

Problem: Face Enrollment Fails

"No face detected":

- Use well-lit, clear photos
- Ensure face is clearly visible
- Face should be looking toward camera
- No sunglasses or face coverings

"Multiple faces detected":

- Crop photo to show only one person
- Ensure background doesn't contain faces

"Low confidence":

- Improve photo quality
- Use higher resolution image
- Ensure good lighting

Problem: Demo Mode Still Active

Check API Status:

curl "http://localhost:3000/api/system/aws-status"

Verify Response:

- systemHealth.rekognitionPermissions: true
- faceRecognition.demoMode: false

SUCCESS VERIFICATION CHECKLIST

AWS Configuration:

- [] IAM policy created: SafePlayRekognitionPolicy
- [] Policy attached to user/role
- [] AWS connection test passes
- [] ListCollections permission works

Face Collections:

- [] Collections created for all venues
- [] Demo collections created
- [] Database updated with collection IDs
- [] API endpoints responding correctly

Face Recognition:

- [] Face detection working
- [] Face enrollment successful
- [] Face recognition/matching working
- [] Confidence scores reasonable (>80%)

System Integration:

- [] Core Safety Loop interface accessible
- [] Live tracking functional
- [] Camera feeds working
- [] Demo mode disabled
- [] Real-time events broadcasting

Production Readiness:

- [] All API endpoints responding
- [] Error handling working correctly
- [] System status API shows "operational"
- [] No critical recommendations in status

M NEXT STEPS AFTER SUCCESSFUL SETUP

Immediate Actions:

- 1. Test with Real Children: Enroll faces of actual children at your venue
- 2. Configure Cameras: Set up physical cameras and connect them
- 3. Train Staff: Show venue staff how to use the Core Safety Loop interface
- 4. Set Alert Rules: Configure safety alerts and notifications

Production Configuration:

- 1. Backup Strategy: Set up collection backups
- 2. Monitoring: Configure AWS CloudWatch alerts
- 3. **Performance Tuning**: Adjust confidence thresholds based on testing
- 4. Security Review: Ensure all face data is properly secured

System Optimization:

- 1. Confidence Thresholds: Fine-tune based on real-world performance
- 2. Camera Placement: Optimize camera positions for best recognition
- 3. Zone Configuration: Set up safety zones and boundaries
- 4. Alert Customization: Configure venue-specific alert rules

SUPPORT AND RESOURCES

Documentation Files:

- AWS_REKOGNITION_SETUP_GUIDE.md Original setup guide
- test-core-safety-loop.js System testing script
- scripts/setup-face-collections.js Collections setup

API Endpoints for Testing:

- /api/system/aws-status Complete system status
- /api/faces/collections Face collections management
- /api/faces/enroll Face enrollment
- /api/faces/test-recognition Recognition testing

User Interfaces:

- /venue-admin/core-safety-loop Main Core Safety Loop interface
- /venue-admin/core-safety-loop?tab=hardware Hardware configuration
- /venue-admin/core-safety-loop?tab=cameras Camera feeds

Emergency Contacts:

- AWS Support: If you encounter AWS service issues
- IAM Documentation: https://docs.aws.amazon.com/iam/
- Rekognition Docs: https://docs.aws.amazon.com/rekognition/

QUICK VERIFICATION COMMANDS

Test everything at once:

```
cd /home/ubuntu/safeplay-staging
# 1. Test AWS connection
echo "Testing AWS connection..."
node test-core-safety-loop.js
# 2. Test API endpoints
echo "Testing API endpoints..."
curl -s "http://localhost:3000/api/system/aws-status" | jq '.system-
Health.overallStatus'
# 3. List collections
echo "Listing face collections..."
node -e "
const { RekognitionClient, ListCollectionsCommand } = require('@aws-sdk/client-rekogni-
const client = new RekognitionClient({
 region: process.env.AWS_REGION || 'us-east-1',
 credentials: {
   accessKeyId: process.env.AWS_ACCESS_KEY_ID,
   secretAccessKey: process.env.AWS_SECRET_ACCESS_KEY,
   sessionToken: process.env.AWS_SESSION_TOKEN
 }
});
client.send(new ListCollectionsCommand({}))
  .then(result => console.log('Collections:', result.CollectionIds))
  .catch(error => console.log('Error:', error.message));
```

Expected Success Output:

```
Testing AWS connection...

✓ Core Safety Loop system test completed!

Testing API endpoints...
"operational"
Listing face collections...
Collections: ["safeplay-venue-...", "safeplay-demo-main"]
```



If all steps completed successfully, your Core Safety Loop system is now fully operational with:

- **AWS Rekognition Integration**: Real face recognition
- **▼ Face Collections**: Venue-specific child enrollment
- Real-Time Tracking: Live child location monitoring
- ✓ Camera Integration: Multi-vendor camera support
- ✓ Production Ready: Full functionality enabled

Your SafePlay Core Safety Loop is now protecting children with cutting-edge AI technology!