MEDICAMENTOS A EVITAR POR PACIENTES CON SÍNDROME DE BRUGADA

DROGAS ANTIARRITMICAS

Nombre Genérico	Nombres Comerciales (Ejemplos)	Uso Clínico / Clase	Recomendación	Nombre Genérico
Ajmalina	Gilurytmal®	Antiarrítmico (Clase 1A: Bloqueador de Na)	**Clase I**	**Ajmalina**
Allapinin	Allapinine®, Glialin®, Lappaconite Hydrobromide®	Antiarrítmico (Clase 1C: Bloqueador de Na)	**Clase IIb**	**Allapinin**
Etacizina	Ethacizine®, Etacizin®, Etmozin®	Antiarrítmico (Clase 1C: Bloqueador de Na)	**Clase IIb**	**Etacizina**
Flecainida	Tambocor®	Antiarrítmico (Clase 1C: Bloqueador de Na)	**Clase I**	**Flecainida**
Pilsicainida	Sunrhythm®	Antiarrítmico (Clase 1C: Bloqueador de Na)	**Clase I**	**Pilsicainida**
Procainamida	Procan®, Pronestyl®	Antiarrítmico (Clase 1A: Bloqueador de Na)	**Clase I**	**Procainamida**
Propafenona	Rythmol®	Antiarrítmico (Clase 1C: Bloqueador de Na)	**Clase IIa**	**Propafenona**

Recommendation class: Class I: convincing evidence/opinion; Class IIa: evidence/opinion less clear; Class IIb: conflicting evidence/opinion; Class III: very little evidence.

DROGAS SICOTROPICAS

Nombre Genérico	Nombres Comerciales (Ejemplos)	Uso Clínico	Recomendación	Nombre Genérico
Amitriptilina	Elavil®, Sarotex®, Tryptizol®	Antidepresivo (Tricíclico)	**Clase IIa**	**Amitriptilina**
Clomipramina	Anafranil®, Anafril®	Antidepresivo (Tricíclico)	**Clase IIa**	**Clomipramina**
Desipramina	Norpramin®, Pentofran®	Antidepresivo (Tricíclico)	**Clase IIa**	**Desipramina**
Litio	Eskalith®	Antidepresivo	**Clase IIb**	**Litio**

Loxapina	Cloxazepine®, Loxitane®	Antipsicótico	**Clase IIa**	**Loxapina**
Nortriptilina	Nortrilen®, Pamelor®	Antidepresivo (Tricíclico)	**Clase IIa**	**Nortriptilina**
Oxcarbazepina*	Trileptal®	Antiepiléptico	**Clase IIa**	**Oxcarbazepina***
Trifluoperazina	Fluoperazine®, Stelazine®	Antipsicótico (Fenotiazina)	**Clase IIa**	**Trifluoperazina**

Recommendation class: Class I: convincing evidence/opinion; Class IIa: evidence/opinion less clear; Class IIb: conflicting evidence/opinion; Class III: very little evidence.
*Oxcarbazepine is structurally a derivative of carbamazepine which is on the preferably avoid list.

ANESTESICOS/ANALGESICOS

Nombre Genérico	Nombres Comerciales (Ejemplos)	Uso Clínico	Recomendación	Nombre Genérico
Bupivacaína	Marcaine®, Sensorcaine®	Anestésico / Analgésico	**Clase IIa**	**Bupivacaína**
Procaína	Procaine-Penicillin, Novocain®	Analgésico	**Clase IIa**	**Procaína**
Propofol*	Diprivan®	Anestésico	**Clase IIa**	**Propofol***

Recommendation class: Class I: convincing evidence/opinion; Class IIa: evidence/opinion less clear; Class IIb: conflicting evidence/opinion; Class III: very little evidence.
* Prolonged propofol infusion has particularly been associated with adverse effects
For more information on anesthetic management of Brugada syndrome patients; a review article has been written by Kloesel & Ackerman. When appropriate precautions (see the emergencies page) are taken (general) anesthesia with propofol can most often be performed safely.

OTRAS SUSTANCIAS

Nombre Genérico	Uso Clínico / Tipo	Recomendación	Nombre Genérico	Uso Clínico / Tipo
Acetilcolina	Colinérgico / Vasoespástico intracoronario	**Clase IIa**	**Acetilcolina**	Colinérgico / Vasoespástico intracoronario
Alcohol	Sobredosis / Bebida	**Clase IIb**	**Alcohol**	Sobredosis / Bebida
Cannabis	Sustancia recreativa / Droga ilícita	**Clase IIb**	**Cannabis**	Sustancia recreativa / Droga ilícita
Cocaína	Droga ilícita / Anestésico	**Clase IIa**	**Cocaína**	Droga ilícita / Anestésico
Ergonovina	Vasoespástico intracoronario (Ej. Ergotrate®)	**Clase IIb**	**Ergonovina**	Vasoespástico intracoronario (Ej. Ergotrate®)

Recommendation class: Class I: convincing evidence/opinion; Class IIa: evidence/opinion less clear; Class IIb: conflicting evidence/opinion; Class III: very little evidence.