

THIN ZIRCONIA VENEERS · BANGKOK

3×^{*}
thinner.

Than conventional veneers.

Thin when indicated. Beautiful by design.

When a thin veneer is clinically indicated, the result can be truly beautiful while conserving natural tooth structure.

Veneers from 0.3 mm.

No-prep options for suitable teeth.

Thin ceramic shells to change tooth colour and shape, with minimal- or no-prep options following a dental assessment.

- ✓ 0.3–0.5 mm preshade design range
- ✓ ≥600 MPa material flexural strength
- ✓ Supported by Prodent, our in-house dental laboratory

[Explore my options](#) ↗

[See the comparison](#) ↓

15,000 THB / tooth · approximately AUD 641 / USD 446


When treating 6 teeth or more · conversions dated 8 Oct 2026

* COMPARISON CONCEPT FOR REVIEW

The 3× ratio and conventional-veneer benchmark require confirmation. It does not describe the amount of enamel removed.

A THIN CERAMIC LAYER

01 / MATERIAL



A shell. Not a full crown.

Preshade material design range · schematic, enlarged

0.3–0.5 mm

Manufacturer preshade veneer design range

≥600 MPa

Manufacturer-rated material flexural strength

Prodent in-house lab

Clinical planning connected to laboratory work

THE PROPOSED DIFFERENCE

See the layer.
See the difference.

A thinner ceramic layer may fit an additive design where your teeth have enough space. Preparation is assessed separately.

THIN ZIRCONIA CONCEPT

PROPOSED

1 part thickness



• A thin shell on the front of your tooth.

The product specification gives a preshade design range of 0.3–0.5 mm. Your actual design depends on the case.

CONVENTIONAL COMPARATOR

TO CONFIRM

3 parts thickness



• The comparison benchmark must be specified.

Conventional veneers vary by material and design. This illustration does not represent every conventional veneer.

* Illustration of the proposed 3:1 comparison, not a verified product comparison. The actual thickness values, material and matching measurement locations must be confirmed before publication. A 3:1 ratio means one-third the thickness, or 66.7% thinner.

Three things to look at before choosing a veneer.

Thickness is one measurement. Material strength, preparation and fabrication all deserve a closer look.



Thin by design.

Preshade zirconia is designed for 0.3–0.5 mm veneer restorations. Thickness is selected for the tooth colour, space and proposed shape.

0.3–0.5 mm · PRESade DESIGN RANGE



A measured material property.

The zirconia has a manufacturer-rated flexural strength of at least 600 MPa. This is a laboratory measure of resistance to bending stress.

≥600 MPa · MATERIAL FLEXURAL STRENGTH



Made for your teeth.

Your dentist and Prodent consider shape, shade and available space together. The finished restorations need a clinical fit and bite assessment.

DENTIST + IN-HOUSE LABORATORY

Material specifications do not predict an individual veneer's lifespan or make veneers unbreakable. Multilayer zirconia has a different published design range: 0.5–0.8 mm.

THE TEAM BEHIND YOUR VENEERS

Your clinic. Its own dental lab.

Prodent is our in-house dental laboratory. Your clinical plan and laboratory work are connected, so the proposed shape, shade and fit can be considered together.

QUALITY SYSTEM
ISO 9001

QUALITY SYSTEM
ISO 13485

Certifications refer to Prodent's quality management systems and their stated scope, rather than a guarantee of treatment results.

FROM THE PLAN TO THE FINAL FIT

01

Your teeth & your goals

Assess the tooth colour, enamel, position and bite.

02

Design & preparation

Discuss the shape, shade and any tooth reduction.

03

Custom laboratory work

Fabricate the planned restorations for your case.

04

Clinical checks before bonding

Check appearance, fit, margins and bite.

How much preparation would my teeth need?

No-prep is a case selection decision. A thinner shell does not automatically mean less enamel needs to be removed.

[Ask about my own teeth ↗](#)

01 Room for the new shape

If there is enough space for the proposed contour, an additive design may be possible. Tooth position and bite matter.

02 The colour underneath

Darker teeth or a bigger shade change may need a different thickness or material. The thinnest option is not always the right one.

03 The most suitable treatment

Your assessment may point to veneers, whitening, composite bonding or orthodontics. Any enamel removed is a permanent change.

Plan your smile. Know the numbers.

For Australians travelling to Bangkok and expats living in Thailand. An individual quote confirms the treatment scope.

AUD

USD

THB

MULTI-TOOTH TREATMENT

6 TEETH OR MORE

AUD **641**

per tooth · AUD/USD approximate

15,000 THB · approximately AUD 641 / USD 446 per tooth

Six teeth: 90,000 THB · approximately AUD 3,845 / USD 2,675

Request my treatment quote



STANDARD PER-TOOTH FEE

AUD **769**

per tooth · AUD/USD approximate

18,000 THB · approximately AUD 769 / USD 535 per tooth

The number of veneers and any preliminary treatment are determined after assessment. Ask what your personalised quote includes.

Discuss my options



Treatment is charged in THB. AUD/USD amounts use indicative mid-market conversions dated 8 October 2026, rounded to whole units. Payment-provider rates and fees may differ.

Practical questions. Direct answers.

Can I have veneers without shaving my teeth?

Some teeth can suit a no-prep design; others need preparation. Your dentist assesses the available space, tooth colour, gums and bite before recommending an approach. No-prep cannot be promised before examination.

Will they make my teeth look bulky?

The final contour depends on the veneer and the original tooth. If adding a shell would create unsuitable bulk, your dentist should discuss preparation or another treatment.

Are zirconia veneers better than glass ceramic?

There is no single best material for every case. Glass-ceramic veneers can also be thin. Material selection should consider the intended appearance, preparation, bonding and maintenance, rather than a material name alone.

Can I finish during a short trip to Bangkok?

Ask the clinic to confirm the schedule after assessment. Allow time for fabrication, try-in, possible adjustments and review. A fixed visit count or completion date cannot be promised from this page.

What happens when I return to Australia?

Discuss your review plan and how to contact the clinic before travelling home. Keep regular dental reviews where you live. Ask what treatment information can be provided for your dentist.

Are thin veneers reversible or permanent?

If tooth structure is removed, that change is permanent. Veneers may need rebonding, repair or replacement. Even no-prep veneers should not be assumed to be removable without risk to the tooth.

Start with your teeth. Then choose your veneers.

Tell us what you want to change. Ask whether minimal- or no-prep zirconia veneers could suit your smile.

Contact Bangkok Smile ↗

Assessment first. An individual plan before treatment.

▼ Internal review notes — this version is a creative preview

The large 3× headline follows Dr. Bob's preferred creative direction. It is not established by the currently verified product specifications. This preview is not ready for public release with that claim.

- **Comparison:** confirm both finished-restoration thicknesses, the comparator and matching measurement locations. Do not infer the ratio from tooth reduction, printing resolution or an unrelated veneer system. Do not claim all conventional or glass-ceramic veneers have the same thickness.
- **Material:** EZneer preshade 0.3–0.5 mm; multilayer 0.5–0.8 mm. Confirm which Prodent uses. ≥600 MPa is the manufacturer's material flexural-strength specification, not a fracture load measured on a finished 0.3 mm veneer.
- **Laboratory:** in-house status and ISO 9001 / ISO 13485 come from Dr. Bob. Confirm current certificate entity, site, scope and validity. This preview does not invent a patented process, clinical case or testimonial.
- **Price:** reconfirm fees and inclusions. Currency snapshots: 1 THB = 0.04272287 AUD and 0.02972473 USD, retrieved 8 October 2026.

Sources: [manufacturer thickness ranges](#) · [material strength](#) · [glass-ceramic veneer design reference](#) · [AUD snapshot source](#) · [USD snapshot source](#).