

POWER PLANTS PERFORMANCE MONITORING SYSTEM IN PT PLN (PERSERO)
UP3 PAMEKASAN

THORIQULHAQ JIBRIL AL QUDSY

UNIVERSITI TEKNOLOGI MALAYSIA

UNIVERSITI TEKNOLOGI MALAYSIA**DECLARATION OF THESIS / UNDERGRADUATE PROJECT REPORT AND
COPYRIGHT**

Author's full name : THORIQULHAQ JIBRIL AL QUDSY

Date of Birth : MARCH 11th, 2002Title : POWER PLANTS PERFORMANCE MONITORING SYSTEM IN
PT PLN (PERSERO) UP3 PAMEKASAN

Academic Session : 2022/2023

I declare that this thesis is classified as:

CONFIDENTIAL(Contains confidential information under the
Official Secret Act 1972)***RESTRICTED**(Contains restricted information as specified by
the organization where research was done)***OPEN ACCESS**I agree that my thesis to be published as online
open access (full text)

1. I acknowledged that Universiti Teknologi Malaysia reserves the right as follows:
2. The thesis is the property of Universiti Teknologi Malaysia
3. The Library of Universiti Teknologi Malaysia has the right to make copies for the purpose of research only.
4. The Library has the right to make copies of the thesis for academic exchange.

**SIGNATURE OF STUDENT**

A19EC0292

MATRIX NUMBER

Certified by:

**SIGNATURE OF SUPERVISOR**PROF. MADYA. TS. DR. MOHD
SHAHIZAN BIN OTHMAN**NAME OF SUPERVISOR**

Date: 19 JULY 2023

Date: 19 JULY 2023

NOTES : If the thesis is CONFIDENTIAL or RESTRICTED, please attach with the letter from the organization with period and reasons for confidentiality or restriction

“I hereby declare that we have read this thesis and in my opinion this thesis is sufficient in term of scope and quality for the award of the degree of Bachelor of Computer Science (Software Engineering)”

Signature : 
Name of Supervisor : PROF. MADYA. TS. DR. MOHD SHAHIZAN BIN
OTHMAN
Date : 19 JULY 2023

POWER PLANTS PERFORMANCE MONITORING SYSTEM IN PT PLN (PERSERO)
UP3 PAMEKASAN

THORQULHAQ JIBRIL AL QUDSY

A thesis submitted in fulfilment of the
requirements for the award of the degree of
Bachelor of Computer Science (Software Engineering)

Faculty of Computing
Universiti Teknologi Malaysia

19 JULY 2023

DECLARATION

I declare that this thesis entitled "*Power Plants Performance Monitoring System In PT PLN (Persero) UP3 Pamekasan*" is the result of my own research except as cited in the references. The thesis has not been accepted for any degree and is not concurrently submitted in candidature of any other degree.

Signature :



Name : THORIQULHAQ JIBRIL AL QUDSY

Date : 19 JULY 2023

DEDICATION

This thesis is dedicated to all those involved in its work, especially my family who have given their best in the form of support, time and opportunity so far. So I want to give the best for them through the existence of this thesis.

ACKNOWLEDGEMENT

First of all, thanks to the presence of God Almighty. By His grace and guidance, I was able to finish my thesis entitled Power Plants Performance Monitoring System In PT PLN (Persero) UP3 Pamekasan on time. This paper is prepared to fulfil the task of Final Year Project 2. In addition, this paper aims to add insight about software development for readers and also for me.

Second, I don't forget to thank Prof. Madya. Ts. Dr. Mohd Shahizan Bin Othman as the Supervisor of my Final Year Project. Thanks are also conveyed to all parties, both from stakeholders of PT PLN (Persero) UP3 Pamekasan, Ms. Habibah Zahra Faluqi who had spent her precious time for my interview and survey, my beloved family, Victoria Putri Rahmarizky and also all the people involved who I cannot mention one by one who have provided support and helped the completion of this paper.

Lastly, I realize that this thesis is still far from perfect. Therefore, suggestions and constructive criticism are expected for the perfection of this thesis.

ABSTRACT

Electricity has a big role in human life, this can be seen from the developments experienced by humans before and after the use of electrical energy. In fact, we can see that electricity cannot be separated from industrial activities, commercial activities and in everyday household life. Therefore, a facility that can convert mechanical energy into electrical energy such as a power plant is very important as an effort to provide electrical resources. PT PLN (Persero) plays an important role in the distribution of electricity throughout Indonesia. Therefore, PT PLN (Persero) needs to provide good services in the distribution and management of electricity resources. One of the efforts is by conducting periodic monitoring and maintenance of the power plant so that the performance of the power plants can be optimal and maintained in generating electricity. But over time, the number of power plants continues to grow especially in the area of Madura Island and its surroundings which is under the control of PT PLN (Persero) UP3 Pamekasan . So that creates a new problem with the power plants performance monitoring system which causes maintenance not to be optimal. On the other hand, the efficiency of the system is also reduced because it still uses manual methods and data management that is not centralized. To overcome these problems, one of the objectives of this system development project is to design and develop a proposed web-based application named Power Plants Performance Monitoring System In PT PLN (Persero) UP3 Pamekasan to replace the current existing system which is still using manual methods. The project only focuses on power plants in PT PLN (Persero) UP3 Pamekasan, which are located in Pamekasan Regency, East Java, Indonesia. In this project, the system development methodology used is Agile with six sequential phases. Besides, this proposed system will be developed with Laravel as the framework. Meanwhile, MySQL will be used for the database management system, and some network security technology such as authentication will be applied to enhance and secure the proposed system. At the end of this project, the proposed system is able to replace the manual operation of existing systems and thus provide an optimal, efficient and systematic way to monitor the performance of power plants in Madura Island and its surroundings.

ABSTRAK

Tenaga elektrik mempunyai peranan yang besar dalam kehidupan manusia, ini dapat dilihat daripada perkembangan yang dialami oleh manusia sebelum dan selepas penggunaan tenaga elektrik. Malah, kita dapat melihat bahawa tenaga elektrik tidak dapat dipisahkan daripada aktiviti perindustrian, aktiviti komersial dan dalam kehidupan rumah tangga seharian. Oleh itu, kemudahan yang boleh menukar tenaga mekanikal kepada tenaga elektrik seperti loji janakuasa adalah sangat penting sebagai usaha untuk menyediakan sumber elektrik. PT PLN (Persero) memainkan peranan penting dalam pengagihan tenaga elektrik di seluruh Indonesia. Oleh itu, PT PLN (Persero) perlu memberikan perkhidmatan yang baik dalam pengagihan dan pengurusan sumber elektrik. Salah satu usaha adalah dengan melakukan pemantauan dan penyelenggaraan secara berkala ke atas loji janakuasa tersebut agar prestasi loji janakuasa tersebut dapat dioptimumkan dan dikekalkan dalam menjana tenaga elektrik. Namun seiring berjalannya waktu, jumlah janakuasa tersebut terus bertambah terutama di kawasan Pulau Madura dan sekitarnya yang berada di bawah kendali PT PLN (Persero) UP3 Pamekasan. Sehingga menimbulkan masalah baru dengan sistem pemantauan prestasi loji janakuasa yang menyebabkan penyelenggaraan tidak optimum. Sebaliknya, kecekapan sistem juga berkurangan kerana masih menggunakan kaedah manual dan pengurusan data yang tidak berpusat. Bagi mengatasi masalah tersebut, salah satu objektif projek pembangunan sistem ini adalah untuk mereka bentuk dan membangunkan satu cadangan aplikasi berasaskan web yang diberi nama Sistem Pemantauan Prestasi Power Plants Di PT PLN (Persero) UP3 Pamekasan bagi menggantikan sistem sedia ada yang masih menggunakan manual kaedah. Projek tersebut hanya tertumpu kepada janakuasa di PT PLN (Persero) UP3 Pamekasan yang terletak di Kabupaten Pamekasan, Jawa Timur, Indonesia. Dalam projek ini, metodologi pembangunan sistem yang digunakan ialah Agile dengan enam fasa berurutan. Selain itu, sistem yang dicadangkan ini akan dibangunkan dengan Laravel sebagai rangka kerja. Sementara itu, MySQL akan digunakan untuk sistem pengurusan pangkalan data, dan beberapa teknologi keselamatan rangkaian seperti pengesahan akan digunakan untuk meningkatkan dan menjamin sistem yang dicadangkan. Di akhir projek ini, sistem yang dicadangkan mampu menggantikan operasi manual sistem sedia ada dan sekali gus menyediakan cara yang optimum, cekap dan sistematik untuk memantau prestasi loji janakuasa di Pulau Madura dan sekitarnya.

TABLE OF CONTENTS

| TITLE | PAGE |
|-------|------|
|-------|------|

LIST OF TABLES

| TABLE NO. | TITLE | PAGE |
|------------------|--|-------------|
| Table 2.1 | Comparison Between Existing System and Proposed System | 15 |
| Table 3.1 | Technology Used For Proposed System Development | 23 |
| Table 4.1 | Actor Description | 27 |
| Table 4.2 | Use Case Description | 28 |
| Table 4.3 | Use Case Specification of UC001: Manage Recapitulation | 29 |
| Table 4.4 | Data Dictionary for Recapitulation Table | 38 |
| Table 4.5 | Data Dictionary for Power Plant Table | 39 |
| Table 5.1 | Testing Result | 66 |
| Table 5.2 | Admin create a new user | 67 |
| Table 5.3 | Operator staff create a new recapitulation | 67 |
| Table 5.4 | PIC staff evaluate recapitulation | 68 |
| Table 5.5 | PIC staff download report | 68 |

LIST OF FIGURES

| FIGURE NO. | TITLE | PAGE |
|-------------------|---|-------------|
| Figure 2.1 | Organizational Chart for PT PLN (Persero) UP3 Pamekasan | 7 |
| Figure 2.2 | Data Reporting message of monitoring power plants performance in WhatsApp group | 9 |
| Figure 2.3 | Organized data of monitoring power plants performance in Excel Sheet | 9 |
| Figure 2.4 | Current System Workflow | 10 |
| Figure 2.5 | Dashboard UI for Avnet's Smart Diesel Generator Monitoring Solution System | 12 |
| Figure 2.6 | Dashboard UI for Technoton's Diesel Generator Monitoring System | 13 |
| Figure 2.7 | Dashboard UI for Sekawan Media's Logistics Delivery Monitoring System | 14 |
| Figure 3.1 | Software Development Life Cycle Model of Agile | 20 |
| Figure 4.1 | Use Case Diagram of P3MS | 26 |
| Figure 4.2 | Sequence Diagram of P3MS | 32 |
| Figure 4.3 | Activity Diagram of P3MS | 33 |
| Figure 4.4 | Architecture Diagram of P3MS | 36 |
| Figure 4.5 | Entity Relationship Diagram (ERD) of P3MS | 37 |
| Figure 4.6 | Page Navigation of Operator Staff in P3MS | 40 |
| Figure 4.7 | Page Navigation of PIC Staff in P3MS | 41 |
| Figure 4.8 | Page Navigation of Administrator in P3MS | 42 |
| Figure 4.9 | Staff Login Portal of P3MS | 43 |
| Figure 4.10 | Operator Staff Dashboard Page of P3MS | 44 |
| Figure 4.11 | Input Recapitulation Page of P3MS | 45 |
| Figure 4.12 | Evaluate Recapitulation Page of P3MS | 46 |
| Figure 4.13 | Download Page of P3MS | 47 |
| Figure 5.1 | Database Configuration in .ENV File | 49 |

| | | |
|-------------|---|----|
| Figure 5.2 | Database Migration File in ‘migration’ Folder | 49 |
| Figure 5.3 | TablePlus as Database Client | 50 |
| Figure 5.4 | Manage Staff Function in Account Controller | 51 |
| Figure 5.5 | Manage Admin Function in Account Controller | 52 |
| Figure 5.6 | Store Function in Authentication Controller | 53 |
| Figure 5.7 | Destroy Function in Authentication Controller | 53 |
| Figure 5.8 | Manage Unit Function in Master Data Controller | 54 |
| Figure 5.9 | Manage Power Plant Function in Master Data Controller | 55 |
| Figure 5.10 | Manage Material Function in Master Data Controller | 56 |
| Figure 5.11 | View Recap Function in Recapitulation Controller | 57 |
| Figure 5.12 | Input Recap Function in Recapitulation Controller | 57 |
| Figure 5.13 | Create Recap Function in Recapitulation Controller | 58 |
| Figure 5.14 | Edit Recap Function in Recapitulation Controller | 59 |
| Figure 5.15 | Update Recap Function in Recapitulation Controller | 60 |
| Figure 5.16 | Delete Recap Function in Recapitulation Controller | 61 |
| Figure 5.17 | Evaluate Recap Function in Recapitulation Controller | 61 |
| Figure 5.18 | Recap History Function in Recapitulation Controller | 62 |
| Figure 5.19 | View Report Function in Report Controller | 62 |
| Figure 5.20 | Generate Report Function in Report Controller | 63 |
| Figure 5.21 | Export Report Function in Report Controller | 63 |

LIST OF ABBREVIATIONS

| | | |
|------|---|--|
| UTM | - | Universiti Teknologi Malaysia |
| PIC | - | Person In Charge |
| P3MS | - | Power Plants Performance Monitoring System |

LIST OF APPENDICES

| APPENDIX | TITLE | PAGE |
|-----------------|-----------------------------------|-------------|
| Appendix A | System Requirements Specification | 77 |
| Appendix B | System Design Documentation | 158 |
| Appendix C | System Testing Documentation | 241 |
| Appendix D | Gantt Chart | 272 |

CHAPTER 1

INTRODUCTION

1.1 Introduction

Since the Industrial revolution 2.0, electricity has become a very important basic need for human life until now. Even without electricity, it is very difficult for industrial activities to run. This is inseparable from the role of an Indonesian government-owned corporation, namely PT PLN (Persero). However, even though we know that we have now entered Industry 4.0, the distribution of electricity access is still not comprehensive throughout Indonesia, especially in remote areas. So that PT PLN (Persero) plans to expand access to electricity by increasing the number of power plants in areas that are not yet covered by electricity.

Apart from increasing the number of power plants, there are other things that need to be considered, namely the maintenance of the power plant itself. Thus as the number of generators increases it will require a lot of effort needed to carry out maintenance. The maintenance itself is based on reports from the results of monitoring the power plant which is carried out every day.

Not only for maintenance, monitoring of plant performance can also help predict something in the future as well as anticipate things that are not desirable. So, we can say that periodic monitoring of power plant performance plays an important role in the sustainability of power plants.

1.2 Problem Background

PT PLN (Persero) UP3 Pamekasan is a branch of PT PLN (Persero) located on Madura Island, precisely in Pamekasan Regency, East Java which is responsible for distributing electricity access in the Madura Island area including small islands nearby. Due to the fact that there are still many areas that do not have access to electricity on Madura Island and the surrounding area, they plan to increase the number of power plants in order to spread electricity access to areas that do not yet have access to electricity. But unfortunately the process of monitoring the performance of power plants has not used a computerized system in its implementation, which is now still using a manual system. So that, innovation is needed immediately to anticipate some problems caused by the increase in the number of power plants.

To confirm some things about the existing system, we conducted some interviews with Ms. Habibah Zahra Faluqi (Supervisor at PT PLN (Persero)) for more details. After a few interview sessions, some of problems have been identified starting from data collection which still uses WhatsApp Groups with various formats that cause confusion, data checking or validating process that cause ambiguity because the status of the data whether approved or rejected has not been recorded properly, data classification for each power plant that is carried out one by one, processing raw data still using excel sheets to organized data for analysis, everything is done gradually from person to person. This is where some various problems arise due to the absence of a centralized and real-time system to monitor this, starting from redundant data, possibility of human error, time-consuming and inefficient because data needs to go through many stages and cannot be done synchronously. Last but not least, they cannot see the progress of the data they input directly in real-time.

1.3 Project Aim

This project aims to develop an digitised monitoring system of power plant performance in PT PLN (Persero) UP3 Pamekasan in a web-based approach that is able to speed up the process of data gathering, data checking and verification, data classification until data processing so that the monitoring process of power plant performance in PT PLN (Persero) UP3 Pamekasan will be more efficient and manageable.

1.4 Project Objectives

The objectives of the project are:

- (a) To identify the requirement of the power plants performance monitoring system.
- (b) To design and develop the power plants performance monitoring system based on user requirements.
- (c) To test the functionalities of the power plants performance monitoring system as per user requirements.

1.5 Project Scope

The scopes of the project are:

- (a) The project scope only focuses on power plants in PT PLN (Persero) UP3 Pamekasan.
- (b) Organized data will be presented as a bar chart, list data & downloadable excel document.
- (c) The system can only be accessed by three different levels of users which are operator staff for every power plant, PIC staff for every power plant and system administrator with different authorized access.

1.6 Project Importance

This project will transform the monitoring process of the power plants performance in PT PLN (Persero) UP3 Pamekasan to be digitally where previously the process was done traditionally. It will significantly increase the monitoring process efficiency while still providing convenience in its implementation. Also, with the additional features for different authorized access and enhancement in data management by implementing the use of a centralized database, it can help better in managing, tracking and securing the data. Therefore, in this proposed system, every role starting from Operator Staff, PIC Staff & Supervisor can work in a focused manner only through the system where everything needed is centralized.

1.7 Report Organization

This section will briefly explain the chapter organization of this report which consists of five chapters including Introduction, Literature Review, System Development Methodology, Requirement Analysis and Design, Implementation and Testing, and Conclusion. Starting from this first chapter which is Introduction, it consists of the overview of the project including the problem background until the proposed solution. In this case, Power Plants Performance Monitoring System In PT PLN (Persero) UP3 Pamekasan is our proposed solution. Next, in chapter two, it consists of a literature review which discusses the method to solve the existing system problem including the organization structure and explanation related with how the existing system works. Then, in chapter three, it discusses more detail about the methodology that was used for the system development including some justification related with the chosen methodology, technology used also system requirement analysis will be included here. Then, in chapter four, it discusses more detail about the requirement analysis and also some design such as project design, database design, interface design and chapter design. Then, in chapter five it explains the implementation and testing of the system including the code and also the interface of the system main function. Last but not least, in chapter six, it consists of the conclusion related with this report of the system development including the achievement of the project objective and suggestions for future improvement.

CHAPTER 2

LITERATURE REVIEW

2.1 Introduction

This chapter provides a brief description related to literature review that is relevant to the proposed project which is Power Plants Performance Monitoring System In PT PLN (Persero) UP3 Pamekasan. It provides sufficient background information based on relevant literature reviews from some equivalent systems in the current market. By comparing the related existing systems with the proposed system, we can use it as a reference in making improvements for our proposed system in the future.

2.2 Case Study

This project is studying about the monitoring activity of the power plants performance in PT PLN (Persero) UP3 Pamekasan. But, due to PT PLN (Persero) UP3 Pamekasan plans to increase the number of power plants. A system that can handle the monitoring process with a larger number of power plants is needed since some issues were discovered on the current system such as inefficient and inconvenient ways to monitor the power plant performance in PT PLN (Persero) UP3 Pamekasan (Cheung, Suen, & Cheung, 2004).

2.2.1 Company Organization Structure

PT PLN (Persero) is an Indonesian government-owned corporation that was established on January 1st, 1965 which has a monopoly on electricity distribution in Indonesia and generates the majority of the country's electrical power. Since its establishment, PT PLN (Persero) has spread to every region in Indonesia. We can see the branch offices everywhere when we stop in an area located in Indonesia. Since it is the only electricity company and the largest in Indonesia, its role is very important in the survival of each region. One of its branches is PT PLN (Persero) UP3 Pamekasan which is located in Pamekasan Regency, Madura. PT PLN (Persero) UP3 Pamekasan itself is responsible for the Madura Island area and its surroundings.

As for the purposes of monitoring the performance of power plants, it includes 4 parts. Starting from the bottom, namely the operator staff whose activities are to collect data about all things about power plants in the field. Regarding the absence of operator staff in the company's organizational chart because the operator staff themselves have the status of outsourced workers. Then there is the PIC staff who will verify whether the data collected by the operator staff is appropriate and also document it to an excel sheet document. Unlike the operator staff, the PIC staff themselves have the status of permanent employees. Then after everything has been documented, the Supervisor will retrieve all the documented data from all power plants under his responsibility. After everything is collected, all data will be reported to the center by the supervisor, precisely Network Section Manager (Manajer Bagian Jaringan). The organizational structure of the company is as Figure 2.1.




Figure 2.1 Organizational Chart for PT PLN (Persero) UP3 Pamekasan

2.2.2 Manual Operation

For the process of monitoring power plants performance, it starts with the data gathering which still uses manual methods by using a platform namely WhatsApp. For this step, every staff operator from each power plant will report data that has been recapitulated in the field, every day. But, unfortunately the format of the data that has been reported by the operator staff is still using various formats. After all the data from every power plant was gathered, there will be a data checking or validation from the PIC staff. This activity is also done by using WhatsApp. So, after the PIC staff reviewing the data, they will inform the status of the data whether it is approved or not by replying to a message through WhatsApp. If the data was rejected, operator staff need to resend the data that has already been revised. But if data was approved, we can continue to the next step which is data classification. Unlike the previous step, this step was done without any tools or platform. So the data will be classified manually based on the report type by moving the data from the WhatsApp to the specific excel document template which has been provided previously with certain formulas. If the placement of the data in excel is deemed appropriate, then we can proceed to the next step which is data processing. In this last step, the data will be calculated by the excel based on the formula that was already set before. After the calculation process is done, it will produce something we call organized data. This data will be used as a reference for various purposes, including maintenance of the power plants itself. The figure 2.2 and 2.3 demonstrate the current system or mechanism how to monitor power plants performance through WhatsApp and Excel sheet.




Figure 2.2 Data Reporting message of monitoring power plants performance in WhatsApp group




Figure 2.3 Organized data of monitoring power plants performance in Excel Sheet

2.3 Current System Analysis

The current system used by PT PLN (Persero) UP3 Pamekasan for monitoring power plants performance uses a manual method for storing their power plants performance information which still did not use a centralized system. This system itself involves several software products in its application. Some of them such as WhatsApp as a means for collecting data from the operator staff in the field and also as verification whether the data is approved or not from the PIC staff. Then, there is also Microsoft Excel as a tool for collecting data on report results that have been received from the operator staff in the field if it has been approved and also a tool for data processing such as calculations so that it can produce the desired output according to a predetermined formula. The figure 2.4 will explain in more detail about the current system workflow.




Figure 2.4 Current System Workflow

2.4 Comparison between existing systems

There are a few existing applications in the current market. In this case study, the analysis of the existing applications that provide similar system functions and features are conducted to examine their characteristics, strengths, and weaknesses. It is to obtain ideas on the characteristics and functionality to be adapted to the proposed application. From our analysis, there are several systems which we can refer to such as Avnet's Smart Diesel Generator Monitoring Solution System, Technoton's Diesel Generator Monitoring System and Sekawan Media's Logistics Delivery Monitoring System.

2.4.1 Avnet's Smart Diesel Generator Monitoring Solution System

Avnet's Smart Diesel Generator Monitoring Solution System is a mobile application that provides a remote access feature to monitor a diesel generator (Smart Diesel Generator Monitoring. Avnet, n.d.). Figure 2.5 shows the user interfaces of Avnet's Smart Diesel Generator Monitoring Solution System.




Figure 2.5 Dashboard UI for Avnet's Smart Diesel Generator Monitoring Solution System

2.4.2 Technoton's Diesel Generator Monitoring System

Technoton's Diesel Generator Monitoring System is a web application that provides a solution that allows for fuel monitoring, monitoring of diesel generator operation parameters and engine diagnostics, obtaining electrical data from the alternator, and remote genset control (Diesel Generator Monitoring. Technoton, 2022). Figure 2.6 shows the user interfaces of Technoton's Diesel Generator Monitoring System.




Figure 2.6 Dashboard UI for Technoton's Diesel Generator Monitoring System

2.4.3 Sekawan Media's Logistics Delivery Monitoring System

Sekawan Media's Logistics Delivery Monitoring System is a web application that is designed to manage and monitor activities related to logistics fleets, including trucks, box cars, containers, and other vehicles (Fleet Management System: Solusi Monitoring Armada Logistik, 2022). Figure 2.7 shows the user interfaces of Sekawan Media's Logistics Delivery Monitoring System.

The screenshot shows the 'Master - DATA BARANG' page of the system. The left sidebar has a 'MAIN MENU' with 'Dashboard', 'Master' (selected), 'Customer', 'Supplier', 'Pegawai', 'Barang' (selected), 'Satuan Barang', 'Truk', 'Akun', 'Gudang', 'Pembelian', 'Antar Barang', 'Transaksi', and 'Laporan Accounting'. The main area has a 'DATA BARANG' header with buttons for 'Add', 'Edit', 'Delete', 'Import', 'Export', and 'Refresh'. It shows 10 items per page. The table columns are No., Kode, Nama, Merk, Satuan, Harga, Status, and Action. The data includes:

| No. | Kode | Nama | Merk | Satuan | Harga | Status | Action |
|-----|------|------|------|--------|-------------|--------|--------|
| 1 | | | | Pcs | 80.000.00 | Aktif | |
| 2 | | | | Pcs | 17.500.00 | Aktif | |
| 3 | | | | Pcs | 35.000.00 | Aktif | |
| 4 | | | | Pcs | 12.500.00 | Aktif | |
| 5 | | | | Pcs | 28.000.00 | Aktif | |
| 6 | | | | Pcs | 50.000.00 | Aktif | |
| 7 | | | | Pcs | -100.000.00 | Aktif | |
| 8 | | | | Pcs | 65.000.00 | Aktif | |
| 9 | | | | Pcs | 1200.000.00 | Aktif | |
| 10 | | | | | 1760.000.00 | Aktif | |

At the bottom, it says 'Menampilkan 1 s/d 10 dari 5.330 data' and has a page navigation from 1 to 5.

Figure 2.7 Dashboard UI for Sekawan Media's Logistics Delivery Monitoring System

Table 2.1 Comparison Between Existing System and Proposed System

| No | System Feature | S1 | S2 | S3 |
|--|----------------------------------|-----|-----|-----|
| 1 | Cross-Platform Availability | No | Yes | Yes |
| 2 | Multiple User Role Type Access | No | No | Yes |
| 3 | Downloadable excel-based report | No | No | Yes |
| 4 | Displaying data in a chart form. | Yes | Yes | Yes |
| 5 | Centralized Database | Yes | Yes | Yes |
| 6 | User Data Management | No | No | No |
| 7 | Master Data Management | No | No | Yes |
| 8 | User Authentication | Yes | No | Yes |
| 9 | Admin Console | No | No | Yes |
| 10 | Data Verification / Approval | No | No | Yes |
| Note : | | | | |
| S1 - Avnet's Smart Diesel Generator Monitoring Solution System | | | | |
| S2 - Technoton's Diesel Generator Monitoring System | | | | |
| S3 - Sekawan Media's Logistics Delivery Monitoring System | | | | |

2.5 Literature Review of Technology Used

This section will discuss the tools and technology used for the development of the proposed project which is Power Plants Performance Monitoring System In PT PLN (Persero) UP3 Pamekasan.

2.5.1 Laravel

Laravel is an open-source PHP framework that provides support for our project development of Power Plants Performance Monitoring System In PT PLN (Persero) UP3 Pamekasan. Beside, Laravel also implements the MVC (Model-View-Controller) concept so that the website development process can be done more quickly and efficiently. Also, by using Laravel, we can implement the use of reusable components so that later we can speed up the coding process and also make it easier to trace bugs when there is a problem with the code. Last but not least, Laravel also provides complete, clear and easy-to-understand documentation for both beginners and experts.

2.5.2 Tailwind CSS

Tailwind CSS is one of the most widely used CSS frameworks. In terms of documentation, it's even better. Especially if it is implemented with Laravel and applies reusable components because Tailwind itself is basically a low-level CSS framework.

2.5.3 Vue JS

Vue is a JavaScript framework for developing UI or we could say the front-end side. Compared to other frameworks, Vue JS is very light and has a fairly complete library for us to use later. This is where we will apply the reusable component later.

2.5.4 Inertia JS

Inertia JS is a new approach to create a SPA-based web application or Single Page Application using a framework such as Vue JS without the need to create a Rest API or in other terms The Modern Monolith. This allows us to create single page applications (SPAs) that render completely on the client side, without much of the hassle that is common when developing SPAs in general.

2.5.5 MySQL

MySQL is a type of database management system that is open source and is included in the RDBMS (Relational Database Management System). Some of the advantages are that it supports integration with other programming languages, a flexible table structure and also from a security perspective.

2.5.6 DataGrip

DataGrip is a multi-engine database environment by JetBrains that is designed to query, create, and manage databases. It supports MySQL, PostgreSQL, Microsoft SQL Server, Oracle, and more. Also it allows us to run databases locally, on a server, or in the cloud.

2.5.7 Visual Studio Code

Visual Studio Code is a fairly lightweight source-code editing software made by Microsoft. Visual Studio Code provides features such as syntax highlighting, code completion, code snipping, code refactoring, defaulting, and Git. In addition, there are many other extensions provided by Visual Studio Code that can be used to simplify our development process.

2.5.8 Amazon Elastic Compute Cloud (Amazon EC2)

Amazon EC2 is one of the AWS products that allows us to host our dynamic website. Some of the advantages of using AWS products alone are broad platform support, worldwide data centres and flexible pricing models. For the Amazon EC2 itself, it has the advantage of configuring the size of the server that we use.

2.5.9 Draw.io

Draw.io is a full lifecycle UML based modelling tool used to help us in the planning, design and construction of software systems and business processes.

2.5.10 Figma

Figma is a UI and UX design application and prototyping tool with web-based and additional offline features that we can use to create smaller websites, apps, or user interface components that can be integrated into other projects. Some of the advantages are, cross-platform is available, lightweight, complete documentation and many extensions both from the community and official that we can use to simplify the design process.

2.6 Chapter Summary

Video provides a powerful way to help you prove your point. When you click Online Video, you can paste in the embed code for the video you want to add. You can also type a keyword to search online for the video that best fits your document. To make your document look professionally produced, Word provides header, footer, cover page, and text box designs that complement each other. For example, you can add a matching cover page, header, and sidebar.

CHAPTER 3

SYSTEM DEVELOPMENT METHODOLOGY

3.1 Introduction

The methodology used to develop Power Plants Performance Monitoring System In PT PLN (Persero) UP3 Pamekasan will be briefly discussed in this chapter. Justification of the selected methodology and explanation of how the methodology is being applied throughout the development will be discussed. The technology used will also be briefly described here. Last but not least, the system requirements analysis for both hardware and software will be listed.

3.2 Methodology Choice and Justification

The methodology of systems development is a standardized process to perform all the necessary steps to analyze, design, implement and maintain a system efficiently. There are so many various kinds of system floating methods that can be used, this can also be adjusted to the needs or requirements. According to the system requirements, Agile methodology is the suitable software development approach we use to develop Power Plants Performance Monitoring System In PT PLN (Persero) UP3 Pamekasan.

Basically, Agile works by breaking the project down into small pieces of user functionality, prioritizing them, and then delivering them in 2 to 4-week cycles known as iterations or sprints. Before each cycle begins, the team defines work goals. By default, the highest priority items will be defined based on the Product Owner's analysis of the customer's priorities. In this way, the product can be continuously improved and the development process also improved (Project Management Academy, n.d.).

With Agile Methodology, we can quickly implement any feedback from consumers in the next iteration. Whether it's about adding features or bug fixes. As a result, the quality of the software will improve and increase because it is more in line with consumer desires. In addition, if there is a lot of feedback, we can be flexible in choosing whether to make changes in each iteration. So, we don't have to follow a plan from start to finish. This is an added point for the developers themselves. Finally, each Agile methodology has regular iterations that focus on incremental development. So, our software development will be more predictable and we can also know the various expenses well. As a result, business risk will be reduced.

3.3 Phases of the Chosen Methodology

The phases of chosen methodology which is Agile software development life cycle will be discussed in this section. The phases include Requirement Analysis, Design, Development, Testing, Deployment and Review. The flow phases of the Agile software development life cycle model are depicted in Figure 3.1.



Figure 3.1 Software Development Life Cycle Model of Agile

3.3.1 Requirements

Requirement is a stage where the development team and also clients or stakeholders design what is needed in a software to be made. More specifically, the client or stakeholder will determine the backlog as well as user stories. While the development team will turn off whether the feature can be developed.

3.3.2 Design

Design is the stage where all the analysis results of system that have been carried out previously and the discussion of system specifications is applied to a system's design or blueprint.. The blueprint itself can be interpreted in more detail as a system design that is ready to be developed, beginning with implementation, system analysis, and system support personnel. Features and operations of the system are also described in detail. Making a prototype is also part of the design stage. The prototype will demonstrate the basic idea of how the application should look and work.

3.3.3 Development

Development is the stage where the software development process begins. The development team will begin building the entire system by writing code with the programming language that has already been chosen. The software development process is usually divided into several units or modules for large projects and then assigned to several development teams. For example, the database admin will create the necessary data in the database, the front-end developer is in charge of creating a GUI to interact with services or logic that has been developed by the back-end. The software development process will be carried out based on predetermined requirements and procedures.

3.3.4 Testing

Testing is a stage in which the software that has been developed is tested or checked, which is the responsibility of the quality control department, so that any bugs that are still discovered can be fixed immediately and the software's quality is maintained.

3.3.5 Deployment

Deployment is a stage that must be completed in order to ensure the quality of the developed software by testing the system's quality. If the produced system meets the requirements, the software will be ready for development.

3.3.6 Review

Review is the stage where we get user feedback. Whether it's about bugs that weren't found during testing or feedback about adding features if needed. From here it could be a new software development life cycle to fix bugs, define an iterative development plan, or add features in future releases.

3.4 Technology Used Description

This section will briefly explain the required tools and technology used for the development of the proposed system which is Power Plants Performance Monitoring System In PT PLN (Persero) UP3 Pamekasan will be briefly discussed in this section.

Table 3.1 Technology Used For Proposed System Development

| Technology | Description |
|--|----------------------|
| Operating System | |
| macOS Monterey | Operating System |
| Documentation | |
| Google Drive | Cloud Storage |
| Design | |
| Draw.io | UML Diagram Editor |
| Figma | UI and UX Design |
| Software Development | |
| Visual Studio Code | Code Editor |
| DataGrip | Database Management |
| Stack | |
| Laravel | PHP Framework |
| Vue JS | JavaScript Framework |
| Tailwind CSS | CSS Framework |
| Inertia JS | JavaScript Library |
| MySQL | Database |
| Network | |
| Amazon Elastic Compute Cloud (Amazon EC2) | Cloud Hosting |

3.5 System Requirement Analysis

This section will briefly discuss the system requirement analysis for both hardware and software that required to develop the Plants Performance Monitoring System In PT PLN (Persero) UP3 Pamekasan. The integration of hardware and software is critical to the overall system development process.

3.5.1 Hardware Requirements

- (a) Intel Pentium 4 or later for Intel Processor, AMD Athlon or later for AMD Processor and Apple M1 or later for Apple Processor
- (b) Minimum 2 GB RAM memory.
- (c) Internet connection required

3.5.2 Software Requirements

- (a) Windows 8 or later for Windows Operating System, macOS Sierra 10.12 or later for Mac Operating System and Ubuntu 14.04+ 64-bit for Linux Operating System.
- (b) Google Chrome 54 or later, Microsoft Internet Explorer 11 or later, Mozilla Firefox version 48 or later and Apple Safari 15.4 or later

3.6 Chapter Summary

This chapter describes the software development methodology that will be carried out to solve the existing problems. Planning for software development is carried out as well as possible and systematically to ensure that the development process runs smoothly. Not only is it important in the development process, it is also important to ensure users get satisfaction when using the product. Also, the specifications of both hardware and software are explained clearly and in detail to ensure that the project will be developed accordingly.

CHAPTER 4

REQUIREMENT ANALYSIS AND DESIGN

4.1 Introduction

This chapter describes the Power Plants Performance Monitoring System (P3MS) requirements and design for PT PLN (Persero) UP3 Pamekasan. Analyses of essential functional and non-functional requirements gathered during the design process are being incorporated into this chapter. These requirements comprise essential design elements. Various diagrams, such as use case diagrams, sequence diagrams, and activity diagrams, are drawn to represent each use case in greater detail in order to visualize the functional requirements. In addition to that, the design of the system architecture, the design of the database, and the design of the interface will each be briefly described in this chapter.

4.2 Requirement Analysis

The functional and non-functional requirements of the Power Plants Performance Monitoring System (P3MS) for PT PLN (Persero) UP3 Pamekasan are discussed in this section. These requirements were gathered from the stakeholders of the system.

4.2.1 Functional Requirement

The functional requirements for the proposed system, which is the Power Plants Performance Monitoring System (P3MS) for PT PLN (Persero) UP3 Pamekasan, describe the features that the system ought to have and the manner in which those features ought to be carried out. It is essential to have a good understanding of the functional requirements in order to identify the primary features and functionalities of the system.

4.2.1.1 Use Case Diagram

In a use case diagram, the key features and functions of the proposed system are represented graphically. The use case model of the Power Plants Performance Monitoring System (P3MS) for PT PLN (Persero) UP3 Pamekasan illustrates and describes the relationship between the system and the actors that make up the system. The use case Figure 4.1 presents a diagram of the Power Plants Performance Monitoring System (P3MS) for PT PLN (Persero) UP3 Pamekasan.




Figure 4.1 Use Case Diagram of P3MS

4.2.1.2 Actor Description

There are three actors involved in the Power Plants Performance Monitoring System (P3MS) which are Operator Staff, PIC Staff and Administrator. The following table will provide a detailed description of each actor.

Table 4.1 Actor Description

| No | Actor Name | Description |
|----|----------------|--|
| 1 | Operator Staff | This user helps the company to manage user accounts, including staff and the administrator itself. Also, manage master data, including managing units, managing power plants, and managing the material. |
| 2 | PIC Staff | This user has access to recap and submit all the power plants. performance statistic data to the system. Besides creating a recapitulation, they can view, update, and delete it. In the end, they can get the generated report either downloaded to an excel file or viewed directly from the website. |
| 3 | Administrator | This user has access to evaluate all the recapitulations that were already submitted by operator staff, either rejected or approved. Besides evaluating a recapitulation, they can view and update the recapitulation directly if it is felt that there is no need for more revisions from the operator staff. In the end, they can get the generated report either downloaded to an excel file or viewed directly from the website. |

4.2.1.3 Use Case Description

For each of the use cases depicted in Figure 4.1 above, a brief description of how the user can interact with the system's functionalities is provided in this section. Following is a description of each of the use cases.

Table 4.2 Use Case Description

| Use Case ID | Use Case Name | Description |
|--------------------|-------------------------|---|
| UC001 | Manage Recapitulation | Allow the operator staff to create a new recapitulation or view, update, and delete an existing recapitulation. |
| UC002 | View Recapitulation | Allow the PIC staff to view a list of requested recapitulations. |
| UC003 | Update Recapitulation | Allow the PIC staff to update the requested recapitulations. |
| UC004 | Evaluate Recapitulation | Allow the PIC staff to evaluate the requested recapitulations, whether they are approved or rejected. |
| UC005 | Get Report | Allow operator staff and PIC staff to get the generated report results. |
| UC006 | View Report | Allow operator staff and PIC staff to view the generated report results. |
| UC007 | Download Report | Allow operator staff and PIC staff to download the generated report results. |
| UC008 | View Power Plan | Allow the administrator to add a new power plant or view, update, and to delete an existing power plant. |

| | | |
|-------|---------------------------|--|
| UC009 | View Material | Allow the administrator to add new material or view, update, and delete existing material. |
| UC010 | Manage Master Data | Allow the administrator to add a new chosen master data or view, update, and delete an existing chosen master data. |
| UC011 | Manage Admin User Account | Allow the administrator to add a new admin user account or view, update, and delete an existing admin user account. |
| UC012 | Manage Staff User Account | Allow the administrator to add a new staff user account or view, update, and delete an existing admin staff account. |
| UC013 | Sign In | Allow all users to authenticate their account credentials before being able to access the main system features. |

4.2.1.4 Use Case Specification

In order to understand better how the user interacts with the system, a use case specification provides a detailed description of each use case. For each use case, a unique ID, use case name, description, related actors involved in the use case, normal flow and alternative flow to show the steps to perform a task, pre-condition, post-condition, and related requirements are included. The use case specification for UC001: Manage Recapitulation is presented in Table 4.3. Appendix A provides more information about the use case specification.

Table 4.3 Use Case Specification of UC001: Manage Recapitulation

| | |
|-------------------------|---|
| Use Case ID | UC001 |
| Use Case Name | Manage Recapitulation |
| Description | This use case allows the operator staff to create, view, update, and delete the recapitulation. |
| Actor(s) | Operator Staff |
| Pre-conditions | User must be logged in to the system as an operator staff with a valid login credential. |
| Normal Flow | <ol style="list-style-type: none"> 1. The operator staff redirects to the staff dashboard page after successfully logging in. 2. The operator staff clicks on the “Input Recapitulation” button. 3. The system will redirect the operator staff to the input recapitulation page. 4. The operator staff chooses the power plant type. 5. The operator staff chooses the power plant name. 6. The operator staff chooses the date input. 7. The operator staff chooses the recapitulation type. 8. The system will display a recapitulation form based on the chosen recapitulation type. 9. The operator staff input all required fields on the recapitulation form. 10. The operator staff clicks on the “Submit” button. If the operator staff clicks on the “Cancel” button, AF1 will be performed. If the operator staff clicks on the “Save” button, AF2 will be performed. If the form is not fully full-filled or the required fields are blank, EF 1 will be performed. 11. The system saves all the information inputted by the operator staff to the database. 12. The system will redirect the operator staff to the recapitulation history page and display new recapitulation information. 13. If the operator staff clicks on the “Edit” button, AF3 will be performed. 14. If the operator staff clicks on the “Delete” button, AF4 will be performed. |
| Alternative Flow | <ol style="list-style-type: none"> 1. Cancel recapitulation’s input <ol style="list-style-type: none"> 1.1. The system will redirect the operator staff to the staff dashboard page. 2. Save recapitulation’s input |

| | |
|----------------------------|--|
| | <p>2.1. The system will redirect the operator staff to the recapitulation history page.</p> <p>3. Update Recapitulation</p> <p>3.1. The system will display a recapitulation edit form.</p> <p>3.2. The operator staff updates the specific field that needed to be updated.</p> <p>3.3. The operator staff clicks on the “Update” button. If the form is not fully full-filled or the required fields are blank, EF 1 will be performed.</p> <p>3.4. The system saves all the information inputted by the operator staff to the database.</p> <p>3.5. The system will redirect the operator staff to the recapitulation history page and display new recapitulation information.</p> <p>4. Delete Recapitulation</p> <p>4.1. The system displays a confirmation dialogue.</p> <p>4.2. The operator staff continues by clicking the “Yes” button.</p> <p>4.3. The system deleted selected recapitulation data from the database.</p> <p>4.4. The system will reload the recapitulation history page.</p> |
| Exception Flow | <p>1. Required fields in the recapitulation form are empty or the form is blank.</p> <p>1.1. The system displays an error message.</p> <p>1.2. Continue NF9 / AF3.2 .</p> |
| Post Conditions | <p>1. The operator staff has successfully created a new recapitulation.</p> <p>2. The operator staff has successfully viewed the existing recapitulation.</p> <p>3. The operator staff has successfully updated the existing recapitulation.</p> <p>4. The operator staff has successfully deleted the existing recapitulation.</p> |
| Related Requirement | - |

4.2.1.5 Sequence Diagram

A sequence diagram depicts the relationships between the various components of a system. It shows the sequence of messages exchanged when a task is completed by the user who is involved in the conversation. For more complete and details of the sequence diagram can be found in SRS Appendix A.




Figure 4.2 Sequence Diagram of P3MS

4.2.1.6 Activity Diagram

The activity diagram illustrates the workflow of a particular function or task by outlining the specific steps that must be taken in order to move from one activity to the next. Figure 4.3 is a representation of the activity diagram for the UC001: Manage Recapitulation procedure. For more complete and details of the activity diagram can be found in SRS Appendix A.




Figure 4.3 Activity Diagram of P3MS

4.2.2 Non-Functional Requirement

When describing the system's capabilities and constraints, non-functional requirements can help the system work better. Instead of providing an explanation of how the system operates, non-functional requirements describe the tasks that the system must be able to complete. The following is a list of the non-functional requirements that must be met by the Power Plants Performance Monitoring System (P3MS) for the PT PLN (Persero) UP3 Pamekasan.

- I. Security - The system shall only permit specific tasks to be performed by authorized users with varying levels of access. Aside from that, the information contained within the system is kept safe and secure by limiting authorized access to the end-user of PT PLN (Persero) UP3 Pamekasan for the purpose of this project as well as any future business that makes use of this particular system.
- II. Portability - Since the system is web-based, the user should be able to access it through any web browser that is currently operational and has a reliable connection to the internet. Examples of such web browsers include Google Chrome, Mozilla Firefox, Microsoft Edge, Apple Safari, and Opera.
- III. Maintainability - System developers must maintain the system in order to detect potential flaws and correct them by modifying the relevant module. Regular testing of the system is required in order to ensure the system's continued high level of quality and functionality.
- IV. Availability: Users should be able to access the system at any time and from any location, and the system should be accessible 24 hours a day. Users should be able to access the system during standard business hours.

4.3 Project Design

In terms of architecture, this system follows the Model-View-Controller (MVC) design pattern. Model, view, and controller are the three interconnected parts of this architecture model's conceptualization of implementation code. Data storage and retrieval from a database are handled by a component called the model that serves as a bridge between the view and controller. For the end user, views are the interfaces that serve as visual representations of the entire system. Using the user interfaces, the end-user can input data, and then the system will display the corresponding result. It is the job of the controller to call the appropriate functions in the model and then carry out the necessary tasks. Following that, the pertinent information or result is then transferred before being presented by the user interfaces in View.

In the process of developing the Power Plants Performance Monitoring System (P3MS), the MVC architecture design pattern is an extremely important component. This is especially true for the system's implementation and maintenance. As a result of breaking the code into separate models, developers can easily make changes to the code without affecting other models. MVC makes it easier for developers to understand the code for different functions and apply good practices of code arrangement and management because it clearly shows the separation of codes. Figure X.X illustrates the architecture design of the Power Plants Performance Monitoring System (P3MS).




Figure 4.4 Architecture Diagram of P3MS

4.4 Database Design

This section explains how the Power Plants Performance Monitoring System (P3MS) for PT PLN (Persero) UP3 Pamekasan database was designed for the use of proposed system. In the process of developing, designing, and implementing a system, one of the most important roles played is that of database design. The data of this system can be well organized by using good database design principles.




Figure 4.5 Entity Relationship Diagram (ERD) of P3MS

4.4.1 Data Dictionary

A data dictionary contains information regarding the data stored in a database. Table 4.4 displays data dictionaries for the Recapitulation table and Table 4.5 displays data dictionaries for the Power Plants table. The SDD, which can be found in Appendix B, contains the entirety of the system's data dictionary.

Table 4.4 Data Dictionary for Recapitulation Table

| Field Name | Datatype | Constraint | Description |
|----------------------|-----------|-------------|--|
| Recapitulation Table | | | |
| recapitulationID | BIGINT | Primary Key | Unique ID for Recapitulation |
| dateTime | TIMESTAMP | Not Null | Date and time of the report insertion |
| status | BIGINT | Not Null | The report status whether it is on progress, submitted, approved or rejected |
| recapitulationType | BIGINT | Not Null | The recapitulation type |
| staffID | BIGINT | Foreign Key | The ID of the staff who make this report |
| powerPlantID | BIGINT | Foreign Key | The ID of power plant who have this report |

Table 4.5 Data Dictionary for Power Plant Table

| Field Name | Datatype | Constraint | Description |
|----------------------|----------|-------------|--|
| PowerPlant Table | | | |
| powerPlantID | BIGINT | Primary Key | Unique ID for PowerPlant |
| name | VARCHAR | Not Null | Name of the power plant |
| code | CHAR | Not Null | The power plant code identifier |
| engineQuantity | INT | Not Null | The number of engine under the power plant |
| feederQuantity | INT | Not Null | The number of feeder under the power plant |
| estimatedUsageAmount | INT | Not Null | Amount of estimated usage |
| deadStockAmount | INT | Not Null | Amount of dead stock |
| powerPlantTypeID | BIGINT | Not Null | The power plant type |
| unitID | BIGINT | Foreign Key | The ID of unit |

4.5 Interface Design

This section demonstrates the interface design that is being used by the Power Plants Performance Monitoring System (P3MS) for PT PLN (Persero) UP3 Pamekasan. This section will include the design of the page's navigation, which will demonstrate how the page is organized. In addition to that, the user interface design that is shown to the end-user will also be included.

4.5.1 Page Navigation

There are three distinct user roles that are utilized within this system which are the administrator, the operator staff, and the PIC staff. Figures 4.6, 4.7, and 4.8, respectively, show examples of how to navigate pages according to the various user roles that can be assigned to a user account.




Figure 4.6 Page Navigation of Operator Staff in P3MS

The operator staff will be taken directly to the dashboard page of the system once they have successfully logged in to the system. From the dashboard page, the operator staff has the option to navigate to the pages that allow them to manage input recapitulation, view recapitulation history, download reports, and view material information.




Figure 4.7 Page Navigation of PIC Staff in P3MS

The PIC staff will be taken directly to the dashboard page of the system once they have successfully logged in to the system. From the dashboard page, the PIC staff has the option to navigate to the pages that allow them to manage requested recapitulation, download reports, and view material information.




Figure 4.8 Page Navigation of Administrator in P3MS

The administrator will be taken directly to the dashboard page of the system once they have successfully logged in to the system. From the dashboard page, the admin has the option to navigate to the pages that allow them to manage master data or accounts.

4.5.2 User Interface Design

Some examples of the user interface design of Power Plants Performance Monitoring System (P3MS) are shown in Figure 4.8, Figure 4.9, Figure 4.10, Figure 4.11, and Figure 4.12 . Refer to the System Description Document (SDD) located in Appendix B for further information regarding the user interface design of the Power Plants Performance Monitoring System (P3MS).




Figure 4.9 Staff Login Portal of P3MS

There are two types of login portals, one for staff and one for administrators. An example of a staff login can be seen in the figure above. In order to access the system's main features, users must first enter their username and password on this page.




Figure 4.10 Operator Staff Dashboard Page of P3MS

After successfully logging into the system, a dashboard page shown in the figure above will appear. Users can select the activity they wish to perform using this page. In addition to that, a generated report presented in the form of a bar chart is included here. After that, they can swipe to the right or left to view the other bar chart, and they can also make some simple sorting decisions based on the date or the type of power plant.

The screenshot shows the 'Input Rekap (PLTD)' page for 'HAR Realisasi'. The interface is in Indonesian. On the left, there's a sidebar with 'REKAP ANDA' (50% complete, 1/2 rekap telah dievaluasi) and a list of categories under 'INPUT REKAP': BBM Pemakaian, BBM Stok, Beban, Fast Moving, Gangguan, HAR Realisasi, HAR Rencana, KWH, and Pelumas. At the bottom left is a 'Keluar' button. The main area has sections for 'Informasi Dasar' (Nama Pembangkit, Tanggal Input), 'Hasil Rekap' (UNIT dropdown, KEGIATAN HAR text area), and 'MATERIAL HAR' (Material and Jumlah dropdowns, plus a '+'). A message 'Data tidak ditemukan' is shown in the material section. Top right buttons include 'Batal' and 'Simpan'.

Figure 4.11 Input Recapitulation Page of P3MS

As one of its main features, input recapitulation is a necessary step before a report can be generated. This is where the staff operator will make a summary of the results of the analysis in the field.




Figure 4.12 Evaluate Recapitulation Page of P3MS

After successfully recapitulating the various types of tigers. All data will be processed. However, before being processed, the recap will be analyzed and evaluated by the PIC staff to ensure the accuracy and suitability of the input results. This is where it is as you can see in the figure above.




Figure 4.13 Download Page of P3MS

Then finally after all the process, the staff can download the generated report by fill-in the sort field the click download button.

4.6 Chapter Summary

This chapter provides a description of the system design and requirements of the Power Plants Performance Monitoring System (P3MS) for PT PLN (Persero) UP3 Pamekasan. These requirements include both the functional and the non-functional requirements. Use case diagrams, sequence diagrams, and activity diagrams are the three types of UML diagrams that are drawn to illustrate the functionalities of the system. Additionally, the design of the system architecture, the design of the database, and the design of the interface are all discussed in this chapter.

CHAPTER 5

IMPLEMENTATION AND TESTING

5.1 Introduction

This chapter describes the process of implementing and testing the Power Plants Performance Monitoring System (P3MS) for PT PLN (Persero) UP3 Pamekasan which has been built in detail and presents examples of important program code snippets written in the development of this system. The processes involved are the installation of the software and hardware to develop the system, the coding activities, the types of tests performed and the results. The development process for the Power Plants Performance Monitoring System (P3MS) for PT PLN (Persero) UP3 Pamekasan is based on determinations in the early stages of development such as system architecture design and database design. But there are also changes and additions made to the initial decision that has been set. This is to perform system repairs. Even though changes and additions have been made, the goals, objectives and user needs have not changed and further development has been carried out to meet the specified aspects.

5.2 Coding of System Main Functions

First, before going further into the details of the functions in the Power Plants Performance Monitoring System (P3MS) for PT PLN (Persero) UP3 Pamekasan, this system uses a MySQL database where all data is placed in one database called p3ms-psm2 as shown in figure 5.1 which we can monitor through the database client named TablePlus. The definitions of field names, data types and primary keys for tables are determined through the database migration feature which is an innate feature of the Laravel framework itself as shown in figure 5.2. In addition, relationships between tables are also established.

After everything regarding the database has been settled, then the functions on the Power Plants Performance Monitoring System (P3MS) for PT PLN (Persero) UP3 Pamekasan are made with the aim of later being able to help the process of running the system such as connecting the interface with the database that we have prepared previously also helping process the required input and output. These functions will later be found in the controller of each existing module and later the controller will have access to the Model so that it can access the database. The existence of this Model is actually not mandatory, but Laravel itself has an ORM feature called Eloquent and can only be accessed by creating a model for each table so we need to prepare it first. In this program there are 5 controllers that handle various functions as shown in figure 5.3 to 5.20 below.

```
DB_CONNECTION=mysql
DB_HOST=127.0.0.1
DB_PORT=3306
DB_DATABASE=p3ms-psm2
DB_USERNAME=root
DB_PASSWORD=
```

Figure 5.1 Database Configuration in .ENV File

```
2023_05_16_185357_create_users_table.php
2023_05_16_190107_create_unit_table.php
2023_05_16_190109_create_power_plant_table.php
2023_05_16_190123_create_admin_table.php
2023_05_16_190124_create_staff_table.php
2023_05_17_140725_create_recapitulation_table.php
2023_05_17_145706_create_recapitulation_note_table.php
2023_05_18_013742_create_solar_panel_table.php
2023_05_18_023021_create_fuel_table.php
2023_05_18_023228_create_fuel_usage_table.php
2023_05_18_023657_create_lubricant_table.php
2023_05_18_023928_create_lubricant_usage_table.php
2023_05_18_050058_create_kwh_table.php
2023_05_18_050344_create_load_table.php
2023_05_18_053622_create_har_table.php
2023_05_18_053757_create_maintenance_table.php
2023_05_18_054017_create_material_table.php
2023_05_18_054225_create_material_expense_table.php
2023_05_18_054348_create_fast_moving_table.php
```

Figure 5.2 Database Migration File in ‘migration’ Folder




Figure 5.3 TablePlus as Database Client

5.2.1 Account Controller

5.2.1.1 Manage Staff Function

```
● ● ●                                     Manage Staff Function

public function viewStaff() {
    $list_staff = User::rightJoin('staff', 'users.id', '=', 'staff.user_id')->get();
    foreach ($list_staff as $staff) {
        $staff->power_plant_name = PowerPlant::find($staff->power_plant_id)->name;
    }
    return Inertia::render('Admin/InformasiStaff', [
        'listData' => $list_staff
    ]);
}

public function inputStaff() {
    $power_plants = PowerPlant::all();
    $list_power_plant = [];

    foreach ($power_plants as $power_plant) {
        array_push($list_power_plant, [
            'name' => $power_plant->name,
            'id' => $power_plant->id,
            'type' => $power_plant->power_plant_type
        ]);
    }
    return Inertia::render('Admin/InputStaff', [
        'listPowerPlant' => $list_power_plant
    ]);
}

public function createStaff(StaffRequest $request) {
    $user = new User();
    $user->username = $request->username;
    $user->password = Hash::make($request->password);
    $user->user_type = $request->user_type['id'];
    $user->save();

    $staff = new Staff();
    $staff->name = $request->name;
    $staff->user_id = $user->id;
    $staff->power_plant_id = $request->power_plant_id['id'];
    $staff->save();

    return redirect()->route('staff.view');
}

public function editStaff($id) {
    $staff = Staff::find($id);
    $user = User::find($staff->user_id);

    $staff->username = $user->username;
    $staff->user_type = $user->user_type;
    $staff->power_plant_type = PowerPlant::find($staff->power_plant_id)->power_plant_type;

    $power_plants = PowerPlant::all();
    $list_power_plant = [];

    foreach ($power_plants as $power_plant) {
        array_push($list_power_plant, [
            'name' => $power_plant->name,
            'id' => $power_plant->id,
            'type' => $power_plant->power_plant_type
        ]);
    }
    return Inertia::render('Admin/EditStaff', [
        'listPowerPlant' => $list_power_plant,
        'data' => $staff
    ]);
}

public function updateStaff(StaffRequest $request, $id) {
    $staff = Staff::find($id);
    $staff->name = $request->name;
    $staff->power_plant_id = $request->power_plant_id['id'];
    $staff->save();

    $user = User::find($staff->user_id);
    $user->username = $request->username;
    $user->password = Hash::make($request->password);
    $user->user_type = $request->user_type['id'];
    $user->save();

    return redirect()->route('staff.view');
}

public function deleteStaff($id) {
    $staff = Staff::find($id);
    $user = User::find($staff->user_id);

    $staff->delete();
    $user->delete();

    return redirect()->route('staff.view');
}
```

Figure 5.4 Manage Staff Function in Account Controller

5.2.1.2 Manage Admin Function

```
● ● ● Manage Admin Function

public function viewAdmin() {
    $list_admin = User::rightJoin('admin', 'users.id', '=', 'admin.user_id')->get();

    return Inertia::render('Admin/InformasiAdmin', [
        'ListData' => $list_admin
    ]);
}

public function inputAdmin() {
    return Inertia::render('Admin/InputAdmin');
}

public function createAdmin(AdminRequest $request) {
    $User = new User();
    $User->username = $request->username;
    $User->password = Hash::make($request->password);
    $User->user_type = 1;
    $User->save();

    $Admin = new Admin();
    $Admin->name = $request->name;
    $Admin->user_id = $User->id;
    $Admin->save();

    return redirect()->route('admin.view');
}

public function editAdmin($id) {
    $Admin = Admin::find($id);
    $User = User::find($Admin->user_id);

    $Admin->username = $User->username;

    return Inertia::render('Admin/EditAdmin', [
        'data' => $Admin
    ]);
}

public function updatedAdmin(AdminRequest $request, $id) {
    $Admin = Admin::find($id);
    $Admin->name = $request->name;
    $Admin->save();

    $User = User::find($Admin->user_id);
    $User->username = $request->username;
    $User->password = Hash::make($request->password);
    $User->save();

    return redirect()->route('admin.view');
}

public function deletedAdmin($id) {
    $Admin = Admin::find($id);
    $User = User::find($Admin->user_id);

    $Admin->delete();
    $User->delete();

    return redirect()->route('admin.view');
}
```

Figure 5.5 Manage Admin Function in Account Controller

5.2.2 Authentication Controller

5.2.2.1 Store Function



```
Store Function

public function store(LoginRequest $request) {
    $request->authenticate();
    $request->session()->regenerate();

    if ($auth()->user()->user_type != 'Admin') {
        return redirect(RouteServiceProvider::HOME);
    } else {
        return redirect(RouteServiceProvider::ADMIN);
    }
}
```

Figure 5.6 Store Function in Authentication Controller

5.2.2.2 Destroy Function



```
Destroy Function

public function destroy(Request $request)
{
    if ($auth()->user()->user_type != 'Admin') {
        $route = 'login.staff.get';
    } else {
        $route = 'login.admin.get';
    }
    Auth::guard('web')->logout();

    $request->session()->invalidate();


    $request->session()->regenerateToken();

    return redirect()->route($route);
}
```

Figure 5.7 Destroy Function in Authentication Controller

5.2.3 Master Data Controller

5.2.3.1 Manage Unit Function



```
Manage Unit Function

public function viewUnit() {
    $list_unit = Unit::all();

    return Inertia::render('Admin/InformasiUnit', [
        'listData' => $list_unit
    ]);
}

public function inputUnit() {
    return Inertia::render('Admin/InputUnit');
}

public function createUnit(UnitRequest $request) {
    $unit = new Unit();
    $unit->name = $request->name;
    $unit->save();

    return redirect()->route('unit.view');
}

public function editUnit ($id) {
    $unit = Unit::find($id);

    return Inertia::render('Admin/EditUnit', [
        'data' => $unit
    ]);
}

public function updateUnit (UnitRequest $request, $id) {
    $unit = Unit::find($id);
    $unit->name = $request->name;
    $unit->save();

    return redirect()->route('unit.view');
}

public function deleteUnit ($id) {
    $unit = Unit::find($id);
    $unit->delete();

    return redirect()->route('unit.view');
}
```

Figure 5.8 Manage Unit Function in Master Data Controller

5.2.3.2 Manage Power Plant Function



```
Manage Power Plant Function

public function viewPowerPlant() {
    $list_power_plan = PowerPlant::all();

    return Inertia::render('Admin/InformasiPembangkit', [
        'listData' => $list_power_plan
    ]);
}

public function inputPowerPlant() {
    $units = Unit::all();

    $list_unit = [];

    foreach ($units as $unit) {
        array_push($list_unit, [
            'name' => $unit->name,
            'id' => $unit->id
        ]);
    }

    return Inertia::render('Admin/InputPembangkit', [
        'listUnit' => $list_unit,
    ]);
}

public function createPowerPlant(PowerPlantRequest $request) {
    $power_plant = new PowerPlant();
    $power_plant->name = $request->name;
    $power_plant->code = $request->code;
    $power_plant->engine_quantity = $request->engine_quantity;
    $power_plant->feeder_quantity = $request->feeder_quantity;
    $power_plant->estimated_usage_amount = $request->estimated_usage_amount;
    $power_plant->dead_stock_amount = $request->dead_stock_amount;
    $power_plant->power_plant_type = $request->power_plant_type['name'];
    $power_plant->unit_id = $request->unit_id['id'];
    $power_plant->save();

    return redirect()->route('power-plant.view');
}

public function editPowerPlant ($id) {
    $power_plant = PowerPlant::find($id);
    $units = Unit::all();

    $list_unit = [];

    foreach ($units as $unit) {
        array_push($list_unit, [
            'name' => $unit->name,
            'id' => $unit->id
        ]);
    }

    return Inertia::render('Admin/EditPembangkit', [
        'data' => $power_plant,
        'listUnit' => $list_unit,
    ]);
}

public function updatePowerPlant (PowerPlantRequest $request, $id) {
    $power_plant = PowerPlant::find($id);
    $power_plant->name = $request->name;
    $power_plant->code = $request->code;
    $power_plant->engine_quantity = $request->engine_quantity;
    $power_plant->feeder_quantity = $request->feeder_quantity;
    $power_plant->estimated_usage_amount = $request->estimated_usage_amount;
    $power_plant->dead_stock_amount = $request->dead_stock_amount;
    $power_plant->power_plant_type = $request->power_plant_type['name'];
    $power_plant->unit_id = $request->unit_id['id'];
    $power_plant->save();

    return redirect()->route('power-plant.view');
}

public function deletePowerPlant ($id) {
    $power_plant = PowerPlant::find($id);
    $power_plant->delete();

    return redirect()->route('power-plant.view');
}
```

Figure 5.9 Manage Power Plant Function in Master Data Controller

5.2.3.3 Manage Material Function

```
Manage Material Function

public function viewMaterial() {
    $list_material = PowerPlant::rightJoin('material', 'power_plant.id', '=',
'material.power_plant_id')->get();
    return Inertia::render('Admin/InformasiMaterial', [
        'listData' => $list_material
    ]);
}

public function inputMaterial() {
    $power_plants = PowerPlant::all();

    $list_power_plant = [];

    foreach ($power_plants as $power_plant) {
        array_push($list_power_plant, [
            'name' => $power_plant->name,
            'id' => $power_plant->id,
            'type' => $power_plant->power_plant_type
        ]);
    }

    return Inertia::render('Admin/InputMaterial', [
        'listPowerPlant' => $list_power_plant
    ]);
}

public function createMaterial(MaterialRequest $request) {
    $material = new Material();
    $material->description = $request->description;
    $material->quantity = $request->quantity;
    $material->power_plant_id = $request->power_plant_id['id'];
    $material->save();

    return redirect()->route('material.view');
}

public function editMaterial ($id) {
    $material = Material::find($id);
    $power_plants = PowerPlant::all();

    $list_power_plant = [];

    foreach ($power_plants as $power_plant) {
        array_push($list_power_plant, [
            'name' => $power_plant->name,
            'id' => $power_plant->id,
            'type' => $power_plant->power_plant_type
        ]);
    }

    return Inertia::render('Admin/EditMaterial', [
        'data' => $material,
        'listPowerPlant' => $list_power_plant
    ]);
}

public function updateMaterial (MaterialRequest $request, $id) {
    $material = Material::find($id);
    $material->description = $request->description;
    $material->quantity = $request->quantity;
    $material->power_plant_id = $request->power_plant_id['id'];
    $material->save();

    return redirect()->route('material.view');
}


public function deleteMaterial ($id) {
    $material = Material::find($id);
    $material->delete();

    return redirect()->route('material.view');
}
```

Figure 5.10 Manage Material Function in Master Data Controller

5.2.4 Recapitulation Controller

5.2.4.1 View Recap Function



```
View Recap Function

public function viewRecap($id) {
    $recapitulation = Recapitulation::getRecapDetail($id);
    $recapitulation->power_plant_name = PowerPlant::find($recapitulation->power_plant_id)->name;
    $recapitulation->power_plant_type = PowerPlant::find($recapitulation->power_plant_id)->power_plant_type;

    return Inertia::render('Staff/Rekap', [
        'data' => $recapitulation,
    ]);
}
```

Figure 5.11 View Recap Function in Recapitulation Controller

5.2.4.2 Input Recap Function



```
Input Recap Function

public function inputRecap ($type) {
    $power_plant_id = Staff::where('user_id', '=', auth()->user()->id)->first()->power_plant_id;
    $power_plants = PowerPlant::where('id', '=', $power_plant_id)->get();

    $list_power_plant = [];

    foreach ($power_plants as $power_plant) {
        array_push($list_power_plant, [
            'name' => $power_plant->name,
            'id' => $power_plant->id,
            'type' => $power_plant->power_plant_type
        ]);
    }

    return Inertia::render('Staff/InputRekap', [
        'type' => $type,
        'listPowerPlant' => $list_power_plant
    ]);
}
```

Figure 5.12 Input Recap Function in Recapitulation Controller

5.2.4.3 Create Recap Function

```
● ● ● Create Recap Function

public function createRecap (Request $request) {
    switch ($request->recapitulation_type['name'] ?? '') {
        case 'BBM Pemakaian':
            $validator = Validator::make($request->all(), (new BBMPemakaianRequest)->rules());
            break;
        case 'BBM Stok':
            $validator = Validator::make($request->all(), (new BBMStokRequest)->rules());
            break;
        case 'Beban':
            $validator = Validator::make($request->all(), (new BebanRequest)->rules());
            break;
        case 'Fast Moving':
            $validator = Validator::make($request->all(), (new FastMovingRequest)->rules());
            break;
        case 'Gangguan':
            $validator = Validator::make($request->all(), (new GangguanRequest)->rules());
            break;
        case 'HAR Realisasi':
            $validator = Validator::make($request->all(), (new HARRealisasiRequest)->rules());
            break;
        case 'HAR Rencana':
            $validator = Validator::make($request->all(), (new HARRencanaRequest)->rules());
            break;
        case 'KWH':
            $validator = Validator::make($request->all(), (new KWHRequest)->rules());
            break;
        case 'Pelumas':
            $validator = Validator::make($request->all(), (new PelumasRequest)->rules());
            break;
        case 'Utama':
            $validator = Validator::make($request->all(), (new UtamaRequest)->rules());
            break;
        default:
            return redirect()->back()->withErrors(['type' => 'Tipe rekap tidak ditemukan']);
    }


    if ($validator->fails()) {
        return redirect()->back()->withErrors($validator->errors());
    }

    switch ($request->recapitulation_type['name'] ?? '') {
        case 'BBM Pemakaian':
            $this->savingBBMPemakaian($request);
            break;
        case 'BBM Stok':
            $this->savingBBMStok($request);
            break;
        case 'Beban':
            $this->savingBeban($request);
            break;
        case 'Fast Moving':
            $this->savingFastMoving($request);
            break;
        case 'Gangguan':
            $this->savingGangguan($request);
            break;
        case 'HAR Realisasi':
            $this->savingHARRealisasi($request);
            break;
        case 'HAR Rencana':
            $this->savingHARRencana($request);
            break;
        case 'KWH':
            $this->savingKWH($request);
            break;
        case 'Pelumas':
            $this->savingPelumas($request);
            break;
        case 'Utama':
            $this->savingUtama($request);
            break;
        default:
            return redirect()->back()->withErrors(['type' => 'Tipe rekap tidak ditemukan']);
    }

    return redirect()->route('recap.history');
}
```

Figure 5.13 Create Recap Function in Recapitulation Controller

5.2.4.4 Edit Recap Function



```
● ● ●          Edit Recap Function

public function editRecap ($id) {
    $recapitulation = Recapitulation::getRecapDetail($id);
    $power_plant_id = Staff::where('user_id', '=', auth()->user()->id)->first()->power_plant_id;
    $power_plants = PowerPlant::where('id', '=', $power_plant_id)->get();

    $list_power_plant = [];

    foreach ($power_plants as $power_plant) {
        array_push($list_power_plant, [
            'name' => $power_plant->name,
            'id' => $power_plant->id,
            'type' => $power_plant->power_plant_type
        ]);
    }

    return Inertia::render('Staff/EditRekap', [
        'type' => $recapitulation->recapitulation_type,
        'listPowerPlant' => $list_power_plant,
        'data' => $recapitulation,
    ]);
}
```

Figure 5.14 Edit Recap Function in Recapitulation Controller

5.2.4.5 Update Recap Function

```
● ● ●
Update Recap Function

public function updateRecap (Request $request, $id) {
    switch ($request->recapitulation_type['name'] ?? '') {
        case 'BBM Pemakaian':
            $validator = Validator::make($request->all(), (new BBMPemakaianRequest)->rules());
            break;
        case 'BBM Stok':
            $validator = Validator::make($request->all(), (new BBMStokRequest)->rules());
            break;
        case 'Beban':
            $validator = Validator::make($request->all(), (new BebanRequest)->rules());
            break;
        case 'Fast Moving':
            $validator = Validator::make($request->all(), (new FastMovingRequest)->rules());
            break;
        case 'Gangguan':
            $validator = Validator::make($request->all(), (new GangguanRequest)->rules());
            break;
        case 'HAR Realisasi':
            $validator = Validator::make($request->all(), (new HARRealisasiRequest)->rules());
            break;
        case 'HAR Rencana':
            $validator = Validator::make($request->all(), (new HARRencanaRequest)->rules());
            break;
        case 'KWH':
            $validator = Validator::make($request->all(), (new KWHRequest)->rules());
            break;
        case 'Pelumas':
            $validator = Validator::make($request->all(), (new PelumasRequest)->rules());
            break;
        case 'Utama':
            $validator = Validator::make($request->all(), (new UtamaRequest)->rules());
            break;
        default:
            return redirect()->back()->withErrors(['type' => 'Tipe rekап tidak ditemukan']);
    }

    if ($validator->fails()) {
        return redirect()->back()->withErrors($validator->errors());
    }

    switch ($request->recapitulation_type['name'] ?? '') {
        case 'BBM Pemakaian':
            $this->savingBBMPemakaian($request, $id);
            break;
        case 'BBM Stok':
            $this->savingBBMStok($request, $id);
            break;
        case 'Beban':
            $this->savingBeban($request, $id);
            break;
        case 'Fast Moving':
            $this->savingFastMoving($request, $id);
            break;
        case 'Gangguan':
            $this->savingGangguan($request, $id);
            break;
        case 'HAR Realisasi':
            $this->savingHARRealisasi($request, $id);
            break;
        case 'HAR Rencana':
            $this->savingHARRencana($request, $id);
            break;
        case 'KWH':
            $this->savingKWH($request, $id);
            break;
        case 'Pelumas':
            $this->savingPelumas($request, $id);
            break;
        case 'Utama':
            $this->savingUtama($request, $id);
            break;
        default:
            return redirect()->back()->withErrors(['type' => 'Tipe rekап tidak ditemukan']);
    }

    return redirect()->route('recap.history');
}
```

Figure 5.15 Update Recap Function in Recapitulation Controller

5.2.4.6 Delete Recap Function




```
Delete Recap Function

public function deleteRecap ($id) {
    return redirect()->route('recap.history');
}
```

Figure 5.16 Delete Recap Function in Recapitulation Controller

5.2.4.7 Evaluate Recap Function



```
Evaluate Recap Function

public function evaluateRecap($id) {
    $recapitulation = Recapitulation::find($id);
    if ($recapitulation->status == 'Dibuat') {
        $recapitulation->status = 'Dievaluasi';
        $recapitulation->save();
    }


    $recapitulation = Recapitulation::getRecapDetail($id);
    $log = Log::where('data_id', '=', $id)
        ->where('data_type', '=', 'Recapitulation')
        ->where('action', '=', 'Evaluate')
        ->first();

    $recapitulation->power_plant_name = PowerPlant::find($recapitulation->power_plant_id)->name;
    $recapitulation->power_plant_type = PowerPlant::find($recapitulation->power_plant_id)->power_plant_type;
    $recapitulation->log = $log;

    return Inertia::render('Staff/EvaluasiRekap', [
        'data' => $recapitulation,
    ]);
}
```

Figure 5.17 Evaluate Recap Function in Recapitulation Controller

5.2.4.8 Recap History Recap Function



```
Recap History Function

public function recapHistory() {
    $staff_id = Staff::where('user_id', '=', auth()->user()->id)->first()->id;
    $recapitulation = Recapitulation::where('staff_id', '=', $staff_id)->get();


    foreach ($recapitulation as $recap) {
        $recap->power_plant_name = PowerPlant::find($recap->power_plant_id)->name;
    }

    return Inertia::render('Staff/RiwayatRekap', [
        'listData' => $recapitulation,
    ]);
}
```

Figure 5.18 Recap History Function in Recapitulation Controller

5.2.5 Report Controller

5.2.5.1 View Report Function



```
View Report Function

public function viewReport ($filter = [], $preview = []) {
    $power_plants = PowerPlant::all();


    $list_power_plant = [];

    foreach ($power_plants as $power_plant) {
        array_push($list_power_plant, [
            'name' => $power_plant->name,
            'id' => $power_plant->id,
            'type' => $power_plant->power_plant_type
        ]);
    }

    return Inertia::render('Staff/UnduhLaporan', [
        'listPowerPlant' => $list_power_plant,
        'filter' => $filter,
        'preview' => $preview
    ]);
}
```

Figure 5.19 View Report Function in Report Controller

5.2.5.2 Generate Report Function



```
Generate Report Function

public function generateReport (Request $request) {
    $filter = [
        'power_plant_type' => $request->power_plant_type,
        'power_plant_id' => $request->power_plant_id,
        'report_type' => $request->report_type,
        'date_start' => $request->date_start,
        'date_end' => $request->date_end
    ];
    $preview = [
        'data' => $this->getDataItems($request->report_type['name']),
    ];

    return $this->viewReport($filter, $preview);
}
```

Figure 5.20 Generate Report Function in Report Controller

5.2.5.3 Export Report Function



```
Download Report Function

public function downloadReport (Request $request) {
    $report_name = 'Laporan_'. $request->report_type['name']. ' '. $request-
>power_plant_id['name']. '('. $request->date_start.'-'.$request->date_end.')'. '.xlsx';
    $data = $this->getDataItems($request->report_type['name']);
    return Excel::download(new ReportExport($request->power_plant_id, $request-
>report_type['name']), $data, $report_name);
}
```

Figure 5.21 Export Report Function in Report Controller

5.3 Interfaces of System Main Functions

The user interface is an important factor in system development because it functions as an intermediary between the user and the system. User-friendly and easy-to-understand interfaces play an important role in production as they indirectly reduce costs by reducing training time for users. The development of the user interface for this system is carried out using the VueJS Frontend Framework with the help of InertiaJS for integration with the Laravel Framework. We also use PrimeVue, a UI

component library for Vue.js which uses TailwindCSS, a utility-first CSS Framework for styling purposes.

5.4 Testing

After the Power Plants Performance Monitoring System (P3MS) for PT PLN (Persero) UP3 Pamekasan was developed, system testing was carried out to test and identify errors. Testing is an important phase in the development of any system so that it can identify code problems before it is fully deployed. System testing is to identify system improvements that need to be made and to identify whether the system being developed is in accordance with the goals and objectives of system development.

5.4.1 Black box Testing

Black box testing is carried out at the module interface. This test does not touch on the performance of the program but emphasizes that the output produced must match the user's needs. This test attempts to identify errors such as incorrect or missing functionality, interface errors, structural or database access errors, presentation errors, and startup or termination errors.

5.4.1.1 System Flow

In black box testing, the system flow refers to the sequence of inputs and outputs within the module or software being tested. It outlines how the system processes inputs and generates corresponding outputs. The specific steps and logic involved in the system flow are not visible to the tester, as they are considered internal to the module. The focus of black box testing is on evaluating the correctness of the outputs produced based on given inputs, without considering the internal workings of the system.

5.4.1.2 Input Output Verification

In black box testing, input-output verification aims to ensure that the output produced by the module matches the expected output for a given set of inputs. Test cases are designed based on the requirements and specifications of the system. The tester provides inputs to the module and checks whether the outputs generated are correct and meet the desired expectations. This verification process helps identify errors such as missing or incorrect functionality, interface issues, and other discrepancies between expected and actual outputs.

5.4.1.3 Error Messages

During black box testing, error messages play an essential role in providing feedback to the user or tester when an error or exceptional condition occurs within the system. Error messages should be informative, clear, and concise, helping users or testers understand the cause of the error and take appropriate action. Black box testing includes verifying that error messages are displayed correctly, contain relevant information, and guide users in resolving the issue. This ensures that users receive meaningful feedback when errors occur, improving the overall user experience and assisting in troubleshooting.

5.4.2 White box Testing

White box testing is a detailed check of the internal program i.e. about the logic flow. White-box testing will test all the logical results of a program whether they are correct or vice versa. Usually involves testing the loop portion of the program to detect errors. User testing was performed to determine if users find the system easy to use while system testing was done to verify the absence of the error in the system. The results of the tests obtained based on the average user satisfaction with the system. A user testing has been conducted to test this system. Table X.X shows the result of the testing.

5.4.3 User Testing

System testing encompasses both user testing and system testing. User testing aims to evaluate whether users can easily use the system, while system testing verifies the absence of errors in the system. The test results are obtained based on the average user satisfaction with the system. A user testing process was conducted specifically for this system, and Table 5.1 displays the testing outcome.

Table 5.1 Testing Result

| User Acceptance Testing Result | | |
|---------------------------------------|---|----------------|
| No | Question | Average Answer |
| 1 | Is the system easy to understand and use? | 4/5 |
| 2 | Is the system interface designed to make it easy for users? | 4/5 |
| 3 | Is the main menu of the system helpful? | 4/5 |
| 4 | Is the system responsive in a timely manner? | 3.5/5 |
| 5 | Is the security of the stored data trustworthy? | 3/5 |
| 6 | Is the system fully utilized? | 4/5 |

The results of the user testing indicate that consumers are content with the system and perceive it as user-friendly, meeting their requirements. Several modules of the Power Plants Performance Monitoring System (P3MS) for PT PLN (Persero) UP3 Pamekasan underwent testing, as documented in Table 5.2 to Table 5.5. The primary goal of this testing phase was to identify any errors that may arise during the user acceptance of the system.

Table 5.2 Admin create a new user

| Tester Name | : | Aji (PT PLN (Persero) UP3 Pamekasan engineer staff) |
|---|---|--|
| Date | : | 24 June 2023 |
| Module | : | Manage Account Module |
| Instruction | Predicted Result | Result |
| 1. Login as admin. 2. Choose button manage user account for ‘Staff’. 3. Clicks on the ‘Tambah’ button to create new staff account. 4. Input all required fields on the recapitulation form. 5. Click on the “Simpan” button 6. Sign out. | 1. Able to input all required information. 2. System able to give error message for miss or wrong input information. 3. Able to view the current new staff account. | Success |

Table 5.3 Operator staff create a new recapitulation

| Tester Name | : | Putri (PT PLN (Persero) UP3 Pamekasan staff) |
|---|--|---|
| Date | : | 24 June 2023 |
| Module | : | Manage Recapitulation Module |
| Instruction | Predicted Result | Result |
| 1. Login as operator staff. 2. Choose recapitulation type to be inputted. 3. Clicks on the button of selected recapitulation type to create. 4. Input all required fields on the recapitulation form. 5. Click on the “Simpan” button 6. Sign out. | 4. Able to input all required information. 5. System able to give error message for miss or wrong input information. 6. Able to view the current new recapitulation. | Success |

Table 5.4 PIC staff evaluate recapitulation

| Tester Name | : | Avicenna (PT PLN (Persero) UP3 Pamekasan engineer supervisor) |
|---|--|--|
| Date | : | 24 June 2023 |
| Module | : | Manage Recapitulation Module |
| Instruction | Predicted Result | Result |
| <ol style="list-style-type: none"> 1. Login as operator staff. 2. Click on the “Permintaan Rekap” navbar button. 3. Click the “Evaluasi” button on one of the recapitulations. 4. Start evaluating the recapitulation whether approved or rejected. 5. Save Evaluation Result. 6. Sign out. | <ol style="list-style-type: none"> 1. Able to view selected recapitulation that need to be evaluated. 2. Able to make correction if there is minor mistake. 3. Able to give the recapitulation evaluation status. 4. Able to update the material stock quantity if the recapitulation type chosen is relate with material. | Success |

Table 5.5 PIC staff download report

| Tester Name | : | Avicenna (PT PLN (Persero) UP3 Pamekasan engineer supervisor) |
|--|---|--|
| Date | : | 24 June 2023 |
| Module | : | Manage Report Module |
| Instruction | Predicted Result | Result |
| <ol style="list-style-type: none"> 1. Login as operator staff. 2. Click on the “Unduh Laporan” navbar button. 3. Click the “Evaluasi” button on one of the recapitulations. 4. Input all required fields on the recapitulation form to filter data. 5. Click the “Unduh” button on one of the preview side. 6. Sign out. | <ol style="list-style-type: none"> 1. System show report preview before able to be downloaded. 2. System able to query the data for the report based on the filter inputted. 3. Able to download the report as an excel file | Success |

| | | |
|--|--|--|
| | | |
|--|--|--|

5.5 Chapter Summary

This chapter explains thoroughly the implementation stage of the Power Plants Performance Monitoring System (P3MS) for PT PLN (Persero) UP3 Pamekasan which has explained the use of the software used. Implementation of the system has gone through several processes. The testing phase is a critical stage to identify any errors that occur. Faults are identified and corrected to ensure the end product of the system functions properly. Through testing, system developers can ensure that the system being developed successfully meets user needs and achieves goals. In fact, through testing as well, system development can increase the effectiveness of the system.

CHAPTER 6

CONCLUSION

6.1 Introduction

This chapter examines the accomplishments, encountered challenges, limitations, and suggestions for future enhancements in the project known as Power Plants Performance Monitoring System (P3MS) for PT PLN (Persero) UP3 Pamekasan.

6.2 Achievement of Project Objectives

Power Plants Performance Monitoring System (P3MS) for PT PLN (Persero) UP3 Pamekasan has successfully accomplished all the objectives outlined in Chapter 1. The specific achievements include:

- i. The system enables the admin to manage user including staff and admin itself in the manage user module.
- ii. The admin can manage all master data including unit, power plant and material through the manage master data module.
- iii. PIC staff could approve or reject created recapitulation through the system.
- iv. The system can generate a repost in form of excel from the recapitulation data that created by operator staff and already approved by PIC staff.
- v. Operator staff has ability to create and manage a recapitulation with ten available recapitulation type.

However, along the way, several challenges were encountered during the development of Power Plants Performance Monitoring System (P3MS) for PT PLN (Persero) UP3 Pamekasan:

- i. The project has the potential to include a downloadable Excel feature, which may require the use of a third-party extension. This enhancement will allow users to generate Excel files directly from the system, providing a convenient way to export and manipulate data.
- ii. To optimize system performance, file compression techniques can be employed to reduce the size of the build. This will help the system run faster, especially in areas with limited internet connectivity such as remote islands. Despite these optimization efforts, the system will still prioritize a user-friendly interface and experience.
- iii. Efforts will be made to minimize the time taken for database indexing. Managing a single type of recapitulation often involves complex relationships between more than four tables simultaneously. Streamlining the indexing process will improve the overall efficiency of the system, reducing the time required for data retrieval and management.

6.3 Suggestions for Future Improvement

To address the existing problems and weaknesses in the system, several improvements can be implemented over time. These enhancements aim to make job management faster and easier. Here are some suggestions for improving the system:

- i. Introduce a feature that allows users to upload evidence for each newly created recapitulation. This feature will enable users to provide supporting documentation or proof for the recapitulation, enhancing the accuracy and reliability of the data. Additionally, it will facilitate better record-keeping and auditing processes.
- ii. Increase the implementation of email notifications to keep track of system activities and updates.
- iii. Integrate a plugin or feature to schedule jobs, enabling the monitoring, automatic status updates, and data backup of the system. This helps ensure efficient system management and maintenance.

By implementing these suggestions, the system can be enhanced to overcome current limitations and provide a more streamlined and effective user experience.

REFERENCES

- Smart Diesel Generator Monitoring. Avnet. (n.d.). Retrieved May 16, 2022, from
<https://www.avnet.com/wps/portal/us/solutions/iot/software/smart-applications/smart-diesel/>
- Diesel Generator Monitoring. Technoton. (2022). Retrieved May 16, 2022, from
<https://jv-technoton.com/solutions/diesel-generator-monitoring/>
- Fleet Management System: Solusi Monitoring Armada Logistik. (2022). Retrieved May 16, 2022, from <https://www.sekawanmedia.co.id/produk-solusi/fleet-management-system/>
- Project Management Academy. (n.d.). What is Agile Project Management? Project Management Academy. Retrieved May 18, 2022, from
<https://projectmanagementacademy.net/agile-methodology-training#:~:text=Many%20organizations%20are%20adopting%20Agile,more%20of%20their%20projects%20successfully>
- Cheung, S. O., Suen, H. C., & Cheung, K. K. (2004). PPMS: a Web-based construction Project Performance Monitoring System. Automation in Construction, 13(3), 361–376. <https://doi.org/10.1016/j.autcon.2003.12.001>

Appendix A System Requirements Specification



Software Requirements Specification

Power Plants Performance Monitoring System for PT
PLN (Persero) UP3 Pamekasan

Version 1.0

23 June 2022

School Of Computing

Prepared by: Thoriqulhaq Jibril Al Qudsy

REVISION PAGE

a. Overview

This is the first draft of the Software Requirements Specification for Power Plants Performance Monitoring System for PT PLN (Persero) UP3 Pamekasan.

b. Target Audience

- Ms. Habibah Zahra Faluqi, Supervisor, PT PLN (Persero)
- Stakeholder of PT PLN (Persero) UP3 Pamekasan

c. Project Team Members

- Thoriqulhaq Jibril Al Qudsy

d. Version Control History

| Version | Primary Author(s) | Description of Version | Date Completed |
|----------------|--------------------------------|---|-----------------------|
| Version 1.0 | Thoriqulhaq Jibril Al Qudsy | SRS 1.0 of Power Plants Performance Monitoring System for PT PLN (Persero) UP3 Pamekasan | 23 June 2022 |

Note:

This Software Requirements Specification (SRS) template is based on IEEE Std 830-1998, organized by modules according to system features (Appendix A.5 of the IEEE Std, 830-1998, Section 5) and customized to meet the need of SCSJ2203 course at Faculty of Computing, UTM. Compiled and checked by Shahida Sulaiman, PhD on 20 March 2016. Examples of models are from Satzinger (2011).

TABLE OF CONTENTS

1 Introduction

- 1.1 Purpose
- 1.2 Scope
- 1.3 Definitions, Acronyms and Abbreviations
- 1.4 References
- 1.5 Overview

2 Overall Description

- 2.1 Product Perspective
 - 2.1.1 System Interfaces
 - 2.1.2 User Interfaces
 - 2.1.3 Hardware Interfaces
 - 2.1.4 Software Interfaces
 - 2.1.5 Communication Interfaces
 - 2.1.6 Memory
 - 2.1.7 Operations
 - 2.1.8 Site Adaptations Requirements
- 2.2 Product Functions
- 2.3 User Characteristic
- 2.4 Constraints
- 2.5 Assumption and Dependencies
- 2.6 Apportioning of Requirements

3 Specific Requirements

- 3.1 External Interface Requirements
 - 3.1.1 User Interfaces
 - 3.1.2 Hardware Interfaces
 - 3.1.3 Software Interfaces
 - 3.1.4 Communication Interfaces

- 3.2 System Features
- 3.3 Performance Requirements
- 3.4 Design Constraints
- 3.5 Software System Attributes
- 3.6 Other Requirements

1. INTRODUCTION

1.1 Purpose

The main purpose of System Requirement Specification (SRS) documentation is to describe the detailed description of the Power Plants Performance Monitoring System (P3MS) for PT PLN (Persero) UP3 Pamekasan based on requirements including functional and non-functional, features and functionalities. These requirements were gathered from Ms. Habibah Zahra Faluqi as our stakeholder through several interview discussions and negotiations which in the end they agreed with all the requirements. This document is intended for our stakeholders, developers of the system and also the end-user.

1.2 Scope

The proposed system is named Power Plants Performance Monitoring System (P3MS). This system will be specially designed for PT PLN (Persero) UP3 Pamekasan to transform the manual monitoring process into a computerized system, which makes them easier to report, organize and monitor the power plants in future. A web-based system that provides various functionalities such as employee profile management, leave and overtime allowance management, schedule management and attendance record management will be implemented to benefit the organization. The design of this system is user friendly, easy to use and understand so that the end-users can learn quickly and can perform tasks by using this system. There are some limitations of this system. This system will not cover the salary, payroll and performance management of the employees.

1.3 Definitions, Acronyms and Abbreviation

| Acronyms | Definitions |
|-----------------------------------|--|
| P3MS | Power Plants Performance Monitoring System |
| SRS | Software Requirement Specification |
| PT PLN (Persero) UP3 Pamekasan | Targeted company of this system |
| UML | Unified Modelling Language |
| PIC | Person In Charge |

1.4 References

1. IEEE. IEEE Std. 830-1998 IEEE Recommended Practice for Software Requirements Specifications. IEEE Computer Society, 1998.

1.5 Overview

The requirements for the Power Plants Performance Monitoring System for PT PLN (Persero) UP3 Pamekasan are fully defined in three main sections of this document. An overview of the system's features, interactions, and functionality is covered in Section 2. Additionally, Section 2 discusses the distribution of requirements, assumptions and dependencies, and system constraints. The system's specific requirements, such as those for various external interface types, system features, performance requirements, design restrictions, software system attributes, and other requirements, are introduced in Section 3.

2. OVERALL DESCRIPTION

An overview of the Power Plants Performance Monitoring System (P3MS) for the PT PLN (Persero) UP3 Pamekasan proposed system will be provided in this section. To introduce the system's features and show how the end-user can interact with it, a detailed description of the system will be given. For better understanding, a detailed explanation of each system use case's flow will be provided in this section.

In order to get a better understanding and what stakeholders want, we conducted several interviews and negotiations. It went very smoothly. Until finally we came to an agreement and we formulated it into 5 subsystems, each of which has several use cases. The five subsystems that make up the Power Plants Performance Monitoring System (P3MS) are the Recapitulation subsystem, Report subsystem, Account subsystem, Master Data subsystem, and Authentication subsystem. The Administrator, Operator Staff, and PIC Staff are the three actors in this system. Figure 2.1 presents a diagram of the overall use case that was drawn up in order to illustrate the concept of this system that is being proposed.




Figure 2.1: Use Case Diagram of P3MS

However, there are details that we need to ask, especially in the recapitulation input section and also in the generate report section. So we did the interview for the umpteenth time. In the end, because we felt that the requirements we got were sufficient, we finally managed to gather some information. Information regarding input recapitulation will be divided into 2 parts, namely PLTS (Solar Power Plant) and PLTD (Diesel Power Plant). For PLTS there is only one type of recapitulation which is the default. Meanwhile, the PLTD will be divided into 9 types of recapitulation, namely Fuel Consumption, Fuel Stock, Lubricants, Kwh, Loads, Planned HAR, Realized HAR, Maintenance and Fast Moving. Each type of recapitulation has a different data field which will be discussed in detail in the database design and user interface design sections for more details. As for the generate report section, it will be divided into 2, namely one that can be displayed in the user interface later and one that is downloadable. For what is contained in the user interface, only reports based on bar charts from all PLTS and PLTD. Meanwhile, the downloadable report will display statistical data from selected power plants within a predetermined timeframe. The statistical data will be taken from the daily recapitulation that has been inputted previously. For the bar chart that will be displayed in the user interface, there will be 2 graphs from PLTS and 5 graphs from PLTD. The graphs will be described in Table 2.1 along with the formula that has been determined for its calculation.

Table 2.1: Generated Graph Information

| No | Type | Graph Name | Formula | Unit |
|----|------|---------------------|--|-------|
| 1 | PLTS | Load | Total Loads | kW |
| 2 | | Kwh Production | Early Stand - Final Stand | kWh |
| 3 | PLTD | Fuel Stock | Total Main Tank + Total Daily Tank | Litre |
| 4 | | Fuel Consumption | (Daily Physical Stock + Daily Physical Receipt) - Yesterday's Physical Stock | Litre |
| 5 | | SFC | Fuel Consumption / Total Engine Module (PCC 3300) | Litre |
| 6 | | HOP | (Total Physical Stock - Dead Stock) / Estimated Usage | Day |
| 7 | | Kwh Production | Total Engine Module (PCC 3300) | kWh |

2.1 Product Perspective

This SRS describes a system called Power Plants Performance Monitoring System (P3MS), which is our proposed solution. It is a computerized system developed for the stakeholders of PT PLN (Persero) UP3 Pamekasan, an Indonesian government-owned which has a monopoly on electricity distribution in Indonesia and generates the majority of the country's electrical power. This product will be of great benefit to the stakeholders because it assists them in developing an digitised system that is more effective than the manual power plant performance activity process that they were previously using. By utilizing this system, the administrator will have an easier time managing the master data that is related to the power plan needs. The operator staff at the power plant is able to perform a recapitulation of the power plant's performance statistics in an easier and quicker manner. The PIC staff is capable of accurately evaluating the recapitulation through the use of the system. All of that will be done synchronously and centralized. Additionally, complete implementation of authorized access can be found within this system. The purpose of this system is to improve the company's ability to monitor the performance of its power plants.




Figure 2.2: Block Diagram of P3MS

2.1.1 System Interfaces

The Power Plants Performance Monitoring System (P3MS) will be developed with a web-based approach. This web-based system will be implemented using the Laravel framework with the PHP programming language. The database used for this system is MySQL with the help of DataGrip as a DBMS.

2.1.2 User Interfaces

The Power Plants Performance Monitoring System (P3MS) will have user interfaces that are designed in a straightforward manner in order to make the system user-friendly and straightforward even for a novice to operate. The language that is utilized in this system is Indonesian, which is a language that can be comprehended by the majority of workers in Indonesia. For each user, the system has different levels of access and a variety of user interfaces. Below are brief descriptions of the user interfaces for each role.

2.1.2.1 Login Interfaces

This system's login interface allows all end users, including administrators, operator staff, and pic staff, to access specific features and perform specific tasks.

2.1.2.2 Main Interfaces for Operator Staff

The main interface is displayed after the administrator successfully log in to the system. Administrator can perform various tasks such as manage employee account, manage leave and overtime application, manage schedule and view the attendance of employee through this interface.

2.1.2.3 Login Interfaces for PIC Stuff

The main interface is displayed after the administrator successfully log in to the system. Administrator can perform various tasks such as manage employee account, manage leave and overtime application, manage schedule and view the attendance of employee through this interface.

2.1.2.4 Login Interfaces for Administrator

The main interface is displayed after the administrator successfully log in to the system. Administrator can perform various tasks such as manage employee account, manage leave and overtime application, manage schedule and view the attendance of employee through this interface.

2.1.3 Hardware Interfaces

This web-based system can be accessed through desktop computers as well as laptops provided that the computers have a web browser installed. It will be necessary to have a stable internet connection in order to use the system.

2.1.4 Software Interfaces

Accessing this system requires a web browser, and you must be connected to the internet in order to achieve the highest level of performance possible from the operation of the system. There are a variety of web browsers, such as Google Chrome, Mozilla Firefox, Microsoft Edge, Apple Safari, and Opera, that are all capable of accessing this system. Some of these browsers are listed above.

2.1.5 Communication Interfaces

Communication carried out over the internet makes use of dependable TCP/IP protocols like HTTP and FTP in order to ensure the highest level of compatibility and dependability possible.

2.1.6 Memory

Memory utilization is subject to the capabilities of the hardware platform that is designed to operate this system. At this time, it is not possible to provide an accurate estimate regarding the actual amount of memory that is being utilized.

2.1.7 Operations

To use this system, end-users must go to the company's website and click on a link that has been set up specifically for them. The company's administrator will be given the initial login information by the developers. As soon as they have successfully logged into the system, they have the option of changing their login information at their account management page. In order for the staff to log in to the system, they need to have an account that has been created for them by the administrator. Otherwise, new and unregistered employees will be unable to access the system. Each user's ability to use the system's features is constrained by their individual roles within the system's architecture.

2.1.8 Site Adaptation Requirements

Since it is a web-based system, it is compatible with the vast majority of platforms and can be accessed through any web browser that is compatible with that platform's operating system. As a result, this system does not necessitate any platform-specific adjustments. End users will be able to access this system in order to carry out a variety of tasks through this system once the system has been deployed and released to the server. End users will be able to access this system by browsing a specific website link that has been developed for the company.

2.2 Product Functions

Table 2.2 provides a concise explanation of how the product functions in accordance with the system modules.

Table 2.2: Product Function of P3MS

| Module | Product Function | Description |
|----------------|-------------------------|---|
| Recapitulation | Manage Recapitulation | Allow the operator staff to create a new recapitulation or view, update, and delete an existing recapitulation. |
| | View Recapitulation | Allow the PIC staff to view a list of requested recapitulations. |
| | Update Recapitulation | Allow the PIC staff to update the requested recapitulations. |
| | Evaluate Recapitulation | Allow the PIC staff to evaluate the requested recapitulations, whether they are approved or rejected. |
| Report | Get Report | Allow operator staff and PIC staff to get the generated report results. |
| | View Report | Allow operator staff and PIC staff to view the generated report results. |
| | Download Report | Allow operator staff and PIC staff to download the generated report results. |
| Master Data | Manage Power Plant | Allow the administrator to add a new power plant or view, update, and delete an existing power plant. |
| | Manage Material | Allow the administrator to add new material or view, update, and delete |

| | | |
|----------------|---------------------------|--|
| | | existing material. |
| | Manage Master Data | Allow the administrator to add a new chosen master data or view, update, and delete an existing chosen master data. |
| Account | Manage Admin User Account | Allow the administrator to add a new admin user account or view, update, and delete an existing admin user account. |
| | Manage Staff User Account | Allow the administrator to add a new staff user account or view, update, and delete an existing admin staff account. |
| Authentication | Sign In | Allow all users to authenticate their account credentials before being able to access the main system features. |

2.3 User Characteristics

The user characteristics based on the different user types involved in this system are briefly described in Table 2.2.

Table 2.2: User Character of P3MS

| No | User | Characteristic |
|----|----------------|--|
| 1 | Administrator | This user helps the company to manage user accounts, including staff and the administrator itself. Also, manage master data, including managing units, managing power plants, and managing the material. |
| 2 | Operator Staff | This user has access to recap and submit all the power plants. performance statistic data to the system. Besides creating a recapitulation, they can view, update, and delete it. In the end, they can get the generated report either downloaded to an excel file or viewed directly from the website. |
| 3 | PIC Staff | This user has access to evaluate all the recapitulations that were already submitted by operator staff, either rejected or approved. Besides evaluating a recapitulation, they can view and update the recapitulation directly if it is felt that there is no need for more revisions from the operator staff. In the end, they can get the generated report either downloaded to an excel file or viewed directly from the website. |

2.4 Constraints

The following are the general constraints of this system:

- I. The system should be compatible with various web browsers.
- II. In order for the system to work properly on the device that is supposed to run it, the device needs to have a reliable internet connection.
- III. The system needs to be responsive, intuitive, and easy to use, with straightforward user interfaces that are appropriate for the functions of a power plant performance monitoring system.
- IV. The language that is utilized within the system must be Indonesian to ensure that it is comprehensible to the majority of workers in Indonesia.

2.5 Assumption and Dependencies

In order to use this system, a working web browser, and an internet connection. It is possible that the system will not function properly if the devices used to access it do not have a web browser, a stable internet connection, or any of the other minimum requirements. While this is a major factor, it's also important to keep an up-to-date database for the Power Plants Performance Monitoring System, which holds all of this data. Consequently, the database is assumed to be unusable in the event of an outage, as only users with pre-assigned login details will be granted access to the Power Plants Performance Monitoring System.

New functionalities or features requested by stakeholders may be added to the software during development, which will alter the requirements' interdependencies. The time required to design and implement these new features is entirely dependent on the time needed to develop and implement the original ones. The system's requirements may be modified in response to these changes.

2.6 Apportioning of Requirements

Several requirements could be carried over to the next version of the app if this project's development is delayed. Those are some of the requirements that are going to be worked on for the second release. As a starting point for the second release, the SDD of the Power Plants Performance Monitoring System contains a detailed list of all available functions.

3. SPECIFIC REQUIREMENTS

Within this section, both the functional and non-functional requirements of the system are discussed. This section also includes the presentation of use case specifications, as well as the respective sequence diagrams and activity diagrams for each use case.




Figure 3.1: Domain Model of P3MS




Figure 3.2: State Machine Diagram of Recapitulation

3.1 External Interface Requirements

3.1.1 User Interfaces

The user interfaces for different roles are described in detail in the following subsections.

3.1.1.1 Login Interfaces

Through the use of the system's login interface, all of the end-users, which include administrator operator staff and PIC staff, are able to log in to the system. This allows them to access the main system features or perform any particular tasks. Input fields for the username and password will be shown on this page. To access the system, a user must have a registered account and provide a username and password. The user can then log in to the system by clicking the login button after providing the username and password that were provided earlier.

3.1.1.2 Main Interfaces for Administrator

Through the use of the system's login interface, all of the end-users, which include administrator operator staff and PIC staff, are able to log in to the system. This allows them to access the main system features or perform any particular tasks. Input fields for the username and password will be shown on this page. To access the system, a user must have a registered account and provide a username and password. The user can then log in to the system by clicking the login button after providing the username and password that were provided earlier.

3.1.1.3 Main Interfaces for Operator Staff

Through the use of the system's login interface, all of the end-users, which include administrator operator staff and PIC staff, are able to log in to the system. This allows them to access the main system features or perform any particular tasks. Input fields for the username and password will be shown on this page. To access the system, a user must have a registered account and provide a username and password. The user can then log in to the system by clicking the login button after providing the username and password that were provided earlier.

3.1.1.4 Main Interfaces for PIC Staff

Through the use of the system's login interface, all of the end-users, which include administrator operator staff and PIC staff, are able to log in to the system. This allows them to access the main system features or perform any particular tasks. Input fields for the username and password will be shown on this page. To access the system, a user must have a registered account and provide a username and password. The user can then log in to the system by clicking the login button after providing the username and password that were provided earlier.

3.1.2 Hardware Interfaces

In order to use this system, you'll need a web browser on either your desktop or laptop computer. The system can only be accessed with a reliable internet connection. System failures can be caused by unstable internet connections or web browser malfunctions.

3.1.3 Software Interfaces

In order to access this system, you will need a web browser and a connection to the internet in order for the system to function properly. There are a variety of web browsers, such as Google Chrome, Mozilla Firefox, Microsoft Edge, Apple Safari, and Opera, that are all capable of accessing this system. It is essential to frequently update your web browser in order to get the most out of your computer system.

3.1.4 Communication Interfaces

In order to maintain consistent communication between its various components, this system allows users to log in using a web browser connected to a local area network (LAN). In addition, trustworthy TCP/IP protocols like HTTP and FTP are utilized for internet-based communication in order to guarantee the highest possible level of compatibility and dependability.

3.2 System Features

Detailed functional requirements for each module are outlined in this section, along with use case scenarios and their corresponding sequence diagrams and activity diagrams.

3.2.1 Module Recapitulation Subsystem




Figure 3.3: Module Recapitulation Subsystem

The functional requirements of this module are stated below.

- I. FR001: Create Recapitulation - The system shall allow the operator staff to create a new recapitulation.
- II. FR002: View Recapitulation - The system shall allow the operator staff and PIC staff to view the existing recapitulation.
- III. FR003: Update Recapitulation - The system shall allow the operator staff and PIC staff to update the existing recapitulation.
- IV. FR004: Delete Recapitulation - The system shall allow the operator staff to delete the existing recapitulation.
- V. FR005: Evaluate Recapitulation - The system shall allow the PIC staff to evaluate the requested recapitulation.

3.2.1.1 UC001: Use Case Manage Recapitulation

Table 3.1: Use Case Description for Manage Recapitulation

| | |
|-----------------------|---|
| Use Case ID | UC001 |
| Use Case Name | Manage Recapitulation |
| Description | This use case allows the operator staff to create, view, update, and delete the recapitulation. |
| Actor(s) | Operator Staff |
| Pre-conditions | User must be logged in to the system as an operator staff with a valid login credential. |
| Normal Flow | <ol style="list-style-type: none"> 7. The operator staff redirects to the staff dashboard page after successfully logging in. 8. The operator staff clicks on the “Input Recapitulation” button. 9. The system will redirect the operator staff to the input recapitulation page. 10. The operator staff chooses the power plant type. 11. The operator staff chooses the power plant name. 12. The operator staff chooses the date input. 13. The operator staff chooses the recapitulation type. 14. The system will display a recapitulation form based on the chosen recapitulation type. 15. The operator staff input all required fields on the recapitulation form. 16. The operator staff clicks on the “Submit” button. If the operator staff clicks on the “Cancel” button, AF1 will be performed. If the operator staff clicks on the “Save” button, AF2 will be performed. If the form is not fully full-filled or the required fields are blank, EF 1 will be performed. 17. The system saves all the information inputted by the operator staff to the database. 18. The system will redirect the operator staff to the recapitulation history page and display new |

| | |
|-------------------------|--|
| | <p>recapitulation information.</p> <p>19. If the operator staff clicks on the “Edit” button, AF3 will be performed.</p> <p>20. If the operator staff clicks on the “Delete” button, AF4 will be performed.</p> |
| Alternative Flow | <ol style="list-style-type: none"> 1. Cancel recapitulation’s input <ol style="list-style-type: none"> 1.1. The system will redirect the operator staff to the staff dashboard page. 2. Save recapitulation’s input <ol style="list-style-type: none"> 2.1. The system will redirect the operator staff to the recapitulation history page. 3. Update Recapitulation <ol style="list-style-type: none"> 3.1. The system will display a recapitulation edit form. 3.2. The operator staff updates the specific field that needed to be updated. 3.3. The operator staff clicks on the “Update” button. If the form is not fully full-filled or the required fields are blank, EF 1 will be performed. 3.4. The system saves all the information inputted by the operator staff to the database. 3.5. The system will redirect the operator staff to the recapitulation history page and display new recapitulation information. 4. Delete Recapitulation <ol style="list-style-type: none"> 4.1. The system displays a confirmation dialogue. 4.2. The operator staff continues by clicking the “Yes” button. 4.3. The system deleted selected recapitulation data from the database. 4.4. The system will reload the recapitulation history page. |
| Exception Flow | <ol style="list-style-type: none"> 1. Required fields in the recapitulation form are empty or the form is blank. <ol style="list-style-type: none"> 1.1. The system displays an error message. 1.2. Continue NF9 / AF3.2 . |

| | |
|----------------------------|--|
| Post Conditions | <ol style="list-style-type: none"> 1. The operator staff has successfully created a new recapitulation. 2. The operator staff has successfully viewed the existing recapitulation. 3. The operator staff has successfully updated the existing recapitulation. 4. The operator staff has successfully deleted the existing recapitulation. |
| Related Requirement | - |




Figure 3.4: System Sequence Diagram of Manage Recapitulation




Figure 3.5: Activity Diagram of Manage Recapitulation

3.2.1.2 UC002: Use Case View Recapitulation

Table 3.2: Use Case Description for View Recapitulation

| | |
|----------------------------|--|
| Use Case ID | UC002 |
| Use Case Name | View Recapitulation |
| Description | This use case allows the PIC staff to view the list of recapitulation which has been created by the operator staff |
| Actor(s) | PIC Staff |
| Pre-conditions | User must be logged in to the system as a PIC staff with a valid login credential. |
| Normal Flow | <ol style="list-style-type: none"> 1. The PIC staff redirects to the staff dashboard page after successfully logging in. 2. The PIC staff clicks on the “Requested Recapitulation” button. 3. The system will redirect the PIC staff to the requested recapitulation page and display the list of requested, approved or rejected recapitulations based on the power plant they manage. If the list of recapitulation is empty, EF 1 will be performed. 4. The PIC staff clicks on one of the recapitulations. 5. The system will display the detailed information of the recapitulation. |
| Alternative Flow | - |
| Exception Flow | <ol style="list-style-type: none"> 1. The list of recapitulations is empty. <ol style="list-style-type: none"> 1.1. The system displays “Empty”. |
| Post Conditions | <ol style="list-style-type: none"> 1. The PIC staff has successfully viewed the list of recapitulation and the detail of recapitulation. |
| Related Requirement | - |




Figure 3.6: System Sequence Diagram of View Recapitulation




Figure 3.7: Activity Diagram of View Recapitulation

3.2.1.3 UC003: Use Case Update Recapitulation

Table 3.3: Use Case Description for Update Recapitulation

| | |
|-------------------------|---|
| Use Case ID | UC003 |
| Use Case Name | Update Recapitulation |
| Description | This use case allows the PIC staff to update the recapitulation which has been created by operator staff |
| Actor(s) | PIC Staff |
| Pre-conditions | User must be logged in to the system as a PIC staff with a valid login credential. |
| Normal Flow | <ol style="list-style-type: none"> 1. The PIC staff redirects to the staff dashboard page after successfully logging in. 2. The PIC staff clicks on the “Requested Recapitulation” button. 3. The system will redirect the PIC staff to the requested recapitulation page and display the list of requested, approved or rejected recapitulations based on the power plant they manage. If the list of recapitulation is empty, EF 1 will be performed. 4. The PIC staff click the “Edit” button on one of the recapitulations. 5. The system will display a recapitulation edit form. 6. The PIC staff updates the specific field that needs to be updated 7. The PIC staff clicks on the “Update” button. If the form is not fully full-filled or the required fields are blank, EF 2 will be performed. 8. The system saves all the information inputted by the PIC staff to the database. 9. The system will redirect the PIC staff to the requested recapitulation page and display new recapitulation information. |
| Alternative Flow | - |
| Exception Flow | <ol style="list-style-type: none"> 1. The list of recapitulations is empty. |

| | |
|----------------------------|--|
| | <ol style="list-style-type: none"> 1.1. The system displays “Empty”. 2. Required fields in the recapitulation form are empty or the form is blank. <ol style="list-style-type: none"> 2.1. The system displays an error message. 2.2. Continue NF6. |
| Post Conditions | 1. The PIC staff has successfully updated the detail of recapitulation. |
| Related Requirement | - |




Figure 3.8: System Sequence Diagram of Update Recapitulation




Figure 3.9: Activity Diagram of Update Recapitulation

3.2.1.4 UC004: Use Case Evaluate Recapitulation

Table 3.4: Use Case Description for Evaluate Recapitulation

| | |
|-----------------------|---|
| Use Case ID | UC004 |
| Use Case Name | Evaluate Recapitulation |
| Description | This use case allows the PIC staff to evaluate the recapitulation which has been created by the operator staff |
| Actor(s) | PIC Staff |
| Pre-conditions | User must be logged in to the system as a PIC staff with a valid login credential. |
| Normal Flow | <ul style="list-style-type: none"> 5. The PIC staff redirects to the staff dashboard page after successfully logging in. 6. The PIC staff clicks on the “Requested Recapitulation” button. 7. The system will redirect the PIC staff to the requested recapitulation page and display the list of requested, approved or rejected recapitulations based on the power plant they manage. If the list of recapitulation is empty, EF 1 will be performed. 8. The PIC staff click the “Evaluate” button on one of the recapitulations. 9. The system will display a evaluate recapitulation panel. 10. The PIC staff can start evaluating the recapitulation whether approved or rejected. If the recapitulation result is rejected, AF1 will be performed. 11. If PIC staff want to add any additional notes, AF3 will be performed. 12. Update recapitulation status to “approved” by clicking the “Approved” button. 13. The system updates the status of chosen recapitulation by the PIC staff to the database. 14. The system will redirect the PIC staff to the requested recapitulation page and update the list |

| | |
|-------------------------|--|
| | of recapitulations. |
| Alternative Flow | <p>1. The recapitulation result is rejected</p> <p>1.1. If PIC Staff wants to make a direct revision on the recapitulation, AF2 will be performed.</p> <p>1.2. The system saves all the information inputted by the PIC staff to the database.</p> <p>1.3. Update recapitulation status to “rejected” by click the “Rejected” button.</p> <p>1.4. The system updates the status of chosen recapitulation by the PIC staff to the database.</p> <p>1.5. The system will redirect the PIC staff to the requested recapitulation page and update the list of recapitulations.</p> <p>2. Direct revision by updating recapitulation</p> <p>2.1. The PIC staff clicks on the “Edit” button.</p> <p>2.2. The system will display a recapitulation edit form.</p> <p>2.3. The PIC staff updates the specific field that needed to be updated</p> <p>2.4. The PIC staff clicks on the “Update” button. If the form is not fully full-filled or the required fields are blank, EF 1 will be performed.</p> <p>2.5. The system saves all the information inputted by the PIC staff to the database.</p> <p>2.6. The system will redirect the PIC staff to the evaluate recapitulation panel and display new recapitulation information.</p> <p>2.7. Continue NF7.</p> <p>3. Make additional notes</p> <p>3.1. Fill in the additional notes in the note field that was already provided.</p> <p>3.2. The PIC staff clicks on the “Add Note” button.</p> |

| | |
|----------------------------|--|
| | <p>3.3. The system saves all the notes inputted by the PIC staff to the database.</p> <p>3.4. Continue NF8 / AF1.3 .</p> |
| Exception Flow | <ol style="list-style-type: none"> 1. Required fields in the recapitulation form are empty or the form is blank. <ol style="list-style-type: none"> 1.1. The system displays an error message. 1.2. Continue AF2.3 . |
| Post Conditions | <ol style="list-style-type: none"> 1. The PIC staff has successfully evaluated the recapitulation. |
| Related Requirement | - |




Figure 3.10: System Sequence Diagram of Evaluate Recapitulation




Figure 3.11: Activity Diagram of Evaluate Recapitulation

3.2.2 Module Report Subsystem




Figure 3.12: Module Report Subsystem

The functional requirements of this module are stated below.

- I. FR001: View Report - The system shall allow the operator staff and PIC staff to view generated report.
- II. FR002: Download Report - The system shall allow the operator staff and PIC staff to download generated report.

3.2.2.1 UC005: Use Case Get Report

Table 3.5: Use Case Description for Get Report

| | |
|-------------------------|---|
| Use Case ID | UC005 |
| Use Case Name | Get Report |
| Description | This use case allows the operator staff and PIC staff to get the generated report based on recapitulation inputted before. |
| Actor(s) | Operator Staff, PIC Staff |
| Pre-conditions | User must be logged in to the system as an operator staff or PIC staff with a valid login credential. |
| Normal Flow | <ol style="list-style-type: none"> 1. The user redirects to the staff dashboard page after successfully logging in. 2. The system will display the generated report in the form of a bar chart. If the user wants to make a custom sort of a generated report, AF1 will be performed. 3. The user clicks on the “Download Report” button. 4. The system will redirect the user to the download report page and display the list of sort fields to query the generated report that the user wants to download. 5. The user input all sort fields that are required. 6. The system will generate the report based on the user query. 7. The system will display a download message. 8. The user accepts the download. |
| Alternative Flow | <ol style="list-style-type: none"> 1. Custom generated report <ol style="list-style-type: none"> 1.1. The user input all sort fields that are required. 1.2. The system will generate the report in the form of a bar chart based on the user query. |

| | |
|----------------------------|--|
| | 1.3. Continue NF3 |
| Exception Flow | - |
| Post Conditions | 1. The PIC staff has successfully gotten the generated report. |
| Related Requirement | - |




Figure 3.13: System Sequence Diagram of Get Report




Figure 3.14: Activity Diagram of Get Report

3.2.2.2 UC006: Use Case View Report

Table 3.6: Use Case Description for View Report

| | |
|----------------------------|---|
| Use Case ID | UC006 |
| Use Case Name | View Report |
| Description | This use case allows the operator staff and PIC staff to view the generated report based on recapitulation inputted before. |
| Actor(s) | Operator Staff, PIC Staff |
| Pre-conditions | User must be logged in to the system as an operator staff or PIC staff with a valid login credential. |
| Normal Flow | <ol style="list-style-type: none"> 1. The user redirects to the staff dashboard page after successfully logging in. 2. The system will display the generated report in the form of a bar chart. If the user wants to make a custom sort of a generated report, AF1 will be performed. |
| Alternative Flow | <ol style="list-style-type: none"> 1. Custom generated report <ol style="list-style-type: none"> 1.1. The user input all sort fields that are required. 1.2. The system will generate the report in the form of a bar chart based on the user query. |
| Exception Flow | - |
| Post Conditions | <ol style="list-style-type: none"> 1. The PIC staff has successfully viewed the generated report. |
| Related Requirement | - |




Figure 3.15: System Sequence Diagram of View Report




Figure 3.16: Activity Diagram of View Report

3.2.2.3 UC007: Use Case Download Report

Table 3.7: Use Case Description for Download Report

| | |
|----------------------------|--|
| Use Case ID | UC007 |
| Use Case Name | Download Report |
| Description | This use case allows the operator staff and PIC staff to download the generated report based on recapitulation inputted before. |
| Actor(s) | Operator Staff, PIC Staff |
| Pre-conditions | User must be logged in to the system as an operator staff or PIC staff with a valid login credential. |
| Normal Flow | <ol style="list-style-type: none"> 1. The user redirects to the staff dashboard page after successfully logging in. 2. The user clicks on the “Download Report” button. 3. The system will redirect the user to the download report page and display the list of sort fields to query the generated report that the user wants to download. 4. The user input all sort fields that are required. 5. The system will generate the report based on the user query. 6. The system will display a download message. 7. The user accepts the download. |
| Alternative Flow | - |
| Exception Flow | - |
| Post Conditions | <ol style="list-style-type: none"> 1. The PIC staff has successfully downloaded the generated report. |
| Related Requirement | - |




Figure 3.17: System Sequence Diagram of Download Report




Figure 3.18: Activity Diagram of Download Report

3.2.3 Module Master Data Subsystem




Figure 3.19: Module Master Data Subsystem

The functional requirements of this module are stated below.

- I. FR001: Add Unit - The system shall allow the administrator to add a new unit.
- II. FR002: View Unit - The system shall allow the administrator to view the existing unit.
- III. FR003: Update Unit - The system shall allow the administrator to update the existing unit.
- IV. FR004: Delete Unit - The system shall allow the administrator to delete the existing unit.
- V. FR005: Add Power Plan - The system shall allow the administrator to add a new power plant.
- VI. FR005: View Power Plan - The system shall allow the administrator to view the existing power plant.
- VII. FR005: Update Power Plan - The system shall allow the administrator to update the existing power plan.
- VIII. FR005: Delete Power Plan - The system shall allow the administrator to delete the existing power plan.
- IX. FR005: Add Material - The system shall allow the administrator to add a new material.
- X. FR005: View Material - The system shall allow the administrator to view the existing material.
- XI. FR005: Update Material - The system shall allow the administrator to update the existing material.
- XII. FR005: Delete Material - The system shall allow the administrator to delete the existing material.

3.2.3.1 UC008: Use Case View Power Plan

Table 3.8: Use Case Description for View Power Plant

| | |
|----------------------------|---|
| Use Case ID | UC008 |
| Use Case Name | View Power Plant |
| Description | This use case allows the administrator to view a list of the power plant. |
| Actor(s) | Administrator |
| Pre-conditions | User must be logged in to the system as an administrator with a valid login credential. |
| Normal Flow | <ol style="list-style-type: none"> 1. The user redirects to the admin dashboard page after successfully logging in. 2. The user clicks on the “Master Data” button. 3. The system will redirect the administrator to the master data page and display some master data type options. 4. The user clicks on the “Power Plant” button. 5. The system will redirect the administrator to the power plant manager panel and display a list of active power plants. |
| Alternative Flow | - |
| Exception Flow | - |
| Post Conditions | <ol style="list-style-type: none"> 1. The PIC staff has successfully viewed the power plant. |
| Related Requirement | - |




Figure 3.20: System Sequence Diagram of View Power Plant




Figure 3.21: Activity Diagram of View Power Plant

3.2.3.2 UC009: Use Case View Material

Table 3.9: Use Case Description for View Material

| | |
|----------------------------|--|
| Use Case ID | UC009 |
| Use Case Name | View Material |
| Description | This use case allows the administrator to view a list of the available material. |
| Actor(s) | Administrator |
| Pre-conditions | User must be logged in to the system as an administrator with a valid login credential. |
| Normal Flow | <ol style="list-style-type: none"> 1. The user redirects to the admin dashboard page after successfully logging in. 2. The user clicks on the “Master Data” button. 3. The system will redirect the administrator to the master data page and display some master data type options. 4. The user clicks on the “Material” button. 5. The system will display all active power plants. 6. The user chooses one of the active power plants. 7. The system will redirect the administrator to the material manager panel and display a list of available materials for the chosen power plant. |
| Alternative Flow | - |
| Exception Flow | - |
| Post Conditions | <ol style="list-style-type: none"> 1. The PIC staff has successfully viewed the material. |
| Related Requirement | - |




Figure 3.23: System Sequence Diagram of View Material




Figure 3.24: Activity Diagram of View Material

3.2.3.3 UC010: Use Case Manage Master Data

Table 3.10: Use Case Description for Manage Master Data

| | |
|-----------------------|--|
| Use Case ID | UC010 |
| Use Case Name | Manage Master Data |
| Description | This use case allows the administrator to create, view, update, and delete any data that related with master data. |
| Actor(s) | Administrator |
| Pre-conditions | User must be logged in to the system as an administrator with a valid login credential. |
| Normal Flow | <ol style="list-style-type: none"> 1. The administrator redirects to the admin dashboard page after successfully logging in. 2. The administrator clicks on the “Master Data” button. 3. The system will redirect the administrator to the master data page and display some master data type options. 4. The administrator clicks on the “Unit” button. If the administrator clicks on the “Power Plant” button, AF5 will be performed. If the administrator clicks on the “Unit” button, AF6 will be performed. 5. The system will redirect the administrator to one of the master data manager panels and display a list of the master data with the chosen type. 6. The administrator clicks on the “Add” button to input a new master data with the chosen type. 7. The system will redirect the administrator to the input new master data page. 8. The system will display a master data form with the chosen type. 9. The administrator input all required fields on the master data form with the chosen type. |

| | |
|-------------------------|---|
| | <p>10. The administrator clicks on the “Submit” button. If the administrator clicks on the “Cancel” button, AF1 will be performed. If the administrator clicks on the “Save” button, AF2 will be performed. If the form is not fully full-filled or the required fields are blank, EF 1 will be performed.</p> <p>11. The system saves all the information inputted by the administrator to the database.</p> <p>12. The system will redirect the administrator to the master data manager panels with the chosen type and display new data information.</p> <p>13. If the administrator clicks on the “Edit” button, AF3 will be performed.</p> <p>14. If the administrator clicks on the “Delete” button, AF4 will be performed.</p> |
| Alternative Flow | <p>1. Cancel master data’s input</p> <p>1.1. The system will redirect the administrator to the master data manager panels with the chosen type.</p> <p>2. Save master data’s input</p> <p>2.1. The system will redirect the administrator to the master data manager panels with the chosen type</p> <p>3. Update master data</p> <p>3.1. The system will display a master data edit form.</p> <p>3.2. The administrator updates the specific field that needs to be updated.</p> <p>3.3. The administrator clicks on the “Update” button. If the form is not fully full-filled or the required fields are blank, EF 1 will be performed.</p> <p>3.4. The system saves all the information inputted by the administrator to the database.</p> <p>3.5. The system will redirect the administrator to the master data manager panels with the chosen type and display new data information.</p> <p>4. Delete unit</p> <p>4.1. The system displays a confirmation dialogue.</p> <p>4.2. The administrator continues by clicking the “Yes” button.</p> <p>4.3. The system deleted selected master data from the database.</p> |

| | |
|----------------------------|---|
| | <p>4.4. The system will reload the chosen master data manager panel.</p> <p>5. Choose to manage the power plant</p> <p>5.1. Continue NF5.</p> <p>6. Choose to manage the material</p> <p>6.1. The system will display all active power plants.</p> <p>6.2. The administrator chooses one of the active power plants.</p> <p>6.3. Continue NF5.</p> |
| Exception Flow | <p>1. Required fields in the master data form are empty or the form is blank.</p> <p>1.1. The system displays an error message.</p> <p>1.2. Continue NF9 / AF3.2 .</p> |
| Post Conditions | <p>1. The administrator has successfully created new data in the chosen master data.</p> <p>2. The administrator has successfully viewed existing data in the chosen master data.</p> <p>3. The administrator has successfully updated existing data in the chosen master data.</p> <p>4. The administrator has successfully deleted existing data in the chosen master data.</p> |
| Related Requirement | - |




Figure 3.25: System Sequence Diagram of Manage Master Data




Figure 3.26: Activity Diagram of Manage Master Data

3.2.4 Module Account Subsystem




Figure 3.27: Module Account Subsystem

The functional requirements of this module are stated below.

- I. FR001: Add Staff User Account - The system shall allow the administrator to add a new staff user account.
- II. FR002: View Staff User Account - The system shall allow the administrator to view the existing staff user account.
- III. FR003: Update Staff User Account - The system shall allow the administrator to update the existing staff user account.
- IV. FR004: Delete Staff User Account - The system shall allow the administrator to delete the existing staff user account.
- V. FR001: Add Admin User Account - The system shall allow the administrator to add a new admin user account.
- VI. FR002: View Admin User Account - The system shall allow the administrator to view the existing admin user account.
- VII. FR003: Update Admin User Account - The system shall allow the administrator to update the existing admin user account.
- VIII. FR004: Delete Admin User Account - The system shall allow the administrator to delete the existing admin user account.

3.2.4.1 UC0011: Use Case Manage Admin User Account

Table 3.11: Use Case Description for Manage Admin Account

| | |
|-----------------------|---|
| Use Case ID | UC011 |
| Use Case Name | Manage Admin User Account |
| Description | This use case allows the administrator to create, view, update, and delete any data related to the admin user account. |
| Actor(s) | Administrator |
| Pre-conditions | User must be logged in to the system as an administrator with a valid login credential. |
| Normal Flow | <ol style="list-style-type: none"> 1. The administrator redirects to the admin dashboard page after successfully logging in. 2. The administrator clicks on the “Account Manager” button. 3. The system will display some account-type options. 4. The administrator clicks on the “Admin” button. 5. The system will redirect the administrator to one of the account manager panels and display a list of the account with the chosen type. 6. The administrator clicks on the “Add” button to input a new account with the chosen type. 7. The system will redirect the administrator to the input new account page. 8. The system will display an account form with the chosen type. 9. The administrator input all required fields on the account form with the chosen type. 10. The administrator clicks on the “Submit” button. If the administrator clicks on the “Cancel” button, AF1 will be performed. If the administrator clicks on the “Save” button, AF2 will be performed. If the form is not fully fulfilled or the required fields are blank, EF 1 will be performed. 11. The system saves all the information inputted by |

| | |
|-------------------------|--|
| | <p>the administrator to the database.</p> <p>12. The system will redirect the administrator to the account manager panels with the chosen type and display new account information.</p> <p>13. If the administrator clicks on the “Edit” button, AF3 will be performed.</p> <p>14. If the administrator clicks on the “Delete” button, AF4 will be performed.</p> |
| Alternative Flow | <p>1. Cancel master data’s input</p> <p>1.1. The system will redirect the administrator to the account manager panels with the chosen type.</p> <p>2. Save master data’s input</p> <p>2.1. The system will redirect the administrator to the account manager panels with the chosen type</p> <p>3. Update master data</p> <p>3.1. The system will display an account edit form.</p> <p>3.2. The administrator updates the specific field that needs to be updated.</p> <p>3.3. The administrator clicks on the “Update” button. If the form is not fully full-filled or the required fields are blank, EF 1 will be performed.</p> <p>3.4. The system saves all the information inputted by the administrator to the database.</p> <p>3.5. The system will redirect the administrator to the account manager panels with the chosen type and display new account information.</p> <p>4. Delete unit</p> <p>4.1. The system displays a confirmation dialogue.</p> <p>4.2. The administrator continues by clicking the “Yes” button.</p> |

| | |
|----------------------------|---|
| | <p>4.3. The system deleted the selected account from the database.</p> <p>4.4. The system will reload the chosen account manager panel.</p> |
| Exception Flow | <ol style="list-style-type: none"> 1. Required fields in the account form are empty or the form is blank. <ol style="list-style-type: none"> 1.1. The system displays an error message. 1.2. Continue NF9 / AF3.2 . |
| Post Conditions | <ol style="list-style-type: none"> 1. The administrator has successfully created a new account in the chosen account type. 2. The administrator has successfully viewed the existing account in the chosen account type. 3. The administrator has successfully updated the existing account in the chosen account type. 4. The administrator has successfully deleted the existing account in the chosen master data. |
| Related Requirement | - |




Figure 3.28: System Sequence Diagram of Manage Admin Account




Figure 3.29: Activity Diagram of Manage Admin Account

3.2.4.2 UC0012: Use Case Manage Staff User Account

Table 3.12: Use Case Description for Manage Staff Account

| | |
|-----------------------|---|
| Use Case ID | UC012 |
| Use Case Name | Manage Staff User Account |
| Description | This use case allows the administrator to create, view, update, and delete any data related to the staff user account. |
| Actor(s) | Administrator |
| Pre-conditions | User must be logged in to the system as an administrator with a valid login credential. |
| Normal Flow | <ol style="list-style-type: none"> 1. The administrator redirects to the admin dashboard page after successfully logging in. 2. The administrator clicks on the “Account Manager” button. 3. The system will display some account-type options. 4. The administrator clicks on the “Staff” button. 5. The system will redirect the administrator to one of the account manager panels and display a list of the account with the chosen type. 6. The administrator clicks on the “Add” button to input a new account with the chosen type. 7. The system will redirect the administrator to the input new account page. 8. The system will display an account form with the chosen type. 9. The administrator input all required fields on the account form with the chosen type. 10. The administrator clicks on the “Submit” button. If the administrator clicks on the “Cancel” button, AF1 will be performed. If the administrator clicks on the “Save” button, AF2 will be performed. If the form is not fully fulfilled or the required fields are blank, EF 1 will |

| | |
|-------------------------|---|
| | <p>be performed.</p> <ol style="list-style-type: none"> 11. The system saves all the information inputted by the administrator to the database. 12. The system will redirect the administrator to the account manager panels with the chosen type and display new account information. 13. If the administrator clicks on the “Edit” button, AF3 will be performed. 14. If the administrator clicks on the “Delete” button, AF4 will be performed. |
| Alternative Flow | <ol style="list-style-type: none"> 1. Cancel master data’s input <ol style="list-style-type: none"> 1.1. The system will redirect the administrator to the account manager panels with the chosen type. 2. Save master data’s input <ol style="list-style-type: none"> 2.1. The system will redirect the administrator to the account manager panels with the chosen type 3. Update master data <ol style="list-style-type: none"> 3.1. The system will display an account edit form. 3.2. The administrator updates the specific field that needs to be updated. 3.3. The administrator clicks on the “Update” button. If the form is not fully full-filled or the required fields are blank, EF 1 will be performed. 3.4. The system saves all the information inputted by the administrator to the database. 3.5. The system will redirect the administrator to the account manager panels with the chosen type and display new account information. 4. Delete unit <ol style="list-style-type: none"> 4.1. The system displays a confirmation dialogue. 4.2. The administrator continues by clicking the |

| | |
|----------------------------|--|
| | <p>“Yes” button.</p> <p>4.3. The system deleted the selected account from the database.</p> <p>4.4. The system will reload the chosen account manager panel.</p> |
| Exception Flow | <p>1. Required fields in the account form are empty or the form is blank.</p> <p>1.1. The system displays an error message.</p> <p>1.2. Continue NF9 / AF3.2 .</p> |
| Post Conditions | <p>1. The administrator has successfully created a new account in the chosen account type.</p> <p>2. The administrator has successfully viewed the existing account in the chosen account type.</p> <p>3. The administrator has successfully updated the existing account in the chosen account type.</p> <p>4. The administrator has successfully deleted the existing account in the chosen master data.</p> |
| Related Requirement | - |




Figure 3.30: System Sequence Diagram of Manage Staff Account




Figure 3.31: Activity Diagram of Manage Staff Account

3.2.5 Module Authentication Subsystem




Figure 3.32: Module Authentication Subsystem

The functional requirements of this module are stated below.

- I. FR002: Sign In - The system shall allow the administrator, operator staff, and PIC staff to sign in to the system.

3.2.5.1 UC0013: Use Case Sign In

Table 3.13: Use Case Description for Sign In

| | |
|-------------------------|--|
| Use Case ID | UC013 |
| Use Case Name | Sign In |
| Description | This use case allows the administrator, operator staff and PIC staff to authenticate their user credential. So they can access the main feature of the system. |
| Actor(s) | Administrator, Operator Staff, PIC Staff |
| Pre-conditions | User has an active account registered in the system and must have a connection to the internet |
| Normal Flow | <ol style="list-style-type: none"> 1. The user directs to the admin login portal. If the user is staff, AF1 will be performed. 2. The user enters credential information (username and password). 3. The user clicks on the “Enter” button. If the form is not fully full-filled or the required fields are blank, EF1 will be performed. 4. The system validates the user account credential. If the account is account credential is unmatched or not found in the system, EF2 will be performed. 5. The user successfully enters and accesses to the system. |
| Alternative Flow | <ol style="list-style-type: none"> 1. The user is a staff <ol style="list-style-type: none"> 1.1. Continue NF2. |
| Exception Flow | <ol style="list-style-type: none"> 1. Required fields in the login form are empty or the form is blank. <ol style="list-style-type: none"> 1.1. The system displays an error message. 1.2. Continue NF2. 2. Required valid and match account credentials. <ol style="list-style-type: none"> 1.1. The system displays an error message. |

| | |
|----------------------------|--|
| | 1.2. Continue NF2 . |
| Post Conditions | 1. The PIC staff has successfully signed in to the system. |
| Related Requirement | - |




Figure 3.33: System Sequence Diagram of Sign In




Figure 3.34: Activity Diagram of Sign In

3.3 Performance Requirements

- I. Usability - In order to avoid accidental errors, the system requires prevention handlers such as pop-ups to ensure that something is incorrect before processing.
- II. Safety - To ensure the integrity of data, all data and information should be transmitted to the server in a secure manner.
- III. Response time - In order to successfully complete certain tasks, it is essential that the system has a quick loading time and a high processing speed. Due to this requirement's importance, it must be completed in an expeditious manner so that users can proceed to the next step in their workflow. In this particular scenario, the response time for the system to fully load into the main menu of the system after the login session is successful must be no more than five seconds.
- IV. Failure contingencies - When the system fails, the user will be notified by error pages or messages that appear on the screen. To prevent data loss, all information will be frozen in order to preserve it.

3.4 Design Constraints

It is recommended that the system be developed in accordance with the standard web-based system, which can operate on any web browser provided that it has an internet connection.

3.5 Software System Attributes

- I. Security - The system shall only permit specific tasks to be performed by authorized users with varying levels of access. Aside from that, the information contained within the system is kept safe and secure by limiting authorized access to the end-user of PT PLN (Persero) UP3 Pamekasan for the purpose of this project as well as any future business that makes use of this particular system.
- II. Portability - Since the system is web-based, the user should be able to access it through any web browser that is currently operational and has a reliable connection to the internet. Examples of such web browsers include Google Chrome, Mozilla Firefox, Microsoft Edge, Apple Safari, and Opera.
- III. Availability: Users should be able to access the system at any time and from any location, and the system should be accessible 24 hours a day. In this scenario, users should be able to access the system during standard business hours.
- IV. Maintainability - System developers must maintain the system in order to detect potential flaws and correct them by modifying the relevant module. Regular testing of the system is required in order to ensure the system's continued high level of quality and functionality.

3.6 Other Requirements

There are no other requirements exist for this project.

Appendix B System Design Documentation



SCSJ3323: Software Design and Architecture

Software Design Document

Power Plants Performance Monitoring System for PT
PLN (Persero) UP3 Pamekasan

Version 1.0

23 June 2022

School Of Computing

Prepared by: Thoriqulhaq Jibril Al Qudsy

REVISION PAGE

a. Overview

This is the first draft of the Software Design Document for Power Plants Performance Monitoring System for PT PLN (Persero) UP3 Pamekasan.

b. Target Audience

- Ms. Habibah Zahra Faluqi, Supervisor, PT PLN (Persero)
- Stakeholder of PT PLN (Persero) UP3 Pamekasan

c. Project Team Members

- Thoriqulhaq Jibril Al Qudsy

d. Version Control History

| Version | Primary Author(s) | Description of Version | Date Completed |
|----------------|--------------------------------|---|-----------------------|
| Version 1.0 | Thoriqulhaq Jibril Al Qudsy | SDD 1.0 of Power Plants Performance Monitoring System for PT PLN (Persero) UP3 Pamekasan | 23 June 2022 |

Note:

This template is an annotated outline for a software design document adapted from the IEEE Recommended Practice for Software Design Descriptions. The IEEE Recommended Practice for Software Design Descriptions have been reduced in order to simplify this assignment while still retaining the main components and providing a general idea of a project definition report. Please refer to IEEE Std 1016-1998 1 for the full IEEE Recommended Practice for Software Design Descriptions. Examples of models are from Satzinger (2011). Compiled by Shahliza Abdul Halim, PhD and checked by Shahida Sulaiman, PhD on 2 May 2016.

TABLE OF CONTENTS

1 Introduction

- 1.1 Purpose
- 1.2 Scope
- 1.3 Definitions, Acronyms and Abbreviations
- 1.4 Reference Materials
- 1.5 System Overview

2 System Architectural Design

- 2.1 Architectural Style and Rationale
- 2.2 Component Model
- 2.3 Use Case Diagram

3 Detailed Description of Modules

- 3.1 Complete Package Diagram
- 3.2 Modules Detailed Descriptions

4 Data Design

- 4.1 Data Description
- 4.2 Data Dictionary

5 User Interface Design

- 5.1 Overview of User Interface
- 5.2 Screen Images

6 Requirements Matrix

7 Appendices

1. INTRODUCTION

The scope and system overview of this SDD document are described in this section. In addition to that, the purpose of this document is broken down, and a glossary of abbreviations and definitions is offered.

1.1 Purpose

This Software Design Document (SDD) for PT PLN (Persero) UP3 Pamekasan details the general architectural design as well as the detailed design of the Power Plants Performance Monitoring System (P3MS). SDD performs an analysis and documentation of the system's database design, user interface design, and system architecture design in order to fulfill the requirements that were gathered from the stakeholders of P3MS. Stakeholders and other members of the development team can gain a deeper understanding of the system's design concept by consulting this document.

1.2 Scope

The proposed system is named Power Plants Performance Monitoring System (P3MS). This system will be specially designed for PT PLN (Persero) UP3 Pamekasan to transform the manual monitoring process into a computerized system, which makes them easier to report, organize and monitor the power plants in future. A web-based system that provides various functionalities such as employee profile management, leave and overtime allowance management, schedule management and attendance record management will be implemented to benefit the organization. The design of this system is user friendly, easy to use and understand so that the end-users can learn quickly and can perform tasks by using this system. There are some limitations of this system. This system will not cover the salary, payroll and performance management of the employees.

1.3 Definitions, Acronyms and Abbreviation

| Acronyms | Definitions |
|-----------------------------------|--|
| P3MS | Power Plants Performance Monitoring System |
| SRS | Software Requirement Specification |
| PT PLN (Persero) UP3 Pamekasan | Targeted company of this system |
| UML | Unified Modelling Language |
| PIC | Person In Charge |

1.4 Overview

This document is divided into three main sections that detail the specifications for the Power Plants Performance Monitoring System for PT PLN (Persero) UP3 Pamekasan. A thorough explanation of the system architecture design will be covered in section 2. Next, the design of the system database is mentioned in section 3. After reaching an understanding with the developers and stakeholders, the user interface design and an example of a prototype user interface will be presented in section 3.


2. SYSTEM ARCHITECTURAL DESIGN

This section will provide an overview of the architecture pattern that has been selected to create the P3MS system that has been proposed. To introduce the system's architectural design and show how it can be implemented, a detailed description of the system will be given. For a more accurate illustration of the architectural style, the component model and use case diagram will be included in this section.

2.1 Architecture Style and Rationale

The Model-View-Controller architecture pattern, also known as MVC, is a design pattern that is most commonly used by developers when building a system. This is due to the fact that the MVC design pattern brings a great deal of benefits to the design and implementation of the system. It is much easier to manage and modify code when using this architecture pattern because the system component is divided into three main parts: model, view, and controller.


The model is what's used to handle database transactions like insertion, deletion, update, and retrieval in an architecture pattern known as MVC. These transactions take place between the controller and the system database. The view is the visual representation of the system that displays the user interfaces to the end-user and collects user input from the respective user interfaces. It also displays the system outputs to the end-user. Invoking the functions, processing the data, and sending the output to the view are all important responsibilities that fall under the purview of the controller. The following diagram is an architectural model that illustrates the MVC architecture design pattern that was utilized when developing the P3MS.



AM000

Architecture Model of P3MS

2.2 Component Model




CM000 Component Model of P3MS

The component model of the Power Plants Performance Monitoring System for PT PLN (Persero) UP3 Pamekasan is depicted in the figure above. A reliable Internet connection is necessary to access the P3MS in order to ensure the system operates as efficiently as possible. JavaScript, HTML and CSS are the frameworks used at the user interface layer to display the application's user interfaces. It will also display the input form to collect user input. The domain layer will receive the user input and forward it to the internet server for later processing.

There is two-way interaction and communication between the Internet Server, PHP Server Pages, and Application Server (session manager) at the domain layer or business layer. A web user's requests are forwarded to an application program by a server page called PHP Server Pages, which then receives the data and forwarded it back to the user. Besides, a server that is specifically designed to run applications is referred to as an application server. There are both hardware and software components to a server that allow programs to run in an environment. In order to run the applications, the P3MS communicates with the Application Server. Functionalities of the application are implemented using PHP. To respond appropriately to specific user activities, the system will make use of these framesets. Its own database, the P3MS Database, is responsible for storing all of the P3MS's data at the Data Access Layer, including user and unit data as well as power plant and material information.

2.3 Use Case Diagram

In a use case diagram, the key features and functions of the proposed system are represented graphically. The use case model of the Power Plants Performance Monitoring System (P3MS) for PT PLN (Persero) UP3 Pamekasan illustrates and describes the relationship between the system and the actors that make up the system. The use case Figure 4.1 presents a diagram of the Power Plants Performance Monitoring System (P3MS) for PT PLN (Persero) UP3 Pamekasan.




UCD000

Use Case Diagram of P3MS

3. DETAILED DESCRIPTION OF COMPONENTS


3.1 Complete Package Diagram



3.2 Detailed Description

3.2.1 Subsystem Recapitulation


3.2.1.1 P001: Package Recapitulation



PD001

Package Diagram of Recapitulation


3.2.1.2 Class Diagram



CD001


Class diagram for Recapitulation

3.2.1.3 Sequence Diagrams




SD001

Sequence Diagram of Manage Recapitulation




SD002

Sequence Diagram of View Recapitulation



SD003

Sequence Diagram of Update Recapitulation




SD004

Sequence Diagram of Evaluate Recapitulation


3.2.2 Subsystem Report

3.2.2.1 P002: Package Report




PD002 Package Diagram of Report

3.2.2.2 Class Diagram




CD002 Class diagram for Report

3.2.2.3 Sequence Diagrams




SD005

Sequence Diagram of Get Report



SD006

Sequence Diagram of View Record




SD007

Sequence Diagram of Download Record

3.2.3 Subsystem Master Data


3.2.3.1 P003: Package Master Data



PD003


Package Diagram of Master Data


3.2.3.2 Class Diagram




CD003 Class diagram for Master Data

3.2.3.3 Sequence Diagrams








SD010

Sequence Diagram of Manage Master Data


3.2.4 Subsystem Account

3.2.4.1 P004: Package Account



PD004 Package Diagram of Account


3.2.4.2 Class Diagram



CD004


Class diagram for Account

3.2.4.3 Sequence Diagrams



SD011

Sequence Diagram of Manage Admin User Account




SD012

Sequence Diagram of Manage Staff User Account

3.2.5 Subsystem Master Data


3.2.5.1 P005: Package Authentication



PD005

Package Diagram of Authentication


3.2.5.2 Class Diagram



CD005

Class diagram for Authentication

3.2.5.3 Sequence Diagrams




SD013

Sequence Diagram of Sign In

4. DATA DESIGN

4.1 Data Description

This section explains how the Power Plants Performance Monitoring System (P3MS) for PT PLN (Persero) UP3 Pamekasan database was designed for the use of proposed system. In the process of developing, designing, and implementing a system, one of the most important roles played is that of database design. The data of this system can be well organized by using good database design principles.



ERD000

Entity Relationship Diagram (ERD) of P3MS

| Entity Name | Description |
|---------------------|--|
| User | It stores account credentials for every user, such as username and password. |
| Admin | It stores the detailed information of every administrator. |
| Staff | It stores the detailed information of every staff member. |
| PowerPlant | It stores all the general information related to the power plant. |
| Unit | It stores all the general information related to the unit. |
| Material | It stores all the information related to the stock of the materials for every power plant. |
| Recapitulation | It stores all the records of recapitulation for every power plant. |
| RecapitulationNotes | It stores all the evaluation notes for every recapitulation. |
| MaterialExpense | It stores all the records of material expenses that on primary use for every power plant. |
| SolarPanel | It stores all the daily general information related to solar panels in every power plant. |
| Fuel | It stores all the daily general information related to fuel in every power plant. |
| Fuel Usage | It stores all the records of fuel usage for every power plant. |
| Lubricant | It stores all the daily general information related to lubricants in every power plant. |
| Lubricant Usage | It stores all the records of lubricant usage for every power plant. |

| | |
|-------------|---|
| Kwh | It stores all the daily general information related to voltage (Kwh) in every power plant. |
| Load | It stores all the daily general information related to load in every power plant. |
| Har | It stores information related to repairement (Har) in every power plant. |
| Maintenance | It stores information related to maintenance in every power plant. |
| FastMoving | It stores all the records of material income and material expenses that outside of primary use for every power plant. |

4.2 Data Dictionary

DD000 Data Dictionary for P3MS

| Field Name | Datatype | Constraint | Description |
|-------------|----------|-------------|---|
| User Table | | | |
| userID | BIGINT | Primary Key | Unique ID for User |
| username | VARCHAR | Not Null | Username of the user account |
| password | VARCHAR | Not Null | password of the user account |
| userTypeID | BIGINT | Foreign Key | Type of user |
| Admin Table | | | |
| adminID | BIGINT | Primary Key | Unique ID for Admin |
| name | VARCHAR | Not Null | Name of the admin |
| userID | BIGINT | Foreign Key | The ID of user's credential information |
| Staff Table | | | |
| staffID | BIGINT | Primary Key | Unique ID for Staff |
| name | VARCHAR | Not Null | Name of the staff |
| userID | BIGINT | Foreign Key | The ID of user's |

| | | | |
|----------------------|---------|-------------|---|
| | | | credential information |
| powerPlantID | BIGINT | Foreign Key | The ID of the power plant who under the staff |
| Unit Table | | | |
| unitID | BIGINT | Primary Key | Unique ID for Unit |
| name | VARCHAR | Not Null | Name of the unit |
| PowerPlant Table | | | |
| powerPlantID | BIGINT | Primary Key | Unique ID for PowerPlant |
| name | VARCHAR | Not Null | Name of the power plant |
| code | CHAR | Not Null | The power plant code identifier |
| engineQuantity | INT | Not Null | The number of engine under the power plant |
| feederQuantity | INT | Not Null | The number of feeder under the power plant |
| estimatedUsageAmount | INT | Not Null | Amount of estimated usage |
| deadStockAmount | INT | Not Null | Amount of dead stock |
| powerPlantTypeID | BIGINT | Not Null | The power plant type |

| | | | |
|------------------|---------|-------------|---|
| unitID | BIGINT | Foreign Key | The ID of unit |
| Material Table | | | |
| materialID | BIGINT | Primary Key | Unique ID for Material |
| description | VARCHAR | Not Null | Material name |
| quantity | INT | Not Null | The number of the material |
| powerPlantID | BIGINT | Foreign Key | The ID of power plant who have this information |
| SolarPanel Table | | | |
| solarPanelID | BIGINT | Primary Key | Unique ID for SolarPanel |
| installedPower | INT | Not Null | Amount of installed power in megawatt (MW) |
| ability | INT | Not Null | Amount of ability in megawatt (MW) |
| load | DOUBLE | Not Null | Amount of load in kilowatt (kW) |
| earlyStand | DOUBLE | Not Null | Amount of earlyStand in kilowatt (kW) |
| finalStand | DOUBLE | Not Null | Amount of finalStand in kilowatt per hour |

| | | | |
|-----------------------|--------|-------------|--|
| | | | (kWh) |
| khwProduction | DOUBLE | Not Null | Amount of khwProduction in kilowatt per hour (kWh) |
| harActivity | TEXT | Nullable | The detail explanation of har Activity |
| gangguan | TEXT | Nullable | The detail explanation of gangguan |
| pltsReportID | BIGINT | Foreign Key | The ID of PLTS report that hold this detail information |
| MaterialExpense Table | | | |
| materialExpenseID | BIGINT | Primary Key | Unique ID for MaterialExpense |
| quantity | INT | Not Null | The quantity of material that used for 'har' activity |
| materialID | BIGINT | Foreign Key | The ID of material that used for gangguan |
| recapitulationID | BIGINT | Foreign Key | The ID of recapitulation that hold this detail information |

| Recapitulation Table | | | |
|----------------------|-----------|-------------|--|
| recapitulationID | BIGINT | Primary Key | Unique ID for Recapitulation |
| dateTime | TIMESTAMP | Not Null | Date and time of the report insertion |
| status | BIGINT | Not Null | The report status whether it is on progress, submitted, approved or rejected |
| recapitulationType | BIGINT | Not Null | The recapitulation type |
| staffID | BIGINT | Foreign Key | The ID of the staff who make this report |
| powerPlantID | BIGINT | Foreign Key | The ID of power plant who have this report |
| Fuel Table | | | |
| fuelID | BIGINT | Primary Key | Unique ID for Fuel |
| doReception | DOUBLE | Not Null | Amount of 'do' reception in liter (L) |
| physicalReception | DOUBLE | Not Null | Amount of physical reception in liter (L) |
| masterFlowMeter | DOUBLE | Not Null | Amount of master flow meter in liter (L) |
| recapitulationID | BIGINT | Foreign Key | The ID of |

| | | | |
|-----------------------|--------|-------------|---|
| | | | recapitulation that hold this detail information |
| FuelUsage Table | | | |
| fuelUsageID | BIGINT | Primary Key | Unique ID for FuelUsage |
| unit | INT | Not Null | The unit number |
| amount | DOUBLE | Not Null | Amount of daily tank stock for engine unit in liter (L) |
| action | INT | Not Null | The action type |
| type | INT | Not Null | The usage type |
| fuelID | BIGINT | Foreign Key | The ID of fuel that hold this detail information |
| Lubricant Table | | | |
| lubricantReportID | BIGINT | Primary Key | Unique ID for Lubricant |
| firstLubricantStock | DOUBLE | Not Null | Amount of first lubricant stock in liter (L) |
| receiptLubricantStock | DOUBLE | Not Null | Amount of receipt lubricant stock in liter (L) |
| recapitulationID | BIGINT | Foreign Key | The ID of recapitulation that |

| | | | |
|----------------------|--------|-------------|--|
| | | | hold this detail information |
| LubricantUsage Table | | | |
| lubricantUseID | BIGINT | Primary Key | Unique ID for LubricantUsage |
| unit | INT | Not Null | The unit number |
| amount | DOUBLE | Not Null | Amount of lubricant used for engine unit in liter (L) |
| lubricantReportID | BIGINT | Foreign Key | The ID of lubricant report that hold this detail information |
| Kwh Table | | | |
| kwhID | BIGINT | Primary Key | Unique ID for Kwh |
| unit | INT | Not Null | The unit number |
| energy | DOUBLE | Not Null | Amount of kWh engine module for engine unit in kilowatt per hour (kWh) |
| type | INT | Not Null | The type of Kwh |
| recapitulationID | BIGINT | Foreign Key | The ID of recapitulation that hold this detail information |
| Load Table | | | |

| | | | |
|-------------------|--------|-------------|---|
| loadID | BIGINT | Primary Key | Unique ID for Load |
| unit | INT | Not Null | The unit number |
| energy | DOUBLE | Not Null | Amount of load for engine unit in kilowatt (kW) |
| duration | DOUBLE | Not Null | Duration of load operating hour for engine unit in hour (h) |
| recapitulationID | BIGINT | Foreign Key | The ID of recapitulation that hold this detail information |
| Har Table | | | |
| harID | BIGINT | Primary Key | Unique ID for Har |
| unit | INT | Not Null | The unit number |
| activity | TEXT | Nullable | The explanation of the activity |
| type | INT | Not Null | The type of Har |
| recapitulationID | BIGINT | Foreign Key | The ID of recapitulation that hold this detail information |
| Maintenance Table | | | |
| maintenanceID | BIGINT | Primary Key | Unique ID for Maintenance |


| | | | |
|---------------------------|-----------|-------------|--|
| unit | INT | Not Null | The unit number |
| lhFiveNo | VARCHAR | Not Null | Permit number |
| description | TEXT | Nullable | The detail of gangguan |
| status | INT | Nullable | The status of maintenance |
| recapitulationID | BIGINT | Foreign Key | The ID of recapitulation that hold this detail information |
| FastMoving Table | | | |
| fastMovingID | BIGINT | Primary Key | Unique ID for FastMoving |
| quantity | INT | Not Null | The quantity of material that used for fast moving |
| status | INT | Nullable | The status of fast moving |
| materialID | BIGINT | Foreign Key | The ID of the material that used for fast moving |
| RecapitulationNotes Table | | | |
| recapitulationNotesID | BIGINT | Primary Key | Unique ID for RecapitulationNotes |
| note | TEXT | Nullable | Note for report |
| dateTime | TIMESTAMP | Not Null | Date and time of the |

| | | | note insertion |
|------------------|--------|-------------|---|
| recapitulationID | BIGINT | Foreign Key | The ID of recapitulation that hold this detail information |

5. USER INTERFACE DESIGN


5.1 Overview of User Interface

This section demonstrates the interface design that is being used by the Power Plants Performance Monitoring System (P3MS) for PT PLN (Persero) UP3 Pamekasan. This section will include the design of the page's navigation, which will demonstrate how the page is organized. In addition to that, the user interface design that is shown to the end-user will also be included.




PN001 Page Navigation of Operator Staff in P3MS

The operator staff will be taken directly to the dashboard page of the system once they have successfully logged in to the system. From the dashboard page, the operator staff has the option to navigate to the pages that allow them to manage input recapitulation, view recapitulation history, download reports, and view material information.



PN002 Page Navigation of PIC Staff in P3MS

The PIC staff will be taken directly to the dashboard page of the system once they have successfully logged in to the system. From the dashboard page, the PIC staff has the option to navigate to the pages that allow them to manage requested recapitulation, download reports, and view material information.




PN003

Page Navigation of Administrator in P3MS


The administrator will be taken directly to the dashboard page of the system once they have successfully logged in to the system. From the dashboard page, the admin has the option to navigate to the pages that allow them to manage master data or accounts.

5.2 Screen Images

5.2.1 Login Screen




SN001 Administrator Login Screen




SN002 Staff Login Screen


5.2.2 Dashboard Screen



SN003 Administrator Dashboard Screen



SN004 Operator Staff Dashboard Screen



SN005 PIC Staff Dashboard Screen

5.2.3 Input Recapitulation Screen

This screen is for 'OPERATOR PLTS TONDUK'. It shows a progress bar for 'REKAP ANDA' at 0/1. The main form is titled 'Input Rekap (PLTS)' and includes sections for 'Informasi Dasar' (with dropdowns for 'Nama Pembangkit' and 'Tanggal Input') and 'Hasil Rekap' (with fields for power output, capacity, generation, and consumption). There are also 'Gangguan' and 'Kegiatan HAR' text areas. A bottom note states 'Tulis disini . . .' with a character limit of 150. The footer includes a 'Keluar' button and copyright information.

SN006 Input Recapitulation Screen (PLTS - Default Type)

Input Rekap (PLTD)
BBM Pemakaian

Batal Simpan

Selamat datang,
OPERATOR PLTD MANDANGIN

REKAP ANDA

50%

1 / 2 rekап anda telah dievaluasi

INPUT REKAP

BBM Pemakaian BBM Stok

Beban Fast Moving

Gangguan HAR Realisasi

HAR Rencana KWH

Pelumas

TANGKI HARIAN

| Mesin 1 | 0 | L | Mesin 1 | 0 | L |
|---------|---|---|---------|---|---|
| Mesin 2 | 0 | L | Mesin 2 | 0 | L |
| Mesin 3 | 0 | L | Mesin 3 | 0 | L |
| Mesin 4 | 0 | L | Mesin 4 | 0 | L |
| Mesin 5 | 0 | L | Mesin 5 | 0 | L |

MODULE PCC 300

| Mesin 1 | 0 | L | Mesin 1 | 0 | L |
|---------|---|---|---------|---|---|
| Mesin 2 | 0 | L | Mesin 2 | 0 | L |
| Mesin 3 | 0 | L | Mesin 3 | 0 | L |
| Mesin 4 | 0 | L | Mesin 4 | 0 | L |
| Mesin 5 | 0 | L | Mesin 5 | 0 | L |

FLOW METER

© PT PLN (Persero) 2023. All right reserve

Keluar

SN007

Input Recapitulation Screen (PLTD - BBM Pemakaian Type)

Input Rekap (PLTD)
BBM Stok

Batal Simpan

Selamat datang,
OPERATOR PLTD MANDANGIN

REKAP ANDA

50%

1 / 2 rekап anda telah dievaluasi

INPUT REKAP

BBM Pemakaian BBM Stok

Beban Fast Moving

Gangguan HAR Realisasi

HAR Rencana KWH

Pelumas

Penerimaan DO

| Penerimaan DO | 0 | L | Penerimaan Fisik | 0 | L |
|---------------|---|---|------------------|---|---|
|---------------|---|---|------------------|---|---|

TANGKI INDUK

| Mesin 1 | 0 | L | Mesin 1 | 0 | L |
|---------|---|---|---------|---|---|
| Mesin 2 | 0 | L | Mesin 2 | 0 | L |
| Mesin 3 | 0 | L | Mesin 3 | 0 | L |
| Mesin 4 | 0 | L | Mesin 4 | 0 | L |
| Mesin 5 | 0 | L | Mesin 5 | 0 | L |

TANGKI HARIAN

| Mesin 1 | 0 | L | Mesin 1 | 0 | L |
|---------|---|---|---------|---|---|
| Mesin 2 | 0 | L | Mesin 2 | 0 | L |
| Mesin 3 | 0 | L | Mesin 3 | 0 | L |
| Mesin 4 | 0 | L | Mesin 4 | 0 | L |
| Mesin 5 | 0 | L | Mesin 5 | 0 | L |

© PT PLN (Persero) 2023. All right reserve

Keluar

SN008

Input Recapitulation Screen (PLTD - BBM Stok Type)

Input Rekap (PLTD)
Pelumas

Informasi Dasar

| Nama Pembangkit | Tanggal Input |
|-----------------|---------------|
| Pilih | Pilih |

Hasil Rekap

| Pemakaian Pelumas | | Stok Pelumas | |
|-------------------|---|--------------|---|
| Mesin | L | STOK AWAL | L |
| 1 | 0 | 0 | 0 |
| 2 | 0 | 0 | 0 |
| 3 | 0 | 0 | 0 |
| 4 | 0 | 0 | 0 |
| 5 | 0 | 0 | 0 |

Keluar

SN009 Input Recapitulation Screen (PLTD - Pelumas Type)

Input Rekap (PLTD)
KWH

Informasi Dasar

| Nama Pembangkit | Tanggal Input |
|-----------------|---------------|
| Pilih | Pilih |

Hasil Rekap

| ENGINE MODULE | | KWH METER PEMBANDING | |
|---------------|-----|----------------------|-----|
| Mesin | KWH | Mesin | KWH |
| 1 | 0 | 1 | 0 |
| 2 | 0 | 2 | 0 |
| 3 | 0 | 3 | 0 |
| 4 | 0 | 4 | 0 |
| 5 | 0 | 5 | 0 |

Keluar

SN010 Input Recapitulation Screen (PLTD - Kwh Type)

Input Rekap (PLTD)
Beban

Informasi Dasar

| Nama Pembangkit | Tanggal Input |
|-----------------|---------------|
| Pilih | Pilih |

Hasil Rekap

| BEBAN | | JAM OPERASI BEBAN | |
|---------|------|-------------------|-------|
| Mesin 1 | 0 KW | Mesin 1 | 0 JAM |
| Mesin 2 | 0 KW | Mesin 2 | 0 JAM |
| Mesin 3 | 0 KW | Mesin 3 | 0 JAM |
| Mesin 4 | 0 KW | Mesin 4 | 0 JAM |
| Mesin 5 | 0 KW | Mesin 5 | 0 JAM |

REKAP ANDA
50%
1 / 2 rekap anda telah dievaluasi

INPUT REKAP

- BBM Pemakaian
- BBM Stok
- Beban
- Fast Moving
- Gangguan
- HAR Realisasi
- HAR Rencana
- KWH
- Pelumas

Keluar

SN011

Input Recapitulation Screen (PLTD - Beban Type)

Input Rekap (PLTD)
HAR Rencana

Informasi Dasar

| Nama Pembangkit | Tanggal Input |
|-----------------|---------------|
| Pilih | Pilih |

Hasil Rekap

| UNIT | Pilih | KEGIATAN HAR |
|-------------------------------|-------|--------------|
| Tulis disini . . . 0 / 150 | | |

REKAP ANDA
50%
1 / 2 rekap anda telah dievaluasi

INPUT REKAP

- BBM Pemakaian
- BBM Stok
- Beban
- Fast Moving
- Gangguan
- HAR Realisasi
- HAR Rencana
- KWH
- Pelumas

Keluar

SN012

Input Recapitulation Screen (PLTD - Har Rencana Type)

Selamat datang,
OPERATOR PLTD MANDANGIN

REKAP ANDA

1 / 2 rekap anda telah dievaluasi

INPUT REKAP

- BBM Pemakaian
- BBM Stok
- Beban
- Fast Moving
- Gangguan
- HAR Realisasi
- HAR Rencana
- KWH
- Pelumas

Input Rekap (PLTD)
HAR Realisasi

Informasi Dasar

Nama Pembangkit
Pilih

Tanggal Input
Pilih

Hasil Rekap

UNIT
Pilih

KEGIATAN HAR
Tulis disini ...
0 / 150

MATERIAL HAR

| Pilih | 0 | BH | Material | Jumlah |
|----------------------|---|----|----------|--------|
| Data tidak ditemukan | | | | |

+ Keluar

© PT PLN (Persero) 2023. All right reserved

SN013 Input Recapitulation Screen (PLTD - Har Realisasi Type)

Selamat datang,
OPERATOR PLTD MANDANGIN

REKAP ANDA

1 / 2 rekap anda telah dievaluasi

INPUT REKAP

- BBM Pemakaian
- BBM Stok
- Beban
- Fast Moving
- Gangguan
- HAR Realisasi
- HAR Rencana
- KWH
- Pelumas

Input Rekap (PLTD)
Gangguan

Informasi Dasar

Nama Pembangkit
Pilih

Tanggal Input
Pilih

Hasil Rekap

UNIT
Pilih

STATUS
Pilih

NOMOR LHS
[empty input field]

KETERANGAN
Tulis disini ...
0 / 150

MATERIAL HAR

| Pilih | 0 | BH | Material | Jumlah |
|----------------------|---|----|----------|--------|
| Data tidak ditemukan | | | | |

+ Keluar

© PT PLN (Persero) 2023. All right reserved

SN014 Input Recapitulation Screen (PLTD - Gangguan Type)

SN015

Input Recapitulation Screen (PLTD - Fast Moving Type)

5.2.4 Recapitulation History Screen

| Pembangkit | Tipe Rekap | Tanggal | Status | Aksi |
|----------------|-------------|------------|------------|-------------------------|
| PLTD MANDANGIN | HAR Rencana | 07/06/2023 | Disetujui | <button>Detail</button> |
| PLTD MANDANGIN | Beban | 07/06/2023 | Dievaluasi | <button>Detail</button> |

SN016

Recapitulation History Screen

5.2.5 Input Recapitulation Screen

Detail Rekap (PLTS)

Utama

1. Rekap Dibuat: Pembangkit PLTS TONDJK

2. Tanggal: 2023-06-14 08:40:50

3. Telah Dievaluasi: -

| Daya Pasang | 10 MW | Kegiatan HAR | : Testing 1 |
|--------------|-------|--------------|-------------|
| Daya Mampu | 20 MW | Gangguan | : Gangguan |
| Beban | 30 MW | Testing 2 | : Testing 2 |
| Stand Awal | 40 MW | | |
| Stand Akhir | 50 MW | | |
| KWH Produksi | 60 MW | | |

Keluar

© PT PLN (Persero) 2023. All right reserved

SN017 View Recapitulation Screen (PLTS - Default Type)

Detail Rekap (PLTD)

BBM Pemakaian

1. Rekap Dibuat: Pembangkit PLTD MANDANGIN

2. Tanggal: 2023-06-15 09:26:32

3. Telah Dievaluasi: -

| Tangki Harian | | Module PCC 300 | | | |
|---------------|---|----------------|---------|---|-------|
| Mesin 1 | : | 10 L | Mesin 1 | : | 60 L |
| Mesin 2 | : | 20 L | Mesin 2 | : | 70 L |
| Mesin 3 | : | 30 L | Mesin 3 | : | 80 L |
| Mesin 4 | : | 40 L | Mesin 4 | : | 90 L |
| Mesin 5 | : | 50 L | Mesin 5 | : | 100 L |

| Flow Meter | | | | | |
|------------|---|-------|-------|---|-------|
| Mesin 1 | : | 110 L | Induk | : | 160 L |
| Mesin 2 | : | 120 L | | | |

Keluar

© PT PLN (Persero) 2023. All right reserved

SN018 View Recapitulation Screen (PLTD - BBM Pemakaian Type)

PLN

Selamat datang,
OPERATOR PLTD MANDANGIN

REKAP ANDA

1 / 9 rekap anda telah dievaluasi

INPUT REKAP

▼ BBM Pemakaian ⚙ BBM Stok

⚠ Beban ⚡ Fast Moving

⚡ Gangguan 📈 HAR Realisasi

📝 HAR Rencana ⚡ KWH

⌚ Pelumas

Detail Rekap (PLTD)
BBM Stok

Kembali Ubah

| 1 | 2 | 3 |
|---|--|--|
| Rekap Dibuat Pembangkit PLTD MANDANGIN | Sedang Dievaluasi Tanggal 2023-06-08 09:28:08 | Telah Dievaluasi Hasil Evaluasi - |

| Tangki Induk | | Tangki Harian | | | |
|--------------|---|---------------|---------|---|-------|
| Mesin 1 | : | 30 L | Mesin 1 | : | 80 L |
| Mesin 2 | : | 40 L | Mesin 2 | : | 90 L |
| Mesin 3 | : | 50 L | Mesin 3 | : | 100 L |
| Mesin 4 | : | 60 L | Mesin 4 | : | 110 L |
| Mesin 5 | : | 70 L | Mesin 5 | : | 120 L |

← Keluar

© PT PLN (Persero) 2023. All right reserve

SN019

View Recapitulation Screen (PLTD - BBM Stok Type)

PLN

Selamat datang,
OPERATOR PLTD MANDANGIN

REKAP ANDA

1 / 9 rekap anda telah dievaluasi

INPUT REKAP

▼ BBM Pemakaian ⚙ BBM Stok

⚠ Beban ⚡ Fast Moving

⚡ Gangguan 📈 HAR Realisasi

📝 HAR Rencana ⚡ KWH

⌚ Pelumas

Detail Rekap (PLTD)
Pelumas

Kembali Ubah

| 1 | 2 | 3 |
|---|--|--|
| Rekap Dibuat Pembangkit PLTD MANDANGIN | Sedang Dievaluasi Tanggal 2023-06-15 09:32:06 | Telah Dievaluasi Hasil Evaluasi - |

| Pemakaian Pelumas | | Stok Pelumas | | | |
|-------------------|---|--------------|-----------------|---|------|
| Mesin 1 | : | 10 L | Stok Awal | : | 60 L |
| Mesin 2 | : | 20 L | Stok Penerimaan | : | 70 L |
| Mesin 3 | : | 30 L | | | |
| Mesin 4 | : | 40 L | | | |
| Mesin 5 | : | 50 L | | | |

← Keluar

© PT PLN (Persero) 2023. All right reserve

SN020

View Recapitulation Screen (PLTD - Pelumas Type)

**Detail Rekap (PLTD)
KWH**

1. Rekap Dibuat
2. Sedang Dievaluasi
3. Telah Dievaluasi

| Pembangkit | Tanggal | Hasil Evaluasi |
|----------------|---------------------|----------------|
| PLTD MANDANGIN | 2023-06-14 09:31:45 | - |

Engine Module

| Mesin | KWH | Mesin | KWH |
|---------|--------|---------|---------|
| Mesin 1 | 10 KWH | Mesin 1 | 60 KWH |
| Mesin 2 | 20 KWH | Mesin 2 | 70 KWH |
| Mesin 3 | 30 KWH | Mesin 3 | 80 KWH |
| Mesin 4 | 40 KWH | Mesin 4 | 90 KWH |
| Mesin 5 | 50 KWH | Mesin 5 | 100 KWH |

KWH Meter Pembanding

© PT PLN (Persero) 2023. All right reserve

SN021 View Recapitulation Screen (PLTD - Kwh Type)

**Detail Rekap (PLTD)
Beban**

1. Rekap Dibuat
2. Sedang Dievaluasi
3. Telah Dievaluasi

| Pembangkit | Tanggal | Hasil Evaluasi |
|----------------|---------------------|----------------|
| PLTD MANDANGIN | 2023-06-07 09:56:56 | - |


Beban

| Mesin | Jam Operasi | Mesin | Jam Operasi |
|---------|-------------|---------|-------------|
| Mesin 1 | 10 KW | Mesin 1 | 60 JAM |
| Mesin 2 | 20 KW | Mesin 2 | 70 JAM |
| Mesin 3 | 30 KW | Mesin 3 | 80 JAM |
| Mesin 4 | 40 KW | Mesin 4 | 90 JAM |
| Mesin 5 | 50 KW | Mesin 5 | 100 JAM |

Jam Operasi Beban


© PT PLN (Persero) 2023. All right reserve

SN022 View Recapitulation Screen (PLTD - Beban Type)



SN023

View Recapitulation Screen (PLTD - Har Rencana Type)



SN024

View Recapitulation Screen (PLTD - Har Realisasi Type)

REKAP ANDA

1 / 9 rekap anda telah dievaluasi

INPUT REKAP

- BBM Pemakaian
- BBM Stok
- Beban
- Fast Moving
- Gangguan
- HAR Realisasi
- HAR Rencana
- KWH
- Pelumas

Detail Rekap (PLTD)
Gangguan

1 Rekap Dibuat 2 Sedang Dievaluasi 3 Telah Dievaluasi

| | | |
|-------------------------------|--|---|
| Pembangkit PLTD MANDANGIN | Tanggal 2023-06-15 09:29:13 | Hasil Evaluasi - |
| Unit : Status : No. LH5 | Mesin 1 Belum Diperbaiki 1234567 | Keterangan : Kerusakan sistem Material : Fuel Filter (30 Buah) Water Filter (10 Buah) |

© PT PLN (Persero) 2023. All right reserve

SN025

View Recapitulation Screen (PLTD - Gangguan Type)

REKAP ANDA

1 / 9 rekap anda telah dievaluasi

INPUT REKAP

- BBM Pemakaian
- BBM Stok
- Beban
- Fast Moving
- Gangguan
- HAR Realisasi
- HAR Rencana
- KWH
- Pelumas

Detail Rekap (PLTD)
Fast Moving

1 Rekap Dibuat 2 Sedang Dievaluasi 3 Telah Dievaluasi

| | | |
|---|--|---------------------|
| Pembangkit PLTD MANDANGIN | Tanggal 2023-06-15 09:28:34 | Hasil Evaluasi - |
| Material : Fuel Filter - Penerimaan Oil Filter - Kirim Water Filter - Pemakaian Fuel Filter - Kirim | (110 Buah) (130 Buah) (50 Buah) (10 Buah) | |

© PT PLN (Persero) 2023. All right reserve

SN026

View Recapitulation Screen (PLTD - Fast Moving Type)

5.2.6 Update Recapitulation Screen

REKAP ANDA

0 / 1 rekap anda telah dievaluasi

INPUT REKAP

Utama

Hasil Rekap

| | Daya Terpasang | Daya Mampu | Beban | Stand Awal | Stand Akhir | KHW Produksi | Kegiatan HAR |
|----------------|----------------|------------|-------|------------|-------------|--------------|----------------------|
| Daya Terpasang | 10 MW | 20 MW | 30 KW | 40 KW | 50 KWH | 60 KWH | Testing 1 0 / 150 |
| Daya Mampu | | | | | | | Testing 2 0 / 150 |
| Beban | | | | | | | |
| Stand Awal | | | | | | | |
| Stand Akhir | | | | | | | |
| KHW Produksi | | | | | | | |

Keluar

© PT PLN (Persero) 2023. All right reserve

SN027 Update Recapitulation Screen (PLTS - Default Type)

REKAP ANDA

1 / 0 rekap anda telah dievaluasi

INPUT REKAP

BBM Pemakaian

TANGKI HARIAN

| Mesin 1 | 10 L | Mesin 1 | 60 L |
|---------|------|---------|-------|
| Mesin 2 | 20 L | Mesin 2 | 70 L |
| Mesin 3 | 30 L | Mesin 3 | 80 L |
| Mesin 4 | 40 L | Mesin 4 | 90 L |
| Mesin 5 | 60 L | Mesin 5 | 100 L |

MODULE PCC 300

| Mesin 1 | 60 L | Mesin 1 | 60 L |
|---------|-------|---------|-------|
| Mesin 2 | 70 L | Mesin 2 | 70 L |
| Mesin 3 | 80 L | Mesin 3 | 80 L |
| Mesin 4 | 90 L | Mesin 4 | 90 L |
| Mesin 5 | 100 L | Mesin 5 | 100 L |

FLOW METER

Keluar

© PT PLN (Persero) 2023. All right reserve

SN028 Update Recapitulation Screen (PLTD - BBM Pemakaian Type)

Edit Rekap (PLTD)
BBM Stok

Batal Simpan Perubahan

Informasi Dasar

Nama Pembangkit
PLTD MANDANGIN

Tanggal Input
08/06/2023 09:28

Hasil Rekap

| | Penerimaan DO | Penerimaan Fisik | |
|--------------|---------------|------------------|-------|
| TANGKI INDUK | 10 L | 20 L | |
| Mesin 1 | 30 L | Mesin 1 | 80 L |
| Mesin 2 | 40 L | Mesin 2 | 90 L |
| Mesin 3 | 50 L | Mesin 3 | 100 L |
| Mesin 4 | 60 L | Mesin 4 | 110 L |
| Mesin 5 | 70 L | Mesin 5 | 120 L |

TANGKI HARIAN

© PT PLN (Persero) 2023. All right reserve

SN029 Update Recapitulation Screen (PLTD - BBM Stok Type)

Edit Rekap (PLTD)
Pelumas

Batal Simpan Perubahan

Informasi Dasar

Nama Pembangkit
PLTD MANDANGIN

Tanggal Input
15/06/2023 09:32

Hasil Rekap

| | Pemakaian Pelumas | Stok Pelumas |
|-------------------|-------------------|----------------------|
| Pemakaian Pelumas | 10 L | STOK AWAL 60 L |
| Mesin 1 | 20 L | STOK PENERIMAAN 70 L |
| Mesin 2 | 30 L | |
| Mesin 3 | 40 L | |
| Mesin 4 | 50 L | |

Stok Pelumas

© PT PLN (Persero) 2023. All right reserve

SN030 Update Recapitulation Screen (PLTD - Pelumas Type)

PLN

Selamat datang,
OPERATOR PLTD MANDANGIN

REKAP ANDA

1 / 9 rekak anda telah dievaluasi

INPUT REKAP

- BBM Pemakaian
- BBM Stok
- Beban
- Fast Moving
- Gangguan
- HAR Realisasi
- HAR Rencana
- KWH
- Pelumas

**Edit Rekap (PLTD)
KWH**

Informasi Dasar

| | |
|-----------------|------------------|
| Nama Pembangkit | Tanggal Input |
| PLTD MANDANGIN | 14/06/2023 09:31 |

Hasil Rekap

| ENGINE MODULE | | KWH METER PEMBANDING | |
|---------------|--------|----------------------|---------|
| Mesin 1 | 10 KWH | Mesin 1 | 60 KWH |
| Mesin 2 | 20 KWH | Mesin 2 | 70 KWH |
| Mesin 3 | 30 KWH | Mesin 3 | 80 KWH |
| Mesin 4 | 40 KWH | Mesin 4 | 90 KWH |
| Mesin 5 | 50 KWH | Mesin 5 | 100 KWH |

Keluar

© PT PLN (Persero) 2023. All right reserve

SN031 Update Recapitulation Screen (PLTD - Kwh Type)

PLN

Selamat datang,
OPERATOR PLTD MANDANGIN

REKAP ANDA

1 / 9 rekak anda telah dievaluasi

INPUT REKAP

- BBM Pemakaian
- BBM Stok
- Beban
- Fast Moving
- Gangguan
- HAR Realisasi
- HAR Rencana
- KWH
- Pelumas

**Edit Rekap (PLTD)
Beban**

Informasi Dasar

| | |
|-----------------|------------------|
| Nama Pembangkit | Tanggal Input |
| PLTD MANDANGIN | 07/06/2023 09:56 |

Hasil Rekap

| BEBAN | | JAM OPERASI BEBAN | |
|---------|-------|-------------------|---------|
| Mesin 1 | 10 KW | Mesin 1 | 60 JAM |
| Mesin 2 | 20 KW | Mesin 2 | 70 JAM |
| Mesin 3 | 30 KW | Mesin 3 | 80 JAM |
| Mesin 4 | 40 KW | Mesin 4 | 90 JAM |
| Mesin 5 | 50 KW | Mesin 5 | 100 JAM |

Keluar

© PT PLN (Persero) 2023. All right reserve

SN032 Update Recapitulation Screen (PLTD - Beban Type)

Edit Rekap (PLTD)
HAR Rencana

Informasi Dasar

Nama Pembangkit
PLTD MANDANGIN

Tanggal Input
07/06/2023 07:29

Hasil Rekap

UNIT
Mesin 2

KEGIATAN HAR
Testing

© PT PLN (Persero) 2023. All right reserve

SN033

Update Recapitulation Screen (PLTD - Har Rencana Type)

Edit Rekap (PLTD)
HAR Realisasi

Informasi Dasar

Nama Pembangkit
PLTD MANDANGIN

Tanggal Input
15/06/2023 09:30

Hasil Rekap

UNIT
Mesin 1

KEGIATAN HAR
Penggantian Oli Mesin Diesel Pembangkit

MATERIAL HAR

| Pilih | 0 | BH | Material | Jumlah | Hapus |
|------------|---|----|------------|--------|-------|
| + (button) | | | OIL FILTER | 20 | Hapus |

© PT PLN (Persero) 2023. All right reserve

SN034

Update Recapitulation Screen (PLTD - Har Realisasi Type)

Edit Rekap (PLTD)
Gangguan

Informasi Dasar

| | | | |
|-----------------|----------------|---------------|------------------|
| Nama Pembangkit | PLTD MANDANGIN | Tanggal Input | 15/06/2023 09:29 |
|-----------------|----------------|---------------|------------------|

Hasil Rekap

| UNIT | Mesin 1 | KETERANGAN |
|-----------|------------------|------------------|
| STATUS | Belum Diperbaiki | Kerusakan sistem |
| NOMOR LHS | 1234567 | 0 / 150 |

MATERIAL HAR

| Pilih | 0 | BH | Material | Jumlah | Hapus |
|------------|---|----|--------------|--------|---|
| + (button) | | | FUEL FILTER | 30 | Hapus |
| | | | WATER FILTER | 10 | Hapus |

© PT PLN (Persero) 2023. All right reserved

SN035

Update Recapitulation Screen (PLTD - Gangguan Type)

Edit Rekap (PLTD)
Fast Moving

Informasi Dasar

| | | | |
|-----------------|----------------|---------------|------------------|
| Nama Pembangkit | PLTD MANDANGIN | Tanggal Input | 15/06/2023 09:28 |
|-----------------|----------------|---------------|------------------|

Hasil Rekap

| Pilih | 0 | BH | Material | Jumlah | Status | Hapus |
|----------------|---|----|--------------|--------|------------|---|
| Pilih (button) | | | FUEL FILTER | 110 | Penerimaan | Hapus |
| Pilih (button) | | | OIL FILTER | 130 | Kirim | Hapus |
| Pilih (button) | | | WATER FILTER | 50 | Pemakaian | Hapus |
| Pilih (button) | | | FUEL FILTER | 10 | Kirim | Hapus |

© PT PLN (Persero) 2023. All right reserved

SN036

Update Recapitulation Screen (PLTD - Fast Moving Type)

5.2.7 Requested Recapitulation Screen

Selamat datang,
PIC PLTD MANDANGIN

REKAP MASUK

1 / 9 Rekap sudah dilakukan evaluasi

| Pembangkit ↑↓ | Tipe Rekap ↑↓ | Tanggal ↑↓ | Status ↑↓ | Aksi |
|----------------|---------------|------------|------------|----------|
| PLTD MANDANGIN | HAR Rencana | 07/06/2023 | Diterajui | Evaluasi |
| PLTD MANDANGIN | Beban | 07/06/2023 | Dievaluasi | Evaluasi |
| PLTD MANDANGIN | BBM Pemakaian | 15/06/2023 | Dibuat | Evaluasi |
| PLTD MANDANGIN | BBM Stok | 08/06/2023 | Dibuat | Evaluasi |
| PLTD MANDANGIN | Fast Moving | 15/06/2023 | Dibuat | Evaluasi |
| PLTD MANDANGIN | Gangguan | 15/06/2023 | Dibuat | Evaluasi |

Keyword Search Search icon

<< < 1 2 > >>

[Keluar](#)

© PT PLN (Persero) 2023. All right reserve

SN037 Requested Recapitulation Screen

5.2.8 Material Info Screen

Selamat datang,
OPERATOR PLTD MANDANGIN

REKAP ANDA

1 / 0 rekap anda telah dievaluasi

INPUT REKAP

- BBM Pemakaian
- BBM Stok
- Beban
- Fast Moving
- Gangguan
- HAR Realisasi
- HAR Rencana
- KWH
- Pelumas

| Material ↑↓ | Jumlah ↑↓ | Status ↑↓ |
|--------------|-----------|----------------|
| FUEL FILTER | 100 | Tersedia |
| OIL FILTER | 0 | Tidak Tersedia |
| WATER FILTER | 50 | Tersedia |
| AIR FILTER | 0 | Tidak Tersedia |
| ROT ELEMENT | 0 | Tidak Tersedia |

Keyword Search Search icon

<< < 1 2 3 > >>

[Keluar](#)

© PT PLN (Persero) 2023. All right reserve

SN038 Material Info Screen

5.2.9 Download Report Screen

The screenshot shows a user interface for managing material information. On the left, there's a sidebar with a 'REKAP ANDA' section showing a progress bar at 1/9 and a 'INPUT REKAP' section with various categories like BBM Pemakaian, Beban, Gangguan, HMR Rencana, and Pelumas. The main area has tabs for Dashboard, Info Material, Riwayat Rekap, and Unduh Laporan (Download Report). The Unduh Laporan tab is active, displaying filters for Tipe Pembangkit (PLTD), Nama Pembangkit (PLTD MANDANGIN), Tipe Laporan (Beban), and date range (01/06/2023 to 30/06/2023). Below these filters is a table titled 'LAPORAN - PLTD MANDANGIN' with a header row and data for 09:56 07/06/2023. The table includes columns for JAM / TANGGAL, BEBAN (MESIN), JAM OPERASI (MESIN), and DIBUAT. At the bottom right of the report area is a 'Pratinjau' (Preview) button. A red notification badge with the number '1' is visible in the top right corner.

SN039 Download Report Screen

5.2.10 Account Manager Screen

The screenshot displays the Account Manager screen. On the left, a sidebar titled 'Kelola Akun' lists 'Pengguna Staff' (24) and 'Pengguna Admin'. The main dashboard area features several key performance indicators: 'Staff PIC' (24), 'Staff Operator' (24), and two bar charts under 'Info Material PLTS' and 'Info Material PLTD'. The 'Info Material PLTS' chart shows values for various units like MDG, GLG, GLY, SPD, RAAS, KGN, SPK, GLR, SPJ, PGK, PGRB, and MSL. The 'Info Material PLTD' chart shows values for MDG, GLG, GLY, SPD, RAAS, KGN, SPK, GLR, SPJ, PGK, PGRB, and MSL. To the right, there are two large numerical displays: 'Jumlah Unit' (3) and 'Jumlah Pembangkit' (24), each accompanied by an icon of a building and a power plant respectively. A footer at the bottom indicates the copyright of PT PLN (Persero) 2023.

SN040 Account Manager Screen

The screenshot shows a web-based application interface for managing user accounts. At the top left is the PLN logo. The title bar reads "Kelola Akun Pengguna Admin". On the right side, there is a "Tambah Akun" button. Below the title bar is a search bar labeled "Cari Admin" with a magnifying glass icon. The main content area features a table with columns: ID, Nama, Username, Tanggal, and Aksi. A single row is visible, showing ID 1, Nama ADMIN, Username admin, Tanggal 27/06/2023, and Aksi buttons for Edit and Hapus. The bottom of the screen includes a footer with icons for user profile, search, and refresh, and the text "© PT PLN (Persero) 2023. All right reserved".

SN041 Administrator Account Information Screen

The screenshot shows a web-based application interface for managing staff accounts. At the top left is the PLN logo. The title bar reads "Kelola Akun Pengguna Staff". On the right side, there is a "Tambah Akun" button. Below the title bar is a search bar labeled "Cari Staff" with a magnifying glass icon. The main content area features a table with columns: Nama, Username, Pembangkit, Tipe Staff, Tanggal, and Aksi. Six rows of data are listed, each corresponding to a staff member with their respective details and edit/delete buttons. The bottom of the screen includes a footer with icons for user profile, search, and refresh, and the text "© PT PLN (Persero) 2023. All right reserved".

SN042 Staff Account Information Screen

5.2.11 Add Account Screen

Tambah Akun
Pengguna Admin

Informasi Dasar

Username

Ketik Ulang Password

Detail Pengguna

Nama

Batal Simpan

SN043 Add Administartor Account Screen

Tambah Akun
Pengguna Staff

Informasi Dasar

Username

Ketik Ulang Password

Detail Pengguna


Nama Tipe Staff

Tipe Pembangkit Pembangkit

Batal Simpan


SN044 Add Staff Account Screen

5.2.12 View Account Screen



The screenshot shows the 'Edit Akun' (Edit Account) page for a 'Pengguna Admin' (Administrator User). The top navigation bar includes the PLN logo, a search icon, and a user profile icon. The main content area is titled 'Informasi Dasar' (Basic Information). It contains fields for 'Username' (admin) and 'Password'. Below this is a 'Ketik Ulang Password' (Type Again Password) field. A 'Detail Pengguna' (User Details) section follows, containing a 'Nama' (Name) field with the value 'ADMIN'. At the bottom right are 'Batal' (Cancel) and 'Simpan Perubahan' (Save Changes) buttons.

SN045 View Administartor Account Screen



The screenshot shows the 'Edit Akun' (Edit Account) page for a 'Pengguna Staff' (Staff User). The top navigation bar includes the PLN logo, a search icon, and a user profile icon. The main content area is titled 'Informasi Dasar' (Basic Information). It contains fields for 'Username' (pic.ptd.mandangin) and 'Password'. Below this is a 'Ketik Ulang Password' (Type Again Password) field. A 'Detail Pengguna' (User Details) section follows, containing a 'Nama' (Name) field with the value 'PIC PLTD MANDANGIN' and a 'Tipe Staff' (Staff Type) dropdown set to 'Staff PIC'. Another section for 'Tipe Pembangkit' (Generator Type) shows 'PLTD' selected and 'PLTD MANDANGIN' listed under 'Pembangkit'. At the bottom right are 'Batal' (Cancel) and 'Simpan Perubahan' (Save Changes) buttons.

SN046 View Staff Account Sceen

5.2.13 Edit Account Screen

PLN

Edit Akun
Pengguna Admin

Informasi Dasar

Username: admin

Ketik Ulang Password

Detail Pengguna

Nama: ADMIN

Batal Simpan Perubahan

© PT PLN (Persero) 2023. All right reserve

SN047 Edit Administartor Account Screen

PLN

Edit Akun
Pengguna Staff

Informasi Dasar

Username: pic.pltd.mandangin

Ketik Ulang Password

Detail Pengguna

Nama: PIC PLTD MANDANGIN

Tipe Staff: Staff PIC

Tipe Pembangkit:

| | |
|------|----------------|
| PLTD | PLTD MANDANGIN |
|------|----------------|


Pembangkit

Batal Simpan Perubahan

© PT PLN (Persero) 2023. All right reserve

SN048 Edit Staff Account Screen

5.2.14 Master Data Manager Screen



SN049 Master Data Manager Screen



SN050 Unit Information Screen

Kelola Master Data
Data Pembangkit

Tambah Pembangkit

Pilih Pembangkit ▾ Cari Pembangkit Q

| Nama Pembangkit ↑↓ | Kode ↑↓ | Jumlah Mesin ↑↓ | Jumlah Feeder ↑↓ | Estimasi Pemakaian ↑↓ | Deadstock ↑↓ | Tanggal ↑↓ | Aksi |
|--------------------|---------|-----------------|------------------|-----------------------|--------------|------------|--|
| PLTD MANDANGIN | MDG | 5 | 5 | 0 | 0 | 27/06/2023 | <button>Edit</button> <button>Hapus</button> |
| PLTD GILI GENTING | GLG | 0 | 0 | 0 | 0 | 27/06/2023 | <button>Edit</button> <button>Hapus</button> |
| PLTD GILI IYANG | GLY | 0 | 0 | 0 | 0 | 27/06/2023 | <button>Edit</button> <button>Hapus</button> |
| PLTD SAPUDI | SPD | 0 | 0 | 0 | 0 | 27/06/2023 | <button>Edit</button> <button>Hapus</button> |
| PLTD RAAS | RAAS | 0 | 0 | 0 | 0 | 27/06/2023 | <button>Edit</button> <button>Hapus</button> |
| PLTD KANGEAN | KGN | 0 | 0 | 0 | 0 | 27/06/2023 | <button>Edit</button> <button>Hapus</button> |

« ‹ 1 2 3 4 › »

© PT PLN (Persero) 2023. All right reserved

SN051 Power Plant Information Screen

Kelola Master Data
Data Material

Tambah Material

Pilih Pembangkit ▾ Pilih Lokasi ▾ Cari Material Q

| Nama Material ↑↓ | Pembangkit ↑↓ | Jumlah ↑↓ | Tanggal ↑↓ | Aksi |
|------------------|----------------|-----------|------------|--|
| FUEL FILTER | PLTD MANDANGIN | 100 | 27/06/2023 | <button>Edit</button> <button>Hapus</button> |
| OIL FILTER | PLTD MANDANGIN | 0 | 27/06/2023 | <button>Edit</button> <button>Hapus</button> |
| WATER FILTER | PLTD MANDANGIN | 50 | 27/06/2023 | <button>Edit</button> <button>Hapus</button> |
| AIR FILTER | PLTD MANDANGIN | 0 | 27/06/2023 | <button>Edit</button> <button>Hapus</button> |
| ROT ELEMENT | PLTD MANDANGIN | 0 | 27/06/2023 | <button>Edit</button> <button>Hapus</button> |
| RAKOR ELEMENT | PLTD MANDANGIN | 30 | 27/06/2023 | <button>Edit</button> <button>Hapus</button> |

« ‹ 1 2 3 4 5 › »

© PT PLN (Persero) 2023. All right reserved

SN052 Material Manager Screen

Kelola Master Data
Data Material

Tambah Material

Pilih Pembangkit ▾ Pilih Lokasi ▾ Cari Material Q

| Nama Material ↑ | Pembangkit ↑ | Jumlah ↑ | Tanggal ↑ | Aksi |
|-----------------|----------------|----------|------------|--|
| FUEL FILTER | PLTD MANDANGIN | 100 | 27/06/2023 | <button>Edit</button> <button>Hapus</button> |
| OIL FILTER | PLTD MANDANGIN | 0 | 27/06/2023 | <button>Edit</button> <button>Hapus</button> |
| WATER FILTER | PLTD MANDANGIN | 50 | 27/06/2023 | <button>Edit</button> <button>Hapus</button> |
| AIR FILTER | PLTD MANDANGIN | 0 | 27/06/2023 | <button>Edit</button> <button>Hapus</button> |
| ROT ELEMENT | PLTD MANDANGIN | 0 | 27/06/2023 | <button>Edit</button> <button>Hapus</button> |
| RAKOR ELEMENT | PLTD MANDANGIN | 30 | 27/06/2023 | <button>Edit</button> <button>Hapus</button> |

© PT PLN (Persero) 2023. All right reserved

SN053 Material Information Screen

5.2.15 Add Unit Screen

Tambah Master Data
Data Unit

Batal Simpan

Informasi Dasar

Nama Unit

© PT PLN (Persero) 2023. All right reserved

SN054 Add Unit Screen

5.2.16 Edit Unit Screen

SN055 Edit Unit Screen

5.2.17 Add Power Plant Screen

SN056 Add Power Plant Screen

5.2.18 View Power Plant Screen

The screenshot shows a form titled 'Edit Master Data Data Pembangkit'. It has two main sections: 'Informasi Dasar' and 'Detail Pembangkit'. In 'Informasi Dasar', fields include 'Nama Pembangkit' (PLTD MANDANGIN), 'Kode' (MDG), 'Unit' (ULP SAMPANG), and 'Tipe Pembangkit' (PLTD). In 'Detail Pembangkit', fields include 'Jumlah Mesin' (5), 'Jumlah Feeder' (5), 'Estimasi Pemakaian' (0), and 'Deadstock' (0). Buttons at the top right include 'Batal' and 'Simpan Perubahan'.

SN057 View Power Plant Screen

5.2.19 Edit Power Plant Screen

The screenshot shows a form titled 'Edit Master Data Data Pembangkit'. It has two main sections: 'Informasi Dasar' and 'Detail Pembangkit'. In 'Informasi Dasar', fields include 'Nama Pembangkit' (PLTD MANDANGIN), 'Kode' (MDG), 'Unit' (ULP SAMPANG), and 'Tipe Pembangkit' (PLTD). In 'Detail Pembangkit', fields include 'Jumlah Mesin' (5), 'Jumlah Feeder' (5), 'Estimasi Pemakaian' (0), and 'Deadstock' (0). Buttons at the top right include 'Batal' and 'Simpan Perubahan'.

SN058 Edit Power Plant Screen

5.2.20 Add Material Screen

The screenshot shows the 'Tambah Master Data' (Add Master Data) screen for 'Data Material'. The interface includes a sidebar with icons for home, search, and list. The main area has tabs for 'Informasi Dasar' and 'Detail Material'. In 'Informasi Dasar', there are fields for 'Nama Material' (Material Name) and 'Pembangkit' (Generator). In 'Detail Material', there is a 'Jumlah' (Quantity) field set to '0'. A bottom navigation bar features icons for user profile, search, and back/forward.

SN059 Add Material Screen

5.2.21 View Material Screen

The screenshot shows the 'Edit Master Data' (View Master Data) screen for 'Data Material'. The layout is similar to the add screen, with a sidebar and tabs for 'Informasi Dasar' and 'Detail Material'. In 'Informasi Dasar', the 'Nama Material' field contains 'FUEL FILTER' and the 'Pembangkit' field contains 'PLTD MANDANGIN'. In 'Detail Material', the 'Jumlah' field is set to '100'. The bottom navigation bar includes user profile and search icons.

SN060 View Material Screen

5.2.22 Edit Material Screen

The screenshot shows the 'Edit Master Data' screen for 'Data Material'. The top navigation bar includes the PLN logo, a search icon, and a user profile icon. The main content area is divided into two sections: 'Informasi Dasar' and 'Detail Material'. In 'Informasi Dasar', the 'Nama Material' field contains 'FUEL FILTER' and the 'Pembangkit' dropdown is set to 'PLTD MANDANGIN'. In 'Detail Material', the 'Jumlah' field contains '100'. The bottom right corner of the screen displays the copyright notice: '© PT PLN (Persero) 2023. All right reserved'.

SN061

Edit Material Screen

Requirements Matrix

| | S D |
|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | |
| UC001 | X | | | | | | | | | | | | | |
| UC002 | | X | | | | | | | | | | | | |
| UC002 | | | X | | | | | | | | | | | |
| UC004 | | | | X | | | | | | | | | | |
| UC005 | | | | | X | | | | | | | | | |
| UC006 | | | | | | X | | | | | | | | |
| UC007 | | | | | | | X | | | | | | | |
| UC008 | | | | | | | | X | | | | | | |
| UC009 | | | | | | | | | X | | | | | |
| UC010 | | | | | | | | | | X | | | | |
| UC011 | | | | | | | | | | | X | | | |
| UC012 | | | | | | | | | | | | X | | |
| UC013 | | | | | | | | | | | | | | X |

6. APPENDICES

There are no appendices.

Appendix C System Testing Documentation



Software Testing Documentation

Power Plants Performance Monitoring System for PT
PLN (Persero) UP3 Pamekasan

Version 1.0

23 June 2022

School Of Computing

Prepared by: Thoriqulhaq Jibril Al Qudsy

REVISION PAGE

a. Overview

This is the first draft of the Software Testing Documentation for Power Plants Performance Monitoring System (P3MS)

b. Target Audience

- Ms. Habibah Zahra Faluqi, Supervisor, PT PLN (Persero)
- Stakeholder of PT PLN (Persero) UP3 Pamekasan

c. Project Team Members

- Thoriqulhaq Jibril Al Qudsy

d. Version Control History

| Version | Primary Author(s) | Description of Version | Date Completed |
|-------------|--------------------------------|---|----------------|
| Version 1.0 | Thoriqulhaq Jibril Al Qudsy | SDT 1.0 of Power Plants Performance Monitoring System for PT PLN (Persero) UP3 Pamekasan | 23 June 2022 |

Note:

This template is an annotated outline for a software testing document. It is based on IEEE standards 829, 1008, 1012 and 1012a. This document covers: unit testing (the verification of individual sub-systems or components of the system against their specifications), integration testing (the testing of inter-operating sub-systems or components against their specifications) and system testing (both verification against the system specification, and validation against the user requirements). This template has been simplified and customized to meet the need of SCSJ2203 course at Faculty of Computing, UTM. Compiled by Ruhaidah Samsudin, PhD and checked by Masitah Ghazali, PhD and Shahida Sulaiman, PhD (revised on 14 May 2016).

TABLE OF CONTENTS

1 Introduction

- 1.1 Purpose
- 1.2 Scope
- 1.3 Definitions, Acronyms and Abbreviations
- 1.4 Reference Materials
- 1.5 System Overview

2 Test Cases

3 Test Approach Analysis

4 Additional Materials

1. INTRODUCTION

This section gives a scope and system overview description of everything included in this STD document. The purpose of this document is also described, and a list of abbreviations and definitions is provided.

1.1 Purpose

The purpose of this Software Testing Document (STD) document is to prepare templates that can be used during the testing phase. STD describes the activities of the test cases for the Power Plants Performance Monitoring System for PT PLN (Persero) UP3 Pamekasan. The test case template based on each use case is provided in this document. By referring to this document, the testing teams can understand the workflow of the system's functionalities deeper as all the detailed step actions and expected results are stated clearly in the test case templates.

1.2 Scope

The proposed system is named Power Plants Performance Monitoring System (P3MS). This system will be specially designed for PT PLN (Persero) UP3 Pamekasan to transform the manual monitoring process into a computerized system, which makes them easier to report, organize and monitor the power plants in future. A web-based system that provides various functionalities such as employee profile management, leave and overtime allowance management, schedule management and attendance record management will be implemented to benefit the organization. The design of this system is user friendly, easy to use and understand so that the end-users can learn quickly and can perform tasks by using this system. There are some limitations of this system. This system will not cover the salary, payroll and performance management of the employees.

1.3 Definitions, Acronyms and Abbreviation

| Acronyms | Definitions |
|-----------------------------------|--|
| P3MS | Power Plants Performance Monitoring System |
| SRS | Software Requirement Specification |
| PT PLN (Persero) UP3 Pamekasan | Targeted company of this system |
| UML | Unified Modelling Language |
| PIC | Person In Charge |

1.4 System Overview

This SDD document contains the test cases to be executed during the testing phase of the Power Plants Performance Monitoring System for PT PLN (Persero) UP3 Pamekasan.

2. TEST CASES, DATA AND EXPECTED RESULTS

2.1 Test TC001 for Module Recapitulation: Manage Recapitulation (UC001)

| | | | |
|------------------------------|---|----------------------|------|
| Test Case ID | TC001_1 | | |
| Test Case Description | Able to create new recapitulation. | Test Priority | High |
| Pre-Requisite | Able to login to the system as operator staff | | |

Test Execution Steps:

| No | Action | Inputs | Expected Output |
|----|------------------------------------|---|---|
| 1 | Access operator staff dashboard | - | Operator staff dashboard is displayed |
| 2 | Choose “Input Recapitulation” menu | - | Input recapitulation page is displayed |
| 3 | Select power plant type | Tipe Pembangkit: “PLTD” | List of available power plant with type “PLTD” is displayed |
| 4 | Select power plant name | Nama Pembangkit : “Mandangin” | Power plant information is full-filled |
| 5 | Select date input | Tanggal : “23 Juni 2022” | Date input is fully full-filled |
| 6 | Select recapitulation type | Tipe Rekapitulasi: “Har Rencana” | A Recapitulation with type “Har Rencana” is displayed |
| 7 | Fill recapitulation form | Unit : “Mesin 1” Kegiatan Har : “Perbaikan feeder” | Recapitulation form is full-filled |
| 8 | Click “Kirim” button | - | Successfully create recapitulation. |

| | | | |
|------------------------------|---|----------------------|------|
| Test Case ID | TC001_2 | | |
| Test Case Description | Able to view the existing recapitulation. | Test Priority | High |
| Pre-Requisite | Able to login to the system as operator staff | | |

Test Execution Steps:

| No | Action | Inputs | Expected Output |
|----|--------------------------------------|--------|---------------------------------------|
| 1 | Access operator staff dashboard | - | Operator staff dashboard is displayed |
| 2 | Choose “Recapitulation History” menu | - | Recapitulation History is displayed |
| 3 | Click one existing recapitulation | - | Recapitulation content is displayed. |

| | | | |
|------------------------------|---|----------------------|------|
| Test Case ID | TC001_3 | | |
| Test Case Description | Able to update the existing recapitulation. | Test Priority | High |
| Pre-Requisite | Able to login to the system as operator staff | | |

Test Execution Steps:

| No | Action | Inputs | Expected Output |
|----|---|--|---|
| 1 | Access operator staff dashboard | - | Operator staff dashboard is displayed |
| 2 | Choose “Recapitulation History” menu | - | Recapitulation History is displayed |
| 3 | Click on edit button in existing recapitulation | - | Edit recapitulation form is displayed. |
| 4 | Fill update recapitulation form | Unit : “Mesin 2” Kegitan Har : “Perbaikan feeder yang miring” | Update recapitulation form is full-filled |
| 5 | Click “Ubah” button | - | Successfully update recapitulation |

| | | | |
|------------------------------|---|----------------------|------|
| Test Case ID | TC001_4 | | |
| Test Case Description | Able to delete existing recapitulation. | Test Priority | High |
| Pre-Requisite | Able to login to the system as operator staff | | |

Test Execution Steps:

| No | Action | Inputs | Expected Output |
|----|---|--------|---------------------------------------|
| 1 | Access operator staff dashboard | - | Operator staff dashboard is displayed |
| 2 | Choose “Recapitulation History” menu | - | Recapitulation History is displayed |
| 3 | Click on delete button in existing recapitulation | - | Selected Recapitulation is deleted |

2.2 Test TC002 for Module Recapitulation: View Recapitulation (UC002)

| | | | |
|------------------------------|---|----------------------|------|
| Test Case ID | TC002 | | |
| Test Case Description | Able to view the existing recapitulation. | Test Priority | High |
| Pre-Requisite | Able to login to the system as PIC staff | | |

Test Execution Steps:

| No | Action | Inputs | Expected Output |
|----|--|--------|--------------------------------------|
| 1 | Access PIC staff dashboard | - | PIC staff dashboard is displayed |
| 2 | Choose “Requested Recapitulation” menu | - | Recapitulation History is displayed |
| 3 | Click one existing recapitulation | - | Recapitulation content is displayed. |

2.3 Test TC003 for Module Recapitulation: Update Recapitulation (UC003)

| | | | |
|------------------------------|---|----------------------|--------|
| Test Case ID | TC003 | | |
| Test Case Description | Able to update the existing recapitulation. | Test Priority | Medium |
| Pre-Requisite | Able to login to the system as PIC staff | | |

Test Execution Steps:

| No | Action | Inputs | Expected Output |
|----|---|--|---|
| 1 | Access PIC staff dashboard | - | PIC staff dashboard is displayed |
| 2 | Choose “Requested Recapitulation” menu | - | Requested recapitulation is displayed |
| 3 | Click on edit button in existing recapitulation | - | Edit recapitulation form is displayed. |
| 4 | Fill update recapitulation form | Unit : “Mesin 2” Kegitan Har : “Perbaikan feeder yang miring” | Update recapitulation form is full-filled |
| 5 | Click “Ubah” button | - | Successfully update recapitulation |

2.4 Test TC004 for Module Recapitulation: Evaluate Recapitulation (UC004)

| | | | |
|------------------------------|--|----------------------|------|
| Test Case ID | TC004 | | |
| Test Case Description | Able to evaluate the requested recapitulation. | Test Priority | High |
| Pre-Requisite | Able to login to the system as PIC staff | | |

Test Execution Steps:

| No | Action | Inputs | Expected Output |
|----|---|--------|--|
| 1 | Access PIC staff dashboard | - | PIC staff dashboard is displayed |
| 2 | Choose “Requested Recapitulation” menu | - | Requested recapitulation is displayed |
| 3 | Click on evaluate button in existing recapitulation | - | Evaluate recapitulation page is displayed. |
| 4 | Click “Approved” button to approve recapitulation | - | Successfully approve recapitulation |

2.5 Test TC005 for Module Report: Get Report (UC005)

| | | | |
|------------------------------|--|----------------------|------|
| Test Case ID | TC005 | | |
| Test Case Description | Able to get the generated report. | Test Priority | High |
| Pre-Requisite | Able to login to the system as operator staff or PIC staff | | |

Test Execution Steps:

| No | Action | Inputs | Expected Output |
|----|--|--|--|
| 1 | Access staff dashboard | - | Staff dashboard is displayed |
| 2 | Fill sort field to query the generated report or keep default to take current date default power plant type. | Tanggal Mulai : “23 Mei 2022” Tipe Pembangkit : “PLTD” | Generated Report will be displayed as a bar chart. |
| 3 | Choose “Download Report” menu | - | Download report page is displayed |
| 4 | Fill sort field to query the generated report | Tipe Pembangkit : “PLTD” Nama Pembangkit : “Mandangin” Tanggal Mulai : “23 Mei 2022” Tanggal Akhir : “23 Juni 2022” Tipe Rekapitulasi : “Har Rencana” | Sort field is full-filled |
| 5 | Click download button | - | Generated report will be downloaded as an excel file |

2.6 Test TC006 for Module Report: View Report (UC006)

| | | | |
|------------------------------|--|----------------------|------|
| Test Case ID | TC006 | | |
| Test Case Description | Able to view the generated report. | Test Priority | High |
| Pre-Requisite | Able to login to the system as operator staff or PIC staff | | |

Test Execution Steps:

| No | Action | Inputs | Expected Output |
|----|--|---|--|
| 1 | Access staff dashboard | - | Staff dashboard is displayed |
| 2 | Fill sort field to query the generated report or keep default to take current date default power plant type. | Tanggal Mulai : “23 Mei 2022” Tipe Pembangkit : “PLTD” | Generated Report will be displayed as a bar chart. |

2.7 Test TC007 for Module Report: Download Report (UC007)

| | | | |
|------------------------------|--|----------------------|------|
| Test Case ID | TC007 | | |
| Test Case Description | Able to download the generated report. | Test Priority | High |
| Pre-Requisite | Able to login to the system as operator staff or PIC staff | | |

Test Execution Steps:

| No | Action | Inputs | Expected Output |
|----|---|--|--|
| 1 | Access staff dashboard | - | Staff dashboard is displayed |
| 2 | Choose “Download Report” menu | - | Download report page is displayed |
| 3 | Fill sort field to query the generated report | Tipe Pembangkit : “PLTD” Nama Pembangkit : “Mandangin” Tanggal Mulai : “23 Mei 2022” Tanggal Akhir : “23 Juni 2022” Tipe Rekapitulasi : “Har Rencana” | Sort field is full-filled |
| 4 | Click download button | - | Generated report will be downloaded as an excel file |

2.8 Test TC008 for Module Master Data: View Power Plant (UC008)

| | | | |
|------------------------------|--|----------------------|--------|
| Test Case ID | TC008 | | |
| Test Case Description | Able to view all the available power plant. | Test Priority | Medium |
| Pre-Requisite | Able to login to the system as administrator | | |

Test Execution Steps:

| No | Action | Inputs | Expected Output |
|----|---------------------------|--------|---------------------------------------|
| 1 | Access admin dashboard | - | Operator staff dashboard is displayed |
| 2 | Choose “Master Data” menu | - | Master Data option is displayed |
| 3 | Click power plant option | - | Power plant list is displayed. |

2.9 Test TC009 for Module Master Data: View Material (UC009)

| | | | |
|------------------------------|--|----------------------|--------|
| Test Case ID | TC009 | | |
| Test Case Description | Able to view all the available material. | Test Priority | Medium |
| Pre-Requisite | Able to login to the system as administrator | | |

Test Execution Steps:

| No | Action | Inputs | Expected Output |
|----|------------------------------|-------------------------------------|--|
| 1 | Access admin dashboard | - | Operator staff dashboard is displayed |
| 2 | Choose “Master Data” menu | - | Master Data option is displayed |
| 3 | Click material option | - | Power plant list is displayed. |
| 4 | Click one of the power plant | Power Plant Name : “PLTD Mandangin” | List of material for PLTD Mandangin is displayed |

2.10 Test TC010 for Module Master Data: Manage Master Data (UC010)

| | | | |
|------------------------------|--|----------------------|------|
| Test Case ID | TC010_1 | | |
| Test Case Description | Able to create new master data. | Test Priority | High |
| Pre-Requisite | Able to login to the system as administrator | | |

Test Execution Steps:

| No | Action | Inputs | Expected Output |
|----|----------------------------------|---------------------------|---------------------------------------|
| 1 | Access admin dashboard | - | Operator staff dashboard is displayed |
| 2 | Choose “Master Data” menu | - | Master Data option is displayed |
| 3 | Choose one of Master Data Option | Master Data : “Unit” | Unit list is displayed |
| 4 | Click “Add” button | - | Add unit form is displayed |
| 5 | Fill unit form | Unit Name : “ULP Sumenep” | Unit form is full-filled |
| 6 | Click “Tambah” button | - | New unit is successfully added |

| | | | |
|------------------------------|--|----------------------|------|
| Test Case ID | TC010 _ 2 | | |
| Test Case Description | Able to view the existing master data. | Test Priority | High |
| Pre-Requisite | Able to login to the system as administrator | | |

Test Execution Steps:

| No | Action | Inputs | Expected Output |
|----|----------------------------------|----------------------|--|
| 1 | Access admin dashboard | - | Operator staff dashboard is displayed |
| 2 | Choose “Master Data” menu | - | Master Data option is displayed |
| 3 | Choose one of Master Data Option | Master Data : “Unit” | Unit list is displayed |
| 4 | Click one of existing unit | - | The detail of selected unit is displayed |

| | | | |
|------------------------------|--|----------------------|------|
| Test Case ID | TC010 _ 3 | | |
| Test Case Description | Able to update the existing master data. | Test Priority | High |
| Pre-Requisite | Able to login to the system as administrator | | |

Test Execution Steps:

| No | Action | Inputs | Expected Output |
|----|---|---------------------------|---------------------------------------|
| 1 | Access admin dashboard | - | Operator staff dashboard is displayed |
| 2 | Choose “Master Data” menu | - | Master Data option is displayed |
| 3 | Choose one of Master Data Option | Master Data : “Unit” | Unit list is displayed |
| 4 | Click “Edit” button on one of existing unit | - | Update unit form is displayed |
| 5 | Fill update unit form | Unit Name : “ULP Kangean” | Unit form is full-filled |
| 6 | Click “Ubah” button | - | Existing unit is successfully edited |

| | | | |
|------------------------------|--|----------------------|------|
| Test Case ID | TC010 _ 4 | | |
| Test Case Description | Able to delete the existing master data. | Test Priority | High |
| Pre-Requisite | Able to login to the system as administrator | | |

Test Execution Steps:

| No | Action | Inputs | Expected Output |
|----|---|----------------------|---------------------------------------|
| 1 | Access admin dashboard | - | Operator staff dashboard is displayed |
| 2 | Choose “Master Data” menu | - | Master Data option is displayed |
| 3 | Choose one of Master Data Option | Master Data : “Unit” | Unit list is displayed |
| 4 | Click “Delete” button on one of existing unit | - | Selected unit is successfully deleted |

2.11 Test TC011 for Module Account: Manage Admin User Account Management (UC011)

| | | | |
|------------------------------|--|----------------------|-----|
| Test Case ID | TC011_1 | | |
| Test Case Description | Able to create new admin user account. | Test Priority | Low |
| Pre-Requisite | Able to login to the system as administrator | | |

Test Execution Steps:

| No | Action | Inputs | Expected Output |
|----|-----------------------------------|--|--|
| 1 | Access admin dashboard | - | Operator staff dashboard is displayed |
| 2 | Choose “Account Manager” menu | - | Account type option is displayed |
| 3 | Choose one of account type Option | Account Type: “Admin” | Admin user account list is displayed |
| 4 | Click “Add” button | - | Add admin user account form is displayed |
| 5 | Fill admin user account form | Nama : “Admin UP3 Pamekasn 1” Username : “admin1.up3pamekasan” Password : “up3pamekasan.jaya” | Admin user account form is full-filled |
| 6 | Click “Tambah” button | - | New admin user account is successfully added |

| | | | |
|------------------------------|--|----------------------|-----|
| Test Case ID | TC011_2 | | |
| Test Case Description | Able to view, the existing admin user account. | Test Priority | Low |
| Pre-Requisite | Able to login to the system as administrator | | |

Test Execution Steps:

| No | Action | Inputs | Expected Output |
|----|--|--------------------------|--|
| 1 | Access admin dashboard | - | Operator staff dashboard is displayed |
| 2 | Choose “Account Manager” menu | - | Account type option is displayed |
| 3 | Choose one of account type Option | Account Type: “Admin” | Admin user account list is displayed |
| 4 | Click one of existing admin user account | - | The detail of selected admin user account is displayed |

| | |
|---------------------|---------|
| Test Case ID | TC011_3 |
|---------------------|---------|

| | | | |
|------------------------------|---|----------------------|-----|
| Test Case Description | Able to update the existing admin user account. | Test Priority | Low |
| Pre-Requisite | Able to login to the system as administrator | | |

Test Execution Steps:

| No | Action | Inputs | Expected Output |
|----|-----------------------------------|--|--|
| 1 | Access admin dashboard | - | Operator staff dashboard is displayed |
| 2 | Choose “Account Manager” menu | - | Account type option is displayed |
| 3 | Choose one of account type Option | Account Type: “Admin” | Admin user account list is displayed |
| 4 | Click “edit” button | - | Update admin user account form is displayed |
| 5 | Fill admin user account form | Nama : “Operator PLTD Mandangin” Username : “op_pltd_mdg” Password : “up3pamekasan.mdg” Pembangkit : “PLTD Mandangin” Tipe Staff : “Operator” | Admin user account form is full-filled |
| | Click “Ubah” button | - | Existing admin user account is successfully edited |

| | |
|---------------------|---------|
| Test Case ID | TC011_4 |
|---------------------|---------|

| | | | |
|------------------------------|---|----------------------|-----|
| Test Case Description | Able to delete the existing admin user account. | Test Priority | Low |
| Pre-Requisite | Able to login to the system as administrator | | |

Test Execution Steps:

| No | Action | Inputs | Expected Output |
|----|--|--------------------------|---|
| 1 | Access admin dashboard | - | Operator staff dashboard is displayed |
| 2 | Choose “Account Manager” menu | - | Account type option is displayed |
| 3 | Choose one of account type Option | Account Type: “Admin” | Admin user account list is displayed |
| 4 | Click “Delete” button one of existing admin user account | - | Selected admin user account is successfully deleted |

2.12 Test TC012 for Module Account: Manage Staff User Account Management (UC012)

| | | | |
|------------------------------|--|----------------------|------|
| Test Case ID | TC012_1 | | |
| Test Case Description | Able to create new staff user account. | Test Priority | High |
| Pre-Requisite | Able to login to the system as administrator | | |

Test Execution Steps:

| No | Action | Inputs | Expected Output |
|----|-----------------------------------|--|--|
| 1 | Access admin dashboard | - | Operator staff dashboard is displayed |
| 2 | Choose “Account Manager” menu | - | Account type option is displayed |
| 3 | Choose one of account type Option | Account Type: “Staff” | Staff user account list is displayed |
| 4 | Click “Add” button | - | Add staff user account form is displayed |
| 5 | Fill staff user account form | Nama : “Operator PLTD Mandangin1” Username : “op_pltd_mdg1” Password : “up3pamekasan.mdg” Pembangkit : “PLTD Mandangin” Tipe Staff : “Operator” | Staff user account form is full-filled |
| 6 | Click “Tambah” button | - | New staff user account is successfully added |

| | | | |
|------------------------------|---|----------------------|------|
| Test Case ID | TC012 _ 2 | | |
| Test Case Description | Able to view the existing staff user account. | Test Priority | High |
| Pre-Requisite | Able to login to the system as administrator | | |

Test Execution Steps:

| No | Action | Inputs | Expected Output |
|----|--|--------------------------|--|
| 1 | Access admin dashboard | - | Operator staff dashboard is displayed |
| 2 | Choose “Account Manager” menu | - | Account type option is displayed |
| 3 | Choose one of account type Option | Account Type: “Staff” | Staff user account list is displayed |
| 4 | Click one of existing staff user account | - | The detail of selected staff user account is displayed |

| | | | |
|------------------------------|---|----------------------|------|
| Test Case ID | TC012 _ 3 | | |
| Test Case Description | Able to update the existing staff user account. | Test Priority | High |
| Pre-Requisite | Able to login to the system as administrator | | |

Test Execution Steps:

| No | Action | Inputs | Expected Output |
|----|-----------------------------------|--|--|
| 1 | Access admin dashboard | - | Operator staff dashboard is displayed |
| 2 | Choose “Account Manager” menu | - | Account type option is displayed |
| 3 | Choose one of account type Option | Account Type: “Staff” | Staff user account list is displayed |
| 4 | Click “edit” button | | Update staff user account form is displayed |
| 5 | Fill staff user account form | Nama : “Admin UP3 Pamekasn 2” Username : “admin2.up3pamekasan” Password : “up3pamekasan.jaya” | Staff user account form is full-filled |
| 6 | Click “Ubah” button | - | Exisitng staff user account is successfully edited |

| | | | |
|------------------------------|---|----------------------|------|
| Test Case ID | TC012_4 | | |
| Test Case Description | Able to delete the existing staff user account. | Test Priority | High |
| Pre-Requisite | Able to login to the system as administrator | | |

Test Execution Steps:

| No | Action | Inputs | Expected Output |
|----|--|--------------------------|---|
| 1 | Access admin dashboard | - | Operator staff dashboard is displayed |
| 2 | Choose “Account Manager” menu | - | Account type option is displayed |
| 3 | Choose one of account type Option | Account Type: “Staff” | Staff user account list is displayed |
| 4 | Click “Delete” button one of existing staff user account | - | Selected staff user account is successfully deleted |

2.13 Test TC013 for Module Authentication: Sign In (UC013)

| | | | |
|------------------------------|--|----------------------|------|
| Test Case ID | TC013 | | |
| Test Case Description | Able to authenticate the user account credential | Test Priority | High |
| Pre-Requisite | A valid user account | | |

Test Execution Steps:

| No | Action | Inputs | Expected Output |
|----|---|---|---|
| 1 | Access to the system login portal based on user type. | - | Login portal is viewed |
| 2 | Input login credential | Username : “op.pltd.mandangin” Password : “up3pamekasannmdg” | Login credential field is full-filled |
| 3 | Click “Masuk” button | - | User will be redirected to the dashboard page based on user type. |

Appendix D Gantt Chart

PSM1 Gantt Chart

| | Week 1 | Week 2 | Week 3 | Week 4 | Week 5 | Week 6 | Week 7 | Week 8 | Week 9 | Week 10 | Week 11 | Week 12 | Week 13 | Week 14 | Week 15 | Week 16 | Week 17 | Week 18 | Week 19 | Week 20 |
|---------------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| Project title & Super Visor Selection | | | | | | | | | | | | | | | | | | | | |
| Interview With Stakeholder | | | | | | | | | | | | | | | | | | | | |
| Chapter 1 | | | | | | | | | | | | | | | | | | | | |
| Submission of Project Proposal | | | | | | | | | | | | | | | | | | | | |
| Project Proposal Correction | | | | | | | | | | | | | | | | | | | | |
| Chapter 2 | | | | | | | | | | | | | | | | | | | | |
| Literature Review | | | | | | | | | | | | | | | | | | | | |
| Chapter 3 | | | | | | | | | | | | | | | | | | | | |
| System Requirement Analysis | | | | | | | | | | | | | | | | | | | | |
| SRS | | | | | | | | | | | | | | | | | | | | |
| Methodology | | | | | | | | | | | | | | | | | | | | |
| System Architecture Design | | | | | | | | | | | | | | | | | | | | |
| Database Design | | | | | | | | | | | | | | | | | | | | |
| User Interface Design | | | | | | | | | | | | | | | | | | | | |
| Review Requirement | | | | | | | | | | | | | | | | | | | | |
| Refine Use Cases | | | | | | | | | | | | | | | | | | | | |
| UML Modelling | | | | | | | | | | | | | | | | | | | | |
| SDD | | | | | | | | | | | | | | | | | | | | |
| Refine User Interface | | | | | | | | | | | | | | | | | | | | |
| Finalise All Function | | | | | | | | | | | | | | | | | | | | |
| Generate Test Cases | | | | | | | | | | | | | | | | | | | | |
| STD | | | | | | | | | | | | | | | | | | | | |
| Combine Proposal | | | | | | | | | | | | | | | | | | | | |
| Refine Proposal | | | | | | | | | | | | | | | | | | | | |
| PSM1 Presentation | | | | | | | | | | | | | | | | | | | | |

PSM 2 Gantt Chart

| | Week 1 | Week 2 | Week 3 | Week 4 | Week 5 | Week 6 | Week 7 | Week 8 | Week 9 | Week 10 | Week 11 | Week 12 | Week 13 | Week 14 | Week 15 | Week 16 | Week 17 | Week 18 | Week 19 | Week 20 |
|----------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| Requirement Analysis and Design | | | | | | | | | | | | | | | | | | | | |
| Validate Requirement | | | | | | | | | | | | | | | | | | | | |
| Refine SRS | | | | | | | | | | | | | | | | | | | | |
| Refine Project Scopes | | | | | | | | | | | | | | | | | | | | |
| Design Phase | | | | | | | | | | | | | | | | | | | | |
| Review System Design | | | | | | | | | | | | | | | | | | | | |
| Convert Prototype to Source Code | | | | | | | | | | | | | | | | | | | | |
| Implement Software Component | | | | | | | | | | | | | | | | | | | | |
| Refine User Interface | | | | | | | | | | | | | | | | | | | | |
| Refine Test Case | | | | | | | | | | | | | | | | | | | | |
| Test Plan | | | | | | | | | | | | | | | | | | | | |
| Test Execution | | | | | | | | | | | | | | | | | | | | |
| Unit Testing | | | | | | | | | | | | | | | | | | | | |
| Integration Testing | | | | | | | | | | | | | | | | | | | | |
| Resolve Defects | | | | | | | | | | | | | | | | | | | | |
| Review Requirement | | | | | | | | | | | | | | | | | | | | |
| Refine SDD | | | | | | | | | | | | | | | | | | | | |
| Refine User Interface | | | | | | | | | | | | | | | | | | | | |
| Fix All Bugs | | | | | | | | | | | | | | | | | | | | |
| Quality Assurance | | | | | | | | | | | | | | | | | | | | |
| User Acceptance Testing | | | | | | | | | | | | | | | | | | | | |
| Refine Report | | | | | | | | | | | | | | | | | | | | |