Day 053 | Unit 04 | Teacher plan

Numeric and Algebraic Expressions

Write Expressions from Words

Standards: 6.EE.A.2a, 6.EE.B.6

Learning target: I can translate words and situations into expressions.

enVision Topic 3: Numeric and Algebraic Expressions | Spectrum companion Chapter 5

0–5 minutes / Launch

Read the target. Ask for an estimate or a sketch before calculating. Connect the new idea to the previous lesson.

5–17 / Model

Use Worked Example 1, then Example 2. Ask students to name the next step and explain a choice. Define the variable first. Use parentheses for a sum or difference that must stay together. Read subtraction carefully: five less than n means n - 5, while five minus n means 5 - n.

17–42 / Practice

Assign questions 1–10 in order. Use 1–3 for foundations, 4–7 for application, and 8–10 for state-format response and reasoning. The example button provides a separate question with a worked method.

42–50 / Discuss and check

Compare representations. Review a selected answer and a plausible error. Use question 10 as an exit discussion; ask students to check units, scale, or substitution.

Support and extension

Offer number lines, fraction strips, grid paper, or a table template as appropriate. Read multi-part directions one part at a time. For extension, ask for another representation or a counterexample.

Companion and state alignment

Use the matching skill in the edition you own. No unverified publisher page numbers are assigned. AASA references below identify related public sample items by standard and format; all course questions are original.

AASA sample item references: 14, 20

Day 053 | Unit 04 | Lesson

Numeric and Algebraic Expressions

Write Expressions from Words

Standards: 6.EE.A.2a, 6.EE.B.6

Learning target: I can translate words and situations into expressions.

enVision Topic 3: Numeric and Algebraic Expressions | Spectrum companion Chapter 5

01 / Learn

Define the variable first. Use parentheses for a sum or difference that must stay together. Read subtraction carefully: five less than n means n - 5, while five minus n means 5 - n.

Worked example 1

Write an expression for 2 less than n.

1. Define the variable first.

2. Use parentheses for a sum or difference that must stay together.

3. Start with n, then subtract the named amount.

4. State the result in the form requested: n - 2.

Answer: n - 2

Worked example 2

A student buys x markers at $4 each and y folders at $5 each, then uses one $3 coupon. Part A: enter an expression for the total cost. Part B: explain why the coupon is subtracted only once.

1. Define the variable first.

2. Marker cost is 4x

3. folder cost is 5y.

4. Add these subtotals, then subtract the one fixed coupon of 3.

5. An expression does not need an equals sign.

Answer: 4x + 5y - 3

Day 053 | Your turn

Work in order: foundation → application → explanation. Show calculations and label units.

01 / Constructed response

Write an expression for 7 less than n.

02 / Constructed response

Write an expression for 5 less than n.

03 / Constructed response

Write an expression for 8 less than n.

04 / Constructed response

Write an expression for 6 times the sum of x and 4.

05 / Constructed response

Write an expression for 7 times the sum of x and 6.

06 / Constructed response

Write an expression for 3 times the sum of x and 7.

07 / Constructed response

A ticket costs $4. A group buys n tickets and pays a single $7 booking fee. Define n and write the total-cost expression. Evaluate it for n = 4.

08 / Expression entry and reasoning

A student buys x markers at $6 each and y folders at $4 each, then uses one $3 coupon. Part A: enter an expression for the total cost. Part B: explain why the coupon is subtracted only once.

09 / Expression entry and reasoning

A student buys x markers at $4 each and y folders at $2 each, then uses one $3 coupon. Part A: enter an expression for the total cost. Part B: explain why the coupon is subtracted only once.

10 / Constructed response

A ticket costs $7. A group buys n tickets and pays a single $3 booking fee. Define n and write the total-cost expression. Evaluate it for n = 3.

Day 053 | Unit 04 | Answer key

Numeric and Algebraic Expressions

Write Expressions from Words

Standards: 6.EE.A.2a, 6.EE.B.6

Learning target: I can translate words and situations into expressions.

1. n - 7

Start with n, then subtract the named amount.

6.EE.A.2a, 6.EE.B.6 | Constructed response

2. n - 5

Start with n, then subtract the named amount.

6.EE.A.2a, 6.EE.B.6 | Constructed response

3. n - 8

Start with n, then subtract the named amount.

6.EE.A.2a, 6.EE.B.6 | Constructed response

4. 6(x + 4)

Group the sum before multiplying.

6.EE.A.2a, 6.EE.B.6 | Constructed response

5. 7(x + 6)

Group the sum before multiplying.

6.EE.A.2a, 6.EE.B.6 | Constructed response

6. 3(x + 7)

Group the sum before multiplying.

6.EE.A.2a, 6.EE.B.6 | Constructed response

7. n = ticket count; 4n + 7; $23

Ticket cost is 4 × n; add the one-time fee 7.

6.EE.A.2a, 6.EE.B.6 | Constructed response

8. 6x + 4y - 3

Marker cost is 6x; folder cost is 4y. Add these subtotals, then subtract the one fixed coupon of 3. An expression does not need an equals sign.

6.EE.A.2a, 6.EE.B.6 | Expression entry and reasoning

9. 4x + 2y - 3

Marker cost is 4x; folder cost is 2y. Add these subtotals, then subtract the one fixed coupon of 3. An expression does not need an equals sign.

6.EE.A.2a, 6.EE.B.6 | Expression entry and reasoning

10. n = ticket count; 7n + 3; $24

Ticket cost is 7 × n; add the one-time fee 3.

6.EE.A.2a, 6.EE.B.6 | Constructed response