Errata for: **"Probing the Universe: A Geometrical View for Observers of Spacetime Physics"**

Robin W. Tucker and Timothy J. Walton (Springer: 2026)

❖

A list of typographical errors and correction for the book will be kept here. Corrections are emphasised in **red** text.

Please email TWalton@lancashire.ac.uk if you find any typographical errors not already listed.

---

page 16: The third displayed equation on this page should read:

$$\boldsymbol{v}_P(t) \;=\; -R_0 \sin(\,\Phi(t)\,)\,\dot{\boldsymbol{\Phi}}(t)\,\boldsymbol{i}_1 + R_0 \cos(\,\Phi(t)\,)\,\dot{\boldsymbol{\Phi}}(t)\,\boldsymbol{i}_2$$

---

page 74: The displayed equation below equation (5.36) should read:

$$\begin{aligned} 0 \diamond \boldsymbol{\xi} \;&=\; \boldsymbol{\xi} \\ \tau_1 \diamond (\tau_2 \diamond \boldsymbol{\xi}) \;&=\; (\tau_1 \boxtimes \tau_2) \diamond \boldsymbol{\xi} \end{aligned}$$

---

page 177: The line immediately below the first displayed equation should read:

"In the $\mathbf{g}_{\mathbb{R}^3}$-orthonormal cobasis for..."

---

page 248: The line immediately below the penultimate displayed equation on this page should read:

"Since the g-trace of g is $\mathrm{Tr}^{(\mathrm{g})}(\mathrm{g}) = 4$, taking..."

---

page 285: The line directly above the only displayed equation on this page should read:

"Since $\Pi^{\perp}_{Q}(W') = \boldsymbol{W}$, both the spacelike..."

---

page 290: The sentence directly preceding equation (15.45) should read:

"Recalling $W \equiv \mathbf{\Pi}^{\perp}_{\mathbf{Q}}(W')$ where Q is geodesic with $\mathrm{g}(Q,Q) = -L_0^2$ and W' is Lie-parallel with respect to Q, the vector fields Q, W **satisfy** the conditions..."

---

page 376: The last displayed equation on this page should read:

$$\begin{aligned}\mathcal{G}_c &= \mathcal{R}\star e_c - 2(i_a P_c)\star e^a + \mathbf{2}(i_c i_a i_b\,\mathfrak{D}T^b)\star e^a \\ &= \mathcal{R}\star e_c - 2\star P_c - 2i_a(i_c i_b\,\mathfrak{D}T^b)\star e^a\end{aligned}$$

---

page 380: The line immediately below the first displayed equation should read:

"...is a type-preserving *derivation* on the algebra of exterior forms on $\mathcal{M}$ **(see appendix H for further details)** that commutes with the exterior derivative..."

There is also a typographical error here: the 8th line below equation (20.8) should read

"...equality modulo d will below be **denoted** by..."

---

page 382: The line immediately below equation (20.13) should read:

"...of the interior operator $i_c \equiv i_{\boldsymbol{X_c}}$,..."

---

page 383: The top displayed equation on this page should read:

$$\psi_2 = \dot{e}^{\boldsymbol{a}}\wedge e^b\wedge\star R_{ab}.$$

The displayed equation between (20.17) and (20.18) should read:

$$\begin{aligned}\mathfrak{D}\star e^{ab} &= \frac{1}{2}\,\epsilon^{ab}{}_{cd}\,\mathfrak{D}e^{cd} = \frac{1}{2}\,\epsilon^{ab}{}_{cd}\left(T^c\wedge e^d - e^c\wedge T^d\right) \\ &= \epsilon^{ab}{}_{cd}\,T^c\wedge e^d = T_c\wedge\star e^{abc}\end{aligned}$$

---

page 384: The line of text above equation (20.22) should read:

"In this case the 3-forms $\{\mathcal{G}_c^{(\mathrm{EH})} \equiv -\frac{\mathbf{1}}{\mathbf{2}}\mathcal{G}_c\}$ define..."

---

page 385: Equation (20.24) should read:

$$\begin{aligned}\Lambda_{\mathrm{TOTAL}}(e,\omega,A,\phi,\overline{\phi}) \equiv\ & \frac{\mathbf{1}}{\mathbf{2}\boldsymbol{\kappa}}\,R_{ab}(\omega)\wedge\star e^{ab} - \frac{\mathbf{1}}{\mathbf{2}}\kappa_A dA\wedge\star dA \\ &+ \frac{\mathbf{1}}{\mathbf{2}}\kappa_1\mathrm{Re}\left(\overline{\mathfrak{D}_{\mathrm{U}(1)}\phi}\wedge\star\mathfrak{D}_{\mathrm{U}(1)}\phi\right) \\ &+ \frac{\mathbf{1}}{\mathbf{2}}\kappa_2\,\phi\,\overline{\phi}\star 1 + \kappa_3\,R_{ab}(\omega)\wedge R^{ab}(\omega)\end{aligned} \tag{20.24}$$

The change in minus sign here could be absorbed into the coupling constant κ_A but is changed to be consistent with later sections.

---

page 386: Equation (20.30) should read:

$$\mathcal{I}_{\rm EH}[e,\omega] \equiv \frac{\mathbf{1}}{\mathbf{2}\kappa}\int_{\mathcal{M}} R_{ab}(\omega)\wedge\star(\,e^a\wedge e^b\,), \tag{20.30}$$

and the displayed equation below (20.30) becomes:

$$\mathcal{G}_c^{(\rm EH)} \equiv -\frac{\mathbf{1}}{\mathbf{2}}\,R_{ab}\wedge i_c\star(\,e^a\wedge e^{\boldsymbol{b}}\,) \;=\; 0, \quad a,b,c=0,1,2,3,\; e^a(X_c) \;=\; \delta^a_c$$

$$T^c \;=\; 0.$$

page 388: Equation (20.31) should read:

$$\texttt{Ein} \equiv (\star^{-1}\mathcal{G}_c^{(\rm EH)})\otimes e^c \;=\; \kappa\,(\star^{-1}\tau_c^{(\rm SOURCE)})\otimes e^c. \tag{20.31}$$

page 392: The first equation of section 20.4 should read:

$$\mathcal{I}_{\rm EH}[e,\omega] \equiv \frac{\mathbf{1}}{\mathbf{2}\boldsymbol{\kappa}}\int_{\mathcal{M}} R_{ab}(\omega)\wedge\star(\,e^a\wedge e^b\,), \tag{20.30}$$

and the second equation becomes:

$$\mathcal{I}_{\rm SOURCE}[e,A,\phi,\overline{\phi}] \equiv -\frac{\mathbf{1}}{\mathbf{2}}\kappa_A\int_{\mathcal{M}}\Lambda_2(e,A) + \frac{\mathbf{1}}{\mathbf{2}}\kappa_1\Big(\int_{\mathcal{M}}\Lambda_1(e,A,\phi,\overline{\phi}) + \mu^2\int_{\mathcal{M}}\Lambda_3(e,\phi,\overline{\phi})\Big) \qquad (\kappa_1,\mu\in\mathbb{R})$$

page 393: The third displayed equation on this page should read:

$$\widehat{\boldsymbol{\delta}}\boldsymbol{\Lambda_3(e,\phi,\overline{\phi})} \;=\; \mathrm{Re}\left(\dot{\phi}\wedge\star\overline{\phi}+\phi\wedge\star\dot{\overline{\phi}}+\dot{e}^c\wedge\Big[\,\phi\wedge i_c\star\overline{\phi}-i_c\overline{\phi}\wedge\star\phi\Big]\right).$$

The fourth displayed equation should be:

$$\widehat{\boldsymbol{\delta}}\boldsymbol{\Lambda_3(e,\phi,\overline{\phi})} \;=\; \mathrm{Re}\left(\dot{\phi}\,\overline{\phi}+\dot{\overline{\phi}}\,\phi\right)\star 1+\dot{e}^c\wedge\Big[\,\phi\,\overline{\phi}\star e_c\Big],$$

the fifth displayed equation should read:

$$\begin{aligned}\widehat{\boldsymbol{\delta}}\boldsymbol{\Lambda_2(e,A)} \;&=\; d\widehat{\delta}A\wedge\star dA+dA\wedge\star\widehat{\delta}dA+\dot{e}^c\wedge[\,dA\wedge i_c\star dA-i_cdA\wedge\star dA\,]\\ &=\; d\dot{A}\wedge\star F+F\wedge\star d\dot{A}+\dot{e}^c\wedge[\,F\wedge i_c\star F-i_cF\wedge\star F\,]\end{aligned}$$

and the last displayed equation on the page should be:

$$\widehat{\boldsymbol{\delta}}\boldsymbol{\Lambda_2(e,A)} \;\simeq\; 2\,\dot{A}\wedge d\star F+\dot{e}^c\wedge[\,F\wedge i_c\star F-i_cF\wedge\star F\,].$$

page 394: The first displayed equation on this page should read:

$$\widehat{\delta}\boldsymbol{\Lambda_1(e,A,\phi,\overline{\phi})} \;=\; \mathrm{Re}\,\Big(\,\widehat{\delta}\mathfrak{D}_{\mathrm{U}(1)}\overline{\phi}\wedge\star\mathfrak{D}_{\mathrm{U}(1)}\phi+\widehat{\delta}\mathfrak{D}_{\mathrm{U}(1)}\phi\wedge\star\mathfrak{D}_{\mathrm{U}(1)}\overline{\phi}$$
$$+\dot{e}^c\wedge\left[-\mathfrak{D}_{\mathrm{U}(1)}\overline{\phi}\wedge i_c\star\mathfrak{D}_{\mathrm{U}(1)}\phi-i_c\mathfrak{D}_{\mathrm{U}(1)}\phi\wedge\star\mathfrak{D}_{\mathrm{U}(1)}\overline{\phi}\right]\,\Big)\,.$$

The second displayed equation on this page should read:

$$\widehat{\delta}\mathfrak{D}_{\mathrm{U}(1)}\phi \;=\; d\dot{\phi}+i\hat{s}\,A\,\dot{\phi}+i\hat{s}\,\dot{A}\,\phi \;=\; \mathfrak{D}_{\mathrm{U}(1)}\dot{\phi}+i\hat{s}\,\dot{A}\,\phi$$
$$\widehat{\delta}\,\mathfrak{D}_{\mathrm{U}(1)}\overline{\phi} \;=\; d\dot{\overline{\phi}}-i\hat{s}\,A\,\dot{\overline{\phi}}-i\hat{s}\,\dot{A}\,\overline{\phi} \;=\; \overline{\mathfrak{D}}_{\mathrm{U}(1)}\,\dot{\overline{\phi}}-i\hat{s}\,\dot{A}\,\overline{\phi}.$$

The last equation on the page should be:

$$\widehat{\delta}\boldsymbol{\Lambda_1(e,A,\phi,\overline{\phi})} \;=\; \mathrm{Re}\left\{\mathfrak{D}_{\mathrm{U}(1)}\dot{\overline{\phi}}\wedge\star\mathfrak{D}_{\mathrm{U}(1)}\phi+\mathfrak{D}_{\mathrm{U}(1)}\dot{\phi}\wedge\star\mathfrak{D}_{\mathrm{U}(1)}\overline{\phi}\right\}$$
$$-\;2\hat{s}\,\dot{A}\;\wedge\mathrm{Im}\left(\phi\wedge\star\overline{\mathfrak{D}_{\mathrm{U}(1)}\phi}\right)$$
$$-\;\dot{e}^c\wedge\mathrm{Re}\left(\mathfrak{D}_{\mathrm{U}(1)}\phi\wedge i_c\star\mathfrak{D}_{\mathrm{U}(1)}\overline{\phi}-i_c\mathfrak{D}_{\mathrm{U}(1)}\overline{\phi}\wedge\star\mathfrak{D}_{\mathrm{U}(1)}\phi\right)\,.$$

---

page 395: The fourth displayed equation on this page should read:

$$\mathrm{Re}\left\{\mathfrak{D}_{\mathrm{U}(1)}\dot{\phi}\wedge\star\overline{\mathfrak{D}_{\mathrm{U}(1)}\phi}+\mathfrak{D}_{\mathrm{U}(1)}\dot{\overline{\phi}}\wedge\star\mathfrak{D}_{\mathrm{U}(1)}\phi\right\}$$
$$\simeq\;\mathrm{Re}\left\{-\dot{\phi}\wedge\mathfrak{D}_{\mathrm{U}(1)}\star\mathfrak{D}_{\mathrm{U}(1)}\overline{\phi}-\dot{\overline{\phi}}\wedge\mathfrak{D}_{\mathrm{U}(1)}\star\mathfrak{D}_{\mathrm{U}(1)}\phi\right\}.$$

The fifth displayed equation on this page should read:

$$\widehat{\delta}\boldsymbol{\Lambda_1(e,A,\phi,\overline{\phi})}\;\simeq\;\mathrm{Re}\left\{-\dot{\phi}\wedge\mathfrak{D}_{\mathrm{U}(1)}\star\mathfrak{D}_{\mathrm{U}(1)}\overline{\phi}-\dot{\overline{\phi}}\wedge\mathfrak{D}_{\mathrm{U}(1)}\star\mathfrak{D}_{\mathrm{U}(1)}\phi\right\}$$
$$-\;2\hat{s}\,\dot{A}\wedge\mathrm{Im}\left(\phi\wedge\star\mathfrak{D}_{\mathrm{U}(1)}\overline{\phi}\right)$$
$$-\;\dot{e}^c\wedge\mathrm{Re}\left(\mathfrak{D}_{\mathrm{U}(1)}\phi\wedge i_c\star\overline{\mathfrak{D}_{\mathrm{U}(1)}\phi}-i_c\overline{\mathfrak{D}_{\mathrm{U}(1)}\phi}\wedge\star\mathfrak{D}_{\mathrm{U}(1)}\phi\right)\,.$$

The displayed equation immediately above equation (20.37) should read:

$$\widehat{\widehat{\delta}}\left(\mathcal{I}_{\mathrm{EH}}[e,\omega]+\mathcal{I}_{\mathrm{SOURCE}}[e,A,\phi,\overline{\phi}]\right)\;\simeq\;0,$$

---

page 396: Equation (20.38) should read:

$$\kappa_A \, d \star F + \kappa_1 \, \hat{s} \, \mathrm{Im}\left(\phi \star \overline{\mathfrak{D}_{\mathrm{U}(1)}\phi}\right) = 0 \tag{0.1}$$

and the equation immediately following it becomes:

$$\mathcal{J} \equiv - \frac{\epsilon_0 \, \kappa_1 \, \hat{s}}{\kappa_A} \, \mathrm{Im}\left(\phi \star \overline{\mathfrak{D}_{\mathrm{U}(1)}\phi}\right).$$

Equation (20.39) should read:

$$\frac{\mathcal{G}_c^{(\mathrm{EH})}}{\kappa} = \tau_c \tag{20.39}$$

and the text immediately after this displayed equation becomes:

"where $\mathcal{G}_c^{(\mathrm{EH})} \equiv -\frac{1}{2} R_{ab} \wedge i_c \star e^{ab} \ldots$".

The displayed equation after (20.39) should read:

$$\tau_c = \frac{\kappa_A}{2} \left(\boldsymbol{i_c F \wedge \star F - F \wedge i_c \star F} \right)$$

$$- \frac{\boldsymbol{\kappa_1}}{\boldsymbol{2}} \, \mathrm{Re}\left(\mathfrak{D}_{\mathrm{U}(1)}\phi \wedge i_c \star \mathfrak{D}_{\mathrm{U}(1)}\overline{\phi} - i_c \overline{\mathfrak{D}_{\mathrm{U}(1)}\phi} \wedge \star \mathfrak{D}_{\mathrm{U}(1)}\phi - \frac{\boldsymbol{\mu^2}}{\boldsymbol{2}} \, \boldsymbol{\phi \, \overline{\phi} \star e_c} \right) \qquad (c = 0, 1, 2, 3).$$

The text in the first paragraph immediately below the last displayed equation of this page should be:

"Note $[\tau_c] = \mathbf{M}[c_0^2]$. Since the $\dot{\omega}_{ab}$ partial variations in $\mathcal{I}_{\mathrm{EH}}[e, \omega]$ *and* $\mathcal{I}_{\mathrm{SOURCE}}[e, A, \phi, \overline{\phi}]$ yield a set of zero-torsion connection 1-forms (see section above), if these are assumed to be metric-compatible with respect to the metric tensor $\mathrm{g} = \eta_{ab} \, e^a \otimes e^b$ then (20.37), (20.38), (20.20) constitute the necessary conditions for the functional $\mathcal{I}_{\mathbf{EH}}[e, \omega] + \mathcal{I}_{\mathbf{SOURCE}}[e, A, \phi, \overline{\phi}]$ to be extremal and (20.39) yields a *Levi-Civita Einstein tensor field equation with sources*. "

page 402: The penultimate displayed equation on this page should read:

$$\mathrm{T}^{(\mathrm{MAX})}(X_0, X_0) = (\star \tau_c^{(\mathrm{MAX})})(X_0) \, \boldsymbol{\delta_0^c} = i_0(\star \tau_0^{(\mathrm{MAX})})$$

page 405: The second displayed equation in section 21.1 should read:

$$(\nabla \cdot \Xi)(\boldsymbol{Y}) \equiv (\nabla_{X_a} \Xi)(X^a, Y) \qquad \text{for all } Y \in \Gamma T\mathcal{U}_{\mathcal{M}}.$$

page 411: There is an typographical mistake on this page. The paragraph immediately under the first displayed equation should read:

> where the image of the coherently-oriented 3-chains Σ_{t_1} and Σ_{t_2} are spacelike hypersurfaces (with spacelike tangent vectors), and $\mathcal{T}$ is a timelike 3-chain (whose image has timelike tangent vectors). We shall call $\mathcal{T}$ a 3-dimensional *world tube* and **identify** $\mathcal{U}_{\mathcal{M}}$ as the *history* $\mathcal{U}_{\mathcal{M}}[t_1, t_2]$ of Σ_{t_1} from t_1 to t_2.

---

page 414: Equation (22.8) should read:

$$\mathcal{G}_a^{(\mathrm{EH})} \;=\; \kappa\, \tau_a^{(\mathrm{SOURCE})}, \qquad a = 0, 1, 2, 3. \tag{22.8}$$

The text immediately following this line should then read:

"Recall that it follows from $\left[\mathcal{G}_a^{(\mathrm{EH})}\right]$ and ...".

Equation (22.9) should read:

$$\mathcal{G}_a^{(\mathrm{EH})} \;=\; \kappa \sum_N \tau_a^N \;\equiv\; \kappa\, \tau_a^{(\mathrm{SOURCE})}. \tag{22.9}$$

---

page 418: The first displayed equation on this page should read:

$$J^{(V)}_{K_j} \;\equiv\; -\frac{\boldsymbol{c_0}}{\boldsymbol{L_0^2}}\, i_V \tau^{(\mathrm{MAX})}_{K_j}, \qquad \boldsymbol{[K_j]} \;=\; \frac{\mathbf{T}}{\mathbf{L}}, \qquad (j = 1, 2, 3).$$

The penultimate displayed equation on this page should read:

$$\star(F \wedge \star F) \;=\; \frac{L_0^2}{8\pi^2 \epsilon_0^2} \left(\frac{q_2^2}{2r^4} + \frac{q_1 q_2 (r^2 - x^3 d_0)}{\boldsymbol{r^3}((x^1)^2 + (x^2)^2 + (x^3 - d_0)^2)^{3/2}} + \frac{q_1^2}{2((x^1)^2 + (x^2)^2 + (x^3 - d_0)^2)^2} \right)$$


---

page 488: The first displayed equation on this page should read:

$$\frac{1}{L_0} \mathrm{g}_{\mathrm{PG}}(\dot{C}, X_0)\Big|_{C(\tau)} \;=\; -\dot{T}(\tau)$$

$$\frac{1}{L_0^2} \mathrm{g}_{\mathrm{PG}}(\dot{C}, \dot{C})\Big|_{C(\tau)} \;=\; -\left(1 - \frac{\Sigma}{R(\tau)}\right) \dot{T}(\tau)^2 + 2\sqrt{\frac{\Sigma}{R(\tau)}}\, \dot{T}(\tau)\dot{R}(\tau) + \dot{R}(\tau)^2 + R(\tau)^2 \left(\dot{\Theta}(\tau)^2 + \sin^2(\,\boldsymbol{\Theta}(\tau)\,)\dot{\Phi}(\tau)^2\right).$$

page 491: The axis labels $(\,T(\tau), R(\tau)\,)$ in Fig. 30.1 are the wrong way round and need to be swapped. The figure should be as follows:



---

page 573: The penultimate displayed equation on this page should read:

$$f(r^*) \equiv r^* + \frac{(\Sigma_1^2 - 2\boldsymbol{\Sigma_2^2})}{\sqrt{4\Sigma_2^2 - \Sigma_1^2}} \arctan\left(\frac{2r^* - \Sigma_1}{\sqrt{4\Sigma_2^2 - \Sigma_1^2}}\right) + \frac{\Sigma_1}{2} \ln\left((r^*)^2 - \Sigma_1 r^* + \Sigma_2^2\right).$$

---

page 574: The first displayed equation on this page has an extra dr^* in the first term that needs removing. It should read:

$$\begin{cases} \Psi^* dt = d(\,\Psi^* t\,) = d(\,t^* + f(r^*)\,) = dt^* + \dfrac{dr^*}{1 - \frac{\Sigma_1}{r^*} + \frac{\Sigma_2^2}{(r^*)^2}} \\ \Psi^* dr = d(\,\Psi^* r\,) = dr^* \\ \Psi^* d\theta = d(\,\Psi^* \theta\,) = d\theta^* \\ \Psi^* d\phi = d(\,\Psi^* \phi\,) = d(\,\phi^*\,) = d\phi^* \end{cases}$$

The Reissner-Nordström -star metric (30.180) should then read:

$$\frac{\mathsf{g}_{\mathrm{RN}^*}}{L_0^2} \equiv \frac{\Psi^* \mathsf{g}_{\mathrm{RN}}^{(t,r,\theta,\phi)}}{L_0^2} = -\left(1 - \frac{\Sigma_1}{r^*} + \frac{\Sigma_2^2}{(r^*)^2}\right) dt^* \otimes dt^* - dt^* \otimes dr^* - dr^* \otimes dt^* + (r^*)^2 \left(d\theta^* \otimes d\theta^* + \sin^2(\theta^*)\, d\phi^* \otimes d\phi^*\right). \tag{30.180}$$

---

page 659: Equation (34.14) for the Bopp-Podolsky field equations should read:

$$d \star \mathcal{F} + \lambda_0^2\, d\delta d \star \mathcal{F} = 0 \tag{34.14}$$

The change in sign here ensures the static, spherically symmetric solution is finite as $r \to 0$. This correction contributes to a number of changes over the next few pages.

---

page 660: Equation (34.16) for the Bopp-Podolsky field equations should read:

$$\begin{aligned} d \star \mathcal{F} + \lambda_0^2\, d\delta d \star \mathcal{F} &= d\delta d\alpha \wedge \Pi + \lambda_0^2\, d\delta d\delta d\alpha \wedge \Pi \\ &= d\left(\delta d\alpha + \lambda_0^2\, \delta d\delta d\alpha\right) \wedge \Pi = 0. \end{aligned} \tag{34.16}$$

The following equation also needs correcting:

$$\Box\alpha + \lambda_0^2 \Box^2 \alpha = 0, \qquad \Box\alpha \neq 0, \tag{34.17}$$

as does the final displayed equation of the page which should read:

$$\Box\alpha + \frac{1}{\lambda_0^2}\alpha = 0, \qquad \lambda_0 \neq 0.$$

---

page 688: Equation (35.8) for the action functional should read:

$$I[C] = \int_{t_1}^{t_2} \widehat{\mathscr{L}}(\boldsymbol{q}, \dot{\boldsymbol{q}}, t)\Big|_{\boldsymbol{C(t)}}\, dt \tag{34.8}$$

and equation (35.9) for the variation should be:

$$\begin{aligned} I[C + \boldsymbol{h}] - I[C] &= \int_{t_1}^{t_2} \left\{\widehat{\mathscr{L}}(\boldsymbol{q} + \boldsymbol{h}, \dot{\boldsymbol{q}} + \dot{\boldsymbol{h}}, t) - \widehat{\mathscr{L}}(\boldsymbol{q}, \dot{\boldsymbol{q}}, t)\right\}\Big|_{\boldsymbol{C(t)}}\, dt \\ &= \int_{t_1}^{t_2} \left\{\frac{\partial \widehat{\mathscr{L}}}{\partial \boldsymbol{q}}\boldsymbol{h} + \frac{\partial \widehat{\mathscr{L}}}{\partial \dot{\boldsymbol{q}}}\dot{\boldsymbol{h}}\right\}\Big|_{\boldsymbol{C(t)}}\, dt + O\left(\|\boldsymbol{h}\|^2\right). \end{aligned} \tag{34.9}$$

page 690: Equation (35.13) needs correcting as follows:

$$K[C] \;=\; \int_{\tau_1}^{\tau_2} \widehat{\mathscr{L}}(\boldsymbol{q},\, {}^{[1]}\boldsymbol{q},\, {}^{[2]}\boldsymbol{q}, \ldots,\, {}^{[N]}\boldsymbol{q},\, \tau)\,\Big|_{C(\tau)}\, d\tau. \tag{35.13}$$

The text underneath this equation should then read:

> "It is straightforward to generalise the variational methods indicated in (35.9) for the case $N = 1$ to the functional with $N > 1$. The isolation of the variation $\boldsymbol{h}$ can then be performed by a series of N integrations-by-parts to yield the necessary conditions for C to be an extremal **curve** $C \equiv (\,C^1(\tau), C^2(\tau), \ldots, C^J(\tau)\,)$ of $K[C]$. For notational clarification . . .".

and then the following equation (the second displayed equation on the page) should read:

$$\left\{\begin{array}{rcl} \boldsymbol{q} & = & (q^1, q^2, \ldots, q^J) \\ {}^{[1]}\boldsymbol{q} & = & ({}^{[1]}q^1, {}^{[1]}q^2, \ldots, {}^{[1]}q^J) \\ {}^{[2]}\boldsymbol{q} & = & ({}^{[2]}q^1, {}^{[2]}q^2, \ldots, {}^{[2]}q^J) \\ & \vdots & \\ {}^{[N]}\boldsymbol{q} & = & ({}^{[N]}q^1, {}^{[N]}q^2, \ldots, {}^{[N]}q^J) \end{array}\right. \qquad \text{where} \qquad n \;=\; 1, 2, \ldots, J \equiv \dim(\mathcal{Q}).$$

The next displayed equation for the Euler-Lagrange system and the text lead-in should read:

> given by **the extremum of (35.13):**

$$\frac{\partial \widehat{\mathscr{L}}}{\partial q^i}\bigg|_{C(\tau)} + \sum_{s=1}^{N} (-1)^s \frac{d}{d\tau^s}\left(\frac{\partial \widehat{\mathscr{L}}}{\partial ({}^{[s]}q^i)}\bigg|_{C(\tau)}\right) \;=\; 0 \qquad (i = 1, 2, \ldots, J).$$

The final displayed equation on the page and the text lead-in also need editing, as follows:

> For example, if $n = 2$ and $N = 2$ with $\widehat{\mathscr{L}} \equiv \widehat{\mathscr{L}}(\boldsymbol{q}, {}^{[1]}\boldsymbol{q}, {}^{[2]}\boldsymbol{q}, \tau)$ one then has for $i = 1, 2$:

$$0 \;=\; \frac{\partial \widehat{\mathscr{L}}}{\partial q^i}\bigg|_{C(\tau)} - \frac{d}{d\tau}\left(\frac{\partial \widehat{\mathscr{L}}}{\partial ({}^{[1]}q^i)}\bigg|_{C(\tau)}\right) + \frac{d^2}{d\tau^2}\left(\frac{\partial \widehat{\mathscr{L}}}{\partial ({}^{[2]}q^i)}\bigg|_{C(\tau)}\right).$$