

Integrating the Map of Developmental Repair

with Dr. Scott Lyons and Mariah Rooney

AGENDA

The 8-Phase Map


Q & A

Breakout Sessions



THE 8-PHASE MAP

The 8-Phase Map of Developmental Repair



HUB: Cultivating Somatic Awareness

ASSESSMENT

You are in this phase when:

- The client is beginning to notice sensation, posture, impulse, breath, or emotion
- There is increased contact with present-moment experience
- The practitioner is tracking somatic shifts as they arise
- Awareness expands or collapses depending on proximity to activation
- Client can stay in contact enough to remain curious

PRACTICES

As practitioner:

- Slow time down intentionally
- Orient the client to the present sensory field
- Name subtle shifts in sensation or breath
- Pendulate awareness between activation & resource
- Support interoceptive precision (micro-awareness)
- Ask brief, embodied questions:
 - *“What are you noticing now?”*
 - *“Where do you feel contact?”*
 - *“What happens as you stay with that?”*
- Anchor attention in the here-and-now body
- Invite shared tracking between both nervous systems
- Reinforce a stance of curiosity over meaning-making

1 - Pattern Recognition

(posture, gesture, breath, relational stance)

ASSESSMENT

You are in this phase when:

- Somatic, emotional, or relational sequences repeat
- Gestures or micro-movements recur without completing
- Similar relational responses emerge across topics
- Symptom clusters loop in predictable ways
- The cycle does not resolve or satisfy

PRACTICES

As practitioner:

- Gently mirror what you observe repeating
- Highlight patterns without pathologizing
- Enlarge subtle signals through amplification
- Help the client stay with the repeating impulse
- Explore how the body sustains the pattern
- Assess what is over-used and what is absent
- Support curiosity about the loop:
 - *“Let’s notice when this shows up again.”*

This phase is about **recognition, not resolution.**

2 - Contact / Access Into the Wound

ASSESSMENT

Signs you are entering access:

- There is a sudden intensification or collapse in experience
- Emotional expression emerges spontaneously
- The client is touched by the deeper impact
- They feel the weight or significance of the pattern
- Something old is being touched through the now

PRACTICES

As practitioner:

- Reduce stimulation and complexity
- Maintain grounded contact with the client
- Titrate entry (never force)
- Invite the smallest feelable piece
- Orient the client to safety in this moment
- Track breath, muscle tone, eyes, and orientation
- Help differentiate then vs now
- Repeatedly return to resourcing without abandoning the contact

3 - Process & Discernment

(the “soup” phase)

ASSESSMENT

Indicators:

- Confusion emerges
- Emotional and cognitive clarity dissolves
- Compensatory structures become visible
- The client struggles to know what they feel or want
- Things blur, conflict, or contradict

PRACTICES

As practitioner:

- Normalize confusion AS process
- Reinforce safety while in the unknown
- Support the body to bear ambiguity
- Bring in relational attunement
- Help identify what is known (even if small)
- Slow and soften internal urgency
- Separate fused experiences or meanings
- Introduce gentle counter-positions:
 - *“What if both could be true?”*
 - *“What happens if we pause in the not-knowing?”*

Do not rush clarity.
This is the digestion phase.

4 - Discovering the Blocked Developmental Movement

ASSESSMENT

Look for:

- Interrupted or incomplete movement
- Missing sequencing or flow
- Disorganized or fragmented movement
- Avoidance of certain spatial directions
- Difficulty with motor initiation
- Inability to embody push, reach, yield, pull, orient
- Difficulty choosing or committing
- Narrowing of movement possibility

PRACTICES

As practitioner:

- Observe where movement halts or collapses
- Follow the incomplete movement slowly
- Support micro-completions (tiny steps)
- Explore underlying impulse (push, pull, reach, turn, orient)
- Name what cannot yet occur
- Allow the body to experiment safely
- Offer just enough support or resistance for organization to emerge
- Help connect movement with meaning only afterward, not during

Focus on restoring **organizing sequences**, not performing them.

5 - Providing the Missing Experience / Repatterning Reflexes & Rhythms

ASSESSMENT

Indicators:

- A new developmental impulse awakens
- The body attempts something unfamiliar
- The client senses a possibility they never had
- Relational field shifts from reenactment to repair
- The system leans toward what should have happened originally

PRACTICES

As practitioner:

- Offer the experience that was absent:
 - *protection, attunement, support, encouragement, presence, boundary, softening, stillness*
- Allow the body to complete sequences (movement-based)
- Co-create new relational experiences
- Offer counter-shape when appropriate
- Reinforce agency AND safety
- Allow the client to feel received

TWO PATHS: Internally generated / Relationally generated

This is where **repair** unfolds.

6 - Grief, Relief, Awe

ASSESSMENT

Occurs when:

- Emotional release emerges spontaneously
- Deep tears, shaking, exhaling, softening arise
- Grief surfaces over what was lost
- Relief arises over receiving what was missing
- Awe emerges in the realization of possibility

PRACTICES

As practitioner:

- Witness with grounded presence
- Say LESS not more
- Validate grief without rescuing
- Allow time for the body to reorganize
- Slow movement and language significantly
- Reinforce permission to feel
- Maintain relational contact without agenda

Here the system **lets go**.

7 - Reconstitution of Identity & Meaning-Making

ASSESSMENT

Look for:

- Self-perception shifts
- New capacities recognized
- Narratives update
- More agency, less collapse
- Increased complexity & nuance
- Shame loses dominance

PRACTICES

As practitioner:

- Invite reflection on what has changed
- Help articulate new identity statements
- Affirm new internal organization
- Reflect back tangible differences
- Support imagining new relational possibilities
- Explore the “*who am I now?*”

This phase is not about idealization — it’s about **integration of truth**.

8 - Integration Into Embodied Life

(completion & flow)

ASSESSMENT

You see:

- New behavior in daily life
- New relational choices
- New boundaries enacted
- Faster recovery after activation
- Increased adaptability
- Emerging coherence

PRACTICES

As practitioner:

- Explore how the new capacity is showing up in life
- Identify where the client wants to bring this forward
- Rehearse real-world applications somatically
- Outline supportive structures
- Normalize setbacks
- Reinforce capacity rather than performance
- Help track flow and cyclic return

Integration is **lived**, not conceptual.



QUESTIONS

The background of the slide is a solid brown color. It is decorated with white, hand-drawn style wavy lines. One line starts in the top right corner and curves downwards. Another line starts in the bottom left corner and curves upwards. A third line starts in the bottom right corner and curves upwards. These lines create a sense of movement and organic shape.

BREAKOUT SESSIONS

Discussion Prompts

1. What supports do you rely on in your own body when a client enters activation or collapse?
2. What does “providing the missing experience” look like in your scope of practice—emotionally, relationally, somatically?
3. What’s your relationship to witnessing awe or relief—how do you stay present without over-interpreting or celebrating too quickly?