




Sheet: /
File: DrunkEarPhoneAdapter.kicad_sch


Title:


Size: A3	Date:	**Rev:**
KiCad E.D.A. 10.0.6		Id: 1/7


+3V3_D
L4
BLM15AG601SN1D
100nF 50V C108
C97 1uF 25V X5R
100nF 50V
C18
GND
100nF 50V C100
C69 100nF 50V
C56 100nF 50V
NRST
VDDIO2
+3V3_D
STM32G0B1VCT6
VDD/VDDA
VDDIO2
VBAT
VREF+
PF0-OSC_IN
PF1-OSC_OUT
PF2-NRST
PF3
PF4
PF5
PF6
PF7
PF8
PF9
PF10
PF11
PF12
PF13
PHONE_EN
PC0
PC1
PC2
PC3
PC4
PC5
PC6
PC7
PC8
PC9
PC10
PC11
PC12
PC13
PC14-OSC32_IN
PC15-OSC32_OUT
I2S2_SD
UART_TX
UART_RX
UCPD1_FRSTX1
For headset buttons decoding
JACK_SLEEVE
R14 100kΩ
ADC1_IN4
C49 10nF 50V X7R
R15 100kΩ
GND
ADC1_IN0
ADC1_IN1
ADC1_IN2
ADC1_IN3
ADC1_IN4
I2S1_CK
I2S1_SD
UCPD1_CC1
UCPD1_DBCC1
UCPD1_DBCC2
USB_DN
USB_DP
SWDIO
SWCLK
PA0
PA1
PA2
PA3
PA4
PA5
PA6
PA7
PA8
PA9
PA10
PA11[PA9]
PA12[PA10]
PA13
PA14-BOOT0
PA15
PD0
PD1
PD2
PD3
PD4
PD5
PD6
PD7
PD8
PD9
PD10
PD11
PD12
PD13
PD14
PD15
UCPD2_CC1
UCPD2_DBCC1
UCPD2_CC2
UCPD2_DBCC2
CLOCK_EN_24_576
CLOCK_EN_22_5792
CS_RESET/
USB_DIR
USB_DIR_SW
I2S1_WS
I2S2_WS
I2S2_CK
I2C1_SCL
I2C1_SDA
PB0
PB1
PB2
PB3
PB4
PB5
PB6
PB7
PB8
PB9
PB10
PB11
PB12
PB13
PB14
PB15
PE0
PE1
PE2
PE3
PE4
PE5
PE6
PE7
PE8
PE9
PE10
PE11
PE12
PE13
PE14
PE15
GPIO_EXTI0
GPIO_EXTI1
GPIO_EXTI2
GPIO_EXTI3
VSS
VSS/VSSA
GND
+3V3_D
R11 2.2kΩ
R12 2.2kΩ
I2C1_SCL
I2C1_SDA
UCPD1_DBCC1 100kΩ R31
UCPD1_DBCC2 100kΩ R32
UCPD2_DBCC1 100kΩ R33
UCPD2_DBCC2 100kΩ R34
GND
UCPD1_CC1
UCPD1_FRSTX1
R39 100kΩ
Q3 DMG1012T-7
GND
+3V3_D
SWDIO
SWCLK
NRST
J3 SWD
GND
+3V3_D
UART_RX
UART_TX
J4 UART
GND
USB_DIR_SW
47kΩ R26
+3V3_D
GND
SW1 SSSS811101
GND
+3V3_D
C100 100nF 50V
C37 4.7uF 16V
GND
C54 100nF 50V
C39 4.7uF 16V
Sheet: /mcu/
File: mcu.kicad_sch
Title:
Size: A4
Date:
Rev:
KiCad E.D.A. 10.0.6
Id: 2/7





Sheet: /dac/		
File: dac.kicad_sch		
Title:		
Size: A3	Date:	**Rev:**
KiCad E.D.A. 10.0.6		Id: 3/7



USB_CHR_ISENSE
R27
7mΩ 500mW
D1
PMEG4010CEH_115
PWR_IN
USB_CHR_VBUS
R18
10mΩ 500mW
D3
PMEG4010CEH_115
USB_PHONE_VBUS
USB_PHONE_ISENSE
C54
2.2uF 50V X7R
C55
2.2uF 50V X7R
U16
ESDA25P35-1U1M
U15
ESDA25P35-1U1M
GND
GDPg
GDPs
CSD17577Q3A
Q1
CSD17577Q3A
Q2
Phone side
U4
TCPP03-M20
+3V3_D
ADC_PHONE_IANA
R9
1kΩ
C19
1nF 50V
C78
100nF 50V
UCPD1_CC1
UCPD1_CC2
GDPg
GDPs
USB_PHONE_VBUS
USB_PHONE_ISENSE
R24
47kΩ
PHONE_EN
PHONE_INT/
I2C1_SCL
I2C1_SDA
I2C_ADD
I2C addr: 0x34
USB_PHONE_CC1
VSENSE_PHONE
C87
100nF 50V
Disabled by default
PHONE_EN
R36
100kΩ
Charger side
U5
TCPP03-M20
ADC_CHR_IANA
R16
1kΩ
C21
1nF 50V
C74
100nF 50V
UCPD2_CC1
UCPD2_CC2
USB_CHR_VBUS
USB_CHR_ISENSE
R25
47kΩ
CHR_INT/
I2C1_SCL
I2C1_SDA
I2C_ADD
I2C addr: 0x35
USB_CHR_CC1
USB_CHR_CC2
VSENSE_CHR
C68
100nF 50V
R30
10kΩ
R21
130kΩ
VSENSE_PHONE
ADC_PHONE_VBUS
R19
549Ω
C20
1nF 50V
R22
10kΩ
R35
10kΩ
R28
130kΩ
R20
549Ω
C22
1nF 50V
R29
10kΩ
Charger side
USB1
2130830005
USB_CHR_VBUS
USB_CHR_CC1
USB_CHR_DP
USB_CHR_DN
USB_CHR_CC2
C28
330pF 50V
C29
330pF 50V
C30
330pF 50V
USB_PHONE_CC1
I2C1_SCL
I2C1_SDA
UCPD1_CC1
UCPD1_CC2
UCPD2_CC1
UCPD2_CC2
USB_DN
USB_DP
USB_DIR
USB_STM_DN
USB_STM_DP
ADC_PHONE_VBUS
ADC_PHONE_IANA
ADC_CHR_VBUS
ADC_CHR_IANA
PHONE_INT/
CHR_INT/
PHONE_EN
USB bypass switch
U3
TS3USB221RSER
USB_STM_DP
USB_STM_DN
USB_CHR_SAFE_DP
USB_CHR_SAFE_DN
USB_PHONE_SAFE_DP
USB_PHONE_SAFE_DN
C84
100nF 50V
USB_DIR
R42
100kΩ
ESD
L8
ECMF02-2AMX6
L7
ECMF02-2AMX6
D_P
D_N
Phone side
USBC3
USBC4
Sheet: /ucpd/
File: ucpd.kicad_sch
Title:
Size: A3
Date:
Rev:
KiCad E.D.A. 10.0.6
Id: 4/7





Sheet: /power/		
File: power.kicad_sch		
Title:		
Size: A4	Date:	**Rev:**
KiCad E.D.A. 10.0.6		Id: 5/7


+3V3_D
R13
10kΩ
HEADSET
MIC1N
1uF 25V X5R
C47
GMS0
HP_GND
GMS1
JACK_SLEEVE
1uF 25V X5R
C48
MIC1P
+3V3_D
R10
10kΩ
INT/
C95
100nF 50V
C96
100nF 50V
CLKIN
I2S_CK
SDIN grounded!
I2S_WS
I2S_SD
HEADSET
+1V8_CP
L6
BLM15AG601SN1D
CPTOP
1uF 25V X5R
C46
CPBOT
C99
100nF 50V
1uF 25V X5R
C38
CPTOP
GMS0
GMS1
CPBOT
MCLK/DMIC_SDA
DVDD
PVDD
DGND
SCLK
SDIN
LRCK
SDOUT
HEADSET
INTOUT
CPVDD
CPTOP
GMS0
CPGND
GMS1
CPBOT
EP
33
CCLK
CDATA
CE
SDINOUT1/DMIC_SCL
MIC2P
MIC2N
MIC1P
MIC1N
VMID
ADCVREF
AGND
AVDD
DACVREF
LOUT
ROUT
CPVSSP
I2C_SCL
I2C_SDA
I2C addr: 0x18
MIC1P
MIC1N
C43
1uF 25V X5R
C42
1uF 25V X5R
C41
1uF 25V X5R
1uF 25V X5R
C45
U6
ES8327
GND
L5
BLM15AG601SN1D
+3V3_A
1uF 25V X5R
C36
C105
100nF 50V
HP_GND
JACK_SLEEVE
INT/
I2S_CK
I2S_SD
I2S_WS
I2C_SCL
I2C_SDA
CLKIN
HP_GND
JACK_SLEEVE
INT/
I2S_CK
I2S_SD
I2S_WS
I2C_SCL
I2C_SDA
CLKIN
Sheet: /adc/
File: adc.kicad_sch
Title:
Size: A4
Date:
Rev:
KiCad E.D.A. 10.0.6
Id: 6/7











Sheet: /headset/
File: headset.kicad_sch

Title:

Size: A4	Date:	**Rev:**
KiCad E.D.A. 10.0.6		Id: 7/7