drunkwater
code refactoring
clone leetcode
C and C++ solutions on leetcode
Date
Solutions Table

drunkwater

```
# @filename : leetcode

# @author : Copyright (C) drunkwater

# @date : Tue Jan 16 12:59:51 HKT 2018

# @function :

# @see :

# @require :
```

```
/*
# @filename : leetcode
# @author : Copyright (C) drunkwater
# @date : Tue Jan 16 12:59:51 HKT 2018
# @function :
# @see :
# @require :
*/
```

code refactoring

You can run bash | code_refactoring.bash | to reset the whole **leetcode** project.

clone leetcode

c/c++ full answers and solutions of leetcode on Linux.

leetcode, solutions, answers, c, cpp, full tested.

git clone https://github.com/drunkwater/leetcode.git --depth=1

C and C++ solutions on leetcode

https://leetcode.com/

Date

Sat Apr 21 22:15:27 China Standard Time 2018

Solutions Table

#	leetcode Title	С	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	Difficulty
1	two-sum		<u>C#</u>	C++		-	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
7	reverse-integer	<u>C</u>		<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
9	palindrome-number	<u>C</u>	<u>C#</u>		Go	Java		Kotlin		Python3	Ruby			-
		<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	Java	JavaScript		Python			Scala	Swift	easy
13	roman-to-integer	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
14	longest-common-prefix	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
20	<u>valid-parentheses</u>	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
21	merge-two-sorted-lists	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	lava	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
26	remove-duplicates-from-sorted-array	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	lava	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
27	<u>remove-element</u>	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	<u>Swift</u>	easy
28	<u>implement-strstr</u>	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>lava</u>	<u>JavaScript</u>	Kotlin	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	easy
35	search-insert-position	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	lava	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	easy
38	count-and-say	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	lava	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	easy
53	maximum-subarray	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	<u>lavaScript</u>	<u>Kotlin</u>	<u>Python</u>	Python3	Ruby	<u>Scala</u>	<u>Swift</u>	easy
58	length-of-last-word	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>lava</u>	<u>JavaScript</u>	Kotlin	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	easy
66	<u>plus-one</u>	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	lava	<u>JavaScript</u>	Kotlin	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	easy
67	add-binary	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	JavaScript	<u>Kotlin</u>	Python	Python3	Ruby	<u>Scala</u>	<u>Swift</u>	easy
69	sartx	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>lava</u>	lavaScript	<u>Kotlin</u>	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	easy
70	<u>climbing-stairs</u>	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>lava</u>	<u>lavaScript</u>	<u>Kotlin</u>	<u>Python</u>	Python3	Ruby	<u>Scala</u>	<u>Swift</u>	easy
83	remove-duplicates-from-sorted-list	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	lava	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	easy
88	merge-sorted-array	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	Java	<u>lavaScript</u>	Kotlin	Python	Python3	Ruby	<u>Scala</u>	<u>Swift</u>	easy
100	same-tree	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	lava	JavaScript	Kotlin	Python	Python3	Ruby	Scala	<u>Swift</u>	easy
101	symmetric-tree	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	<u>Java</u>	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	<u>Swift</u>	easy
104	maximum-depth-of-binary-tree	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	lava	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
107	binary-tree-level-order-traversal-ii	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
108	convert-sorted-array-to-binary-search-tree	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	lava	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
110	balanced-binary-tree	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	lava	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
111	minimum-depth-of-binary-tree	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	easy
112	path-sum	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	<u>Python</u>	Python3	Ruby	Scala	Swift	easy
118	pascals-triangle	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
119	pascals-triangle-ii	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
121	best-time-to-buy-and-sell-stock	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
122	best-time-to-buy-and-sell-stock-ii	<u>C</u>	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
125	valid-palindrome	<u>c</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
136	single-number	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
141	linked-list-cycle	<u>C</u>	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
155	min-stack	<u>C</u>	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
157	read-n-characters-given-read4	<u></u>	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
160	intersection-of-two-linked-lists	C	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
167	two-sum-ii-input-array-is-sorted	<u>c</u>	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
168	excel-sheet-column-title	<u>c</u>	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
169	majority-element	<u>c</u>	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
170	two-sum-iii-data-structure-design	<u>c</u>	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
171	excel-sheet-column-number	<u>c</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
172	factorial-trailing-zeroes	<u>c</u>	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
189	rotate-array		<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
190	reverse-bits	<u>C</u>	<u>C#</u>	C++			JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	
191		<u>C</u>			<u>Go</u>	<u>Java</u>								easy
	number-of-1-bits	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
198	house-robber	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	<u>Java</u>	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
202	happy-number	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
203	remove-linked-list-elements	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
204	<u>count-primes</u>	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
205	isomorphic-strings	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
206	reverse-linked-list	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	<u>JavaScript</u>	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
217	<u>contains-duplicate</u>	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	<u>Java</u>	<u>JavaScript</u>	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
219	contains-duplicate-ii	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy

#	leetcode Title	С	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	Difficulty
225	implement-stack-using-queues	<u>C</u>	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
226	invert-binary-tree	C	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
231	power-of-two	<u>c</u>	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
232	implement-queue-using-stacks	<u>c</u>	C#	C++	Go	Java	lavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
234	palindrome-linked-list	C	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
	lowest-common-ancestor-of-a-binary-				_						_			
235	search-tree	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
237	delete-node-in-a-linked-list	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	lava	<u>lavaScript</u>	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
242	valid-anagram	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	lava	<u>lavaScript</u>	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
243	shortest-word-distance	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	<u>Java</u>	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	<u>Swift</u>	easy
246	strobogrammatic-number	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	<u>Java</u>	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	<u>Swift</u>	easy
252	meeting-rooms	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	<u>Java</u>	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	<u>Swift</u>	easy
256	paint-house	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	lava	lavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
257	binary-tree-paths	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	lavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
258	add-digits	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	lavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
263	ugly-number	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	<u>Java</u>	JavaScript	<u>Kotlin</u>	Python	Python3	Ruby	<u>Scala</u>	<u>Swift</u>	easy
266	palindrome-permutation	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
268	missing-number	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
270	closest-binary-search-tree-value	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	<u>JavaScript</u>	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
276	paint-fence	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
278	<u>first-bad-version</u>	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	<u>JavaScript</u>	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
283	move-zeroes	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
290	word-pattern	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	lava	<u>JavaScript</u>	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
292	nim-game	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
293	flip-game	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	lava	<u>JavaScript</u>	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
303	range-sum-guery-immutable	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
326	power-of-three	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	easy
339	nested-list-weight-sum	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
342	power-of-four	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	easy
344	reverse-string	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
345	reverse-vowels-of-a-string	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	lava	<u>JavaScript</u>	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
346	moving-average-from-data-stream	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
349	intersection-of-two-arrays	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
350	intersection-of-two-arrays-ii	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
359	logger-rate-limiter	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
367	valid-perfect-square	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
371	sum-of-two-integers	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
374	guess-number-higher-or-lower	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
383	ransom-note	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
387	first-unique-character-in-a-string	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
389	find-the-difference	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	<u>JavaScript</u>	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
400	nth-digit	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
401	binary-watch	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
404	sum-of-left-leaves	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
405	convert-a-number-to-hexadecimal	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	<u>JavaScript</u>	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
408	valid-word-abbreviation	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
409	longest-palindrome	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
412	fizz-buzz	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
414	third-maximum-number	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
415	add-strings	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
422	valid-word-square	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
434	number-of-segments-in-a-string	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
437	path-sum-iii	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
438	find-all-anagrams-in-a-string	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
441	arranging-coins	<u>c</u>	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
443	string-compression	C	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
														_

#	leetcode Title	С	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	Difficulty
447	number-of-boomerangs	<u>C</u>	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
448	find-all-numbers-disappeared-in-an-array	C	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
453	minimum-moves-to-equal-array-elements	C	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
455	assign-cookies	C	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
459	repeated-substring-pattern	C	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
461	hamming-distance	C	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
463	island-perimeter	<u>C</u>	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
475	heaters	C	C#	C++	Go	lava	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
476	number-complement	C	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
479	largest-palindrome-product	C	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
482	license-key-formatting	<u>C</u>	<u>C#</u>	C++	Go	lava	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
485	max-consecutive-ones	C	C#	C++	Go	lava	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
492	construct-the-rectangle	<u>C</u>	C#	C++	Go	lava	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
496	next-greater-element-i	<u>c</u>	C#	C++	Go	lava	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
500	keyboard-row	<u>c</u>	C#	C++	Go	lava	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
501	find-mode-in-binary-search-tree	<u>c</u>	C#	C++	Go	lava	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
504	base-7	<u>c</u>	<u>C#</u>	C++	Go	lava	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
506	relative-ranks	<u>c</u>	<u>C#</u>	C++	Go	lava	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
507	perfect-number	<u>c</u>	<u>C#</u>	C++	Go	lava	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
520	detect-capital	<u>c</u>	C#	C++	Go	lava	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
521	longest-uncommon-subsequence-i	<u>C</u>	C#	C++	Go	lava	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
530	minimum-absolute-difference-in-bst	<u>c</u>	C#	C++	Go	lava	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
532	k-diff-pairs-in-an-array	<u>c</u>	C#	C++	Go	lava	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
538	convert-bst-to-greater-tree	<u>c</u>	C#	C++	Go	lava	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
541	reverse-string-ii	<u>c</u>	<u>C#</u>	C++	Go	lava	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
543	diameter-of-binary-tree	<u>C</u>	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
551	student-attendance-record-i	<u>C</u>	<u>C#</u>	C++	Go	lava	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
557	reverse-words-in-a-string-iii	<u>c</u>	C#	C++	Go	lava	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
561	array-partition-i	<u>C</u>	<u>C#</u>	C++	Go	lava	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
563	binary-tree-tilt	<u>C</u>	C#	C++	Go	lava	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
566	reshape-the-matrix	<u>C</u>	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
572	subtree-of-another-tree	C	C#	C++	Go	lava	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
575	distribute-candies	<u>C</u>	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
581	shortest-unsorted-continuous-subarray	<u>C</u>	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
594	longest-harmonious-subsequence	C	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
598	range-addition-ii	C	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
599	minimum-index-sum-of-two-lists	<u>C</u>	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
604	design-compressed-string-iterator	<u>C</u>	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
605	can-place-flowers	<u>C</u>	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
606	construct-string-from-binary-tree	C	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
617	merge-two-binary-trees	<u>C</u>	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
624	maximum-distance-in-arrays	C	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
628	maximum-product-of-three-numbers	C	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
633	sum-of-square-numbers	C	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
637	average-of-levels-in-binary-tree	<u>C</u>	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
643	maximum-average-subarray-i	<u>C</u>	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
645	<u>set-mismatch</u>	C	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
653	two-sum-iv-input-is-a-bst	C	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
657	judge-route-circle	C	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
661	image-smoother	C	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
665	non-decreasing-array	C	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
669	trim-a-binary-search-tree	C	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
671	second-minimum-node-in-a-binary-tree	C	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
	longest-continuous-increasing-													
674	subsequence	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
							JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	

#	leetcode Title	С	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	Difficulty
682	baseball-game	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
686	repeated-string-match	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
687	longest-univalue-path	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
690	employee-importance	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
693	binary-number-with-alternating-bits	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
695	max-area-of-island	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
696	count-binary-substrings	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
697	degree-of-an-array	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
717	1-bit-and-2-bit-characters	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
720	longest-word-in-dictionary	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
724	find-pivot-index	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
728	self-dividing-numbers	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	<u>Java</u>	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	easy
733	flood-fill	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	<u>Java</u>	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
734	sentence-similarity	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	<u>Java</u>	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	easy
744	find-smallest-letter-greater-than-target	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	<u>Java</u>	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
746	min-cost-climbing-stairs	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	<u>Java</u>	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	easy
747	largest-number-at-least-twice-of-others	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	<u>JavaScript</u>	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
751	<u>ip-to-cidr</u>	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	<u>JavaScript</u>	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
758	bold-words-in-string	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	<u>Java</u>	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
760	find-anagram-mappings	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
762	prime-number-of-set-bits-in-binary- representation	<u>c</u>	<u>C#</u>	<u>C++</u>	Go	<u>lava</u>	JavaScript	<u>Kotlin</u>	Python	Python3	Ruby	<u>Scala</u>	Swift	easy
766	toeplitz-matrix	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	<u>JavaScript</u>	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
771	jewels-and-stones	C	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
783	minimum-distance-between-bst-nodes	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
784	letter-case-permutation	C	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
788	rotated-digits	C	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
796	rotate-string	C	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
800	similar-rgb-color	C	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
804	unique-morse-code-words	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
806	number-of-lines-to-write-string	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
811	subdomain-visit-count	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
812	largest-triangle-area	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
819	most-common-word	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	easy
blank	blank	blank	blank	blank	blank	blank	blank	blank	blank	blank	blank	blank	blank	blank
2	add-two-numbers	<u>C</u>	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
3	longest-substring-without-repeating- characters	<u>c</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
5	longest-palindromic-substring	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
6	zigzag-conversion	<u>C</u>	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
8	string-to-integer-atoi	C	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
11	container-with-most-water	<u>c</u>	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
12	integer-to-roman	C	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
15	3sum	<u>C</u>	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
16	3sum-closest	C	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
17	letter-combinations-of-a-phone-number	<u>c</u>	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
18	4sum	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
19	remove-nth-node-from-end-of-list	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
22	generate-parentheses	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
24	swap-nodes-in-pairs	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
29	divide-two-integers	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
31	next-permutation	<u>C</u>	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
33	search-in-rotated-sorted-array	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
34	search-for-a-range	<u>C</u>	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
36	valid-sudoku	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium

#	leetcode Title	С	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	Difficulty
40	combination-sum-ii	<u>C</u>	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
43	multiply-strings	<u>C</u>	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
46	permutations	<u>C</u>	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
47	permutations-ii	<u>C</u>	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
48	rotate-image	<u>C</u>	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
49	group-anagrams	<u>_</u>	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
50	powx-n	<u>C</u>	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
54	spiral-matrix	<u>c</u>	C#	C++	Go	lava	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
55	jump-game	<u>c</u>	<u>C#</u>	C++	Go	Java	lavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
56	merge-intervals	<u>c</u>	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
59	spiral-matrix-ii		<u>C#</u>	<u>C++</u>						Python3			Swift	medium
60	permutation-sequence	<u>C</u>		<u>C++</u>	<u>Go</u>	Java	<u>JavaScript</u>	Kotlin Kotlin	Python Python	Python3	Ruby	<u>Scala</u>		medium
61		<u>C</u>	<u>C#</u>		<u>Go</u>	lava					Ruby	Scala	Swift	
	rotate-list	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	lava	<u>lavaScript</u>	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	medium
62	unique-paths	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	<u>lava</u>	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
63	unique-paths-ii	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>lava</u>	<u>JavaScript</u>	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
64	minimum-path-sum	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	lava	<u>lavaScript</u>	Kotlin	<u>Python</u>	Python3	Ruby	Scala	Swift	medium
71	simplify-path	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	<u>JavaScript</u>	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
73	<u>set-matrix-zeroes</u>	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	Java	lavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
74	search-a-2d-matrix	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	<u>Java</u>	<u> avaScript</u>	Kotlin	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	medium
75	<u>sort-colors</u>	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	<u>JavaScript</u>	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	medium
77	combinations	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>lava</u>	<u>JavaScript</u>	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	medium
78	<u>subsets</u>	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	lava	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	medium
79	word-search	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	<u>lavaScript</u>	Kotlin	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	medium
80	remove-duplicates-from-sorted-array-ii	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	<u>lavaScript</u>	Kotlin	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	medium
81	search-in-rotated-sorted-array-ii	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>lava</u>	<u>JavaScript</u>	Kotlin	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	medium
82	remove-duplicates-from-sorted-list-ii	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	lava	JavaScript	Kotlin	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	medium
86	partition-list	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>lava</u>	JavaScript	Kotlin	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	medium
89	gray-code	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>lava</u>	JavaScript	Kotlin	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	medium
90	subsets-ii	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	medium
91	decode-ways	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	lavaScript	<u>Kotlin</u>	Python	Python3	Ruby	<u>Scala</u>	<u>Swift</u>	medium
92	reverse-linked-list-ii	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	lavaScript	Kotlin	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	medium
93	restore-ip-addresses	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>lava</u>	lavaScript	Kotlin	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	medium
94	binary-tree-inorder-traversal	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
95	unique-binary-search-trees-ii	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
96	unique-binary-search-trees	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
98	validate-binary-search-tree	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
102	binary-tree-level-order-traversal	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
103	binary-tree-zigzag-level-order-traversal	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
105	construct-binary-tree-from-preorder-and- inorder-traversal	<u>c</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
106	construct-binary-tree-from-inorder-and- postorder-traversal	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
109	convert-sorted-list-to-binary-search-tree	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
113	path-sum-ii	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
114	flatten-binary-tree-to-linked-list	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
116	populating-next-right-pointers-in-each- node	<u>c</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
117	populating-next-right-pointers-in-each- node-ii	<u>c</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
120	triangle	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
127	word-ladder_	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
129	sum-root-to-leaf-numbers	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
130	surrounded-regions	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
131	palindrome-partitioning	<u>C</u>	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
ادا								Kotlin	Python	Python3	Ruby	Scala		medium
133	clone-graph	<u>C</u>	<u>C#</u>	C++	GU	Java	JavaScript	TO CITE	1 yerrorr	1 70110110	Ruby	Scala	Swift	medium
	clone-graph gas-station	<u>C</u>	<u>C#</u>	C++	Go Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium

#	leetcode Title	С	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	Difficulty
138	copy-list-with-random-pointer	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
139	word-break	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
142	linked-list-cycle-ii	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
143	reorder-list	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
144	binary-tree-preorder-traversal	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
147	insertion-sort-list	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
148	sort-list	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	lava	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
150	evaluate-reverse-polish-notation	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	lava	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
151	reverse-words-in-a-string	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	<u>Swift</u>	medium
152	maximum-product-subarray	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	<u>Swift</u>	medium
153	find-minimum-in-rotated-sorted-array	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	lava	JavaScript	Kotlin	<u>Python</u>	Python3	Ruby	<u>Scala</u>	<u>Swift</u>	medium
156	binary-tree-upside-down	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
161	one-edit-distance	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	lava	JavaScript	Kotlin	<u>Python</u>	Python3	Ruby	<u>Scala</u>	<u>Swift</u>	medium
162	find-peak-element	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	Java	<u>JavaScript</u>	Kotlin	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	medium
163	missing-ranges	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>lava</u>	<u>JavaScript</u>	Kotlin	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	medium
165	compare-version-numbers	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>lava</u>	<u>JavaScript</u>	Kotlin	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	medium
166	fraction-to-recurring-decimal	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	JavaScript	<u>Kotlin</u>	Python	Python3	Ruby	<u>Scala</u>	<u>Swift</u>	medium
173	binary-search-tree-iterator	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	medium
179	largest-number	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	JavaScript	<u>Kotlin</u>	<u>Python</u>	Python3	Ruby	<u>Scala</u>	<u>Swift</u>	medium
186	reverse-words-in-a-string-ii	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	<u>JavaScript</u>	<u>Kotlin</u>	<u>Python</u>	Python3	Ruby	<u>Scala</u>	<u>Swift</u>	medium
187	repeated-dna-sequences	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	Java	JavaScript	Kotlin	<u>Python</u>	Python3	Ruby	Scala	Swift	medium
199	binary-tree-right-side-view	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	lava	JavaScript	Kotlin	<u>Python</u>	Python3	Ruby	Scala	Swift	medium
200	number-of-islands	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	lava	<u>JavaScript</u>	Kotlin	<u>Python</u>	Python3	Ruby	Scala	Swift	medium
201	bitwise-and-of-numbers-range	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	<u>JavaScript</u>	<u>Kotlin</u>	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	medium
207	course-schedule	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>lava</u>	<u>JavaScript</u>	Kotlin	<u>Python</u>	Python3	Ruby	Scala	Swift	medium
208	implement-trie-prefix-tree	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	<u>JavaScript</u>	<u>Kotlin</u>	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	medium
209	minimum-size-subarray-sum	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	<u>JavaScript</u>	<u>Kotlin</u>	<u>Python</u>	Python3	Ruby	<u>Scala</u>	<u>Swift</u>	medium
210	course-schedule-ii	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	lava	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	<u>Swift</u>	medium
211	add-and-search-word-data-structure- design	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	lavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
213	house-robber-ii	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	<u>Swift</u>	medium
215	kth-largest-element-in-an-array	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	<u>lava</u>	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
216	combination-sum-iii	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
220	contains-duplicate-iii	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
221	maximal-square	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
222	count-complete-tree-nodes	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
223	rectangle-area	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
227	<u>basic-calculator-ii</u>	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
228	summary-ranges	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
229	majority-element-ii	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	JavaScript	<u>Kotlin</u>	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	medium
230	kth-smallest-element-in-a-bst	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	medium
236	lowest-common-ancestor-of-a-binary-tree	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	medium
238	product-of-array-except-self	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
240	search-a-2d-matrix-ii	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
241	different-ways-to-add-parentheses	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
244	shortest-word-distance-ii	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	<u>JavaScript</u>	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
245	shortest-word-distance-iii	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	<u>JavaScript</u>	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
247	strobogrammatic-number-ii	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	<u>JavaScript</u>	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
249	group-shifted-strings	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	<u>JavaScript</u>	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
250	<u>count-univalue-subtrees</u>	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	<u>Java</u>	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
251	flatten-2d-vector	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	<u>JavaScript</u>	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
253	meeting-rooms-ii	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	<u>Java</u>	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
254	factor-combinations	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	<u>JavaScript</u>	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
255	verify-preorder-sequence-in-binary- search-tree	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	<u>Kotlin</u>	Python	Python3	Ruby	Scala	Swift	medium
	3sum-smaller	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium

#	Instanda Titla	_	C#	C	C •	lave	lava Cavina	Vadia	Duthon	Duth on 2	Dubu	Canla	Curife	Difficultur
	leetcode Title	С	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	Difficulty
260	single-number-iii	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
261	graph-valid-tree	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	<u>Java</u>	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
264	ugly-number-ii	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	<u>Java</u>	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
267	palindrome-permutation-ii	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	<u>Java</u>	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
271	encode-and-decode-strings	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
274	<u>h-index</u>	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
275	h-index-ii	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	lava	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	medium
277	find-the-celebrity	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	medium
279	perfect-squares	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
280	wiggle-sort	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	lava	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	medium
281	<u>zigzag-iterator</u>	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
284	<u>peeking-iterator</u>	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	lava	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	medium
285	inorder-successor-in-bst	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	medium
286	walls-and-gates	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	medium
287	find-the-duplicate-number	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
288	unique-word-abbreviation	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	medium
289	game-of-life	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
294	flip-game-ii	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	lava	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	medium
298	binary-tree-longest-consecutive-sequence	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	lavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
299	<u>bulls-and-cows</u>	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	lavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	medium
300	longest-increasing-subsequence	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	lava	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	medium
304	range-sum-query-2d-immutable	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	medium
306	additive-number	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
307	range-sum-query-mutable	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	medium
309	best-time-to-buy-and-sell-stock-with- cooldown	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	<u>Java</u>	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	medium
310	minimum-height-trees	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	<u>JavaScript</u>	Kotlin	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	medium
311	sparse-matrix-multiplication	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	<u>JavaScript</u>	<u>Kotlin</u>	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	medium
313	super-ugly-number	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	<u>JavaScript</u>	Kotlin	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	medium
314	binary-tree-vertical-order-traversal	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	<u>JavaScript</u>	<u>Kotlin</u>	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	medium
318	maximum-product-of-word-lengths	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	<u>JavaScript</u>	Kotlin	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	medium
319	<u>bulb-switcher</u>	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>lava</u>	<u>JavaScript</u>	Kotlin	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	medium
320	generalized-abbreviation	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	<u>Java</u>	JavaScript	Kotlin	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	medium
322	<u>coin-change</u>	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	medium
323	number-of-connected-components-in-an- undirected-graph	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
324	wiggle-sort-ii	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	JavaScript	<u>Kotlin</u>	Python	Python3	Ruby	<u>Scala</u>	<u>Swift</u>	medium
325	maximum-size-subarray-sum-equals-k	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	<u>Swift</u>	medium
328	odd-even-linked-list	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	<u>Swift</u>	medium
331	verify-preorder-serialization-of-a-binary- tree	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
332	reconstruct-itinerary	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
333	largest-bst-subtree	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
334	increasing-triplet-subsequence	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
337	house-robber-iii	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
338	counting-bits	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
341	flatten-nested-list-iterator	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	JavaScript	Kotlin	<u>Python</u>	Python3	Ruby	Scala	Swift	medium
343	integer-break	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	medium
347	top-k-frequent-elements	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	Java	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	medium
348	design-tic-tac-toe	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	Java	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	medium
351	android-unlock-patterns	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
353	design-snake-game	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
355	design-twitter	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
356	line-reflection	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
357	count-numbers-with-unique-digits	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
360	sort-transformed-array	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
361	bomb-enemy	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
-		-							-		-		-	

#	leetcode Title	С	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	Difficulty
362	design-hit-counter	<u>c</u>	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
364	nested-list-weight-sum-ii	C	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
365	water-and-jug-problem	<u>C</u>	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
366	find-leaves-of-binary-tree	<u>c</u>	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
368	largest-divisible-subset	<u>c</u>	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
369	plus-one-linked-list	<u>c</u>	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
370	range-addition	<u>c</u>	<u>C#</u>	C++	Go	Java	lavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
372	super-pow	<u>c</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
373	find-k-pairs-with-smallest-sums	<u>c</u>	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
375	guess-number-higher-or-lower-ii	<u>c</u>	<u>C#</u>	C++	Go	lava	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
376			<u>C#</u>	<u>C++</u>						Python3			Swift	medium
377	wiggle-subsequence combination-sum-iv	<u>C</u>		<u>C++</u>	Go	lava	<u>JavaScript</u>	Kotlin Kotlin	Python Python	Python3	Ruby	Scala		medium
378		<u>C</u>	<u>C#</u>		<u>Go</u>	lava					Ruby	<u>Scala</u>	Swift	
	kth-smallest-element-in-a-sorted-matrix	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	lava	<u>lavaScript</u>	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
379	design-phone-directory	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	lava	<u>JavaScript</u>	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
380	insert-delete-getrandom-o1	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
382	linked-list-random-node	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	Java	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	medium
384	shuffle-an-array	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
385	mini-parser	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	JavaScript	Kotlin	<u>Python</u>	Python3	Ruby	Scala	Swift	medium
386	lexicographical-numbers	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>lava</u>	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
388	longest-absolute-file-path	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	lava	lavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
390	elimination-game	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	lava	lavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
392	<u>is-subsequence</u>	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
393	utf-8-validation	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	lavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
394	decode-string	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	lavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
395	longest-substring-with-at-least-k- repeating-characters	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	<u>JavaScript</u>	<u>Kotlin</u>	Python	Python3	Ruby	<u>Scala</u>	Swift	medium
396	rotate-function	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	JavaScript	Kotlin	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	medium
397	integer-replacement	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	<u>JavaScript</u>	Kotlin	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	medium
398	random-pick-index	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	JavaScript	<u>Kotlin</u>	Python	Python3	Ruby	<u>Scala</u>	<u>Swift</u>	medium
399	evaluate-division	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>lava</u>	lavaScript	Kotlin	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	medium
402	remove-k-digits	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	lavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	medium
406	queue-reconstruction-by-height	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	lavaScript	Kotlin	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	medium
413	<u>arithmetic-slices</u>	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
416	partition-equal-subset-sum	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
417	pacific-atlantic-water-flow	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	medium
418	sentence-screen-fitting	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	medium
419	battleships-in-a-board	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	medium
421	maximum-xor-of-two-numbers-in-an- array	<u>c</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	JavaScript	Kotlin	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	medium
423	reconstruct-original-digits-from-english	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
424	longest-repeating-character-replacement	<u>_</u>	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
435	non-overlapping-intervals	<u>c</u>	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
436	find-right-interval	<u>_</u>	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
439	ternary-expression-parser	<u>c</u>	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
442	find-all-duplicates-in-an-array	<u>c</u>	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
444	sequence-reconstruction	<u>c</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
445	add-two-numbers-ii	<u>c</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
449	serialize-and-deserialize-bst	<u>c</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
450	delete-node-in-a-bst	<u>c</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
451	sort-characters-by-frequency	<u>c</u>	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
452	minimum-number-of-arrows-to-burst- balloons	<u>c</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
454	4sum-ii	<u>C</u>	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
456	132-pattern	<u>c</u>	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
462	minimum-moves-to-equal-array- elements-ii	<u>c</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
164				C++		lava	lavaScript	Kotlin	Duthon	Puthon?	Duby	Scala	Cyarife	madium
464	<u>can-i-win</u>	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	medium

#	leetcode Title	С	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	Difficulty
467	unique-substrings-in-wraparound-string	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
468	validate-ip-address	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	Java	<u>JavaScript</u>	Kotlin	<u>Python</u>	Python3	Ruby	Scala	Swift	medium
469	convex-polygon	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
473	matchsticks-to-square	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
474	ones-and-zeroes	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
477	total-hamming-distance	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
481	magical-string	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	JavaScript	Kotlin	<u>Python</u>	Python3	Ruby	Scala	Swift	medium
484	find-permutation	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	JavaScript	Kotlin	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	medium
486	predict-the-winner	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
487	max-consecutive-ones-ii	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
490	the-maze	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	lava	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
491	increasing-subsequences	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
494	target-sum	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
495	teemo-attacking	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
498	diagonal-traverse	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
503	next-greater-element-ii	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
505	the-maze-ii	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	JavaScript	Kotlin	<u>Python</u>	Python3	Ruby	Scala	Swift	medium
508	most-frequent-subtree-sum	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	<u>JavaScript</u>	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
513	find-bottom-left-tree-value	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	JavaScript	Kotlin	<u>Python</u>	Python3	Ruby	Scala	Swift	medium
515	find-largest-value-in-each-tree-row	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	<u>JavaScript</u>	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
516	longest-palindromic-subsequence	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	JavaScript	Kotlin	<u>Python</u>	Python3	Ruby	Scala	Swift	medium
522	longest-uncommon-subsequence-ii	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	<u>Python</u>	Python3	Ruby	Scala	Swift	medium
523	continuous-subarray-sum	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	Java	JavaScript	Kotlin	<u>Python</u>	Python3	Ruby	Scala	Swift	medium
524	longest-word-in-dictionary-through-deleting	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
525	contiguous-array	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	<u>Python</u>	Python3	Ruby	Scala	Swift	medium
526	beautiful-arrangement	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	<u>Python</u>	Python3	Ruby	Scala	Swift	medium
529	minesweeper	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	<u>Python</u>	Python3	Ruby	Scala	Swift	medium
531	lonely-pixel-i	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	JavaScript	Kotlin	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	medium
533	lonely-pixel-ii	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	Java	JavaScript	Kotlin	<u>Python</u>	Python3	Ruby	Scala	Swift	medium
535	encode-and-decode-tinyurl	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	<u>Python</u>	Python3	Ruby	Scala	Swift	medium
536	construct-binary-tree-from-string	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	Java	JavaScript	Kotlin	<u>Python</u>	Python3	Ruby	Scala	Swift	medium
537	complex-number-multiplication	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
539	minimum-time-difference	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
540	single-element-in-a-sorted-array	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
542	01-matrix	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	<u>Java</u>	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
544	output-contest-matches	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
545	boundary-of-binary-tree	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
547	<u>friend-circles</u>	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
548	split-array-with-equal-sum	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	<u>JavaScript</u>	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
549	binary-tree-longest-consecutive- sequence-ii	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	<u>Java</u>	<u> </u> avaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	medium
553	optimal-division	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	<u>JavaScript</u>	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	medium
554	brick-wall	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	<u>JavaScript</u>	Kotlin	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	medium
555	split-concatenated-strings	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	<u>JavaScript</u>	Kotlin	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	medium
556	next-greater-element-iii	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	medium
560	subarray-sum-equals-k	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	<u>Java</u>	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	medium
562	longest-line-of-consecutive-one-in-matrix	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	<u>Java</u>	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	medium
565	array-nesting	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	<u>Java</u>	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	medium
567	permutation-in-string	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	JavaScript	<u>Kotlin</u>	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	medium
573	squirrel-simulation	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	medium
576	out-of-boundary-paths	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
582	kill-process	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	<u>JavaScript</u>	Kotlin	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	medium
583	delete-operation-for-two-strings	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	<u>JavaScript</u>	Kotlin	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	medium
592	<u>fraction-addition-and-subtraction</u>	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	<u>Java</u>	<u>JavaScript</u>	Kotlin	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	medium
593	<u>valid-square</u>	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	<u>JavaScript</u>	Kotlin	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	medium

#	leetcode Title	С	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	Difficulty
609	find-duplicate-file-in-system	<u>C</u>	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
611	valid-triangle-number	<u>c</u>	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
616	add-bold-tag-in-string	<u>C</u>	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
621	task-scheduler	<u>C</u>	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
623	add-one-row-to-tree	<u>C</u>	C#	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
625	minimum-factorization	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
634	find-the-derangement-of-an-array	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	Java	JavaScript	Kotlin	<u>Python</u>	Python3	Ruby	Scala	Swift	medium
635	design-log-storage-system	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	Java	JavaScript	Kotlin	<u>Python</u>	Python3	Ruby	Scala	Swift	medium
636	exclusive-time-of-functions	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	Java	JavaScript	Kotlin	<u>Python</u>	Python3	Ruby	Scala	Swift	medium
638	shopping-offers	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
640	solve-the-equation	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	<u>Java</u>	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	medium
646	maximum-length-of-pair-chain	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	medium
647	<u>palindromic-substrings</u>	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	<u>Java</u>	JavaScript	Kotlin	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	medium
648	replace-words	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	Java	<u>JavaScript</u>	Kotlin	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	medium
649	dota2-senate	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	Java	<u>JavaScript</u>	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	medium
650	2-keys-keyboard	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	JavaScript	<u>Kotlin</u>	Python	Python3	Ruby	<u>Scala</u>	<u>Swift</u>	medium
651	4-keys-keyboard	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	<u>JavaScript</u>	<u>Kotlin</u>	<u>Python</u>	Python3	Ruby	<u>Scala</u>	<u>Swift</u>	medium
652	<u>find-duplicate-subtrees</u>	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	<u>Java</u>	JavaScript	<u>Kotlin</u>	Python	Python3	Ruby	<u>Scala</u>	Swift	medium
654	maximum-binary-tree	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	<u>JavaScript</u>	<u>Kotlin</u>	Python	Python3	Ruby	<u>Scala</u>	Swift	medium
655	<u>print-binary-tree</u>	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	<u>JavaScript</u>	<u>Kotlin</u>	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	medium
658	<u>find-k-closest-elements</u>	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	<u>JavaScript</u>	Kotlin	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	medium
659	split-array-into-consecutive-subsequences	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	<u>JavaScript</u>	Kotlin	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	medium
662	maximum-width-of-binary-tree	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	<u>Java</u>	<u>JavaScript</u>	Kotlin	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	medium
663	equal-tree-partition	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	<u>JavaScript</u>	<u>Kotlin</u>	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	medium
666	path-sum-iv	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	<u>JavaScript</u>	<u>Kotlin</u>	<u>Python</u>	Python3	Ruby	<u>Scala</u>	<u>Swift</u>	medium
667	beautiful-arrangement-ii	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	<u>JavaScript</u>	<u>Kotlin</u>	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	medium
670	maximum-swap	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	lava	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	medium
672	<u>bulb-switcher-ii</u>	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
673	number-of-longest-increasing- subsequence	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	lava	lavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
676	implement-magic-dictionary	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	JavaScript	<u>Kotlin</u>	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	medium
677	map-sum-pairs	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	JavaScript	<u>Kotlin</u>	<u>Python</u>	Python3	Ruby	<u>Scala</u>	<u>Swift</u>	medium
678	valid-parenthesis-string	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	<u>JavaScript</u>	Kotlin	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	medium
681	next-closest-time	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	JavaScript	Kotlin	<u>Python</u>	Python3	Ruby	Scala	Swift	medium
684	redundant-connection	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	<u>Python</u>	Python3	Ruby	Scala	Swift	medium
688	knight-probability-in-chessboard	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	<u>Python</u>	Python3	Ruby	Scala	Swift	medium
692	top-k-frequent-words	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	<u>JavaScript</u>	Kotlin	<u>Python</u>	Python3	Ruby	Scala	Swift	medium
694	number-of-distinct-islands	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	<u>JavaScript</u>	Kotlin	<u>Python</u>	Python3	Ruby	Scala	Swift	medium
698	partition-to-k-equal-sum-subsets	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	<u>Java</u>	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
712	minimum-ascii-delete-sum-for-two-strings	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	<u>JavaScript</u>	Kotlin	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	medium
713	subarray-product-less-than-k	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	<u>Java</u>	JavaScript	Kotlin	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	medium
714	best-time-to-buy-and-sell-stock-with- transaction-fee	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	<u>JavaScript</u>	<u>Kotlin</u>	Python	Python3	Ruby	<u>Scala</u>	Swift	medium
718	maximum-length-of-repeated-subarray	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	<u>JavaScript</u>	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
721	accounts-merge	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
722	remove-comments	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
723	candy-crush	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	<u>Java</u>	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	medium
725	split-linked-list-in-parts	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	JavaScript	<u>Kotlin</u>	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	medium
729	<u>my-calendar-i</u>	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	medium
731	<u>my-calendar-ii</u>	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	JavaScript	<u>Kotlin</u>	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	medium
735	<u>asteroid-collision</u>	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	JavaScript	Kotlin	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	medium
737	sentence-similarity-ii	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	<u>Java</u>	<u>JavaScript</u>	Kotlin	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	medium
738	monotone-increasing-digits	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	<u>JavaScript</u>	Kotlin	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	medium
739	<u>daily-temperatures</u>	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
740	delete-and-earn	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	<u>Java</u>	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
742	<u>closest-leaf-in-a-binary-tree</u>	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	<u>JavaScript</u>	Kotlin	Python	Python3	Ruby	Scala	Swift	medium

#	leetcode Title	С	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	Difficulty
743	network-delay-time	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
748	shortest-completing-word	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
750	number-of-corner-rectangles	<u>C</u>	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
752	open-the-lock	C	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
754	reach-a-number	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
755	pour-water	C	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
756	pyramid-transition-matrix	<u>c</u>	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
763	partition-labels	<u>c</u>	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
764	largest-plus-sign	<u>c</u>	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
767	reorganize-string	<u>_</u>	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
769	max-chunks-to-make-sorted	<u>c</u>	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
775	global-and-local-inversions		<u>C#</u>	C++			JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
776		<u>C</u>			Go	Java								
	split-bst	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	lava	<u>JavaScript</u>	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
777	swap-adjacent-in-lr-string	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	<u>lava</u>	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
779	k-th-symbol-in-grammar	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>lava</u>	lavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
781	<u>rabbits-in-forest</u>	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	lava	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
785	<u>is-graph-bipartite</u>	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	medium
787	cheapest-flights-within-k-stops	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	<u>Java</u>	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	medium
789	escape-the-ghosts	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	JavaScript	Kotlin	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	medium
790	domino-and-tromino-tiling	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	<u>JavaScript</u>	Kotlin	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	medium
791	custom-sort-string	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	JavaScript	<u>Kotlin</u>	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	medium
792	number-of-matching-subsequences	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	lavaScript	Kotlin	<u>Python</u>	Python3	Ruby	<u>Scala</u>	<u>Swift</u>	medium
794	valid-tic-tac-toe-state	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	lava	<u>JavaScript</u>	Kotlin	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	medium
795	number-of-subarrays-with-bounded- maximum	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	<u>JavaScript</u>	Kotlin	<u>Python</u>	Python3	Ruby	Scala	Swift	medium
797	all-paths-from-source-to-target	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
799	<u>champagne-tower</u>	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
801	minimum-swaps-to-make-sequences- increasing	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	<u>Java</u>	JavaScript	<u>Kotlin</u>	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	medium
802	find-eventual-safe-states	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
807	max-increase-to-keep-city-skyline	<u>c</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
808	soup-servings	C	C#	C++	Go	lava	lavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
809	expressive-words	<u>c</u>	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
813	largest-sum-of-averages	C	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
814	binary-tree-pruning			C++		Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
816	ambiguous-coordinates	<u>C</u>	<u>C#</u>		Go		JavaScript			Python3	Ruby			medium
817		<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java		Kotlin	Python			Scala	Swift	
	linked-list-components	C	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	medium
blank	blank	blank	blank	blank	blank	blank	blank	blank	blank	blank	blank	blank	blank	blank
4	median-of-two-sorted-arrays	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	<u>JavaScript</u>	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
10	regular-expression-matching	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	hard
23	merge-k-sorted-lists	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	<u>JavaScript</u>	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
25	reverse-nodes-in-k-group	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
30	substring-with-concatenation-of-all-words	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
32	longest-valid-parentheses	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
37	sudoku-solver	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
41	first-missing-positive	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	<u>Python</u>	Python3	Ruby	Scala	Swift	hard
42	trapping-rain-water	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	<u>JavaScript</u>	<u>Kotlin</u>	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	hard
44	wildcard-matching	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	<u>JavaScript</u>	<u>Kotlin</u>	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	hard
45	jump-game-ii	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	<u>JavaScript</u>	<u>Kotlin</u>	<u>Python</u>	Python3	Ruby	<u>Scala</u>	<u>Swift</u>	hard
51	n-queens	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	<u>Java</u>	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
52	n-queens-ii	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	<u>JavaScript</u>	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
57	insert-interval	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
65	valid-number	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
68	text-justification	C	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
	-													
72	edit-distance	<u>C</u>	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard

#	leetcode Title	С	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	Difficulty
84	largest-rectangle-in-histogram	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
85	maximal-rectangle	C	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
87	scramble-string	C	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
97	interleaving-string	<u>C</u>	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
99	recover-binary-search-tree	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
115	distinct-subsequences	<u>C</u>	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
123	best-time-to-buy-and-sell-stock-iii	<u>C</u>	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
124	binary-tree-maximum-path-sum	<u>C</u>	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
126	word-ladder-ii	C	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
128	longest-consecutive-sequence	<u>C</u>	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
132	palindrome-partitioning-ii	C	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
135	candy	C	C#	C++	Go	lava	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
140	word-break-ii	C	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
145	binary-tree-postorder-traversal	C	C#	C++	Go	lava	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
146	Iru-cache	<u>C</u>	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
149	max-points-on-a-line	<u>_</u>	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
154	find-minimum-in-rotated-sorted-array-ii	<u>c</u>	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
	read-n-characters-given-read4-ii-call-													
158	multiple-times	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	<u>lava</u>	<u>JavaScript</u>	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
159	longest-substring-with-at-most-two- distinct-characters	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	lava	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
164	maximum-gap	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	lavaScript	<u>Kotlin</u>	Python	Python3	Ruby	<u>Scala</u>	<u>Swift</u>	hard
174	dungeon-game	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	<u>Java</u>	JavaScript	<u>Kotlin</u>	Python	Python3	Ruby	<u>Scala</u>	Swift	hard
188	best-time-to-buy-and-sell-stock-iv	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	<u>Java</u>	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
212	word-search-ii	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	<u>Java</u>	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
214	shortest-palindrome	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	<u>Java</u>	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
218	the-skyline-problem	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	<u>Java</u>	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
224	<u>basic-calculator</u>	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	lava	<u>lavaScript</u>	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	hard
233	number-of-digit-one	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	lava	<u>lavaScript</u>	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	hard
239	sliding-window-maximum	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
248	strobogrammatic-number-iii	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
265	paint-house-ii	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	lava	<u>lavaScript</u>	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	hard
269	alien-dictionary	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	lava	<u>lavaScript</u>	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
272	closest-binary-search-tree-value-ii	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	<u>Java</u>	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
273	integer-to-english-words	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	<u>Java</u>	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
282	expression-add-operators	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	<u>Java</u>	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
291	word-pattern-ii	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	<u>Java</u>	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
295	find-median-from-data-stream	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
296	best-meeting-point	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
297	serialize-and-deserialize-binary-tree	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
301	remove-invalid-parentheses	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
302	smallest-rectangle-enclosing-black-pixels	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	hard
305	number-of-islands-ii	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	hard
308	range-sum-query-2d-mutable	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	hard
312	<u>burst-balloons</u>	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	<u>Java</u>	<u>JavaScript</u>	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	hard
315	count-of-smaller-numbers-after-self	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	<u>JavaScript</u>	<u>Kotlin</u>	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	hard
316	remove-duplicate-letters	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	<u>Java</u>	<u>JavaScript</u>	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	hard
317	shortest-distance-from-all-buildings	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	<u>JavaScript</u>	<u>Kotlin</u>	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	hard
321	create-maximum-number	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
327	count-of-range-sum	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	hard
329	longest-increasing-path-in-a-matrix	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
330	patching-array	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	<u>Java</u>	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	hard
335	self-crossing	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	<u>Java</u>	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	hard
336	palindrome-pairs	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	<u>Java</u>	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	hard
340	longest-substring-with-at-most-k-distinct- characters	<u>c</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
352	data-stream-as-disjoint-intervals	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard

#	leetcode Title	С	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	Difficulty
354	russian-doll-envelopes	<u>c</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
358	rearrange-string-k-distance-apart	<u>C</u>	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
363	max-sum-of-rectangle-no-larger-than-k	<u>C</u>	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
381	insert-delete-getrandom-o1-duplicates- allowed	<u>c</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
391	perfect-rectangle	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
403	frog-jump	C	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
407	trapping-rain-water-ii	C	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
410	split-array-largest-sum	C	C#	C++	Go	lava	lavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
411	minimum-unique-word-abbreviation	<u>C</u>	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
420	strong-password-checker	<u>C</u>	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
425	word-squares	<u>c</u>	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
432	all-oone-data-structure	<u>_</u>	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
440	k-th-smallest-in-lexicographical-order	<u>c</u>	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
446	arithmetic-slices-ii-subsequence	<u>_</u>	<u>C#</u>	C++	Go	lava	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
460	<u>lfu-cache</u>	<u>c</u>	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
465	optimal-account-balancing	<u>c</u>	<u>C#</u>	C++	Go	lava	lavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
466	count-the-repetitions	<u>c</u>	<u>C#</u>	<u>C++</u>	Go	lava	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
471	encode-string-with-shortest-length	C	<u>C#</u>	<u>C++</u>	Go	lava	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
472	concatenated-words	<u>c</u>	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
480	sliding-window-median	<u>c</u>	<u>C#</u>	<u>C++</u>	Go	lava	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
483	smallest-good-base	<u>c</u>	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
488	zuma-game	<u>c</u>	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
493	reverse-pairs	<u>c</u>	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
499	the-maze-iii	<u>c</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
502	ipo	<u>c</u>	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
514	freedom-trail	C	<u>C#</u>	C++	Go	lava	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
517	super-washing-machines	<u>c</u>	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
527	word-abbreviation	<u>_</u>	C#	C++	Go	lava	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
546	remove-boxes	<u>c</u>	C#	C++	Go	lava	lavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
552	student-attendance-record-ii	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	lava	<u>JavaScript</u>	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
564	find-the-closest-palindrome	<u>C</u>	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
568	maximum-vacation-days	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
587	erect-the-fence	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
588	design-in-memory-file-system	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
591	tag-validator	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
600	non-negative-integers-without- consecutive-ones	<u>c</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
629	k-inverse-pairs-array	<u>C</u>	C#	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
630	course-schedule-iii	<u>C</u>	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
631	design-excel-sum-formula	<u>c</u>	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
632	smallest-range	<u>c</u>	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
639	decode-ways-ii	<u>c</u>	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
642	design-search-autocomplete-system	<u>c</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
644	maximum-average-subarray-ii	<u>c</u>	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
656	<u>coin-path</u>	<u>c</u>	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
660	remove-9	C	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
664	strange-printer	C	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
668	kth-smallest-number-in-multiplication- table	<u>c</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
675	cut-off-trees-for-golf-event	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
679	24-game	<u>c</u>	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
683	k-empty-slots	<u>c</u>	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
685	redundant-connection-ii	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
689	maximum-sum-of-3-non-overlapping- subarrays	<u>c</u>	<u>C#</u>	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
691	stickers-to-spell-word	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
051	The state of the s	=	<u></u>	<u></u>		10.00	Javascripe	11001111	- 70.1011	1 70.0115	- KOLOY	Scala	500110	

Second December Color Color Color Color Second Sec	#	leetcode Title	С	C#	C++	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	Difficulty
Part	699	falling-squares	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
Part	711	number-of-distinct-islands-ii	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
Part	715	range-module	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
Part	716	max-stack	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
Part	719	find-k-th-smallest-pair-distance	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
Counterfiferent palmerminic subsequences Counterfiferent palmerminic palmer	726	number-of-atoms	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
Subsequences	727	minimum-window-subsequence	C	<u>C#</u>	<u>C++</u>	Go	Java	lavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
Part	730		<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	JavaScript	Kotlin	Python	Python3	Ruby	Scala	<u>Swift</u>	hard
Part Cherry-pickup	732	my-calendar-iii	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	<u>Java</u>	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	hard
Part	736	parse-lisp-expression	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	<u>Java</u>	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
Contain-virus	741	cherry-pickup	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	hard
Fig. Caracterise the safe C	745	prefix-and-suffix-search	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	lava	<u>JavaScript</u>	Kotlin	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	hard
Secintersection-size-at-least-two C C# C# Go Bava BavaScript Kotlin Pvthon Pvthon Ruthy Scala Swift hard	749	contain-virus	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	lava	<u>JavaScript</u>	Kotlin	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	hard
Property Property	753	<u>cracking-the-safe</u>	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	lava	<u>JavaScript</u>	Kotlin	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	hard
Record R	757	set-intersection-size-at-least-two	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	lava	<u>JavaScript</u>	Kotlin	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	hard
Complex-holding-hands Complex	759	employee-free-time	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	<u>Swift</u>	hard
The control of the	761	special-binary-string	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	<u>Swift</u>	hard
Pasic-calculator-iv Pasic-calculator-iv Pasic-calculator-iv Pasic-calculator-iv Pasic-calculator-ii Pasic-calculator-ii	765	couples-holding-hands	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	<u>Java</u>	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	hard
Desic-calculator-iii	768	max-chunks-to-make-sorted-ii	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	hard
Silding-puzzle	770	<u>basic-calculator-iv</u>	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	JavaScript	Kotlin	Python	Python3	Ruby	<u>Scala</u>	Swift	hard
minimize-max-distance-to-gas-station	772	<u>basic-calculator-iii</u>	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	JavaScript	<u>Kotlin</u>	Python	Python3	Ruby	<u>Scala</u>	Swift	hard
778swim-in-rising-waterCC#C++GoJavaJavaScriptKotlinPythonPython3RubyScalaSwifthard780reaching-pointsCC#C++GoJavaJavaScriptKotlinPythonPython3RubyScalaSwifthard782transform-to-chessboardCC#C++GoJavaJavaScriptKotlinPythonPython3RubyScalaSwifthard786k-th-smallest-prime-fractionCC#C++GoJavaJavaScriptKotlinPythonPython3RubyScalaSwifthard793preimage-size-of-factorial-zeroes-functionCC#C++GoJavaJavaScriptKotlinPythonPython3RubyScalaSwifthard798smallest-rotation-with-highest-scoreCC#C++GoJavaJavaScriptKotlinPythonPython3RubyScalaSwifthard803bricks-falling-when-hitCC#C++GoJavaJavaScriptKotlinPythonPython3RubyScalaSwifthard805split-array-with-same-averageCC#C++GoJavaJavaScriptKotlinPythonPython3RubyScalaSwifthard816bus-routesCC#C++GoJavaJavaScriptKotlinPythonPython3Ruby	773	sliding-puzzle	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	Java	lavaScript	Kotlin	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	hard
reaching-points C C# C++ Go lava lavaScript Kotlin Python Python3 Ruby Scala Swift hard Record Record Ruby Scala Swift hard	774	minimize-max-distance-to-gas-station	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	Java	lavaScript	Kotlin	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	hard
transform-to-chessboard C C# C++ Go Java JavaScript Kotlin Python Python3 Ruby Scala Swift hard	778	swim-in-rising-water	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	Java	lavaScript	Kotlin	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	hard
Record Response Record Rec	780	reaching-points	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	Java	lavaScript	Kotlin	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	hard
preimage-size-of-factorial-zeroes-function C C# C++ Go Java JavaScript Kotlin Python Python3 Ruby Scala Swift hard The smallest-rotation-with-highest-score C C# C++ Go Java JavaScript Kotlin Python Python3 Ruby Scala Swift hard Bos split-array-with-same-average C C# C++ Go Java JavaScript Kotlin Python Python3 Ruby Scala Swift hard Bos split-array-with-same-average C C# C++ Go Java JavaScript Kotlin Python Python3 Ruby Scala Swift hard Bos split-array-with-same-average C C# C++ Go Java JavaScript Kotlin Python Python3 Ruby Scala Swift hard Bos Split-array-with-same-average C C# C++ Go Java JavaScript Kotlin Python Python3 Ruby Scala Swift hard Bos Split-array-with-same-average C C# C++ Go Java JavaScript Kotlin Python Python3 Ruby Scala Swift hard Bos Split-array-with-same-average C C# C++ Go Java JavaScript Kotlin Python Python3 Ruby Scala Swift hard Bos Split-array-with-same-average C C# C++ Go Java JavaScript Kotlin Python Python3 Ruby Scala Swift hard	782	transform-to-chessboard	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	Java	lavaScript	Kotlin	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	hard
798 smallest-rotation-with-highest-score C C# C++ Go Java JavaScript Kotlin Python Python3 Ruby Scala Swift hard 803 bricks-falling-when-hit C C# C++ Go Java JavaScript Kotlin Python Python3 Ruby Scala Swift hard 805 split-array-with-same-average C C# C++ Go Java JavaScript Kotlin Python Python3 Ruby Scala Swift hard 810 chalkboard-xor-game C C# C++ Go Java JavaScript Kotlin Python Python3 Ruby Scala Swift hard 815 bus-routes C C# C++ Go Java JavaScript Kotlin Python1 Python3 Ruby Scala Swift hard 818 race-car C C# C++ Go Java JavaScript Kotlin Python1 Python3 Ruby Scala Swift hard	786	k-th-smallest-prime-fraction	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	Java	lavaScript	Kotlin	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	hard
803 bricks-falling-when-hit C C# C++ Go Java JavaScript Kotlin Python Python3 Ruby Scala Swift hard 805 split-array-with-same-average C C# C++ Go Java JavaScript Kotlin Python Python3 Ruby Scala Swift hard 810 chalkboard-xor-game C C# C++ Go Java JavaScript Kotlin Python Python3 Ruby Scala Swift hard 815 bus-routes C C# C++ Go Java JavaScript Kotlin Python Python3 Ruby Scala Swift hard 818 race-car C C# C++ Go Java JavaScript Kotlin Python Python3 Ruby Scala Swift hard	793	preimage-size-of-factorial-zeroes-function	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	<u>Java</u>	JavaScript	<u>Kotlin</u>	Python	Python3	Ruby	<u>Scala</u>	Swift	hard
805 Split-array-with-same-average C C# C++ Go Java JavaScript Kotlin Python Python3 Ruby Scala Swift hard 810 Chalkboard-xor-game C C# C++ Go Java JavaScript Kotlin Python Python3 Ruby Scala Swift hard 815 bus-routes C C# C++ Go Java JavaScript Kotlin Python Python3 Ruby Scala Swift hard 818 race-car C C# C++ Go Java JavaScript Kotlin Python Python3 Ruby Scala Swift hard	798	smallest-rotation-with-highest-score	<u>C</u>	<u>C#</u>	<u>C++</u>	<u>Go</u>	<u>Java</u>	JavaScript	<u>Kotlin</u>	Python	Python3	Ruby	<u>Scala</u>	Swift	hard
810 Chalkboard-xor-game C C# C++ Go Java JavaScript Kotlin Python Python3 Ruby Scala Swift hard 815 bus-routes C C# C++ Go Java JavaScript Kotlin Python Python3 Ruby Scala Swift hard 818 race-car C C# C++ Go Java JavaScript Kotlin Python Python3 Ruby Scala Swift hard	803	bricks-falling-when-hit	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	<u>Java</u>	JavaScript	<u>Kotlin</u>	Python	Python3	Ruby	<u>Scala</u>	Swift	hard
815 bus-routes C C# C++ Go Java JavaScript Kotlin Python Python3 Ruby Scala Swift hard 818 race-car C C# C++ Go Java JavaScript Kotlin Python Python3 Ruby Scala Swift hard	805	split-array-with-same-average	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	<u>Java</u>	<u>JavaScript</u>	Kotlin	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	hard
818 race-car C C# C++ Go Java JavaScript Kotlin Python Python3 Ruby Scala Swift hard	810	chalkboard-xor-game	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	<u>Java</u>	JavaScript	Kotlin	<u>Python</u>	Python3	Ruby	<u>Scala</u>	Swift	hard
	815	<u>bus-routes</u>	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
blank	818	race-car	<u>C</u>	<u>C#</u>	<u>C++</u>	Go	Java	JavaScript	Kotlin	Python	Python3	Ruby	Scala	Swift	hard
	blank	blank	blank	blank	blank	blank	blank	blank	blank	blank	blank	blank	blank	blank	blank