```c
/* C program by Dave Russillo. Made on for CS1311. */
#include <stdio.h>
#include <stdlib.h>
#include <stdbool.h>


struct Node {
  int value;
  struct Node *left;
  struct Node *right;
};

void init_tree(struct Node *root) {
  void init_tree_helper(struct Node *current, int current_depth) {
    // initalize child nodes
    current->left = malloc(sizeof(struct Node));
    current->right = malloc(sizeof(struct Node));
    // keep initializing nodes until depth 3;
    // iterate only until depth 2 because children are initalized
    if(current_depth < 2) {
      init_tree_helper(current->left, current_depth + 1);
      init_tree_helper(current->right, current_depth + 1);
    }
  }
  init_tree_helper(root, 0);

  // add second to last row (depth 4)
  root->left->left->left->left = malloc(sizeof(struct Node));
  root->left->right->right->right= malloc(sizeof(struct Node));
  root->right->left->left->left = malloc(sizeof(struct Node));
  root->right->right->right->right= malloc(sizeof(struct Node));
```

```
  // add last row (depth 5)
  root->right->right->right->right->right = malloc(sizeof(struct Node));
  /*
   * Result:
   *                    0
   *                  /   \
   *                /       \
   *              /           \
   *            /               \
   *          0                   0
   *        /   \               /   \
   *      /       \           /       \
   *    0           0       0           0
   *   / \         / \     / \         / \
   *  0   0 0     0   0   0   0 0     0   0
   *  /               \   /               \
   * 0                 0 0                 0
   *                                       \
   *                                        0
   */
}


void populate_tree(struct Node *root) {
  void populate_tree_helper(struct Node *current, int difference, int set_value) {
    current->value = set_value;
    // set next difference to half of current
    difference = difference / 2;
    // minimum difference must be 1
    if(difference == 0) {
      difference = 1;
    }
```

```
    if(current->left != NULL) {
      // subtract difference on left
      populate_tree_helper(current->left, difference, set_value - difference);
    }
    if(current->right != NULL) {
      // add difference on right
      populate_tree_helper(current->right, difference, set_value + difference);
    }
  }
  populate_tree_helper(root, 10, 10);
  /*
   * Result:
   *                 10
   *               /    \
   *             /        \
   *           /            \
   *         /                \
   *        5                  15
   *      /  \               /  \
   *     /    \             /    \
   *    3      7           13     17
   *   / \    / \         /  \   /  \
   *  2   4  6   8       12  14 16  18
   *  /            \     /              \
   * 1              9 11                19
   *                                     \
   *                                      20
   */
}


void print_preorder(struct Node *current) {
```

```
94    // print current value
95    printf("%d ", current->value);
96
97    // iterate on left node
98    if(current->left != NULL) {
99      print_preorder(current->left);
100   }
101
102   // iterate on right node
103   if(current->right!= NULL) {
104     print_preorder(current->right);
105   }
106 }
107
108
109 void print_inorder(struct Node *current) {
110   // iterate on left node
111   if(current->left != NULL) {
112     print_inorder(current->left);
113   }
114
115   // print current value
116   printf("%d ", current->value);
117
118   // iterate on right node
119   if(current->right!= NULL) {
120     print_inorder(current->right);
121   }
122 }
123
124
```

```
125 void print_postorder(struct Node *current) {
126   // iterate on left node
127   if(current->left != NULL) {
128     print_postorder(current->left);
129   }
130 
131   // iterate on right node
132   if(current->right!= NULL) {
133     print_postorder(current->right);
134   }
135 
136   // print current value
137   printf("%d ", current->value);
138 }
139 
140 
141 void take_user_input(struct Node *current) {
142   char choice = ' ';
143   bool valid_choice = false;
144 
145   printf(" _____________________________\n"
146          "|                             |\n"
147          "|  I think your number is %2d  |\n"
148          "|_____________________________|\n"
149          "|                             |\n"
150          "|  Am I right?                |\n"
151          "|=============================|\n"
152          "|    a) Yes                   |\n"
153          "|    b) My number is higher   |\n"
154          "|    c) My number is lower    |\n"
155          "|_____________________________|\n\n", current->value);
```

```c
  while(!valid_choice) {
    printf("..? ");
    choice = getchar();
    valid_choice = choice == 'a' || choice == 'b' || choice == 'c';
    while(getchar() != '\n');
    if(!valid_choice) {
      printf("Invalid answer! Try again.\n");
    }
  }
  if(choice == 'c') {
    if(current->left != NULL) {
      take_user_input(current->left);
    } else {
      printf("Invalid number!\n");
    }
  } else if(choice == 'b') {
    if(current->right != NULL) {
      take_user_input(current->right);
    } else {
      printf("Invalid number!\n");
    }
  } else {
    printf("I guessed right! Your number is %d.\n\n", current->value);
  }
}


int main(void) {
  struct Node *root = malloc(sizeof(struct Node));
  init_tree(root);
  populate_tree(root);

  print_preorder(root);
  printf("\n");
  print_inorder(root);
  printf("\n");
  print_postorder(root);
  printf("\n\n");

  printf("Think of a number between 1 and 20 and I will try to guess it.\n"
         "Press enter to start ...");
  while(getchar() != '\n');
  printf("\n\n");

  take_user_input(root);

  return 0;
}

```

```
10 5 3 2 1 4 7 6 8 9 15 13 12 11 14 17 16 18 19 20
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20
1 2 4 3 6 9 8 7 5 11 12 14 13 16 20 19 18 17 15 10

Think of a number between 1 and 20 and I will try to guess it.
Press enter to start ...
```

```
 _____________________________
|                             |
|  I think your number is 10  |
|_____________________________|
|                             |
|  Am I right?                |
|=============================|
|    a) Yes                   |
|    b) My number is higher   |
|    c) My number is lower    |
|_____________________________|

..? c
 _____________________________
|                             |
|  I think your number is  5  |
|_____________________________|
|                             |
|  Am I right?                |
|=============================|
|    a) Yes                   |
|    b) My number is higher   |
|    c) My number is lower    |
|_____________________________|

..? b
```


I think your number is 7
Am I right?
a) Yes
b) My number is higher
c) My number is lower
..? c
I think your number is 6
Am I right?
a) Yes
b) My number is higher
c) My number is lower
..? a
I guessed right! Your number is 6.


I think your number is 10
Am I right?
a) Yes
b) My number is higher
c) My number is lower
..? b
I think your number is 15
Am I right?
a) Yes
b) My number is higher
c) My number is lower
..? b


I think your number is 17
Am I right?
a) Yes
b) My number is higher
c) My number is lower
..? b
I think your number is 18
Am I right?
a) Yes
b) My number is higher
c) My number is lower
..? b


I think your number is 19
Am I right?
a) Yes
b) My number is higher
c) My number is lower
..? b
I think your number is 20
Am I right?
a) Yes
b) My number is higher
c) My number is lower
..? b
Invalid number!