

Thesis Title

Thesis Subtitle

Author Name

B.Sc. Final Year Dissertation

Cardiff School of Mathematics

CARDIFF
UNIVERSITY

PRIFYSGOL
CAERDYDD

Acknowledgments

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetur adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

Contents

1	Introduction	4
1.1	Introduction	4
2	Awesome theorems and stuff	5
2.1	Introduction	5
3	Conclusion	6
4	Results	7
4.1	The Dual	7
4.2	Comparison of Analytical and Numerical Plots	8
5	Appendix	10

List of Figures

4.1	Shaded plots of the fingerprint functions for the strategies TitForTat, Psycho, AllD and AllC, in reading order.	8
4.2	A comparison of a fingerprint plot from previous literature to asses the suitability of the Seismic colour map	9

Chapter 1

Introduction

1.1 Introduction

Chapter 2

Awesome theorems and stuff

2.1 Introduction

Note that I can refer to other chapters: see Chapter 1 and even specific equations in each chapter, this is an

Chapter 3

Conclusion

Chapter 4

Results

In this chapter, the implementation of a fingerprint function within the Axelrod-Python library will be examined. This includes the addition of two strategy transformers, the Dual and JossAnn as defined in ???. Then several results will be presented where analytical fingerprints are compared with analytical ones. A discussion that compares different fingerprints of strategies within Axelrod-Python will also be given.

4.1 The Dual

The dual of a strategy is defined such that when the original strategy and the dual are presented with identical histories they will return opposite actions. This relies on knowledge of how the original strategy would have behaved in a given situation, would be impractical to infer from the source code, however, the required behaviour can be achieved by having the original strategy as an attribute of the dual. Whenever the dual has to submit a move, it can first get the original strategy to suggest what move should it would have made, and then flip that action.

Data: A strategy
Result: The d of the strategy
1 if <i>First Turn</i> then
2 create copy of original strategy;
3 end
4 simulate original strategy;
5 update original strategy's history/internal state;
6 return <i>Flip of original strategy's move</i>

Algorithm 1: The Dual of a Strategy

4.2 Comparison of Analytical and Numerical Plots

In figure 4.1, several analytical fingerprints from previous literature are shown [1]. Colourings and shadings are used to make certain features stand out, and an attempt to replicate this behaviour was implemented in Axelrod-Python. The popular plotting library matplotlib has many options for different colour maps which are demonstrated in Appendix .






Figure 4.1: Shaded plots of the fingerprint functions for the strategies TitForTat, Psycho, AllD and AllC, in reading order.

Using the analytical fingerprints from previous literature, and the fingerprint formulae provided alongside them, the most appropriate colour map was chosen. The colour map Seismic was selected due to its divergent properties (although all colour maps are available within the library). With divergent colour maps, all extreme values (high or low) are coloured, whilst mid range values are left white. This highlights areas of interest, and in Figure 4.2 it can be seen that this matches previous work very well.

With the knowledge that the choice of colourmap is appropriate, a comparison can now be made between analytical fingerprints and numerical ones obtained via the Axelrod-Python library. Table gives the fingerprint functions of several well known strategies that will then be used to validate the numerical versions.



(a) WSLS fingerprint from previous literature



(b) Analytical WSLS fingerprint demonstrating Seismic colouring

Figure 4.2: A comparison of a fingerprint plot from previous literature to asses the suitability of the Seismic colour map

Strategy	Analytical Fingerprint Function
TitForTat	$\frac{y^2 + 5xy + 3x^2}{(x + y)^2}$
Psycho (Anti TitForTat)	$\frac{4(y - 1)(x - 1) + 5(y - 1)^2}{2(y - 1)(x - 1) + (x - 1)^2 + (y - 1)^2}$
WinStayLoseShit (Pavlov)	$\frac{(3x + y)(x - 1) + 5y(y - 1)}{(x + 2y)(x - 1) + y(y - 1)}$
AllC (Cooperator)	$3 - 3y$
AllD (Defector)	$4x + 1$

Table 4.1: A selection of exact fingerprint functions for well known strategies. The probe used is TitForTat.

Chapter 5

Appendix

The end.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetur adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis

augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetur.

Suspendisse vel felis. Ut lorem lorem, interdum eu, tincidunt sit amet, laoreet vitae, arcu. Aenean faucibus pede eu ante. Praesent enim elit, rutrum at, molestie non, nonummy vel, nisl. Ut lectus eros, malesuada sit amet, fermentum eu, sodales cursus, magna. Donec eu purus. Quisque vehicula, urna sed ultricies auctor, pede lorem egestas dui, et convallis elit erat sed nulla. Donec luctus. Curabitur et nunc. Aliquam dolor odio, commodo pretium, ultricies non, pharetra in, velit. Integer arcu est, nonummy in, fermentum faucibus, egestas vel, odio.

Sed commodo posuere pede. Mauris ut est. Ut quis purus. Sed ac odio. Sed vehicula hendrerit sem. Duis non odio. Morbi ut dui. Sed accumsan risus eget odio. In hac habitasse platea dictumst. Pellentesque non elit. Fusce sed justo eu urna porta tincidunt. Mauris felis odio, sollicitudin sed, volutpat a, ornare ac, erat. Morbi quis dolor. Donec pellentesque, erat ac sagittis semper, nunc dui lobortis purus, quis congue purus metus ultricies tellus. Proin et quam. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Praesent sapien turpis, fermentum vel, eleifend faucibus, vehicula eu, lacus.

Bibliography

- [1] Dan Ashlock, Eun-Youn Kim, and W.K. VonRoeschlaub. “Fingerprints: enabling visualization and automatic analysis of strategies for two player games”. In: *Proceedings of the 2004 Congress on Evolutionary Computation (IEEE Cat. No.04TH8753)* (2004), pp. 381–387. DOI: 10.1109/CEC.2004.1330882. URL: <http://ieeexplore.ieee.org/lpdocs/epic03/wrapper.htm?arnumber=1330882> (cit. on p. 8).