

#### Home BP checklist

Validated upper arm monitor <a href="https://bihsoc.org/bp-monitors/for-home-use/">https://bihsoc.org/bp-monitors/for-home-use/</a>

Where to purchase? <a href="https://giftshop.bhf.org.uk/blood-pressure-monitors">https://giftshop.bhf.org.uk/blood-pressure-monitors</a>

Correct cuff size <a href="https://targetbp.org/patient-measured-">https://targetbp.org/patient-measured-</a>

bp/implementing/smbp-selecting-the-right-cuff-size/

Which arm to use? Unless you have been told otherwise, use the arm you <u>DO</u>

**NOT WRITE WITH** 

#### Guide to measurement of home BP

https://www.bhf.org.uk/informationsupport/heart-matters-magazine/medical/tests/blood-pressure-measuring-at-home#Heading3

Most monitors record 3 numbers:

- The top number is the **systolic blood pressure** (SBP)
- The next number is the diastolic blood pressure (DBP)
- If your monitor records a 3<sup>rd</sup> number, this is heart rate (HR).

You will be asked to measure 5 readings in a row (just enough time to write the values down between readings). You will do 5 in row sitting, immediately followed by 5 in a row standing.

You will do these 5+5 readings in the both in the morning before your medicines and in the evening (also before your medicines if you take any in the evening). Your evening BP readings should be at least 1 hour after your dinner as well. **Try to do this 3 days per week.** 

You need to find 10 minutes when you will not be disturbed and are not doing anything else (like talking or using your phone).

- Find an undisturbed, quiet place and attach the BP cuff to your arm.
- The cuff should be at approximate nipple/heart height, with your arm supported on a table or in your lap.
- Sit upright in chair with your back supported and with feet flat on floor, legs uncrossed.
- Stay relaxed for approximately 5 minutes.
- Press the START or ON button on your machine (some machines require you to press the button again to start the cuff inflation).
- Try not to look at the machine whilst the cuff is being inflated.
- Once the cuff is fully deflated, write down all the numbers recorded into the home BP table overleaf.
- Press the START or ON button again to record the 2<sup>nd</sup> reading and write down the numbers once the cuff is deflated and the same for the rest of the readings
- After you have done the 5 in a row sitting, stand up without holding on to anything (if you are able to do this) and do a further 5 readings whilst standing.

<sup>\*</sup>You may prefer to create your own electronic spreadsheet



Example:

Date/Time	SBP	DBP	HR	Date/Time	SBP	DBP	HR
Sit 1				Day 1			
	164	94	56		154	89	65

Sit	SBP	DBP	HR	Stand	SBP	DBP	HR
Sit 1				Stand 1			
AM				AM			
Sit 2				Stand 2			
AM				AM			
Sit 3				Stand 3			
AM				AM			
Sit 4				Stand 4			
AM				AM			
Sit 5				Stand 5			
AM				AM			
C:+ 1				Ctond 1			
Sit 1				Stand 1			
PM				PM			
Sit 2				Stand 2			
PM				PM			
Sit 3				Stand 3			
PM				PM			
Sit 4				Stand 4			
PM				PM			
Sit 5				Stand 5			
PM				PM			



Example:

Date/Time	SBP	DBP	HR	Date/Time	SBP	DBP	HR
Sit 1				Day 1			
	164	94	56		154	89	65

Sit	SBP	DBP	HR	Stand	SBP	DBP	HR
Sit 1				Stand 1			
AM				AM			
Sit 2				Stand 2			
AM				AM			
Sit 3				Stand 3			
AM				AM			
Sit 4				Stand 4			
AM				AM			
Sit 5				Stand 5			
AM				AM			
C:+ 1				Ctond 1			
Sit 1				Stand 1			
PM				PM			
Sit 2				Stand 2			
PM				PM			
Sit 3				Stand 3			
PM				PM			
Sit 4				Stand 4			
PM				PM			
Sit 5				Stand 5			
PM				PM			



Example:

Date/Time	SBP	DBP	HR	Date/Time	SBP	DBP	HR
Sit 1				Day 1			
	164	94	56		154	89	65

<u>Sit</u>	SBP	DBP	HR	<u>Stand</u>	SBP	DBP	HR
Sit 1				Stand 1			
AM				AM			
Sit 2				Stand 2			
AM				AM			
Sit 3				Stand 3			
AM				AM			
Sit 4				Stand 4			
AM				AM			
Sit 5				Stand 5			
AM				AM			
Sit 1				Stand 1			
PM				PM			
Sit 2				Stand 2			
PM				PM			
Sit 3				Stand 3			
PM				PM			
Sit 4				Stand 4			
PM				PM			
Sit 5				Stand 5			
PM				PM			

You can download more sheets for recording sitting and standing BP from github.com/drvkapil/Barts