# Functional Requirement Document

### Functional Requirement Document (FRD)

#### FR-WF-001: Execute End-to-End Workflow for DP Address Change (YUYU) Creation

##### Title

Execute End-to-End Workflow for DP Address Change (YUYU) Creation

##### Description

The system must execute an end-to-end workflow that generates a downstream DP Address Change (YUYU) outbound flat file and updates the staging Oracle table to reflect processing status/audit fields. The workflow also performs a source record count check to gate whether file creation and main processing should proceed.

##### Preconditions

- The Oracle staging table (`STG_E2E_AC_TXDBH_DATA`) contains data to be processed.
- The necessary parameters and variables are set (e.g., `$$M_SRC_SQL`, `$$WF_FILE_TMSTMP`, `$$M_PROCESS_USERID`, `$Param_tgtschema`, `$Param_tgttable_1`, `$Param_lkpschema`, `$Param_lkptbl_1`, `$Param_lkptbl_2`, `$OutputFile_YUYU_NEW`, `$BadFilename_YUYU_NEW_FILE`, `$OutputFile_CNT_CHK`, `$BadFilename_E2E_AC_CNT_CHK`, `$$WF_SHELL_DIR`).

##### Main Flow / Functional Steps

1. **Source Record Count Check**

- Execute session `s_E2E_AC_TXDBH_DP_YUYU_SRC_REC_CNT_CHK` to count source records.
- Write the count to a flat file (`FF_Source_Count`).

2. **Evaluate Source Record Count**

- If the count is 0, proceed to step 3.
- If the count is greater than or equal to 1, proceed to step 4.

3. **Trigger File Creation and Cleanup (No Records)**

- Execute command task `CMD_TRIGGER_FILE_CREATION`:
- Create/clear trigger file (`DPACYUYU_TriggerFile.txt`).
- Run cleanup shell script (`E2E_AC_DelFile_DPAddressChangeYUYU.sh`).

4. **Main Processing (Records Present)**

- Execute session `s_E2E_AC_TXDBH_DP_YUYU_CREATION` to:
- Generate the outbound DP Address Change (YUYU) file (`DPAddressChangeYUYU`).

• Update the Oracle staging table (`STG_E2E_AC_TXDBH_DATA_TGT`) with processing status and audit fields.

5. **Post-Processing (Records Present)**

• Execute command task `CMD_TRIGGER_DEL`:

• Set trigger indicator in trigger file (`DPACYUYU_TriggerFile.txt`).

• Run cleanup shell script (`E2E_AC_DelFile_DPAddressChangeYUYU.sh`).

#### FR-WF-002: Generate Outbound DP Address Change (YUYU) File

##### Title

Generate Outbound DP Address Change (YUYU) File

##### Description

The system must generate an outbound flat file (`DPAddressChangeYUYU`) containing formatted address change data for YUYU.

##### Preconditions

• Source data is available in `STG_E2E_AC_TXDBH_DATA`.

• Source record count is greater than or equal to 1.

##### Main Flow / Functional Steps

1. **Extract Source Data**

• Use `SQ_STG_E2E_AC_TXDBH_DATA` with override SQL (`$$M_SRC_SQL`) to extract necessary columns.

2. **Apply Transformations and Formatting**

• Use `EXP_YUYU_CHNG` to apply fallback logic for address fields and format telephone numbers.

• Derive policy owner names using lookups (`LKP_YUYU_CLNT` and `LKP_YUYUK_CLN`).

3. **Generate Sequence Number**

• Use `SEQTRANS` to generate a sequence number (`SEQUENCE_NUMBER`) for each row.

4. **Write to Outbound File**

• Write the transformed data to the outbound flat file (`DPAddressChangeYUYU`).

#### FR-WF-003: Update Staging Table with Processing Status and Audit Fields

##### Title

Update Staging Table with Processing Status and Audit Fields

##### Description

The system must update the Oracle staging table (`STG_E2E_AC_TXDBH_DATA_TGT`) with processing status and audit fields for processed records.

##### Preconditions

• Main processing session (`s_E2E_AC_TXDBH_DP_YUYU_CREATION`) has completed successfully.

##### Main Flow / Functional Steps

1. **Update Staging Table**

• Use `UPDTRANS_YUYU_STG_UPD` with `DD_UPDATE` strategy to update the staging table.

• Update columns include `STG_TXDB_STATUS`, `STG_PROCESS_DATE`, and `STG_PROCESS_USERID`.

#### FR-WF-004: Perform Source Record Count Check

##### Title

Perform Source Record Count Check

##### Description

The system must count the number of source records available for processing and write the count to a flat file (`FF_Source_Count`).

##### Preconditions

• Oracle staging table (`STG_E2E_AC_TXDBH_DATA`) contains data.

##### Main Flow / Functional Steps

1. **Count Source Records**

• Use `s_E2E_AC_TXDBH_DP_YUYU_SRC_REC_CNT_CHK` to count source records based on `$$M_SRC_SQL`.

2. **Write Count to File**

• Write the count to a flat file (`FF_Source_Count`).