

Functional Requirement Document

Here is the detailed Functional Requirement Document (FRD) based on the provided Business Requirement Document (BRD) "Coding Requirements" section.

FR-E2E-001: Read Address Change Candidate Records and Generate DP Address Change YUYU Extract

Title: Read Address Change Candidate Records and Generate DP Address Change YUYU Extract

Description: The system must read address change candidate records from Oracle staging source `STG\_E2E\_AC\_TXDBH\_DATA` and generate a flat-file style target dataset `DPAddressChangeYUYU` containing relevant information, while updating the staging control/audit attributes for processed records.

Preconditions

- The Oracle staging source `STG\_E2E\_AC\_TXDBH\_DATA` contains address change candidate records.
- The Informatica mapping parameter/variable `\$\$M\_PROCESS\_USERID` is set.

Main Flow / Functional Steps

1. **Read Source Data:** The system reads address change candidate records from Oracle staging source `STG\_E2E\_AC\_TXDBH\_DATA`.
2. **Pre-Processing:** The system passes through key and address/phone fields and exposes "PPAY_" fields used as fallback values.
3. **Enrichment:**
 - The system performs a lookup on `T\_YUYU\_CLNT` to retrieve `POWN\_LNM` and `POWN\_FNM` (owner name components) using `POL\_NO = T\_TX\_BASIC\_POLICY\_ID`.
 - The system performs a lookup on `T\_YUYUK\_CLN` to retrieve `POWN\_KNM` (owner Kanji name) using `POL\_NO = T\_TX\_BASIC\_POLICY\_ID`.
4. **Business Transformations:** The system derives formatted dates, normalized postal code, address fallback logic, phone formatting, and owner name concatenation.
5. **Generate DP Address Change YUYU Extract:** The system generates a flat-file style target dataset `DPAddressChangeYUYU` containing:
 - Sequence number generated by Informatica Sequence (`SEQTRANS.NEXTVAL`)
 - Origin request ID
 - Policy ID
 - Reception date (formatted and re-parsed)
 - New address fields (postal code, kana lines 1–3, kanji lines 1–3)

- New telephone number
- Policy owner name in Kana and Kanji (enriched via lookups)

6. **Update Staging Control/Audit Attributes:** The system updates the same staging table `STG\_E2E\_AC\_TXDBH\_DATA` using update strategy `DD\_UPDATE` to stamp processing metadata (process date, process user) and carry forward key identifiers and status fields.

FR-E2E-002: Update Staging Table with Process Stamps

Title: Update Staging Table with Process Stamps

Description: The system must update the staging table `STG\_E2E\_AC\_TXDBH\_DATA` with process stamps (process date, process user) for processed records.

Preconditions

- The Informatica mapping parameter/variable `\$\$M\_PROCESS\_USERID` is set.

Main Flow / Functional Steps

1. **Derive Process Stamps:** The system derives the process date using `SYSDATE` and process user using `\$\$M\_PROCESS\_USERID`.
2. **Update Staging Table:** The system updates the staging table `STG\_E2E\_AC\_TXDBH\_DATA` using update strategy `DD\_UPDATE` with the derived process stamps.

Business Rules

The following business rules are applicable to the above functional requirements:

BR-01: Stamp processing date on staging updates using `SYSDATE`.

BR-02: Stamp processing user on staging updates using `\$\$M\_PROCESS\_USERID`.

BR-03: Reception date formatting and conversion.

BR-04: New address (Kana) fallback to PPAY_ when ZIP is missing.

BR-05: Postal code fallback and normalization.

BR-06: Telephone number formatting.

BR-07: Policy owner name derivation (Kana).

BR-08: Policy owner name derivation (Kanji).

BR-09: Lookup join key using `POL\_NO = T\_TX\_BASIC\_POLICY\_ID`.