

Functional Requirement Document

Here are the detailed functional requirements based on the "Coding Requirements" section of the provided BRD:

FR-E2E-001: Extract and Consolidate Beneficiary Change Data

Title: Extract and Consolidate Beneficiary Change Data from TXDB into Oracle Staging Table

Description: The system must extract data from four source tables in TXDB (T_TX_REQUEST_POLICY, T_TX_BASIC, T_TX_RELATION, T_TX_DTL_BENEFICIARY_CHANGE), consolidate and transform it, and load it into the STG_E2E_BC_K2H_TXDB_DATA Oracle staging table.

Preconditions:

- Source data exists in TXDB.
- \$\$M_Src_SQL is correctly defined in the session parameter file.

FR-E2E-002: Standardize and Trim Name Fields

Title: Standardize and Trim Name Fields

Description: The system must standardize and trim Latin and Kanji name fields (TTDBC_LASTNAME, TTDBC_FIRSTNAME, TTDBC_LASTNAME_KANJI, TTDBC_FIRSTNAME_KANJI).

Preconditions:

- Relevant data is retrieved from source tables.

Main Flow / Functional Steps:

1. Apply LTRIM/RTRIM to Latin name fields (TTDBC_LASTNAME, TTDBC_FIRSTNAME).
2. Apply LTRIM/RTRIM to Kanji name fields (TTDBC_LASTNAME_KANJI, TTDBC_FIRSTNAME_KANJI) and default to empty string if null/blank.
3. Perform Kanji normalization on TTDBC_LASTNAME_KANJI and TTDBC_FIRSTNAME_KANJI.

FR-E2E-003: Normalize Kanji Characters

Title: Normalize Kanji Characters

Description: The system must validate Kanji characters against acceptable character ranges and replace out-of-range characters with U+25A0.

Preconditions:

- Kanji name fields are trimmed and null/blank values are handled.

Main Flow / Functional Steps:

1. Validate Kanji characters against Windows-932 (Shift-JIS) code ranges.
2. Replace unsupported characters with U+25A0.
3. Remove CR (13) and retain LF (10) as newline.

FR-E2E-004: Handle Date Fields

Title: Handle Date Fields

Description: The system must correctly handle date fields (TR_UPDATE_DATETIME, TTDBC_EFFECTIVE_DATE) by casting them to Oracle DATE.

Preconditions:

- Relevant data is retrieved from source tables.

Main Flow / Functional Steps:

1. Cast TR_UPDATE_DATETIME from T_TX_REQUEST_POLICY.PUSG_EDT to Oracle DATE.
2. Cast TTDBC_EFFECTIVE_DATE from T_TX_DTL_BENEFICIARY_CHANGE.CREATE_DATETIME to Oracle DATE.

FR-E2E-005: Load Data into Target Table

Title: Load Data into Target Table

Description: The system must load transformed data into the STG_E2E_BC_K2H_TXDB_DATA Oracle staging table.

Preconditions:

- Data is consolidated, transformed, and ready for loading.

Main Flow / Functional Steps:

1. Insert data into STG_E2E_BC_K2H_TXDB_DATA.

FR-E2E-006: Populate CREATE_DATETIME

Title: Populate CREATE_DATETIME

Description: The system must populate the CREATE_DATETIME field with the ETL load timestamp.

Preconditions:

- Data is loaded into the target table.

Main Flow / Functional Steps:

1. Set CREATE_DATETIME to the ETL load timestamp.