

Technical Requirement Document

Technical Requirement Document (TRD)

TR-WF-001: Execute End-to-End Workflow for DP Address Change (YUYU) Creation

- Technical Requirement ID: TR-WF-001
- Related Functional Requirement(s): FR-WF-001
- Objective: Design a workflow that generates a downstream DP Address Change (YUYU) outbound flat file and updates the staging Oracle table to reflect processing status/audit fields.

Technical Requirements:

- Target Cluster Configuration:
 - Cluster Name: Informatica PowerCenter
 - Databricks Runtime Version: Not Applicable
 - Node Type: Not Applicable
 - Driver Node: Not Applicable
 - Worker Nodes: Not Applicable
 - Autoscaling: Not Applicable
 - Auto Termination: Not Applicable
 - Libraries Installed: Informatica PowerCenter components (e.g., PowerCenter Client, PowerCenter Server)
- Source Data Details:
 - Dataset Name: `STG\_E2E\_AC\_TXDBH\_DATA`
 - Location: Oracle staging table
 - Format: Relational table
 - Description: Holds data to be processed for DP Address Change (YUYU) creation
- Target Data Details:
 - Output Name: `DPAddressChangeYUYU`
 - Location: Outbound flat file directory
 - Format: Flat file
 - Description: Contains formatted address change data for YUYU
 - Output Name: `FF\_Source\_Count`
 - Location: Directory for source count file
 - Format: Flat file

- Description: Holds the count of source records
- Job Flow / Pipeline Stages:
 - Source Record Count Check
 - Evaluate Source Record Count
 - Trigger File Creation and Cleanup (if no records)
 - Main Processing (if records present)
 - Post-Processing (if records present)
- Data Transformations / Business Logic:
 - Step: Extract Source Data
 - Description: Use `SQ\_STG\_E2E\_AC\_TXDBH\_DATA` with override SQL (`\$\$M\_SRC\_SQL`)
 - to extract necessary columns.
 - Transformation Logic: Apply SQL override to extract required data
 - Step: Apply Transformations and Formatting
 - Description: Use `EXP\_YUYU\_CHNG` to apply fallback logic for address fields and format telephone numbers.
 - Transformation Logic: Implement fallback logic and telephone number formatting
 - Step: Derive Policy Owner Names
 - Description: Use lookups (`LKP\_YUYU\_CLNT` and `LKP\_YUYUK\_CLN`) to derive policy owner names.
 - Transformation Logic: Perform lookups to derive policy owner names
 - Step: Generate Sequence Number
 - Description: Use `SEQTRANS` to generate a sequence number (`SEQUENCE\_NUMBER`) for each row.
 - Transformation Logic: Generate sequence numbers for output data
- Error Handling and Logging:
 - Error Handling: Implement error handling for session failures and data issues.
 - Logging: Log processing status, errors, and audit information to the Oracle staging table and log files.

TR-WF-002: Generate Outbound DP Address Change (YUYU) File

- Technical Requirement ID: TR-WF-002
- Related Functional Requirement(s): FR-WF-002
- Objective: Generate an outbound flat file (`DPAddressChangeYUYU`) containing formatted address change data for YUYU.

Technical Requirements:

- (Similar to TR-WF-001, with a focus on generating the outbound file)

TR-WF-003: Update Staging Table with Processing Status and Audit Fields

- Technical Requirement ID: TR-WF-003
- Related Functional Requirement(s): FR-WF-003
- Objective: Update the Oracle staging table (`STG\_E2E\_AC\_TXDBH\_DATA\_TGT`) with processing status and audit fields for processed records.

Technical Requirements:

- Data Transformations / Business Logic:
- Step: Update Staging Table
- Description: Use `UPDTRANS\_YUYU\_STG\_UPD` with `DD\_UPDATE` strategy to update the staging table.
- Transformation Logic: Update columns include `STG\_TXDB\_STATUS`, `STG\_PROCESS\_DATE`, and `STG\_PROCESS\_USERID`

TR-WF-004: Perform Source Record Count Check

- Technical Requirement ID: TR-WF-004
- Related Functional Requirement(s): FR-WF-004
- Objective: Count the number of source records available for processing and write the count to a flat file (`FF\_Source\_Count`).

Technical Requirements:

- Data Transformations / Business Logic:
- Step: Count Source Records
- Description: Use `s\_E2E\_AC\_TXDBH\_DP\_YUYU\_SRC\_REC\_CNT\_CHK` to count source records based on `\$\$M\_SRC\_SQL`.
- Transformation Logic: Execute session to count source records
- Step: Write Count to File
- Description: Write the count to a flat file (`FF\_Source\_Count`).
- Transformation Logic: Output count to a flat file