

Code Explanation

Configuration Settings for Customer Order Processing Pipeline

The provided code is a Python configuration file that stores various settings and constants used in a customer order processing pipeline. It defines paths, catalog, schema, and table names used in the pipeline.

Overview of the Code

This configuration file is used to centralize and manage the various settings required by the customer order processing pipeline. It provides a single source of truth for the different paths, catalog, schema, and table names used throughout the pipeline.

Step 1: Defining Volume Paths

The first step is to define the volume paths used to store customer and order data.

```
# Volume paths
CUSTOMER_DATA_PATH = "/Volumes/gen_ai_poc_databrickscoe/sdlc_wizard/customerdata"
ORDER_DATA_PATH = "/Volumes/gen_ai_poc_databrickscoe/sdlc_wizard/orderdata"
```

Step 2: Specifying Catalog and Schema Information

The next step is to specify the catalog and schema information used in the pipeline.

```
# Catalog and schema information
CATALOG = "gen_ai_poc_databrickscoe"
SCHEMA = "sdlc_wizard"
```

Step 3: Defining Table Names

The final step is to define the names of the tables used in the pipeline, including customer, order, order summary, and customer aggregate spend tables.

```
# Table names
CUSTOMER_TABLE = "customer"
ORDER_TABLE = "order"
ORDER_SUMMARY_TABLE = "ordersummary"
CUSTOMER_AGGREGATE_SPEND_TABLE = "customeraggregate spend"
```