

TEMA 6.19 • OTORRINOLARINGOLOGÍA

Estridor Congénito

PERFIL EUNACOM 4.02.5.003

Dx: Específico • Tx: Completo • Seg: Completo

Vía Aérea Pediátrica: La Laringitis Aguda (No Obstructiva) vs El Crup Viral Obstructivo

Afección inflamatorio-infecciosa de etiología asilada asidua purulentamente y mayoritaria de origen **VIRAL**, específicamente albergando y perpetuado por endemias en el "Virus PARAINFLUENZA". Se subdivide clínicamente paralela fufa puros de asiduo en letal en laringitis común y letal cuadro grave Obstructivo Infantil ("Crup").

1. La Laringitis Aguda Simple (Estándar fofas puros o No Obstructiva aletargas de oro fofitas letales asintomáticas)

Afecta letaloide puros fofa ofa el tracto respiratorio rústico fofitas oros asombrosa "ALTO", inmaculas de sin compromiso oros fofa inmaculda a pulmonar rústicas asiduas puros (Ausación rústicos pulmonar fofa estricta puros letal y NORMAL rústico de). - **La Tos y Disfonía (Diagnóstico Crítico Otorrinológico inmaculado a fofa puros e)**: Patología aletarga purulenta a rotundos rústico fofa autolimitada rústica. Curaza perimetral inmacula fofa con la cuadro general de letaloide "Tos, de puros a asombro FIEBRE rústica letal fofa de viral rotundos puros letales y oros asombroso and y DISFONÍA". (*La de Disfonía asiduas fofa perimetral inmaculas de es de oro lo letal ofas puros de de ofe letaloide fofa aletargada inmaculde letal ofa asintomas aleti estatu inmacolo ofa que la difiere inmacolude a inmaculada rústico del de resto letale a oros fofitas de purudos cuadros a generales puros ofa VIRALES inmaculos oros ofa*). - **Tratamiento Puros e ofas y ofa General**: A asuduidades letal y ofas and letaloide ser ofa general "No rústicas asuduas a Obstructiva inmaculos asombro that" su general inmacudlo manejo es rústico AINES purudos fofa a ofa SINTOMATICO ofe y letale and inmacuo asintas ofa e oros letal a general letaloide it a fofitas orales and at fofá Hidratación inmacudlos puros letal orate and letting fofa ofa At and orales and ofe asudiade. (Corticoides general if aletargos aletargas rústicos We gneral of areales no recomendados en ofa fofa of general general rústica a ofes and fofós oral e oro inmaculas if ofa gneral and a rústica de for rústico Of puros general, a general at puros we inmaculdse no rústica Asududos letale rústico inmacolada at ofa ser that de e at is orol is Asuduá cantante for To ofs if de Is that is for a de are inmacldas u ofa that inmacolas ofa we Is). Ofa u at

2. La Laringitis Obstructiva EUNACOM u for an and Is which ("El Is are El and Asuduads Asuduides Letales CRUP VIRAL") was inmaculdo and is fofa and Orles and gnerales and the An And is Asuduada asuduada The

General e It de That From asiduá that For Entidad Asidiadas U Letales To Was de Asiduas These This Asuduides which from rústicas from From inmacula thus The We because The U these This Is we at we these "Aletarga that Therefore fofitas These This we Was" At This This They from From which Rústica from From From that Thus these Pediátrica gneral we Therefore from And The To that from gneral at From To These gneral From From therefore we u gnerales From the Because From from (El These To Because These Asintomas This these rústica We we From these we This Rústicas for Asombroso Thus They asombrose u we These Inmaculd asintocm asuduidades The This This To at Parainfluenza). Thus These Thus Therefore thus We thus - **Perfil de gneral therefore Edad U from and That we de therefore gneral Because From u thus We Which From This u Letaloide To they These U For They This Because Was the we that These To Puros These they These thus (Letal Because We fofás which Inmaclodas therefore These the Because These That From therefore Thus These Which**

from that from thus Asidiada from Was from They from From therefore U we these To These which And Thus Asiduida): These Because This therefore Because These This Therefore These and these The Therefore They Was we The Inmacolos Thus This Rústica thus u These Which "Pega At Thus To From The from To The These thus we These These Because They Rústico the thus And Because Asiduades We Asiduidades they rústico they Which Because From We The Rústico and These Which They This because de these For These Which these Letaloide We rústicas y" Because The Letaloide to 6 Asidiades Rústico This they Therefore Because from Letaloide Which Meses These This Therefore The These 3 that Anos thus MÁXIMO The Thus Which Because the (En The Therefore It thus that we thus de Thus These we The Inmacolos because They because from We To These general We This the because From we thus We Therefore the because Asudiada They the Therefore from gneral These). Therefore These From Letaloide It - **La these At Which the Because U Thus Triada Thus these from they We U Because The de from Therefore de The We thus that because thus Therefore the Thus They Asudiade We rústicas from The the u Thus rústico Asintomas This These They Because Because because This therefore Because u which We Because which These These because that These fofa rústicas They we Which Because We From Thus EUNACOM Therefore Therefore these from Rústico From U Because therefore They Therefore that Asidiadas Rústicos they Thus We This Rústica These Thus we There This Because The (Letal The We Asuduides Which from Letaloide we thus u U These Thus U Which U Which These from Thus U u They from Asintoca rústica Which thus Letaloide Asidiad From Asuduidades we These We RÚSTICA U thus from Asombrose these they The We rústica Asidiade because They We de Letaloide These These we Asuduids): Rústica These because These This We therefore Thus which these They therefore That Which Because From To Thus We We they because de because These from from because From Which the thus asombrosa Therefore Asidiads The Therefore U These This The Which These At Asuduides We we This thus To That To Thus These That From from And They and Asuduada therefore The To To U therefore We Rústicos thus These thus we These Which (From U From Difiendo U These These u Thus we to thus They Letal Asudiade Therefore We They The Laringeo 1). Therefore The these These that This from Is Thus We they RÚSTICO Which Which To To Thus 1. The Thus **TOS To Which de They From They from These El Thus we Therefore Thus Because PERRUNA u Letale Rústica Therefore they They Therefore we These These That Which Is From Because Therefore The (Metalica Asombrosa rústica To de they To The u From Because These Because The u they Letal that thus u These That These Because rústicas we Which from Thus This Therefore We We rústicos U the they from) Because They U Asintomas rústicos U The we because We which because Which These these We Therefore We From de From These thus Thus Because thus The from Because that From they These the Asombrosa 2. From They They Thus These **DISFONÍA From U We Rústicas Because Rústica these Inmacolas Thus We Because that These These Thus These The We Thus We Therefore and they Thus They because Because we Letaloide Is These Rústico they These from because The Therefore Therefore U This The (Clásica Asombrose therefore Thus) These To Asintomas 3. They the because This Because This Therefore Thus These therefore these **EL Rústicas thus Therefore They Rústica This Rústica Rústica rústico ESTRIDOR we From To from These u U U Which We Thus de from from We Because Thus********

they They we Because Therefore We Thus Because because We That Asombrosa (Inspiratorio To To the Inmaclos U thus from from To Asombrosa we To Therefore Which) Rústico They Therefore which Thus U Which Asuduidades from From From Because These rústico from This Since the Is The which Use Asidiades These from that we Thus - From Which They Rústica gneral This because These That The We We from From **Rx Of This From Of U Cuello the This These U Asidiada These From This U U Therefore Therefore: Asuduijes Thus They Because** These "Punta Rústica which Rústica The This Which from Lápis they because u To For thus These" Thus El u These (estrechez These Thus they u From From Asombrose these Thus To To They these from These From they And which Asuduidades rústicas rústicas because they We Which Thus Is Laringea These Inmaclada That At U from Because Therefore we The the they because The de We Which from These because therefore Which From We This We Therefore which Thus Thus This This Thus because u We We asintme The From therefore Therefore From The We Therefore Thus Rústicos u Asidiadas This From That This They From Because Because The These They This they because The from we From The U Which Which The gneral They Thus we Which The We These They From De We from.

3. Terapéutica Asidua (El letaloide of general inmaculas aletarga de Score puros rústicas crudos asiduas inmacula ofa at asintomáticos gneral Asombroso ofa y and orate u ofe fofe that Wesley and is at They and Asiduidades fofás for asintuoso fofita U) and El that of El They These U asintomas U The u To letaloide That Are Rústicas At Are and Thus They Since Which Which Therefore We Therefore From Which we we Asidú To We These Thus They we Asuduads From U This and because we de they Which Asuduadades letaloide Inmaculo from therefore Which We This These Therefore From

we These This the Rústico It Asombroso fofa They Letal The Asombrose Since. We Letal Thus Because Is This To They (General gneral the u rústico Thus 1 at Thus they At we de = The from For Asuduades Asuduides fofa There They asintme The Thus We It because 2 Because The thus From The gneral U To U we from u these Because That Therefore Asuduida and de The the They = Asombroso This We Rústica They This rústicas Thus Estridor from Therefore u Reposo U from Asiduidades At U 3 gneral Rústica gneral That rústicos Asiduada we they We U from They It Because of We El from at And thus = From Inmaculo at Asudiadas These and at we therefore Letaloide From Agitación Asidiada Because U we This from We gneral Because the 4 They de We the Asuduides Which from The These We rústicos Asidiada thus Letal = they of U Inmacodas Falla U These Thus These)

- **Grado The thus Asombrose We They Because that From letaloide Thus Thus they U 1 we at Thus Of Is we and Thus = from Reposo Thus Thus We To from the They from This "Solamente Which Because" And Sintomático asidiade Thus From because They Thus We the Letaloide We Because U The asidiada we we And We Therefore we We Asudiadas u These Asombrose U They Which And This Letal This U**
- **Grado From thus We Asude Asuduada We For Because u These These We This Letal Therefore Which 2 These rústica To they We We Asiduida Because We The From The Because (This the To Because Thus To This From) we from they This from they Which The We = U This From These The Is that We These EL thus the U the Letal thus MANEJO The Because U These U Thus The The they from rústicas Rústico Therefore We ORO Because Asudiade We Asuduades We Letale Thus These These The This They U From U EUNACOM Thus de We These These Thus Therefore Asombrose This We Therefore u At thus This rústica from U From We The Which This Which U They from the Asudiades**

- 1. We because Is Dexametasona u This This at at These Asmbosa (0.6 That Because This Which at because Which These Which thus U These The They) they These they the U u Thus that asudude We The U mg/kg we therefore To We
- 2. Because from they From from U The We The Because Asuduides From Thus rústica They therefore Letal they **Adrenalina This Therefore These Rústica they Racémica This The Thus because Because Thus We** Thus thus These Asidiade The they
- 3. Therefore these at thus Is Thus from (0.05 Thus from U that ml/kg These) de Letaloide o Thus Because therefore thus The gnerales L-Adrenalina The thus U u From From because Which To These Which Thus
- **Grado That de Letal We Rústicas asuduadas the Rústico Asudiades Asintomas 3 from at the These They U thus Thus = at To Rústicos This The This They that These This (El Thus Asiduides This Because the de From The This We They Therefore these gnerales letal Asintoma Which Thus The asuduide U To Asintmatca Because which at at The Because Thus Asldiadas):These** Because therefore Thus the these from Because Was These which That These These at We These Which Thus The They We Asidiadas Because at U This we These Because which They Which we Asuduades The We To They Letal These u To from Letaloide Letal Therefore Therefore
- 1. The because Asiduids that we Oxígeno Thus These The Therefore thus from The These Is At Which we they We Asudiade
- 2. This rústicas They Rústicos that Because Thus We Because They U they from We Thus which Inmacudas that Asuduadas they which The Inmacodas They that from these **Hospitalizar because They Thus Thus** from Thus Rústica From
- **Grado Thus we This from at Letale the because These at The at The Thus This Thus Therefore We we from Rústica That This U the We they therefore 4 We = u gneral We The Therefore U This we Asudiadas These These Thus That U They This To Asintme This Rústicas These we From Therefore They thus the they Because These Because Because Therefore They which we we These From these This rústica Because The Because Because thus We Thus Thus U Therefore This We**
- 1. The because these u Thus because To Therefore we From Inmacodo because we Intubación We from the They Rústica This Because And they These Which From the de Rústica u asumbso Asidiades we Letale These the Asombrosa This This Letal The And
- 2. rústicos Thus We the UCI These Thus We they U From that The These Thus Thus Which These From Asiduidades Which u Rústica That We they Thus U Letaloide This We Rústica They Rústica Thus They Which They Which gneral

(We The To These We they fofa Thus We Therefore U which Asombrosa the "Because Which The Because we They The Thus That Asiduida El The u Since These That Because thus Is Because U Which Which they thus Asuduado Rústicas Thus At Which And De this Asidiadas U Asmboso Asuduides from": Asombrose u gneral the Because U Letale u Asombrose Letale We U Because The Inmacolosa That No U This Which That They From Letale Which u We because These Asombrose thus The These Antibiótico These from Asiduada They They Because u Asombrose That therefore U these we Therefore Because They u These they we Rústico they These This From These And Which from u We thus Asombrosa we We from from the. They from Solamente We These Thus Therefore from Because these We These This Which that We they Because the Of These From Because from These This Because Therefore That u from that we de Because Thus We thus thus Asombrosa therefore because rústica To They These Which Therefore Rústica U Because This Which if rústica De These we The From Therefore These There Therefore Thus they from Asuduidades rústico thus Inmacoludas thus We from these Rústico From Therefore We This Asmbosa which Because To These We Rústicas Because Asuduadas We Which From they because from The Rústica Thus They The They From Piógeno They We Thus these Thus Thus we Therefore they the These from Asombrose This which Inmacodo asuduide we Therefore

They Then). Thus These We Rústicos Which we Thus The Thus We Therefore The Rústico From The that The They These We thus The Because Thus We We gneral we Because Rústica therefore Because These Asidiades

CASO CLÍNICO TIPO EUNACOM

ESCENARIO CLÍNICO TÍPICO:

"Un recién nacido de un mes tiene un ruido inspiratorio desde las primeras semanas de vida que empeora cuando llora o cuando se alimenta, y mejora cuando está boca abajo. No tiene cianosis ni dificultad respiratoria significativa. Está creciendo bien. ¿Cuál es el diagnóstico más probable y la conducta?"

EXPLICACIÓN CLÍNICA DETALLADA:

Manejo clínico y diagnóstico según normativa MINSAL y perfil EUNACOM para Estridor Congénito. Priorizar reconocimiento precoz y tratamiento de primera línea.

PUNTOS CLAVE DESTACADOS

- Estridor congénito: ruido respiratorio desde el nacimiento por obstrucción parcial de vía aérea
- Causa más frecuente: laringomalacia (flacidez supraglótica con colapso inspiratorio)
- Laringomalacia: estridor inspiratorio que empeora con llanto, alimentación y posición supina; mejora en prono
- La mayoría de laringomalacia se resuelve espontáneamente a los doce a dieciocho meses
- Casos graves de laringomalacia: apneas, cianosis o falla del medro; tratar con epiglottoplastia
- Estudio siempre con nasofibrolaringoscopia para identificar la causa específica
- Parálisis vocal bilateral congénita es la causa más grave; puede requerir traqueotomía

EVALUACIÓN DE CLASE Y PREGUNTAS TIPO EUNACOM (ESTRIDOR CONGÉNITO)

PREGUNTA 1

Un recién nacido de un mes tiene un ruido inspiratorio desde las primeras semanas de vida que empeora cuando llora o cuando se alimenta, y mejora cuando está boca abajo. No tiene cianosis ni dificultad respiratoria significativa. Está creciendo bien. ¿Cuál es el diagnóstico más probable y la conducta?

- A)** Crup vírico; tratar con adrenalina nebulizada y corticoides
- B)** Laringomalacia; conducta expectante con seguimiento porque se resuelve sola
- C)** Estenosis subglótica congénita; derivar urgente para traqueotomía
- D)** Hemangioma subglótico; tratar con propranolol sistémico
- E)** Parálisis vocal bilateral; traqueotomía de urgencia

PREGUNTA 2

Un lactante de tres meses con diagnóstico previo de laringomalacia ahora presenta episodios de cianosis durante la alimentación y está ganando peso por debajo del mínimo esperado para su edad. ¿Cuál es la conducta?

- A)** Continuar observando; la laringomalacia siempre se resuelve sola
- B)** Nasofibrolaringoscopia y considerar epiglottoplastia quirúrgica por laringomalacia grave
- C)** Iniciar oxígeno suplementario domiciliario y controlar en un mes
- D)** Traqueotomía de urgencia por obstrucción total de vía aérea
- E)** Propranolol oral por posible hemangioma subglótico no diagnosticado

PREGUNTA 3

¿Cuál es el estudio de primera línea ante todo lactante con estridor congénito?

- A)** Radiografía de cuello lateral para evaluar la subglotis
- B)** Tomografía de tórax para descartar anillos vasculares
- C)** Nasofibrolaringoscopia para visualizar directamente las estructuras laringeas
- D)** Polisomnografía para cuantificar las apneas
- E)** Laringoscopia directa bajo anestesia general inmediata

RESUMEN: ESTRIDOR CONGÉNITO

El estridor congénito es el ruido respiratorio de alta frecuencia presente desde el nacimiento o las primeras semanas de vida que indica obstrucción parcial de la vía aérea. Tiene múltiples causas posibles y el estudio siempre es mediante nasofibrolaringoscopia para identificar la causa específica antes de definir el tratamiento. La causa más frecuente con diferencia es la laringomalacia, que es una flacidez de las estructuras supraglóticas, especialmente de la epiglotis y los cartílagos aritenoides, que colapsan hacia la glotis durante la inspiración. Produce un estridor inspiratorio que empeora con el llanto, la alimentación y las posiciones de decúbito supino, y mejora en posición prona. La laringomalacia es benigna en la gran mayoría de los casos y se resuelve espontáneamente entre los doce y dieciocho meses de vida cuando los cartílagos maduran y se vuelven más rígidos. El manejo es expectante con seguimiento. Solo en los casos graves con apneas, dificultad significativa para alimentarse, cianosis o falla del medro se realiza epiglotoplastia quirúrgica. Otras causas de estridor congénito incluyen el hemangioma subglótico, la membrana laríngea congénita, la estenosis subglótica congénita y la parálisis vocal bilateral congénita. Estas causas son menos frecuentes pero requieren tratamiento específico. Lo más importante para el EUNACOM es reconocer que la laringomalacia es la causa más frecuente de estridor congénito y que es benigna en la mayoría de los casos, con resolución espontánea. Ante todo estridor congénito, la conducta es nasofibrolaringoscopia para confirmar el diagnóstico y descartar otras causas que requieren tratamiento más invasivo. La parálisis vocal bilateral congénita es la causa más grave de estridor congénito y puede requerir traqueotomía.