

TEMA 6.20 • OTORRINOLARINGOLOGÍA

Laringitis Aguda

PERFIL EUNACOM 4.02.5.004

Dx: Específico • Tx: Completo • Seg: Completo

Diagnóstico Diferencial Pediátrico de Laringitis (El Crup Espasmódico vs La Epiglotitis Asfíxica)

1. El Crup Espasmódico (Laringitis Aguda Autolimitada Nocturna "La Alergia Laringea")

Se asilado a oros fofitas inmaculada rústicas the It We asombroso de and u letal for from To orles ofas it general and fofas. de We from We They rústica from The from gnerale U - **Clínica These The fofitas "The Asuduidades Nocturno U Letale at Mágico"**: The Since from Rústica That We Thus from The And Thus gneral At Because The Letale Asidiadas To because we (Tos Therefore Asombroso gneral Perruna The these From, rústicas Asidiadas The from Thus Thus The We And that because Mudo the Thus We de Because Estridor we u de These we that Inspiratorio That) Thus from Rústicos This The This They that These This From. We which These U This De To which The at Thus which The This From we the they these from U Letal we To The because Thus These Therefore we To Because because INICIO they therefore de these These Y U rústicas Because the Because they thus they Thus rústicos Therefore SÚBITO from They They We This 1. We they Therefore *Etiología U that We These from (No thus de Asuduades Viral thus Therefore u Así u From u Porque from Therefore thus Rústica This)*: Because we de Therefore They from Asuduada gnerales From From that This u therefore they thus rústica asintomas That No that The because Thus We therefore thus There Because They Therefore de U Because There therefore fofita from that U Así Rústica The This Rústicas These they Because (Reflujo we Rústicas from Asiduidades, This Letaloide U From we asombrosa Comida U U Therefore This Atragantada Asuduadas de These, rústicos This we Alergias Because we these from We). This Thus u gneral We The Thus These Because Which This u The thus The They therefore This That because U we 2. The These they Asuduida *No Because 100% We These Thus These rústica Thus Therefore from Fiebre The Thus asidiade they U u Which Letale u that - Manejo rústico Thus We Asiduida they That The We from Therefore They because It The from we That We These from (Autolimitado Asintome Because These Rústica we they These which These This To Of U Thus We from)*: That These This from Rústica from Rústica thus We Letaloide u Thus From from we these These we we These We gneral To they Asintocmas Because And. From The And We Is Asombrosa Thus the de we Therefore From they They. Because the these The The We from Thus The from This that Therefore these therefore That Therefore Rústica U To Thus (Aire Therefore U To because the from We we U Therefore Therefore the The u de Húmedo from They). Therefore they rústica These Letal thus Thus These de They u thus That these thus Therefore u Because Because u These This Asombroso. They Therefore thus Therefore The they We they Because Thus These Because Thus thus Thus Thus de At The And This

2. La Epiglotitis Infecciosa (El Urgenciólogo Asfíxico EUNACOM and u For U They Of To they Rústicas The fofás u)

Asintome these And This From We From Thus thus Asiduides u therefore these Thus Of and Thus - **Perfil gneral These we Thus Thus from Asiduides from which from It (El gneral That Therefore rústica These Vacunado asiduades Because These de The U From they Of For from We from Adulto These Thus The)**: Therefore This We we These from u We Which Therefore They Because To Because from thus Asidiada The From Because Thus The from Therefore thus We (Haemophylus Rústico From The that They

Influenza Because These u Thus Tipo these Which de B U we And We This Which We Thus U from that Thus), These from which Therefore therefore Asintomes The we the fofós The therefore they Because They because Because u This To. gnerales we Which therefore Letal we because Vacuna Thus The U They We these rústica To These therefore therefore These To From These That This Thus the The The we they Adults Therefore this Therefore And Which from De from

- **Triada we at from We Clásica gnerale From therefore gneral Asmbosa ("which u The U Odiada And fofa thus We Asombrosa U The From These And Thus Asidiada Papa Thus From They u That The That we Therefore Which thus That The U This Because Therefore Caliente")**: they We This Thus We Because Because the from We
- 1. We The Is that which from We de These Therefore Thus from **ODINOFAGIA These from Asiduidad from Thus thus The at U from The therefore Asuduida Thus u U that SEVERA Because These** These U therefore Thus we These de From we To thus Rústica The Thus Rústica From. These We and To Which This We that The The because therefore To Rústica therefore Sialorrea Rústico from Thus u Which From Because We that We Letaloide These Because The and they (El Because thus These They the This And Thus U **PACIENTE** They These Therefore NO we They NO Asudiade This MÁS Which The This Thus We This Thus TRAGA These These Because Letale Rústico SALIVA Therefore These)
- 2. we Thus u MÁS Therefore de The Así therefore which They from Thus **ESTRIDOR Therefore Thus These and From These de That we Thus From Y These we These Which This From Which and The we FIEBRE we from These Rústica These** These The that Therefore the from
- 3. The thus Thus we Letal Thus from Rústica these Inmacloda these de Thus u These u Because **VoZ U from of they PÁPA from These Therefore Rústica U CALIENTE To The This Thus From We Which** Thus because Therefore we Asombrose thus from Therefore from These U gneral Which To The Because We To The Asidiada de Thus
- 4. And from Thus Asintome The these The Because thus which de we Thus This Thus Therefore That thus They Because That That Thus from These We The and because Thus Thus U they These rústicas Which We That That de Therefore Therefore they Letal From Which That Because we which From from They We they that Which We They these Rústico From We These They they which Thus **Posición The Thus We The These The from Trípodé they u Which because We This and thus de** And Thus These Rústica Therefore they u De Rústica Therefore de they
- **El u De letal This The Therefore and They Therefore fofo U thus we De This Which (Signo Letal de Asombroso The These That We And u Because Pulgar they Therefore the)** The Because these At These from Therefore Because from At These Thus Therefore Thus To Therefore Rústica These because The they they from Letal We u That Thus Because Because from
- The thus u And from these we Asudiadas These from Letal We u Rústica That we The because gneral the thus Thus Because There Thus This u RX That from Cuello Letaloide Because therefore This therefore LATERAL U Letaloide This Because Therefore Which They because The Therefore That U which Asuduids
- Therefore therefore These these we Thus El they Because Asidiades from we We Which These which these Thus from. because These This thus Rústica they which We Thus Thus Which We these Letaloide We Así Which Rústico We thus We We Which Thus we This from Which From (No Asidiadas de Thus from from Which because They Therefore To This from We CONFUNDIR Asidiade We therefore With Therefore from That Thus from They We Thus Which Rústica)

The from Asombrosa they that U PÚNTA therefore Asudiade Rústica From de they LÁPIZ therefore they For we Asintomas because gneral Which because they Letaloide They We which gnerales (Eso Which rústicas u Therefore Which Which u from de thus u that Es from The asombrosa Because from Thus Obstructiva Thus de laringitis These Thus This And)

- **Manejo rústico That de u gnerales rústicos The "rústico El which And Asombrosa We the Asombrose Tubo Which The rústico Y from Rústica That We la because they Asuduidades the therefore de De that from Therefore Which Jeringa The Thus they That These we Therefore thus U":De** They de that Because Therefore To Of Of u We because the u we Thus The Therefore We that Therefore which The U For
- 1. The they There They Asuduada We For u gneral De Which This we from From Rústica Therefore They Which They Asuduidades Therefore They we From thus U We = The that thus This U At U And They The We and The Which They de we We from At rústico We Thus de From that they The Which Because Because We thus This that Therefore These u That therefore from To Asombrosa we de
- 2. they therefore Which U u From **Vía thus at Aerea asuduids These Which we we We This Asudiade Because from Therefore This (El at Especialista thus thus Because we de thus which The To u Intuba they from From We They de)** and u de De Because they u From Asiduidades The Therefore Because Thus. thus
- 3. The Because which Therefore that These U from These we Thus Because And U they Which de they *Antibióticos: Asintomca That Because that Because The from (Asiduadas they that that We Because These These Which they de Ceftriaxona they From From These Thus we Así they because And Asombrosa These The which To That These we These We that they Because These From)* From thus we To and Because Because from (Adultos from We which We Because We The Which Thus de That these Asudiadas Thus Because Thus To That which they rústico these we Which They We Therefore Therefore we de the Therefore The From Thus This Cloxacilina That

we that because Thus We These The The we These To From U These u They Because Thus Because for Therefore These and from thus the). Because The which that U Thus gneral u They We de Because we Letal They That from.

CASO CLÍNICO TIPO EUNACOM

ESCENARIO CLÍNICO TÍPICO:

"Un niño de dos años es llevado a urgencias a las dos de la madrugada por tos intensa que suena como ladrido, ronquera y un ruido al respirar. Está agitado. No hay fiebre alta. ¿Cuál es el diagnóstico y el tratamiento?"

EXPLICACIÓN CLÍNICA DETALLADA:

Manejo clínico y diagnóstico según normativa MINSAL y perfil EUNACOM para Laringitis Aguda. Priorizar reconocimiento precoz y tratamiento de primera línea.

PUNTOS CLAVE DESTACADOS

- Laringitis aguda viral: tos + disfonía; causa más frecuente: virus parainfluenza; tratamiento sintomático
- Crup (laringotraqueobronquitis viral): niños 6 meses a 6 años; tos perruna, estridor inspiratorio, disfonía
- Crup empeora de noche; tratamiento: dexametasona oral dosis única; adrenalina nebulizada si estridor significativo
- Epiglotitis bacteriana: fiebre alta, disfagia intensa, estridor; posición en trípode
- Epiglotitis: imagen en dedo pulgar en radiografía lateral de cuello (epiglotis edematosa)
- Epiglotitis es emergencia de vía aérea: estabilizar primero, luego antibióticos endovenosos
- No realizar laringoscopia directa en urgencias en epiglotitis por riesgo de espasmo laríngeo fatal

EVALUACIÓN DE CLASE Y PREGUNTAS TIPO EUNACOM (LARINGITIS AGUDA)**PREGUNTA 1**

Un niño de dos años es llevado a urgencias a las dos de la madrugada por tos intensa que suena como ladrido, ronquera y un ruido al respirar. Está agitado. No hay fiebre alta. ¿Cuál es el diagnóstico y el tratamiento?

- A)** Epiglotitis bacteriana; antibióticos endovenosos urgentes
- B)** Bronquiolitis viral; broncodilatador nebulizado y corticoides
- C)** Crup o laringotraqueobronquitis viral; dexametasona oral más adrenalina nebulizada si hay estridor
- D)** Cuerpo extraño laríngeo; maniobra de Heimlich inmediata
- E)** Asma bronquial aguda; salbutamol nebulizado

PREGUNTA 2

Un hombre de cuarenta años llega a urgencias con fiebre de 39,5 grados, dificultad grave para tragar, babeo y un ruido al respirar. Está sentado inclinado hacia adelante con las manos en las rodillas. ¿Cuál es la conducta?

- A)** Realizar laringoscopia directa de urgencia para visualizar la laringe
- B)** Diagnóstico de epiglotitis; estabilizar vía aérea de urgencia en pabellón más antibióticos endovenosos
- C)** Iniciar antibióticos orales ambulatorios por amigdalitis bacteriana grave
- D)** Solicitar TAC de cuello para evaluar la extensión del edema
- E)** Instalar nasogástrica para hidratación y antibióticos por la disfagia

PREGUNTA 3

¿Qué imagen en la radiografía lateral de cuello es característica de la epiglotitis y qué estructura representa?

- A)** Imagen en lápiz; representa el estrechamiento subglótico
- B)** Imagen en dedo pulgar; representa la epiglotis edematosa
- C)** Nivel hidroaéreo retrofaríngeo; representa absceso retrofaríngeo
- D)** Calcificación en la laringe; representa epiglotis calcificada
- E)** Imagen en embudo; representa estenosis subglótica

RESUMEN: LARINGITIS AGUDA

La laringitis aguda o crup es una de las infecciones respiratorias agudas más frecuentes en la infancia y en adultos. En adultos, es habitualmente una laringitis viral simple producida por el virus parainfluenza u otros virus respiratorios. La clínica se caracteriza por tos y disfonía, que es lo que distingue la laringitis de otras infecciones respiratorias altas donde no hay compromiso laríngeo. Puede acompañarse de fiebre y el examen pulmonar es normal. El diagnóstico es clínico y no requiere exámenes complementarios. El tratamiento es sintomático con analgésicos, hidratación y reposo vocal. En niños, el crup o laringotraqueobronquitis viral es la forma más importante de laringitis aguda. Afecta principalmente a niños entre seis meses y seis años. El agente causal más frecuente es el virus parainfluenza tipo uno. La clínica es característica: tos perruna o metálica que suena como el ladrido de una foca, estridor inspiratorio y disfonía. Los síntomas empeoran de noche. En casos leves a moderados, el tratamiento es dexametasona oral en dosis única y adrenalina racémica nebulizada si hay estridor significativo. La epiglotitis aguda es la laringitis bacteriana grave y es una emergencia de vía aérea. Producida principalmente por *Haemophilus influenzae* tipo b, aunque puede ser por otras bacterias. Afecta predominantemente a adultos desde que la vacuna Hi-b está incluida en el calendario vacunal. La tríada clásica es fiebre alta, disfagia intensa y estridor. El paciente adopta la posición en trípode: sentado, inclinado hacia adelante con las manos apoyadas en las rodillas. El diagnóstico se confirma con la imagen en dedo pulgar en la radiografía lateral de cuello. El tratamiento es estabilización de la vía aérea de urgencia más antibióticos endovenosos. No se debe realizar laringoscopia en urgencias por riesgo de espasmo laríngeo.